## Sectioning commands with critical notes in parallel colums

February 27, 2015

This file provides examples of using sectioning commands with eledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use  $\ensuremath{\texttt{left}}$  to say we want the right titles be added to the table of contents, and not the left titles. We also use  $\ensuremath{\texttt{left}}$  to use the right side to add  $\ensuremath{\texttt{LFX}}$  marks for headers.

We use the \eledxxx commands, each of them in their own \pstart...\pend group.

Page clearings are manually added before chapter with \beforeeledchapter.

## **Contents**

1	Right chapter		
	1.1	Right section	3
		1.1.1 Right subsection	3
	1.2	Right section	4
2	Rig	ht chapter	5
	2.1	Right section	5
		2.1.1 Right subsection	5
	2.2	Right section	

## Chapter 1

## Left chapter

## Chapter 1 Right chapter

I use git to manage some pack-

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit 3R hook, to check if I have forgotten For 4R now, I have a minimal pre-commit, 5R which tests only the blank spaces at 6R ends of lines, but not the forgotten. 7R

1R

8R

9R

10R

#### 8 1.1 Left section

#### 9 1.1.1 Left subsection

#### Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

11

### 1.1 Right section

#### 1.1.1 Right subsection

#### Right subsubsection

I use git to manage some packages. I would like to add a pre-commit 12R hook, to check if I have forgotten For 13R now, I have a minimal pre-commit, 14R which tests only the blank spaces at 15R

<sup>1</sup> chapter] chapitre

<sup>1</sup> chapter] chapitre

<sup>9</sup> subsection] sous-section

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection] sous-sous-section

<sup>10</sup> subsubsection] sous-sous-section

16R

17R

ends of lines, but not the forgotten.

ends of lines, but not the forgotten.

### 1.2 Left section

18

19

20

21

# I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 1.2 Right section

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R

## **Chapter 2**

## Left chapter

## **Chapter 2**

## Right chapter

1R

8R

9R

10R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten..

I use git to manage some packages. I would like to add a pre-commit 3R hook, to check if I have forgotten For 4R now, I have a minimal pre-commit, 5R which tests only the blank spaces at 6R ends of lines, but not the forgotten.. 7R

#### 8 2.1 Left section

#### 9 2.1.1 Left subsection

#### Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

## 2.1 Right section

#### 2.1.1 Right subsection

#### Right subsubsection

I use git to manage some packages. I would like to add a pre-commit 12R hook, to check if I have forgotten For 13R now, I have a minimal pre-commit, 14R which tests only the blank spaces at 15R

11

<sup>1</sup> chapter] chapitre

<sup>1</sup> chapter] chapitre

<sup>9</sup> subsection] sous-section

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection] sous-sous-section

<sup>10</sup> subsubsection] sous-sous-section

ends of lines, but not the forgotten.

ends of lines, but not the forgotten.

## e**n.** 16R

17R

### 2.2 Left section

18

19

20

21

# I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 2.2 Right section

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R