# Sectioning commands with critical notes in parallel colums

March 6, 2015

This file provides examples of using sectioning commands with eledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use  $\ensuremath{\ensuremath{\mathsf{left}}}$  to say we want the right titles be added to the table of contents, and not the left titles. We also use  $\ensuremath{\ensuremath{\mathsf{left}}}$  to use the right side to add  $\ensuremath{\ensuremath{\mathsf{ETE}}}$  marks for headers.

We use the  $\eledxxx$  commands, each of them in their own  $\pstart...\pend$  group.

Page clearings are manually added before chapter with \beforeeledchapter.

# Contents

1	Right chapter		
	1.1	Right section	3
		1.1.1 Right subsection	3
	1.2	Right section	4
2	Rig	ht chapter	5
	2.1	Right section	5
		2.1.1 Right subsection	5
	22	Right section	6

# Chapter 1 Left chapter Right chapter

- 2 I use git to manage some pack-
- <sup>3</sup> ages. I would like to add a pre-commit
- 4 hook, to check if I have forgotten For
- <sup>5</sup> now, I have a minimal pre-commit,
- <sup>6</sup> which tests only the blank spaces at
- <sup>7</sup> ends of lines, but not the forgotten..

# which tests only the blank spaces at 6R ends of lines, but not the forgotten.. 7R

I use git to manage some pack-

ages. I would like to add a pre-commit 3R

hook, to check if I have forgotten For

now, I have a minimal pre-commit,

1R

2R

4R

5R

10R

### 8 1.1 Left section

### 9 1.1.1 Left subsection

- 10 Left subsubsection
- I use git to manage some packages. I would like to add a pre-commit
  hook, to check if I have forgotten For
  now, I have a minimal pre-commit,
  which tests only the blank spaces at

# **1.1 Right section BR**

### **1.1.1 Right subsection 9R**

#### **Right subsubsection**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter ] chapitre

<sup>9</sup> subsection] sous-section

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection] sous-sous-section

<sup>10</sup> subsubsection] sous-sous-section

<sup>16</sup> ends of lines, but not the forgotten.

ends of lines, but not the forgotten. 16R

### 17 **1.2 Left section**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

# 1.2 Right section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten. 23R

17R

# Chapter 2 Chapter 2 Left chapter Right chapter

- 2 I use git to manage some pack-
- <sup>3</sup> ages. I would like to add a pre-commit

4 hook, to check if I have forgotten For

- <sup>5</sup> now, I have a minimal pre-commit,
- <sup>6</sup> which tests only the blank spaces at
- <sup>7</sup> ends of lines, but not the forgotten..

#### I use git to manage some packages. I would like to add a pre-commit 3R hook, to check if I have forgotten For now, I have a minimal pre-commit, 5R which tests only the blank spaces at 6R ends of lines, but not the forgotten.. 7R

1R

10R

## 8 2.1 Left section

### 9 2.1.1 Left subsection

- 10 Left subsubsection
- I use git to manage some packages. I would like to add a pre-commit
  hook, to check if I have forgotten For
  now, I have a minimal pre-commit,
  which tests only the blank spaces at

## 2.1 Right section **8R**

### 2.1.1 Right subsection **9R**

#### Right subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter ] chapitre

<sup>9</sup> subsection] sous-section

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection] sous-sous-section

<sup>10</sup> subsubsection] sous-sous-section

<sup>16</sup> ends of lines, but not the forgotten.

### ends of lines, but not the forgotten. 16R

### 17 2.2 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

# 2.2 Right section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten. 23R

17R