

Sectioning commands with critical notes in parallel columns

February 23, 2015

This file provides examples of using sectioning commands with `eledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add \LaTeX marks for headers.

We use the `\eledxxx` commands, each of them in their own `\pstart...\pend` group.

Page clearings are manually added before chapter with `\beforeeledchapter`.

Contents

| | | |
|----------|----------------------------|----------|
| 1 | Right chapter | 3 |
| 1.1 | Right section | 3 |
| 1.1.1 | Right subsection | 3 |
| 1.2 | Right section | 4 |
| 2 | Right chapter | 5 |
| 2.1 | Right section | 5 |
| 2.1.1 | Right subsection | 5 |
| 2.2 | Right section | 6 |

Chapter 1

1 Left chapter

2 I use git to manage some pack-
3 ages. I would like to add a pre-commit
4 hook, to check if I have forgotten For
5 now, I have a minimal pre-commit,
6 which tests only the blank spaces at
7 ends of lines, but not the forgotten..

8 1.1 Left section

9 1.1.1 Left subsection

10 Left subsubsection

11 I use git to manage some pack-
12 ages. I would like to add a pre-commit
13 hook, to check if I have forgotten For
14 now, I have a minimal pre-commit,
15 which tests only the blank spaces at

1 chapter] chapitre
1 chapter] chapitre
9 subsection] sous-section
9 subsection] sous-section
10 subsubsection] sous-sous-section
10 subsubsection] sous-sous-section

Chapter 1

Right chapter 1R

I use git to manage some pack- 2R
ages. I would like to add a pre-commit 3R
hook, to check if I have forgotten For 4R
now, I have a minimal pre-commit, 5R
which tests only the blank spaces at 6R
ends of lines, but not the forgotten.. 7R

1.1 Right section 8R

1.1.1 Right subsection 9R

Right subsubsection 10R

I use git to manage some pack- 11R
ages. I would like to add a pre-commit 12R
hook, to check if I have forgotten For 13R
now, I have a minimal pre-commit, 14R
which tests only the blank spaces at 15R

16 ends of lines, but not the forgotten. ends of lines, but not the forgotten. 16R

17 1.2 Left section

18 I use git to manage some pack-
19 ages. I would like to add a pre-commit
20 hook, to check if I have forgotten For
21 now, I have a minimal pre-commit,
22 which tests only the blank spaces at
23 ends of lines, but not the forgotten.

1.2 Right section 17R

I use git to manage some pack- 18R
ages. I would like to add a pre-commit 19R
hook, to check if I have forgotten For 20R
now, I have a minimal pre-commit, 21R
which tests only the blank spaces at 22R
ends of lines, but not the forgotten. 23R

Chapter 2

1 Left chapter

2 I use git to manage some pack-
3 ages. I would like to add a pre-commit
4 hook, to check if I have forgotten For
5 now, I have a minimal pre-commit,
6 which tests only the blank spaces at
7 ends of lines, but not the forgotten..

8 2.1 Left section

9 2.1.1 Left subsection

10 Left subsubsection

11 I use git to manage some pack-
12 ages. I would like to add a pre-commit
13 hook, to check if I have forgotten For
14 now, I have a minimal pre-commit,
15 which tests only the blank spaces at

1 chapter] chapitre
1 chapter] chapitre
9 subsection] sous-section
9 subsection] sous-section
10 subsubsection] sous-sous-section
10 subsubsection] sous-sous-section

Chapter 2

Right chapter 1R

I use git to manage some pack- 2R
ages. I would like to add a pre-commit 3R
hook, to check if I have forgotten For 4R
now, I have a minimal pre-commit, 5R
which tests only the blank spaces at 6R
ends of lines, but not the forgotten.. 7R

2.1 Right section 8R

2.1.1 Right subsection 9R

Right subsubsection 10R

I use git to manage some pack- 11R
ages. I would like to add a pre-commit 12R
hook, to check if I have forgotten For 13R
now, I have a minimal pre-commit, 14R
which tests only the blank spaces at 15R

16 ends of lines, but not the forgotten.

ends of lines, but not the forgotten. 16R

17 2.2 Left section

18 I use git to manage some pack-
19 ages. I would like to add a pre-commit
20 hook, to check if I have forgotten For
21 now, I have a minimal pre-commit,
22 which tests only the blank spaces at
23 ends of lines, but not the forgotten.

2.2 Right section 17R

I use git to manage some pack- 18R
ages. I would like to add a pre-commit 19R
hook, to check if I have forgotten For 20R
now, I have a minimal pre-commit, 21R
which tests only the blank spaces at 22R
ends of lines, but not the forgotten. 23R