## Sectioning commands with critical notes in parallel colums

October 4, 2014

This file provides examples of using sectioning commands with eledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use  $\ensuremath{\texttt{left}}$  to say we want the right titles be added to the table of contents, and not the left titles. We also use  $\ensuremath{\texttt{left}}$  to use the right side to add  $\ensuremath{\texttt{LFX}}$  marks for headers.

We use the \eledxxx commands, each of them in their own \pstart...\pend group.

Page clearings are manually added before chapter with \beforeeledchapter.

## **Contents**

1	Right chapter				
	1.1	Right section	3		
		1.1.1 Right subsection	3		
	1.2	Right section	3		
2 Right chapter					
	2.1	Right section			
		2.1.1 Right subsection			
	2.2	Right section	5		

	Chapter 1	Chapter 1		
1	Left chapter	Right chapter	1R	
2 3 4 5 6 7	ages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at which tests only the blank spaces at		2R 3R 4R 5R 6R 7R	
8	1.1 Left section	1.1 Right section	8R	
9	1.1.1 Left subsection	1.1.1 Right subsection	9R	
10	Left subsubsection	Right subsubsection  I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.		
11 12 13 14 15 16	I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.			
17	1.2 Left section	1.2 Right section	17R	

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R

1	Ler	t cnapter	Kig	int cnapter	1R
2 3 4 5 6 7	ages. I whook, to mow, I how which t	e git to manage some pack- would like to add a pre-commit o check if I have forgotten For nave a minimal pre-commit, ests only the blank spaces at lines, but not the forgotten	I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten		
8	2.1	Left section	2.1	Right section	8R
9	2.1.1	Left subsection	2.1.1	Right subsection	9R
10	Left su	bsubsection	Right s	subsubsection	10R
11 12 13 14 15	ages. I whook, to mow, I how which t	e git to manage some pack- vould like to add a pre-commit check if I have forgotten For nave a minimal pre-commit, ests only the blank spaces at lines, but not the forgotten.	I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.		
17	2.2	Left section	2.2	Right section	17R

Chapter 2 Chapter 2

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R