

Sectioning commands with critical notes in parallel columns

September 30, 2014

This file provides examples of using sectioning commands with `eledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add \LaTeX marks for headers.

We use the `\eledxxx` commands, each of them in their own `\pstart...\pend` group.

Page clearings are manually added before chapter with `\beforeeledchapter`.

Contents

| | | |
|----------|----------------------------|----------|
| 1 | Right chapter | 3 |
| 1.1 | Right section | 3 |
| 1.1.1 | Right subsection | 3 |
| 1.2 | Right section | 3 |
| 2 | Right chapter | 5 |
| 2.1 | Right section | 5 |
| 2.1.1 | Right subsection | 5 |
| 2.2 | Right section | 5 |

| | | | |
|------------------|--|--|-----|
| Chapter 1 | | Chapter 1 | |
| 1 | Left chapter | Right chapter | 1R |
| 2 | I use git to manage some pack- | I use git to manage some pack- | 2R |
| 3 | ages. I would like to add a pre-commit | ages. I would like to add a pre-commit | 3R |
| 4 | hook, to check if I have forgotten For | hook, to check if I have forgotten For | 4R |
| 5 | now, I have a minimal pre-commit, | now, I have a minimal pre-commit, | 5R |
| 6 | which tests only the blank spaces at | which tests only the blank spaces at | 6R |
| 7 | ends of lines, but not the forgotten.. | ends of lines, but not the forgotten.. | 7R |
| 8 | 1.1 Left section | 1.1 Right section | 8R |
| 9 | 1.1.1 Left subsection | 1.1.1 Right subsection | 9R |
| 10 | Left subsubsection | Right subsubsection | 10R |
| 11 | I use git to manage some pack- | I use git to manage some pack- | 11R |
| 12 | ages. I would like to add a pre-commit | ages. I would like to add a pre-commit | 12R |
| 13 | hook, to check if I have forgotten For | hook, to check if I have forgotten For | 13R |
| 14 | now, I have a minimal pre-commit, | now, I have a minimal pre-commit, | 14R |
| 15 | which tests only the blank spaces at | which tests only the blank spaces at | 15R |
| 16 | ends of lines, but not the forgotten. | ends of lines, but not the forgotten. | 16R |
| 17 | 1.2 Left section | 1.2 Right section | 17R |

18 I use git to manage some pack-
19 ages. I would like to add a pre-commit
20 hook, to check if I have forgotten For
21 now, I have a minimal pre-commit,
22 which tests only the blank spaces at
23 ends of lines, but not the forgotten.

I use git to manage some pack- 18R
ages. I would like to add a pre-commit 19R
hook, to check if I have forgotten For 20R
now, I have a minimal pre-commit, 21R
which tests only the blank spaces at 22R
ends of lines, but not the forgotten. 23R

| | | | |
|------------------|--|--|-----|
| Chapter 2 | | Chapter 2 | |
| 1 | Left chapter | Right chapter | 1R |
| 2 | I use git to manage some pack- | I use git to manage some pack- | 2R |
| 3 | ages. I would like to add a pre-commit | ages. I would like to add a pre-commit | 3R |
| 4 | hook, to check if I have forgotten For | hook, to check if I have forgotten For | 4R |
| 5 | now, I have a minimal pre-commit, | now, I have a minimal pre-commit, | 5R |
| 6 | which tests only the blank spaces at | which tests only the blank spaces at | 6R |
| 7 | ends of lines, but not the forgotten.. | ends of lines, but not the forgotten.. | 7R |
| 8 | 2.1 Left section | 2.1 Right section | 8R |
| 9 | 2.1.1 Left subsection | 2.1.1 Right subsection | 9R |
| 10 | Left subsubsection | Right subsubsection | 10R |
| 11 | I use git to manage some pack- | I use git to manage some pack- | 11R |
| 12 | ages. I would like to add a pre-commit | ages. I would like to add a pre-commit | 12R |
| 13 | hook, to check if I have forgotten For | hook, to check if I have forgotten For | 13R |
| 14 | now, I have a minimal pre-commit, | now, I have a minimal pre-commit, | 14R |
| 15 | which tests only the blank spaces at | which tests only the blank spaces at | 15R |
| 16 | ends of lines, but not the forgotten. | ends of lines, but not the forgotten. | 16R |
| 17 | 2.2 Left section | 2.2 Right section | 17R |

18 I use git to manage some pack-
19 ages. I would like to add a pre-commit
20 hook, to check if I have forgotten For
21 now, I have a minimal pre-commit,
22 which tests only the blank spaces at
23 ends of lines, but not the forgotten.

 I use git to manage some pack- 18R
 ages. I would like to add a pre-commit 19R
 hook, to check if I have forgotten For 20R
 now, I have a minimal pre-commit, 21R
 which tests only the blank spaces at 22R
 ends of lines, but not the forgotten. 23R