

E L E M E N T S

vo.2c 2018/01/31

properties of chemical elements

Clemens NIEDERBERGER

<http://www.mychemistry.eu/forums/forum/elements/>

contact@mychemistry.eu

This package provides means for retrieving properties of chemical elements like atomic number, element symbol, element name, electron distribution or isotope number. Properties are defined for the elements up to the atomic number 112.

This package is a spin-off of the package bohr [Nie15a] by the same author.

Table of Contents

| | | |
|-----------------------------------|-----------------------------|-----------|
| 1 Licence and Requirements | 1 6 Isotope Lists | 4 |
| 2 Element Names | 1 Element Properties | 5 |
| 3 Element Symbols | 2 References | 10 |
| 4 Atomic Numbers | 2 Index | 10 |
| 5 Electron Configuration | 3 | |

1 Licence and Requirements

Permission is granted to copy, distribute and/or modify this software under the terms of the LATEX Project Public License (LPPL), version 1.3 or later (<http://www.latex-project.org/lppl.txt>). The software has the status “maintained.”

ELEMENTS loads the packages etoolbox [Leh15] and translations [Nie15b].

2 Element Names

`\elementname{\langle atomic number \rangle | \langle element symbol \rangle}`

Prints the element name of a given element as defined with `\setatomname`.

\setatomname[*alt. name*]{*atomic number*}{*element name*}

Define or redefine the name of an element. If *element name* contains non-ascii symbols the optional argument *alt. name* must be given. In this case *alt. name* must be used in **ELEMENTS**' other macros where an element's name can be given as argument.

\DeclareAtomName[*alt. name*]{*atomic number*}{*element name*}

This is the same as \setatomname but used before begin document or in packages/classes.

\saveelementname{*cs*}{*atomic number*|*element symbol*|*element name*}

Saves the name of the given element as replacement text for the macro *cs*.

| | |
|---|------------------------------------|
| <pre> 1 \elementname{Cu} \par 2 \elementname{11} \par 3 \saveelementname\foo{28} 4 \ttfamily\meaning\foo </pre> | Copper Sodium macro:->Nickel |
|---|------------------------------------|

3 Element Symbols

\elementsymbol{*atomic number*|*element name*}

Prints the element symbol of a given element as defined with \setatomsymbol.

\setatomsymbol{*atomic number*}{*element symbol*}

Define or redefine the symbol of an element.

\DeclareAtomSymbol{*atomic number*}{*element symbol*}

This is the same as \setatomsymbol but used before begin document or in packages/classes.

\saveelementsymbol{*cs*}{*atomic number*|*element symbol*|*element name*}

Saves the symbol of the given element as replacement text for the macro *cs*.

| | |
|---|-----------------------|
| <pre> 1 \elementsymbol{13} \par 2 \elementsymbol{Sulfur} \par 3 \saveelementsymbol\foo{83} 4 \ttfamily\meaning\foo </pre> | Al S macro:->Bi |
|---|-----------------------|

4 Atomic Numbers

\atomicnumber{*element symbol*|*element name*}

Prints the atomic number of a given element.

\Z{<element symbol>|<element name>}

An alias of \atomicnumber but only defined at begin document and only if it isn't defined already.

\saveatomicnumber{<cs>}{<atomic number>|<element symbol>|<element name>}

Saves the atomic number of the given element as replacement text for the macro <cs>.

| | |
|---|------------------------|
| <pre> 1 \atomicnumber{U} \par 2 \atomicnumber{Chlorine} \par 3 \saveatomicnumber\foo{Kr} 4 \ttfamily\meaning\foo </pre> | 92 17 macro:->36 |
|---|------------------------|

5 Electron Configuration

\elconf{<atomic number>|<element symbol>|<element name>}

Typesets the electron configuration of the given element.

\writeelconf{<electron distribution>}

Typesets the electron distribution <electron distribution>. The input is the same as described below for \setelectrondistribution.

\setelectrondistribution{<atomic number>}{<electron distribution>}

This set the electron distribution associated with the atom number <atomic number>. <electron distribution> is a comma-separated list of the number of electrons placed on each shell from inner to outer shell. For example \setelectrondistribution{3}{2,0,1} would be an excited Lithium. The number of electrons with the same principal quantum number but a different angular quantum number are separated with a + ordered by the angular quantum number, *i.e.*, first s, then p, then d, and then f. Copper's distribution would be declared like this:

\setelectrondistribution{29}{2,2+6,2+6+10,1}.

A declaration with \setelectrondistribution{29}{2,8,18,1} would work but then \elconf{29} would give the wrong results.

\DeclareElectronDistribution

This is the same as \setelectrondistribution but used before begin document or in packages/classes.

\printangularmomentum{<angular momentum>}

This command is used be \elconf and \writeelconf for typesetting s, p, d, ... You can redefine it if you want to change how those functions are typeset (keeping in mind that it will be used in *math mode*). The initial definition is:

\newcommand*\printangularmomentum[1]{\mathrm{\#1}}

Introduced in
version 0.1e

```

1 \writeelconf{2,2+6,2+6+7} \par
2 \elconf{Cl}

```

1s²2s²2p⁶3s²3p⁶3d⁷
1s²2s²2p⁶3s²3p⁵

There is currently *no way* to get the electron configuration in the shortened way (e.g.: [Ar]d¹⁰4s¹).

6 Isotope Lists

\setatomisotopes{\langle atomic number\rangle}{\langle isotope list\rangle}

Defines or redefines the isotope list for a given element. \langle isotope list\rangle should be a comma separated list of integers. One of the integers may be preceded with a ! to mark the main isotope for the given element: \setatomisotopes{6}{10,11,!12,13,14,15,16}

\DeclareAtomIsotopes{\langle atomic number\rangle}{\langle isotope list\rangle}

This is the same as \setatomisotopes but used before begin document or in packages/classes.

\saveelementisotopes{\langle cs\rangle}{\langle atomic number\rangle|\langle element symbol\rangle|\langle element name\rangle}

Saves the isotope list of the given element as replacement text for the macro \langle cs\rangle.

\savemainelementisotope{\langle cs\rangle}{\langle atomic number\rangle|\langle element symbol\rangle|\langle element name\rangle}

Saves the main isotope of the given element as replacement text for the macro \langle cs\rangle. If the isotope list of the element contains no main isotope \langle cs\rangle will be equivalent to \empty.

\mainelementisotope{\langle atomic number\rangle|\langle element symbol\rangle|\langle element name\rangle}

Print the main isotope of the given element. If the isotope list of the element contains no main isotope nothing will be printed.

Introduced in
version 0.1d

```

1 \ttfamily
2 \saveelementisotopes\foo{C}
3 \meaning\foo\par
4 \savemainelementisotope\foo{C}
5 \meaning\foo\par
6 \normalfont
7 \mainelementisotope{C}

```

macro:->10,11,!12,13,14,15,16
macro:->12
12

Element Properties

On the following pages a table containing the properties known to `ELEMENTS` is printed. For those interested: the code used to get the table is as follows (using the packages `lscape` [Car00], `longtable` [Car14] and `booktabs` [Fea05]).

```
1 \setlength{\LTleft}{\fill}
2 \setlength{\LTright}{\fill}
3 \newcounter{element}
4 \setcounter{element}{1}
5 \begin{landscape}
6 \begin{longtable}{llllll}
7   \toprule
8     Number & Symbol & Name & Main Isotope & Electron Configuration \\
9   \midrule
10  \endhead
11  \whileboolexpr{test{\ifnumless{\value{element}}{113}}}
12  {
13    \theelement &
14    \elementsymbol{\arabic{element}} &
15    \elementname{\arabic{element}} &
16    \mainelementisotope{\arabic{element}} &
17    \elconf{\arabic{element}}
18    \stepcounter{element} \\
19  }
20  {}
21 \end{longtable}
22 \end{landscape}
```

Element Properties

| Number | Symbol | Name | Main Isotope | Electron Configuration |
|--------|--------|------------|--------------|---|
| 1 | H | Hydrogen | 1 | $1s^1$ |
| 2 | He | Helium | 4 | $1s^2$ |
| 3 | Li | Lithium | 7 | $1s^2 2s^1$ |
| 4 | Be | Beryllium | 9 | $1s^2 2s^2$ |
| 5 | B | Boron | 11 | $1s^2 2s^2 2p^1$ |
| 6 | C | Carbon | 12 | $1s^2 2s^2 2p^2$ |
| 7 | N | Nitrogen | 14 | $1s^2 2s^2 2p^3$ |
| 8 | O | Oxygen | 16 | $1s^2 2s^2 2p^4$ |
| 9 | F | Fluorine | 19 | $1s^2 2s^2 2p^5$ |
| 10 | Ne | Neon | 20 | $1s^2 2s^2 2p^6$ |
| 11 | Na | Sodium | 23 | $1s^2 2s^2 2p^6 3s^1$ |
| 12 | Mg | Magnesium | 24 | $1s^2 2s^2 2p^6 3s^2$ |
| 13 | Al | Aluminium | 27 | $1s^2 2s^2 2p^6 3s^2 3p^1$ |
| 14 | Si | Silicon | 28 | $1s^2 2s^2 2p^6 3s^2 3p^2$ |
| 15 | P | Phosphorus | 31 | $1s^2 2s^2 2p^6 3s^2 3p^3$ |
| 16 | S | Sulfur | 32 | $1s^2 2s^2 2p^6 3s^2 3p^4$ |
| 17 | Cl | Chlorine | 35 | $1s^2 2s^2 2p^6 3s^2 3p^5$ |
| 18 | Ar | Argon | 40 | $1s^2 2s^2 2p^6 3s^2 3p^6$ |
| 19 | K | Potassium | 39 | $1s^2 2s^2 2p^6 3s^2 3p^6 4s^1$ |
| 20 | Ca | Calcium | 40 | $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2$ |
| 21 | Sc | Scandium | 45 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^1 4s^2$ |
| 22 | Ti | Titanium | 48 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^2 4s^2$ |
| 23 | V | Vanadium | 51 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^3 4s^2$ |
| 24 | Cr | Chromium | 52 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^5 4s^1$ |
| 25 | Mn | Manganese | 55 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^5 4s^2$ |
| 26 | Fe | Iron | 56 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^6 4s^2$ |
| 27 | Co | Cobalt | 59 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^7 4s^2$ |
| 28 | Ni | Nickel | 58 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^8 4s^2$ |
| 29 | Cu | Copper | 63 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^1$ |

Element Properties

| Number | Symbol | Name | Main Isotope | Electron Configuration |
|--------|--------|------------|--------------|--|
| 30 | Zn | Zinc | 64 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2$ |
| 31 | Ga | Gallium | 69 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^1$ |
| 32 | Ge | Germanium | 74 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^2$ |
| 33 | As | Arsenic | 75 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^3$ |
| 34 | Se | Selenium | 80 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^4$ |
| 35 | Br | Bromine | 79 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^5$ |
| 36 | Kr | Krypton | 84 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6$ |
| 37 | Rb | Rubidium | 85 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 5s^1$ |
| 38 | Sr | Strontium | 88 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 5s^2$ |
| 39 | Y | Yttrium | 89 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^1 5s^2$ |
| 40 | Zr | Zirconium | 90 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^2 5s^2$ |
| 41 | Nb | Niobium | 93 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^2 5s^1$ |
| 42 | Mo | Molybdenum | 98 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^5 5s^1$ |
| 43 | Tc | Technetium | 99 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^6 5s^1$ |
| 44 | Ru | Ruthenium | 102 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^7 5s^1$ |
| 45 | Rh | Rhodium | 103 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^8 5s^1$ |
| 46 | Pd | Palladium | 106 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^10$ |
| 47 | Ag | Silver | 107 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^1$ |
| 48 | Cd | Cadmium | 114 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2$ |
| 49 | In | Indium | 115 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^1$ |
| 50 | Sn | Tin | 120 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^2$ |
| 51 | Sb | Antimony | 121 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^3$ |
| 52 | Te | Tellurium | 130 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^4$ |
| 53 | I | Iodine | 127 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^5$ |
| 54 | Xe | Xenon | 132 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^6$ |
| 55 | Cs | Caesium | 133 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^6 6s^1$ |
| 56 | Ba | Barium | 138 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^6 6s^2$ |
| 57 | La | Lanthanum | 139 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 5s^2 5p^6 5d^1 6s^2$ |
| 58 | Ce | Cerium | 140 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^2 5s^2 5p^6 6s^2$ |

Element Properties

| Number | Symbol | Name | Main Isotope | Electron Configuration |
|--------|--------|--------------|--------------|--|
| 59 | Pr | Praseodymium | 141 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^3 5s^2 5p^6 6s^2$ |
| 60 | Nd | Neodymium | 142 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^4 5s^2 5p^6 6s^2$ |
| 61 | Pm | Promethium | 147 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^5 5s^2 5p^6 6s^2$ |
| 62 | Sm | Samarium | 152 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^6 5s^2 5p^6 6s^2$ |
| 63 | Eu | Europium | 153 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^7 5s^2 5p^6 6s^2$ |
| 64 | Gd | Gadolinium | 158 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^8 5s^2 5p^6 6s^2$ |
| 65 | Tb | Terbium | 159 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^9 5s^2 5p^6 6s^2$ |
| 66 | Dy | Dysprosium | 164 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{10} 5s^2 5p^6 6s^2$ |
| 67 | Ho | Holmium | 165 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{11} 5s^2 5p^6 6s^2$ |
| 68 | Er | Erbium | 166 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{12} 5s^2 5p^6 6s^2$ |
| 69 | Tm | Thulium | 169 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{13} 5s^2 5p^6 6s^2$ |
| 70 | Yb | Ytterbium | 174 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 71 | Lu | Lutetium | 175 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 72 | Hf | Hafnium | 180 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 73 | Ta | Tantalum | 181 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 74 | V | Tungsten | 184 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 75 | Re | Rhenium | 187 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 76 | Os | Osmium | 192 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 77 | Ir | Iridium | 193 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 78 | Pt | Platinum | 195 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 79 | Au | Gold | 197 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 80 | Hg | Mercury | 202 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 81 | Tl | Thallium | 205 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 82 | Pb | Lead | 208 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 83 | Bi | Bismuth | 209 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 84 | Po | Polonium | 210 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 85 | At | Astatine | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 86 | Rn | Radon | 222 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2$ |
| 87 | Fr | Francium | 223 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 6s^2 6s^1$ |

Element Properties

| Number | Symbol | Name | Main Isotope | Electron Configuration |
|--------|--------|---------------|--------------|---|
| 88 | Ra | Radium | 226 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 6s^2 6p^6 7s^2$ |
| 89 | Ac | Actinium | 227 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 6s^2 6p^6 6d^1 7s^2$ |
| 90 | Th | Thorium | 232 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 6s^2 6p^6 6d^2 7s^2$ |
| 91 | Pa | Protactinium | 231 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^2 6s^2 6p^6 6d^1 7s^2$ |
| 92 | U | Uranium | 238 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^3 6s^2 6p^6 6d^1 7s^2$ |
| 93 | Np | Neptunium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^4 6s^2 6p^6 6d^1 7s^2$ |
| 94 | Pu | Plutonium | 244 | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^6 6s^2 6p^6 7s^2$ |
| 95 | Am | Americium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^7 6s^2 6p^6 7s^2$ |
| 96 | Cm | Curium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^7 6s^2 6p^6 6d^1 7s^2$ |
| 97 | Bk | Berkelium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^9 6s^2 6p^6 7s^2$ |
| 98 | Cf | Californium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^1 6s^2 6p^6 7s^2$ |
| 99 | Es | Einsteinium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^2 6s^2 6p^6 7s^2$ |
| 100 | Fm | Fermium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^3 6s^2 6p^6 7s^2$ |
| 101 | Md | Mendelevium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^4 6s^2 6p^6 7s^2$ |
| 102 | No | Nobelium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^5 6s^2 6p^6 7s^2$ |
| 103 | Lr | Lawrencium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^6 6s^2 6p^6 6d^1 7s^2$ |
| 104 | Rf | Rutherfordium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^7 6s^2 6p^6 6d^2 7s^2$ |
| 105 | Db | Dubnium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^8 6s^2 6p^6 6d^3 7s^2$ |
| 106 | Sg | Seaborgium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^9 6s^2 6p^6 6d^4 7s^2$ |
| 107 | Bh | Bohrium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^{10} 6s^2 6p^6 6d^5 7s^2$ |
| 108 | Hs | Hassium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^{11} 6s^2 6p^6 6d^6 7s^2$ |
| 109 | Mt | Meitnerium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^{12} 6s^2 6p^6 6d^7 7s^2$ |
| 110 | Ds | Darmstadtium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^{13} 6s^2 6p^6 6d^8 7s^2$ |
| 111 | Rg | Roentgenium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^{14} 6s^2 6p^6 6d^9 7s^1$ |
| 112 | Cn | Copernicium | | $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^{10} 4f^{14} 5s^2 5p^6 5d^{10} 5f^{15} 6s^2 6p^6 6d^{10} 7s^2$ |

References

- [Car00] David CARLISLE. *lscape*. version 3.01, Oct. 22, 2000 (or newer).
URL: <http://mirror.ctan.org/macros/latex/required/graphics/>.
- [Car14] David CARLISLE. *longtable*. version 4.11, Oct. 28, 2014 (or newer).
URL: <http://mirror.ctan.org/macros/latex/required/tools/>.
- [Fea05] Simon FEAR. *booktabs*. version 1.61803, Apr. 14, 2005 (or newer).
URL: <http://mirror.ctan.org/macros/latex/contrib/booktabs/>.
- [Leh15] Philipp LEHMAN, current maintainer: Joseph WRIGHT.
etoolbox. version 2.2a, Aug. 2, 2015 (or newer).
URL: <http://mirror.ctan.org/macros/latex/contrib/etoolbox/>.
- [Nie15a] Clemens NIEDERBERGER. *bohr*. version 1.0, June 16, 2015 (or newer).
URL: <http://mirror.ctan.org/macros/latex/contrib/bohr/>.
- [Nie15b] Clemens NIEDERBERGER. *translations*. version 1.2e, Nov. 7, 2015 (or newer).
URL: <http://mirror.ctan.org/macros/latex/contrib/translations/>.

Index

| | | | |
|------------------------------|---------|--------------------------|------|
| A | | S | |
| \atomicnumber | 2 f. | \saveatomicnumber | 3 |
| B | | \saveelementisotopes | 4 |
| bohr (package) | 1 | \saveelementname | 2 |
| booktabs (package) | 5 | \saveelementsymbol | 2 |
| C | | \savemainelementisotope | 4 |
| CARLISLE, David | 5 | \setatomisotopes | 4 |
| D | | \setatomname | 1 f. |
| \DeclareAtomIsotopes | 4 | \setatomsymbol | 2 |
| \DeclareAtomName | 2 | \setelectrondistribution | 3 |
| \DeclareAtomSymbol | 2 | | |
| \DeclareElectronDistribution | 3 | T | |
| E | | translations (package) | 1 |
| \elconf | 3 ff. | | |
| \elementname | 1 f., 5 | W | |
| \elementsymbol | 2, 5 | WRIGHT, Joseph | 1 |
| | | \writeelconf | 3 f. |
| P | | Z | |
| | | \printangularmomentum | 3 |
| | | \Z | 3 |