

glossaries-extra.sty v1.04: documented code

Nicola L.C. Talbot

Dickimaw Books

<http://www.dickimaw-books.com/>

2016-05-02

Abstract

This is the documented code for the glossaries-extra package. See glossaries-extra-manual.pdf for the user manual.

This package is experimental and not stable. It's provided for testing purposes only.
Future versions may not be compatible with this version. Once it has stabilised I'll add it to CTAN, at which point compatibility with the first stable version will be maintained.

Contents

1 Main Package Code (glossaries-extra.sty)	4
1.1 Package Initialisation and Options	4
1.2 Extra Utilities	11
1.3 Modifications to Commands Provided by glossaries	12
1.3.1 Existence Checks	12
1.3.2 Document Definitions	14
1.3.3 Existing Glossary Style Modifications	18
1.3.4 Entry Formatting, Hyperlinks and Indexing	22
1.3.5 Entry Counting	44
1.3.6 Acronym Modifications	57
1.3.7 Indexing and Displaying Glossaries	59
1.4 Integration with glossaries-accsupp	68
1.5 Categories	79
1.6 Abbreviations	101
1.6.1 Abbreviation Styles Setup	118
1.6.2 Predefined Styles (Default Font)	121
1.6.3 Predefined Styles (Small Capitals)	133
1.6.4 Predefined Styles (Fake Small Capitals)	137
1.6.5 Predefined Styles (Emphasized)	141
1.6.6 Predefined Styles (User Parentheses Hook)	147
1.7 Using Entries in Headings	150
1.8 Multi-Lingual Support	167
2 Style Adjustments (glossaries-extra-stylemods.sty)	169
2.1 Package Initialisation	169
2.2 List-Like Styles	170
2.3 Longtable Styles	170
2.4 Long Ragged Styles	171
2.5 Supertabular Styles	173
2.6 Super Ragged Styles	174
2.7 Inline Style	175
Glossary	176
Change History	177
Index	184

1 Main Package Code (`glossaries-extra.sty`)

1.1 Package Initialisation and Options

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{glossaries-extra}[2016/05/02 v1.04 (NLCT)]
```

Requires `xkeyval` to define package options.

```
3 \RequirePackage{xkeyval}
```

Requires `etoolbox` package.

```
4 \RequirePackage{etoolbox}
```

Has `glossaries` already been loaded?

```
5 \@ifpackageloaded{glossaries}
6 {%
```

Already loaded so pass any options to `\setupglossaries`. This means that the options that can only be set when `glossaries` is loaded can't be used.

```
7   \newcommand{\glsxtr@dooption}[1]{\setupglossaries{#1}}
8   \let\@glsxtr@declareoption\@gls@declareoption
9 }
10 {%
```

Not already loaded, so pass options to `glossaries`.

```
11  \newcommand{\glsxtr@dooption}[1]{%
12    \PassOptionsToPackage{#1}{glossaries}%
13  }%
```

Set the defaults.

```
14  \PassOptionsToPackage{toc}{glossaries}
15  \PassOptionsToPackage{nopostdot}{glossaries}
16  \PassOptionsToPackage{noredefwarn}{glossaries}
17  \@ifpackageloaded{polyglossia}%
18  {}%
19  {%
20    \@ifpackageloaded{babel}%
21    {\PassOptionsToPackage{translate=babel}{glossaries}}%
22    {}%
23  }%
24  \newcommand*{\@glsxtr@declareoption}[2]{%
25    \DeclareOptionX{#1}{#2}%
26    \DeclareOption{#1}{#2}%
27  }
28 }
```

sxtrundefaction Declare package options.
 Determines what to do if an entry hasn't been defined. The two arguments are the error or warning message and the help message if an error should be produced.

```

29 \newcommand*{\glsxtrundefaction}[2]{%
30   \@glsxtrundeftag\PackageError{glossaries-extra}{#1}{#2}%
31 }
```

arnonexistsordo If user wants undefaction=warn, then glossaries v4.19 is required.

```

32 \newcommand*{\glsxtr@warnonexistsordo}[1]{}
```

\glsxtrundeftag Text to display when an entry doesn't exist.

```

33 \newcommand*{\glsxtrundeftag}{??}
34 \newcommand*{\@glsxtrundeftag}{}%
```

This text is switched on at the start of the document to prevent unwanted text inserted into the preamble if any tests are made before the start of the document.

```

35 \define@choicekey{glossaries-extra.sty}{undefaction}[\val\nr]{%
36   {warn,error}%
37 }%
38 \ifcase\nr\relax
39   \renewcommand*{\glsxtrundefaction}[2]{%
40     \@glsxtrundeftag\GlossariesExtraWarning{##1}%
41   }%
42   \renewcommand*{\glsxtr@warnonexistsordo}[1]{%
43     \GlossariesExtraWarning{glossaries-extra}{%
44       \string##1\space hasn't been defined, so
45       some errors won't be converted to warnings.
46       (This most likely means your version of
47       glossaries.sty is below version 4.19.)}%
48   }%
49 \or
50   \renewcommand*{\glsxtrundefaction}[2]{%
51     \@glsxtrundeftag\PackageError{glossaries-extra}{##1}{##2}%
52   }%
53   \renewcommand*{\glsxtr@warnonexistsordo}[1]{}%
54 \fi
55 }
```

By default don't allow entries to be defined in the document to encourage the user to define them in the preamble, but if the user is really determined to define them in the document allow them to request this.

```

56 \define@boolkey{glossaries-extra.sty}[@glsxtr]{docdef}[true]{}
```

indexcrossrefs Automatically index cross references at the end of the document

```

57 \define@boolkey{glossaries-extra.sty}[@glsxtr]{indexcrossrefs}[true]{%
58 \if@glsxtrindexcrossrefs
59 \else
60 \renewcommand*{\@glsxtr@autoindexcrossrefs}{}%
```

```

61 \fi
62 }

Switch off since this can increase the build time.
63 \glsxtrindexcrossrefsfalse
But allow see key to switch it on automatically.

oindexcrossrefs
64 \newcommand*{\glsxtr@autoindexcrossrefs}{\glsxtrindexcrossrefstrue}

iesExtraWarning Allow users to suppress warnings.
65 \newcommand*{\GlossariesExtraWarning}[1]{\PackageWarning{glossaries-extra}{#1}}

raWarningNoLine Allow users to suppress warnings.
66 \newcommand*{\GlossariesExtraWarningNoLine}[1]{%
67 \PackageWarningNoLine{glossaries-extra}{#1}%

68 \glsxtr@declareoption{nowarn}{%
69 \let\GlossariesExtraWarning\gobble
70 \let\GlossariesExtraWarningNoLine\gobble
71 \glsxtr@dooption{nowarn}%
72 }

glsxtrabbrvtype Glossary type for abbreviations.
73 \newcommand*{\glsxtrabbrvtype}{\glsdefaulttype}

bbreviationsdef Set by abbreviations option.
74 \newcommand*{\glsxtr@abbreviationsdef}{} 

bbreviationsdef
75 \newcommand*{\glsxtr@doabbreviationsdef}{%
76 \ifpackageloaded{babel}%
77 {\providecommand{\abbreviationsname}{\acronymname}}%
78 {\providecommand{\abbreviationsname}{Abbreviations}}%
79 \newglossary[glg-abr]{abbreviations}{gls-abr}{glo-abr}{\abbreviationsname}%
80 \renewcommand*{\glsxtrabbrvtype}{abbreviations}%
81 \newcommand*{\printabbreviations}[1][]{%
82 \printglossary[type=\glsxtrabbrvtype,##1]%
83 }%
84 \DisableAtkeys{glossaries-extra.sty}{abbreviations}%

If the acronym option hasn't been used, change \acronymtype to \glsxtrabbrvtype.
85 \ifglsacronym
86 \else
87 \renewcommand*{\acronymtype}{\glsxtrabbrvtype}%
88 \fi
89 }%

```

abbreviations If abbreviations, create a new glossary type for abbreviations.

```

90 \@glsxtr@declareoption{abbreviations}{%
91   \let\@glsxtr@abbreviationsdef\@glsxtr@doabbreviationsdef
92 }

```

ationShortcuts Enable shortcut commands for the abbreviations. Unlike the analogous command provided by glossaries, this uses `\newcommand` instead of `\let` as a safety feature.

```

93 \newcommand*\{\GlsXtrDefineAbbreviationShortcuts}{%
94   \newcommand*\{\ab}{\cglsls}%
95   \newcommand*\{\abp}{\cglspl}%
96   \newcommand*\{\as}{\glsxtrshort}%
97   \newcommand*\{\asp}{\glsxtrshortpl}%
98   \newcommand*\{\al}{\glsxtrlong}%
99   \newcommand*\{\alp}{\glsxtrlongpl}%
100  \newcommand*\{\af}{\glsxtrfull}%
101  \newcommand*\{\afp}{\glsxtrfullpl}%
102  \newcommand*\{\Ab}{\cGls}%
103  \newcommand*\{\Abp}{\cGlspl}%
104  \newcommand*\{\As}{\Glsxtrshort}%
105  \newcommand*\{\Asp}{\Glsxtrshortpl}%
106  \newcommand*\{\Al}{\Glsxtrlong}%
107  \newcommand*\{\Alp}{\Glsxtrlongpl}%
108  \newcommand*\{\Af}{\Glsxtrfull}%
109  \newcommand*\{\Afp}{\Glsxtrfullpl}%
110  \newcommand*\{\AB}{\cGLS}%
111  \newcommand*\{\ABP}{\cGLSpl}%
112  \newcommand*\{\AS}{\GLSxtrshort}%
113  \newcommand*\{\ASP}{\GLSxtrshortpl}%
114  \newcommand*\{\AL}{\GLSxtrlong}%
115  \newcommand*\{\ALP}{\GLSxtrlongpl}%
116  \newcommand*\{\AF}{\GLSxtrfull}%
117  \newcommand*\{\AFP}{\GLSxtrfullpl}%
118  \newcommand*\{\newabbr}{\newabbreviation}%

```

Disable this command after it's been used.

```

119  \let\GlsXtrDefineAbbreviationShortcuts\relax
120 }

```

eOtherShortcuts Similarly provide shortcut versions for the commands provided by the symbols and numbers options.

```

121 \newcommand*\{\GlsXtrDefineOtherShortcuts}{%
122   \newcommand*\{\newentry}{\newglossaryentry}%
123   \ifdef\printsymbols
124   {%
125     \newcommand*\{\newsym}{\glsxtrnewsymbol}%
126   }{%
127   \ifdef\printnumbers
128   {%
129     \newcommand*\{\newnum}{\glsxtrnewnumber}%

```

```

130  }{}}%
131 \let\GlsXtrDefineOtherShortcuts\relax
132 }

```

Always use the long forms, not the shortcuts, where portability is an issue. (For example, when defining entries in a file that may be input by multiple documents.)

`@setupshortcuts` Command used to set the `shortcuts` option.

```
133 \newcommand*{\@glsxtr@setupshortcuts}{}%
```

Provide `shortcuts` option. Unlike the glossaries version, this is a choice rather than a boolean key but it also provides `shortcuts=true` and `shortcuts=false`, which are equivalent to `shortcuts=all` and `shortcuts=none`. Multiple use of this option in the *same* option list will override each other.

```

134 \define@choicekey{glossaries-extra.sty}{shortcuts}[\val\nr]{%
135 {acronyms,acro,abbreviations,abbr,other,all,true,none,false}[true]{%
136 \ifcase\nr\relax % acronyms
137   \renewcommand*{\@glsxtr@setupshortcuts}{}%
138   \glsacrshortcutstrue
139   \DefineAcronymSynonyms
140 }%
141 \or % acro
142   \renewcommand*{\@glsxtr@setupshortcuts}{}%
143   \glsacrshortcutstrue
144   \DefineAcronymSynonyms
145 }%
146 \or % abbreviations
147   \renewcommand*{\@glsxtr@setupshortcuts}{}%
148   \GlsXtrDefineAbbreviationShortcuts
149 }%
150 \or % abbr
151   \renewcommand*{\@glsxtr@setupshortcuts}{}%
152   \GlsXtrDefineAbbreviationShortcuts
153 }%
154 \or % other
155   \renewcommand*{\@glsxtr@setupshortcuts}{}%
156   \GlsXtrDefineOtherShortcuts
157 }%
158 \or % all
159   \renewcommand*{\@glsxtr@setupshortcuts}{}%
160   \glsacrshortcutstrue
161   \DefineAcronymSynonyms
162   \GlsXtrDefineAbbreviationShortcuts
163   \GlsXtrDefineOtherShortcuts
164 }%
165 \or % true
166   \renewcommand*{\@glsxtr@setupshortcuts}{}%
167   \glsacrshortcutstrue
168   \DefineAcronymSynonyms

```

```

169      \GlsXtrDefineAbbreviationShortcuts
170      \GlsXtrDefineOtherShortcuts
171      }%
172      \else % none, false
173      \renewcommand*{\@glsxtr@setupshortcuts}{}%
174      \fi
175  }

lsxtr@doaccsupp
176 \newcommand*{\@glsxtr@doaccsupp}{}}

accsupp If accsupp, load glossaries-accsupp package.
177 \@glsxtr@declareoption{accsupp}{%
178   \renewcommand*{\@glsxtr@doaccsupp}{\RequirePackage{glossaries-accsupp}}}

GlossaryWarning Warning text displayed in document if the external glossary file given by the argument is missing.
179 \newcommand{\glsxtrNoGlossaryWarning}[1]{%
180   \@glsxtr@defaultnoglossarywarning{#1}%
181 }

omissingglstext If true, suppress the text produced if the external glossary file is missing.
182 \define@choicekey{glossaries-extra.sty}{nomissingglstext}[\val\nr]{%
183   {true,false}[true]{%
184     \ifcase\nr\relax % true
185       \renewcommand{\glsxtrNoGlossaryWarning}[1]{%
186         \null
187       }%
188     \else % false
189       \renewcommand{\glsxtrNoGlossaryWarning}[1]{%
190         \@glsxtr@defaultnoglossarywarning{#1}%
191       }%
192     \fi
193   }
}

Provide option to load glossaries-extra-stylemods (Deferred to the end.)

xtr@redefstyles
194 \newcommand*{\@glsxtr@redefstyles}{}}

stylemods
195 \define@key{glossaries-extra.sty}{stylemods}{%
196   \ifblank{#1}{%
197     {%
198       \renewcommand*{\@glsxtr@redefstyles}{%
199         \RequirePackage{glossaries-extra-stylemods}}%
200     }%
201     {%

```

```

202 \renewcommand*{\@glsxtr@redefstyles}{}%
203 \@for\@glsxtr@tmp:=#1\do{%
204   \IfFileExists{glossary-\@glsxtr@tmp.sty}%
205   {%
206     \eappto\@glsxtr@redefstyles{%
207       \noexpand\RequirePackage{glossary-\@glsxtr@tmp}}%
208   }%
209   {%
210     \PackageError{glossaries-extra}%
211       {Glossaries style package `glossary-\@glsxtr@tmp.sty'%
212        doesn't exist (did you mean to use the `style' key?)}%
213       {The list of values (#1) in the `stylemods' key should%
214        match the glossary-xxx.sty files provided with%
215        glossaries.sty}%
216   }%
217 }%
218 \appto\@glsxtr@redefstyles{\RequirePackage{glossaries-extra-stylemods}}%
219 }%
220 }

```

`glsxtr@do@style`

```
221 \newcommand*{\@glsxtr@do@style}{}%
```

`style` Since the `stylemods` option can automatically load extra style packages, deal with the `style` option after those packages have been loaded.

```
222 \define@key{glossaries-extra.sty}{style}{%
223   \renewcommand*{\@glsxtr@do@style}{}%
```

Set this as the default style:

```
224   \setkeys{glossaries.sty}{style={#1}}%
```

Set this style:

```
225   \setglossarystyle{#1}%
226 }%
227 }
```

Pass all other options to `glossaries`.

```
228 \DeclareOptionX*{%
229   \expandafter\glsxtr@dooption\expandafter{\CurrentOption}}
```

Process options.

```
230 \ProcessOptionsX
```

Load `glossaries` if not already loaded.

```
231 \RequirePackage{glossaries}
```

Load the `glossaries-accsupp` package if required.

```
232 \@glsxtr@doaccsupp
```

Define abbreviations `glossaries` if required.

```
233 \@glsxtr@abbreviationsdef
```

```
234 \let\@glsxtr@abbreviationsdef\relax
```

Setup shortcuts if required.

```
235 \@glsxtr@setupshortcuts
```

ariesextrasetup Allow user to set options after the package has been loaded. First modify `\glsxtr@dooption` so that it now uses `\setupglossaries`:

```
236 \renewcommand{\glsxtr@dooption}[1]{\setupglossaries{#1}}%
```

Now define the user command:

```
237 \newcommand*{\glossariesextrasetup}[1]{%
238   \let\@glsxtr@setupshortcuts\relax
239   \setkeys{glossaries-extra.sty}{#1}%
240   \glsxtr@abbreviationsdef
241   \let\@glsxtr@abbreviationsdef\relax
242   \glsxtr@setupshortcuts
243 }
```

Disable preamble-only options and switch on the undefined tag at the start of the document.

```
244 \AtBeginDocument{%
245   \disable@keys{glossaries-extra.sty}{abbreviations}%
246   \def\@glsxtrundeftag{\glsxtrundeftag}%
247 }
```

1.2 Extra Utilities

```
\glsxtrisemptyglossary{\<type>}{\<true>}{\<false>}
```

Provide command to determine if any entries have been added to the glossary (where the glossary label is provided in the first argument). The entries are stored in the comma-separated list `\glolist@<type>`. If this hasn't been defined, the glossary doesn't exist. If it has been defined and is simply a comma, the glossary exists and is empty. (It's initialised to a comma.)

```
248 \newcommand{\glsxtrisemptyglossary}[3]{%
249   \ifglossaryexists{#1}%
250   {%
251     \ifcstr{\glolist@#1}{,}{\#2}{\#3}%
252   }%
253   {%
254     \glsxtrundefaction{Glossary type '#1' doesn't exist}{}%
255     #2%
256   }%
257 }
```

1.3 Modifications to Commands Provided by glossaries

Some of the commands provided by glossaries are modified to take into account new options or to change default behaviour.

1.3.1 Existence Checks

\glsdoifexists Modify \glsdoifexists to take account of the undefaction setting.

```
258 \renewcommand{\glsdoifexists}[2]{%
259   \ifglsentryexists{#1}{#2}%
260   {%
261     \glsxtrundefaction{Glossary entry '\glsdetoklabel{#1}'%
262       has not been defined}{You need to define a glossary entry before%
263       you can reference it.}%
264   }%
265 }
```

\glsdoifnoexists Modify \glsdoifnoexists to take account of the undefaction setting.

```
266 \renewcommand{\glsdoifnoexists}[2]{%
267   \ifglsentryexists{#1}{%
268     \glsxtrundefaction{Glossary entry '\glsdetoklabel{#1}'%
269       has already been defined}{}{#2}%
270 }
```

sdoifexistsordo Modify \glsdoifexistsordo to take account of the undefaction setting. This command was introduced in glossaries version 4.19, so check if it has been defined first.

```
271 \ifdef\glsdoifexistsordo
272 {%
273   \renewcommand{\glsdoifexistsordo}[3]{%
274     \ifglsentryexists{#1}{#2}%
275     {%
276       \glsxtrundefaction{Glossary entry '\glsdetoklabel{#1}'%
277         has not been defined}{You need to define a glossary entry%
278         before you can use it.}%
279     #3%
280   }%
281 }%
282 }
283 {%
284   \glsxtr@warnonexistsordo\glsdoifexistsordo
285   \newcommand{\glsdoifexistsordo}[3]{%
286     \ifglsentryexists{#1}{#2}%
287     {%
288       \glsxtrundefaction{Glossary entry '\glsdetoklabel{#1}'%
289         has not been defined}{You need to define a glossary entry%
290         before you can use it.}%
291     #3%
292   }%
```

```

293  }%
294 }

arynoexistsordo Similarly for \doifglossarynoexistsordo.
295 \ifdef\doifglossarynoexistsordo
296 {%
297   \renewcommand{\doifglossarynoexistsordo}[3]{%
298     \ifglossaryexists{#1}%
299     {%
300       \glsxtrundefinedaction{Glossary type '#1' already exists}{}
301       #3%
302     }%
303     {#2}%
304   }%
305 }
306 {%
307   \glsxtr@warnnonexistsordo\doifglossarynoexistsordo
308   \newcommand{\doifglossarynoexistsordo}[3]{%
309     \ifglossaryexists{#1}%
310     {%
311       \glsxtrundefinedaction{Glossary type '#1' already exists}{}
312       #3%
313     }%
314     {#2}%
315   }%
316 }
317

```

ryentryposthook Hook into end of \newglossaryentry to add “see” value as a field.

```

318 \appto{@newglossaryentryposthook}{%
319   \ifdefvoid{@glo@see}
320   {\csxdef{glo@}{@glo@label @see}{}}
321   {%
322     \csxdef{glo@}{@glo@label @see}{\@glo@see}%
323     \@glsxtr@autoindexcrossrefs
324   }%
325 }
326 \appto{@gls@keymap}{, {see}{see}}

```

Add all unused cross-references at the end of the document.

```
327 \AtEndDocument{\if@glsxtrindexcrossrefs\glsxtraddallcrossrefs\fi}
```

addallcrossrefs Iterate through all used entries and if they have a cross-reference, make sure the cross-reference has been added.

```

328 \newcommand*{\glsxtraddallcrossrefs}{%
329   \forallglossaries{@glo@type}%
330   {%
331     \forglsentries[@glo@type]{@glo@label}%
332     {%

```

```

333     \ifglsused{@glo@label}{\glsxtr@addunusedxrefs{@glo@label}}{}%
334   }%
335 }%
336 }

@addunusedxrefs If the given entry has a see field add all unused cross-references.
337 \newcommand*{\glsxtr@addunusedxrefs}[1]{%
338   \letcs{@glo@see}{glo@glsdetoklabel{#1}@see}%
339   \ifdefvoid@glo@see
340   {}%
341   {}%
342   \expandafter\glsxtr@addunused@glo@see\end@glsxtr@addunused
343   {}%
344 }

lsxtr@addunused Adds all the entries if they haven't been used.
345 \newcommand*{\glsxtr@addunused}[1][]{%
346   \glsxtr@addunused
347 }

lsxtr@addunused Adds all the entries if they haven't been used.
348 \def@glsxtr@addunused#1\end@glsxtr@addunused{%
349   @for@glsxtr@label:=#1\do
350   {}%
351   \ifglsused{@glsxtr@label}{}%
352   {}%
353   \glsadd[format=glsxtrunusedformat]{@glsxtr@label}%
354   \glsunset{@glsxtr@label}%
355   @glsxtr@addunusedxrefs{@glsxtr@label}%
356   {}%
357 }%
358 }

xtrunusedformat
359 \newcommand*{\glsxtrunusedformat}[1]{\unskip}

```

1.3.2 Document Definitions

noidxglossaries Modify `\makenoidxglossaries` so that it automatically switches off and disables the `docdef` key.

```

360 \let\glsxtr@orgmakenoidxglossaries\makenoidxglossaries
361 \renewcommand{\makenoidxglossaries}{%
362   \glsxtr@orgmakenoidxglossaries
363   \glsxtr@orgmakenoidxglossaries
364   \disable@keys{glossaries-extra.sty}{docdef}%
365 }

```

`ewglossaryentry` Modify `\gls@defdocnewglossaryentry` so that it checks the docdef value.

```
366 \renewcommand*{\gls@defdocnewglossaryentry}{%
367   \if@glsxtrdocdef
```

Since the see value is now saved in a field, it can be used by entries that have been defined in the document.

```
368   \let\gls@checkseeallowed\relax
369   \let\newglossaryentry\new@glossaryentry
370 \else
371   \renewcommand*{\newglossaryentry}[2]{%
372     \PackageError{glossaries-extra}{Glossary entries must
373       be \MessageBreak defined in the preamble with \MessageBreak
374       package option 'docdef=false'}{Move your glossary definitions to
375       the preamble. You can also put them in a \MessageBreak separate file
376       and load them with \string\loadglsentries.}%
377   }%
378 \fi
379 }%
```

Permit a special form of document definition, but only allow it if the glossaries come at the end of the document. These commands behave a little like a combination of `\newterm` and `\gls`. This must be explicitly enabled with the following.

`rEnableOnTheFly`

```
380 \newcommand*{\GlsXtrEnableOnTheFly}{%
381   \@ifstar\@sGlsXtrEnableOnTheFly\@GlsXtrEnableOnTheFly
382 }
```

`rEnableOnTheFly` The starred version attempts to allow UTF8 characters in the label, but this may break! (Formatting commands mustn't be used in the label, but the label may be a command whose replacement text is the actual label. This doesn't take into account a command that's defined in terms of another command that may eventually expand to the label text.)

```
383 \newcommand*{\@sGlsXtrEnableOnTheFly}{%
384   \renewcommand*{\glsdetoklabel}[1]{%
385     \expandafter\@glsxtr@ifcsstart\string##1 \@glsxtr@end@
386   }%
387   \expandafter\detokenize\expandafter{##1}%
388 }%
389 {\detokenize{##1}}%
390 }%
391 \@GlsXtrEnableOnTheFly
392 }
393 \def\@glsxtr@ifcsstart#1#2\@glsxtr@end@#3#4{%
394   \expandafter\if\glsbackslash#1%
395   #3%
396 \else
397   #4%
398 \fi
399 }
```

```
sxtrstarflywarn
400 \newcommand*{\glsxtrstarflywarn}{%
401   \GlossariesExtraWarning{Experimental starred version of
402   \string\GlsXtrEnableOnTheFly\space in use (please ensure you have
403   read the warnings in the glossaries-extra user manual)}%
404 }
```

```
rEnableOnTheFly
405 \newcommand*{\@GlsXtrEnableOnTheFly}{%
```

Don't redefine `\glsdetoklabel` if LuaTeX or XeTeX is being used, since it's mainly to allow accented characters in the label.

These definitions are all assigned the category given by:

```
\glsxtrcat
406 \newcommand*{\glsxtrcat}{general}
```

```
\glsxtr
407 \newcommand*{\glsxtr}[1][]{%
408   \def\glsxtr@keylist{##1}%
409   \@glsxtr
410 }
```

```
\@glsxtr
411 \newcommand*{\@glsxtr}[2][]{%
412   \ifglsentryexists{##2}%
413   {%
414     \ifblank{##1}{}{\GlsXtrWarning{##1}{##2}}%
415   }%
416   {%
417     \gls@defglossaryentry{##2}{name={##2},category=\glsxtrcat,
418       description={\nopostdesc},##1}%
419   }%
420   \expandafter\gls\expandafter[\glsxtr@keylist]{##2}%
421 }
```

```
\Glsxtr
422 \newcommand*{\Glsxtr}[1][]{%
423   \def\glsxtr@keylist{##1}%
424   \@Glsxtr
425 }
```

```
\@Glsxtr
426 \newcommand*{\@Glsxtr}[2][]{%
427   \ifglsentryexists{##2}%
428   {%
429     \ifblank{##1}{}{\GlsXtrWarning{##1}{##2}}%
430   }%
```

```

431   {%
432     \gls@defglossaryentry{##2}{name={##2},category=\glsxtrcat,
433       description={\nopostdesc},##1}%
434   }%
435   \expandafter\Gls\expandafter[\glsxtr@keylist]{##2}%
436 }

\glsxtrpl
437 \newcommand*{\glsxtrpl}[1][]{%
438   \def\glsxtr@keylist{##1}%
439   \glsxtrpl
440 }

{@glsxtrpl
441 \newcommand*{@glsxtrpl}[2][]{%
442   \ifglsentryexists{##2}%
443   {%
444     \ifblank{##1}{}{\GlsXtrWarning{##1}{##2}}%
445   }%
446   {%
447     \gls@defglossaryentry{##2}{name={##2},category=\glsxtrcat,
448       description={\nopostdesc},##1}%
449   }%
450   \expandafter\glspl\expandafter[\glsxtr@keylist]{##2}%
451 }

\Glsxtrpl
452 \newcommand*{\Glsxtrpl}[1][]{%
453   \def\glsxtr@keylist{##1}%
454   \glsxtrpl
455 }

{@Glsxtrpl
456 \newcommand*{@Glsxtrpl}[2][]{%
457   \ifglsentryexists{##2}%
458   {%
459     \ifblank{##1}{}{\GlsXtrWarning{##1}{##2}}%
460   }%
461   {%
462     \gls@defglossaryentry{##2}{name={##2},category=\glsxtrcat,
463       description={\nopostdesc},##1}%
464   }%
465   \expandafter\Glspl\expandafter[\glsxtr@keylist]{##2}%
466 }

\GlsXtrWarning
467 \newcommand*{\GlsXtrWarning}[2]{%
468   \def\@glsxtr@optlist{##1}%
469   \onelevel@sanitize\@glsxtr@optlist

```

```

470 \GlossariesExtraWarning{The options '\@glsxtr@optlist' have
471 been ignored for entry '##2' as it has already been defined}%
472 }

```

Disable commands after the glossary:

```

473 \let\@glsxtr@orgprintglossary\@printglossary
474 \renewcommand\@printglossary[2]{%
475   \@glsxtr@orgprintglossary{##1}{##2}%
476   \def\@glsxtr{\@glsxtr@disabledflycommand\glsxtr}%
477   \def\@glsxtrpl{\@glsxtr@disabledflycommand\glsxtrpl}%
478   \def\@Glsxtr{\@glsxtr@disabledflycommand\Glsxtr}%
479   \def\@Glsxtrpl{\@glsxtr@disabledflycommand\Glsxtrpl}%
480 }

```

`abledflycommand`

```

481 \newcommand*\{@glsxtr@disabledflycommand}[1]{%
482   \PackageError{glossaries-extra}%
483   {\string##1\space can't be used after any of the \MessageBreak
484    glossaries have been displayed}%
485   {The on-the-fly commands enabled by
486    \string\GlsXtrEnableOnTheFly\space may only be used \MessageBreak
487    before the glossaries. If you want to use any entries \MessageBreak
488    after any of the glossaries, you must use the standard \MessageBreak
489    method of first defining the entry and then using the \MessageBreak
490    entry with commands like \string\gls}%
491   \@@glsxtr@disabledflycommand
492 }%
493 \newcommand*\@{@glsxtr@disabledflycommand}[2][]{##2}

```

End of `\GlsXtrEnableOnTheFly`. Disable since it can only be used once.

```

494 \let\GlsXtrEnableOnTheFly\relax
495 }
496 \onlypreamble\GlsXtrEnableOnTheFly

```

1.3.3 Existing Glossary Style Modifications

Modify `\setglossarystyle` to keep track of the current style. This allows the `\glossaries-extra-stylemods` package to reset the current style after the required modifications have been made.

`r@current@style` Initialise the current style to the default style.

```
497 \newcommand*\{@glsxtr@current@style}{\@glossary@default@style}
```

Modify `\setglossarystyle` to set the above.

`etglossarystyle`

```

498 \renewcommand*\setglossarystyle[1]{%
499   \ifcsundef{@glsstyle@#1}%
500   {}%
501   \PackageError{glossaries}{Glossary style '#1' undefined}{}

```

```

502  }%
503  {%
504    \csname @glsstyle@\#1\endcsname
Only set the current style if it exists.

505    \protected@edef{\glsxtr@current@style{#1}}%
506  }%
507  \ifx{\glossary@default@style}\relax
508    \protected@edef{\glossary@default@style{#1}}%
509  \fi
510 }

```

In case we have an old version of glossaries:

```

511 \ifdef{\glossary@default@style}
512 {}
513 {%
514   \let{\glossary@default@style}\relax
515 }

```

`listdottedwidth` If `\glslistdottedwidth` has been defined and is currently equal to `.5\hsize` then make the modification suggested in [bug report #92](#)

```

516 \ifdef{\glslistdottedwidth}
517 {%
518   \ifdim{\glslistdottedwidth=.5\hsize}
519     \setlength{\glslistdottedwidth}{-\dimexpr\maxdimen-1sp\relax}
520   \AtBeginDocument{%
521     \ifdim{\glslistdottedwidth=-\dimexpr\maxdimen-1sp\relax}
522       \setlength{\glslistdottedwidth}{.5\columnwidth}%
523     \fi
524   }%
525   \fi
526 }
527 {}%

```

Similarly for `\glsdescwidth`:

```

\glsdescwidth
528 \ifdef{\glsdescwidth}
529 {%
530   \ifdim{\glsdescwidth=.6\hsize}
531     \setlength{\glsdescwidth}{-\dimexpr\maxdimen-1sp\relax}
532   \AtBeginDocument{%
533     \ifdim{\glsdescwidth=-\dimexpr\maxdimen-1sp\relax}
534       \setlength{\glsdescwidth}{.6\columnwidth}%
535     \fi
536   }%
537   \fi
538 }
539 {}%

```

and for \glspagelistwidth:

```
lspagelistwidth
540 \ifdef\glspagelistwidth
541 {%
542   \ifdim\glspagelistwidth=.1\hsize
543     \setlength{\glspagelistwidth}{-\dimexpr\maxdimen-1sp\relax}
544   \AtBeginDocument{%
545     \ifdim\glspagelistwidth=-\dimexpr\maxdimen-1sp\relax
546       \setlength{\glspagelistwidth}{.1\columnwidth}%
547     \fi
548   }%
549   \fi
550 }
551 {}%
```

aryentrynumbers Has the nonumberlist option been used?

```
552 \def\org@glossaryentrynumbers#1{#1\gls@save@numberlist{#1}}%
553 \ifx\org@glossaryentrynumbers\glossaryentrynumbers
554   \glsnonumberlistfalse
555   \renewcommand*\glossaryentrynumbers[1]{%
556     \ifglsentryexists{\glscurrententrylabel}%
557     {%
558       \@glsxtrpreloctag
559       \GlsXtrFormatLocationList{#1}%
560       \@glsxtrpostloctag
561       \gls@save@numberlist{#1}%
562     }{%
563     }%
564   }%
565 \else
566   \glsnonumberlisttrue
567   \renewcommand*\glossaryentrynumbers[1]{%
568     \ifglsentryexists{\glscurrententrylabel}%
569     {%
570       \gls@save@numberlist{#1}%
571     }{%
572   }%
573 \fi
```

matLocationList Provide an easy interface to change the format of the location list without removing the save number list stuff.

```
573 \newcommand*\GlsXtrFormatLocationList[1]{#1}
```

Sometimes users want to prefix the location list with “page”/“pages”. The simplest way to determine if the location list consists of a single location is to check for instances of \delimN or \delimR, but this isn’t so easy to do as they might be embedded inside the argument of formatting commands. With a bit of trickery we can find out by adjusting \delimN and \delimR to set a flag and then save information to the auxiliary file for the next run.

```

ePreLocationTag
574 \newcommand*{\GlsXtrEnablePreLocationTag}[2]{%
575   \let\@glsxtrpreloctag\@glsxtrpreloctag
576   \let\@glsxtrpostloctag\@glsxtrpostloctag
577   \renewcommand*{\@glsxtr@pagetag}{#1}%
578   \renewcommand*{\@glsxtr@pagestag}{#2}%
579   \renewcommand*{\@glsxtr@savepreloctag}[2]{%
580     \csgdef{@glsxtr@preloctag@##1}{##2}%
581   }%
582   \renewcommand*{\@glsxtr@doloctag}{%
583     \ifcsundef{@glsxtr@preloctag@\glscurrententrylabel}%
584     {%
585       \GlossariesWarning{Missing pre-location tag for '\glscurrententrylabel'.}
586       Rerun required}%
587     }%
588     {%
589       \csuse{@glsxtr@preloctag@\glscurrententrylabel}%
590     }%
591   }%
592 }
593 \@onlypreamble\GlsXtrEnablePreLocationTag

glsxtrpreloctag
594 \newcommand*{\@glsxtrpreloctag}{%
595   \let\@glsxtr@org@delimN\delimN
596   \let\@glsxtr@org@delimR\delimR
597   \let\@glsxtr@org@glsignore\glsignore
      \gdef is required as the delimiters may occur inside a scope.
598   \gdef\@glsxtr@thisloctag{\@glsxtr@pagetag}%
599   \renewcommand*{\delimN}{%
600     \gdef\@glsxtr@thisloctag{\@glsxtr@pagestag}%
601     \@glsxtr@org@delimN}%
602   \renewcommand*{\delimR}{%
603     \gdef\@glsxtr@thisloctag{\@glsxtr@pagestag}%
604     \@glsxtr@org@delimR}%
605   \renewcommand*{\glsignore}[1]{%
606     \gdef\@glsxtr@thisloctag{\relax}%
607     \@glsxtr@org@glsignore{##1}}%
608   \glsxtr@doloctag
609 }

glsxtrpreloctag
610 \newcommand*{\glsxtrpreloctag}{}}

@glsxtr@pagetag
611 \newcommand*{\glsxtr@pagetag}{}%

glsxtr@pagestag
612 \newcommand*{\glsxtr@pagestag}{}%

```

```

lsxtrpostloctag
613 \newcommand*{\@glsxtrpostloctag}{%
614   \let\delimN\@glsxtr@org@delimN
615   \let\delimR\@glsxtr@org@delimR
616   \let\glsignore\@glsxtr@org@glsignore
617   \protected@write\@auxout{%%
618     {\string\@glsxtr@savepreloctag{\glscurrententrylabel}{\@glsxtr@thisloctag}}%
619   }
}

lsxtrpostloctag
620 \newcommand*{\glsxtrpostloctag}{}}

lsxtr@preloctag
621 \newcommand*{\@glsxtr@savepreloctag}[2] {}
622 \protected@write\@auxout{%%
623   \string\providecommand\string\@glsxtr@savepreloctag[2] {}}

glsxtr@doloctag
624 \newcommand*{\glsxtr@doloctag}{}}

ss@nonumberlist  Modify the nonumberlist key to use \GlsXtrFormatLocationList (and also save the number
list):
625 \renewcommand*{\KV@printgloss@nonumberlist}[1]{%
626   \XKV@plfalse
627   \XKV@sttrue
628   \XKV@checkchoice[\XKV@resa]{#1}{true,false}%
629   {%
630     \csname glsnonumberlist\XKV@resa\endcsname
631     \ifglsnonumberlist
632       \def\glossaryentrynumbers##1{\gls@save@numberlist{##1}}%
633     \else
634       \def\glossaryentrynumbers##1{%
635         \@glsxtrpreloctag
636         \GlsXtrFormatLocationList{##1}%
637         \@glsxtrpostloctag
638         \gls@save@numberlist{##1}}%
639     \fi
640   }%
641 }

```

1.3.4 Entry Formatting, Hyperlinks and Indexing

\glsentryfmt Change default entry format. Use the generic format for regular terms (that is, entries that have a category with the regular attribute set) or non-regular terms without a short value and use the abbreviation format for non-regular terms that have a short value. If further attributes need to be checked, then \glsentryfmt will need redefining as appropriate (or use \defglsentryfmt). The abbreviation format is set here for entries that have a short form, even if they are regular entries to ensure the abbreviation fonts are correct.

```

642 \renewcommand*{\glsentryfmt}{%
643   \ifglshasshort{\glslabel}{\glssetabrvfmt{\glscategory{\glslabel}}}{}
644   \glsifregular{\glslabel}%
645   {\glsxtrregularfont{\glsgenentryfmt}}%
646   {%
647     \ifglshasshort{\glslabel}%
648     {\glsxtrgenabrvfmt}%
649     {\glsxtrregularfont{\glsgenentryfmt}}%
650   }%
651 }

```

`sxtrregularfont` Font used for regular entries.

```
652 \newcommand*{\glsxtrregularfont}[1]{#1}
```

Commands like `\glsifplural` are only used by the `\gls`-like commands in the glossaries package, but it might be useful for the postlink hook to know if the user has used, say, `\glsfirst` or `\glsplural`. This can provide better consistency with the formatting of the `\gls`-like commands, even though they don't use `\glsentryfmt`.

`@gls@field@link` Redefine `\@gls@field@link` so that commands like `\glsfirst` can setup `\glsxtrifwasfirstuse` etc to allow the postlink hook to work better. This now has an optional argument that sets up the defaults.

```

653 \renewcommand*{\@gls@field@link}[4][]{%
654   \glsdoifexists{#3}%
655   {%
656     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
657     \def\glscustomtext{#4}%
658     \glsxtr@field@linkdefs
659     #1%
660     \gls@link[#2]{#3}{#4}%
661   }%
662   \glspostlinkhook
663 }

```

`@field@linkdefs` Default settings for `\@gls@field@link`

```

664 \newcommand*{\@glsxtr@field@linkdefs}{%
665   \let\glsxtrifwasfirstuse\@secondoftwo
666   \let\glsifplural\@secondoftwo
667   \let\glscapscase\@firstofthree
668   \let\glsinsert\@empty
669 }

```

Redefine the field link commands that need to modify the above. Also add accessibility support and set the abbreviation styles if required.

`assignfieldfont`

```

670 \newcommand*{\glsxtrassignfieldfont}[1]{%
671   \ifglshasshort{#1}%

```

```

672  {%
673   \glssetabrvfmt{\glscategory{#1}}%
674   \glsifregular{#1}%
675   {\let\@gls@field@font\glsxtrregularfont}%
676   {\let\@gls@field@font\@firstofone}%
677  }%
678  {%
679   \glsifnotregular{#1}%
680   {\let\@gls@field@font\@firstofone}%
681   {\let\@gls@field@font\glsxtrregularfont}%
682  }%
683 }

```

\@glstext@ The abbreviation format may also need setting.

```

684 \def\@glstext@#1#2[#3]{%
685   \glsxtrassignfieldfont{#2}%
686   \@gls@field@link{#1}{#2}{\@gls@field@font{\glsaccesstext{#2}#3}}%
687 }

```

\@GLStext@ All uppercase version of \glstext. The abbreviation format may also need setting.

```

688 \def\@GLStext@#1#2[#3]{%
689   \glsxtrassignfieldfont{#2}%
690   \@gls@field@link[\let\glscapscase\@thirdofthree]{#1}{#2}%
691   {\@gls@field@font{\GLSaccesstext{#2}\mfirstu{M}MakeUppercase{#3}}}%
692 }

```

\@Glstext@ First letter uppercase version. The abbreviation format may also need setting.

```

693 \def\@Glstext@#1#2[#3]{%
694   \glsxtrassignfieldfont{#2}%
695   \@gls@field@link[\let\glscapscase\@secondofthree]{#1}{#2}%
696   {\@gls@field@font{\Glsaccesstext{#2}#3}}%
697 }

```

\@glsfirst@ No case changing version. The abbreviation format may also need setting.

```

698 \def\@glsfirst@#1#2[#3]{%
699   \glsxtrassignfieldfont{#2}%
700   \@gls@field@link[\let\glsxtrifwasfirstuse\@firstoftwo]{#1}{#2}%
701   {\@gls@field@font{\glsaccessfirst{#2}#3}}%
702 }

```

\@Glsfirst@ First letter uppercase version. The abbreviation format may also need setting.

```

703 \def\@Glsfirst@#1#2[#3]{%
704   \glsxtrassignfieldfont{#2}%
705   \@gls@field@link
706   [\let\glsxtrifwasfirstuse\@firstoftwo
707   \let\glscapscase\@secondofthree
708 ]%
709   {#1}{#2}{\@gls@field@font{\Glsaccessfirst{#2}#3}}%
710 }

```

\@GLSfirst@ All uppercase version. The abbreviation format may also need setting.

```
711 \def\@GLSfirst@#1#2[#3]{%
712   \glsxtrassignfieldfont{#2}%
713   \@gls@field@link
714   [\let\glsxtrifwasfirstuse\@firstoftwo
715   \let\glscapscase\@thirdofthree
716   ]%
717   {#1}{#2}{\@gls@field@font{\GLSaccessfirst{#2}\mfirstucMakeUppercase{#3}}}}
718 }
```

\@glsplural@ No case changing version. The abbreviation format may also need setting.

```
719 \def\@glsplural@#1#2[#3]{%
720   \glsxtrassignfieldfont{#2}%
721   \@gls@field@link[\let\glsifplural\@firstoftwo]{#1}{#2}%
722   {\@gls@field@font{\glsaccessplural{#2}#3}}%
723 }
```

\@Glsplural@ First letter uppercase version. The abbreviation format may also need setting.

```
724 \def\@Glsplural@#1#2[#3]{%
725   \glsxtrassignfieldfont{#2}%
726   \@gls@field@link
727   [\let\glsifplural\@firstoftwo
728   \let\glscapscase\@secondofthree
729   ]%
730   {#1}{#2}{\@gls@field@font{\Glsaccessplural{#2}#3}}%
731 }
```

\@GLSplural@ All uppercase version. The abbreviation format may also need setting.

```
732 \def\@GLSplural@#1#2[#3]{%
733   \glsxtrassignfieldfont{#2}%
734   \@gls@field@link
735   [\let\glsifplural\@firstoftwo
736   \let\glscapscase\@thirdofthree
737   ]%
738   {#1}{#2}{\@gls@field@font{\GLSaccessplural{#2}\mfirstucMakeUppercase{#3}}}}
739 }
```

\glsfirstplural@ No case changing version. The abbreviation format may also need setting.

```
740 \def\@glsfirstplural@#1#2[#3]{%
741   \glsxtrassignfieldfont{#2}%
742   \@gls@field@link
743   [\let\glsxtrifwasfirstuse\@firstoftwo
744   \let\glsifplural\@firstoftwo
745   ]%
746   {#1}{#2}{\@gls@field@font{\glsaccessfirstplural{#2}#3}}%
747 }
```

\Glsfirstplural@ First letter uppercase version. The abbreviation format may also need setting.

```

748 \def\@Glsfirstplural@#1#2[#3]{%
749   \glsxtrassignfieldfont{#2}%
750   \gls@field@link
751   [\let\glsxtrifwasfirstuse\@firstoftwo
752   \let\glsifplural\@firstoftwo
753   \let\glscapscase\@secondofthree
754 ]%
755   {#1}{#2}{\gls@field@font{\Glsaccessfirstplural{#2}#3}}%
756 }

```

`GLSfirstplural@` All uppercase version. The abbreviation format may also need setting.

```

757 \def\@GLSfirstplural@#1#2[#3]{%
758   \glsxtrassignfieldfont{#2}%
759   \gls@field@link
760   [\let\glsxtrifwasfirstuse\@firstoftwo
761   \let\glsifplural\@firstoftwo
762   \let\glscapscase\@thirdofthree
763 ]%
764   {#1}{#2}%
765   {\gls@field@font{\GLSaccessfirstplural{#2}\mfirstrucMakeUppercase{#3}}}%
766 }

```

`\@glsname@` Redefine to use accessibility support. The abbreviation format may also need setting.

```

767 \def\@glsname@#1#2[#3]{%
768   \glsxtrassignfieldfont{#2}%
769   \gls@field@link{#1}{#2}{\gls@field@font{\glsaccessname{#2}#3}}%
770 }

```

`\@Glsname@` First letter uppercase version. The abbreviation format may also need setting.

```

771 \def\@Glsname@#1#2[#3]{%
772   \glsxtrassignfieldfont{#2}%
773   \gls@field@link
774   [\let\glscapscase\@secondoftwo]{#1}{#2}%
775   {\gls@field@font{\Glsaccessname{#2}#3}}%
776 }

```

`\@GLSname@` All uppercase version. The abbreviation format may also need setting.

```

777 \def\@GLSname@#1#2[#3]{%
778   \glsxtrassignfieldfont{#2}%
779   \gls@field@link[\let\glscapscase\@thirdoftwo]%
780   {#1}{#2}%
781   {\gls@field@font{\GLSaccessname{#2}\mfirstrucMakeUppercase{#3}}}%
782 }

```

`\@glsdesc@`

```

783 \def\@glsdesc@#1#2[#3]{%
784   \glsxtrassignfieldfont{#2}%
785   \gls@field@link{#1}{#2}{\gls@field@font{\glsaccessdesc{#2}#3}}%
786 }

```

```

\@Glsdesc@ First letter uppercase version.
787 \def\@Glsdesc@#1#2[#3]{%
788   \glsxtrassignfieldfont{#2}%
789   \gls@field@link
790   [\let\glscapscase\@secondoftwo]{#1}{#2}%
791   {\gls@field@font{\Glsaccessdesc{#2}{#3}}}{%
792 }

\@GLSdesc@ All uppercase version.
793 \def\@GLSdesc@#1#2[#3]{%
794   \glsxtrassignfieldfont{#2}%
795   \gls@field@link[\let\glscapscase\@thirdoftwo]{%
796     {#1}{#2}{\gls@field@font{\GLSaccessdesc{#2}\mfirstucMakeUppercase{#3}}}}{%
797 }

@glsdescplural@ No case-changing version.
798 \def\@glsdescplural@#1#2[#3]{%
799   \glsxtrassignfieldfont{#2}%
800   \gls@field@link
801   [\let\glscapscase\@secondoftwo
802   \let\glsifplural\@firstoftwo
803   ]{#1}{#2}{\gls@field@font{\glsaccessdescplural{#2}{#3}}}{%
804 }

@Glsdescplural@ First letter uppercase version.
805 \def\@Glsdescplural@#1#2[#3]{%
806   \glsxtrassignfieldfont{#2}%
807   \gls@field@link
808   [\let\glscapscase\@secondoftwo
809   \let\glsifplural\@firstoftwo
810   ]{#1}{#2}{\gls@field@font{\Glsaccessdescplural{#2}{#3}}}{%
811 }

@GLSdescplural@ All uppercase version.
812 \def\@GLSdesc@#1#2[#3]{%
813   \glsxtrassignfieldfont{#2}%
814   \gls@field@link
815   [\let\glscapscase\@thirdoftwo
816   \let\glsifplural\@firstoftwo
817   ]{%
818     {#1}{#2}%
819     {\gls@field@font{\GLSaccessdescplural{#2}\mfirstucMakeUppercase{#3}}}}{%
820 }

\@glssymbol@
821 \def\@glssymbol@#1#2[#3]{%
822   \glsxtrassignfieldfont{#2}%
823   \gls@field@link{#1}{#2}{\gls@field@font{\glsaccesssymbol{#2}{#3}}}{%
824 }

```

```

\@Glssymbol@ First letter uppercase version.
825 \def\@Glssymbol@#1#2[#3]{%
826   \glsxtrassignfieldfont{#2}%
827   \gls@field@link
828   [\let\glscapscase\@secondoftwo]%
829   {#1}{#2}{\gls@field@font{\Glsaccesssymbol{#2}{#3}}}{%
830 }

\@GLSsymbol@ All uppercase version.
831 \def\@GLSsymbol@#1#2[#3]{%
832   \glsxtrassignfieldfont{#2}%
833   \gls@field@link[\let\glscapscase\@thirdoftwo]%
834   {#1}{#2}{\gls@field@font{\GLSaccesssymbol{#2}\mfirstucMakeUppercase{#3}}}{%
835 }

lssymbolplural@ No case-changing version.
836 \def\@glssymbolplural@#1#2[#3]{%
837   \glsxtrassignfieldfont{#2}%
838   \gls@field@link
839   [\let\glscapscase\@secondoftwo
840   \let\glsifplural\@firstoftwo
841   ]{#1}{#2}{\gls@field@font{\glsaccesssymbolplural{#2}{#3}}}{%
842 }

lssymbolplural@ First letter uppercase version.
843 \def\@Glssymbolplural@#1#2[#3]{%
844   \glsxtrassignfieldfont{#2}%
845   \gls@field@link
846   [\let\glscapscase\@secondoftwo
847   \let\glsifplural\@firstoftwo
848   ]{#1}{#2}{\gls@field@font{\Glsaccesssymbolplural{#2}{#3}}}{%
849 }

LSsymbolplural@ All uppercase version.
850 \def\@GLSsymbol@#1#2[#3]{%
851   \glsxtrassignfieldfont{#2}%
852   \gls@field@link
853   [\let\glscapscase\@thirdoftwo
854   \let\glsifplural\@firstoftwo
855   ]{%
856   {#1}{#2}%
857   {\gls@field@font{\GLSaccesssymbolplural{#2}\mfirstucMakeUppercase{#3}}}{%
858 }

\@Glsuseri@ First letter uppercase version.
859 \def\@Glsuseri@#1#2[#3]{%
860   \glsxtrassignfieldfont{#2}%
861   \gls@field@link

```

```

862  [\let\glscapscase\@secondoftwo]{#1}{#2}%
863  {\@gls@field@font{\Glsentryuseri{#2}#3}}%
864 }

\@GLSuseri@ All uppercase version.
865 \def\@GLSuseri@#1#2[#3]{%
866   \glsxtrassignfieldfont{#2}%
867   \@gls@field@link[\let\glscapscase\@thirdoftwo]%
868   {#1}{#2}{\@gls@field@font{\mfirstucMakeUppercase{\glsentryuseri{#2}#3}}}%
869 }

\@Glsuserii@ First letter uppercase version.
870 \def\@Glsuserii@#1#2[#3]{%
871   \glsxtrassignfieldfont{#2}%
872   \@gls@field@link
873   [\let\glscapscase\@secondoftwo]%
874   {#1}{#2}{\@gls@field@font{\Glsentryuserii{#2}#3}}}%
875 }

\@GLSuserii@ All uppercase version.
876 \def\@GLSuserii@#1#2[#3]{%
877   \glsxtrassignfieldfont{#2}%
878   \@gls@field@link[\let\glscapscase\@thirdoftwo]%
879   {#1}{#2}{\@gls@field@font{\mfirstucMakeUppercase{\glsentryuserii{#2}#3}}}%
880 }

\@Glsuseriii@ First letter uppercase version.
881 \def\@Glsuseriii@#1#2[#3]{%
882   \glsxtrassignfieldfont{#2}%
883   \@gls@field@link
884   [\let\glscapscase\@secondoftwo]%
885   {#1}{#2}{\@gls@field@font{\Glsentryuseriii{#2}#3}}}%
886 }

\@GLSuseriii@ All uppercase version.
887 \def\@GLSuseriii@#1#2[#3]{%
888   \glsxtrassignfieldfont{#2}%
889   \@gls@field@link[\let\glscapscase\@thirdoftwo]%
890   {#1}{#2}{\@gls@field@font{\mfirstucMakeUppercase{\glsentryuseriii{#2}#3}}}%
891 }

\@Glsuseriv@ First letter uppercase version.
892 \def\@Glsuseriv@#1#2[#3]{%
893   \glsxtrassignfieldfont{#2}%
894   \@gls@field@link
895   [\let\glscapscase\@secondoftwo]%
896   {#1}{#2}{\@gls@field@font{\Glsentryuseriv{#2}#3}}}%
897 }

```

```
\@GLSuseriv@ All uppercase version.

898 \def\@GLSuseriv@#1#2[#3]{%
899   \glsxtrassignfieldfont{#2}%
900   \gls@field@link[\let\glscapscase\@thirdoftwo]%
901   {#1}{#2}%
902   {\gls@field@font{\mfirstucMakeUppercase{\glsentryuseriv{#2}{#3}}}}%
903 }
```

```
\@Glsuserv@ First letter uppercase version.

904 \def\@Glsuserv@#1#2[#3]{%
905   \glsxtrassignfieldfont{#2}%
906   \gls@field@link
907   [\let\glscapscase\@secondoftwo]%
908   {#1}{#2}{\gls@field@font{\Glsentryuserv{#2}{#3}}}%
```

```
\@GLSuserv@ All uppercase version.

910 \def\@GLSuserv@#1#2[#3]{%
911   \glsxtrassignfieldfont{#2}%
912   \gls@field@link[\let\glscapscase\@thirdoftwo]%
913   {#1}{#2}{\gls@field@font{\mfirstucMakeUppercase{\glsentryuserv{#2}{#3}}}}%
914 }
```

```
\@Glsuservi@ First letter uppercase version.

915 \def\@Glsuservi@#1#2[#3]{%
916   \glsxtrassignfieldfont{#2}%
917   \gls@field@link
918   [\let\glscapscase\@secondoftwo]%
919   {#1}{#2}{\gls@field@font{\Glsentryuservi{#2}{#3}}}%
```

```
\@GLSuservi@ All uppercase version.

921 \def\@GLSuservi@#1#2[#3]{%
922   \glsxtrassignfieldfont{#2}%
923   \gls@field@link[\let\glscapscase\@thirdoftwo]%
924   {#1}{#2}{\gls@field@font{\mfirstucMakeUppercase{\glsentryuservi{#2}{#3}}}}%
925 }
```

Commands like \acrshort already set \glsifplural, but they don't set \glsxtrifwasfirstuse so they need adjusting.

```
\@acrshort No case change.

926 \def\@acrshort#1#2[#3]{%
927   \glsdoifexists{#2}%
928   {%
929     \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
930     \let\glsxtrifwasfirstuse\@secondoftwo
931     \let\glsifplural\@secondoftwo
```

```

932     \let\glscapscase\@firstofthree
933     \let\glsinsert\@empty
934     \def\glscustomtext{%
935         \acronymfont{\glsaccessshort{#2}}#3%
936     }%
937     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
938 }%
939 \glspostlinkhook
940 }

```

\@Acrshort First letter uppercase.

```

941 \def\@Acrshort#1#2[#3]{%
942     \glsdoifexists{#2}%
943     {%
944         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
945         \let\glsxtrifwasfirstuse\@secondoftwo
946         \let\glsifplural\@secondoftwo
947         \let\glscapscase\@secondofthree
948         \let\glsinsert\@empty
949         \def\glscustomtext{%
950             \acronymfont{\Glsaccessshort{#2}}#3%
951         }%
952         \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
953     }%
954     \glspostlinkhook
955 }

```

\@ACRshort All uppercase.

```

956 \def\@ACRshort#1#2[#3]{%
957     \glsdoifexists{#2}%
958     {%
959         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
960         \let\glsxtrifwasfirstuse\@secondoftwo
961         \let\glsifplural\@secondoftwo
962         \let\glscapscase\@thirdofthree
963         \let\glsinsert\@empty
964         \def\glscustomtext{%
965             \mfirstucMakeUppercase{\acronymfont{\glsaccessshort{#2}}#3}%
966         }%
967         \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
968     }%
969     \glspostlinkhook
970 }

```

\@acrshortpl No case change.

```

971 \def\@acrshortpl#1#2[#3]{%
972     \glsdoifexists{#2}%
973     {%
974         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper

```

```

975   \let\glsxtrifwasfirstuse\@secondoftwo
976   \let\glsifplural\@firstoftwo
977   \let\glscapscase\@firstofthree
978   \let\glsinsert\@empty
979   \def\glscustomtext{%
980     \acronymfont{\glsaccessshortpl{#2}}#3%
981   }%
982   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
983 }%
984 \glspostlinkhook
985 }

```

\@Acrshortpl First letter uppercase.

```

986 \def\@Acrshortpl#1#2[#3]{%
987   \glsdoifexists{#2}%
988   {%
989     \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
990     \let\glsxtrifwasfirstuse\@secondoftwo
991     \let\glsifplural\@firstoftwo
992     \let\glscapscase\@secondofthree
993     \let\glsinsert\@empty
994     \def\glscustomtext{%
995       \acronymfont{\Glsaccessshortpl{#2}}#3%
996     }%
997     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
998   }%
999   \glspostlinkhook
1000 }

```

\@ACRshortpl All uppercase.

```

1001 \def\@ACRshortpl#1#2[#3]{%
1002   \glsdoifexists{#2}%
1003   {%
1004     \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
1005     \let\glsxtrifwasfirstuse\@secondoftwo
1006     \let\glsifplural\@firstoftwo
1007     \let\glscapscase\@thirdofthree
1008     \let\glsinsert\@empty
1009     \def\glscustomtext{%
1010       \mfirstrucMakeUppercase{\acronymfont{\glsaccessshortpl{#2}}#3}%
1011     }%
1012     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1013   }%
1014   \glspostlinkhook
1015 }

```

\@acrlong No case change.

```

1016 \def\@acrlong#1#2[#3]{%
1017   \glsdoifexists{#2}%

```

```

1018 {%
1019   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
1020   \let\glsxtrifwasfirstuse\@secondoftwo
1021   \let\glsifplural\@secondoftwo
1022   \let\glscapscase\@firstofthree
1023   \let\glsinsert\@empty
1024   \def\glscustomtext{%
1025     \acronymfont{\glsaccesslong{#2}}#3%
1026   }%
1027   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1028 }%
1029 \glspostlinkhook
1030 }

```

\@Acrlong First letter uppercase.

```

1031 \def\@Acrlong#1#2[#3]{%
1032   \glsdoifexists{#2}%
1033 {%
1034   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
1035   \let\glsxtrifwasfirstuse\@secondoftwo
1036   \let\glsifplural\@secondoftwo
1037   \let\glscapscase\@secondofthree
1038   \let\glsinsert\@empty
1039   \def\glscustomtext{%
1040     \acronymfont{\Glsaccesslong{#2}}#3%
1041   }%
1042   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1043 }%
1044 \glspostlinkhook
1045 }

```

\@ACRlong All uppercase.

```

1046 \def\@ACRlong#1#2[#3]{%
1047   \glsdoifexists{#2}%
1048 {%
1049   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
1050   \let\glsxtrifwasfirstuse\@secondoftwo
1051   \let\glsifplural\@secondoftwo
1052   \let\glscapscase\@thirdofthree
1053   \let\glsinsert\@empty
1054   \def\glscustomtext{%
1055     \mfirstrucMakeUppercase{\acronymfont{\glsaccesslong{#2}}#3}%
1056   }%
1057   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1058 }%
1059 \glspostlinkhook
1060 }

```

\@acrlongpl No case change.

```

1061 \def\@acrlongpl#1#2[#3]{%
1062   \glsdoifexists{#2}%
1063   {%
1064     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
1065     \let\glsxtrifwasfirstuse\@secondoftwo
1066     \let\glsifplural\@firstoftwo
1067     \let\glscapscase\@firstofthree
1068     \let\glsinsert\@empty
1069     \def\glscustomtext{%
1070       \acronymfont{\glsaccesslongpl{#2}}#3%
1071     }%
1072     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1073   }%
1074   \glspostlinkhook
1075 }

```

\@Acrlongpl First letter uppercase.

```

1076 \def\@Acrlongpl#1#2[#3]{%
1077   \glsdoifexists{#2}%
1078   {%
1079     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
1080     \let\glsxtrifwasfirstuse\@secondoftwo
1081     \let\glsifplural\@firstoftwo
1082     \let\glscapscase\@secondofthree
1083     \let\glsinsert\@empty
1084     \def\glscustomtext{%
1085       \acronymfont{\Glsaccesslongpl{#2}}#3%
1086     }%
1087     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1088   }%
1089   \glspostlinkhook
1090 }

```

\@ACRlongpl All uppercase.

```

1091 \def\@ACRlongpl#1#2[#3]{%
1092   \glsdoifexists{#2}%
1093   {%
1094     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
1095     \let\glsxtrifwasfirstuse\@secondoftwo
1096     \let\glsifplural\@firstoftwo
1097     \let\glscapscase\@thirdofthree
1098     \let\glsinsert\@empty
1099     \def\glscustomtext{%
1100       \mfirstrucMakeUppercase{\acronymfont{\glsaccesslongpl{#2}}#3}%
1101     }%
1102     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
1103   }%
1104   \glspostlinkhook
1105 }

```

Modify `\@glsaddkey` so additional keys provided by the user can be treated in a similar way.

```
\@glsaddkey
1106 \renewcommand*{\@glsaddkey}[7]{%
1107   \key@ifundefined{glossentry}{\#1}{%
1108     {%
1109       \define@key{glossentry}{\#1}{\csdef{@glo@\#1}{##1}}{%
1110         \appto{\gls@keymap}{, \#1}{\#1}}{%
1111         \appto{\@newglossaryentryprehook}{\csdef{@glo@\#1}{\#2}}{%
1112           \appto{\@newglossaryentryposthook}{%
1113             \letcs{\@glo@tmp}{\glo@\#1}}{%
1114               \gls@assign@field{\#2}{\glo@label}{\#1}{\@glo@tmp}}{%
1115             }{%
1116             \newcommand*{\#3}[1]{\gls@entry@field{\##1}{\#1}}{%
1117               \newcommand*{\#4}[1]{\Gls@entry@field{\##1}{\#1}}{%
```

Now for the commands with links. First the version with no case change (same as before):

```
1118 \ifcsdef{@gls@user@\#1@}{%
1119   {%
1120     \PackageError{glossaries}{%
1121       {Can't define '\string#5' as helper command}%
1122       {\expandafter\string\csname @gls@user@\#1@\endcsname already}%
1123       {exists}}{%
1124     }{%
1125   }{%
1126   {%
1127     \expandafter\newcommand\expandafter*\expandafter{%
1128       {\csname @gls@user@\#1\endcsname}[2] []}{%
1129         \new@ifnextchar[%
1130           {\csuse{@gls@user@\#1@}{##1}{##2}}{%
1131             {\csuse{@gls@user@\#1@}{##1}{##2}[]}}{%
1132             \csdef{@gls@user@\#1@}{##1}{##2}{%
1133               \gls@field@link{\#1}{\#2}{\#3}{\#2}{\#3}}{%
1134             }{%
1135             \newrobustcmd*{\#5}{%
1136               \expandafter\gls@hyp@opt\csname @gls@user@\#1\endcsname}}{%
1137             }{%
```

Next the version with the first letter converted to upper case (modified):

```
1138 \ifcsdef{@Gls@user@\#1@}{%
1139   {%
1140     \PackageError{glossaries}{%
1141       {Can't define '\string#6' as helper command}%
1142       {\expandafter\string\csname @Gls@user@\#1@\endcsname already}%
1143       {exists}}{%
1144     }{%
1145   }{%
1146   {%
1147     \expandafter\newcommand\expandafter*\expandafter{%
```

```

1148     {\csname @Gls@user@#1\endcsname}[2] []{%
1149         \new@ifnextchar[%
1150             {\csuse{@Gls@user@#1@}{##1}{##2}}%
1151             {\csuse{@Gls@user@#1@}{##1}{##2}[]}}%
1152     \csdef{@Gls@user@#1@}##1##2##3}{%
1153         \@gls@field@link[\let\glscapscase\@secondofthree]%
1154             {##1}{##2}{##4{##2}##3}%
1155     }%
1156     \newrobustcmd*{##6}{%
1157         \expandafter\gls@hyp@opt\csname @Gls@user@#1\endcsname}%
1158     }%

```

Finally the all caps version (modified):

```

1159     \ifcsdef{@GLS@user@#1@}{%
1160         {}%
1161         \PackageError{glossaries}{%
1162             {Can't define '\string#7' as helper command}%
1163             {'\expandafter\string\csname @GLS@user@#1@\endcsname' already%
1164                 exists}%
1165         }%
1166     }%
1167     {}%
1168     \expandafter\newcommand\expandafter*\expandafter%
1169     {\csname @GLS@user@#1\endcsname}[2] []{%
1170         \new@ifnextchar[%
1171             {\csuse{@GLS@user@#1@}{##1}{##2}}%
1172             {\csuse{@GLS@user@#1@}{##1}{##2}[]}}%
1173     \csdef{@GLS@user@#1@}##1##2##3}{%
1174         \@gls@field@link[\let\glscapscase\@thirdofthree]%
1175             {##1}{##2}{\mfirstucMakeUppercase{##3{##2}##3}}%
1176     }%
1177     \newrobustcmd*{##7}{%
1178         \expandafter\gls@hyp@opt\csname @GLS@user@#1\endcsname}%
1179     }%
1180 }%
1181 {}%
1182     \PackageError{glossaries-extra}{Key '#1' already exists}{}%
1183 }%
1184 }

```

`checkfirsthyper` Old versions of `glossaries` don't define this, so provide it just in case it hasn't been defined.

```
1185 \providecommand*{\gls@link@nocheckfirsthyper}{}%
```

`checkfirsthyper` Modify `check` to determine if the hyperlink should be automatically suppressed, but save the original in case the acronyms are restored.

```
1186 \let\glsxtr@org@checkfirsthyper\gls@link@checkfirsthyper
1187 \renewcommand*{\gls@link@checkfirsthyper}{}%
```

`\ifglsused` isn't useful in the post link hook as it's already been unset by then, so define a command that can be used in the post link hook. Since `\gls@link@checkfirsthyper` is

only used by commands like \gls but not by other commands, this seems the best place to put it.

```
1188 \ifglsused{\glslabel}%
1189   {\let\glsxtrifwasfirstuse@\secondoftwo}
1190   {\let\glsxtrifwasfirstuse@\firstoftwo}%

  Store the category label for convenience.

1191 \edef\glscategorylabel{\glscategory{\glslabel}}%
1192 \ifglsused{\glslabel}%
1193 {%
1194   \glsifcategoryattribute{\glscategorylabel}{nohypernext}{true}%
1195   {\KV@glslink@hyperfalse}{}%
1196 }%
1197 {%
1198   \glsifcategoryattribute{\glscategorylabel}{nohyperfirst}{true}%
1199   {\KV@glslink@hyperfalse}{}%
1200 }%
1201 \glslinkcheckfirsthyperhook
1202 }
```

`ablehyperinlist` This command was introduced in glossaries v4.19. If it hasn't been defined, we're using an earlier version, in which case the nohyper attribute can't be implemented.

```
1203 \ifdef\do@glsdisablehyperinlist
1204 {%
1205   \let@\glsxtr@do@glsdisablehyperinlist\do@glsdisablehyperinlist
1206   \renewcommand*\do@glsdisablehyperinlist{%
1207     \glsxtr@do@glsdisablehyperinlist
1208     \glsifattribute{\glslabel}{nohyper}{true}{\KV@glslink@hyperfalse}{}%
1209   }
1210 }
1211 {}
```

Define a noindex key to prevent writing information to the external file.

```
1212 \define@boolkey{glslink}{noindex}[true]{}
1213 \KV@glslink@noindexfalse
```

If `\@gls@setdefault@glslink@opts` has been defined (glossaries v4.20) use it to set the default keys in `\@glslink`.

`lt@glslink@opts`

```
1214 \ifdef\@gls@setdefault@glslink@opts
1215 {
1216   \renewcommand*\@gls@setdefault@glslink@opts{%
1217     \KV@glslink@noindexfalse
1218   }
1219 }
1220 {}
```

Not defined so prepend it to `\do@glsdisablehyperinlist` to achieve the same effect.

```
1221 \newcommand*\@gls@setdefault@glslink@opts{%
```

```

1222     \KV@glslink@noindexfalse
1223 }
1224 \preto\do@glsdisablehyperinlist{\gls@setdefault@glslink@opts}
1225 }

tDefaultGlsOpts Set the default options for \glslink etc.
1226 \newcommand*\GlsXtrSetDefaultGlsOpts[1]{%
1227   \renewcommand*{\gls@setdefault@glslink@opts}{\setkeys{glslink}{#1}}%
1228 }
```

lsxtrifindexing Provide user level command to access it in \glswriteentry.

```

1229 \newcommand*\glsxtrifindexing[2]{%
1230   \ifKV@glslink@noindex #2\else #1\fi
1231 }
```

\glswriteentry Redefine to test for indexonlyfirst category attribute.

```

1232 \renewcommand*\glswriteentry[2]{%
1233   \glsxtrifindexing
1234   {%
1235     \ifglsindexonlyfirst
1236       \ifglsused{#1}
1237         {\glsxtrdoautoindexname{#1}{dualindex}}%
1238         {#2}%
1239     \else
1240       \glsifattribute{#1}{indexonlyfirst}{true}%
1241       {\ifglsused{#1}
1242         {\glsxtrdoautoindexname{#1}{dualindex}}%
1243         {#2}%
1244       {#2}%
1245     \fi
1246   }%
1247   {}%
1248 }
```

@do@@wrglossary Hook into glossary indexing command so that it can also use \index at the same time if required and add user hook.

```

1249 \appto\@do@@wrglossary{\glsxtr@do@@wrindex
1250   \glsxtrdownrglossaryhook{\gls@label}%
1251 }
```

(The label can be obtained from \gls@label at this point.)

Similarly for the “noidx” version:

```

s@noidxglossary
1252 \appto\gls@noidxglossary{\glsxtr@do@@wrindex
1253   \glsxtrdownrglossaryhook{\gls@label}%
1254 }
```

```

xtr@do@@wrindex
1255 \newcommand*{\glsxtr@do@@wrindex}{%
1256   \glsxtrdoautoindexname{\gls@label}{dualindex}%
1257 }

owrglossaryhook Allow user to hook into indexing code. (Always used by \glsadd. Used by \gls when indexing, which may or may not occur depending on the indexing settings.)
1258 \newcommand*{\glsxtrdownrglossaryhook}[1] {}

gls@alt@hyp@opt Commands like \gls have a star or plus version. Provide a third symbol that the user can adapt for convenience.
1259 \newcommand*{\gls@alt@hyp@opt}[1]{%
1260   \let\glslinkvar\@firstofthree
1261   \let\gls@hyp@opt@cs\relax
1262   \@ifstar{\s@gls@hyp@opt}{%
1263     {\@ifnextchar+{%
1264       {\@firstoftwo{\p@gls@hyp@opt}}{%
1265         {%
1266           \expandafter\@ifnextchar\gls@alt@hyp@opt@char{%
1267             {\@firstoftwo{\@alt@gls@hyp@opt}{%
1268               {#1}}{%
1269             }{%
1270           }{%
1271         }{%
1272       }{%
1273     }{%
1274     \expandafter\@gls@hyp@opt@cs\expandafter[\gls@alt@hyp@opt@keys,#1]}{%
1275   }{%
1276   \newcommand*{\gls@alt@hyp@opt@char}{%
1277     \newcommand*{\GlsXtrSetAltModifier}[2]{%
1278       \let\gls@hyp@opt\gls@alt@hyp@opt
1279       \def\gls@alt@hyp@opt@char{#1}%
1280       \def\gls@alt@hyp@opt@keys{#2}%
1281     }{%
1282     \glsdohyperlink Unpleasant complications can occur if the text or first key etc contains \gls, particularly if there are hyperlinks. To get around this problem, patch \glsdohyperlink so that it temporarily makes \gls behave like \glstext[<hyper=false,noindex>]. (This will be overridden if the user explicitly cancels either of those options in the optional argument of \gls

```

or using the plus version.) This also patches the short form commands like `\acrshort` and `\glsxtrshort` to use `\glsentryshort` and, similarly, the long form commands like `\acrlong` and `\glsxtrlong` to use `\glsentrylong`.

```
1282 \renewcommand*{\glsdohyperlink}[2]{%
1283   \hyperlink{\#1}{\glsxtrprotectlinks#2}}
```

`glsdisablehyper` Redefine in case we have an old version of glossaries.

```
1284 \ifundef\glsdonohyperlink{%
1285 }%
1286   \renewcommand{\glsdisablehyper}{%
1287     \KV@glslink@hyperfalse
1288     \let\@glslink\glsdonohyperlink
1289     \let\@glstarget\@secondoftwo
1290   }
1291 }
1292 }
```

`lsdonohyperlink` This command was only introduced in glossaries v4.20, so it may not be defined. For older glossaries versions, this won't be used if `hyperref` hasn't been loaded, which means the indexing will still take place.

```
1293 \def\glsdonohyperlink#1#2{\glsxtrprotectlinks #2}
```

Reset `\@glslink` with patched versions:

```
1294 \ifcsundef{hyperlink}{%
1295 }%
1296   \let\@glslink\glsdonohyperlink
1297 }%
1298 {%
1299   \let\@glslink\glsdohyperlink
1300 }
```

`xtrprotectlinks` Make `\gls` (and variants) behave like the corresponding `\glstext` (and variants) with hyperlinking and indexing off.

```
1301 \newcommand*{\glsxtrprotectlinks}{%
1302   \KV@glslink@hyperfalse
1303   \KV@glslink@noindextrue
1304   \let\@gls@\@glsxtr@p@text@
1305   \let\@Gls@\@Glsxtr@p@text@
1306   \let\@GLS@\@GLSxtr@p@text@
1307   \let\@glspl@\@glsxtr@p@plural@
1308   \let\@Glspl@\@Glsxtr@p@plural@
1309   \let\@GLSpl@\@GLSxtr@p@plural@
1310   \let\@glsxtrshort\@glsxtr@p@short@
1311   \let\@Glsxtrshort\@Glsxtr@p@short@
1312   \let\@GLSxtrshort\@GLSxtr@p@short@
1313   \let\@glsxtrlong\@glsxtr@p@long@
1314   \let\@Glsxtrlong\@Glsxtr@p@long@
1315   \let\@GLSxtrlong\@GLSxtr@p@long@}
```

```

1316 \let\@glsxtrshortpl\@glsxtr@p@shortpl@
1317 \let\@Glsxtrshortpl\@Glsxtr@p@shortpl@
1318 \let\@GLSxtrshortpl\@GLSxtr@p@shortpl@
1319 \let\@glsxtrlongpl\@glsxtr@p@longpl@
1320 \let\@Glsxtrlongpl\@Glsxtr@p@longpl@
1321 \let\@GLSxtrlongpl\@GLSxtr@p@longpl@
1322 \let\@acrshort\@glsxtr@p@acrshort@
1323 \let\@Acrshort\@Glsxtr@p@acrshort@
1324 \let\@ACRshort\@GLSxtr@p@acrshort@
1325 \let\@acrshortpl\@glsxtr@p@acrshortpl@
1326 \let\@Acrshortpl\@Glsxtr@p@acrshortpl@
1327 \let\@ACRshortpl\@GLSxtr@p@acrshortpl@
1328 \let\@acrlong\@glsxtr@p@acrlong@
1329 \let\@Acrlong\@Glsxtr@p@acrlong@
1330 \let\@ACRLong\@GLSxtr@p@acrlong@
1331 \let\@acrlongpl\@glsxtr@p@acrlongpl@
1332 \let\@Acrlongpl\@Glsxtr@p@acrlongpl@
1333 \let\@ACRLongpl\@GLSxtr@p@acrlongpl@
1334 }

```

These protected versions need grouping to prevent the label from getting confused.

```

@glsxtr@p@text@
1335 \def\@glsxtr@p@text@#1#2[#3]{{\@glstext@{#1}{#2}[#3]}}
@Glsxtr@p@text@
1336 \def\@Glsxtr@p@text@#1#2[#3]{{\@Glstext@{#1}{#2}[#3]}}
@GLSxtr@p@text@
1337 \def\@GLSxtr@p@text@#1#2[#3]{{\@GLStext@{#1}{#2}[#3]}}
lsxtr@p@plural@
1338 \def\@glsxtr@p@plural@#1#2[#3]{{\@glsplural@{#1}{#2}[#3]}}
lsxtr@p@plural@
1339 \def\@Glsxtr@p@plural@#1#2[#3]{{\@Glsplural@{#1}{#2}[#3]}}
LSxtr@p@plural@
1340 \def\@GLSxtr@p@plural@#1#2[#3]{{\@GLSplural@{#1}{#2}[#3]}}
glsxtr@p@short@
1341 \def\@glsxtr@p@short@#1#2[#3]{%
1342 {%
1343 \glssetabbrvfmt{\glscategory{#2}}%
1344 \glsabbrvfont{\glsentryshort{#2}}#3%
1345 }%
1346 }

```

```

Glsxtr@p@short@%
1347 \def\@Glsxtr@p@short@#1#2[#3]{%
1348   {%
1349     \glssetabbrvfmt{\glscategory{#2}}%
1350     \glsabbrvfont{\Glsentryshort{#2}}#3%
1351   }%
1352 }

GLSxtr@p@short@%
1353 \def\@GLSxtr@p@short@#1#2[#3]{%
1354   {%
1355     \glssetabbrvfmt{\glscategory{#2}}%
1356     \mfirstucMakeUppercase{\glsabbrvfont{\glsentryshort{#2}}#3}%
1357   }%
1358 }

sxtr@p@shortpl@%
1359 \def\@glsxtr@p@shortpl@#1#2[#3]{%
1360   {%
1361     \glssetabbrvfmt{\glscategory{#2}}%
1362     \glsabbrvfont{\glsentryshortpl{#2}}#3%
1363   }%
1364 }

sxtr@p@shortpl@%
1365 \def\@Glsxtr@p@shortpl@#1#2[#3]{%
1366   {%
1367     \glssetabbrvfmt{\glscategory{#2}}%
1368     \glsabbrvfont{\Glsentryshortpl{#2}}#3%
1369   }%
1370 }

Sxtr@p@shortpl@%
1371 \def\@GLSxtr@p@shortpl@#1#2[#3]{%
1372   {%
1373     \glssetabbrvfmt{\glscategory{#2}}%
1374     \mfirstucMakeUppercase{\glsabbrvfont{\glsentryshortpl{#2}}#3}%
1375   }%
1376 }

@glsxtr@p@long@%
1377 \def\@glsxtr@p@long@#1#2[#3]{{{\glsentrylong{#2}}#3} }

@Glsxtr@p@long@%
1378 \def\@Glsxtr@p@long@#1#2[#3]{{{\Glsentrylong{#2}}#3} }

@GLSxtr@p@long@%
1379 \def\@GLSxtr@p@long@#1#2[#3]{%
1380   {\mfirstucMakeUppercase{\glslongfont{\glsentrylong{#2}}#3}}}

```

```

lsxtr@p@longpl@
1381 \def\@glsxtr@p@longpl@#1#2[#3]{{\glsentrylongpl{#2}}#3}

lsxtr@p@longpl@
1382 \def\@Glsxtr@p@longpl@#1#2[#3]{{\glslongfont{\Glsentrylongpl{#2}}#3}}

LSxtr@p@longpl@
1383 \def\@GLSxtr@p@longpl@#1#2[#3] {%
1384   {\mfirstucMakeUppercase{\glslongfont{\glsentrylongpl{#2}}#3}}}

xtr@p@acrshort@
1385 \def\@glsxtr@p@acrshort@#1#2[#3]{{\acronymfont{\glsentryshort{#2}}#3}}

xtr@p@acrshort@
1386 \def\@Glsxtr@p@acrshort@#1#2[#3]{{\acronymfont{\Glsentryshort{#2}}#3}}

xtr@p@acrshort@
1387 \def\@GLSxtr@p@acrshort@#1#2[#3] {%
1388   {\mfirstucMakeUppercase{\acronymfont{\glsentryshort{#2}}#3}}}

r@p@acrshortpl@
1389 \def\@glsxtr@p@acrshortpl@#1#2[#3]{{\acronymfont{\glsentryshortpl{#2}}#3}}

r@p@acrshortpl@
1390 \def\@Glsxtr@p@acrshortpl@#1#2[#3]{{\acronymfont{\Glsentryshortpl{#2}}#3}}

r@p@acrshortpl@
1391 \def\@GLSxtr@p@acrshortpl@#1#2[#3] {%
1392   {\mfirstucMakeUppercase{\acronymfont{\glsentryshortpl{#2}}#3}}}

sxtr@p@acrlong@
1393 \def\@glsxtr@p@acrlong@#1#2[#3]{{\glsentrylong{#2}}#3}

sxtr@p@acrlong@
1394 \def\@Glsxtr@p@acrlong@#1#2[#3]{{\Glsentrylong{#2}}#3}

Sxtr@p@acrlong@
1395 \def\@GLSxtr@p@acrlong@#1#2[#3] {%
1396   {\mfirstucMakeUppercase{\glsentrylong{#2}}#3}}}

tr@p@acrlongpl@
1397 \def\@glsxtr@p@acrlongpl@#1#2[#3]{{\glsentrylongpl{#2}}#3}

tr@p@acrlongpl@
1398 \def\@Glsxtr@p@acrlongpl@#1#2[#3]{{\Glsentrylongpl{#2}}#3}

tr@p@acrlongpl@
1399 \def\@GLSxtr@p@acrlongpl@#1#2[#3] {%
1400   {\mfirstucMakeUppercase{\glsentrylongpl{#2}}#3}}}

```

1.3.5 Entry Counting

The entry counting mechanism from glossaries is adjusted here to work with category attributes. Provide a convenient command to enable entry counting, set the `entrycount` attribute for given categories and redefine `\gls` etc to use `\cgls` instead.

First adjust definitions of the unset and reset commands to provide a hook.

```
\@glsunset Global unset.  
1401 \renewcommand*{\@glsunset}[1]{%  
1402   \@@glsunset{#1}%  
1403   \glsxtrpostunset{#1}%  
1404 }%  
  
glsxtrpostunset  
1405 \newcommand*{\glsxtrpostunset}[1]{  
  
\@glslocalunset Local unset.  
1406 \renewcommand*{\@glslocalunset}[1]{%  
1407   \@@glslocalunset{#1}%  
1408   \glsxtrpostlocalunset{#1}%  
1409 }%  
  
rpostlocalunset  
1410 \newcommand*{\glsxtrpostlocalunset}[1]{  
  
\@glsreset Global reset.  
1411 \renewcommand*{\@glsreset}[1]{%  
1412   \@@glsreset{#1}%  
1413   \glsxtrpostreset{#1}%  
1414 }%  
  
glsxtrpostreset  
1415 \newcommand*{\glsxtrpostreset}[1]{  
  
\@glslocalreset Local reset.  
1416 \renewcommand*{\@glslocalreset}[1]{%  
1417   \@@glslocalreset{#1}%  
1418   \glsxtrpostlocalreset{#1}%  
1419 }%  
  
rpostlocalreset  
1420 \newcommand*{\glsxtrpostlocalreset}[1]{  
  
leEntryCounting The first argument is the list of categories and the second argument is the value of the entrycount attribute.  
1421 \newcommand*{\GlsXtrEnableEntryCounting}[2]{%
```

Enable entry counting:

```
1422 \glsenableentrycount
```

Redefine \gls etc:

```
1423 \renewcommand*\gls{\c@gls}%
1424 \renewcommand*\Gls{\c@Gls}%
1425 \renewcommand*\glsp{*\c@glsp}%
1426 \renewcommand*\Glsp{*\c@Glsp}%
1427 \renewcommand*\GLS{\c@GLS}%
1428 \renewcommand*\GLSp{\c@GLSp}
```

Set the entrycount attribute:

```
1429 \glsxtr@setentrycountunsetattr{#1}{#2}%
```

In case this command is used again:

```
1430 \let\GlsXtrEnableEntryCounting\glsxtr@setentrycountunsetattr
1431 \renewcommand*\GlsXtrEnableEntryUnitCounting[3]{%
1432   \PackageError{glossaries-extra}{\string\GlsXtrEnableEntryUnitCounting\space
1433   can't be used with \string\GlsXtrEnableEntryCounting}%
1434   {Use one or other but not both commands}}%
1435 }
```

ycountunsetattr

```
1436 \newcommand*\glsxtr@setentrycountunsetattr[2]{%
1437   \@for\glsxtr@cat:=#1\do
1438   {%
1439     \ifdefempty{\glsxtr@cat}{}%
1440     {%
1441       \glssetcategoryattribute{\glsxtr@cat}{entrycount}{#2}%
1442     }%
1443   }%
1444 }
```

Redefine the entry counting commands to take into account the entrycount attribute.

nableentrycount

```
1445 \renewcommand*\glsenableentrycount{}%
```

Enable new fields:

```
1446 \appto\newglossaryentry@defcounters{\@newglossaryentry@defcounters}%
```

Just in case the user has switched on the docdef option.

```
1447 \renewcommand*\gls@defdocnewglossaryentry{}%
1448 \renewcommand*\newglossaryentry[2]{%
1449   \PackageError{glossaries}{\string\newglossaryentry\space
1450   may only be used in the preamble when entry counting has
1451   been activated}{If you use \string\glsenableentrycount\space
1452   you must place all entry definitions in the preamble not in
1453   the document environment}}%
1454 }%
1455 }
```

New commands to access new fields:

```
1456 \newcommand*\glsentrycurrcount}[1]{%
1457   \ifcsundef{glo@\glsdetoklabel{\##1}@currcount}{%
1458     {0}{\gls@entry@field{\##1}{currcount}}%
1459   }%
1460 \newcommand*\glsentryprevcount}[1]{%
1461   \ifcsundef{glo@\glsdetoklabel{\##1}@prevcount}{%
1462     {0}{\gls@entry@field{\##1}{prevcount}}%
1463   }%
```

Adjust post unset and reset:

```
1464 \let\glsxtr@entrycount@org@unset\glsxtrpostunset
1465 \renewcommand*\glsxtrpostunset}[1]{%
1466   \glsxtr@entrycount@org@unset{\##1}%
1467   \gls@increment@currcount{\##1}%
1468 }%
1469 \let\glsxtr@entrycount@org@localunset\glsxtrpostlocalunset
1470 \renewcommand*\glsxtrpostlocalunset}[1]{%
1471   \glsxtr@entrycount@org@localunset{\##1}%
1472   \gls@local@increment@currcount{\##1}%
1473 }%
1474 \let\glsxtr@entrycount@org@reset\glsxtrpostreset
1475 \renewcommand*\glsxtrpostreset}[1]{%
1476   \glsxtr@entrycount@org@reset{\##1}%
1477   \csgdef{glo@\glsdetoklabel{\##1}@currcount}{0}%
1478 }%
1479 \let\glsxtr@entrycount@org@localreset\glsxtrpostlocalreset
1480 \renewcommand*\glsxtrpostlocalreset}[1]{%
1481   \glsxtr@entrycount@org@localreset{\##1}%
1482   \csdef{glo@\glsdetoklabel{\##1}@currcount}{0}%
1483 }%
```

Modifications to take into account the attributes that govern whether the entry should be unset.

```
1484 \let\cgls@\@cgls@
1485 \let\cglsp@\@cglsp@
1486 \let\cGLS@\@cGLS@
1487 \let\cGls@\@cGls@
1488 \let\cGLS@\@cGLS@
1489 \let\cGLSp@\@cGLSp@
```

The rest is as the original definition.

```
1490 \AtEndDocument{\gls@write@entrycounts}%
1491 \renewcommand*\gls@entry@count}[2]{%
1492   \csgdef{glo@\glsdetoklabel{\##1}@prevcount}{\##2}%
1493 }%
1494 \let\glsenableentrycount\relax
1495 \renewcommand*\glsenableentryunitcount}{%
1496   \PackageError{glossaries-extra}{\string\glsenableentryunitcount\space
1497   can't be used with \string\glsenableentrycount}%
```

```

1498     {Use one or other but not both commands}%
1499 }%
1500 }

ite@entrycounts  Modify this command so that it only writes the information for entries with the entrycount
attribute and issue warning if no entries have this attribute set.

1501 \renewcommand*{\gls@write@entrycounts}{%
1502     \immediate\write\auxout
1503     {\string\providecommand*{\string@gls@entry@count}[2]{}}%
1504     \count@=0\relax
1505     \forallglsentries{\glsentry}{%
1506         \glshasattribute{\glsentry}{entrycount}%
1507         {%
1508             \ifglsused{\glsentry}%
1509             {%
1510                 \immediate\write\auxout
1511                 {\string@gls@entry@count{\glsentry}{\glsentrycurrcount{\glsentry}}}%
1512             }%
1513             {}%
1514             \advance\count@ by \one
1515         }%
1516         {}%
1517     }%
1518     \ifnum\count@=0
1519         \GlossariesExtraWarningNoLine{Entry counting has been enabled
1520             \MessageBreak with \string\glsenableentrycount\space but the
1521             \MessageBreak attribute ‘entrycount’ hasn’t
1522             \MessageBreak been assigned to any of the defined
1523             \MessageBreak entries}%
1524     \fi
1525 }

```

`\glsxtrifcounttrigger{\label}{(trigger format)}{(normal)}`

```

1526 \newcommand*{\glsxtrifcounttrigger}[3]{%
1527     \glshasattribute{#1}{entrycount}%
1528     {%
1529         \ifnum\glsentryprevcount{#1}>\glsgetattribute{#1}{entrycount}\relax
1530             #3%
1531         \else
1532             #2%
1533         \fi
1534     }%
1535     {#3}%
1536 }

```

Actual internal definitions of \cgl{...} used when entry counting is enabled.

```
\@@cgl{  
1537 \def\@@cgl{#1#2[#3]{%  
1538   \glsxtrifcounttrigger{#2}{%  
1539   {%-  
1540     \cglformat{#2}{#3}{%  
1541       \glsunset{#2}{%  
1542     }%-  
1543   {%-  
1544     \gls@{#1}{#2}{#3}{%  
1545   }%-  
1546 }%-
```

```
\@@cgl{  
1547 \def\@@cglpl{#1#2[#3]{%  
1548   \glsxtrifcounttrigger{#2}{%  
1549   {%-  
1550     \cglplformat{#2}{#3}{%  
1551       \glsunset{#2}{%  
1552     }%-  
1553   {%-  
1554     \glspl@{#1}{#2}{#3}{%  
1555   }%-  
1556 }%-
```

```
\@@cGls{  
1557 \def\@@cGls{#1#2[#3]{%  
1558   \glsxtrifcounttrigger{#2}{%  
1559   {%-  
1560     \cGlsformat{#2}{#3}{%  
1561       \glsunset{#2}{%  
1562     }%-  
1563   {%-  
1564     \Gls@{#1}{#2}{#3}{%  
1565   }%-  
1566 }%-
```

```
\@@cGlspl{  
1567 \def\@@cGlspl{#1#2[#3]{%  
1568   \glsxtrifcounttrigger{#2}{%  
1569   {%-  
1570     \cGlsplformat{#2}{#3}{%  
1571       \glsunset{#2}{%  
1572     }%-  
1573   {%-  
1574     \Glspl@{#1}{#2}{#3}{%  
1575   }%-  
1576 }%-
```

```

\@@cGLS@
1577 \def\@@cGLS@#1#2[#3]{%
1578   \glsxtrifcounttrigger{#2}%
1579   {%
1580     \cGLSformat{#2}{#3}%
1581     \glsunset{#2}%
1582   }%
1583   {%
1584     \cGLS@{#1}{#2}[#3]%
1585   }%
1586 }%

\@@cGLSpl@
1587 \def\@@cGLSpl@#1#2[#3]{%
1588   \glsxtrifcounttrigger{#2}%
1589   {%
1590     \cGLSplformat{#2}{#3}%
1591     \glsunset{#2}%
1592   }%
1593   {%
1594     \cGLSpl@{#1}{#2}[#3]%
1595   }%
1596 }%
1597 %

1598 % Remove default warnings from \cs{cglss} etc so that it can be used
1599 % interchangeable with \cs{gls} etc.
1600 \%begin{macro}{\@cglss@}
1601 \%    \begin{macrocode}
1602 \def\@cglss@#1#2[#3]{\@gls@{#1}{#2}[#3]}

\@cGls@
1603 \def\@cGls@#1#2[#3]{\@Gls@{#1}{#2}[#3]}

\@cglspl@
1604 \def\@cglspl@#1#2[#3]{\@glspl@{#1}{#2}[#3]}

\@cGlspl@
1605 \def\@cGlspl@#1#2[#3]{\@Glspl@{#1}{#2}[#3]}

Add all upper case versions not provided by glossaries.

\cGLS
1606 \newrobustcmd*\cGLS{\@gls@hyp@opt\@cGLS}

\@cGLS Defined the un-starred form. Need to determine if there is a final optional argument
1607 \newcommand*\@cGLS[2][]{%
1608   \new@ifnextchar[\{\@cGLS@{#1}{#2}\}{\@cGLS@{#1}{#2}[]}%
1609 }

```

```

\@cGLS@

1610 \def\@cGLS@#1#2[#3]{\@GLS@{#1}{#2}[#3]}

\cGLSformat Format used by \cGLS if entry only used once on previous run. The first argument is the label,
the second argument is the insert text.
1611 \newcommand*{\cGLSformat}[2]{%
1612   \expandafter\mfirstuc\expandafter{\cGLSformat{#1}{#2}}%
1613 }

\cGLSp1
1614 \newrobustcmd*{\cGLSp1}{\gls@hyp@opt\cGLSp1}

\@cGLSp1 Defined the un-starred form. Need to determine if there is a final optional argument
1615 \newcommand*{\@cGLSp1}[2][]{%
1616   \new@ifnextchar[{\@cGLSp1@{#1}{#2}}{\@cGLSp1@{#1}{#2}[]}}%
1617 }

\@cGLSp1@
1618 \def\@cGLSp1@#1#2[#3]{\@GLSp1@{#1}{#2}[#3]}

\cGLSp1format Format used by \cGLSp1 if entry only used once on previous run. The first argument is the
label, the second argument is the insert text.
1619 \newcommand*{\cGLSp1format}[2]{%
1620   \expandafter\mfirstuc\expandafter{\cGLSp1format{#1}{#2}}%
1621 }

Modify the trigger formats to check for the regular attribute.

\cglformat
1622 \renewcommand*{\cglformat}[2]{%
1623   \glsifregular{#1}%
1624   {\glsentryfirst{#1}}%
1625   {\ifglshaslong{#1}{\glsentrylong{#1}}{\glsentryfirst{#1}}}#2%
1626 }

\cGlsformat
1627 \renewcommand*{\cGlsformat}[2]{%
1628   \glsifregular{#1}%
1629   {\Glsentryfirst{#1}}%
1630   {\ifglshaslong{#1}{\Glsentrylong{#1}}{\Glsentryfirst{#1}}}#2%
1631 }

\cglsp1format
1632 \renewcommand*{\cglsp1format}[2]{%
1633   \glsifregular{#1}%
1634   {\glsentryfirstplural{#1}}%
1635   {\ifglshaslong{#1}{\glsentrylongpl{#1}}{\glsentryfirstplural{#1}}}#2%
1636 }

```

```

\cGlsplformat
1637 \renewcommand*\cGlsplformat}[2]{%
1638   \glsifregular{#1}%
1639   {\Glsentryfirstplural{#1}}%
1640   {\ifglshaslong{#1}{\Glsentrylongpl{#1}}{\Glsentryfirstplural{#1}}}#2%
1641 }

```

New code similar to above for unit counting.

defunitcounters

```

1642 \newcommand*\@newglossaryentry@defunitcounters}{%
1643   \edef@\glo@countunit{\csuse{@glsxtr@categoryattr@@\glo@category @unitcount}}%
1644   \ifdefvoid@\glo@countunit
1645   {}%
1646   {}%
1647   \@glsxtr@ifunitcounter{\glo@countunit}%
1648   {}%
1649   {\expandafter\glsxtr@addunitcounter\expandafter{\glo@countunit}}%
1650 }%
1651 }

```

r@unitcountlist List to keep track of which counters are being used by the entry unit count facility.

```

1652 \newcommand*\@glsxtr@unitcountlist}{}

```

@addunitcounter

```

1653 \newcommand*\@glsxtr@addunitcounter}[1]{%
1654   \listadd{\@glsxtr@unitcountlist}{#1}%
1655   \ifcsundef{glsxtr@theunit@#1}
1656   {}%
1657   \ifcsdef{theH#1}%
1658   {\csdef{glsxtr@theunit@#1}{\csuse{theH#1}}}{%
1659   {\csdef{glsxtr@theunit@#1}{\csuse{the#1}}}}%
1660 }%
1661 {}%
1662 }

```

r@ifunitcounter

```

1663 \newcommand*\@glsxtr@ifunitcounter}[3]{%
1664   \xifinlist{#1}{\@glsxtr@unitcountlist}{#2}{#3}}%
1665 }

```

urrentunitcount

```

1666 \newcommand*\@glsxtr@currentunitcount[1]{%
1667   glo@\glsdetoklabel{#1}@currunit@\glsgetattribute{#1}{unitcount}.%
1668   \csuse{glsxtr@theunit@\glsgetattribute{#1}{unitcount}}%
1669 }

```

```

eviousunitcount
1670 \newcommand*{\glsxtr@previousunitcount}[1]{%
1671   glo@\glsdetoklabel{#1}@prevunit@\glsgetattribute{#1}{unitcount}.%
1672   \csuse{\glsxtr@theunit@\glsgetattribute{#1}{unitcount}}%
1673 }

t@currunitcount
1674 \newcommand*{\gls@increment@currunitcount}[1]{%
1675   \glshasattribute{#1}{unitcount}%
1676   {%
1677     \edef\glsxtr@csname{\glsxtr@currentunitcount{#1}}%
1678     \ifcsundef{\glsxtr@csname}%
1679     {%
1680       \csgdef{\glsxtr@csname}{1}%
1681       \listcsxadd{%
1682         glo@\glsdetoklabel{#1}@unitlist}%
1683         {\glsgetattribute{#1}{unitcount}.%
1684           \csuse{\glsxtr@theunit@\glsgetattribute{#1}{unitcount}}%
1685         }%
1686       }%
1687     {%
1688       \csxdef{\glsxtr@csname}%
1689         {\number\numexpr\csname@glsxtr@csname\endcsname+1}%
1690     }%
1691   }%
1692   {}%
1693 }

t@currunitcount
1694 \newcommand*{\gls@local@increment@currunitcount}[1]{%
1695   \glshasattribute{#1}{unitcount}%
1696   {%
1697     \edef\glsxtr@csname{\glsxtr@currentunitcount{#1}}%
1698     \ifcsundef{\glsxtr@csname}%
1699     {%
1700       \csdef{\glsxtr@csname}{1}%
1701       \listcseadd{%
1702         glo@\glsdetoklabel{#1}@unitlist}%
1703         {\glsgetattribute{#1}{unitcount}.%
1704           \csuse{\glsxtr@theunit@\glsgetattribute{#1}{unitcount}}%
1705         }%
1706       }%
1707     {%
1708       \csedef{\glsxtr@csname}%
1709         {\number\numexpr\csname@glsxtr@csname\endcsname+1}%
1710     }%
1711   }%
1712   {}%
1713 }

```

```

r@currunitcount
1714 \newcommand*{\glsxtr@currunitcount}[2]{%
1715   \ifcsundef
1716   {glo@\glsdetoklabel{#1}@currunit@#2}%
1717   {0}%
1718   {\csuse{glo@\glsdetoklabel{#1}@currunit@#2}}%
1719 }%

r@prevunitcount
1720 \newcommand*{\glsxtr@prevunitcount}[2]{%
1721   \ifcsundef
1722   {glo@\glsdetoklabel{#1}@prevunit@#2}%
1723   {0}%
1724   {\csuse{glo@\glsdetoklabel{#1}@prevunit@#2}}%
1725 }%

entryunitcount
1726 \newcommand*{\glsenableentryunitcount}{%
  Enable new fields:
1727   \appto\@newglossaryentry@defcounters{\@newglossaryentry@defunitcounters}%
  Just in case the user has switched on the docdef option.
1728   \renewcommand*{\gls@defdocnewglossaryentry}{%
1729     \renewcommand*{\newglossaryentry}[2]{%
1730       \PackageError{glossaries}{\string\newglossaryentry\space
1731         may only be used in the preamble when entry counting has
1732         been activated}{If you use \string\glsenableentryunitcount\space
1733         you must place all entry definitions in the preamble not in
1734         the document environment}%
1735     }%
1736   }%
  New commands to access new fields:
1737   \newcommand*{\glsentrycurrcount}[1]{%
1738     \glsxtr@currunitcount{##1}{\glsgetattribute{##1}{unitcount}.}%
1739     \csuse{\glsxtr@theunit@\glsgetattribute{##1}{unitcount}}}%
1740   }%
1741   \newcommand*{\glsentryprevcount}[1]{%
1742     \glsxtr@prevunitcount{##1}{\glsgetattribute{##1}{unitcount}.}%
1743     \csuse{\glsxtr@theunit@\glsgetattribute{##1}{unitcount}}}%
1744   }%
  Access total count:
1745   \newcommand*{\glsentryprevtotalcount}[1]{%
1746     \ifcsundef{glo@\glsdetoklabel{##1}@prevunittotal}%
1747     {0}%
1748     {%
1749       \number\csuse{glo@\glsdetoklabel{##1}@prevunittotal}%
1750     }%
1751   }%

```

Access max value:

```
1752 \newcommand*{\glsentryprevmaxcount}[1]{%
1753   \ifcsundef{glo@\glsdetoklabel{##1}@prevunitmax}%
1754   {}%
1755   {}%
1756   \number\csuse{glo@\glsdetoklabel{##1}@prevunitmax}%
1757 }
1758 }%
```

Adjust post unset and reset:

```
1759 \let\@glsxtr@entryunitcount@org@unset\glsxtrpostunset
1760 \renewcommand*{\glsxtrpostunset}[1]{%
1761   \@glsxtr@entryunitcount@org@unset{##1}%
1762   \@gls@increment@currunitcount{##1}%
1763 }
1764 \let\@glsxtr@entryunitcount@org@localunset\glsxtrpostlocalunset
1765 \renewcommand*{\glsxtrpostlocalunset}[1]{%
1766   \@glsxtr@entryunitcount@org@localunset{##1}%
1767   \@gls@local@increment@currunitcount{##1}%
1768 }
1769 \let\@glsxtr@entryunitcount@org@reset\glsxtrpostreset
1770 \renewcommand*{\glsxtrpostreset}[1]{%
1771   \glshasattribute{##1}{unitcount}%
1772   {}%
1773   \edef\@glsxtr@csname{\@glsxtr@currentunitcount{##1}}%
1774   \ifcsundef{\@glsxtr@csname}%
1775   {}%
1776   {\csgdef{\@glsxtr@csname}{0}}%
1777 }
1778 {}%
1779 }
1780 \let\@glsxtr@entryunitcount@org@localreset\glsxtrpostlocalreset
1781 \renewcommand*{\glsxtrpostlocalreset}[1]{%
1782   \@glsxtr@entryunitcount@org@localreset{##1}%
1783   \@gls@increment@currunitcount{##1}%
1784 }
1785   \edef\@glsxtr@csname{\@glsxtr@currentunitcount{##1}}%
1786   \ifcsundef{\@glsxtr@csname}%
1787   {}%
1788   {\csgdef{\@glsxtr@csname}{0}}%
1789 }
1790 {}%
1791 }
```

Modifications to take into account the attributes that govern whether the entry should be unset.

```
1792 \let\@cgls@\@@cgls@
1793 \let\@cglspl@\@@cglspl@
1794 \let\@cGLS@\@@cGLS@
1795 \let\@cGlspl@\@@cGlspl@
```

```

1796 \let\@cGLS@\@@cGLS@
1797 \let\@cGLSp1@\@@cGLSp1@
    Write information to the aux file.

1798 \AtEndDocument{\@gls@write@entryunitcounts}%
1799 \renewcommand*{\@gls@entry@unitcount}[3]{%
1800     \csgdef{glo@\glsdetoklabel{##1}@prevunit@##3}{##2}%
1801     \ifcsundef{glo@\glsdetoklabel{##1}@prevunittotal}%
1802     {\csgdef{glo@\glsdetoklabel{##1}@prevunittotal}{##2}}%
1803     {%
1804         \csxdef{glo@\glsdetoklabel{##1}@prevunittotal}{%
1805             \number\numexpr\csuse{glo@\glsdetoklabel{##1}@prevunittotal}+##2}%
1806         }%
1807         \ifcsundef{glo@\glsdetoklabel{##1}@prevunitmax}%
1808         {\csgdef{glo@\glsdetoklabel{##1}@prevunitmax}{##2}}%
1809         {%
1810             \ifnum\csuse{glo@\glsdetoklabel{##1}@prevunitmax}<##2
1811                 \csgdef{glo@\glsdetoklabel{##1}@prevunitmax}{##2}%
1812             \fi
1813         }%
1814     }%
1815 \let\glsenableentryunitcount\relax
1816 \renewcommand*{\glsenableentrycount}{%
1817     \PackageError{glossaries-extra}{\string\glsenableentrycount\space
1818         can't be used with \string\glsenableentryunitcount}%
1819     {Use one or other but not both commands}%
1820 }%
1821 }%
1822 \onlypreamble\glsenableentryunitcount

```

entry@unitcount

```
1823 \newcommand*{\@gls@entry@unitcount}[3]{}%
```

ryunitcounts@do

```

1824 \newcommand*{\@gls@write@entryunitcounts@do}[1]{%
1825     \immediate\write\auxout
1826     {\string\@gls@entry@unitcount
1827         {\@glsentry}%
1828         {\@glsxtr@currunitcount{\@glsentry}{#1}%
1829         }%
1830         {#1}}%
1831 }

```

entryunitcounts

```

1832 \newcommand*{\@gls@write@entryunitcounts}{%
1833     \immediate\write\auxout
1834     {\string\providecommand*\string\@gls@entry@unitcount[3]{}{}}%
1835     \count@=0\relax
1836     \forallglsentries{\@glsentry}{%

```

```

1837 \glshasattribute{@glsentry}{unitcount}%
1838 {%
1839   \ifglsused{@glsentry}%
1840   {%
1841     \forlistcsloop
1842       {\@gls@write@entryunitcounts@do}%
1843       {\glo@glsdetoklabel{@glsentry}@unitlist}%
1844   }%
1845   {}%
1846   \advance\count@ by \cne
1847 }%
1848 {}%
1849 }%
1850 \ifnum\count@=0
1851   \GlossariesExtraWarningNoLine{Entry counting has been enabled
1852   \MessageBreak with \string\glsenableentryunitcount\space but the
1853   \MessageBreak attribute ‘unitcount’ hasn’t
1854   \MessageBreak been assigned to any of the defined
1855   \MessageBreak entries}%
1856 \fi
1857 }

```

tryUnitCounting The first argument is the list of categories, the second argument is the value of the entrycount attribute and the third is the counter name.

```
1858 \newcommand*{\GlsXtrEnableEntryUnitCounting}[3]{%
```

Enable entry counting:

```
1859 \glsenableentryunitcount
```

Redefine \gls etc:

```

1860 \renewcommand*{\gls}{\cgls}%
1861 \renewcommand*{\Gls}{\cGls}%
1862 \renewcommand*{\glspol}{\cglspl}%
1863 \renewcommand*{\Glspol}{\cGlspol}%
1864 \renewcommand*{\GLS}{\cGLS}%
1865 \renewcommand*{\GLSpol}{\cGLSpol}%

```

Set the entrycount attribute:

```
1866 \glsxtr@setentryunitcountunsetattr{#1}{#2}{#3}%
```

In case this command is used again:

```

1867 \let\GlsXtrEnableEntryUnitCounting\glsxtr@setentryunitcountunsetattr
1868 \renewcommand*{\GlsXtrEnableEntryCounting}[2]{%
1869   \PackageError{glossaries-extra}{\string\GlsXtrEnableEntryCounting\space
1870   can’t be used with \string\GlsXtrEnableEntryUnitCounting}%
1871   {Use one or other but not both commands}}%
1872 }

```

tcountunsetattr

```

1873 \newcommand*{\glsxtr@setentryunitcountunsetattr}[3]{%
1874   \for\glsxtr@cat:=#1\do

```

```

1875  {%
1876    \ifdefempty{\@glsxtr@cat}{}
1877    {%
1878      \glssetcategoryattribute{\@glsxtr@cat}{entrycount}{#2}%
1879      \glssetcategoryattribute{\@glsxtr@cat}{unitcount}{#3}%
1880    }%
1881  }%
1882 }

```

1.3.6 Acronym Modifications

It's more consistent to use the abbreviation code for acronyms, but make some adjustments to allow for continued use of the glossaries package's custom acronym format. (For example, user may already have defined some acronym styles with `\newacronymstyle` which they would like to continue to use.) The original glossaries acronym code can be restored with `\RestoreAcronyms`, but adjust `\SetGenericNewAcronym` so that `\newacronym` adds the category.

`nericNewAcronym`

```

1883 \renewcommand*\SetGenericNewAcronym{%
1884   \let\@Gls@entryname\@Gls@acrentryname
1885   \renewcommand{\newacronym}[4][]{%
1886     \ifdefempty{\glsacronymlists}{%
1887       {%
1888         \def\@glo@type{\acronymtype}%
1889         \setkeys{glossentry}{##1}%
1890         \DeclareAcronymList{\@glo@type}%
1891       }%
1892     }%
1893     \glskeylisttok{##1}%
1894     \glslabeltok{##2}%
1895     \glsshorttok{##3}%
1896     \glslongtok{##4}%
1897     \newacronymhook
1898     \protected@edef\@do@newglossaryentry{%
1899       \noexpand\newglossaryentry{\the\glslabeltok}%
1900     }%
1901     type=\acronymtype,%
1902     name={\expandonce{\acronymentry{##2}}},%
1903     sort={\acronymsort{\the\glsshorttok}{\the\glslongtok}},%
1904     text={\the\glsshorttok},%
1905     short={\the\glsshorttok},%
1906     shortplural={\the\glsshorttok\noexpand\acrpluralsuffix},%
1907     long={\the\glslongtok},%
1908     longplural={\the\glslongtok\noexpand\acrpluralsuffix},%
1909     category=acronym,
1910     \GenericAcronymFields,%
1911     \the\glskeylisttok

```

```

1912      }%
1913      }%
1914      \do@newglossaryentry
1915      }%
1916      \renewcommand*\acrfullfmt}[3]{%
1917          \glslink[##1]{##2}{\genacrfullformat{##2}{##3}}}}%
1918      \renewcommand*\Acrfullfmt}[3]{%
1919          \glslink[##1]{##2}{\Genacrfullformat{##2}{##3}}}}%
1920      \renewcommand*\ACRfullfmt}[3]{%
1921          \glslink[##1]{##2}{%
1922              \mfirstucMakeUppercase{\genacrfullformat{##2}{##3}}}}}}%
1923      \renewcommand*\acrfullplfmt}[3]{%
1924          \glslink[##1]{##2}{\genplacrfullformat{##2}{##3}}}}%
1925      \renewcommand*\Acrfullplfmt}[3]{%
1926          \glslink[##1]{##2}{\Genplacrfullformat{##2}{##3}}}}%
1927      \renewcommand*\ACRfullplfmt}[3]{%
1928          \glslink[##1]{##2}{%
1929              \mfirstucMakeUppercase{\genplacrfullformat{##2}{##3}}}}}}%
1930      \renewcommand*\glsentryfull}[1]{\genacrfullformat{##1}{}}}%
1931      \renewcommand*\Glsentryfull}[1]{\Genacrfullformat{##1}{}}}%
1932      \renewcommand*\glsentryfullpl}[1]{\genplacrfullformat{##1}{}}}%
1933      \renewcommand*\Glsentryfullpl}[1]{\Genplacrfullformat{##1}{}}}%
1934 }

```

This will cause a problem for glossaries that contain a mixture of acronyms and abbreviations, so redefine `\newacronym` to use the new abbreviation interface.

First save the original definitions:

```

1935 \let\glsxtr@org@setacronymstyle\setacronymstyle
1936 \let\glsxtr@org@newacronymstyle\newacronymstyle

```

`msAbbreviations` Make acronyms use the same interface as abbreviations. Note that `\newacronymstyle` has a different implementation to `\newabbreviationstyle` so disable `\newacronymstyle` and `\setacronymstyle`.

```

1937 \newcommand*\MakeAcronymsAbbreviations}{%
1938     \renewcommand*\newacronym}[4] []{%
1939         \newabbreviation[type=\acronymtype,category=acronym,##1]{##2}{##3}{##4}}%
1940     }%
1941     \renewcommand*\firstacronymfont}[1]{\glsfirstabbrvfont{##1}}%
1942     \renewcommand*\acronymfont}[1]{\glsabbrvfont{##1}}%
1943     \renewcommand*\setacronymstyle}[1]{%
1944         \PackageError{glossaries-extra}{\string\setacronymstyle{##1}%
1945         unavailable.%
1946         Use \string\setabbreviationstyle\space instead.%
1947         The original acronym interface can be restored with%
1948         \string\RestoreAcronyms}{}}%
1949     }%
1950     \renewcommand*\newacronymstyle}[1]{%
1951         \GlossariesExtraWarning{New acronym style ‘##1’ won’t be%
1952         available unless you restore the original acronym interface with%

```

```

1953     \string\RestoreAcronyms}%
1954     \glsxtr@org@newacronymstyle{##1}%
1955   }%
1956 }

```

Switch acronyms to abbreviations:

```
1957 \MakeAcronymsAbbreviations
```

`RestoreAcronyms` Restore acronyms to glossaries interface.

```

1958 \newcommand*\RestoreAcronyms}{%
1959   \SetGenericNewAcronym
1960   \renewcommand{\firstacronymfont}[1]{\acronymfont{##1}}%
1961   \renewcommand{\acronymfont}[1]{##1}%
1962   \let\setacronymstyle\glsxtr@org@setacronymstyle
1963   \let\newacronymstyle\glsxtr@org@newacronymstyle
1964   \let@\gls@link@checkfirsthyper@\glsxtr@org@checkfirsthyper
1965   \glssetcategoryattribute{acronym}{regular}{false}%
1966   \setacronymstyle{long-short}%
1967 }

```

`\glsacspace` Allow the user to customise the maximum value.

```

1968 \renewcommand*\glsacspace}[1]{%
1969   \settowidth{\dimen@}{(\firstacronymfont{\glsentryshort{#1}})}%
1970   \ifdim\dimen@<\glsacspacemax\else\space\fi
1971 }

```

`\glsacspacemax` Value used in the above.

```
1972 \newcommand*\glsacspacemax}{3em}
```

1.3.7 Indexing and Displaying Glossaries

From time-to-time users ask if they can have one glossary sorted normally and another sorted by definition or usage. With the base `glossaries` package this can only be achieved with the “`noidx`” commands (Option 1). This is an attempt to mix and match.

First we need a list of the glossaries that require `makeindex/xindy`.

r@reg@glosslist

```
1973 \newcommand*\glsxtr@reg@glosslist}{}
```

Save the original definition of `\makeglossaries`:

```
1974 \let\glsxtr@org@makeglossaries\makeglossaries
```

Redefine `\makeglossaries` to take an optional argument. This should be empty for the usual behaviour (all glossaries need processing with an indexing application) or a comma-separated list of glossary labels indicating those glossaries that should be processed with an indexing application.

```

\makeglossaries
1975 \renewcommand*\makeglossaries[1] []{%
1976   \ifblank{#1}{%
1977     {\@glsxtr@org@makeglossaries}%
1978   }{%
1979     \edef\@glsxtr@reg@glosslist{#1}%
1980     \ifundef{\glswrite}{\newwrite\glswrite}{}%
1981     \protected@write\@auxout{}{\string\providecommand
1982       \string\@glsorder[1]{}}
1983     \protected@write\@auxout{}{\string\providecommand
1984       \string\@istfilename[1]{}}
1985     \protected@write\@auxout{}{\string\@istfilename{\istfilename}}%
1986     \protected@write\@auxout{}{\string\@glsorder{\glsorder}}%
1987     \write\@auxout{\string\providecommand\string\@gls@reference[3]}%}
1988   \cfor\@glo@type:=#1\do{%
1989     \ifdefempty{\@glo@type}{}{\makeglossary{\@glo@type}}%
1990   }%
1991   New glossaries must be created before \makeglossaries:%
1992   \PackageError{glossaries}{New glossaries
1993   must be created before \string\makeglossaries}{You need
1994   to move \string\makeglossaries\space after all your
1995   \string\newglossary\space commands}%
1996   \let\makeglossary\relax
1997   \let\newglossary\relax
1998   \let\makeglossaries\relax
1999   \cdisable@onlypremakeg
2000   \let\gls@checkseeallowed\relax
2001   Suppress warning about no \makeglossaries%
2002   \let\warn@nomakeglossaries\relax
2003   \def\warn@noprintglossary{%
2004     \GlossariesWarningNoLine{No \string\printglossary\space
2005     or \string\printglossaries\space
2006     found.\^J(Remove \string\makeglossaries\space if you don't
2007     want
2008     any glossaries.)\^JThis document will not have a glossary}%
2009   \renewcommand*\glsdisplaynumberlist[1]{%
2010     \expandafter\DTLifinlist\expandafter{\#\#1}{\@glsxtr@reg@glosslist}%
2011       {\@glsxtr@idx@displaynumberlist{\#\#1}}%

```

```

2012     {\@glsxtr@noidx@displaynumberlist{##1}}%
2013   }%
2014   Adjust entry list:
2015   \renewcommand*{\glsentrynumberlist}[1]{%
2016     \expandafter\DTLifinlist\expandafter{##1}{\@glsxtr@reg@glosslist}%
2017     {\@glsxtr@idx@entrynumberlist{##1}}%
2018     {\@glsxtr@noidx@entrynumberlist{##1}}%
2019   }%
2020   Adjust number list loop
2021   \renewcommand*{\glsnumberlistloop}[2]{%
2022     \expandafter\DTLifinlist\expandafter{##1}{\@glsxtr@reg@glosslist}%
2023     {%
2024       \PackageError{glossaries-extra}{\string\glsnumberlistloop\space
2025         not available for glossary '##1'}{}%
2026     }%
2027   }%
2028   Only sanitize sort for normal indexing glossaries.
2029   \renewcommand*{\glsprestandardsort}[3]{%
2030     \expandafter\DTLifinlist\expandafter{##2}{\@glsxtr@reg@glosslist}%
2031     {%
2032       \glsdosanitizesort
2033     }%
2034     {%
2035       \ifglssanitize
2036         \gls@noidx@sanitizesort
2037       \else
2038         \gls@noidx@nosanitizesort
2039       \fi
2040     }%
2041   }%
2042   Unlike \makenoidxglossaries we can't automatically set sanitizesort=false. All entries must
2043   be defined in the preamble.
2044   \renewcommand*\new@glossaryentry[2]{%
2045     \PackageError{glossaries-extra}{Glossary entries must be defined
2046       in the preamble\MessageBreak when you use the optional argument
2047       of \string\makeglossaries}{Either move your definitions to the
2048       preamble or don't use the optional argument of
2049       \string\makeglossaries}%
2050   }%
2051   Only activate sort key for glossaries that aren't listed in #1 (glossary label is stored in
2052   \@glo@type but this defaults to \glsdefaulttype so some expansion is required).
2053   \renewcommand*{\@printgloss@setsort}{}%
2054   \renewcommand*{\@glo@assign@sortkey}{}%
2055   \edef\@glo@type{\@glo@type}%
2056   \expandafter\DTLifinlist\expandafter{\@glo@type}{\@glsxtr@reg@glosslist}%

```

```

2051      {%
2052          \@@glo@no@assign@sortkey
2053      }%
2054      {%
2055          \@@glo@assign@sortkey
2056      }%
2057  }%
2058 \def\@glo@sorttype{\@glo@default@sorttype}%
2059 }%

```

Check automake setting:

```

2060 \ifglsautomake
2061     \renewcommand*{\@gls@doautomake}{%
2062         \for@\gls@type:=\glsxtr@reg@glosslist\do{%
2063             \ifdefempty{\@gls@type}{}{\@gls@automake{\@gls@type}}%
2064         }%
2065     }%
2066 \fi
2067 }%
2068 }

```

Display number list for the regular version:

```
splaynumberlist
2069 \let\glsxtr@idx@displaynumberlist\glsdisplaynumberlist
```

Display number list for the “noidx” version:

```
splaynumberlist
2070 \newcommand*{\glsxtr@noidx@displaynumberlist}[1]{%
2071     \letcs{\gls@loclist}{\glsdetoklabel{#1}@loclist}%
2072     \ifdef{\gls@loclist}
2073     {%
2074         \def\gls@noidxloclist@sep{%
2075             \def\gls@noidxloclist@sep{%
2076                 \def\gls@noidxloclist@sep{%
2077                     \glsnumlistsep
2078                 }%
2079                 \def\gls@noidxloclist@finalsep{\glsnumlistlastsep}%
2080             }%
2081         }%
2082         \def\gls@noidxloclist@finalsep{}%
2083         \def\gls@noidxloclist@prev{}%
2084         \forlistloop{\glsnoidxdisplayloclisthandler}{\gls@loclist}%
2085         \gls@noidxloclist@finalsep
2086         \gls@noidxloclist@prev
2087     }%
2088     {%
2089         ??\glsdoifexists{#1}%
2090         {%
2091             \GlossariesWarning{Missing location list for '#1'. Either

```

```

2092     a rerun is required or you haven't referenced the entry.}%
2093   }%
2094 }%
2095 }%
2096

```

And for the number list loop:

@numberlistloop

```

2097 \newcommand*{\@glsxtr@noidx@numberlistloop}[3]{%
2098   \letcs{\@gls@loclist}{\glsdetoklabel{#1}@loclist}%
2099   \let\@gls@org@glsnoidxdisplayloc\glsnoidxdisplayloc
2100   \let\@gls@org@glsseefORMAT\glsseefORMAT
2101   \let\glsnoidxdisplayloc#2\relax
2102   \let\glsseefORMAT#3\relax
2103   \ifdef\@gls@loclist
2104   {%
2105     \forlistloop{\glsnoidxnumberlistloophandler}{\@gls@loclist}%
2106   }%
2107   {%
2108     ??\glsdoifexists{#1}%
2109     {%
2110       \GlossariesWarning{Missing location list for '##1'. Either
2111         a rerun is required or you haven't referenced the entry.}%
2112     }%
2113   }%
2114   \let\glsnoidxdisplayloc\@gls@org@glsnoidxdisplayloc
2115   \let\glsseefORMAT\@gls@org@glsseefORMAT
2116 }%

```

Same for entry number list.

entrynumberlist

```

2117 \newcommand*{\@glsxtr@noidx@entrynumberlist}[1]{%
2118   \letcs{\@gls@loclist}{\glsdetoklabel{#1}@loclist}%
2119   \ifdef\@gls@loclist
2120   {%
2121     \glsnoidxloclist{\@gls@loclist}%
2122   }%
2123   {%
2124     ??\glsdoifexists{#1}%
2125     {%
2126       \GlossariesWarning{Missing location list for '#1'. Either
2127         a rerun is required or you haven't referenced the entry.}%
2128     }%
2129   }%
2130 }%

```

entrynumberlist

```

2131 \newcommand*{\@glsxtr@idx@entrynumberlist}[1]{\glsentrynumberlist{#1}}

```

Give a bit of assistance to new users who are confused and don't know how to read transcript messages.

```
@print@glossary
2132 \renewcommand{\@print@glossary}{%
2133   \makeatletter
2134   \@input{\jobname.\csname\glotyep@\glo@type\in\endcsname}%
2135   \IfFileExists{\jobname.\csname\glotyep@\glo@type\in\endcsname}{}{%
2136   }%
2137   {\glsxtrNoGlossaryWarning{\glo@type}}%
2138   \ifglsxindy
2139     \ifcundeft{\xdy@\glo@type\language}{}{%
2140     }%
2141     \edef\@do@auxoutstuff{%
2142       \noexpand\AtEndDocument{%
2143         \noexpand\immediate\noexpand\write\auxout{%
2144           \string\providetext\string\@xdylanguage[2]{}%}
2145         \noexpand\immediate\noexpand\write\auxout{%
2146           \string\@xdylanguage{\glo@type}\{\xdy@main\language}}%
2147       }%
2148     }%
2149   }%
2150 }%
2151 }%
2152 }%
2153 }%
2154 }%
2155 }%
2156 }%
2157 }%
2158 }%
2159 }%
2160 }%
2161 }%
2162 }%
2163 }%
2164 }%
2165 }%
2166 }%
2167 }%
2168 }%
2169 }%
2170 }%
2171 }fi
2172 \renewcommand*{\@warn@nomakeglossaries}{%
2173   \GlossariesWarningNoLine{\string\makeglossaries\space
2174     hasn't been used, ^J the glossaries will not be updated}%
2175 }%
2176 }
```

Setup the warning text to display if the external file for the given glossary is missing.

oGlsWarningHead Header message.

```
2177 \newcommand{\GlsXtrNoGlsWarningHead}[2]{%
2178   This document is incomplete. The external file associated with
2179   the glossary '#1' (which should be called \texttt{\#2})
2180   hasn't been created.%}
2181 }
```

rningEmptyStart No entries have been added to the glossary.

```
2182 \newcommand{\GlsXtrNoGlsWarningEmptyStart}{%
2183   This has probably happened because there are no entries defined
2184   in this glossary.%}
2185 }
```

arningEmptyMain The default “main” glossary is empty.

```
2186 \newcommand{\GlsXtrNoGlsWarningEmptyMain}{%
2187   If you don't want this glossary,
2188   add \texttt{nomain} to your package option list when you load
2189   \texttt{glossaries-extra.sty}. For example:%}
2190 }
```

ingEmptyNotMain A glossary that isn't the default “main” glossary is empty.

```
2191 \newcommand{\GlsXtrNoGlsWarningEmptyNotMain}[1]{%
2192   Did you forget to use \texttt{type=#1} when you defined your
2193   entries? If you tried to load entries into this glossary with
2194   \texttt{\string\loadglsentries} did you remember to use
2195   \texttt{\string[\#1]} as the optional argument? If you did, check that
2196   the definitions in the file you loaded all had the type set
2197   to \texttt{\string\glsdefaulttype}.%
2198 }
```

arningCheckFile Advisory message to check the file contents.

```
2199 \newcommand{\GlsXtrNoGlsWarningCheckFile}[1]{%
2200   Check the contents of the file \texttt{\#1}. If
2201   it's empty, that means you haven't indexed any of your entries in this
2202   glossary (using commands like \texttt{\string\gls} or
2203   \texttt{\string\glsadd}) so this list can't be generated.
2204   If the file isn't empty, the document build process hasn't been
2205   completed.%}
2206 }
```

WarningAutoMake Message when automake option has been used.

```
2207 \newcommand{\GlsXtrNoGlsWarningAutoMake}[1]{%
2208   You may need to rerun \LaTeX. If you already have, it may be that
2209   \TeX's shell escape doesn't allow you to run
2210   \texttt{\ifglsxindy xindy\else makeindex\fi}. Check the
2211   transcript file \texttt{\jobname.log}. If the shell escape is
```

```

2212 disabled, try one of the following:
2213
2214 \begin{itemize}
2215   \item Run the external (Lua) application:
2216
2217     \texttt{\makeglossaries-lite.lua \string"\jobname\string"}
2218
2219   \item Run the external (Perl) application:
2220
2221     \texttt{\makeglossaries \string"\jobname\string"}
2222 \end{itemize}
2223
2224 Then rerun \LaTeX\ on this document.
2225 \GlossariesExtraWarning{Rerun required to build the
2226 glossary '#1' or check TeX's shell escape allows
2227 you to run \ifglsxindy xindy\else makeindex\fi}%
2228 }

```

WarningMisMatch Mismatching \makenoidxglossaries.

```

2229 \newcommand{\GlsXtrNoGlsWarningMisMatch}{%
2230   You need to either replace \texttt{\string\makenoidxglossaries}
2231   with \texttt{\string\makeglossaries} or replace
2232   \texttt{\string\printglossary} (or \texttt{\string\printglossaries}) with
2233   \texttt{\string\printnoidxglossary}
2234   (or \texttt{\string\printnoidxglossaries}) and then rebuild
2235   this document.%}
2236 }

```

arningBuildInfo Build advice.

```

2237 \newcommand{\GlsXtrNoGlsWarningBuildInfo}{%
2238   Try one of the following:
2239   \begin{itemize}
2240     \item Add \texttt{automake} to your package option list when you load
2241           \texttt{glossaries-extra.sty}. For example:
2242
2243           \texttt{\string\usepackage[automake]\{glossaries-extra\}}
2244
2245     \item Run the external (Lua) application:
2246
2247       \texttt{\makeglossaries-lite.lua \string"\jobname\string"}
2248
2249     \item Run the external (Perl) application:
2250
2251       \texttt{\makeglossaries \string"\jobname\string"}
2252 \end{itemize}
2253
2254 Then rerun \LaTeX\ on this document.%}
2255
2256 }

```

oGlsWarningTail Final paragraph.

```
2257 \newcommand{\GlsXtrNoGlsWarningTail}{%
2258 This message will be removed once the problem has been fixed.%
2259 }
```

GlsWarningNoOut No out file created. Build advice.

```
2260 \newcommand{\GlsXtrNoGlsWarningNoOut}[1]{%
2261 The file \texttt{\#1} doesn't exist. This most likely means you haven't used
2262 \texttt{\{string\}makeglossaries} or you have used
2263 \texttt{\{string\}nofiles}. If this is just a draft version of the
2264 document, you can suppress this message using the
2265 \texttt{\{nomissingglostext\}} package option.%
2266 }
```

glossarywarning

```
2267 \newcommand*{\@glsxtr@defaultnoglossarywarning}[1]{%
2268 \glossarysection[\glossarytoctitle]{\glossarytitle}
2269 \GlsXtrNoGlsWarningHead{\#1}{\jobname.\csname @glo@type @in\endcsname}
2270 \par
2271 \glsxtrifemptyglossary{\#1}%
2272 {%
2273 \GlsXtrNoGlsWarningEmptyStart\space
2274 \ifthenelse{\equal{\#1}{main}}{\GlsXtrNoGlsWarningEmptyMain\par
2275 \medskip
2276 \noindent\texttt{\{string\}usepackage[nomain\ifglsacronym ,acronym\fi]\%
2277 \glsopenbrace glossaries-extra\glsclosebrace}
2278 \medskip
2279 }%
2280 {\GlsXtrNoGlsWarningEmptyNotMain{\#1}}%
2281 }%
2282 {%
2283 \IfFileExists{\jobname.\csname @glo@type @out\endcsname}%
2284 {%
2285 \GlsXtrNoGlsWarningCheckFile
2286 {\jobname.\csname @glo@type @out\endcsname}
2287 \ifglsautomake
2288 \GlsXtrNoGlsWarningAutoMake{\#1}
2289 \else
2290 \ifthenelse{\equal{\#1}{main}}{%
2291 \GlsXtrNoGlsWarningEmptyMain\par
2292 \medskip
2293 \noindent\texttt{\{string\}usepackage[nomain]\%
2294 \glsopenbrace glossaries-extra\glsclosebrace}
2295 \medskip
2296 }%
```

```

2301      }%
2302      {}%
2303
2304      \ifdefequal\makeglossaries\@no@makeglossaries
2305      {%
2306          \GlsXtrNoGlsWarningMisMatch
2307      }%
2308      {%
2309          \GlsXtrNoGlsWarningBuildInfo
2310      }%
2311      \fi
2312  }%
2313  {%
2314      \GlsXtrNoGlsWarningNoOut
2315      {\jobname.\csname @glotype@\glo@type \out\endcsname}%
2316  }%
2317 }%
2318 \par
2319 \GlsXtrNoGlsWarningTail
2320 }

```

1.4 Integration with glossaries-accsupp

Provide better integration with the `glossaries-accsupp` package. (Must be loaded before the main code of `glossaries-extra` either explicitly or through the `accsupp` package option.)

These commands have their definitions set according to whether or not `glossaries-extra` has been loaded.

```

2321 \@ifpackageloaded{glossaries-accsupp}
2322 {

```

Define (or redefine) commands to use the accessibility information.

`\glsaccessname` Display the name value (no link and no check for existence).

```

2323  \newcommand*{\glsaccessname}[1]{%
2324      \glsnameaccessdisplay
2325      {%
2326          \glsentryname{\#1}%
2327      }%
2328      {\#1}%
2329  }

```

`\Glsaccessname` Display the name value (no link and no check for existence) with the first letter converted to upper case.

```

2330  \newcommand*{\Glsaccessname}[1]{%
2331      \glsnameaccessdisplay
2332      {%
2333          \Glsentryname{\#1}%
2334      }%

```

```

2335     {#1}%
2336 }

\GLSaccessname Display the name value (no link and no check for existence) converted to upper case.
2337 \newcommand*{\GLSaccessname}[1]{%
2338     \glsnameaccessdisplay
2339     {%
2340         \mfirstucMakeUppercase{\glsentryname{#1}}%
2341     }%
2342     {#1}%
2343 }

\glsaccesstext Display the text value (no link and no check for existence).
2344 \newcommand*{\glsaccesstext}[1]{%
2345     \glstextaccessdisplay
2346     {%
2347         \glsentrytext{#1}%
2348     }%
2349     {#1}%
2350 }

\Glsaccesstext Display the text value (no link and no check for existence) with the first letter converted to
upper case.
2351 \newcommand*{\Glsaccesstext}[1]{%
2352     \glstextaccessdisplay
2353     {%
2354         \Glsentrytext{#1}%
2355     }%
2356     {#1}%
2357 }

\GLSaccesstext Display the text value (no link and no check for existence) converted to upper case.
2358 \newcommand*{\GLSaccesstext}[1]{%
2359     \glstextaccessdisplay
2360     {%
2361         \mfirstucMakeUppercase{\glsentrytext{#1}}%
2362     }%
2363     {#1}%
2364 }

glsaccessplural Display the plural value (no link and no check for existence).
2365 \newcommand*{\glsaccessplural}[1]{%
2366     \glspluralaccessdisplay
2367     {%
2368         \glsentryplural{#1}%
2369     }%
2370     {#1}%
2371 }

```

Glsaccessplural Display the plural value (no link and no check for existence) with the first letter converted to upper case.

```
2372 \newcommand*{\Glsaccessplural}[1]{%
2373   \glspluralaccessdisplay
2374   {%
2375     \Glsentryplural{#1}%
2376   }%
2377   {#1}%
2378 }
```

GLSaccessplural Display the plural value (no link and no check for existence) converted to upper case.

```
2379 \newcommand*{\GLSaccessplural}[1]{%
2380   \glspluralaccessdisplay
2381   {%
2382     \mfirstucMakeUppercase{\glsentryplural{#1}}%
2383   }%
2384   {#1}%
2385 }
```

\glsaccessfirst Display the first value (no link and no check for existence).

```
2386 \newcommand*{\glsaccessfirst}[1]{%
2387   \glsfirstaccessdisplay
2388   {%
2389     \glsentryfirst{#1}%
2390   }%
2391   {#1}%
2392 }
```

\Glsaccessfirst Display the first value (no link and no check for existence) with the first letter converted to upper case.

```
2393 \newcommand*{\Glsaccessfirst}[1]{%
2394   \glsfirstaccessdisplay
2395   {%
2396     \Glsentryfirst{#1}%
2397   }%
2398   {#1}%
2399 }
```

\GLSaccessfirst Display the first value (no link and no check for existence) converted to upper case.

```
2400 \newcommand*{\GLSaccessfirst}[1]{%
2401   \glsfirstaccessdisplay
2402   {%
2403     \mfirstucMakeUppercase{\glsentryfirst{#1}}%
2404   }%
2405   {#1}%
2406 }
```

cessfirstplural Display the firstplural value (no link and no check for existence).

```
2407 \newcommand*{\glsaccessfirstplural}[1]{%
2408   \glsfirstpluralaccessdisplay
2409   {%
2410     \glsentryfirstplural{#1}%
2411   }%
2412   {#1}%
2413 }
```

`cessfirstplural` Display the `firstplural` value (no link and no check for existence) with the first letter converted to upper case.

```
2414 \newcommand*{\Glsaccessfirstplural}[1]{%
2415   \glsfirstpluralaccessdisplay
2416   {%
2417     \Glsentryfirstplural{#1}%
2418   }%
2419   {#1}%
2420 }
```

`cessfirstplural` Display the `firstplural` value (no link and no check for existence) converted to upper case.

```
2421 \newcommand*{\GLSaccessfirstplural}[1]{%
2422   \glsfirstpluralaccessdisplay
2423   {%
2424     \mfirstucMakeUppercase{\glsentryfirstplural{#1}}%
2425   }%
2426   {#1}%
2427 }
```

`glsaccesssymbol` Display the symbol value (no link and no check for existence).

```
2428 \newcommand*{\glsaccesssymbol}[1]{%
2429   \glssymbolaccessdisplay
2430   {%
2431     \glsentrysymbol{#1}%
2432   }%
2433   {#1}%
2434 }
```

`Glsaccesssymbol` Display the symbol value (no link and no check for existence) with the first letter converted to upper case.

```
2435 \newcommand*{\Glsaccesssymbol}[1]{%
2436   \glssymbolaccessdisplay
2437   {%
2438     \Glsentrysymbol{#1}%
2439   }%
2440   {#1}%
2441 }
```

`GLSaccesssymbol` Display the symbol value (no link and no check for existence) converted to upper case.

```
2442 \newcommand*{\GLSaccesssymbol}[1]{%
```

```

2443     \glssymbolaccessdisplay
2444     {%
2445         \mfirstucMakeUppercase{\glsentrysymbol{#1}}%
2446     }%
2447     {#1}%
2448 }

```

`\esssymbolplural` Display the symbolplural value (no link and no check for existence).

```

2449 \newcommand*{\glsaccesssymbolplural}[1]{%
2450     \glssymbolpluralaccessdisplay
2451     {%
2452         \glsentrysymbolplural{#1}%
2453     }%
2454     {#1}%
2455 }

```

`\esssymbolplural` Display the symbolplural value (no link and no check for existence) with the first letter converted to upper case.

```

2456 \newcommand*{\Glsaccesssymbolplural}[1]{%
2457     \glssymbolpluralaccessdisplay
2458     {%
2459         \Glsentrysymbolplural{#1}%
2460     }%
2461     {#1}%
2462 }

```

`\esssymbolplural` Display the symbolplural value (no link and no check for existence) converted to upper case.

```

2463 \newcommand*{\GLSaccesssymbolplural}[1]{%
2464     \glssymbolpluralaccessdisplay
2465     {%
2466         \mfirstucMakeUppercase{\glsentrysymbolplural{#1}}%
2467     }%
2468     {#1}%
2469 }

```

`\glsaccessdesc` Display the desc value (no link and no check for existence).

```

2470 \newcommand*{\glsaccessdesc}[1]{%
2471     \glsdescriptionaccessdisplay
2472     {%
2473         \glsentrydesc{#1}%
2474     }%
2475     {#1}%
2476 }

```

`\Glsaccessdesc` Display the desc value (no link and no check for existence) with the first letter converted to upper case.

```

2477 \newcommand*{\Glsaccessdesc}[1]{%
2478     \glsdescriptionaccessdisplay

```

```

2479     {%
2480         \Glsentrydesc{#1}%
2481     }%
2482     {#1}%
2483 }

```

\GLSaccessdesc Display the desc value (no link and no check for existence) converted to upper case.

```

2484 \newcommand*{\GLSaccessdesc}[1]{%
2485     \glsdescriptionaccessdisplay
2486     {%
2487         \mfirstucMakeUppercase{\glsentrydesc{#1}}%
2488     }%
2489     {#1}%
2490 }

```

\accessdescplural Display the descplural value (no link and no check for existence).

```

2491 \newcommand*{\glsaccessdescplural}[1]{%
2492     \glsdescriptionpluralaccessdisplay
2493     {%
2494         \glsentrydescplural{#1}%
2495     }%
2496     {#1}%
2497 }

```

\accessdescplural Display the descplural value (no link and no check for existence) with the first letter converted to upper case.

```

2498 \newcommand*{\Glsaccessdescplural}[1]{%
2499     \glsdescriptionpluralaccessdisplay
2500     {%
2501         \Glsentrydescplural{#1}%
2502     }%
2503     {#1}%
2504 }

```

\accessdescplural Display the descplural value (no link and no check for existence) converted to upper case.

```

2505 \newcommand*{\GLSaccessdescplural}[1]{%
2506     \glsdescriptionpluralaccessdisplay
2507     {%
2508         \mfirstucMakeUppercase{\glsentrydescplural{#1}}%
2509     }%
2510     {#1}%
2511 }

```

\glsaccessshort Display the short form (no link and no check for existence).

```

2512 \newcommand*{\glsaccessshort}[1]{%
2513     \glsshortaccessdisplay
2514     {%
2515         \glsentryshort{#1}%
2516     }
2517 }

```

```

2516     }%
2517     {#1}%
2518 }

\Glsaccessshort Display the short form with first letter converted to uppercase (no link and no check for existence).
2519 \newcommand*{\Glsaccessshort}[1]{%
2520   \glsshortaccessdisplay
2521   {%
2522     \Glsentryshort{#1}%
2523   }%
2524   {#1}%
2525 }

\GLSaccessshort Display the short value (no link and no check for existence) converted to upper case.
2526 \newcommand*{\GLSaccessshort}[1]{%
2527   \glsshortaccessdisplay
2528   {%
2529     \mfirstucMakeUppercase{\glsentryshort{#1}}%
2530   }%
2531   {#1}%
2532 }

\lsaccessshortpl Display the short plural form (no link and no check for existence).
2533 \newcommand*{\lsaccessshortpl}[1]{%
2534   \glsshortpluralaccessdisplay
2535   {%
2536     \glsentryshortpl{#1}%
2537   }%
2538   {#1}%
2539 }

\lsaccessshorttpl Display the short plural form with first letter converted to uppercase (no link and no check for existence).
2540 \newcommand*{\lsaccessshorttpl}[1]{%
2541   \glsshortpluralaccessdisplay
2542   {%
2543     \Glsentryshortpl{#1}%
2544   }%
2545   {#1}%
2546 }

\LSaccessshortpl Display the shortplural value (no link and no check for existence) converted to upper case.
2547 \newcommand*{\LSaccessshortpl}[1]{%
2548   \glsshortpluralaccessdisplay
2549   {%
2550     \mfirstucMakeUppercase{\glsentryshortpl{#1}}%
2551   }%

```

```

2552     {#1}%
2553 }

\glsaccesslong Display the long form (no link and no check for existence).
2554 \newcommand*{\glsaccesslong}[1]{%
2555     \glslongaccessdisplay{\glsentrylong{#1}}{#1}%
2556 }

\Glsaccesslong Display the long form (no link and no check for existence).
2557
2558 \newcommand*{\Glsaccesslong}[1]{%
2559     \glslongaccessdisplay{\Glsentrylong{#1}}{#1}%
2560 }

\GLSaccesslong Display the long value (no link and no check for existence) converted to upper case.
2561 \newcommand*{\GLSaccesslong}[1]{%
2562     \glslongaccessdisplay
2563     {%
2564         \mfirstucMakeUppercase{\glsentrylong{#1}}%
2565     }%
2566     {#1}%
2567 }

\glsaccesslongpl Display the long plural form (no link and no check for existence).
2568 \newcommand*{\glsaccesslongpl}[1]{%
2569     \glslongpluralaccessdisplay{\glsentrylongpl{#1}}{#1}%
2570 }

\Glsaccesslongpl Display the long plural form (no link and no check for existence).
2571
2572 \newcommand*{\Glsaccesslongpl}[1]{%
2573     \glslongpluralaccessdisplay{\Glsentrylongpl{#1}}{#1}%
2574 }

\GLSaccesslongpl Display the longplural value (no link and no check for existence) converted to upper case.
2575 \newcommand*{\GLSaccesslongpl}[1]{%
2576     \glslongpluralaccessdisplay
2577     {%
2578         \mfirstucMakeUppercase{\glsentrylongpl{#1}}%
2579     }%
2580     {#1}%
2581 }

    End of if part
2582 }
2583 {

    No accessibility support. Just define these commands to do \glsentry<xxx>

```

```

\glsaccessname Display the name value (no link and no check for existence).
2584 \newcommand*{\glsaccessname}[1]{\glsentryname{#1}}


\Glsaccessname Display the name value (no link and no check for existence) with the first letter converted to
upper case.
2585 \newcommand*{\Glsaccessname}[1]{\Glsentryname{#1}}


\GLSaccessname Display the name value (no link and no check for existence). converted to upper case.
2586 \newcommand*{\GLSaccessname}[1]{%
2587 \protect\mfirstucMakeUppercase{\glsentryname{#1}}}

\glsaccesstext Display the text value (no link and no check for existence).
2588 \newcommand*{\glsaccesstext}[1]{\glsentrytext{#1}}


\Glsaccesstext Display the text value (no link and no check for existence) with the first letter converted to
upper case.
2589 \newcommand*{\Glsaccesstext}[1]{\Glsentrytext{#1}}


\GLSaccesstext Display the text value (no link and no check for existence). converted to upper case.
2590 \newcommand*{\GLSaccesstext}[1]{%
2591 \protect\mfirstucMakeUppercase{\glsentrytext{#1}}}

\glsaccessplural Display the plural value (no link and no check for existence).
2592 \newcommand*{\glsaccessplural}[1]{\glsentryplural{#1}}


\Glsaccessplural Display the plural value (no link and no check for existence) with the first letter converted to
upper case.
2593 \newcommand*{\Glsaccessplural}[1]{\Glsentryplural{#1}}


\GLSaccessplural Display the plural value (no link and no check for existence). converted to upper case.
2594 \newcommand*{\GLSaccessplural}[1]{%
2595 \protect\mfirstucMakeUppercase{\glsentryplural{#1}}}

\glsaccessfirst Display the first value (no link and no check for existence).
2596 \newcommand*{\glsaccessfirst}[1]{\glsentryfirst{#1}}


\Glsaccessfirst Display the first value (no link and no check for existence) with the first letter converted to
upper case.
2597 \newcommand*{\Glsaccessfirst}[1]{\Glsentryfirst{#1}}


\GLSaccessfirst Display the first value (no link and no check for existence). converted to upper case.
2598 \newcommand*{\GLSaccessfirst}[1]{%
2599 \protect\mfirstucMakeUppercase{\glsentryfirst{#1}}}

\glsaccessfirstplural Display the firstplural value (no link and no check for existence).
2600 \newcommand*{\glsaccessfirstplural}[1]{\glsentryfirstplural{#1}}

```

cessfirstplural Display the firstplural value (no link and no check for existence) with the first letter converted to upper case.
 2601 \newcommand*{\Glsaccessfirstplural}[1]{\Glsentryfirstplural{\#1}}

cessfirstplural Display the firstplural value (no link and no check for existence). converted to upper case.
 2602 \newcommand*{\GLSaccessfirstplural}[1]{%
 2603 \protect\mfirstucMakeUppercase{\glsentryfirstplural{\#1}}}

glsaccesssymbol Display the symbol value (no link and no check for existence).
 2604 \newcommand*{\glsaccesssymbol}[1]{\glsentrysymbol{\#1}}

Glsaccesssymbol Display the symbol value (no link and no check for existence) with the first letter converted to upper case.
 2605 \newcommand*{\Glsaccesssymbol}[1]{\Glsentrysymbol{\#1}}

GLSaccesssymbol Display the symbol value (no link and no check for existence). converted to upper case.
 2606 \newcommand*{\GLSaccesssymbol}[1]{%
 2607 \protect\mfirstucMakeUppercase{\glsentrysymbol{\#1}}}

esssymbolplural Display the symbolplural value (no link and no check for existence).
 2608 \newcommand*{\glsaccesssymbolplural}[1]{\glsentrysymbolplural{\#1}}

esssymbolplural Display the symbolplural value (no link and no check for existence) with the first letter converted to upper case.
 2609 \newcommand*{\Glsaccesssymbolplural}[1]{\Glsentrysymbolplural{\#1}}

esssymbolplural Display the symbolplural value (no link and no check for existence). converted to upper case.
 2610 \newcommand*{\GLSaccesssymbolplural}[1]{%
 2611 \protect\mfirstucMakeUppercase{\glsentrysymbolplural{\#1}}}

\glsaccessdesc Display the desc value (no link and no check for existence).
 2612 \newcommand*{\glsaccessdesc}[1]{\glsentrydesc{\#1}}

\Glsaccessdesc Display the desc value (no link and no check for existence) with the first letter converted to upper case.
 2613 \newcommand*{\Glsaccessdesc}[1]{\Glsentrydesc{\#1}}

\GLSaccessdesc Display the desc value (no link and no check for existence). converted to upper case.
 2614 \newcommand*{\GLSaccessdesc}[1]{%
 2615 \protect\mfirstucMakeUppercase{\glsentrydesc{\#1}}}

ccessdescplural Display the descplural value (no link and no check for existence).
 2616 \newcommand*{\glsaccessdescplural}[1]{\glsentrydescplural{\#1}}

ccessdescplural Display the descplural value (no link and no check for existence) with the first letter converted to upper case.
 2617 \newcommand*{\Glsaccessdescplural}[1]{\Glsentrydescplural{\#1}}

ccessdescplural Display the descplural value (no link and no check for existence). converted to upper case.
 2618 \newcommand*{\GLSaccessdescplural}[1]{%
 2619 \protect\mfirstucMakeUppercase{\glsentrydescplural{\#1}}}

\glsaccessshort Display the short form (no link and no check for existence).
 2620 \newcommand*{\glsaccessshort}[1]{\glsentryshort{\#1}}

\Glsaccessshort Display the short form with first letter converted to uppercase (no link and no check for existence).
 2621 \newcommand*{\Glsaccessshort}[1]{\Glsentryshort{\#1}}

\GLSaccessshort Display the short value (no link and no check for existence). converted to upper case.
 2622 \newcommand*{\GLSaccessshort}[1]{%
 2623 \protect\mfirstucMakeUppercase{\glsentryshort{\#1}}}

\glsaccessshortpl Display the short plural form (no link and no check for existence).
 2624 \newcommand*{\glsaccessshortpl}[1]{\glsentryshortpl{\#1}}

\glsaccessshortpl Display the short plural form with first letter converted to uppercase (no link and no check for existence).
 2625 \newcommand*{\Glsaccessshortpl}[1]{\Glsentryshortpl{\#1}}

\Glsaccessshortpl Display the shortplural value (no link and no check for existence). converted to upper case.
 2626 \newcommand*{\GLSaccessshortpl}[1]{%
 2627 \protect\mfirstucMakeUppercase{\glsentryshortpl{\#1}}}

\glsaccesslong Display the long form (no link and no check for existence).
 2628 \newcommand*{\glsaccesslong}[1]{\glsentrylong{\#1}}

\Glsaccesslong Display the long form (no link and no check for existence).
 2629 \newcommand*{\Glsaccesslong}[1]{\Glsentrylong{\#1}}

\GLSaccesslong Display the long value (no link and no check for existence). converted to upper case.
 2630 \newcommand*{\GLSaccesslong}[1]{%
 2631 \protect\mfirstucMakeUppercase{\glsentrylong{\#1}}}

\glsaccesslongpl Display the long plural form (no link and no check for existence).
 2632 \newcommand*{\glsaccesslongpl}[1]{\glsentrylongpl{\#1}}

\Glsaccesslongpl Display the long plural form (no link and no check for existence).
 2633 \newcommand*{\Glsaccesslongpl}[1]{\Glsentrylongpl{\#1}}

```
GLSaccesslongpl Display the longplural value (no link and no check for existence). converted to upper case.
```

```
2634 \newcommand*{\GLSaccesslongpl}[1]{%
2635   \protect\mfirstucMakeUppercase{\glsentrylongpl{#1}}}
```

End of else part

```
2636 }
```

1.5 Categories

```
\glscategory Add a new storage key that can be used to indicate a category. The default category is general.
```

```
2637 \glsaddstoragekey{category}{general}{\glscategory}
```

```
\glsifcategory Convenient shortcut to determine if an entry has the given category.
```

```
2638 \newcommand{\glsifcategory}[4]{%
2639   \ifglsfieldeq{#1}{category}{#2}{#3}{#4}%
2640 }
```

Categories can have attributes.

```
categoryattribute \glssetcategoryattribute{\langle category \rangle}{\langle attribute-label \rangle}{\langle value \rangle}
```

Set (or override if already set) an attribute for the given category.

```
2641 \newcommand*{\glssetcategoryattribute}[3]{%
2642   \csdef{@glsxtr@categoryattr@@#1@#2}{#3}%
2643 }
```

```
categoryattribute \glsgetcategoryattribute{\langle category \rangle}{\langle attribute-label \rangle}
```

Get the value of the given attribute for the given category. Does nothing if the attribute isn't defined.

```
2644 \newcommand*{\glsgetcategoryattribute}[2]{%
2645   \csuse{@glsxtr@categoryattr@@#1@#2}%
2646 }
```

```
categoryattribute \glshascategoryattribute{\langle category \rangle}{\langle attribute-label \rangle}{\langle true \rangle}{\langle false \rangle}
```

Tests if the category has the given attribute set.

```
2647 \newcommand*{\glshascategoryattribute}[4]{%
2648   \ifcvoid{@glsxtr@categoryattr@@#1@#2}{#4}{#3}%
2649 }
```

```
\glssetattribute \glssetattribute{\langle entry label \rangle}{\langle attribute-label \rangle}{\langle value \rangle}
```

Short cut where the category label is obtained from the entry information.

```
2650 \newcommand*\glssetattribute[3]{%
2651   \glssetcategoryattribute{\glscategory{\#1}}{\#2}{\#3}%
2652 }
```

```
\glsgetattribute \glsgetattribute{\langle entry label \rangle}{\langle attribute-label \rangle}
```

Short cut where the category label is obtained from the entry information.

```
2653 \newcommand*\glsgetattribute[2]{%
2654   \glsgetcategoryattribute{\glscategory{\#1}}{\#2}%
2655 }
```

```
\glshasattribute \glshasattribute{\langle entry label \rangle}{\langle attribute-label \rangle}{\langle true \rangle}{\langle false \rangle}
```

Short cut to test if the given attribute has been set where the category label is obtained from the entry information.

```
2656 \newcommand*\glshasattribute[4]{%
2657   \ifglsentryexists{\#1}%
2658     {\glshascategoryattribute{\glscategory{\#1}}{\#2}{\#3}{\#4}}%
2659   {\#4}%
2660 }
```

```
categoryattribute \glsifcategoryattribute{\langle category \rangle}{\langle attribute-label \rangle}{\langle value \rangle}{\langle true part \rangle}{\langle false part \rangle}
```

True if category has the attribute with the given value.

```
2661 \newcommand{\glsifcategoryattribute}[5]{%
2662   \ifcsundef{@glsxtr@categoryattr@@\#1@\#2}%
2663   {\#5}%
2664   {\ifcsstring{@glsxtr@categoryattr@@\#1@\#2}{\#3}{\#4}{\#5}}%
2665 }
```

```
\glsifattribute \glsifattribute{\langle entry label \rangle}{\langle attribute-label \rangle}{\langle value \rangle}{\langle true part \rangle}{\langle false part \rangle}
```

Short cut to determine if the given entry has a category with the given attribute set.

```
2666 \newcommand{\glsifattribute}[5]{%
2667   \ifglsentryexists{#1}%
2668   { \glsifcategoryattribute{\glscategory{#1}}{#2}{#3}{#4}{#5} }%
2669   {#5}%
2670 }
```

Set attributes for the default general category:

```
2671 \glssetcategoryattribute{general}{regular}{true}
```

Acronyms are regular by default, since they're typically just treated like normal words.

```
2672 \glssetcategoryattribute{acronym}{regular}{true}
```

`regularcategory` Convenient shortcut to create add the regular attribute.

```
2673 \newcommand*{\glssetregularcategory}[1]{%
2674   \glssetcategoryattribute{#1}{regular}{true}%
2675 }
```

```
\glsifregularcategory{\category}{(true part)}{(false part)}
```

Short cut to determine if a category has the regular attribute explicitly set to true.

```
2676 \newcommand{\glsifregularcategory}[3]{%
2677   \glsifcategoryattribute{#1}{regular}{true}{#2}{#3}%
2678 }
```

```
\glsifnotregularcategory{\category}{(true part)}{(false part)}
```

Short cut to determine if a category has the regular attribute explicitly set to false.

```
2679 \newcommand{\glsifnotregularcategory}[3]{%
2680   \glsifcategoryattribute{#1}{regular}{false}{#2}{#3}%
2681 }
```

```
\glsifregular \glsifregular{\entry label}{(true part)}{(false part)}
```

Short cut to determine if an entry has a regular attribute set to true.

```
2682 \newcommand{\glsifregular}[3]{%
2683   \glsifregularcategory{\glscategory{#1}}{#2}{#3}%
2684 }
```

```
\glsifnotregular \glsifnotregular{\entry{label}}{\true{part}}{\false{part}}
```

Short cut to determine if an entry has a regular attribute set to false.

```
2685 \newcommand{\glsifnotregular}[3]{%
2686   \glsifnotregularcategory{\glscategory{#1}}{#2}{#3}%
2687 }
```

```
oreachincategory \glsforeachincategory[<glossary
labels>]{<category-label>}{<glossary-cs>}{<label-cs>}{<body>}
```

Iterates through all entries in all the glossaries (or just those listed in *<glossary labels>*) and does *<body>* if the category matches *<category-label>*. The control sequences *<glossary-cs>* and *<label-cs>* may be used in *<body>* to access the glossary label and entry label for the current iteration.

```
2688 \newcommand{\glsforeachincategory}[5][\@glo@types]{%
2689   \forallglossaries[#1]{#3}%
2690   {%
2691     \forglsentries[#3]{#4}%
2692     {%
2693       \glsifcategory{#4}{#2}{#5}{}%
2694     }%
2695   }%
2696 }
```

```
achwithattribute \glsforeachwithattribute[<glossary
labels>]{<attribute-label>}{<attribute-value>}{<glossary-cs>}{<label-cs>}{<body>}
```

Iterates through all entries in all the glossaries (or just those listed in *<glossary labels>*) and does *<body>* if the category attribute *<attribute-label>* matches *<attribute-value>*. The control sequences *<glossary-cs>* and *<label-cs>* may be used in *<body>* to access the glossary label and entry label for the current iteration.

```
2697 \newcommand{\glsforeachwithattribute}[6][\@glo@types]{%
2698   \forallglossaries[#1]{#4}%
2699   {%
2700     \forglsentries[#4]{#5}%
2701     {%
2702       \glsifattribute{#5}{#2}{#3}{#6}{}%
2703     }%
2704   }%
2705 }
```

If `\newterm` has been defined, redefine it so that it automatically sets the category label to `index` and add `\glsxtrpostdescription`.

```
2706 \ifdef{\newterm}{%
2707   \renewcommand*{\newterm}[2][]{%
2708     \newglossaryentry{#2}{%
2709       type={index},category=index,name={#2},%
2710       description={\glsxtrpostdescription\nopostdesc},#1}%
2711   }%
```

Indexed terms are regular by default.

```
2713   \glssetcategoryattribute{index}{regular}{true}
```

`trpostdescindex`

```
2714   \newcommand*{\glsxtrpostdescindex}{}%
2715 }%
2716 {}
```

If the `symbols` package option was used, define a similar command for symbols, but set the default sort to the label rather than the name as the symbols will typically contain commands that will confuse `makeindex` and `xindy`.

```
2717 \ifdef{\printsymbols}{%
2718   \renewcommand*{\printsymbols}{}%
```

`glsxtrnewsymbol` Unlike `\newterm`, this has a separate argument for the label (since the symbol will likely contain commands).

```
2719   \newcommand*{\glsxtrnewsymbol}[3][]{%
2720     \newglossaryentry{#2}{name={#3},sort={#2},type=symbols,category=symbol,#1}%
2721   }%
```

Symbols are regular by default.

```
2722   \glssetcategoryattribute{symbol}{regular}{true}
```

`rpostdescsymbol`

```
2723   \newcommand*{\glsxtrpostdescsymbol}{}%
2724 }%
2725 {}
```

Similar for the `numbers` option.

```
2726 \ifdef{\printnumbers}{%
2727   \renewcommand*{\printnumbers}{}%
```

```

glsxtrnewnumber
2728 \ifdef\printnumbers
2729   \newcommand*\glsxtrnewnumber[3][]{%
2730     \newglossaryentry{#2}{name={#3},sort={#2},type=numbers,category=number,#1}%
2731   }

```

Numbers are regular by default.

```
2732 \glssetcategoryattribute{number}{regular}{true}
```

rpostdescnumber

```

2733 \newcommand*\glsxtrpostdescnumber{}%
2734 }%
2735 {}%

```

sxtersetcategory Set the category for all listed labels. The first argument is the list of entry labels and the second argument is the category label.

```

2736 \newcommand*\glsxtrsetcategory[2]{%
2737   \@for\@glsxtr@label:=#1\do
2738   {%
2739     \glsfieldxdef{\@glsxtr@label}{category}{#2}%
2740   }%
2741 }

```

tcategoryforall Set the category for all entries in the listed glossaries. The first argument is the list of glossary labels and the second argument is the category label.

```

2742 \newcommand*\glsxtrsetcategoryforall[2]{%
2743   \forallglossaries[#1]{\@glsxtr@type}{%
2744     \forglsentries[\@glsxtr@type]{\@glsxtr@label}{%
2745       \glsfieldxdef{\@glsxtr@label}{category}{#2}%
2746     }%
2747   }%
2748 }%
2749 }

```

trfieldtitlecase `\glsxtrfieldtitlecase{<label>}{<field>}`

Apply title casing to the contents of the given field.

```

2750 \newcommand*\glsxtrfieldtitlecase[2]{%
2751   \expandafter\xcapitalisewords\expandafter
2752   {\csname glo@\glsdetoklabel{#1}@##2\endcsname}%
2753 }

```

Provide a convenient way to modify glossary styles without having to define a new style just to convert the first letter of fields to upper case.

\glossentrydesc If the glossdesc attribute is “firstuc” convert first letter to upper case. If the attribute is “title” use title case.

```
2754 \@ifpackageloaded{glossaries-accsupp}
2755 {
2756   \renewcommand*\glossentrydesc[1]{%
2757     \glsdoifexistsorwarn{#1}%
2758     {%
2759       \glssetabrvfmt{\glscategory{#1}}%
```

As from version 1.04, allow the glossdescfont attribute to determine the font applied.

```
2760   \glshasattribute{#1}{glossdescfont}%
2761   {%
2762     \edef\glsxtr@attrval{\glsgetattribute{#1}{glossdescfont}}%
2763     \ifcscdef{\glsxtr@attrval}%
2764     {%
2765       \letcs{\glsxtr@glossdescfont}{\glsxtr@attrval}%
2766     }%
2767     {%
2768       \GlossariesExtraWarning{Unknown control sequence name
2769         '\glsxtr@attrval' supplied in glossdescfont attribute
2770         for entry '#1'. Ignoring}%
2771       \let\glsxtr@glossdescfont\firstofone
2772     }%
2773   }%
2774   {\let\glsxtr@glossdescfont\firstofone}%
2775   \glsifattribute{#1}{glossdesc}{firstuc}%
2776   {%
2777     \glsxtr@glossdescfont{\Glsaccessdesc{#1}}%
2778   }%
2779   {%
2780     \glsifattribute{#1}{glossdesc}{title}%
2781     {%
2782       \glsxtr@do@titlecaps@warn
2783       \glsdescriptionaccessdisplay
2784       {%
2785         \glsxtr@glossdescfont{\glsxtrfieldtitlecase{#1}{desc}}%
2786       }%
2787       {#1}%
2788     }%
2789     {%
2790       \glsxtr@glossdescfont{\glsaccessdesc{#1}}%
2791     }%
2792   }%
2793 }%
2794 }%
2795 }%
2796 {%
2797   \renewcommand*\glossentrydesc[1]{%
2798     \glsdoifexistsorwarn{#1}%
```

```

2799  {%
2800    \glssetabrvfmt{\glscategory{#1}}%
2801    \glshasattribute{#1}{glossdescfont}%
2802    {%
2803      \edef\@glsxtr@attrval{\glsgetattribute{#1}{glossdescfont}}%
2804      \ifcsdef{\@glsxtr@attrval}%
2805      {%
2806        \letcs{\@glsxtr@glossdescfont}{\@glsxtr@attrval}%
2807      }%
2808      {%
2809        \GlossariesExtraWarning{Unknown control sequence name
2810          '\@glsxtr@attrval' supplied in glossdescfont attribute
2811          for entry '#1'. Ignoring}%
2812        \let\@glsxtr@glossdescfont\@firstofone
2813      }%
2814    }%
2815    {\let\@glsxtr@glossdescfont\@firstofone}%
2816    \glsifattribute{#1}{glossdesc}{firstuc}%
2817    {%
2818      \@glsxtr@glossdescfont{\Glsentrydesc{#1}}%
2819    }%
2820    {%
2821      \glsifattribute{#1}{glossdesc}{title}%
2822      {%
2823        \@glsxtr@do@titlecaps@warn
2824        \@glsxtr@glossdescfont{\glsxtrfieldtitlecase{#1}{desc}}%
2825      }%
2826      {%
2827        \@glsxtr@glossdescfont{\glsentrydesc{#1}}%
2828      }%
2829    }%
2830  }%
2831 }%
2832 }

```

\glossentryname If the glossname attribute is “firstuc” convert first letter to upper case. If the attribute is “title” use title case.

```

2833 \ifpackageloaded{glossaries-accsupp}
2834 {
2835   \renewcommand*\glossentryname[1]{%
2836     \glsdoifexistsorwarn{#1}%
2837     {%
2838       \glssetabrvfmt{\glscategory{#1}}%

```

As from version 1.04, allow the glossnamefont attribute to determine the font applied.

```

2839   \glshasattribute{#1}{glossnamefont}%
2840   {%
2841     \edef\@glsxtr@attrval{\glsgetattribute{#1}{glossnamefont}}%
2842     \ifcsdef{\@glsxtr@attrval}%
2843     {%

```

```

2844     \letcs{\@glsxtr@glossnamefont}{\@glsxtr@attrval}%
2845   }%
2846   {%
2847     \GlossariesExtraWarning{Unknown control sequence name
2848       '\@glsxtr@attrval' supplied in glossnamefont attribute
2849       for entry '#1'. Reverting to default \string\glsnamefont}%
2850     \let\@glsxtr@glossnamefont\glsnamefont
2851   }%
2852 }%
2853 {\let\@glsxtr@glossnamefont\glsnamefont}%
2854 \glsifattribute{#1}{glossname}{firststuc}%
2855 {%
2856   \glsnameaccessdisplay
2857   {%
2858     \@glsxtr@glossnamefont{\Glsentryname{#1}}%
2859   }%
2860   {#1}%
2861 }%
2862 {%
2863   \glsifattribute{#1}{glossname}{title}%
2864   {%
2865     \@glsxtr@do@titlecaps@warn
2866     \glsnameaccessdisplay
2867     {%
2868       \@glsxtr@glossnamefont{\glsxtrfieldtitlecase{#1}{name}}%
2869     }%
2870     {#1}%
2871   }%
2872   {%
2873     \glsifattribute{#1}{glossname}{uc}%
2874     {%
2875       \glsnameaccessdisplay
2876     }%

```

Hide the label from the upper-casing command.

```

2877   \letcs{\glo@name}{\glo@\glsdetoklabel{#1}@name}%
2878   \@glsxtr@glossnamefont{\mfirststucMakeUppercase{\glo@name}}%
2879   }%
2880   {#1}%
2881 }%
2882 {%
2883   \letcs{\glo@name}{\glo@\glsdetoklabel{#1}@name}%
2884   \glsnameaccessdisplay
2885   {%
2886     \expandafter\@glsxtr@glossnamefont\expandafter{\glo@name}%
2887   }%
2888   {#1}%
2889 }%
2890 }%
2891 }%

```

Do post-name hook:

```
2892      \glsxtrpostnamehook{#1}%
2893  }%
2894 }
2895 }
2896 {
2897 \renewcommand*\glossentryname[1]{%
2898   \glsdoifexistsorwarn{#1}%
2899   {%
2900     \glssetabbrvfmt{\glscategory{#1}}%
2901     \glshasattribute{#1}{glossnamefont}%
2902     {%
2903       \edef\@glsxtr@attrval{\glsgetattribute{#1}{glossnamefont}}%
2904       \ifcsdef{\@glsxtr@attrval}%
2905       {%
2906         \letcs{\@glsxtr@glossnamefont}{\@glsxtr@attrval}%
2907       }%
2908       {%
2909         \GlossariesExtraWarning{Unknown control sequence name
2910           '\@glsxtr@attrval' supplied in glossnamefont attribute
2911           for entry '#1'. Reverting to default \string\glsnamefont}%
2912         \let\@glsxtr@glossnamefont\glsnamefont
2913       }%
2914     }%
2915     {\let\@glsxtr@glossnamefont\glsnamefont}%
2916     \glsifattribute{#1}{glossname}{firstuc}%
2917     {%
2918       \@glsxtr@glossnamefont{\Glsentryname{#1}}%
2919     }%
2920     {%
2921       \glsifattribute{#1}{glossname}{title}%
2922     }%
2923     {\@glsxtr@do@titlecaps@warn
2924       \@glsxtr@glossnamefont{\glsxtrfieldtitlecase{#1}{name}}%
2925     }%
2926     {%
2927       \glsifattribute{#1}{glossname}{uc}%
2928     }%
```

Hide the label from the upper-casing command.

```
2929   \letcs{\glo@name}{\glo@\glsdetoklabel{#1}@name}%
2930   \glsxtr@glossnamefont{\mfirstucMakeUppercase{\glo@name}}%
2931 }%
2932 {%
```

This little trick is used by glossaries to allow the user to redefine \glsnamefont to use \makefirstuc. Support it even though they can now use the firstuc attribute.

```
2933   \letcs{\glo@name}{\glo@\glsdetoklabel{#1}@name}%
2934   \expandafter\glsxtr@glossnamefont\expandafter{\glo@name}%
2935 }%
```

```

2936      }%
2937      }%
Do post-name hook.
2938      \glsxtrpostnamehook{#1}%
2939      }%
2940  }
2941 }
```

\Glossentryname Redefine to set the abbreviation format and accessibility support.

```

2942 \c@ifpackageloaded{glossaries-accsupp}
2943 {
2944   \renewcommand*{\Glossentryname}[1]{%
2945     \glsdoifexistsorwarn{#1}%
2946     {%
2947       \glssetabbrvfmt{\glscategory{#1}}%
```

As from version 1.04, allow the glossnamefont attribute to determine the font applied.

```

2948   \glshasattribute{#1}{glossnamefont}%
2949   {%
2950     \edef\@glsxtr@attrval{\glsgetattribute{#1}{glossnamefont}}%
2951     \ifcsdef{\@glsxtr@attrval}%
2952     {%
2953       \letcs{\@glsxtr@glossnamefont}{\@glsxtr@attrval}%
2954     }%
2955     {%
2956       \GlossariesExtraWarning{Unknown control sequence name
2957         '\@glsxtr@attrval' supplied in glossnamefont attribute
2958         for entry '#1'. Reverting to default \string\glsnamefont}%
2959       \let\@glsxtr@glossnamefont\glsnamefont
2960     }%
2961   }%
2962   {\let\@glsxtr@glossnamefont\glsnamefont}%
2963   \glsnameaccessdisplay
2964   {%
2965     \@glsxtr@glossnamefont{\Glossentryname{#1}}%
2966   }%
2967   {#1}%
```

Do post-name hook:

```

2968      \glsxtrpostnamehook{#1}%
2969      }%
2970  }
2971 }
2972 {
2973   \renewcommand*{\Glossentryname}[1]{%
2974     \glsdoifexistsorwarn{#1}%
2975     {%
2976       \glssetabbrvfmt{\glscategory{#1}}%
2977       \glshasattribute{#1}{glossnamefont}%
2978     }%
```

```

2978     {%
2979         \edef\@glsxtr@attrval{\glsgetattribute{#1}{glossnamefont}}%
2980         \ifcsdef{\@glsxtr@attrval}{%
2981             {%
2982                 \letcs{\@glsxtr@glossnamefont}{\@glsxtr@attrval}%
2983             }%
2984             {%
2985                 \GlossariesExtraWarning{Unknown control sequence name
2986                     '\@glsxtr@attrval' supplied in glossnamefont attribute
2987                     for entry '#1'. Reverting to default \string\glsnamefont}%
2988                 \let\@glsxtr@glossnamefont\glsnamefont
2989             }%
2990             }%
2991             {\let\@glsxtr@glossnamefont\glsnamefont}%
2992             \@glsxtr@glossnamefont{\Glsentryname{#1}}%

```

Do post-name hook:

```

2993     \glsxtrpostnamehook{#1}%
2994     }%
2995 }
2996 }

```

Provide a convenient way to also index the entries using the standard \index mechanism.
This may use different actual, encap and escape characters to those used for the glossaries.

xtrpostnamehook Hook to append stuff after the name is displayed in the glossary. The argument is the entry's label.

```

2997 \newcommand*\glsxtrpostnamehook[1]{%
2998     \def\glsnumberformat{\glsnumberformat}%
2999     \glsxtrdoautoindexname{#1}{indexname}%

```

Allow categories to hook in here.

```

3000     \csuse{glsxtrpostname\glscategory{\glscurrententrylabel}}%
3001 }

```

format@override Determines if the format key should override the indexing attribute value.

```

3002 \newif\if@glsxtr@format@override
3003 \@glsxtr@format@overridefalse

```

If overriding is enabled, the \glshypernumber command will have to be redefined in the index to use \hyperpage instead.

xFormatOverride

```

3004 \ifpackageloaded{hyperref}%
3005 {

```

If hyperref's hyperindex option is on, then hyperref will automatically add \hyperpage, so don't add it.

```

3006 \ifHy@hyperindex
3007     \newcommand*\GlsXtrEnableIndexFormatOverride{}%

```

```

3008     \@glsxtr@format@overridettrue
3009     \appto\theindex{\let\glshypernumber\@firstofone}%
3010 }
3011 \else
3012   \newcommand*{\GlsXtrEnableIndexFormatOverride}{%
3013     \@glsxtr@format@overridettrue
3014     \appto\theindex{\let\glshypernumber\hyperpage}%
3015   }
3016 \fi
3017 }
3018 {
3019   \newcommand*{\GlsXtrEnableIndexFormatOverride}{%
3020     \@glsxtr@format@overridettrue
3021   }
3022 }
3023 \onlypreamble\GlsXtrEnableIndexFormatOverride

```

doautoindexname

```

3024 \newcommand*{\glsxtrdoautoindexname}[2]{%
3025   \glshasattribute{#1}{#2}%
3026   {%

```

Escape any makeindex/xindy characters in the value of the name field. Take care with babel as this won't work if the category code has changed for those characters.

```
3027   \@glsxtr@autoindex@setname{#1}%

```

If the attribute value is simply "true" don't add an encap, otherwise use the value as the encap.

```

3028   \protected@edef{\glsxtr@attrval}{\glsgetattribute{#1}{#2}}%
3029   \if@glsxtr@format@override
3030     \ifdefstring{\glsnumberformat}{\glsnumberformat}{}%
3031     {\let\glsxtr@attrval\glsnumberformat}%
3032   \fi
3033   \ifdefstring{\glsxtr@attrval}{true}%
3034   {}%
3035   {\expappto{\glo@name}{\glsxtr@autoindex@encap}{\glsxtr@attrval}}%
3036   \expandafter\index\expandafter{\glo@name}%
3037 }%
3038 {}%
3039 }

```

toindex@setname Assign \glo@name for use with indexname attribute.

```

3040 \newcommand*{\glsxtr@autoindex@setname}[1]{%
3041   \def{\glo@name}{\string\glsentryname{#1}}%
3042   \glsletentryfield{\glo@sort}{#1}{sort}%
3043   \gls@checkmkidxchars\glo@sort
3044   \glsxtr@autoindex@doextra@esc\glo@sort
3045   \glsxtr@autoindex@at}%
3046 }

```

dex@doextra@esc

```

3047 \newcommand*{\@glsxtr@autoindex@doextra@esc}{[1]}{%
  Escape the escape character unless it has already been escaped.
3048   \ifx\@glsxtr@autoindex@esc\@gls@quotechar
3049   \else
3050     \def\@gls@checkedmkidx{}%
3051     \edef\@glsxtr@checkspch{}%
3052       \noexpand\@glsxtr@autoindex@escquote\expandonce{\#1}%
3053         \noexpand\@empty\@glsxtr@autoindex@esc\noexpand\@nnil
3054           \@glsxtr@autoindex@esc\noexpand\@empty\noexpand\@glsxtr@endescspch}%
3055     \@@glsxtr@checkspch
3056     \let#1\@gls@checkedmkidx\relax
3057   \fi
  Escape actual character unless it has already been escaped.
3058   \ifx\@glsxtr@autoindex@at\@gls@actualchar
3059   \else
3060     \def\@gls@checkedmkidx{}%
3061     \edef\@glsxtr@checkspch{}%
3062       \noexpand\@glsxtr@autoindex@escat\expandonce{\#1}%
3063         \noexpand\@empty\@glsxtr@autoindex@at\noexpand\@nnil
3064           \@glsxtr@autoindex@at\noexpand\@empty\noexpand\@glsxtr@endescspch}%
3065     \@@glsxtr@checkspch
3066     \let#1\@gls@checkedmkidx\relax
3067   \fi
  Escape level character unless it has already been escaped.
3068   \ifx\@glsxtr@autoindex@level\@gls@levelchar
3069   \else
3070     \def\@gls@checkedmkidx{}%
3071     \edef\@glsxtr@checkspch{}%
3072       \noexpand\@glsxtr@autoindex@esclevel\expandonce{\#1}%
3073         \noexpand\@empty\@glsxtr@autoindex@level\noexpand\@nnil
3074           \@glsxtr@autoindex@level\noexpand\@empty\noexpand\@glsxtr@endescspch}%
3075     \@@glsxtr@checkspch
3076     \let#1\@gls@checkedmkidx\relax
3077   \fi
  Escape encap character unless it has already been escaped.
3078   \ifx\@glsxtr@autoindex@encap\@gls@encapchar
3079   \else
3080     \def\@gls@checkedmkidx{}%
3081     \edef\@glsxtr@checkspch{}%
3082       \noexpand\@glsxtr@autoindex@escencap\expandonce{\#1}%
3083         \noexpand\@empty\@glsxtr@autoindex@encap\noexpand\@nnil
3084           \@glsxtr@autoindex@encap\noexpand\@empty\noexpand\@glsxtr@endescspch}%
3085     \@@glsxtr@checkspch
3086     \let#1\@gls@checkedmkidx\relax
3087   \fi
3088 }

```

The user commands here have a preamble-only restriction to ensure they are set before required and also to reduce the chances of complications caused by babel's shorthands.

tr@autoindex@at Actual character for use with \index.
3089 \newcommand*{\glsxtr@autoindex@at}{}%

trSetActualChar Set the actual character.
3090 \newcommand*{\GlsXtrSetActualChar}[1]{%
3091 \gdef\glsxtr@autoindex@at{\#1}%
3092 \def\glsxtr@autoindex@escat##1##2##3@glsxtr@endescspch{
3093 @@\glsxtr@autoindex@escspch{\#1}{\glsxtr@autoindex@escat}{##1}{##2}{##3}}%
3094 }%
3095 }
3096 @onlypreamble\GlsXtrSetActualChar
3097 \makeatother
3098 \GlsXtrSetActualChar{
3099 \makeatletter

autoindex@encap Encap character for use with \index.
3100 \newcommand*{\glsxtr@autoindex@encap}{}%

XtrSetEncapChar Set the encap character.
3101 \newcommand*{\GlsXtrSetEncapChar}[1]{%
3102 \gdef\glsxtr@autoindex@encap{\#1}%
3103 \def\glsxtr@autoindex@escencap##1##2##3@glsxtr@endescspch{
3104 @@\glsxtr@autoindex@escspch{\#1}{\glsxtr@autoindex@escencap}{##1}{##2}{##3}}%
3105 }%
3106 }
3107 \GlsXtrSetEncapChar{}
3108 @onlypreamble\GlsXtrSetEncapChar

autoindex@level Level character for use with \index.
3109 \newcommand*{\glsxtr@autoindex@level}{}%

XtrSetLevelChar Set the encap character.
3110 \newcommand*{\GlsXtrSetLevelChar}[1]{%
3111 \gdef\glsxtr@autoindex@level{\#1}%
3112 \def\glsxtr@autoindex@esclevel##1##2##3@glsxtr@endescspch{
3113 @@\glsxtr@autoindex@escspch{\#1}{\glsxtr@autoindex@esclevel}{##1}{##2}{##3}}%
3114 }%
3115 }
3116 \GlsXtrSetLevelChar{}
3117 @onlypreamble\GlsXtrSetLevelChar

r@autoindex@esc Escape character for use with \index.
3118 \newcommand*{\glsxtr@autoindex@esc}{"}

```

lsXtrSetEscChar Set the escape character.

3119 \newcommand*{\GlsXtrSetEscChar}[1]{%
3120   \gdef\@glsxtr@autoindex@esc{#1}%
3121   \def\@glsxtr@autoindex@escquote##1##2##3\@glsxtr@endescspch{%
3122     \@@glsxtr@autoindex@escspch{#1}{\@glsxtr@autoindex@escquote}{##1}{##2}{##3}%
3123   }%
3124 }
3125 \GlsXtrSetEscChar{`}
3126 \onlypreamble\GlsXtrSetEscChar

      Set if defined. (For example, if doc package has been loaded.) Actual character \actualchar:

3127 \ifdef\actualchar
3128   {\expandafter\GlsXtrSetActualChar\expandafter{\actualchar}}
3129 {}

      Quote character \quotechar:

3130 \ifdef\quotechar
3131   {\expandafter\GlsXtrSetEscChar\expandafter{\quotechar}}
3132 {}

      Level character \levelchar:

3133 \ifdef\levelchar
3134   {\expandafter\GlsXtrSetLevelChar\expandafter{\levelchar}}
3135 {}

      Encap character \encapchar:

3136 \ifdef\encapchar
3137   {\expandafter\GlsXtrSetEncapChar\expandafter{\encapchar}}
3138 {}

leto@endescspch

3139 \def\@glsxtr@gobbleto@endescspch#1\@glsxtr@endescspch{}
```

toindex@esc@spch	\@@glsxtr@autoindex@escspch{\char}{\cs}{\pre}{\mid}{\post}
------------------	--

```

3140 \newcommand*{\@@glsxtr@autoindex@escspch}[5]{%
3141   \gls@tmpb=\expandafter{\gls@checkedmkidx}%
3142   \toks@={#3}%
3143   \ifx\@nnil#3\relax
3144     \def\@glsxtr@checkspch{\glsxtr@gobbleto@endescspch#5\glsxtr@endescspch}%
3145   \else
3146     \ifx\@nnil#4\relax
3147       \edef\gls@checkedmkidx{\the\gls@tmpb\the\toks@}%
3148       \def\@glsxtr@checkspch{\glsxtr@gobbleto@endescspch%
3149         #4#5\glsxtr@endescspch}%
3150     \else
3151       \edef\gls@checkedmkidx{\the\gls@tmpb\the\toks@}
```

```

3152     \glsxtr@autoindex@esc#1}%
3153     \def\glsxtr@checkspch{#2#5#1\cnnil#1\glsxtr@endescspch}%
3154     \fi
3155 \fi
3156 \glsxtr@checkspch
3157 }

```

\Glossentrydesc Redefine to set the abbreviation format and accessibility support.

```

3158 \renewcommand*\Glossentrydesc[1]{%
3159   \glsdoifexistsorwarn{#1}%
3160   {%
3161     \glssetabbrvfmt{\glscategory{#1}}%
3162     \Glsaccessdesc{#1}%
3163   }%
3164 }

```

\lossentrysymbol Redefine to set the abbreviation format and accessibility support.

```

3165 \renewcommand*\glossentrysymbol[1]{%
3166   \glsdoifexistsorwarn{#1}%
3167   {%
3168     \glssetabbrvfmt{\glscategory{#1}}%
3169     \glsaccesssymbol{#1}%
3170   }%
3171 }

```

\lossentrysymbol Redefine to set the abbreviation format and accessibility support.

```

3172 \renewcommand*\Glossentrysymbol[1]{%
3173   \glsdoifexistsorwarn{#1}%
3174   {%
3175     \glssetabbrvfmt{\glscategory{#1}}%
3176     \Glsaccesssymbol{#1}%
3177   }%
3178 }

```

Allow initials to be marked but only use the formatting for the tag in the glossary.

eInitialTagging Allow initial tagging. The first argument is a list of categories to apply this to. The second argument is the name of the command to use to tag the initials. This can't already be defined for safety unless the starred version is used.

```

3179 \newcommand*\GlsXtrEnableInitialTagging{}%
3180   \@ifstar\s@glsxtr@enabletagging\glsxtr@enabletagging
3181 }
3182 \onlypreamble\GlsXtrEnableInitialTagging

```

r@enabletagging Starred version undefines command.

```

3183 \newcommand*\s@glsxtr@enabletagging[2]{%
3184   \undef#2%
3185   \glsxtr@enabletagging{#1}{#2}%
3186 }

```

r@enabletagging Internal command.

```
3187 \newcommand*{\@glsxtr@enabletagging}[2]{%
  Set attributes for categories given in the first argument.
3188   \@for\@glsxtr@cat:=#1\do
3189   {%
3190     \ifdefempty\@glsxtr@cat
3191     {}%
3192     {\glssetcategoryattribute{\@glsxtr@cat}{tagging}{true}}%
3193   }%
3194   \newrobustcmd*#2[1]{##1}%
3195   \def\@glsxtr@taggingcs{#2}%
3196   \renewcommand*\@glsxtr@activate@initialtagging{%
3197     \let#2\@glsxtr@tag
3198   }%
3199   \ifundef\@gls@preglossaryhook
3200   {\GlossariesExtraWarning{Initial tagging requires at least
3201     glossaries.sty v4.19 to work correctly}}%
3202   {}%
3203 }
```

Are we using an old version of `mfirstuc` that has a bug in `\capitalisewords`? If so, patch it so we don't have a problem with a combination of tagging and title case.

fu@checkword@do If this command hasn't been defined, then we have pre v2.02 of `mfirstuc`

```
3204 \ifundef\mfu@checkword@do
3205 {
3206   \newcommand*{\mfu@checkword@do}[1]{%
3207     \ifdefstring{\mfu@checkword@arg}{#1}%
3208     {}%
3209     \let\@mfu@domakefirstuc\@firstofone
3210     \listbreak
3211   }%
3212   {}%
3213 }
```

\mfu@checkword \capitalisewords was introduced in `mfirstuc` v1.06. If `\mfu@checkword` hasn't been defined `mfirstuc` is too old to support the title case attribute.

```
3214 \ifundef\mfu@checkword
3215 {
3216   \newcommand{\@glsxtr@do@titlecaps@warn}{%
3217     \GlossariesExtraWarning{mfirstuc.sty too old. Title Caps
3218       support not available}%
3219 }
```

One warning should suffice.

```
3219   \let\@glsxtr@do@titlecaps@warn\relax
3220 }
3221 }
3222 {
3223   \renewcommand*{\mfu@checkword}[1]{%
```

```

3224     \def\mfp@checkword@arg{#1}%
3225     \let\@mfp@domakefirstuc\makefirstuc
3226     \forlistloop\mfp@checkword@do\@mfp@nocaplist
3227   }
3228 }
3229 }
3230 {}% no patch required

@titlecaps@warn Do warning if title case not supported.
3231 \newcommand*{\@glsxtr@do@titlecaps@warn}{}}

@initialtagging Used in \printglossary but at least v4.19 of glossaries required.
3232 \newcommand*{\@glsxtr@activate@initialtagging}{}}

@\glsxtr@tag Definition of tagging command when used in glossary.
3233 \newrobustcmd*{\@glsxtr@tag}[1]{%
3234   \glsifattribute{\glscurrententrylabel}{tagging}{true}%
3235   {\glsxtrtagfont{#1}}{#1}%
3236 }

\glsxtrtagfont Used in the glossary.
3237 \newcommand*{\glsxtrtagfont}[1]{\underline{#1}{}}

preglossaryhook This macro was introduced in glossaries version 4.19, so it may not be defined. If it hasn't been defined this feature is unavailable. A check is added for the entry's existence to prevent errors from occurring if the user removes an entry or changes the label, which can interrupt the build process.
3238 \ifdef{\gls@preglossaryhook}
3239 {
3240   \renewcommand*{\gls@preglossaryhook}{%
3241     \@glsxtr@activate@initialtagging
3242     \let\@glsxtr@org@postdescription\glspostdescription
3243     \renewcommand*{\glspostdescription}{%
3244       \ifglsentryexists{\glscurrententrylabel}%
3245       {%
3246         \glsxtrpostdescription
3247         \@glsxtr@org@postdescription
3248       }{%
3249     }%
3250   }%
3251 }
3252 {}}

postdescription This command will only be used if \gls@preglossaryhook is available and the glossary style uses \glspostdescription without modifying it. (\nopostdesc will suppress this.) The glossaries-extra-stylemods package will add the post description hook to all the predefined styles that don't include it.

```

```

3253 \newcommand*{\glsxtrpostdescription}{%
3254   \csuse{glsxtrpostdesc\glscategory{\glscurrententrylabel}}%
3255 }

postdescgeneral
3256 \newcommand*{\glsxtrpostdescgeneral}{}}

xtrpostdescterm
3257 \newcommand*{\glsxtrpostdescterm}{}}

postdescacronym
3258 \newcommand*{\glsxtrpostdescacronym}{}}

escabbreviation
3259 \newcommand*{\glsxtrpostdescabbreviation}{}}

glspostlinkhook Redefine the post link hook used by commands like \gls to make it easier for categories or attributes to modify this action. Since this hook occurs outside the existence check of commands like \gls, this needs to be checked again here. Do nothing if the entry hasn't been defined.
3260 \renewcommand*{\glspostlinkhook}{%
3261   \ifglsentryexists{\glslabel}{\glsxtrpostlinkhook}{}%
3262 }

xtrpostlinkhook The entry label should already be stored in \glslabel by \gls@link.
3263 \newcommand*{\glsxtrpostlinkhook}{%
3264   \glsxtrdiscardperiod{\glslabel}%
3265   {\glsxtrpostlinkendsentence}%
3266   {\glsxtrpostlink}%
3267 }

\glsxtrpostlink
3268 \newcommand*{\glsxtrpostlink}{%
3269   \csuse{glsxtrpostlink\glscategory{\glslabel}}%
3270 }

linkendsentence Done by \glsxtrpostlinkhook if a full stop is discarded.
3271 \newcommand*{\glsxtrpostlinkendsentence}{%
3272   \ifcsdef{glsxtrpostlink\glscategory{\glslabel}}%
3273   {}%
3274   \csuse{glsxtrpostlink\glscategory{\glslabel}}%

Put the full stop back.
3275   .\spacefactor\sfcodet'\.\relax
3276 }%
3277 {}%

```

Assume the full stop was discarded because the entry ends with a period, so adjust the space-factor.

```
3278   \spacefactor\sfcode`\.\relax
3279 }%
3280 }
```

`dDescOnFirstUse` Provide a command for appending the description in parentheses on first use, for the convenience of users wanting to add this to the post link hook.

```
3281 \newcommand*\glsxtrpostlinkAddDescOnFirstUse}{%
3282   \glsxtrifwasfirstuse{\space(\glsaccessdesc{\glslabel})}}{}%
3283 }
```

`symbolOnFirstUse` Provide a command for appending the symbol (if defined) in parentheses on first use, for the convenience of users wanting to add this to the post link hook.

```
3284 \newcommand*\glsxtrpostlinkAddSymbolOnFirstUse}{%
3285   \glsxtrifwasfirstuse
3286 }%
3287   \ifglshassymbol{\glslabel}{\space(\glsaccesssymbol{\glslabel})}}{}%
3288 }%
3289 }%
3290 }
```

`trdiscardperiod` Discard following period (if present) if the discardperiod attribute is true. If a period is discarded, do the second argument otherwise do the third argument. The entry label is in the first argument. Since this is designed for abbreviations that end with a period, check if the plural form was used (which typically won't end with a period).

```
3291 \newcommand*\glsxtrdiscardperiod}[3]{%
3292   \glsxtrifwasfirstuse
3293 }%
3294   \glsifattribute{#1}{retainfirstuseperiod}{true}%
3295   {#3}%
3296 }%
3297   \glsifattribute{#1}{discardperiod}{true}%
3298 }%
3299   \glsifplural
3300 }%
3301   \glsifattribute{#1}{pluraldiscardperiod}{true}%
3302   {\glsxtrifperiod{#2}{#3}}%
3303   {#3}%
3304 }%
3305 }%
3306   \glsxtrifperiod{#2}{#3}%
3307 }%
3308 }%
3309   {#3}%
3310 }%
3311 }%
3312 }%
```

```

3313 \glsifattribute{#1}{discardperiod}{true}%
3314 {%
3315   \glsifplural
3316   {%
3317     \glsifattribute{#1}{pluraldiscardperiod}{true}%
3318     {\glsxtrifperiod{#2}{#3}}%
3319     {#3}%
3320   }%
3321   {%
3322     \glsxtrifperiod{#2}{#3}%
3323   }%
3324 }%
3325 {#3}%
3326 }%
3327 }

```

`\glsxtrifperiod` Make a convenient user command to check if the next character is a full stop (period). Works like `\@ifstar` but uses `\new@ifnextchar` rather than `\ifnextchar`

```

3328 \newcommand*{\glsxtrifperiod}[1]{\new@ifnextchar.{\@firstoftwo{#1}}}

```

Sometimes it's useful to test if there's a punctuation character following the glossary entry.

`glsxtr@punclist` List of characters identified as punctuation marks. (Be careful of babel shorthands!) This doesn't allow for punctuation marks made up from multiple characters (such as ',').

```

3329 \newcommand*{\glsxtr@punclist}{.,;?!}

```

`punctuationmark` Add character to punctuation list.

```

3330 \newcommand*{\glsxtraddpunctuationmark}[1]{\appto\glsxtr@punclist{#1}}

```

`uncutuationmarks` Reset the punctuation list.

```

3331 \newcommand*{\glsxtrsetpunctuationmarks}[1]{\def\glsxtr@punclist{#1}}

```

`\glsxtrifpunc` `\glsxtrifnextpunc{(true part)}{(false part)}`

Test if this is followed by a punctuation mark. (Adapted from `\new@ifnextchar`.)

```

3332 \newcommand*{\glsxtrifnextpunc}[2]{%
3333   \def\reserved@a{#1}%
3334   \def\reserved@b{#2}%
3335   \futurelet\glspunc@token\glsxtr@ifnextpunc
3336 }

```

`sxtr@ifnextpunc`

```

3337 \newcommand*{\glsxtr@ifnextpunc}{%
3338   \glsxtr@ifpunctoken{\@glspunc@token}{\let\reserved@b\reserved@a}{}%
3339   \reserved@b
3340 }

```

```

xtr@ifpunctoken Test if the token given in the first argument is in the punctuation list.
3341 \newcommand{\glsxtr@ifpunctoken}[1]{%
3342   \expandafter\glsxtr@ifpunctoken\expandafter#1\glsxtr@punctlist\@nnil
3343 }

xtr@ifpunctoken
3344 \def\glsxtr@ifpunctoken#1#2{%
3345   \let\reserved@d=#2%
3346   \ifx\reserved@d\@nnil
3347     \let\glsxtr@next\glsxtr@notfoundinlist
3348   \else
3349     \ifx#1\reserved@d
3350       \let\glsxtr@next\glsxtr@foundinlist
3351     \else
3352       \let\glsxtr@next\glsxtr@ifpunctoken
3353     \fi
3354   \fi
3355   \glsxtr@next#1%
3356 }

xtr@foundinlist
3357 \def\glsxtr@foundinlist#1\@nnil{\@firstoftwo}

@notfoundinlist
3358 \def\glsxtr@notfoundinlist#1{\@secondoftwo}

```

`\glsxtrdopostpunc{<code>}`

If this is followed be a punctuation character, do `<code>` after the character otherwise do `<code>` before whatever comes next.

```

3359 \newcommand{\glsxtrdopostpunc}[1]{%
3360   \glsxtrifnextpunc{\glsxtr@swaptwo{#1}}{#1}%
3361 }

```

```

@glsxtr@swaptwo
3362 \newcommand{\glsxtr@swaptwo}[2]{#2#1}

```

1.6 Abbreviations

The “acronym” code from `glossaries` is misnamed as it’s more often used for other forms of abbreviations. This code corrects this inconsistency, but rather than just having synonyms, provide commands for abbreviations that have a similar, but not identical, underlying mechanism to acronyms.

If there’s a style for the given category, apply it.

```

3363 \define@key{glsxtrabbrv}{category}{%
3364   \edef\glscategorylabel{\#1}%
3365   \ifcsdef{@glsabbrv@current@\#1}%
3366   {%

```

Warning should already have been issued.

```

3367   \let\@glsxtr@orgwarndep\GlsXtrWarnDeprecatedAbbrStyle
3368   \let\GlsXtrWarnDeprecatedAbbrStyle\@gobbletwo
3369   \glsxtr@applyabbrvstyle{\csname@glsabbrv@current@\#1\endcsname}%
3370   \let\GlsXtrWarnDeprecatedAbbrStyle\@glsxtr@orgwarndep
3371 }%
3372 {}%
3373 }

```

Save the short plural form. This may be needed before the entry is defined.

```

3374 \define@key{glsxtrabbrv}{shortplural}{%
3375   \def\@gls@shortpl{\#1}%
3376 }

```

Similarly for the long plural form.

```

3377 \define@key{glsxtrabbrv}{longplural}{%
3378   \def\@gls@longpl{\#1}%
3379 }

```

Token registers for the short plural and long plural, provided for use in the abbreviation style definitions.

```
\glsshortpltok
3380 \newtoks\glsshortpltok
```

```
\glslongpltok
3381 \newtoks\glslongpltok
```

`sxtr@insertdots` Provided in case user wants to automatically insert dots between each letter of the abbreviation. This should be applied before defining the abbreviation to optimise the document build. (Otherwise, it would have to be done each time the short form is required, which is an unnecessary waste of time.) For this to work the short form must be expanded when passed to `\newabbreviation`. Note that explicitly using the short or shortplural keys will override this.

```

3382 \newcommand*{\@glsxtr@insertdots}[2]{%
3383   \def#1{}%
3384   \@glsxtr@insert@dots#1#2\@nnil
3385 }

```

```
xtr@insert@dots
3386 \newcommand*{\@glsxtr@insert@dots}[2]{%
3387   \ifx\@nnil#2\relax
3388   \let\@glsxtr@insert@dots@next\@gobble
3389   \else
3390     \ifx\relax#2\relax
```

```

3391     \else
3392         \appto{\#1}{\#2.}%
3393     \fi
3394     \let\@glsxstr@insert@dots@next\@glsxstr@insert@dots
3395 \fi
3396 \@glsxstr@insert@dots@next#1%
3397 }

```

`newabbreviation` Define a new generic abbreviation.

```

3398 \newcommand*{\newabbreviation}[4][]{%
3399     \glskeylisttok{\#1}%
3400     \glslabeltok{\#2}%
3401     \glsshorttok{\#3}%
3402     \glslongtok{\#4}%

```

Get the category.

```

3403 \def\glscategorylabel{abbreviation}%
3404 \glsxstr@applyabbrvstyle{\glsabrv@current@abbreviation}%
3405 \setkeys*{\glsxtrabbrv}{shortplural, longplural}{#1}%

```

Set the default long plural

```
3406 \def@gls@longpl{\#4\glspluralsuffix}%
```

Has the `insertdots` attribute been set?

```

3407 \glsifcategoryattribute{\glscategorylabel}{insertdots}{true}%
3408 {%
3409     \glsxtr@insertdots\gls@short{\#3}%
3410     \expandafter\glsshorttok\expandafter{\gls@short\spacefactor1000 \relax}%
3411     \glsifcategoryattribute{\glscategorylabel}{aposplural}{true}%
3412     {%
3413         \expandafter\def\expandafter\@gls@shortpl\expandafter{\gls@short
3414             '\abrvpluralsuffix}%
3415     }%
3416     {%
3417         \glsifcategoryattribute{\glscategorylabel}{noshortplural}{true}%
3418         {%
3419             \let\@gls@shortpl\gls@short
3420         }%
3421         {%
3422             \expandafter\def\expandafter\@gls@shortpl\expandafter{\gls@short
3423                 '\abrvpluralsuffix}%
3424         }%
3425     }%
3426 }%
3427 {%

```

`insertdots` not true.

```

3428 \glsifcategoryattribute{\glscategorylabel}{aposplural}{true}%
3429 {%
3430     \def@gls@shortpl{\#3'\abrvpluralsuffix}%
3431 }%

```

```

3432  {%
3433    \glsifcategoryattribute{\glscategorylabel}{noshortplural}{true}%
3434    {%
3435      \def\@gls@shortpl{\#3}%
3436    }%
3437    {%
3438      \def\@gls@shortpl{\#3\abrvpluralsuffix}%
3439    }%
3440  }%
3441 }%

```

Hook for further customisation if required:

```
3442 \glsxtrnewabbrevpresetkeyhook{#1}{#2}{#3}%
```

Get the short and long plurals provided by user in optional argument to override defaults, if necessary.

```
3443 \setkeys*{\glsxtrabbrv}[category]{#1}%
```

Set the plural token registers so the values can be accessed by the abbreviation styles.

```
3444 \expandafter\glsshortpltok\expandafter{\@gls@shortpl}%
3445 \expandafter\glslongpltok\expandafter{\@gls@longpl}%
```

Do any extra setup provided by hook:

```
3446 \newabbreviationhook
```

Define this entry:

```

3447 \protected@edef{@do@newglossaryentry{%
3448   \noexpand\newglossaryentry{\the\glslabeltok}%
3449   {%
3450     type=\glsxtrabbrvtype,%
3451     category=abbreviation,%
3452     short={\the\glsshorttok},%
3453     shortplural={\the\glsshortpltok},%
3454     long={\the\glslongtok},%
3455     longplural={\the\glslongpltok},%
3456     name={\the\glsshorttok},%
3457     \CustomAbbreviationFields,%
3458     \the\glskeylisttok
3459   }%
3460 }%
3461 \@do@newglossaryentry
3462 \GlsXtrPostNewAbbreviation
3463 }

```

`\glsxtrnewabbrevpresetkeyhook` Hook for extra stuff in `\newabbreviation`

```
3464 \newcommand*{\glsxtrnewabbrevpresetkeyhook}[3]{}%
```

`\newAbbreviation` Hook used by abbreviation styles.

```
3465 \newcommand*{\GlsXtrPostNewAbbreviation}{}%
```

`\newabbreviationhook` Hook for use with `\newabbreviation`.

```
3466 \newcommand*{\newabbreviationhook}{}%
```

```

reviationFields
 3467 \newcommand*{\CustomAbbreviationFields}{}}

sxtrfullformat Full format without case change.
 3468 \newcommand*{\glsxtrfullformat}[2]{%
 3469   \glsfirstlongfont{\glsaccesslong{#1}}#2\glsxtrfullsep{#1}%
 3470   (\protect\glsfirstabbrvfont{\glsaccessshort{#1}})%
 3471 }

sxtrfullformat Full format with case change.
 3472 \newcommand*{\Glsxtrfullformat}[2]{%
 3473   \glsfirstlongfont{\Glsaccesslong{#1}}#2\glsxtrfullsep{#1}%
 3474   (\protect\glsfirstabbrvfont{\glsaccessshort{#1}})%
 3475 }

xtrfullplformat Plural full format without case change.
 3476 \newcommand*{\glsxtrfullplformat}[2]{%
 3477   \glsfirstlongfont{\glsaccesslongpl{#1}}#2\glsxtrfullsep{#1}%
 3478   (\protect\glsfirstabbrvfont{\glsaccessshortpl{#1}})%
 3479 }

xtrfullplformat Plural full format with case change.
 3480 \newcommand*{\Glsxtrfullplformat}[2]{%
 3481   \glsfirstlongfont{\Glsaccesslongpl{#1}}#2\glsxtrfullsep{#1}%
 3482   (\protect\glsfirstabbrvfont{\glsaccessshortpl{#1}})%
 3483 }

\glsxtrfullsep Separator used by full format is a space by default. The argument is the entry's label.
 3484 \newcommand*{\glsxtrfullsep}[1]{\space}

      In-line formats in case first use isn't compatible with \glsentryfull (for example, first use
      suppresses the long form or uses a footnote).

nlinefullformat Full format without case change.
 3485 \newcommand*{\glsxtrinelinefullformat}{\glsxtrfullformat}

nlinefullformat Full format with case change.
 3486 \newcommand*{\Glsxtrinelinefullformat}{\Glsxtrfullformat}

xtrfullplformat Plural full format without case change.
 3487 \newcommand*{\glsxtrinelinefullplformat}{\glsxtrfullplformat}

inefullplformat Plural full format with case change.
 3488 \newcommand*{\Glsxtrinelinefullplformat}{\Glsxtrfullplformat}

      Redefine \glsentryfull etc to use the inline format. Since these commands as supposed
      to be expandable, they can only use the currently applied style. If there are mixed styles, you'll
      need to use the \glsxtrfull set of commands instead.

```

```

\glsentryfull
 3489 \renewcommand*{\glsentryfull}[1]{\glsxtrinlinefullformat{#1}{}}
```

```

\Glsentryfull
 3490 \renewcommand*{\Glsentryfull}[1]{\Glsxtrinlinefullformat{#1}{}}
```

```

\glsentryfullpl
 3491 \renewcommand*{\glsentryfullpl}[1]{\glsxtrinlinefullplformat{#1}{}}
```

```

\Glsentryfullpl
 3492 \renewcommand*{\Glsentryfullpl}[1]{\Glsxtrinlinefullplformat{#1}{}}
```

sfirstabbrvfont Font changing command used for the abbreviation on first use or in the full format.
 3493 \newcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{#1}}

bbrvdefaultfont Font changing command used for the abbreviation on first use or in the full format.
 3494 \newcommand*{\glsfirstabbrvdefaultfont}[1]{\glsabbrvfont{#1}}

\glsabbrvfont Font changing command used for the abbreviation on subsequent use.
 3495 \newcommand*{\glsabbrvfont}[1]{\glsabbrvdefaultfont{#1}}

bbrvdefaultfont
 3496 \newcommand*{\glsabbrvdefaultfont}[1]{#1}

\glslongfont Font changing command used for the long form in commands like \glsxtrlong.
 3497 \newcommand*{\glslongfont}[1]{\glslongdefaultfont{#1}}

longdefaultfont Default font changing command used for the long form in commands like \glsxtrlong.
 3498 \newcommand*{\glslongdefaultfont}[1]{#1}

lsfirstlongfont Font changing command used for the long form on first use or in the full format.
 3499 \newcommand*{\glsfirstlongfont}[1]{\glslongfont{#1}}

longdefaultfont
 3500 \newcommand*{\glsfirstlongdefaultfont}[1]{\glslongdefaultfont{#1}}

brvpluralsuffix Default plural suffix.
 3501 \newcommand*{\abbrvpluralsuffix}{\glspluralsuffix}

\glsxtrfull Full form (no case-change).
 3502 \newrobustcmd*{\glsxtrfull}{\gls@hyp@opt\ns@glsxtrfull}
 3503 \newcommand*\ns@glsxtrfull[2][]{%
 3504 \new@ifnextchar[\{@glsxtr@full{#1}{#2}\}]{%
 3505 \{@glsxtr@full{#1}{#2}[]\}}%
 3506 }

```
\@glsxstr@full Low-level macro:
```

```
3507 \def\@glsxstr@full#1#2[#3]{%
3508   \glsdoifexists{#2}%
3509   {%
3510     \glssetabrvfmt{\glscategory{#2}}%
3511     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3512     \let\glsifplural\@secondoftwo
3513     \let\glscapscase\@firstofthree
3514     \let\glsinsert\@empty
3515     \def\glscustomtext{\glsxtrinlinefullformat{#2}{#3}}%
```

What should \glsxtrifwasfirstuse be set to here? Where the inline and display full forms are the same, this is essentially emulating first use, so it makes sense for the postlink hook to pretend it was a first use instance. It makes less sense if the inline and display forms are different. Provide a hook to make it easier to reconfigure.

```
3516   \glsxtrsetupfulldefs
3517   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3518 }%
3519 \glspostlinkhook
3520 }
```

```
trsetupfulldefs
```

```
3521 \newcommand*\glsxtrsetupfulldefs{%
3522   \let\glsxtrifwasfirstuse\@firstoftwo
3523 }
```

```
\Glsxtrfull Full form (first letter uppercase).
```

```
3524 \newrobustcmd*\Glsxtrfull{\gls@hyp@opt\ns@Glsxtrfull}
3525 \newcommand*\ns@Glsxtrfull[2][]{%
3526   \new@ifnextchar[\{\glsxtr@full{#1}{#2}}%
3527     {\glsxtr@full{#1}{#2}}[]}%
3528 }
```

```
\@Glsxtr@full Low-level macro:
```

```
3529 \def\@Glsxtr@full#1#2[#3]{%
3530   \glsdoifexists{#2}%
3531   {%
3532     \glssetabrvfmt{\glscategory{#2}}%
3533     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3534     \let\glsifplural\@secondoftwo
3535     \let\glscapscase\@secondofthree
3536     \let\glsinsert\@empty
3537     \def\glscustomtext{\Glsxtrinlinefullformat{#2}{#3}}%
3538     \glsxtrsetupfulldefs
3539     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3540   }%
3541   \glspostlinkhook
3542 }
```

\GLSxtrfull Full form (all uppercase).

```
3543 \newrobustcmd*\{\GLSxtrfull\}{\gls@hyp@opt\ns@GLSxtrfull}
3544 \newcommand*\ns@GLSxtrfull[2] []{%
3545   \new@ifnextchar[\{\gls@full{\#1}{\#2}\}]{%
3546     {\gls@full{\#1}{\#2}[]}}%
3547 }
```

\@GLSxtr@full Low-level macro:

```
3548 \def\@GLSxtr@full#1#2[#3]{%
3549   \glsdoifexists{\#2}{%
3550     {%
3551       \glssetabrvfmt{\glscategory{\#2}}{%
3552         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
3553         \let\glsifplural\@secondoftwo
3554         \let\glscapscase\@thirdofthree
3555         \let\glsinsert\@empty
3556         \def\glscustomtext{\mfirstucMakeUppercase{\glsxtrinlinefullformat{\#2}{\#3}}}{%
3557           \glsxtrsetupfulldefs
3558           \gls@link[\#1]{\#2}{\csname gls@\glstype @entryfmt\endcsname}{%
3559             }%
3560           \glspostlinkhook
3561 }}
```

\glsxtrfullpl Plural full form (no case-change).

```
3562 \newrobustcmd*\{\glsxtrfullpl\}{\gls@hyp@opt\ns@glsxtrfullpl}
3563 \newcommand*\ns@glsxtrfullpl[2] []{%
3564   \new@ifnextchar[\{\glsxtrfullpl{\#1}{\#2}\}]{%
3565     {\glsxtrfullpl{\#1}{\#2}[]}}%
3566 }
```

\@glsxtr@fullpl Low-level macro:

```
3567 \def\@glsxtr@fullpl#1#2[#3]{%
3568   \glsdoifexists{\#2}{%
3569     {%
3570       \glssetabrvfmt{\glscategory{\#2}}{%
3571         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
3572         \let\glsifplural\@firstoftwo
3573         \let\glscapscase\@firstofthree
3574         \let\glsinsert\@empty
3575         \def\glscustomtext{\glsxtrinlinefullplformat{\#2}{\#3}}{%
3576           \glsxtrsetupfulldefs
3577           \gls@link[\#1]{\#2}{\csname gls@\glstype @entryfmt\endcsname}{%
3578             }%
3579           \glspostlinkhook
3580 }}
```

\Glsxtrfullpl Plural full form (first letter uppercase).

```
3581 \newrobustcmd*\{\Glsxtrfullpl\}{\gls@hyp@opt\ns@Glsxtrfullpl}
3582 \newcommand*\ns@Glsxtrfullpl[2] []{%
```

```

3583 \new@ifnextchar[{\@Glsxtr@fullpl{#1}{#2}}{%
3584             {\@Glsxtr@fullpl{#1}{#2}[]}}{%
3585 }

\@Glsxtr@fullpl Low-level macro:
3586 \def\@Glsxtr@fullpl#1#2[#3]{%
3587   \glsdoifexists{#2}{%
3588   {%
3589     \glssetabrvfmt{\glscategory{#2}}{%
3590       \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3591       \let\glsifplural\@firstoftwo
3592       \let\glscapscase\@secondofthree
3593       \let\glsinsert\@empty
3594       \def\glscustomtext{\Glsxtrinlinefullplformat{#2}{#3}}{%
3595         \glsxtrsetupfulldefs
3596         \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}}{%
3597       }%
3598     \glspostlinkhook
3599   }

```

\GLSxtrfullpl Plural full form (all upper case).

```

3600 \newrobustcmd*\GLSxtrfullpl{\gls@hyp@opt\ns@GLSxtrfullpl}
3601 \newcommand*\ns@GLSxtrfullpl[2][]{%
3602   \new@ifnextchar[{\@GLSxtr@fullpl{#1}{#2}}{%
3603             {\@GLSxtr@fullpl{#1}{#2}[]}}{%
3604 }

```

\@GLSxtr@fullpl Low-level macro:

```

3605 \def\@GLSxtr@fullpl#1#2[#3]{%
3606   \glsdoifexists{#2}{%
3607   {%
3608     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3609     \let\glsifplural\@firstoftwo
3610     \let\glscapscase\@thirdofthree
3611     \let\glsinsert\@empty
3612     \def\glscustomtext{%
3613       \mfirstucMakeUppercase{\glsxtrinlinefullplformat{#2}{#3}}{%
3614         \glsxtrsetupfulldefs
3615         \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}}{%
3616       }%
3617     \glspostlinkhook
3618   }

```

The short and long forms work in a similar way to acronyms.

\glsxtrshort

```
3619 \newrobustcmd*\glsxtrshort{\gls@hyp@opt\ns@glsxtrshort}
```

Define the un-starred form. Need to determine if there is a final optional argument

```

3620 \newcommand*{\ns@glsxtrshort}[2] []{%
3621   \new@ifnextchar[{\@glsxtrshort[#1]{#2}}{\@glsxtrshort[#1]{#2}}[] }%
3622 }

```

Read in the final optional argument:

```

3623 \def\@glsxtrshort#1#2[#3]{%
3624   \glsdoifexists{#2}%
3625   {%

```

Need to make sure \glsabrvfont is set correctly.

```

3626   \glssetabrvfmt{\glscategory{#2}}%
3627   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3628   \let\glsxtrifwasfirstuse\@secondoftwo
3629   \let\glsifplural\@secondoftwo
3630   \let\glscapscase\@firstofthree
3631   \let\glsinsert\@empty
3632   \def\glscustomtext{%
3633     \glsabrvfont{\glsaccessshort{#2}\ifglsxtrinsertinside#3\fi}%
3634     \ifglsxtrinsertinside\else#3\fi
3635   }%
3636   \@gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3637 }%
3638 \glspostlinkhook
3639 }

```

\Glsxtrshort

```

3640 \newrobustcmd*{\Glsxtrshort}{\@gls@hyp@opt\ns@Glsxtrshort}

```

Define the un-starred form. Need to determine if there is a final optional argument

```

3641 \newcommand*{\ns@Glsxtrshort}[2] []{%
3642   \new@ifnextchar[{\@Glsxtrshort[#1]{#2}}{\@Glsxtrshort[#1]{#2}}[] }%
3643 }

```

Read in the final optional argument:

```

3644 \def\@Glsxtrshort#1#2[#3]{%
3645   \glsdoifexists{#2}%
3646   {%
3647     \glssetabrvfmt{\glscategory{#2}}%
3648     \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3649     \let\glsxtrifwasfirstuse\@secondoftwo
3650     \let\glsifplural\@secondoftwo
3651     \let\glscapscase\@secondofthree
3652     \let\glsinsert\@empty
3653     \def\glscustomtext{%
3654       \glsabrvfont{\Glsaccessshort{#2}\ifglsxtrinsertinside#3\fi}%
3655       \ifglsxtrinsertinside\else#3\fi
3656     }%
3657     \@gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3658   }%
3659   \glspostlinkhook
3660 }

```

\GLSxtrshort

```
3661 \newrobustcmd*\{\GLSxtrshort\}{\gls@hyp@opt\ns@GLSxtrshort}
```

Define the un-starred form. Need to determine if there is a final optional argument

```
3662 \newcommand*\{\ns@GLSxtrshort\}[2] []{%
3663   \new@ifnextchar[\{\@\GLSxtrshort{\#1}{\#2}\}{\@\GLSxtrshort{\#1}{\#2}[]}\%
3664 }
```

Read in the final optional argument:

```
3665 \def\@\GLSxtrshort#1#2[#3]{%
3666   \glsdoifexists{\#2}%
3667 {%
3668   \glssetabrvfmt{\glscategory{\#2}}%
3669   \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
3670   \let\glsxtrifwasfirstuse\secondoftwo
3671   \let\glsifplural\secondoftwo
3672   \let\glscapscase\thirdofthree
3673   \let\glsinsert\empty
3674   \def\glscustomtext{%
3675     \mfirstrucMakeUppercase
3676     {\glsabrvfont{\glsaccessshort{\#2}\ifglsxtrinsertinside#3\fi}%
3677       \ifglsxtrinsertinside\else#3\fi
3678     }%
3679   }%
3680   \gls@link[\#1]{\#2}{\csname gls@\glstype @entryfmt\endcsname}%
3681 }%
3682 \glspostlinkhook
3683 }
```

\glsxtrlong

```
3684 \newrobustcmd*\{\glsxtrlong\}{\gls@hyp@opt\ns@glsxtrlong}
```

Define the un-starred form. Need to determine if there is a final optional argument

```
3685 \newcommand*\{\ns@glsxtrlong\}[2] []{%
3686   \new@ifnextchar[\{\@\glsxtrlong{\#1}{\#2}\}{\@\glsxtrlong{\#1}{\#2}[]}\%
3687 }
```

Read in the final optional argument:

```
3688 \def\@\glsxtrlong#1#2[#3]{%
3689   \glsdoifexists{\#2}%
3690 {%
3691   \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
3692   \let\glsxtrifwasfirstuse\secondoftwo
3693   \let\glsifplural\secondoftwo
3694   \let\glscapscase\firstofthree
3695   \let\glsinsert\empty
3696   \def\glscustomtext{%
3697     \glslongfont{\glsaccesslong{\#2}\ifglsxtrinsertinside#3\fi}%
3698       \ifglsxtrinsertinside\else#3\fi
3699     }%
3700   \gls@link[\#1]{\#2}{\csname gls@\glstype @entryfmt\endcsname}%
3701 }
```

```

3701  }%
3702  \glspostlinkhook
3703 }

\Glsxtrlong
3704 \newrobustcmd*{\Glsxtrlong}{\gls@hyp@opt\ns@Glsxtrlong}

  Define the un-starred form. Need to determine if there is a final optional argument

3705 \newcommand*{\ns@Glsxtrlong}[2] []{%
3706   \new@ifnextchar[{\glsxtrlong[#1]{#2}}{\glsxtrlong[#1]{#2}}[]}%
3707 }

  Read in the final optional argument:

3708 \def\glsxtrlong#1#2[#3]{%
3709   \glsdoifexists{#2}%
3710   {%
3711     \let\do@gls@link@checkfirsthyper@gls@link@nocheckfirsthyper
3712     \let\glsxtrifwasfirstuse@secondoftwo
3713     \let\glsifplural@secondoftwo
3714     \let\glscapscase@secondofthree
3715     \let\glsinsert@\empty
3716     \def\glscustomtext{%
3717       \glslongfont{\glsaccesslong{#2}\ifglsxtrinsertinside#3\fi}%
3718       \ifglsxtrinsertinside\else#3\fi
3719     }%
3720     \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3721   }%
3722   \glspostlinkhook
3723 }

```

```

\GLSxtrlong
3724 \newrobustcmd*{\GLSxtrlong}{\gls@hyp@opt\ns@GLSxtrlong}

  Define the un-starred form. Need to determine if there is a final optional argument

3725 \newcommand*{\ns@GLSxtrlong}[2] []{%
3726   \new@ifnextchar[{\glsxtrlong[#1]{#2}}{\glsxtrlong[#1]{#2}}[]}%
3727 }

  Read in the final optional argument:

3728 \def\glsxtrlong#1#2[#3]{%
3729   \glsdoifexists{#2}%
3730   {%
3731     \let\do@gls@link@checkfirsthyper@gls@link@nocheckfirsthyper
3732     \let\glsxtrifwasfirstuse@secondoftwo
3733     \let\glsifplural@secondoftwo
3734     \let\glscapscase@thirdofthree
3735     \let\glsinsert@\empty
3736     \def\glscustomtext{%
3737       \mfirstucMakeUppercase
3738       \glslongfont{\glsaccesslong{#2}\ifglsxtrinsertinside#3\fi}%
3739       \ifglsxtrinsertinside\else#3\fi

```

```

3740      }%
3741      }%
3742      \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3743      }%
3744      \glspostlinkhook
3745 }

```

Plural short forms:

\glsxtrshortpl

```

3746 \newrobustcmd*\glsxtrshortpl{\gls@hyp@opt\ns@glsxtrshortpl}
    Define the un-starred form. Need to determine if there is a final optional argument
3747 \newcommand*\ns@glsxtrshortpl[2][]{%
3748   \new@ifnextchar[\glsxtrshortpl[#1]{#2}{\glsxtrshortpl[#1]{#2}[]}}%
3749 }

```

Read in the final optional argument:

```

3750 \def\glsxtrshortpl#1#2[#3]{%
3751   \glsdoifexists{#2}{%
3752     {%
3753       \glssetabrvfmt{\glscategory{#2}}{%
3754         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
3755         \let\glsxtrifwasfirstuse\secondoftwo
3756         \let\glsifplural\firstoftwo
3757         \let\glscapscase\firstofthree
3758         \let\glsinsert\empty
3759         \def\glscustomtext{%
3760           \glsabbrvfont{\glsaccessshortpl{#2}\ifglsxtrinsertinside#3\fi}{%
3761             \ifglsxtrinsertinside\else#3\fi
3762           }%
3763           \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3764         }%
3765         \glspostlinkhook
3766       }

```

\Glsxtrshortpl

```

3767 \newrobustcmd*\Glsxtrshortpl{\gls@hyp@opt\ns@Glsxtrshortpl}
    Define the un-starred form. Need to determine if there is a final optional argument
3768 \newcommand*\ns@Glsxtrshortpl[2][]{%
3769   \new@ifnextchar[\Glsxtrshortpl[#1]{#2}{\Glsxtrshortpl[#1]{#2}[]}}%
3770 }

```

Read in the final optional argument:

```

3771 \def\Glsxtrshortpl#1#2[#3]{%
3772   \glsdoifexists{#2}{%
3773     {%
3774       \glssetabrvfmt{\glscategory{#2}}{%
3775         \let\do@gls@link@checkfirsthyper\gls@link@nocheckfirsthyper
3776         \let\glsxtrifwasfirstuse\secondoftwo

```

```

3777 \let\glsifplural \@firstoftwo
3778 \let\glscapscase \@secondofthree
3779 \let\glsinsert \@empty
3780 \def\glscustomtext{%
3781   \glsabbrvfont{\Glsaccessshortpl{\#2}\ifglsxtrinsertinside{\#3}\fi}%
3782   \ifglsxtrinsertinside\else{\#3}\fi
3783 }%
3784 \gls@link[\#1]{\#2}{\csname gls@\glstype @entryfmt\endcsname}%
3785 }%
3786 \glspostlinkhook
3787 }

```

\GLSxtrshortpl

```
3788 \newrobustcmd*{\GLSxtrshortpl}{\gls@hyp@opt\ns@GLSxtrshortpl}
```

Define the un-starred form. Need to determine if there is a final optional argument

```

3789 \newcommand*{\ns@GLSxtrshortpl}[2][]{%
3790   \new@ifnextchar[{\ns@GLSxtrshortpl{\#1}{\#2}}{\ns@GLSxtrshortpl{\#1}{\#2}}[]}%
3791 }

```

Read in the final optional argument:

```

3792 \def\@GLSxtrshortpl#1#2[#3]{%
3793   \glsdoifexists{\#2}%
3794 {%
3795   \glssetabbrvfmt{\glscategory{\#2}}%
3796   \let\do@gls@link@checkfirsthyper@gls@link@nocheckfirsthyper
3797   \let\glsxtrifwasfirstuse \@secondoftwo
3798   \let\glsifplural \@firstoftwo
3799   \let\glscapscase \@thirdofthree
3800   \let\glsinsert \@empty
3801   \def\glscustomtext{%
3802     \mfirstucMakeUppercase
3803     \glsabbrvfont{\glsaccessshortpl{\#2}\ifglsxtrinsertinside{\#3}\fi}%
3804     \ifglsxtrinsertinside\else{\#3}\fi
3805   }%
3806 }%
3807 \gls@link[\#1]{\#2}{\csname gls@\glstype @entryfmt\endcsname}%
3808 }%
3809 \glspostlinkhook
3810 }

```

Plural long forms:

\glsxtrlongpl

```
3811 \newrobustcmd*{\glsxtrlongpl}{\gls@hyp@opt\ns@glsxtrlongpl}
```

Define the un-starred form. Need to determine if there is a final optional argument

```

3812 \newcommand*{\ns@glsxtrlongpl}[2][]{%
3813   \new@ifnextchar[{\ns@glsxtrlongpl{\#1}{\#2}}{\ns@glsxtrlongpl{\#1}{\#2}}[]}%
3814 }

```

Read in the final optional argument:

```
3815 \def\@glsxtrlongpl#1#2[#3]{%
3816   \glsdoifexists{#2}%
3817 {%
3818   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3819   \let\glsxtrifwasfirstuse\@secondoftwo
3820   \let\glsifplural\@firstoftwo
3821   \let\glscapscase\@firstofthree
3822   \let\glsinsert\@empty
3823   \def\glscustomtext{%
3824     \glslongfont{\glsaccesslongpl{#2}\ifglsxtrinsertinside#3\fi}%
3825     \ifglsxtrinsertinside\else#3\fi
3826   }%
3827   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3828 }%
3829 \glspostlinkhook
3830 }
```

\Glsxtrlongpl

```
3831 \newrobustcmd*\Glsxtrlongpl{\gls@hyp@opt\ns@Glsxtrlongpl}
```

Define the un-starred form. Need to determine if there is a final optional argument

```
3832 \newcommand*\ns@Glsxtrlongpl[2][]{%
3833   \new@ifnextchar[\{@Glsxtrlongpl{#1}{#2}\}{\@Glsxtrlongpl{#1}{#2}[] }%
3834 }
```

Read in the final optional argument:

```
3835 \def\@Glsxtrlongpl#1#2[#3]{%
3836   \glsdoifexists{#2}%
3837 {%
3838   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3839   \let\glsxtrifwasfirstuse\@secondoftwo
3840   \let\glsifplural\@firstoftwo
3841   \let\glscapscase\@secondofthree
3842   \let\glsinsert\@empty
3843   \def\glscustomtext{%
3844     \glslongfont{\Glsaccesslongpl{#2}\ifglsxtrinsertinside#3\fi}%
3845     \ifglsxtrinsertinside\else#3\fi
3846   }%
3847   \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3848 }%
3849 \glspostlinkhook
3850 }
```

\GLSxtrlongpl

```
3851 \newrobustcmd*\GLSxtrlongpl{\gls@hyp@opt\ns@GLSxtrlongpl}
```

Define the un-starred form. Need to determine if there is a final optional argument

```
3852 \newcommand*\ns@GLSxtrlongpl[2][]{%
3853   \new@ifnextchar[\{@GLSxtrlongpl{#1}{#2}\}{\@GLSxtrlongpl{#1}{#2}[] }%
3854 }
```

Read in the final optional argument:

```
3855 \def\@GLSxtrlongpl#1#2[#3]{%
3856   \glsdoifexists{#2}%
3857 {%
3858   \let\do@gls@link@checkfirsthyper\@gls@link@nocheckfirsthyper
3859   \let\glsxtrifwasfirstuse\@secondoftwo
3860   \let\glsifplural\@firstoftwo
3861   \let\glscapscase\@thirdofthree
3862   \let\glsinsert\@empty
3863   \def\glscustomtext{%
3864     \mfirstucMakeUppercase
3865     {\glslongfont{\glsaccesslongpl{#2}\ifglsxtrinsertinside#3\fi}%
3866      \ifglsxtrinsertinside\else#3\fi
3867    }%
3868  }%
3869  \gls@link[#1]{#2}{\csname gls@\glstype @entryfmt\endcsname}%
3870 }%
3871 \glspostlinkhook
3872 }
```

\glssetabbrvfmt Set the current format for the given category (or the abbreviation category if unset).

```
3873 \newcommand*\glssetabbrvfmt[1]{%
3874   \ifcsdef{glsabbrv@current@#1}%
3875   {\glsxtrapplyabbrvfmt{\csname glsabbrv@current@#1\endcsname}}%
3876   {\glsxtrapplyabbrvfmt{\glsabbrv@current@abbreviation}}%
3877 }
```

\sxtrgenabbrvfmt Similar to \glsgenacfmt, but for abbreviations.

```
3878 \newcommand*\glsxtrgenabbrvfmt{%
3879   \ifdefempty\glscustomtext
3880 {%
3881   \ifglsused\glslabel
3882   }%
```

Subsequent use:

```
3883   \glsifplural
3884   }%
```

Subsequent plural form:

```
3885   \glscapscase
3886   }%
```

Subsequent plural form, don't adjust case:

```
3887   \glsabbrvfont{\glsaccessshortpl{\glslabel}}\glsinsert
3888   }%
3889   }%
```

Subsequent plural form, make first letter upper case:

```
3890   \glsabbrvfont{\Glsaccessshortpl{\glslabel}}\glsinsert
3891   }%
3892   }%
```

Subsequent plural form, all caps:

```
3893      \mfirstucMakeUppercase
3894          {\glsabbrvfont{\glsaccessshort{\glslabel}}\glsinsert}%
3895      }%
3896      }%
3897      {%
```

Subsequent singular form

```
3898      \glscapscase
3899      {%
```

Subsequent singular form, don't adjust case:

```
3900      \glsabbrvfont{\glsaccessshort{\glslabel}}\glsinsert
3901      }%
3902      {%
```

Subsequent singular form, make first letter upper case:

```
3903      \glsabbrvfont{\Glsaccessshort{\glslabel}}\glsinsert
3904      }%
3905      {%
```

Subsequent singular form, all caps:

```
3906      \mfirstucMakeUppercase
3907          {\glsabbrvfont{\glsaccessshort{\glslabel}}\glsinsert}%
3908      }%
3909      }%
3910      }%
3911      {%
```

First use:

```
3912      \glsifplural
3913      {%
```

First use plural form:

```
3914      \glscapscase
3915      {%
```

First use plural form, don't adjust case:

```
3916      \glsxtrfullplformat{\glslabel}{\glsinsert}%
3917      }%
3918      {%
```

First use plural form, make first letter upper case:

```
3919      \Glsxtrfullplformat{\glslabel}{\glsinsert}%
3920      }%
3921      {%
```

First use plural form, all caps:

```
3922      \mfirstucMakeUppercase
3923          {\glsxtrfullplformat{\glslabel}{\glsinsert}}%
3924      }%
3925      }%
3926      {%
```

First use singular form

```
3927     \glscapscase
3928     {%
```

First use singular form, don't adjust case:

```
3929     \glsxtrfullformat{\glslabel}{\glsinsert}%
3930     }%
3931     {%
```

First use singular form, make first letter upper case:

```
3932     \Glsxtrfullformat{\glslabel}{\glsinsert}%
3933     }%
3934     {%
```

First use singular form, all caps:

```
3935     \mfirstucMakeUppercase
3936     {\glsxtrfullformat{\glslabel}{\glsinsert}}%
3937     }%
3938     }%
3939     }%
3940     }%
3941     {%
```

User supplied text.

```
3942     \glscustomtext
3943     }%
3944 }
```

1.6.1 Abbreviation Styles Setup

abbreviationstyle

```
3945 \newcommand*{\setabbreviationstyle}[2][abbreviation]{%
3946   \ifcsundef{@glsabbrv@dispstyle@setup@#2}%
3947   {%
3948     \PackageError{glossaries-extra}{Undefined abbreviation style '#2'}{}%
3949   }%
3950 }
```

Have abbreviations already been defined for this category?

```
3951   \ifcsstring{@glsabbrv@current@#1}{#2}%
3952   {%
```

Style already set.

```
3953   }%
3954   {%
3955     \def\@glsxtr@dostylewarn{}%
3956     \glsforeachincategory{#1}{\@gls@type}{\@gls@label}%
3957   }%
3958     \def\@glsxtr@dostylewarn{\GlossariesWarning{Abbreviation
3959       style has been switched \MessageBreak
3960       for category '#1', \MessageBreak}
```

```

3961         but there have already been entries \MessageBreak
3962         defined for this category. Unwanted \MessageBreak
3963         side-effects may result}}%
3964         \endfortrue
3965     }%
3966     \glsxtr@ostylewarn

```

Set up the style for the given category.

```

3967     \csdef{@glsabbrv@current@#1}{#2}%
3968     \glsxtr@applyabbrvstyle{#2}%
3969   }%
3970 }%
3971 }

```

`applyabbrvstyle` Apply the abbreviation style without existence check.

```

3972 \newcommand*{\glsxtr@applyabbrvstyle}[1]{%
3973   \csuse{@glsabbrv@dispstyle@setup@#1}%
3974   \csuse{@glsabbrv@dispstyle@fmts@#1}%
3975 }

```

`r@applyabbrvfmt` Only apply the style formats.

```

3976 \newcommand*{\glsxtr@applyabbrvfmt}[1]{%
3977   \csuse{@glsabbrv@dispstyle@fmts@#1}%
3978 }

```

`abbreviationstyle` This is different from `\newacronymstyle`. The first argument is the label, the second argument sets the information required when defining the new abbreviation and the third argument sets the commands used to display the full format.

```

3979 \newcommand*{\newabbreviationstyle}[3]{%
3980   \ifcsdef{@glsabbrv@dispstyle@setup@#1}%
3981   {}%
3982   \PackageError{glossaries-extra}{Abbreviation style ‘#1’ already%
3983   defined}{}%
3984 }%
3985 {}%
3986   \csdef{@glsabbrv@dispstyle@setup@#1}{%

```

Initialise hook to do nothing. The style may change this.

```

3987   \renewcommand*{\GlsXtrPostNewAbbreviation}{}%
3988   #2}%
3989   \csdef{@glsabbrv@dispstyle@fmts@#1}{%

```

Assume in-line form is the same as first use. The style may change this.

```

3990   \renewcommand*{\glsxtrinlinefullformat}{\glsxtrfullformat}%
3991   \renewcommand*{\Glsxtrinlinefullformat}{\Glsxtrfullformat}%
3992   \renewcommand*{\glsxtrinlinefullplformat}{\glsxtrfullplformat}%
3993   \renewcommand*{\Glsxtrinlinefullplformat}{\Glsxtrfullplformat}%
3994   #3}%
3995 }%
3996 }

```

```

abbreviationstyle
3997 \newcommand*{\renewabbreviationstyle}[3]{%
3998   \ifcsundef{glsabrv@dispstyle@setup@#1}%
3999   {%
4000     \PackageError{glossaries-extra}{Abbreviation style '#1' not defined}{}%
4001   }%
4002   {%
4003     \csdef{glsabrv@dispstyle@setup@#1}{%
Initialise hook to do nothing. The style may change this.
4004   \renewcommand*{\GlsXtrPostNewAbbreviation}{}%
4005   #2}%
4006   \csdef{glsabrv@dispstyle@fmts@#1}{%
Assume in-line form is the same as first use. The style may change this.
4007   \renewcommand*{\glsxtrinlinefullformat}{\glsxtrfullformat}%
4008   \renewcommand*{\Glsxtrinlinefullformat}{\Glsxtrfullformat}%
4009   \renewcommand*{\glsxtrinlinefullplformat}{\glsxtrfullplformat}%
4010   \renewcommand*{\Glsxtrinlinefullplformat}{\Glsxtrfullplformat}%
4011   #3}%
4012 }%
4013 }

```

abbreviationstyle Define a synonym for an abbreviation style. The first argument is the new name. The second argument is the original style's name.

```

4014 \newcommand*{\letabbreviationstyle}[2]{%
4015   \csletcs{glsabrv@dispstyle@setup@#1}{glsabrv@dispstyle@setup@#2}%
4016   \csletcs{glsabrv@dispstyle@fmts@#1}{glsabrv@dispstyle@fmts@#2}%
4017 }

```

ecated@abbrstyle \glsxtr@deprecated@abbrstyle{*old-name*}{*new-name*}

Define a synonym for a deprecated abbreviation style.

```

4018 \newcommand*{@glsxtr@deprecated@abbrstyle}[2]{%
4019   \csdef{glsabrv@dispstyle@setup@#1}{%
4020     \GlsXtrWarnDeprecatedAbbrStyle{#1}{#2}%
4021     \csuse{glsabrv@dispstyle@setup@#2}%
4022   }%
4023   \csletcs{glsabrv@dispstyle@fmts@#1}{glsabrv@dispstyle@fmts@#2}%
4024 }

```

ecatedAbbrStyle Generate warning for deprecated style use.

```

4025 \newcommand*{\GlsXtrWarnDeprecatedAbbrStyle}[2]{%
4026   \GlossariesExtraWarning{Deprecated abbreviation style name '#1',%
4027   use '#2' instead}%
4028 }

```

```

eAbbrStyleSetup
4029 \newcommand*{\GlsXtrUseAbbrStyleSetup}[1]{%
4030   \ifcsundef{@glsabbrv@dispstyle@setup@#1}{%
4031     {%
4032       \PackageError{glossaries-extra}{%
4033         Unknown abbreviation style definitions '#1'}{}%
4034     }%
4035   {%
4036     \csname @glsabbrv@dispstyle@setup@#1\endcsname
4037   }%
4038 }

seAbbrStyleFmts
4039 \newcommand*{\GlsXtrUseAbbrStyleFmts}[1]{%
4040   \ifcsundef{@glsabbrv@dispstyle@fmts@#1}{%
4041     {%
4042       \PackageError{glossaries-extra}{%
4043         Unknown abbreviation style formats '#1'}{}%
4044     }%
4045   {%
4046     \csname @glsabbrv@dispstyle@fmts@#1\endcsname
4047   }%
4048 }

```

1.6.2 Predefined Styles (Default Font)

Define some common styles. These will set the first, firstplural, text and plural keys, even if the regular attribute isn't set to "true". If this attribute is set, commands like \gls will use them as per a regular entry, otherwise those keys will be ignored unless explicitly invoked by the user with commands like \glsfirst. In order for the first letter uppercase versions to work correctly, \glsxtrfullformat needs to be expanded when those keys are set. The final optional argument of \glsfirst will behave differently to the final optional argument of \gls with some styles.

xtrinsertinside Switch to determine if the insert text should be inside or outside the font changing command.
The default is outside.

```

4049 \newif\ifglsxtrinsertinside
4050 \glsxtrinsertinsidefalse

```

long-short

```

4051 \newabbreviationstyle{long-short}{%
4052 {%
4053   \renewcommand*{\CustomAbbreviationFields}{%
4054     name={\protect\glsabbrvfont{\the\glsshorttok}},%
4055     sort={\the\glsshorttok},%
4056     first={\protect\glsfirstlongfont{\the\glslongtok}}%
4057     \protect\glsxtrfullsep{\the\glslabeltok}%
4058     (\protect\glsfirstabbrvfont{\the\glsshorttok})},%

```

```

4059   firstplural={\protect\glsfirstlongfont{\the\glslongpltok}%
4060     \protect\glsxtrfullsep{\the\glslabeltok}%
4061     (\protect\glsfirstabbrvfont{\the\glsshortpltok})},%
4062     plural={\protect\glsabbvfont{\the\glsshortpltok}},%
4063     description={\the\glslongtok}}%

```

Unset the regular attribute if it has been set.

```

4064 \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4065   \glshasattribute{\the\glslabeltok}{regular}%
4066   {%
4067     \glssetattribute{\the\glslabeltok}{regular}{false}%
4068   }%
4069   {}%
4070 }%
4071 }%
4072 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

4073 \renewcommand*{\abbrvpluralsuffix}{\glspluralsuffix}%
4074 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvdefaultfont{##1}}%
4075 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{##1}}%
4076 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongdefaultfont{##1}}%
4077 \renewcommand*{\glslongfont}[1]{\glslongdefaultfont{##1}}%

```

The first use full form and the inline full form are the same for this style.

```

4078 \renewcommand*{\glsxtrfullformat}[2]{%
4079   \glsfirstlongfont{\glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
4080   \ifglsxtrinsertinside\else##2\fi
4081   \glsxtrfullsep{##1}%
4082   (\glsfirstabbrvfont{\glsaccessshort{##1}})%
4083 }%
4084 \renewcommand*{\glsxtrfullplformat}[2]{%
4085   \glsfirstlongfont{\glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
4086   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4087   (\glsfirstabbrvfont{\glsaccessshortpl{##1}})%
4088 }%
4089 \renewcommand*{\Glsxtrfullformat}[2]{%
4090   \glsfirstlongfont{\Glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
4091   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4092   (\glsfirstabbrvfont{\glsaccessshort{##1}})%
4093 }%
4094 \renewcommand*{\Glsxtrfullplformat}[2]{%
4095   \glsfirstlongfont{\Glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
4096   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4097   (\glsfirstabbrvfont{\glsaccessshortpl{##1}})%
4098 }%
4099 }

```

Set this as the default style for general abbreviations:

```
4100 \setabbreviationstyle{long-short}
```

```
ngshortdescsort
4101 \newcommand*{\glsxtrlongshortdescsort}{\the\glslongtok\space(\the\glsshorttok)}
```

long-short-desc User supplies description. The long form is included in the name.

```
4102 \newabbreviationstyle{long-short-desc}%
4103 {%
4104   \renewcommand*{\CustomAbbreviationFields}{%
4105     name={\protect\glsxtrfullformat{\the\glslabeltok}{}} ,
4106     sort={\glsxtrlongshortdescsort},%
4107     first={\protect\glsfirstlongfont{\the\glslongtok}%
4108       \protect\glsxtrfullsep{\the\glslabeltok}%
4109       (\protect\glsfirstabbrvfont{\the\glsshorttok})},%
4110     firstplural={\protect\glsfirstlongfont{\the\glslongpltok}%
4111       \protect\glsxtrfullsep{\the\glslabeltok}%
4112       (\protect\glsfirstabbrvfont{\the\glsshortpltok})},%
4113     plural={\protect\glsabbvfont{\the\glsshortpltok}}}%
```

Unset the regular attribute if it has been set.

```
4114   \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4115     \glshasattribute{\the\glslabeltok}{regular}%
4116     {%
4117       \glssetattribute{\the\glslabeltok}{regular}{false}%
4118     }%
4119     {}%
4120   }%
4121 }%
4122 {%
4123   \GlsXtrUseAbbrStyleFmts{long-short}%
4124 }
```

short-long Short form followed by long form in parenthesis on first use.

```
4125 \newabbreviationstyle{short-long}%
4126 {%
4127   \renewcommand*{\CustomAbbreviationFields}{%
4128     name={\protect\glsabbrvfont{\the\glsshorttok}},%
4129     sort={\the\glsshorttok},%
4130     description={\the\glslongtok},%
4131     first={\protect\glsfirstabbrvfont{\the\glsshorttok}%
4132       \protect\glsxtrfullsep{\the\glslabeltok}%
4133       (\protect\glsfirstlongfont{\the\glslongtok})},%
4134     firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}%
4135       \protect\glsxtrfullsep{\the\glslabeltok}%
4136       (\protect\glsfirstlongfont{\the\glslongpltok})},%
4137     plural={\protect\glsabbvfont{\the\glsshortpltok}}}%
```

Unset the regular attribute if it has been set.

```
4138   \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4139     \glshasattribute{\the\glslabeltok}{regular}%
4140     {%
4141       \glssetattribute{\the\glslabeltok}{regular}{false}%
4142     }%
```

```

4142    }%
4143    {}%
4144  }%
4145 }%
4146 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

4147 \renewcommand*{\abbrvpluralsuffix}{\glspluralsuffix}%
4148 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvdefaultfont{##1}}%
4149 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{##1}}%
4150 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongdefaultfont{##1}}%
4151 \renewcommand*{\glslongfont}[1]{\glslongdefaultfont{##1}}%

```

The first use full form and the inline full form are the same for this style.

```

4152 \renewcommand*{\glsxtrfullformat}[2]{%
4153   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4154   \ifglsxtrinsertinside\else##2\fi
4155   \glsxtrfullsep{##1}%
4156   (\glsfirstlongfont{\glsaccesslong{##1}})%
4157 }%
4158 \renewcommand*{\glsxtrfullplformat}[2]{%
4159   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4160   \ifglsxtrinsertinside\else##2\fi
4161   \glsxtrfullsep{##1}%
4162   (\glsfirstlongfont{\glsaccesslongpl{##1}})%
4163 }%
4164 \renewcommand*{\Glsxtrfullformat}[2]{%
4165   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4166   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4167   (\glsfirstlongfont{\glsaccesslong{##1}})%
4168 }%
4169 \renewcommand*{\Glsxtrfullplformat}[2]{%
4170   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4171   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4172   (\glsfirstlongfont{\glsaccesslongpl{##1}})%
4173 }%
4174 }

```

short-long-desc User supplies description. The long form is included in the name.

```

4175 \newabbreviationstyle{short-long-desc}%
4176 {%
4177 \renewcommand*{\CustomAbbreviationFields}{%
4178   name={\protect\glsxtrfullformat{\the\glslabeltok}},%
4179   sort={\the\glsshorttok},%
4180   first={\protect\glsfirstabbrvfont{\the\glsshorttok}%
4181     \protect\glsxtrfullsep{\the\glslabeltok}%
4182     (\protect\glsfirstlongfont{\the\glslongtok})},%
4183   firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}%
4184     \protect\glsxtrfullsep{\the\glslabeltok}%
4185     (\protect\glsfirstlongfont{\the\glslongpltok})},%

```

```

4186     plural={\protect\glsabbvfont{\the\glsshortpltok}}}%
        Unset the regular attribute if it has been set.
4187     \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4188         \glshasattribute{\the\glslabeltok}{regular}%
4189         {%
4190             \glssetattribute{\the\glslabeltok}{regular}{false}%
4191         }%
4192         {}%
4193     }%
4194 }%
4195 {%
4196     \GlsXtrUseAbbrStyleFmts{short-long}%
4197 }

```

footnote Short form followed by long form in footnote on first use. Take care about using `\glsfirst` as this won't suppress the hyperlink. (Perhaps modify `\glsfirst` to reflect `nohyperfirst` attribute?)

```

4198 \newabbreviationstyle{footnote}%
4199 {%
4200     \renewcommand*{\CustomAbbreviationFields}{%
4201         name={\protect\glsabbrvfont{\the\glsshorttok}},%
4202         sort={\the\glsshorttok},%
4203         description={\the\glslongtok},%
4204         first={\protect\glsfirstabbrvfont{\the\glsshorttok}}%
4205         \protect\footnote{\protect\glsfirstlongfont{\the\glslongtok}}},%
4206         firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}}%
4207         \protect\footnote{\protect\glsfirstlongfont{\the\glslongpltok}}},%
4208         plural={\protect\glsabbvfont{\the\glsshortpltok}}}%

```

Switch off hyperlinks on first use to prevent nested hyperlinks, and unset the regular attribute if it has been set.

```

4209     \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4210         \glssetattribute{\the\glslabeltok}{nohyperfirst}{true}%
4211         \glshasattribute{\the\glslabeltok}{regular}%
4212         {%
4213             \glssetattribute{\the\glslabeltok}{regular}{false}%
4214         }%
4215         {}%
4216     }%
4217 }%
4218 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

4219     \renewcommand*{\abbrvpluralsuffix}{\glspluralsuffix}%
4220     \renewcommand*{\glsabbrvfont[1]}{\glsabbrvdefaultfont{\##1}}%
4221     \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{\##1}}%
4222     \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongdefaultfont{\##1}}%
4223     \renewcommand*{\glslongfont}[1]{\glslongdefaultfont{\##1}}%

```

The full format displays the short form followed by the long form as a footnote.

```
4224 \renewcommand*{\glsxtrfullformat}[2]{%
4225   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4226   \ifglsxtrinsertinside\else##2\fi
4227   \protect\footnote{\glsfirstlongfont{\glsaccesslong{##1}}}}%
4228 }%
4229 \renewcommand*{\glsxtrfullplformat}[2]{%
4230   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4231   \ifglsxtrinsertinside\else##2\fi
4232   \protect\footnote{\glsfirstlongfont{\glsaccesslongpl{##1}}}}%
4233 }%
4234 \renewcommand*{\Glsxtrfullformat}[2]{%
4235   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4236   \ifglsxtrinsertinside\else##2\fi
4237   \protect\footnote{\glsfirstlongfont{\glsaccesslong{##1}}}}%
4238 }%
4239 \renewcommand*{\Glsxtrfullplformat}[2]{%
4240   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4241   \ifglsxtrinsertinside\else##2\fi
4242   \protect\footnote{\glsfirstlongfont{\glsaccesslongpl{##1}}}}%
4243 }%
```

The first use full form and the inline full form use the short (long) style.

```
4244 \renewcommand*{\glsxtrinlinefullformat}[2]{%
4245   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4246   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4247   (\glsfirstlongfont{\glsaccesslong{##1}})}%
4248 }%
4249 \renewcommand*{\glsxtrinlinefullplformat}[2]{%
4250   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4251   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4252   (\glsfirstlongfont{\glsaccesslongpl{##1}})}%
4253 }%
4254 \renewcommand*{\Glsxtrinlinefullformat}[2]{%
4255   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4256   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4257   (\glsfirstlongfont{\glsaccesslong{##1}})}%
4258 }%
4259 \renewcommand*{\Glsxtrinlinefullplformat}[2]{%
4260   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4261   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4262   (\glsfirstlongfont{\glsaccesslongpl{##1}})}%
4263 }%
4264 }
```

short-footnote

```
4265 \letabbreviationstyle{short-footnote}{footnote}
```

postfootnote Similar to the above but the footnote is placed afterwards, outside the link. This avoids nested

links and can also move the footnote marker after any following punctuation mark. This deferment won't occur with \glsfirst.

```
4266 \newabbreviationstyle{postfootnote}%
4267 {%
4268   \renewcommand*{\CustomAbbreviationFields}{%
4269     name={\protect\glsabbrvfont{\the\glsshorttok}},%
4270     sort={\the\glsshorttok},%
4271     description={\the\glslongtok},%
4272     first={\protect\glsfirstabbrvfont{\the\glsshorttok}}%
4273     \protect\footnote{\protect\glsfirstlongfont{\the\glslongtok}}},%
4274     firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}}%
4275     \protect\footnote{\protect\glsfirstlongfont{\the\glslongpltok}}},%
4276     plural={\protect\glsabbrvfont{\the\glsshortpltok}}}%
```

Make this category insert a footnote after the link if this was the first use, and unset the regular attribute if it has been set.

```
4277 \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4278   \csdef{glsxtrpostlink\glscategorylabel}{%
4279     \glsxtrifwasfirstuse
4280     {%
4281       \glsxtrdopostpunc{\protect\footnote
4282         {\glsfirstlongfont{\glsentrylong{\glslabel}}}}}
4283     }%
4284     {}%
4285   }%
4286   \glshasattribute{\the\glslabeltok}{regular}%
4287   {%
4288     \glssetattribute{\the\glslabeltok}{regular}{false}%
4289   }%
4290   {}%
4291 }%
```

The footnote needs to be suppressed in the inline form, so \glsxtrfull must set the first use switch off.

```
4292 \renewcommand*{\glsxtrsetupfulldefs}{%
4293   \let\glsxtrifwasfirstuse\@secondoftwo
4294 }%
4295 }%
4296 {%
```

In case the user wants to mix and match font styles, these are redefined here.

```
4297 \renewcommand*{\abbrvpluralsuffix}{\glspluralsuffix}%
4298 \renewcommand*\glsabbrvfont[1]{\glsabbrvdefaultfont{##1}}%
4299 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{##1}}%
4300 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongdefaultfont{##1}}%
4301 \renewcommand*{\glslongfont}[1]{\glslongdefaultfont{##1}}%
```

The full format displays the short form. The long form is deferred.

```
4302 \renewcommand*{\glsxtrfullformat}[2]{%
4303   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}}%
```

```

4304     \ifglsxtrinsertinside\else##2\fi
4305   }%
4306 \renewcommand*{\glsxtrfullplformat}[2]{%
4307   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4308   \ifglsxtrinsertinside\else##2\fi
4309 }%
4310 \renewcommand*{\Glsxtrfullformat}[2]{%
4311   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4312   \ifglsxtrinsertinside\else##2\fi
4313 }%
4314 \renewcommand*{\Glsxtrfullplformat}[2]{%
4315   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4316   \ifglsxtrinsertinside\else##2\fi
4317 }%

```

The first use full form and the inline full form use the short (long) style.

```

4318 \renewcommand*{\glsxtrinlinefullformat}[2]{%
4319   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4320   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4321   (\glsfirstlongfont{\glsaccesslong{##1}})%
4322 }%
4323 \renewcommand*{\glsxtrinlinefullplformat}[2]{%
4324   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4325   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4326   (\glsfirstlongfont{\glsaccesslongpl{##1}})%
4327 }%
4328 \renewcommand*{\Glsxtrinlinefullformat}[2]{%
4329   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4330   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4331   (\glsfirstlongfont{\glsaccesslong{##1}})%
4332 }%
4333 \renewcommand*{\Glsxtrinlinefullplformat}[2]{%
4334   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4335   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4336   (\glsfirstlongfont{\glsaccesslongpl{##1}})%
4337 }%
4338 }

```

rt-postfootnote

```
4339 \letabbreviationstyle{short-postfootnote}{postfootnote}
```

short Provide a style that only displays the short form on first use, but the short and long form can be displayed with the “full” commands that use the inline format. If the user supplies a description, the long form won’t be displayed in the predefined glossary styles, but the post description hook can be employed to automatically insert it.

```

4340 \newabbreviationstyle{short}%
4341 {%
4342   \renewcommand*{\CustomAbbreviationFields}{%
4343     name={\protect\glsabbrvfont{\the\glsshorttok}},
```

```

4344     sort={\the\glsshorttok},
4345     first={\protect\glsfirstabbrvfont{\the\glsshorttok}},
4346     firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}},
4347     text={\protect\glsabbrvfont{\the\glsshorttok}},
4348     plural={\protect\glsabbrvfont{\the\glsshortpltok}},
4349     description={\the\glslongtok}}%
4350 \renewcommand*\GlsXtrPostNewAbbreviation{%
4351   \glssetattribute{\the\glslabeltok}{regular}{true}}%
4352 }%
4353 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

4354 \renewcommand*\abbrvpluralsuffix{\glspluralsuffix}%
4355 \renewcommand*\glsabbrvfont[1]{\glsabbrvdefaultfont{##1}}%
4356 \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvdefaultfont{##1}}%
4357 \renewcommand*\glsfirstlongfont[1]{\glsfirstlongdefaultfont{##1}}%
4358 \renewcommand*\glslongfont[1]{\glslongdefaultfont{##1}}%

```

The inline full form displays the short form followed by the long form in parentheses.

```

4359 \renewcommand*\glsxtrinlinefullformat[2]{%
4360   \protect\glsfirstabbrvfont{\glsaccessshort{##1}}%
4361   \ifglsxtrinsertinside##2\fi}%
4362   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4363   (\glsfirstlongfont{\glsaccesslong{##1}})}%
4364 }%
4365 \renewcommand*\glsxtrinlinefullplformat[2]{%
4366   \protect\glsfirstabbrvfont{\glsaccessshortpl{##1}}%
4367   \ifglsxtrinsertinside##2\fi}%
4368   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4369   (\glsfirstlongfont{\glsaccesslongpl{##1}})}%
4370 }%
4371 \renewcommand*\Glsxtrinlinefullformat[2]{%
4372   \protect\glsfirstabbrvfont{\glsaccessshort{##1}}%
4373   \ifglsxtrinsertinside##2\fi}%
4374   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4375   (\glsfirstlongfont{\Glsaccesslong{##1}})}%
4376 }%
4377 \renewcommand*\Glsxtrinlinefullplformat[2]{%
4378   \protect\glsfirstabbrvfont{\glsaccessshortpl{##1}}%
4379   \ifglsxtrinsertinside##2\fi}%
4380   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4381   (\glsfirstlongfont{\Glsaccesslongpl{##1}})}%
4382 }%

```

The first use full form only displays the short form, but it typically won't be used as the regular attribute is set by this style.

```

4383 \renewcommand*\glsxtrfullformat[2]{%
4384   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4385   \ifglsxtrinsertinside\else##2\fi
4386 }%
4387 \renewcommand*\glsxtrfullplformat[2]{%

```

```

4388     \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4389     \ifglsxtrinsertinside\else##2\fi
4390 }
4391 \renewcommand*\{\Glsxtrfullformat}[2]{%
4392     \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4393     \ifglsxtrinsertinside\else##2\fi
4394 }
4395 \renewcommand*\{\Glsxtrfullplformat}[2]{%
4396     \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4397     \ifglsxtrinsertinside\else##2\fi
4398 }
4399 }

```

Set this as the default style for acronyms:

```
4400 \setabbreviationstyle[acronym]{short}
```

`short-nolong`

```
4401 \letabbreviationstyle{short-nolong}{short}
```

`short-desc` The user must supply the description in this style. The long form is added to the name. The short style (possibly with the post-description hooks set) might be a better option.

```

4402 \newabbreviationstyle{short-desc}%
4403 {%
4404     \renewcommand*\{\CustomAbbreviationFields}{%
4405         name={\protect\glsxtrinlinefullformat{\the\glslabeltok}{}} ,
4406         sort={\the\glsshorttok} ,
4407         first={\protect\glsfirstabbrvfont{\the\glsshorttok}} ,
4408         firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}} ,
4409         text={\protect\glsabbrvfont{\the\glsshorttok}} ,
4410         plural={\protect\glsabbrvfont{\the\glsshortpltok}} ,
4411         description={\the\glslongtok}}%
4412     \renewcommand*\{\GlsXtrPostNewAbbreviation}{%
4413         \glssetattribute{\the\glslabeltok}{regular}{true}}%
4414 }%
4415 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

4416 \renewcommand*\{\abbrvpluralsuffix}{\glspluralsuffix}%
4417 \renewcommand*\glsabbrvfont[1]{\glsabbrvdefaultfont{##1}}%
4418 \renewcommand*\{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{##1}}%
4419 \renewcommand*\{\glsfirstlongfont}[1]{\glsfirstlongdefaultfont{##1}}%
4420 \renewcommand*\{\glslongfont}[1]{\glslongdefaultfont{##1}}%

```

The inline full form displays the short format followed by the long form in parentheses.

```

4421 \renewcommand*\{\glsxtrinlinefullformat}[2]{%
4422     \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4423     \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4424     (\glsfirstlongfont{\glsaccesslong{##1}})%
4425 }
4426 \renewcommand*\{\glsxtrinlinefullplformat}[2]{%

```

```

4427   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4428   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4429   (\glsfirstlongfont{\glsaccesslongpl{##1}})%
4430 }%
4431 \renewcommand*\{\Glsxtrinlinefullformat}[2]{%
4432   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4433   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4434   (\glsfirstlongfont{\glsaccesslong{##1}})%
4435 }%
4436 \renewcommand*\{\Glsxtrinlinefullplformat}[2]{%
4437   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4438   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4439   (\glsfirstlongfont{\glsaccesslongpl{##1}})%
4440 }%

```

The first use full form only displays the short form, but it typically won't be used as the regular attribute is set by this style.

```

4441 \renewcommand*\{\glsxtrfullformat}[2]{%
4442   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4443   \ifglsxtrinsertinside\else##2\fi
4444 }%
4445 \renewcommand*\{\glsxtrfullplformat}[2]{%
4446   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4447   \ifglsxtrinsertinside\else##2\fi
4448 }%
4449 \renewcommand*\{\Glsxtrfullformat}[2]{%
4450   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
4451   \ifglsxtrinsertinside\else##2\fi
4452 }%
4453 \renewcommand*\{\Glsxtrfullplformat}[2]{%
4454   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
4455   \ifglsxtrinsertinside\else##2\fi
4456 }%
4457 }

```

short-nolong-desc

```
4458 \letabbreviationstyle{short-nolong-desc}{short-desc}
```

long-desc Provide a style that only displays the long form, but the long and short form can be displayed with the “full” commands that use the inline format. The predefined glossary styles won't show the short form. The user must supply a description for this style.

```

4459 \newabbreviationstyle{long-desc}%
4460 {%
4461   \renewcommand*\{\CustomAbbreviationFields}{%
4462     name={\protect\protect\glsfirstlongfont{\the\glslongtok}},%
4463     sort={\the\glslongtok},%
4464     first={\protect\glsfirstlongfont{\the\glslongtok}},%
4465     firstplural={\protect\glsfirstlongfont{\the\glslongpltok}},%
4466     text={\the\glslongtok},%

```

```

4467     plural={\the\glslongpltok}%
4468   }%
4469 \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4470   \glssetattribute{\the\glslabeltok}{regular}{true}}%
4471 }%
4472 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

4473 \renewcommand*{\abbrvpluralsuffix}{\glspluralsuffix}%
4474 \renewcommand*\glsabbrvfont[1]{\glsabbrvdefaultfont{##1}}%
4475 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvdefaultfont{##1}}%
4476 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongdefaultfont{##1}}%
4477 \renewcommand*{\glslongfont}[1]{\glslongdefaultfont{##1}}%

```

The inline full form displays the long format followed by the short form in parentheses.

```

4478 \renewcommand*{\glsxtrinlinefullformat}[2]{%
4479   \glsfirstlongfont{\glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
4480   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4481   (\protect\glsfirstabbrvfont{\glsaccessshort{##1}})%
4482 }%
4483 \renewcommand*{\glsxtrinlinefullplformat}[2]{%
4484   \glsfirstlongfont{\glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
4485   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4486   (\protect\glsfirstabbrvfont{\glsaccessshortpl{##1}})%
4487 }%
4488 \renewcommand*{\Glsxtrinlinefullformat}[2]{%
4489   \glsfirstlongfont{\Glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
4490   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4491   (\protect\glsfirstabbrvfont{\glsaccessshort{##1}})%
4492 }%
4493 \renewcommand*{\Glsxtrinlinefullplformat}[2]{%
4494   \glsfirstlongfont{\Glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
4495   \ifglsxtrinsertinside\else##2\fi\glsxtrfullsep{##1}%
4496   (\protect\glsfirstabbrvfont{\glsaccessshortpl{##1}})%
4497 }%

```

The first use full form only displays the long form, but it typically won't be used as the regular attribute is set by this style.

```

4498 \renewcommand*{\glsxtrfullformat}[2]{%
4499   \glsfirstlongfont{\glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
4500   \ifglsxtrinsertinside\else##2\fi
4501 }%
4502 \renewcommand*{\glsxtrfullplformat}[2]{%
4503   \glsfirstlongfont{\glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
4504   \ifglsxtrinsertinside\else##2\fi
4505 }%
4506 \renewcommand*{\Glsxtrfullformat}[2]{%
4507   \glsfirstlongfont{\glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
4508   \ifglsxtrinsertinside\else##2\fi
4509 }%
4510 \renewcommand*{\Glsxtrfullplformat}[2]{%

```

```

4511     \glsfirstlongfont{\glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
4512     \ifglsxtrinsertinside\else##2\fi
4513 }%
4514 }

```

`ng-noshort-desc` Provide a synonym that matches similar styles.

```
4515 \letabbreviationstyle{long-noshort-desc}{long-desc}
```

`long` It doesn't really make a great deal of sense to have a long-only style that doesn't have a description, but the best course of action here is to use the short form as the name and the long form as the description.

```

4516 \newabbreviationstyle{long}%
4517 {%
4518   \renewcommand*{\CustomAbbreviationFields}{%
4519     name={\protect\glsabbrvfont{\the\glsshorttok}},%
4520     sort={\the\glsshorttok},%
4521     first={\protect\glsfirstlongfont{\the\glslongtok}},%
4522     firstplural={\protect\glsfirstlongfont{\the\glslongpltok}},%
4523     text={\the\glslongtok},%
4524     plural={\the\glslongpltok},%
4525     description={\the\glslongtok}}%
4526 }%
4527 \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4528   \glssetattribute{\the\glslabeltok}{regular}{true}}%
4529 }%
4530 {%
4531   \GlsXtrUseAbbrStyleFmts{long-desc}%
4532 }

```

`long-noshort` Provide a synonym that matches similar styles.

```
4533 \letabbreviationstyle{long-noshort}{long}
```

1.6.3 Predefined Styles (Small Capitals)

These styles use:

```
\glsxtrscfont
4534 \newcommand*{\glsxtrscfont}[1]{\textsc{#1}}
```

```
sxtrfirstscfont
4535 \newcommand*{\glsxtrfirstscfont}[1]{\glsxtrscfont{#1}}
```

and for the default short form suffix:

```
\glsxtrscsuffix
4536 \newcommand*{\glsxtrscsuffix}{\glstextup{\glspluralsuffix}}
```

long-short-sc

```
4537 \newabbreviationstyle{long-short-sc}%
4538 {%
4539   \GlsXtrUseAbbrStyleSetup{long-short}%
4540 }%
4541 {%
```

 Mostly as long-short style:

```
4542   \GlsXtrUseAbbrStyleFmts{long-short}%
```

 Use smallcaps and adjust the plural suffix to revert to upright.

```
4543   \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4544   \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4545   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4546 }
```

g-short-sc-desc

```
4547 \newabbreviationstyle{long-short-sc-desc}%
4548 {%
4549   \GlsXtrUseAbbrStyleSetup{long-short-desc}%
4550 }%
4551 {%
```

 Mostly as long-short-desc style:

```
4552   \GlsXtrUseAbbrStyleFmts{long-short-desc}%
```

 Use smallcaps and adjust the plural suffix to revert to upright.

```
4553   \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4554   \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4555   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4556 }
```

 Now the short (long) version

```
4557 \newabbreviationstyle{short-sc-long}%
4558 {%
4559   \GlsXtrUseAbbrStyleSetup{short-long}%
4560 }%
4561 {%
```

 Mostly as short-long style:

```
4562   \GlsXtrUseAbbrStyleFmts{short-long}%
```

 Use smallcaps and adjust the plural suffix to revert to upright.

```
4563   \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4564   \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4565   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4566 }
```

 As before but user provides description

```
4567 \newabbreviationstyle{short-sc-long-desc}%
4568 {%
```

```
4569 \GlsXtrUseAbbrStyleSetup{short-long-desc}%
4570 }%
4571 {%
    Mostly as short-long-desc style:
4572 \GlsXtrUseAbbrStyleFmts{short-long-desc}%
    Use smallcaps and adjust the plural suffix to revert to upright.
4573 \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4574 \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4575 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4576 }
```

short-sc

```
4577 \newabbreviationstyle{short-sc}%
4578 {%
4579 \GlsXtrUseAbbrStyleSetup{short-nolong}%
4580 }%
4581 {%
```

Mostly as short style:

```
4582 \GlsXtrUseAbbrStyleFmts{short-nolong}%
    Use smallcaps and adjust the plural suffix to revert to upright.
4583 \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4584 \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4585 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4586 }
```

short-sc-nolong

```
4587 \letabbreviationstyle{short-sc-nolong}{short-sc}
```

short-sc-desc

```
4588 \newabbreviationstyle{short-sc-desc}%
4589 {%
4590 \GlsXtrUseAbbrStyleSetup{short-desc}%
4591 }%
4592 {%
```

Mostly as short style:

```
4593 \GlsXtrUseAbbrStyleFmts{short-desc}%
    Use smallcaps and adjust the plural suffix to revert to upright.
4594 \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4595 \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4596 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4597 }
```

-sc-nolong-desc

```
4598 \letabbreviationstyle{short-sc-nolong-desc}{short-sc-desc}
```

`long-noshort-sc` The smallcaps font will only be used if the short form is explicitly invoked through commands like `\glsshort`.

```
4599 \newabbreviationstyle{long-noshort-sc}%
4600 {%
4601   \GlsXtrUseAbbrStyleSetup{long-noshort}%
4602 }%
4603 {%
```

Mostly as long style:

```
4604   \GlsXtrUseAbbrStyleFmts{long-noshort}%
```

Use smallcaps and adjust the plural suffix to revert to upright.

```
4605   \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4606   \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4607   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4608 }
```

`long-sc` Backward compatibility:

```
4609 @glsxtr@deprecated@abbrstyle{long-sc}{long-noshort-sc}
```

`noshort-sc-desc` The smallcaps font will only be used if the short form is explicitly invoked through commands like `\glsshort`.

```
4610 \newabbreviationstyle{long-noshort-sc-desc}%
4611 {%
4612   \GlsXtrUseAbbrStyleSetup{long-noshort-desc}%
4613 }%
4614 {%
```

Mostly as long style:

```
4615   \GlsXtrUseAbbrStyleFmts{long-noshort-desc}%
```

Use smallcaps and adjust the plural suffix to revert to upright.

```
4616   \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4617   \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{\##1}}%
4618   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{\##1}}%
4619 }
```

`long-desc-sc` Backward compatibility:

```
4620 @glsxtr@deprecated@abbrstyle{long-desc-sc}{long-noshort-sc-desc}
```

`short-sc-footnote`

```
4621 \newabbreviationstyle{short-sc-footnote}%
4622 {%
4623   \GlsXtrUseAbbrStyleSetup{short-footnote}%
4624 }%
4625 {%
```

Mostly as long style:

```
4626   \GlsXtrUseAbbrStyleFmts{short-footnote}%
```

Use smallcaps and adjust the plural suffix to revert to upright.

```
4627 \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4628 \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{##1}}%
4629 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{##1}}%
4630 }
```

`footnote-sc` Backward compatibility:

```
4631 \glsxtr@deprecated@abbrstyle{footnote-sc}{short-sc-footnote}
```

`sc-postfootnote`

```
4632 \newabbreviationstyle{short-sc-postfootnote}%
4633 {%
4634 \GlsXtrUseAbbrStyleSetup{short-postfootnote}%
4635 }%
4636 {%
```

Mostly as long style:

```
4637 \GlsXtrUseAbbrStyleFmts{short-postfootnote}%
```

Use smallcaps and adjust the plural suffix to revert to upright.

```
4638 \renewcommand*\abrvpluralsuffix{\protect\glsxtrscsuffix}%
4639 \renewcommand*\glsabbrvfont[1]{\glsxtrscfont{##1}}%
4640 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstscfont{##1}}%
4641 }
```

`postfootnote-sc` Backward compatibility:

```
4642 \glsxtr@deprecated@abbrstyle{postfootnote-sc}{short-sc-postfootnote}
```

1.6.4 Predefined Styles (Fake Small Capitals)

These styles require the `relsize` package, which must be loaded by the user. These styles all use:

`\glsxtrsmfont`

```
4643 \newcommand*\glsxtrsmfont[1]{\textsmaller{#1}}
```

`sxtrfirstsmfont`

```
4644 \newcommand*\glsxtrfirstsmfont[1]{\glsxtrsmfont{#1}}
```

and for the default short form suffix:

`\glsxtrsmsuffix`

```
4645 \newcommand*\glsxtrsmsuffix{\glspluralsuffix}
```

`long-short-sm`

```
4646 \newabbreviationstyle{long-short-sm}%
4647 {%
4648 \GlsXtrUseAbbrStyleSetup{long-short}%
4649 }%
4650 {%
```

Mostly as long-short style:

```
4651 \GlsXtrUseAbbrStyleFmts{long-short}%
4652 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{##1}}%
4653 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{##1}}%
4654 \renewcommand*\{\abrvpluralsuffix}{\protect\glsxtrsmsuffix}%
4655 }
```

g-short-sm-desc

```
4656 \newabbreviationstyle{long-short-sm-desc}%
4657 {%
4658 \GlsXtrUseAbbrStyleSetup{long-short-desc}%
4659 }%
4660 {%
```

Mostly as long-short-desc style:

```
4661 \GlsXtrUseAbbrStyleFmts{long-short-desc}%
4662 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{##1}}%
4663 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{##1}}%
4664 \renewcommand*\{\abrvpluralsuffix}{\protect\glsxtrsmsuffix}%
4665 }
```

short-sm-long Now the short (long) version

```
4666 \newabbreviationstyle{short-sm-long}%
4667 {%
4668 \GlsXtrUseAbbrStyleSetup{short-long}%
4669 }%
4670 {%
```

Mostly as short-long style:

```
4671 \GlsXtrUseAbbrStyleFmts{short-long}%
4672 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{##1}}%
4673 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{##1}}%
4674 \renewcommand*\{\abrvpluralsuffix}{\protect\glsxtrsmsuffix}%
4675 }
```

rt-sm-long-desc As before but user provides description

```
4676 \newabbreviationstyle{short-sm-long-desc}%
4677 {%
4678 \GlsXtrUseAbbrStyleSetup{short-long-desc}%
4679 }%
4680 {%
```

Mostly as short-long-desc style:

```
4681 \GlsXtrUseAbbrStyleFmts{short-long-desc}%
4682 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{##1}}%
4683 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{##1}}%
4684 \renewcommand*\{\abrvpluralsuffix}{\protect\glsxtrsmsuffix}%
4685 }
```

```
short-sm
4686 \newabbreviationstyle{short-sm}%
4687 {%
4688   \GlsXtrUseAbbrStyleSetup{short-nolong}%
4689 }%
4690 {%
```

Mostly as short style:

```
4691   \GlsXtrUseAbbrStyleFmts{short-nolong}%
4692   \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{\##1}}%
4693   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{\##1}}%
4694   \renewcommand*\abrvpluralsuffix{\protect\glsxtrsmsuffix}%
4695 }
```

short-sm-nolong

```
4696 \letabbreviationstyle{short-sm-nolong}{short-sm}
```

short-sm-desc

```
4697 \newabbreviationstyle{short-sm-desc}%
4698 {%
4699   \GlsXtrUseAbbrStyleSetup{short-nolong-desc}%
4700 }%
4701 {%
```

Mostly as short style:

```
4702   \GlsXtrUseAbbrStyleFmts{short-nolong-desc}%
4703   \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{\##1}}%
4704   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{\##1}}%
4705   \renewcommand*\abrvpluralsuffix{\protect\glsxtrsmsuffix}%
4706 }
```

-sm-nolong-desc

```
4707 \letabbreviationstyle{short-sm-nolong-desc}{short-sm-desc}
```

long-noshort-sm The smallcaps font will only be used if the short form is explicitly invoked through commands like `\glsshort`.

```
4708 \newabbreviationstyle{long-noshort-sm}%
4709 {%
4710   \GlsXtrUseAbbrStyleSetup{long-noshort}%
4711 }%
4712 {%
```

Mostly as long style:

```
4713   \GlsXtrUseAbbrStyleFmts{long-noshort}%
4714   \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{\##1}}%
4715   \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{\##1}}%
4716   \renewcommand*\abrvpluralsuffix{\protect\glsxtrsmsuffix}%
4717 }
```

`long-sm` Backward compatibility:

```
4718 \@glsxtr@deprecated@abbrstyle{long-sm}{long-noshort-sm}
```

`noshort-sm-desc` The smaller font will only be used if the short form is explicitly invoked through commands like `\glsshort`.

```
4719 \newabbreviationstyle{long-noshort-sm-desc}%
```

```
4720 {%
```

```
4721 \GlsXtrUseAbbrStyleSetup{long-noshort-desc}%
```

```
4722 }%
```

```
4723 {%
```

Mostly as long style:

```
4724 \GlsXtrUseAbbrStyleFmts{long-noshort-desc}%
```

```
4725 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{\##1}}%
```

```
4726 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{\##1}}%
```

```
4727 \renewcommand*{\abbrvpluralsuffix}{\protect\glsxtrsmsuffix}%
```

```
4728 }
```

`long-desc-sm` Backward compatibility:

```
4729 \@glsxtr@deprecated@abbrstyle{long-desc-sm}{long-noshort-sm-desc}
```

`short-sm-footnote`

```
4730 \newabbreviationstyle{short-sm-footnote}%
```

```
4731 {%
```

```
4732 \GlsXtrUseAbbrStyleSetup{short-footnote}%
```

```
4733 }%
```

```
4734 {%
```

Mostly as long style:

```
4735 \GlsXtrUseAbbrStyleFmts{short-footnote}%
```

```
4736 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{\##1}}%
```

```
4737 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{\##1}}%
```

```
4738 \renewcommand*{\abbrvpluralsuffix}{\protect\glsxtrsmsuffix}%
```

```
4739 }
```

`footnote-sm` Backward compatibility:

```
4740 \@glsxtr@deprecated@abbrstyle{footnote-sm}{short-sm-footnote}
```

`short-sm-postfootnote`

```
4741 \newabbreviationstyle{short-sm-postfootnote}%
```

```
4742 {%
```

```
4743 \GlsXtrUseAbbrStyleSetup{short-postfootnote}%
```

```
4744 }%
```

```
4745 {%
```

Mostly as long style:

```
4746 \GlsXtrUseAbbrStyleFmts{short-postfootnote}%
```

```
4747 \renewcommand*\glsabbrvfont[1]{\glsxtrsmfont{\##1}}%
```

```
4748 \renewcommand*\glsfirstabbrvfont[1]{\glsxtrfirstsmfont{\##1}}%
```

```
4749 \renewcommand*{\abbrvpluralsuffix}{\protect\glsxtrsmsuffix}%
```

```
4750 }
```

postfootnote-sm Backward compatibility:
4751 \glsxtr@deprecated@abbrstyle{postfootnote-sm}{short-sm-postfootnote}

1.6.5 Predefined Styles (Emphasized)

These styles use \emph for the short form.

\glsabbrvemfont
4752 \newcommand*\glsabbrvemfont[1]{\emph{#1}}%
irstabbrvemfont
4753 \newcommand*\glsfirstabbrvemfont[1]{\glsabbrvemfont{#1}}%

firstlongemfont Only used by the “long-em” styles.
4754 \newcommand*\glsfirstlongemfont[1]{\glslongemfont{#1}}%

\glslongemfont Only used by the “long-em” styles.
4755 \newcommand*\glslongemfont[1]{\emph{#1}}%

long-short-em
4756 \newabbreviationstyle{long-short-em}{%
4757 {
4758 \GlsXtrUseAbbrStyleSetup{long-short}{%
4759 }%
4760 {

Mostly as long-short style:

4761 \GlsXtrUseAbbrStyleFmts{long-short}{%
4762 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{##1}}%
4763 }

g-short-em-desc
4764 \newabbreviationstyle{long-short-em-desc}{%
4765 {
4766 \GlsXtrUseAbbrStyleSetup{long-short-desc}{%
4767 }%
4768 {

Mostly as long-short-desc style:

4769 \GlsXtrUseAbbrStyleFmts{long-short-desc}{%
4770 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{##1}}%
4771 }

long-em-short-em
4772 \newabbreviationstyle{long-em-short-em}{%
4773 {

\glslongemfont is used in the description since \glsdesc doesn't set the style.

```
4774 \renewcommand*{\CustomAbbreviationFields}{%
4775   name={\protect\glsabbrvfont{\the\glsshorttok}},%
4776   sort={\the\glsshorttok},%
4777   first={\protect\glsfirstlongfont{\the\glslongtok}%
4778     \protect\glsxtrfullsep{\the\glslabeltok}%
4779     (\protect\glsfirstabbrvfont{\the\glsshorttok})},%
4780   firstplural={\protect\glsfirstlongfont{\the\glslongpltok}%
4781     \protect\glsxtrfullsep{\the\glslabeltok}%
4782     (\protect\glsfirstabbrvfont{\the\glsshortpltok}),%
4783   plural={\protect\glsabbvfont{\the\glsshortpltok}},%
4784   description={\protect\glslongemfont{\the\glslongtok}}}}%
```

Unset the regular attribute if it has been set.

```
4785 \renewcommand*{\GlsXtrPostNewAbbreviation}{%
4786   \glshasattribute{\the\glslabeltok}{regular}%
4787   {%
4788     \glssetattribute{\the\glslabeltok}{regular}{false}%
4789   }%
4790   {}%
4791 }%
4792 }%
4793 {%
```

In case the user wants to mix and match font styles, these are redefined here.

```
4794 \GlsXtrUseAbbrStyleFmts{long-short}%
4795 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvemfont{##1}}%
4796 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvemfont{##1}}%
4797 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongemfont{##1}}%
4798 \renewcommand*{\glslongfont}[1]{\glslongemfont{##1}}%
4799 }
```

m-short-em-desc

```
4800 \newabbreviationstyle{long-em-short-em-desc}%
4801 {%
4802   \GlsXtrUseAbbrStyleSetup{long-short-desc}%
4803 }%
4804 {%
```

In case the user wants to mix and match font styles, these are redefined here.

```
4805 \GlsXtrUseAbbrStyleFmts{long-short-desc}%
4806 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvemfont{##1}}%
4807 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvemfont{##1}}%
4808 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongemfont{##1}}%
4809 \renewcommand*{\glslongfont}[1]{\glslongemfont{##1}}%
4810 }
```

short-em-long Now the short (long) version

```
4811 \newabbreviationstyle{short-em-long}%
4812 {%
```

```

4813 \GlsXtrUseAbbrStyleSetup{short-long}%
4814 }%
4815 {%
    Mostly as short-long style:
4816 \GlsXtrUseAbbrStyleFmts{short-long}%
4817 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{\##1}}%
4818 \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{\##1}}%
4819 \renewcommand*\glsfirstlongfont[1]{\glsfirstlongemfont{\##1}}%
4820 \renewcommand*\glslongfont[1]{\glslongemfont{\##1}}%
4821 }

```

rt-em-long-desc As before but user provides description

```

4822 \newabbreviationstyle{short-em-long-desc}%
4823 {%
4824 \GlsXtrUseAbbrStyleSetup{short-long-desc}%
4825 }%
4826 {%

```

Mostly as short-long-desc style:

```

4827 \GlsXtrUseAbbrStyleFmts{short-long-desc}%
4828 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{\##1}}%
4829 \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{\##1}}%
4830 \renewcommand*\glsfirstlongfont[1]{\glsfirstlongemfont{\##1}}%
4831 \renewcommand*\glslongfont[1]{\glslongemfont{\##1}}%
4832 }

```

hort-em-long-em

```

4833 \newabbreviationstyle{short-em-long-em}%
4834 {%
    \glslongemfont is used in the description since \glsdesc doesn't set the style.
4835 \renewcommand*\CustomAbbreviationFields{%
4836     name={\protect\glsabbrvfont{\the\glsshorttok}},%
4837     sort={\the\glsshorttok},%
4838     description={\protect\glslongemfont{\the\glslongtok}},%
4839     first={\protect\glsfirstabbrvfont{\the\glsshorttok}}%
4840     \protect\glsxtrfullsep{\the\glslabeltok}%
4841     (\protect\glsfirstlongfont{\the\glslongtok}),%
4842     firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}}%
4843     \protect\glsxtrfullsep{\the\glslabeltok}%
4844     (\protect\glsfirstlongfont{\the\glslongpltok}),%
4845     plural={\protect\glsabbvfont{\the\glsshortpltok}}%

```

Unset the regular attribute if it has been set.

```

4846 \renewcommand*\GlsXtrPostNewAbbreviation{%
4847     \glshasattribute{\the\glslabeltok}{regular}%
4848     {%
4849         \glssetattribute{\the\glslabeltok}{regular}{false}%
4850     }%
4851     {}%

```

```
4852 }%
4853 }%
4854 {%
```

In case the user wants to mix and match font styles, these are redefined here.

```
4855 \GlsXtrUseAbbrStyleFmts{short-long}%
4856 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvemfont{##1}}%
4857 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvemfont{##1}}%
4858 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongemfont{##1}}%
4859 \renewcommand*{\glslongfont}[1]{\glslongemfont{##1}}%
4860 }
```

em-long-em-desc

```
4861 \newabbreviationstyle{short-em-long-em-desc}%
4862 {%
4863 \GlsXtrUseAbbrStyleSetup{short-long-desc}%
4864 }%
4865 {%
```

In case the user wants to mix and match font styles, these are redefined here.

```
4866 \GlsXtrUseAbbrStyleFmts{short-long-desc}%
4867 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvemfont{##1}}%
4868 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvemfont{##1}}%
4869 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlongemfont{##1}}%
4870 \renewcommand*{\glslongfont}[1]{\glslongemfont{##1}}%
4871 }
```

short-em

```
4872 \newabbreviationstyle{short-em}%
4873 {%
4874 \GlsXtrUseAbbrStyleSetup{short-nolong}%
4875 }%
4876 {%
```

Mostly as short style:

```
4877 \GlsXtrUseAbbrStyleFmts{short-nolong}%
4878 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvemfont{##1}}%
4879 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvemfont{##1}}%
4880 }
```

short-em-nolong

```
4881 \letabbreviationstyle{short-em-nolong}{short-em}
```

short-em-desc

```
4882 \newabbreviationstyle{short-em-desc}%
4883 {%
4884 \GlsXtrUseAbbrStyleSetup{short-nolong-desc}%
4885 }%
4886 {%
```

Mostly as short style:

```
4887 \GlsXtrUseAbbrStyleFmts{short-nolong-desc}%
4888 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{##1}}%
4889 \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{##1}}%
4900 }
```

-em-nolong-desc

```
4891 \letabbreviationstyle{short-em-nolong-desc}{short-em-desc}
```

long-noshort-em The short form is explicitly invoked through commands like \glsshort.

```
4892 \newabbreviationstyle{long-noshort-em}%
4893 {%
4894 \GlsXtrUseAbbrStyleSetup{long-noshort}%
4895 }%
4896 {%
```

Mostly as long-noshort style:

```
4897 \GlsXtrUseAbbrStyleFmts{long-noshort}%
4898 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{##1}}%
4899 \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{##1}}%
4900 }
```

long-em Backward compatibility:

```
4901 @glsxtr@deprecated@abbrstyle{long-em}{long-noshort-em}
```

g-em-noshort-em The short form is explicitly invoked through commands like \glsshort.

```
4902 \newabbreviationstyle{long-em-noshort-em}%
4903 {%
4904 \renewcommand*\CustomAbbreviationFields{%
4905 name={\protect\glsabbrvfont{\the\glsshorttok}},%
4906 sort={\the\glsshorttok},%
4907 first={\protect\glsfirstlongfont{\the\glslongtok}},%
4908 firstplural={\protect\glsfirstlongfont{\the\glslongpltok}},%
4909 text={\the\glslongtok},%
4910 plural={\the\glslongpltok},%
4911 description={\protect\glslongemfont{\the\glslongtok}}%
4912 }%
4913 \renewcommand*\GlsXtrPostNewAbbreviation{%
4914 \glssetattribute{\the\glslabeltok}{regular}{true}}%
4915 }%
4916 {%
```

Mostly as long-noshort style:

```
4917 \GlsXtrUseAbbrStyleFmts{long-noshort}%
4918 \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{##1}}%
4919 \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{##1}}%
4920 \renewcommand*\glsfirstlongfont[1]{\glsfirstlongemfont{##1}}%
4921 \renewcommand*\glslongfont[1]{\glslongemfont{##1}}%
4922 }
```

noshort-em-desc The emphasized font will only be used if the short form is explicitly invoked through commands like `\glsshort`.

```
4923 \newabbreviationstyle{long-noshort-em-desc}%
4924 {%
4925   \GlsXtrUseAbbrStyleSetup{long-noshort-desc}%
4926 }%
4927 {%
```

Mostly as long style:

```
4928   \GlsXtrUseAbbrStyleFmts{long-noshort-desc}%
4929   \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{\#\#1}}%
4930   \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{\#\#1}}%
4931 }
```

long-desc-em Backward compatibility:

```
4932 @glsxtr@deprecated@abbrstyle{long-desc-em}{long-noshort-em-desc}
```

noshort-em-desc The short form is explicitly invoked through commands like `\glsshort`. The long form is emphasized.

```
4933 \newabbreviationstyle{long-em-noshort-em-desc}%
4934 {%
4935   \GlsXtrUseAbbrStyleSetup{long-noshort-desc}%
4936 }%
4937 {%
```

Mostly as long style:

```
4938   \GlsXtrUseAbbrStyleFmts{long-noshort-desc}%
4939   \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{\#\#1}}%
4940   \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{\#\#1}}%
4941   \renewcommand*\glsfirstlongfont[1]{\glsfirstlongemfont{\#\#1}}%
4942   \renewcommand*\glslongfont[1]{\glslongemfont{\#\#1}}%
4943 }
```

short-em-footnote

```
4944 \newabbreviationstyle{short-em-footnote}%
4945 {%
4946   \GlsXtrUseAbbrStyleSetup{short-footnote}%
4947 }%
4948 {%
```

Mostly as long style:

```
4949   \GlsXtrUseAbbrStyleFmts{short-footnote}%
4950   \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{\#\#1}}%
4951   \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{\#\#1}}%
4952 }
```

footnote-em Backward compatibility:

```
4953 @glsxtr@deprecated@abbrstyle{footnote-em}{short-em-footnote}
```

```

em-postfootnote
4954 \newabbreviationstyle{short-em-postfootnote}%
4955 {%
4956   \GlsXtrUseAbbrStyleSetup{short-postfootnote}%
4957 }%
4958 {%

  Mostly as long style:

4959   \GlsXtrUseAbbrStyleFmts{short-postfootnote}%
4960   \renewcommand*\glsabbrvfont[1]{\glsabbrvemfont{\##1}}%
4961   \renewcommand*\glsfirstabbrvfont[1]{\glsfirstabbrvemfont{\##1}}%
4962 }

postfootnote-em Backward compatibility:
4963 @glsxtr@deprecated@abbrstyle{postfootnote-em}{short-em-postfootnote}

1.6.6 Predefined Styles (User Parentheses Hook)

These styles allow the user to adjust the parenthetical forms. These styles all test for the existence of the field given by:

glsxtruserfield Default is the useri field.
4964 \newcommand*\glsxtruserfield{useri}

glsxtruserparen The format of the parenthetical information. The first argument is the long/short form. The second argument is the entry's label. If \glscurrentfieldvalue has been defined, then we have at least glossaries v4.23, which makes it easier for the user to adjust this.
4965 \ifdef\glscurrentfieldvalue
4966 {
4967   \newcommand*\glsxtruserparen[2]{%
4968     \glsxtrfullsep{\#2}%
4969     (#1\ifglshasfield{\glsxtruserfield}{\#2}{, \glscurrentfieldvalue}{})%
4970   }
4971 }
4972 {
4973   \newcommand*\glsxtruserparen[2]{%
4974     \glsxtrfullsep{\#2}%
4975     (#1\ifglshasfield{\glsxtruserfield}{\#2}{, \glo@thisvalue}{})%
4976   }
4977 }

  Font used for short form:

lsabrvuserfont
4978 \newcommand*\glsabrvuserfont[1]{\#1}

  Font used for short form on first use:

stabrvuserfont
4979 \newcommand*\glsfirststabrvuserfont[1]{\glsabrvuserfont{\#1}}

```

Font used for long form:

```
glslonguserfont  
4980 \newcommand*{\glslonguserfont}[1]{#1}
```

Font used for long form on first use:

```
rstlonguserfont  
4981 \newcommand*{\glsfirstlonguserfont}[1]{\glslonguserfont{#1}}
```

The default short form suffix:

```
lsxtrusersuffix  
4982 \newcommand*{\glsxtrusersuffix}{\glspluralsuffix}
```

```
long-short-user  
4983 \newabbreviationstyle{long-short-user}-%  
4984 {%
```

\glslonguserfont is used in the description since \glsdesc doesn't set the style.

```
4985 \renewcommand*{\CustomAbbreviationFields}-%  
4986   name={\protect\glsabbrvfont{\the\glsshorttok}},  
4987   sort={\the\glsshorttok},  
4988   first={\protect\glsfirstlongfont{\the\glslongtok}}%  
4989     \protect\glsxtruserparen{\protect\glsfirstabbrvfont{\the\glsshorttok}}{\the\glslabeltok},  
4990   firstplural={\protect\glsfirstlongfont{\the\glslongpltok}}%  
4991     \protect\glsxtruserparen{\protect\glsfirstabbrvfont{\the\glsshortpltok}}{\the\glslabeltok}  
4992   plural={\protect\glsabbvfont{\the\glsshortpltok}},%  
4993   description={\protect\glslonguserfont{\the\glslongtok}}}-%
```

Unset the regular attribute if it has been set.

```
4994 \renewcommand*{\GlsXtrPostNewAbbreviation}-%  
4995   \glshasattribute{\the\glslabeltok}{regular}-%  
4996   {%-  
4997     \glssetattribute{\the\glslabeltok}{regular}{false}-%  
4998   }%-  
4999   {}%-  
5000 }%-  
5001 }%-  
5002 {%-
```

In case the user wants to mix and match font styles, these are redefined here.

```
5003 \renewcommand*{\abbrvpluralsuffix}{\glsxtrusersuffix}-%  
5004 \renewcommand*{\glsabbrvfont}[1]{\glsabbrvuserfont{##1}}-%  
5005 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvuserfont{##1}}-%  
5006 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlonguserfont{##1}}-%  
5007 \renewcommand*{\glslongfont}[1]{\glslonguserfont{##1}}-%
```

The first use full form and the inline full form are the same for this style.

```
5008 \renewcommand*{\glsxtrfullformat}[2]{%-  
5009   \glsfirstlongfont{\glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}-%  
5010   \ifglsxtrinsertinside\else##2\fi
```

```

5011     \glsxtruserparen{\glsfirstabbrvfont{\glsaccessshort{##1}}}{##1}%
5012 }%
5013 \renewcommand*{\glsxtrfullplformat}[2]{%
5014     \glsfirstlongfont{\glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
5015     \ifglsxtrinsertinside\else##2\fi
5016     \glsxtruserparen{\glsfirstabbrvfont{\glsaccessshortpl{##1}}}{##1}%
5017 }%
5018 \renewcommand*{\Glsxtrfullformat}[2]{%
5019     \glsfirstlongfont{\Glsaccesslong{##1}\ifglsxtrinsertinside##2\fi}%
5020     \ifglsxtrinsertinside\else##2\fi
5021     \glsxtruserparen{\glsfirstabbrvfont{\glsaccessshort{##1}}}{##1}%
5022 }%
5023 \renewcommand*{\Glsxtrfullplformat}[2]{%
5024     \glsfirstlongfont{\Glsaccesslongpl{##1}\ifglsxtrinsertinside##2\fi}%
5025     \ifglsxtrinsertinside\else##2\fi
5026     \glsxtruserparen{\glsfirstabbrvfont{\glsaccessshortpl{##1}}}{##1}%
5027 }%
5028 }

```

short-user-desc

```

5029 \newabbreviationstyle{long-short-user-desc}%
5030 {%
5031   \GlsXtrUseAbbrStyleSetup{long-short-desc}%
5032 }%
5033 {%
5034   \GlsXtrUseAbbrStyleFmts{long-short-user}%
5035 }

```

short-long-user

```

5036 \newabbreviationstyle{short-long-user}%
5037 {%
  \glslonguserfont is used in the description since \glsdesc doesn't set the style.
5038 \renewcommand*{\CustomAbbreviationFields}{%
5039   name={\protect\glsabbrvfont{\the\glsshorttok}},%
5040   sort={\the\glsshorttok},%
5041   description={\protect\glslonguserfont{\the\glslongtok}},%
5042   first={\protect\glsfirstabbrvfont{\the\glsshorttok}}%
5043   \protect\glsxtruserparen{\protect\glslonguserfont{\the\glslongtok}}{\the\glslabeltok}},%
5044   firstplural={\protect\glsfirstabbrvfont{\the\glsshortpltok}}%
5045   \protect\glsxtruserparen{\protect\glslonguserfont{\the\glslongpltok}}{\the\glslabeltok}},%
5046   plural={\protect\glsabbrvfont{\the\glsshortpltok}}}%

```

Unset the regular attribute if it has been set.

```

5047 \renewcommand*{\GlsXtrPostNewAbbreviation}{%
5048   \glshasattribute{\the\glslabeltok}{regular}%
5049 {%
5050   \glssetattribute{\the\glslabeltok}{regular}{false}%
5051 }%
5052 {}%

```

```

5053  }%
5054 }%
5055 {%

```

In case the user wants to mix and match font styles, these are redefined here.

```

5056 \renewcommand*{\abbrvpluralsuffix}{\glsxtrusersuffix}%
5057 \renewcommand*\glsabbrvfont[1]{\glsabbrvuserfont{##1}}%
5058 \renewcommand*{\glsfirstabbrvfont}[1]{\glsfirstabbrvuserfont{##1}}%
5059 \renewcommand*{\glsfirstlongfont}[1]{\glsfirstlonguserfont{##1}}%
5060 \renewcommand*{\glslongfont}[1]{\glslonguserfont{##1}}%

```

The first use full form and the inline full form are the same for this style.

```

5061 \renewcommand*{\glsxtrfullformat}[2]{%
5062   \glsfirstabbrvfont{\glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
5063   \ifglsxtrinsertinside\else##2\fi
5064   \glsxtruserparen{\glsfirstlongfont{\glsaccesslong{##1}}}{##1}%
5065 }%
5066 \renewcommand*{\glsxtrfullplformat}[2]{%
5067   \glsfirstabbrvfont{\glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
5068   \ifglsxtrinsertinside\else##2\fi
5069   \glsxtruserparen{\glsfirstlongfont{\glsaccesslongpl{##1}}}{##1}%
5070 }%
5071 \renewcommand*{\Glsxtrfullformat}[2]{%
5072   \glsfirstabbrvfont{\Glsaccessshort{##1}\ifglsxtrinsertinside##2\fi}%
5073   \ifglsxtrinsertinside\else##2\fi
5074   \glsxtruserparen{\glsfirstlongfont{\glsaccesslong{##1}}}{##1}%
5075 }%
5076 \renewcommand*{\Glsxtrfullplformat}[2]{%
5077   \glsfirstabbrvfont{\Glsaccessshortpl{##1}\ifglsxtrinsertinside##2\fi}%
5078   \ifglsxtrinsertinside\else##2\fi
5079   \glsxtruserparen{\glsfirstlongfont{\glsaccesslongpl{##1}}}{##1}%
5080 }%
5081 }

```

-long-user-desc

```

5082 \newabbreviationstyle{short-long-user-desc}%
5083 {%
5084   \GlsXtrUseAbbrStyleSetup{short-long-desc}%
5085 }%
5086 {%
5087   \GlsXtrUseAbbrStyleFmts{short-long-user}%
5088 }

```

1.7 Using Entries in Headings

There are four main problems with using entries in sectioning commands: they can mess with the first use flag if they end up in the table of contents, they can add unwanted numbers to the entry's location list, the label is corrupted if used inside `\MakeUppercase` (which is used by the default headings style) and they need to be expandable for PDF bookmarks.

The glossaries package therefore recommends the use of the expandable commands, such as `\glsentryshort`, instead but this doesn't reflect the formatting since it doesn't include `\glsabrvfont`. The commands below are an attempt to get around these problems.

The PDF bookmark issue can easily be fixed with hyperref's `\texorpdfstring` which can simply use the expandable command in the PDF string case. The `TEX` string case can now use `\glsxtrshort` with the `noindex` key set, which prevents the unwanted additions to the location list, and the `hyper` key set to false, which prevents the problem of nested links. This just leaves one thing left that needs to be dealt with, and that's what to do if the heading style uses `\MakeUppercase`.

Note that glossaries automatically loads `textcase`, so the label can be protected from case change with `textcase`'s `\NoCaseChange`. This means that we don't have a problem provided the page style uses `\MakeTextUppercase`, but the default heading page style uses `\MakeUppercase`.

To get around this, save the original definition of `\markboth` and `\markright` and adjust it so that `\MakeUppercase` is temporarily redefined to `\MakeTextUppercase`. Some packages or classes redefine these commands, so we can't just assume they still have the original kernel definition.

`\markright` Save original definition:

```
5089 \let\@glsxtr@org@markright\markright
```

Redefine (grouping not added in case it interferes with the original code):

```
5090 \renewcommand*{\markright}[1]{%
5091   \glsxtrmarkhook
5092   \@glsxtr@org@markright{#1}%
5093   \glsxtrrestoremkhook
5094 }
```

`\markboth` Save original definition:

```
5095 \let\@glsxtr@org@markboth\markboth
```

Redefine (grouping not added in case it interferes with the original code):

```
5096 \renewcommand*{\markboth}[2]{%
5097   \glsxtrmarkhook
5098   \@glsxtr@org@markboth{#1}{#2}%
5099   \glsxtrrestoremkhook
5100 }
```

If this causes a problem provide a simple way of switching back to the original definitions:

`sxtrRevertMarks`

```
5101 \newcommand*{\glsxtrRevertMarks}{%
5102   \let\markright\@glsxtr@org@markright
5103   \let\markboth\@glsxtr@org@markboth
5104 }
```

`\glsxtrmarkhook` Hook used in new definition of `\markboth` and `\markright` to make some changes to apply to the marks:

```
5105 \newcommand*{\glsxtrmarkhook}{%
```

Save current definitions:

```
5106 \let@glsxtr@org@MakeUppercase\MakeUppercase
5107 \let@glsxtr@org@glsxrtitleshort\glsxrtitleshort
5108 \let@glsxtr@org@glsxrtitleshortpl\glsxrtitleshortpl
5109 \let@glsxtr@org@Glsxrtitleshort\Glsxrtitleshort
5110 \let@glsxtr@org@Glsxrtitleshortpl\Glsxrtitleshortpl
5111 \let@glsxtr@org@glsxrtitletext\glsxrtitletext
5112 \let@glsxtr@org@Glsxrttitletext\Glsxrttitletext
5113 \let@glsxtr@org@glsxrtitleplural\glsxrttitleplural
5114 \let@glsxtr@org@Glsxrttitleplural\Glsxrttitleplural
5115 \let@glsxtr@org@glsxrtitlefirst\glsxrttitlefirst
5116 \let@glsxtr@org@Glsxrttitlefirst\Glsxrttitlefirst
5117 \let@glsxtr@org@glsxrttitlefirstplural\glsxrttitlefirstplural
5118 \let@glsxtr@org@Glsxrttitlefirstplural\Glsxrttitlefirstplural
5119 \let@glsxtr@org@glsxrttitlelong\glsxrttitlelong
5120 \let@glsxtr@org@glsxrttitlelongpl\glsxrttitlelongpl
5121 \let@glsxtr@org@Glsxrttitlelong\Glsxrttitlelong
5122 \let@glsxtr@org@Glsxrttitlelongpl\Glsxrttitlelongpl
5123 \let@glsxtr@org@glsxrttitlefull\glsxrttitlefull
5124 \let@glsxtr@org@glsxrttitlefullpl\glsxrttitlefullpl
5125 \let@glsxtr@org@Glsxrttitlefull\Glsxrttitlefull
5126 \let@glsxtr@org@Glsxrttitlefullpl\Glsxrttitlefullpl
```

New definitions

```
5127 \let\MakeUppercase\MakeTextUppercase
5128 \let\glsxrttitleshort\glsxtrheadshort
5129 \let\glsxrttitleshortpl\glsxtrheadshortpl
5130 \let\Glsxrttitleshort\Glsxtrheadshort
5131 \let\Glsxrttitleshortpl\Glsxtrheadshortpl
5132 \let\glsxrttitletext\glsxtrheadtext
5133 \let\Glsxrttitletext\Glsxtrheadtext
5134 \let\glsxrttitleplural\glsxtrheadplural
5135 \let\Glsxrttitleplural\Glsxtrheadplural
5136 \let\glsxrttitlefirst\glsxtrheadfirst
5137 \let\Glsxrttitlefirst\Glsxtrheadfirst
5138 \let\glsxrttitlefirstplural\glsxtrheadfirstplural
5139 \let\Glsxrttitlefirstplural\Glsxtrheadfirstplural
5140 \let\glsxrttitlelong\glsxtrheadlong
5141 \let\glsxrttitlelongpl\glsxtrheadlongpl
5142 \let\Glsxrttitlelong\Glsxtrheadlong
5143 \let\Glsxrttitlelongpl\Glsxtrheadlongpl
5144 \let\glsxrttitlefull\glsxtrheadfull
5145 \let\glsxrttitlefullpl\glsxtrheadfullpl
5146 \let\Glsxrttitlefull\Glsxtrheadfull
5147 \let\Glsxrttitlefullpl\Glsxtrheadfullpl
5148 }
```

`restoremmarkhook` Hook used in new definition of `\markboth` and `\markright` to restore the modified definitions. (This is in case the original `\markboth` and `\markright` shouldn't be grouped for

some reason. There already is some grouping within those original definitions, but some of the code lies outside that grouping, and possibly there's a reason for it.)

```
5149 \newcommand*{\glsxtrrestoremarkhook}{%
5150   \let\MakeUppercase@glsxtr@org@MakeUppercase
5151   \let\glsxtrtitleshort@glsxtr@org@glsxtrtitleshort
5152   \let\glsxtrtitleshortpl@glsxtr@org@glsxtrtitleshortpl
5153   \let\Glsxtrtitleshort@glsxtr@org@Glsxtrtitleshort
5154   \let\Glsxtrtitleshortpl@glsxtr@org@Glsxtrtitleshortpl
5155   \let\glsxtrtitletext@glsxtr@org@glsxtrtitletext
5156   \let\Glsxtrtitletext@glsxtr@org@Glsxtrtitletext
5157   \let\glsxtrtitleplural@glsxtr@org@glsxtrtitleplural
5158   \let\Glsxtrtitleplural@glsxtr@org@Glsxtrtitleplural
5159   \let\glsxtrtitlefirst@glsxtr@org@glsxtrtitlefirst
5160   \let\Glsxtrtitlefirst@glsxtr@org@Glsxtrtitlefirst
5161   \let\glsxtrtitlefirstplural@glsxtr@org@glsxtrtitlefirstplural
5162   \let\Glsxtrtitlefirstplural@glsxtr@org@Glsxtrtitlefirstplural
5163   \let\glsxtrtitlelong@glsxtr@org@glsxtrtitlelong
5164   \let\glsxtrtitlelongpl@glsxtr@org@glsxtrtitlelongpl
5165   \let\Glsxtrtitlelong@glsxtr@org@Glsxtrtitlelong
5166   \let\Glsxtrtitlelongpl@glsxtr@org@glsxtrtitlelongpl
5167   \let\glsxtrtitlefull@glsxtr@org@glsxtrtitlefull
5168   \let\glsxtrtitlefullpl@glsxtr@org@glsxtrtitlefullpl
5169   \let\Glsxtrtitlefull@glsxtr@org@Glsxtrtitlefull
5170   \let\Glsxtrtitlefullpl@glsxtr@org@Glsxtrtitlefullpl
5171 }
```

Instead of using one document-wide conditional, use `headuc` attribute to determine whether or not to use the all upper case form.

`glsxtrheadshort` Command used to display short form in the page header.

```
5172 \newcommand*{\glsxtrheadshort}[1]{%
5173   \protect\NoCaseChange
5174   {%
5175     \glsifattribute{#1}{headuc}{true}{%
5176       {%
5177         \GLSxtrshort[noindex,hyper=false]{#1}[]%
5178       }%
5179     {%
5180       \glsxtrshort[noindex,hyper=false]{#1}[]%
5181     }%
5182   }%
5183 }
```

`glsxtrtitleshort` Command to display short form of abbreviation in section title and table of contents.

```
5184 \newrobustcmd*{\glsxtrtitleshort}[1]{%
5185   \glsxtrshort[noindex,hyper=false]{#1}[]%
5186 }
```

`sxtrheadshortpl` Command used to display plural short form in the page header. If you want the text converted to upper case, this needs to be redefined to use `\GLSxtrshortpl` instead. If you are using a `smallcaps` style, the default fonts don't provide italic `smallcaps`.

```
5187 \newcommand*\glsxtrheadshortpl[1]{%
5188   \protect\NoCaseChange
5189   {%
5190     \glsifattribute{#1}{headuc}{true}%
5191     {%
5192       \GLSxtrshortpl[noindex,hyper=false]{#1}[]%
5193     }%
5194     {%
5195       \glsxtrshortpl[noindex,hyper=false]{#1}[]%
5196     }%
5197   }%
5198 }
```

`xtrtitleshortpl` Command to display plural short form of abbreviation in section title and table of contents.

```
5199 \newrobustcmd*\glsxtrtitleshortpl[1]{%
5200   \glsxtrshortpl[noindex,hyper=false]{#1}[]%
5201 }
```

`Glsxtrheadshort` Command used to display short form in the page header with the first letter converted to upper case.

```
5202 \newcommand*\Glsxtrheadshort[1]{%
5203   \protect\NoCaseChange
5204   {%
5205     \glsifattribute{#1}{headuc}{true}%
5206     {%
5207       \GLSxtrshort[noindex,hyper=false]{#1}[]%
5208     }%
5209     {%
5210       \Glsxtrshort[noindex,hyper=false]{#1}[]%
5211     }%
5212   }%
5213 }
```

`Glsxtrtitleshort` Command to display short form of abbreviation in section title and table of contents with the first letter converted to upper case.

```
5214 \newrobustcmd*\Glsxtrtitleshort[1]{%
5215   \Glsxtrshort[noindex,hyper=false]{#1}[]%
5216 }
```

`sxtrheadshortpl` Command used to display plural short form in the page header with the first letter converted to upper case.

```
5217 \newcommand*\Glsxtrheadshortpl[1]{%
5218   \protect\NoCaseChange
5219   {%
5220     \glsifattribute{#1}{headuc}{true}%
```

```

5221   {%
5222     \GLSxtrshortpl [noindex,hyper=false]{#1}[]%
5223   }%
5224   {%
5225     \Glsxtrshortpl [noindex,hyper=false]{#1}[]%
5226   }%
5227 }%
5228 }

```

`xtrtitleshortpl` Command to display plural short form of abbreviation in section title and table of contents with the first letter converted to upper case.

```

5229 \newrobustcmd*\{\Glsxtrtitleshortpl\}[1]{%
5230   \Glsxtrshortpl [noindex,hyper=false]{#1}[]%
5231 }

```

`\glsxtrheadtext` As above but for the text value.

```

5232 \newcommand*\{\glsxtrheadtext\}[1]{%
5233   \protect\NoCaseChange
5234   {%
5235     \glsifattribute{#1}{headuc}{true}%
5236   }%
5237     \GLStext [noindex,hyper=false]{#1}[]%
5238   }%
5239   {%
5240     \glstext [noindex,hyper=false]{#1}[]%
5241   }%
5242 }%
5243 }

```

`glsxtrtitletext` Command to display text value in section title and table of contents.

```

5244 \newrobustcmd*\{\glsxtrtitletext\}[1]{%
5245   \glstext [noindex,hyper=false]{#1}[]%
5246 }

```

`\Glsxtrheadtext` First letter converted to upper case

```

5247 \newcommand*\{\Glsxtrheadtext\}[1]{%
5248   \protect\NoCaseChange
5249   {%
5250     \glsifattribute{#1}{headuc}{true}%
5251   }%
5252     \GLStext [noindex,hyper=false]{#1}[]%
5253   }%
5254   {%
5255     \Glstext [noindex,hyper=false]{#1}[]%
5256   }%
5257 }%
5258 }

```

`Glsxtrtitletext` Command to display text value in section title and table of contents with the first letter changed to upper case.

```
5259 \newrobustcmd*\{\Glsxtrtitletext\}[1]{%
5260   \Gls{text}[noindex,hyper=false]{#1}[]%
5261 }
```

`Glsxtrheadplural` As above but for the plural value.

```
5262 \newcommand*\{\glsxtrheadplural\}[1]{%
5263   \protect\NoCaseChange
5264   {%
5265     \glsifattribute{#1}{headuc}{true}{%
5266       {%
5267         \GLSplural[noindex,hyper=false]{#1}[]%
5268       }%
5269       {%
5270         \glsplural[noindex,hyper=false]{#1}[]%
5271       }%
5272     }%
5273 }
```

`Glsxtrtitleplural` Command to display plural value in section title and table of contents.

```
5274 \newrobustcmd*\{\glsxtrtitleplural\}[1]{%
5275   \glsplural[noindex,hyper=false]{#1}[]%
5276 }
```

`Glsxtrheadplural` Convert first letter to upper case.

```
5277 \newcommand*\{\Glsxtrheadplural\}[1]{%
5278   \protect\NoCaseChange
5279   {%
5280     \glsifattribute{#1}{headuc}{true}{%
5281       {%
5282         \GLSplural[noindex,hyper=false]{#1}[]%
5283       }%
5284       {%
5285         \Glsplural[noindex,hyper=false]{#1}[]%
5286       }%
5287     }%
5288 }
```

`Glsxtrtitleplural` Command to display plural value in section title and table of contents with the first letter changed to upper case.

```
5289 \newrobustcmd*\{\Glsxtrtitleplural\}[1]{%
5290   \Glsplural[noindex,hyper=false]{#1}[]%
5291 }
```

`Glsxtrheadfirst` As above but for the first value.

```
5292 \newcommand*\{\glsxtrheadfirst\}[1]{%
5293   \protect\NoCaseChange
```

```

5294  {%
5295    \glsifattribute{#1}{headuc}{true}%
5296    {%
5297      \GLSfirst [noindex,hyper=false]{#1}[]%
5298    }%
5299    {%
5300      \glsfirst [noindex,hyper=false]{#1}[]%
5301    }%
5302  }%
5303 }

```

`lsxtrtitlefirst` Command to display first value in section title and table of contents.

```

5304 \newrobustcmd*\Glsxtrtitlefirst[1]{%
5305   \glsfirst [noindex,hyper=false]{#1}[]%
5306 }

```

`Glsxtrheadfirst` First letter converted to upper case

```

5307 \newcommand*\Glsxtrheadfirst[1]{%
5308   \protect\NoCaseChange
5309   {%
5310     \glsifattribute{#1}{headuc}{true}%
5311     {%
5312       \GLSfirst [noindex,hyper=false]{#1}[]%
5313     }%
5314     {%
5315       \Glsfirst [noindex,hyper=false]{#1}[]%
5316     }%
5317   }%
5318 }

```

`lsxtrtitlefirst` Command to display first value in section title and table of contents with the first letter changed to upper case.

```

5319 \newrobustcmd*\Glsxtrtitlefirst[1]{%
5320   \Glsfirst [noindex,hyper=false]{#1}[]%
5321 }

```

`headfirstplural` As above but for the firstplural value.

```

5322 \newcommand*\glsxtrheadfirstplural[1]{%
5323   \protect\NoCaseChange
5324   {%
5325     \glsifattribute{#1}{headuc}{true}%
5326     {%
5327       \GLSfirstplural [noindex,hyper=false]{#1}[]%
5328     }%
5329     {%
5330       \glsfirstplural [noindex,hyper=false]{#1}[]%
5331     }%
5332   }%
5333 }

```

`titlefirstplural` Command to display `firstplural` value in section title and table of contents.

```
5334 \newrobustcmd*\{\glsxrttitlefirstplural\}[1]{%
5335   \glsfirstplural[noindex,hyper=false]{#1}[]%
5336 }
```

`headfirstplural` First letter converted to upper case

```
5337 \newcommand*\{\Glsxtrheadfirstplural\}[1]{%
5338   \protect\NoCaseChange
5339 {%
5340   \glsifattribute{#1}{headuc}{true}%
5341   {%
5342     \GLSfirstplural[noindex,hyper=false]{#1}[]%
5343   }%
5344   {%
5345     \Glsfirstplural[noindex,hyper=false]{#1}[]%
5346   }%
5347 }%
5348 }
```

`titlefirstplural` Command to display `first` value in section title and table of contents with the first letter changed to upper case.

```
5349 \newrobustcmd*\{\Glsxrttitlefirstplural\}[1]{%
5350   \Glsfirstplural[noindex,hyper=false]{#1}[]%
5351 }
```

`\glsxtrheadlong` Command used to display long form in the page header.

```
5352 \newcommand*\{\glsxtrheadlong\}[1]{%
5353   \protect\NoCaseChange
5354 {%
5355   \glsifattribute{#1}{headuc}{true}%
5356   {%
5357     \GLSxtrlong[noindex,hyper=false]{#1}[]%
5358   }%
5359   {%
5360     \glsxtrlong[noindex,hyper=false]{#1}[]%
5361   }%
5362 }%
5363 }
```

`glsxrttitlelong` Command to display long form of abbreviation in section title and table of contents.

```
5364 \newrobustcmd*\{\glsxrttitlelong\}[1]{%
5365   \glsxtrlong[noindex,hyper=false]{#1}[]%
5366 }
```

`\sxtrheadlongpl` Command used to display plural long form in the page header. If you want the text converted to upper case, this needs to be redefined to use `\GLSxtrlongpl` instead. If you are using a `smallcaps` style, the default fonts don't provide italic `smallcaps`.

```
5367 \newcommand*\{\glsxtrheadlongpl\}[1]{%
```

```

5368 \protect\NoCaseChange
5369 {%
5370   \glsifattribute{#1}{headuc}{true}%
5371   {%
5372     \GLSxtrlongpl[noindex,hyper=false]{#1}[]%
5373   }%
5374   {%
5375     \glsxtrlongpl[noindex,hyper=false]{#1}[]%
5376   }%
5377 }%
5378 }

```

`sxttitlelongpl` Command to display plural long form of abbreviation in section title and table of contents.

```

5379 \newrobustcmd*\{\glsxtrtitlelongpl\}[1]{%
5380   \glsxtrlongpl[noindex,hyper=false]{#1}[]%
5381 }

```

`\Glsxtrheadlong` Command used to display long form in the page header with the first letter converted to upper case.

```

5382 \newcommand*\{\Glsxtrheadlong\}[1]{%
5383   \protect\NoCaseChange
5384   {%
5385     \glsifattribute{#1}{headuc}{true}%
5386     {%
5387       \GLSxtrlong[noindex,hyper=false]{#1}[]%
5388     }%
5389     {%
5390       \Glsxtrlong[noindex,hyper=false]{#1}[]%
5391     }%
5392   }%
5393 }

```

`Glsxtrtitlelong` Command to display long form of abbreviation in section title and table of contents with the first letter converted to upper case.

```

5394 \newrobustcmd*\{\Glsxtrtitlelong\}[1]{%
5395   \Glsxtrlong[noindex,hyper=false]{#1}[]%
5396 }

```

`lsxtrheadlongpl` Command used to display plural long form in the page header with the first letter converted to upper case.

```

5397 \newcommand*\{\Glsxtrheadlongpl\}[1]{%
5398   \protect\NoCaseChange
5399   {%
5400     \glsifattribute{#1}{headuc}{true}%
5401     {%
5402       \GLSxtrlongpl[noindex,hyper=false]{#1}[]%
5403     }%
5404   }%

```

```
5405     \Glsxtrlongpl [noindex,hyper=false]{#1}[]%
5406   }%
5407 }%
5408 }
```

sxtttitlelongpl Command to display plural long form of abbreviation in section title and table of contents with the first letter converted to upper case.

```
5409 \newrobustcmd*\{\Glsxtrtitlelongpl\}[1]{%
5410   \Glsxtrlongpl [noindex,hyper=false]{#1}[]%
5411 }
```

\glsxtrheadfull Command used to display full form in the page header.

```
5412 \newcommand*\{\glsxtrheadfull\}[1]{%
5413   \protect\NoCaseChange
5414 }%
5415   \glsifattribute{#1}{headuc}{true}%
5416 }%
5417   \GLSxtrfull [noindex,hyper=false]{#1}[]%
5418 }%
5419 }%
5420   \glsxtrfull [noindex,hyper=false]{#1}[]%
5421 }%
5422 }%
5423 }
```

glsxtrtitlefull Command to display full form of abbreviation in section title and table of contents.

```
5424 \newrobustcmd*\{\glsxtrtitlefull\}[1]{%
5425   \glsxtrfull [noindex,hyper=false]{#1}[]%
5426 }
```

lsxtrheadfullpl Command used to display plural full form in the page header. If you want the text converted to upper case, this needs to be redefined to use \GLSxtrfullpl instead. If you are using a smallcaps style, the default fonts don't provide italic smallcaps.

```
5427 \newcommand*\{\glsxtrheadfullpl\}[1]{%
5428   \protect\NoCaseChange
5429 }%
5430   \glsifattribute{#1}{headuc}{true}%
5431 }%
5432   \GLSxtrfullpl [noindex,hyper=false]{#1}[]%
5433 }%
5434 }%
5435   \glsxtrfullpl [noindex,hyper=false]{#1}[]%
5436 }%
5437 }%
5438 }
```

sxtttitlefullpl Command to display plural full form of abbreviation in section title and table of contents.

```
5439 \newrobustcmd*\{\glsxtrtitlefullpl\}[1]{%
```

```
5440 \glsxtrfullpl[noindex,hyper=false]{#1}[]%  
5441 }
```

\Glsxtrheadfull Command used to display full form in the page header with the first letter converted to upper case.

```
5442 \newcommand*{\Glsxtrheadfull}[1]{%  
5443 \protect\NoCaseChange  
5444 {  
5445 \glsifattribute{#1}{headuc}{true}{%  
5446 {  
5447 \GLSxtrfull[noindex,hyper=false]{#1}[]%  
5448 }%  
5449 {  
5450 \Glsxtrfull[noindex,hyper=false]{#1}[]%  
5451 }%  
5452 }%  
5453 }
```

Glsxrttitlefull Command to display full form of abbreviation in section title and table of contents with the first letter converted to upper case.

```
5454 \newrobustcmd*{\Glsxrttitlefull}[1]{%  
5455 \Glsxtrfull[noindex,hyper=false]{#1}[]%  
5456 }
```

lsxtrheadfullpl Command used to display plural full form in the page header with the first letter converted to upper case.

```
5457 \newcommand*{\Glsxtrheadfullpl}[1]{%  
5458 \protect\NoCaseChange  
5459 {  
5460 \glsifattribute{#1}{headuc}{true}{%  
5461 {  
5462 \GLSxtrfullpl[noindex,hyper=false]{#1}[]%  
5463 }%  
5464 {  
5465 \Glsxtrfullpl[noindex,hyper=false]{#1}[]%  
5466 }%  
5467 }%  
5468 }
```

sxttitlefullpl Command to display plural full form of abbreviation in section title and table of contents with the first letter converted to upper case.

```
5469 \newrobustcmd*{\Glsxrttitlefullpl}[1]{%  
5470 \Glsxtrfullpl[noindex,hyper=false]{#1}[]%  
5471 }
```

\glsfmtshort Provide a way of using the formatted short form in section headings. If hyperref has been loaded, use \texorpdfstring for convenience in PDF bookmarks.

```
5472 \ifdef\texorpdfstring
```

```

5473 {
5474   \newcommand*{\glsfmtshort}[1]{%
5475     \texorpdfstring
5476       {\glsxtrtitleshort{\#1}}%
5477       {\glsentryshort{\#1}}%
5478   }
5479 }
5480 {
5481   \newcommand*{\glsfmtshort}[1]{%
5482     \glsxtrtitleshort{\#1}}
5483 }

```

Similarly for the plural version.

\glsfmtshortpl

```

5484 \ifdef\texorpdfstring
5485 {
5486   \newcommand*{\glsfmtshortpl}[1]{%
5487     \texorpdfstring
5488       {\glsxtrtitleshortpl{\#1}}%
5489       {\glsentryshortpl{\#1}}%
5490   }
5491 }
5492 {
5493   \newcommand*{\glsfmtshortpl}[1]{%
5494     \glsxtrtitleshortpl{\#1}}
5495 }

```

The case-changing version isn't suitable for PDF bookmarks, so the PDF alternative uses the non-case-changing version.

\Glsfmtshort Singular form (first letter uppercase).

```

5496 \ifdef\texorpdfstring
5497 {
5498   \newcommand*{\Glsfmtshort}[1]{%
5499     \texorpdfstring
5500       {\Glsxtrtitleshort{\#1}}%
5501       {\glsentryshort{\#1}}%
5502   }
5503 }
5504 {
5505   \newcommand*{\Glsfmtshort}[1]{%
5506     \Glsxtrtitleshort{\#1}}
5507 }

```

\Glsfmtshortpl Plural form (first letter uppercase).

```

5508 \ifdef\texorpdfstring
5509 {
5510   \newcommand*{\Glsfmtshortpl}[1]{%
5511     \texorpdfstring

```

```

5512     {\Glsxtrtitleshortpl{#1}}%
5513     {\glsentryshortpl{#1}}%
5514 }
5515 }
5516 {
5517 \newcommand*{\Glsfmtshortpl}[1]{%
5518   \Glsxtrtitleshortpl{#1}%
5519 }
```

\glsfmttext As above but for the text value.

```

5520 \ifdef\texorpdfstring
5521 {
5522   \newcommand*{\glsfmttext}[1]{%
5523     \texorpdfstring
5524     {\Glsxtrtitletext{#1}}%
5525     {\glsentrytext{#1}}%
5526   }
5527 }
5528 {
5529 \newcommand*{\glsfmttext}[1]{%
5530   \Glsxtrtitletext{#1}}
5531 }
```

\Glsfmttext First letter converted to upper case.

```

5532 \ifdef\texorpdfstring
5533 {
5534   \newcommand*{\Glsfmttext}[1]{%
5535     \texorpdfstring
5536     {\Glsxtrtitletext{#1}}%
5537     {\glsentrytext{#1}}%
5538   }
5539 }
5540 {
5541 \newcommand*{\Glsfmttext}[1]{%
5542   \Glsxtrtitletext{#1}}
5543 }
```

\glsfmtplural As above but for the plural value.

```

5544 \ifdef\texorpdfstring
5545 {
5546   \newcommand*{\glsfmtplural}[1]{%
5547     \texorpdfstring
5548     {\Glsxtrtitleplural{#1}}%
5549     {\glsentryplural{#1}}%
5550   }
5551 }
5552 {
5553 \newcommand*{\glsfmtplural}[1]{%
5554   \Glsxtrtitleplural{#1}}
```

5555 }

\Glsfmtplural First letter converted to upper case.

```
5556 \ifdef\texorpdfstring
5557 {
5558   \newcommand*\Glsfmtplural[1]{%
5559     \texorpdfstring
5560     {\Glsxrttitleplural{\#1}}%
5561     {\glsentryplural{\#1}}%
5562   }
5563 }
5564 {
5565   \newcommand*\Glsfmtplural[1]{%
5566     \Glsxrttitleplural{\#1}}
5567 }
```

\glsfmtfirst As above but for the first value.

```
5568 \ifdef\texorpdfstring
5569 {
5570   \newcommand*\glsfmtfirst[1]{%
5571     \texorpdfstring
5572     {\Glsxrttitlefirst{\#1}}%
5573     {\glsentryfirst{\#1}}%
5574   }
5575 }
5576 {
5577   \newcommand*\glsfmtfirst[1]{%
5578     \Glsxrttitlefirst{\#1}}
5579 }
```

\Glsfmtfirst First letter converted to upper case.

```
5580 \ifdef\texorpdfstring
5581 {
5582   \newcommand*\Glsfmtfirst[1]{%
5583     \texorpdfstring
5584     {\Glsxrttitlefirst{\#1}}%
5585     {\glsentryfirst{\#1}}%
5586   }
5587 }
5588 {
5589   \newcommand*\Glsfmtfirst[1]{%
5590     \Glsxrttitlefirst{\#1}}
5591 }
```

\glsfmtfirstpl As above but for the firstplural value.

```
5592 \ifdef\texorpdfstring
5593 {
5594   \newcommand*\glsfmtfirstpl[1]{%
5595     \texorpdfstring
```

```

5596     {\glsxtrtitlefirstplural{#1}}%
5597     {\glsentryfirstplural{#1}}%
5598 }
5599 }
5600 {
5601 \newcommand*{\glsfmtfirstpl}[1]{%
5602   \glsxtrtitlefirstplural{#1}%
5603 }

```

\Glsfmtfirstpl First letter converted to upper case.

```

5604 \ifdef\texorpdfstring
5605 {
5606   \newcommand*{\Glsfmtfirstpl}[1]{%
5607     \texorpdfstring
5608     {\Glsxtrtitlefirstplural{#1}}%
5609     {\glsentryfirstplural{#1}}%
5610   }
5611 }
5612 {
5613 \newcommand*{\Glsfmtfirstpl}[1]{%
5614   \Glsxtrtitlefirstplural{#1}%
5615 }

```

\glsfmtlong As above but for the long value.

```

5616 \ifdef\texorpdfstring
5617 {
5618   \newcommand*{\glsfmtlong}[1]{%
5619     \texorpdfstring
5620     {\glsxtrtitlelong{#1}}%
5621     {\glsentrylong{#1}}%
5622   }
5623 }
5624 {
5625 \newcommand*{\glsfmtlong}[1]{%
5626   \glsxtrtitlelong{#1}%
5627 }

```

\Glsfmtlong First letter converted to upper case.

```

5628 \ifdef\texorpdfstring
5629 {
5630   \newcommand*{\Glsfmtlong}[1]{%
5631     \texorpdfstring
5632     {\Glsxtrtitlelong{#1}}%
5633     {\glsentrylong{#1}}%
5634   }
5635 }
5636 {
5637 \newcommand*{\Glsfmtlong}[1]{%
5638   \Glsxtrtitlelong{#1}%

```

```
5639 }
```

\glsfmtlongpl As above but for the longplural value.

```
5640 \ifdef\textorpdfstring
5641 {
5642   \newcommand*\glsfmtlongpl[1]{%
5643     \textorpdfstring
5644     {\glsxtrtitlelongpl{\#1}}%
5645     {\glsentrylongpl{\#1}}%
5646   }
5647 }
5648 {
5649   \newcommand*\glsfmtlongpl[1]{%
5650     \glsxtrtitlelongpl{\#1}}
5651 }
```

\Glsfmtlongpl First letter converted to upper case.

```
5652 \ifdef\textorpdfstring
5653 {
5654   \newcommand*\Glsfmtlongpl[1]{%
5655     \textorpdfstring
5656     {\Glsxtrtitlelongpl{\#1}}%
5657     {\glsentrylongpl{\#1}}%
5658   }
5659 }
5660 {
5661   \newcommand*\Glsfmtlongpl[1]{%
5662     \Glsxtrtitlelongpl{\#1}}
5663 }
```

\glsfmtfull In-line full format.

```
5664 \ifdef\textorpdfstring
5665 {
5666   \newcommand*\glsfmtfull[1]{%
5667     \textorpdfstring
5668     {\glsxtrtitlefull{\#1}}%
5669     {\glsxtrinlinefullformat{\#1}{}}%
5670   }
5671 }
5672 {
5673   \newcommand*\glsfmtfull[1]{%
5674     \glsxtrtitlefull{\#1}}
5675 }
```

\Glsfmtfull First letter converted to upper case.

```
5676 \ifdef\textorpdfstring
5677 {
5678   \newcommand*\Glsfmtfull[1]{%
5679     \textorpdfstring
```

```

5680     {\Glsxtrtitlefull{\#1}}%
5681     {\Glsxtrinlinefullformat{\#1}{}}
5682 }
5683 }
5684 {
5685 \newcommand*{\Glsfmtfull}[1]{%
5686   \Glsxtrtitlefull{\#1}}
5687 }

\glsfmtfullpl In-line full plural format.
5688 \ifdef\texorpdfstring
5689 {
5690   \newcommand*{\glsfmtfullpl}[1]{%
5691     \texorpdfstring
5692     {\Glsxtrtitlefullpl{\#1}}%
5693     {\Glsxtrinlinefullplformat{\#1}{}}
5694 }
5695 }
5696 {
5697 \newcommand*{\glsfmtfullpl}[1]{%
5698   \glsxtrtitlefullpl{\#1}}
5699 }

```

```

\Glsfmtfullpl First letter converted to upper case.
5700 \ifdef\texorpdfstring
5701 {
5702   \newcommand*{\Glsfmtfullpl}[1]{%
5703     \texorpdfstring
5704     {\Glsxtrtitlefullpl{\#1}}%
5705     {\Glsxtrinlinefullplformat{\#1}{}}
5706 }
5707 }
5708 {
5709 \newcommand*{\Glsfmtfullpl}[1]{%
5710   \Glsxtrtitlefullpl{\#1}}
5711 }

```

1.8 Multi-Lingual Support

Add the facility to load language modules, if they are installed, but none are provided with this package.

sariesExtraLang

```

5712 \newcommand*{\RequireGlossariesExtraLang}[1]{%
5713   \@ifundefined{ver@glossariesxtr-\#1.ldf}{\input{glossariesxtr-\#1.ldf}}{}%
5714 }

```

sariesExtraLang

```
5715 \newcommand*{\ProvidesGlossariesExtraLang}[1]{%
5716   \ProvidesFile{glossariesxtr-#1.ldf}%
5717 }
```

Load any required language modules that are available. This doesn't generate any warning if none are found, since they're not essential. (The only command that really needs defining for the document is \abbreviationsname, which can simply be redefined.)

```
5718 \@ifpackageloaded{tracklang}%
5719 {%
5720   \AnyTrackedLanguages
5721   {%
5722     \ForEachTrackedDialect{\this@dialect}{%
5723       \IfTrackedLanguageFileExists{\this@dialect}{%
5724         {glossariesxtr-}\% prefix
5725         {.ldf}\%
5726         {%
5727           \RequireGlossariesExtraLang{\CurrentTrackedTag}\%
5728         }%
5729         {%
5730         }%
5731       }%
5732     }%
5733   {}%
5734 }
5735 {}
```

Load glossaries-extra-stylemods if required.

```
5736 \@glsxtr@redefstyles
and set the style:
5737 \@glsxtr@do@style
```

2 Style Adjustments (`glossaries-extra-stylemods.sty`)

This package adjusts the predefined styles so that they include the post description hook.

2.1 Package Initialisation

First identify package:

```
5738 \NeedsTeXFormat{LaTeX2e}
5739 \ProvidesPackage{glossaries-extra-stylemods}[2016/05/02 v1.04 (NLCT)]
```

Provide package options to automatically load required predefined styles. The simplest method is to just test for the existence of the file `glossary-<option>.sty`. Packages can't be loaded whilst the options are being processed, so save the list in `\@glsxtr@loadstyles`.

```
sxtr@loadstyles
```

```
5740 \newcommand*\{@glsxtr@loadstyles}{}%
5741 \DeclareOption*{%
5742   \IfFileExists{glossary-\CurrentOption.sty}%
5743   { \eappto\@glsxtr@loadstyles{%
5744     \noexpand\RequirePackage{glossary-\CurrentOption}}}%%
5745   {\PackageError{glossaries-extra-styles}{%
5746     Unknown option '\CurrentOption'}}{}%
5747 }
```

Process the package options:

```
5748 \ProcessOptions
```

Load the required packages:

```
5749 \@glsxtr@loadstyles
```

Adjust the styles that the post description hook added, but only for styles that have already been defined. All the tree styles in `glossary-tree` include the post description hook, so they don't require adjustment. Similarly for `glossary-mcols` which builds on the tree styles.

In case we have an old version of `glossaries`:

```
ewglossarystyle
```

```
5750 \providecommand{\renewglossarystyle}[2]{%
5751   \ifcsundef{@glsstyle@\#1}{%
5752   {%
5753     \PackageError{glossaries}{Glossary style '#1' isn't already defined}{}%
5754   }%
```

```

5755  {%
5756    \csdef{@glsstyle@#1}{#2}%
5757  }%
5758 }

```

2.2 List-Like Styles

The list-like styles mostly already use the post description hook. Only the listdotted style need modifying.

```

5759 \ifdef{\@glsstyle@listdotted}%
5760 {%
5761   \renewglossarystyle{listdotted}{%
5762     \setglossarystyle{list}{%
5763       \renewcommand*{\glossentry}[2]{%
5764         \item[]\makebox[\glslistdottedwidth][1]{%
5765           \glsentryitem{##1}%
5766           \glstarget{##1}{\glossentryname{##1}}%
5767           \unskip\leaders\hbox to 2.9mm{\hss.}\hfill\strut}%
5768           \glossentrydesc{##1}\glspostdescription}%
5769       \renewcommand*{\subglossentry}[3]{%
5770         \item[]\makebox[\glslistdottedwidth][1]{%
5771           \glssubentryitem{##2}%
5772           \glstarget{##2}{\glossentryname{##2}}%
5773           \unskip\leaders\hbox to 2.9mm{\hss.}\hfill\strut}%
5774           \glossentrydesc{##2}\glspostdescription}%
5775     }%
5776   }%
5777 }

```

The sublistdotted style doesn't display the description for top-level entries. Sub-level entries use the listdottedstyle.

2.3 Longtable Styles

The three and four column styles require adjustment, but not the two column styles.

```

5778 \ifcsdef{@glsstyle@long3col}%
5779 {%
5780   \renewglossarystyle{long3col}{%
5781     \renewenvironment{theglossary}{%
5782       {\begin{longtable}{lp{\glscdescwidth}p{\glspagelistwidth}}}%
5783     {\end{longtable}}%
5784     \renewcommand*{\glossaryheader}{}%
5785     \renewcommand*{\glsgroupheading}[1]{}%
5786     \renewcommand{\glossentry}[2]{%
5787       \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5788       \glossentrydesc{##1}\glspostdescription & ##2\tabularnewline
5789     }%
5790 }

```

```

5790 \renewcommand{\subglossentry}[3]{%
5791     &
5792     \glssubentryitem{##2}%
5793     \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5794     ##3\tabularnewline
5795 }%
5796 \renewcommand*{\glsgroupskip}{%
5797     \ifglsnogroupskip\else & &\tabularnewline\fi}%
5798 }
5799 }
5800 {}
```

Four column style:

```

5801 \ifcsdef{@glsstyle@long4col}
5802 {%
5803     \renewglossarystyle{long4col}{%
5804         \ renewenvironment{theglossary}%
5805         {\begin{longtable}{llll}}{%
5806             \end{longtable}}%
5807         \renewcommand*{\glossaryheader}{}{%
5808             \renewcommand*{\glsgroupheading}[1]{}{%
5809                 \renewcommand{\glossentry}[2]{%
5810                     \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5811                     \glossentrydesc{##1}\glspostdescription &
5812                     \glossentrysymbol{##1} &
5813                     ##2\tabularnewline
5814                 }%
5815                 \renewcommand{\subglossentry}[3]{%
5816                     &
5817                     \glssubentryitem{##2}%
5818                     \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5819                     \glossentrysymbol{##2} & ##3\tabularnewline
5820                 }%
5821                 \renewcommand*{\glsgroupskip}{%
5822                     \ifglsnogroupskip\else & &\tabularnewline\fi}%
5823     }
5824 }
5825 {}}
```

The styles in glossary-longbooktabs are all based on the styles in glossary-long, so no adjustments are needed for that package.

2.4 Long Ragged Styles

The three and four column styles require adjustment, but not the two column styles.

```

5826 \ifcsdef{@glsstyle@longragged3col}
5827 {%
5828     \renewglossarystyle{longragged3col}{%
5829         \ renewenvironment{theglossary}{%
```

```

5830      {\begin{longtable}{l>{\raggedright}p{\glsdescwidth}}%
5831          >{\raggedright}p{\glspagelistwidth}}}}%
5832      {\end{longtable}}}}%
5833      \renewcommand*{\glossaryheader}{}{%
5834      \renewcommand*{\glsgroupheading}[1]{}{%
5835      \renewcommand{\glossentry}[2]{%
5836          \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5837          \glossentrydesc{##1}\glspostdescription & ##2\tabularnewline
5838      }{%
5839      \renewcommand{\subglossentry}[3]{%
5840          &
5841          \glssubentryitem{##2}{%
5842              \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5843              ##3\tabularnewline
5844          }{%
5845          \renewcommand*{\glsgroupskip}{%
5846              \ifglsnogroupskip\else & &\tabularnewline\fi}{%
5847      }{%
5848  }{%
5849  }

```

Four column style:

```

5850 \ifcsdef{@glsstyle@altnoragged4col}{%
5851 }{%
5852     \renewglossarystyle{altnoragged4col}{%
5853         \renewenvironment{theglossary}{%
5854             {\begin{longtable}{l>{\raggedright}p{\glsdescwidth}l>{\raggedright}p{\glspagelistwidth}}}}{%
5855             {\end{longtable}}}}{%
5856         \renewcommand*{\glossaryheader}{}{%
5857         \renewcommand*{\glsgroupheading}[1]{}{%
5858         \renewcommand{\glossentry}[2]{%
5859             \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5860             \glossentrydesc{##1}\glspostdescription & \glossentrysymbol{##1} &
5861             ##2\tabularnewline
5862         }{%
5863         \renewcommand{\subglossentry}[3]{%
5864             &
5865             \glssubentryitem{##2}{%
5866                 \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5867                 \glossentrysymbol{##2} & ##3\tabularnewline
5868             }{%
5869             \renewcommand*{\glsgroupskip}{%
5870                 \ifglsnogroupskip\else & &\tabularnewline\fi}{%
5871                 \ifglsnogroupskip\else & &\tabularnewline\fi}{%
5872             }{%
5873  }{%
5874  }

```

2.5 Supertabular Styles

The three and four column styles require adjustment, but not the two column styles.

```
5875 \ifcsdef{@glsstyle@super3col}{%
5876 {%
5877   \renewglossarystyle{super3col}{%
5878     \renewenvironment{theglossary}{%
5879       {\tablehead{}\tabletail{}}%
5880       \begin{supertabular}{lp{\glsdescwidth}p{\glspagelistwidth}}{}{%
5881         {\end{supertabular}}{%
5882           \renewcommand*\glossaryheader{}{%
5883             \renewcommand*\glsgroupheading}[1]{}}{%
5884             \renewcommand{\glossentry}[2]{%
5885               \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5886               \glossentrydesc{##1}\glspostdescription & ##2\tabularnewline
5887             }{%
5888               \renewcommand{\subglossentry}[3]{%
5889                 &
5890                 \glssubentryitem{##2}{%
5891                   \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5892                   ##3\tabularnewline
5893                 }{%
5894                   \renewcommand*\glsgroupskip}{%
5895                     \ifglsnogroupskip\else & \tabularnewline\fi}{%
5896               }{%
5897             }{%
5898           }}}{}}
```

Four column styles:

```
5899 \ifcsdef{@glsstyle@super4col}{%
5900 {%
5901   \renewglossarystyle{super4col}{%
5902     \renewenvironment{theglossary}{%
5903       {\tablehead{}\tabletail{}}%
5904       \begin{supertabular}{llll}{%
5905         {\end{supertabular}}{%
5906           \renewcommand*\glossaryheader{}{%
5907             \renewcommand*\glsgroupheading}[1]{}}{%
5908             \renewcommand{\glossentry}[2]{%
5909               \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5910               \glossentrydesc{##1}\glspostdescription &
5911               \glossentrysymbol{##1} & ##2\tabularnewline
5912             }{%
5913               \renewcommand{\subglossentry}[3]{%
5914                 &
5915                 \glssubentryitem{##2}{%
5916                   \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5917                   \glossentrysymbol{##2} & ##3\tabularnewline
5918                 }{%
5919                   \renewcommand*\glsgroupskip}{%
```

```

5920      \ifglsnogroupskip\else & & \tabularnewline\fi}%
5921  }
5922 }
5923 {}

```

2.6 Super Ragged Styles

The three and four column styles require adjustment, but not the two column styles.

```

5924 \ifcsdef{@glsstyle@superragged3col}%
5925 {%
5926   \renewglossarystyle{superragged3col}{%
5927     \renewenvironment{theglossary}{%
5928       {\tablehead{}}{\tabletail{}}{%
5929         \begin{supertabular}{l>{\raggedright}p{\glsdescwidth}%
5930           >{\raggedright}p{\glspagelistwidth}}}}{%
5931       \end{supertabular}}{%
5932         \renewcommand*\glossaryheader{}{%
5933           \renewcommand*\glsgroupheading}[1]{%
5934             \renewcommand{\glossentry}[2]{%
5935               \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5936               \glossentrydesc{##1}\glspostdescription &
5937               ##2\tabularnewline
5938             }{%
5939               \renewcommand{\subglossentry}[3]{%
5940                 &
5941                 \glssubentryitem{##2}{%
5942                   \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5943                   ##3\tabularnewline
5944                 }{%
5945                   \renewcommand*\glsgroupskip}{\ifglsnogroupskip\else &
5946                     \tabularnewline\fi}%
5947     }{%
5948   }{%
5949 }

```

Four columns:

```

5950 \ifcsdef{@glsstyle@altsuperragged4col}%
5951 {%
5952   \renewglossarystyle{altsuperragged4col}{%
5953     \renewenvironment{theglossary}{%
5954       {\tablehead{}}{\tabletail{}}{%
5955         \begin{supertabular}{l>{\raggedright}p{\glsdescwidth}l>{\raggedright}p{\glsdescwidth}l>{\raggedright}p{\glsdescwidth}l>{\raggedright}p{\glsdescwidth}}}}{%
5956       \end{supertabular}}{%
5957         \renewcommand*\glossaryheader{}{%
5958           \renewcommand{\glossentry}[2]{%
5959             \glsentryitem{##1}\glstarget{##1}{\glossentryname{##1}} &
5960             \glossentrydesc{##1}\glspostdescription &
5961             \glossentrysymbol{##1} & ##2\tabularnewline
5962           }{%
5963             \renewcommand{\subglossentry}[3]{%
5964               &
5965               \glssubentryitem{##2}{%
5966                 \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5967                 ##3\tabularnewline
5968               }{%
5969                 \renewcommand*\glsgroupskip}{\ifglsnogroupskip\else &
5970                   \tabularnewline\fi}%
5971     }{%
5972   }{%
5973 }

```

```

5963    }%
5964    \renewcommand{\subglossentry}[3]{%
5965        &
5966        \glssubentryitem{##2}%
5967        \glstarget{##2}{\strut}\glossentrydesc{##2}\glspostdescription &
5968        \glossentrysymbol{##2} & ##3\tabularnewline
5969    }%
5970    \renewcommand*{\glsgroupskip}{\ifglsnogroupskip\else & &
5971        &\tabularnewline\fi}%
5972 }
5973 }
5974 {}

```

2.7 Inline Style

The inline style is dealt with slightly differently. The `\glspostdescription` hook is actually in `\glspostinline`, which is called at the end of the glossary. The original definition of `\glspostinline` also includes a space, which is unnecessary. Here, instead of redefining the inline style, just redefine `\glspostinline` and `\glsinlinedescformat`.

```

5975 \ifdef{@glsstyle@inline}%
5976 {%
5977     \renewcommand*{\glspostinline}{.\spacefactor\sfcodespace}%

```

Just use `\glsxtrpostdescription` instead of `\glspostdescription`.

```

5978     \renewcommand*{\glsinlinedescformat}[3]{%
5979         \space#1\glsxtrpostdescription}%
5980     \renewcommand*{\glsinlinesubdescformat}[3]{%
5981         #1\glsxtrpostdescription}%
5982 }
5983 {}

```

Reset the default style

```

5984 \ifx@glossary@default@style\relax
5985 \else
5986     \setglossarystyle{@glsxtr@current@style}%
5987 \fi

```

Glossary

This document is incomplete. The external file associated with the glossary ‘main’ (which should be called `glossaries-extra-code.gls2`) hasn’t been created.

Check the contents of the file `glossaries-extra-code.glo2`. If it’s empty, that means you haven’t indexed any of your entries in this glossary (using commands like `\gls` or `\glsadd`) so this list can’t be generated. If the file isn’t empty, the document build process hasn’t been completed.

If you don’t want this glossary, add `nomain` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[nomain]{glossaries-extra}
```

Try one of the following:

- Add `automake` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[automake]{glossaries-extra}
```

- Run the external (Lua) application:

```
makeglossaries-lite.lua "glossaries-extra-code"
```

- Run the external (Perl) application:

```
makeglossaries "glossaries-extra-code"
```

Then rerun \LaTeX on this document.

This message will be removed once the problem has been fixed.

Change History

0.1 (2015-11-22)

General: Initial experimental release 4

0.2 (2015-11-30)

\Glsfmtshort: new 162
\glsfmtshort: new 161
\Glsfmtshortpl: new 162
\glsfmtshortpl: new 162
short: switched inline full form to short
(long) 129

0.3 (2015-12-02)

\@ACRlong: added redefinition 33
\@ACRlongpl: added redefinition 34
\@ACRshort: added redefinition 31
\@ACRshortpl: added redefinition 32
\@Acrlong: added redefinition 33
\@Acrlongpl: added redefinition 34
\@Acrshort: added redefinition 31
\@Acrshortpl: added redefinition 32
\@GLSdesc@: added redefinition 27
\@GLSdescplural@: added redefinition 27
\@GLSfirst@: added redefinition 25
\@GLSfirstplural@: added redefinition 26
\@GLSname@: added redefinition 26
\@GLSplural@: added redefinition 25
\@GLSsymbol@: added redefinition 28
\@GLSsymbolplural@: added redefinition 28
\@GLStext@: added redefinition 24
\@GLSuseri@: added redefinition 29
\@GLSuserii@: added redefinition 29
\@GLSuseriii@: added redefinition 29
\@GLSuseriv@: added redefinition 30
\@GLSuserv@: added redefinition 30
\@Glsdesc@: added redefinition 27
\@Glsdescplural@: added redefinition 27
\@Glsfirst@: added redefinition 24
\@Glsfirstplural@: added redefinition 25
\@glsplural@: added redefinition 25
\@glssymbolplural@: added redefinition 28
\@glsxtr@defaultnoglossarywarning:
new 67
\@glsxtr@field@linkdefs: new 23
\@glsxtr@insertdots: new 102
\@print@glossary: added redefinition 64
\glsabbrvdefaultfont: renamed from
 \abbrvdefaultfont 106
\glsaccessdesc: new 72
\glsaccessdescplural: new 73
\glsaccessfirst: new 70
\glsaccessfirstplural: new 70
\Glsaccesslong: new 75
\glsaccesslong: new 75
\glsaccessname: new 68
\glsaccessplural: new 69
\Glsaccessshort: new 74
\glsaccessshort: new 73
\Glsaccessshortpl: new 74

\glsaccessshortpl: new	74	\@cGLSpl: new	50
\glsaccesssymbol: new	71	\@cGLSpl@: new	50
\glsaccesssymbolplural: new	72	\@glsxtr@setentrycountunsetattr:	
\glsaccesstext: new	69	new	45
\glsentryfmt: added check for short ..	22	\cGLS: new	49
\glslongpltok: new	102	\cGLSformat: new	50
\glsshortpltok: new	102	\cGLSpl: new	50
\glsxtrdiscardperiod: added check for plural	99	\cGLSplformat: new	50
\GLSxtrlongpl: new	115	\GlossariesExtraWarningNoLine:	
\Glsxtrlongpl: new	115	new	6
\Glsxtrlongpl: new	114	\glsenableentrycount: new	45
\glsxtrNoGlossaryWarning: new	9	\glsfirststabrvdefaultfont: new ..	106
\glsxtrpostlinkAddDescOnFirstUse: new	99	\glsfirstlongdefaultfont: new ..	106
\glsxtrpostlinkAddSymbolOnFirstUse: new	99	\Glsfmtfirst: new	164
\glsxtrpostlinkendsentence: new ..	98	\Glsfmtfirst: new	164
\GLSxtrshortpl: new	114	\Glsfmtfirstpl: new	165
\Glsxtrshortpl: new	113	\Glsfmtfirstpl: new	164
\glsxtrshortpl: new	113	\Glsfmtplural: new	164
short-long-desc: fixed name to use \glslabeltok	124	\Glsfmtplural: new	163
\newabbreviation: fixed family name in \setkeys	103	\Glsfmtshort: changed to use \Glsxtrtitleshort	162
long-short-desc: fixed name to use \glslabeltok	123	renamed from \Glsentryfmtshort .	162
0.4 (2015-12-03)		\glsfmtshort: changed to use \glsxtrtitleshort	161
\@glsxtr@doabbreviationsdef: added redefinition of \acronymtype	6	renamed from \glsentryfmtshort .	161
\Glsfmtshort: changed to use \Glsxtrshort	162	\Glsfmtshortpl: changed to use \Glsxtrtitleshortpl	162
\glsfmtshort: changed to use \glsxtrshort	161	renamed from \Glsentryfmtshortpl .	162
\Glsfmtshortpl: changed to use \glsxtrshortpl	162	\glsfmtshortpl: changed to use \glsxtrtitleshortpl	162
\glsfmtshortpl: changed to use \glsxtrshortpl	162	renamed from \glsentryfmtshortpl .	162
\glsxtrifemptyglossary: new	11	\Glsfmttext: new	163
\glsxtrnewnumber: added extra argu- ment	84	\glsfmttext: new	163
\glsxtrnewsymbol: added extra argu- ment	83	\glshasattribute: new	80
\MakeAcronymsAbbreviations: set the default type to \acronymtype	58	\glshascategoryattribute: new	79
\newterm: fixed name argument	83	\GlsXtrEnableEntryCounting: new ..	44
0.5 (2015-12-07)		\glsxtrifcounttrigger: new	47
\@cGLS: new	49	\glsxtrscfont: new	133
\@cGLS@: new	50	\glsxtrscsuffix: new	133
		\glsxtrsmfont: new	137
		\glsxtrsmsuffix: new	137
		short-em: new	144
		short-em-desc: new	144
		short-em-footnote: new	146
		short-em-long: new	142
		short-em-long-desc: new	143
		short-em-postfootnote: new	147
		short-sc-footnote: new	136
		short-sc-postfootnote: new	137

short-sm: new	139	\glsxtrheadtext: now uses headuc at-	
short-sm-desc: new	139	tribute	155
short-sm-footnote: new	140	short-long: switch off regular attribute if	
short-sm-long: new	138	set	123
short-sm-long-desc: new	138	short-long-desc: switch off regular at-	
short-sm-postfootnote: new	140	tribute if set	125
long-noshort-em: new	145	long-short: switch off regular attribute if	
long-noshort-em-desc: new	146	set	122
long-noshort-sm: new	139	long-short-desc: switch off regular at-	
long-noshort-sm-desc: new	140	tribute if set	123
long-short-em: new	141	footnote: switch off regular attribute if	
long-short-em-desc: new	141	set	125
long-short-sm: new	137	postfootnote: switch off regular at-	
long-short-sm-desc: new	138	tribute if set	127
0.5.1 (2015-12-02)		0.5.2 (2015-12-08)	
\Glsaccesstext: new	69	\@GLSdesc@: added accessibility support	27
0.5.1 (2015-12-07)		\@GLSdescplural@: added accessibility	27
\@glsxtr@doaccsupp: new	9	support	27
General: removed \ifglsxtruseuchead	153	\@GLSfirst@: added accessibility sup-	25
\Glsaccessdesc: new	72	port	25
\Glsaccessdescplural: new	73	\@GLSfirstplural@: added accessibility	26
\Glsaccessfirst: new	70	support	26
\Glsaccessfirstplural: new	71	\@GLSname@: added accessibility support	26
\Glsaccessname: new	68	\@GLSplural@: added accessibility sup-	25
\Glsaccessplural: new	70	port	25
\Glsaccessssymbol: new	71	\@GLSsymbol@: added accessibility sup-	28
\Glsaccessssymbolplural: new	72	port	28
\Glsxtrheadfirst: now uses headuc at-		\@GLSsymbolplural@: added accessibil-	28
tribute	157	ity support	28
\glsxtrheadfirst: now uses headuc at-		\@GLStext@: added accessibility support	24
tribute	156	\@Glsdesc@: added accessibility support	27
\Glsxtrheadfirstplural: now uses		\@Glsdescplural@: added accessibility	27
headuc attribute	158	support	27
\glsxtrheadfirstplural: now uses		\@Glsfirst@: added accessibility sup-	24
headuc attribute	157	port	24
\Glsxtrheadplural: now uses headuc		\@Glsfirstplural@: added accessibility	25
attribute	156	support	25
\glsxtrheadplural: now uses headuc		\@Glsname@: add accessibility support ..	26
attribute	156	\@Glsplural@: added accessibility sup-	25
\Glsxtrheadshort: now uses headuc at-		port	25
tribute	154	\@Glssymbol@: added accessibility sup-	28
\glsxtrheadshort: now uses headuc at-		port	28
tribute	153	\@Glssymbolplural@: added accessibil-	28
\Glsxtrheadshortpl: now uses headuc		ity support	28
attribute	154	\@Glstext@: added accessibility support	24
\glsxtrheadshortpl: now uses headuc		\@glsdesc@: added accessibility support	26
attribute	154	\@glsdescplural@: added accessibility	27
\Glsxtrheadtext: now uses headuc at-		support	27
tribute	155		

\@glsfirst@: added accessibility support	24	\mfu@checkword@do: added	96
\@glsfirstplural@: added accessibility support	25	\setabbreviationstyle: added check for post-definition style switch	118
\@glsname@: added accessibility support	26	0.5.3 (2015-12-09)	
\@glsplural@: added accessibility support	25	\@glsxtr@autoindex@at: new	93
\@glssymbol@: added accessibility support	27	\@glsxtr@autoindex@encap: new	93
\@glssymbolplural@: added accessibility support	28	\@glsxtr@autoindex@esc: new	93
\@glistext@: added accessibility support	24	\@glsxtr@autoindex@level: new	93
\@glsxtr@activate@initialtagging: new	97	\@glsxtr@autoindex@setname: new	91
\@glsxtr@do@titlecaps@warn: new	97	\@glsxtr@doabbreviationsdef: new	6
\@glsxtr@tag: new	97	General: removed \GlsXtrNoGlsWarningNoAutoMakeMain	66
General: fixed typo in glossaries-accsupp and tidied up code to use just one \ifpackageloaded	68	\glsdescwidth: added	19
removed \glsxtrabbrrvfmt	116	\glspagelistwidth: added	20
\glossaryentrynumbers: added	20	\glsxtrdoautoindexname: new	91
\Glossentrydesc: added	95	\glsxtrpostnamehook: new	90
\Glossentryname: added	89	\if@glsxtr@format@override: new	90
\Glossentrysymbol: added	95	\ProvidesGlossariesExtraLang: new	167
\glossentrysymbol: added	95	\RequireGlossariesExtraLang: new	167
\GLSaccessdesc: new	73, 77	0.5.4 ()	
\GLSaccessdescplural: new	73, 78	\@glsxtr@setentryunitcountunsetattr: new	56
\GLSaccessfirst: new	70, 76	0.5.4 (2015-12-15)	
\GLSaccessfirstplural: new	71, 77	\@@newglossaryentry@defunitcounters: new	51
\GLSaccesslong: new	75, 78	\@GLSxtr@p@acrlong@: new	43
\GLSaccesslongpl: new	75, 79	\@GLSxtr@p@acrlongpl@: new	43
\Glsaccesslongpl: new	75	\@GLSxtr@p@acrshort@: new	43
\glsaccesslongpl: new	75	\@GLSxtr@p@acrshortpl@: new	43
\GLSaccessname: new	69, 76	\@GLSxtr@p@long@: new	42
\GLSaccessplural: new	70, 76	\@GLSxtr@p@longpl@: new	43
\GLSaccessshort: new	74, 78	\@GLSxtr@p@plural@: new	41
\GLSaccessshortpl: new	74, 78	\@GLSxtr@p@short@: new	42
\GLSaccessssymbol: new	71, 77	\@GLSxtr@p@shortpl@: new	42
\GLSaccessssymbolplural: new	72, 77	\@GLSxtr@p@text@: new	41
\GLSaccessstext: new	69, 76	\@GlsXtrEnableOnTheFly: new	16
\glsentryfmt: moved \glssetabbrrvfmt from \glsxtrabbrrvfmt to here	22	\@Glsxtr: new	16
\GlsXtrEnableInitialTagging: new	95	\@Glsxtr@p@acrlong@: new	43
\glsxtrfieldtitlecase: new	84	\@Glsxtr@p@acrshort@: new	43
\GlsXtrFormatLocationList: new	20	\@Glsxtr@p@acrshortpl@: new	43
\glsxtrnewabbrevpresetkeyhook: new	104	\@Glsxtr@p@long@: new	42
\glsxtrtagfont: new	97	\@Glsxtr@p@longpl@: new	43
\KV@printgloss@nonumberlist: added	22	\@Glsxtr@p@plural@: new	41
		\@Glsxtr@p@short@: new	42
		\@Glsxtr@p@shortpl@: new	42
		\@Glsxtr@p@text@: new	41
		\@Glsxtrpl: new	17
		\@alt@gls@hyp@opt: new	39

\@gls@alt@hyp@opt: new	39
\@gls@alt@hyp@opt@char: new	39
\@gls@alt@hyp@opt@keys: new	39
\@gls@increment@currunitcount: new	52
\@gls@local@increment@currunitcount: new	52
\@gls@setdefault@glslink@opts: new	37
\@glsxtr: new	16
\@glsxtr@addunitcounter: new	51
\@glsxtr@currunitcount: new	53
\@glsxtr@ifunitcounter: new	51
\@glsxtr@p@acrlong@: new	43
\@glsxtr@p@acrlongpl@: new	43
\@glsxtr@p@acrshort@: new	43
\@glsxtr@p@acrshortpl@: new	43
\@glsxtr@p@long@: new	42
\@glsxtr@p@longpl@: new	43
\@glsxtr@p@plural@: new	41
\@glsxtr@p@short@: new	41
\@glsxtr@p@shortpl@: new	42
\@glsxtr@p@text@: new	41
\@glsxtr@prevunitcount: new	53
\@glsxtr@unitcountlist: new	51
\@glsxtrpl: new	17
\@newglossaryentryposthook: added empty see value if not set and added 'see' to field key map	13
\@sGlsXtrEnableOnTheFly: new	15
\cGlsformat: added	50
\cglsformat: added	50
\cGsplformat: added	51
\cgsplformat: added	50
\glsdisablehyper: added	40
\glsdohyperlink: added	40
\glsdonohyperlink: added	40
\glsenableentryunitcount: new	53
\glshasattribute: added check for en- try's existence	80
\glsifattribute: added check for en- try's existence	81
\glspostlinkhook: added existence check	98
\Glsxtr: new	16
\glsxtr: new	16
\glsxtrcat: new	16
\glsxtrdownrglossaryhook: new	39
\GlsXtrEnableEntryUnitCounting: new	56
\GlsXtrEnableOnTheFly: new	15
\Glsxtrpl: new	17
\glsxtrpl: new	17
\glsxtrpostlocalreset: new	44
\glsxtrpostlocalunset: new	44
\glsxtrpostreset: new	44
\glsxtrpostunset: new	44
\glsxtrprotectlinks: new	40
\GlsXtrSetAltModifier: new	39
\GlsXtrSetDefaultGlsOpts: new	38
\glsxtrstarflywarn: new	16
\GlsXtrWarning: new	17
\MakeAcronymsAbbreviations: now disables \setacronymstyle	58
1.0 (2016-01-24)	
\@glsxtr@autoindexcrossrefs: new	6
\@glsxtr@idx@displaynumberlist: new	62
\@glsxtr@idx@entrynumberlist: new	63
\@glsxtr@noidx@displaynumberlist: new	62
\@glsxtr@noidx@entrynumberlist: new	63
\@glsxtr@noidx@numberlistloop: new	63
\@glsxtr@reg@glosslist: new	59
\makeglossaries: new	60
1.01 (2016-02-02)	
\glsxtrdiscardperiod: added check for first use	99
short-desc: fixed typo in \glsxtrinlinefullformat and added missing second argument	130
1.02 (2016-04-25)	
\@glsxtr@current@style: new	18
\Glsfmtfull: new	166
\glsfmtfull: new	166
\Glsfmtfullpl: new	167
\glsfmtfullpl: new	167
\Glsfmtlong: new	165
\glsfmtlong: new	165
\Glsfmtlongpl: new	166
\glsfmtlongpl: new	166
\Glsxtrheadfull: new	161
\glsxtrheadfull: new	160
\Glsxtrheadfullpl: new	161
\glsxtrheadfullpl: new	160
\Glsxtrheadlong: new	159

\glsxtrheadlong: new	158
\Glsxtrheadlongpl: new	159
\glsxtrheadlongpl: new	158
\Glsxtrtitlefull: new	161
\glsxtrtitlefull: new	160
\Glsxtrtitlefullpl: new	161
\glsxtrtitlefullpl: new	160
\Glsxtrtitlelong: new	159
\glsxtrtitlelong: new	158
\Glsxtrtitlelongpl: new	160
\glsxtrtitlelongpl: new	159
\ifglsxtrinsertinside: new	121
postfootnote: added redef of \glsxtrsetupfulldefs	127
stylemods: new	9
1.03 (2016-04-27)	
\@GLSfirstplural@: bug fix: misspelt cs name	26
\@GLSplural@: fixed bug \@GLSplural@ should be redefined not \@GLSplural	25
\@Glsfirstplural@: bug fix: misspelt cs name	25
\@Glsplural@: fixed bug \@Glsplural@ should be redefined not \@Glsplural	25
\@glsplural@: fixed bug \@glsplural@ should be redefined not \@glsplural	25
\glsxtrtitlelongpl: bug fix: changed \glsxtrlong to \glsxtrlongpl ..	159
\glsxtrtitleshortpl: bug fix: changed \glsxtrshort to \glsxtrshortpl	154
1.04 (2015-04-30)	
short-em-footnote: renamed from “footnote-em”	146
1.04 (2016-05-02)	
\@glsxtrpostloctag: new	22
\@GLSdesc@: set abbreviation and regular format	27
\@GLSdescplural@: set abbreviation and regular format	27
\@GLSfirst@: set abbreviation format ..	25
\@GLSfirstplural@: set abbreviation and regular format	26
\@GLSname@: set abbreviation and regular format	26
\@GLSplural@: set abbreviation and reg- ular format	25
\@GLSsymbol@: set regular format	28
\@GLSsymbolplural@: set regular format	28
\@GLStext@: set abbreviation and regular format	24
\@GLStext@: set abbreviation and regular format	24
\@GLSuseri@: set regular format	29
\@GLSuseri@: set regular format	29
\@GLSuserii@: set regular format	29
\@GLSuseriv@: set regular format	30
\@GLSuserv@: set regular format	30
\@GLSuserv@: set regular format	30
\@Glsdesc@: set abbreviation and regular format	27
\@Glsdescplural@: set abbreviation and regular format	27
\@Glsfirst@: set abbreviation and regu- lar format	24
\@Glsfirstplural@: set abbreviation and regular format	25
\@Glsname@: set abbreviation and regular format	26
\@Glsplural@: set abbreviation and reg- ular format	25
\@Glssymbol@: set regular format	28
\@Glssymbolplural@: set regular format	28
\@Glstext@: set abbreviation and regular format	24

\@glsxtr@deprecated@abbrstyle:	
new	120
\@glsxtr@do@style:	new
10	
\@glsxtr@doloctag:	new
22	
\@glsxtr@idx@entrynumberlist:	
switched from \let to \newcommand	63
\@glsxtr@pagestag:	new
21	
\@glsxtr@pagetag:	new
21	
\@glsxtr@preloctag:	new
22	
\@glsxtrpostloctag:	new
22	
\@glsxtrpreloctag:	new
21	
\glossentrydesc:	added glossdescfont
attribute check	85
\Glossentryname:	added glossnamefont
attribute check	89
\glossentryname:	added glossnamefont
attribute check	86
moved post name hook inside condi-	
tion	89
\glsabbrvemfont:	new
141	
\glsabbrvuserfont:	new
147	
\glsfirstabbrvemfont:	new
141	
\glsfirstabbrvuserfont:	new
147	
\glsfirstlongemfont:	new
141	
\glsfirstlonguserfont:	new
148	
\glsifnotregularcategory:	new
81	
\glslongdefaultfont:	new
106	
\glslongemfont:	new
141	
\glslongfont:	new
106	
\glslonguserfont:	new
148	
\glsxtrassignfieldfont:	new
23	
\GlsXtrEnablePreLocationTag:	new
21	
\glsxtrfirstscfont:	new
133	
\glsxtrfirstsmfont:	new
137	
\glsxtrlongshortdescsort:	new
123	
\glsxtrpostnamehook:	added category
check	90
\glsxtrregularfont:	new
23	
\glsxtruserfield:	new
147	
\glsxtruserparen:	new
147	
\glsxtrusersuffix:	new
148	
\GlsXtrWarnDeprecatedAbbrStyle:	
new	120
short-em-long-em:	new
143	
short-em-long-em-desc:	new
144	
short-em-nolong:	new
144	
short-em-nolong-desc:	new
145	
short-em-postfootnote:	renamed from
“postfootnote-em”	147
short-footnote:	new
126	
short-long-user:	new
149	
short-long-user-desc:	new
150	
short-nolong:	new
130	
short-nolong-desc:	new
131	
short-postfootnote:	new
128	
short-sc-footnote:	renamed from
“footnote-sc”	136
short-sc-nolong:	new
135	
short-sc-nolong-desc:	new
135	
short-sc-postfootnote:	renamed from
“postfootnote-sc”	137
short-sm-footnote:	renamed from
“footnote-sm”	140
short-sm-nolong:	new
139	
short-sm-nolong-desc:	new
139	
short-sm-postfootnote:	renamed from
“postfootnote-sm”	140
\letabbreviationstyle:	new
120	
\newabbreviationstyle:	bug fix: cor-
rected test for existence	119
long-em-noshort-em:	new
145	
long-em-noshort-em-desc:	new
146	
long-em-short-em:	new
141	
long-em-short-em-desc:	new
142	
long-noshort:	new
133	
long-noshort-desc:	new
133	
long-noshort-em:	renamed from “long-
em”	145
long-noshort-em-desc:	renamed from
“long-desc-em”	146
long-noshort-sc:	renamed from “long-
sc”	136
long-noshort-sc-desc:	renamed from
“long-desc-sc”	136
long-noshort-sm:	renamed from “long-
sm”	139
long-noshort-sm-desc:	renamed from
“long-desc-sm”	140
long-short-user:	new
148	
long-short-user-desc:	new
149	
\renewabbreviationstyle:	new
120	
style:	new
	10

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
_	<i>98, 99, 175</i> \@GLSxtr@p@acrlongpl@ 41
\@@cGLS@	<i>46, 54, 55</i> \@GLSxtr@p@acrshort@ 41
\@@cGLSpl@	<i>46, 55</i> \@GLSxtr@p@acrshortpl@ 41
\@@cGlspl@	<i>46, 54</i> \@GLSxtr@p@long@ 40
\@@cGlspl@	<i>46, 54</i> \@GLSxtr@p@longpl@ 41
\@@cgls@	<i>46, 54</i> \@GLSxtr@p@plural@ 40
\@@cglspl@	<i>46, 48, 54</i> \@GLSxtr@p@short@ 40
\@@glo@assign@sortkey	<i>62</i> \@GLSxtr@p@shortpl@ 41
\@@glo@no@assign@sortkey	<i>62</i> \@GLSxtr@p@text@ 40
\@@glslocalreset	<i>44</i> \@GLSxtrlong 40, 112
\@@glslocalunset	<i>44</i> \@GLSxtrlongpl 41, 115, 116
\@@glsreset	<i>44</i> \@GLSxtrshort 40, 111
\@@glsunset	<i>44</i> \@GLSxtrshortpl 41, 114
\@@glsxtr@autoindex@escspch	<i>93, 94</i> \@Gls@ 40, 48, 49
\@@glsxtr@checkspch	<i>92, 94, 95</i> \@Gls@crentryname 57
\@@glsxtr@disabledflycommand	<i>18</i> \@Gls@entry@field 35
\@@glsxtrpostloctag	<i>21</i> \@Gls@entryname 57
\@@glsxtrpreloctag	<i>21</i> \@GlsXtrEnableOnTheFly 15
\@@newglossaryentry@defcounters	<i>45</i> \@Glspl@ 40, 48, 49
\@@newglossaryentry@defunitcounters	<i>53</i> \@Glsplural@ 41
\@ACRlong	<i>41</i> \@Glstext@ 41
\@ACRlongpl	<i>41</i> \@Glsxtr 16, 18
\@ACRshort	<i>41</i> \@Glsxtr@full 107
\@ACRshortpl	<i>41</i> \@Glsxtr@fullpl 109
\@Acrlong	<i>41</i> \@Glsxtr@p@acrlong@ 41
\@Acrlongpl	<i>41</i> \@Glsxtr@p@acrlongpl@ 41
\@Acrshort	<i>41</i> \@Glsxtr@p@acrshort@ 41
\@Acrshortpl	<i>41</i> \@Glsxtr@p@acrshortpl@ 41
\@GLS@	<i>40, 49, 50</i> \@Glsxtr@p@long@ 40
\@GLSdesc@	<i>27</i> \@Glsxtr@p@longpl@ 41
\@GLSpl@	<i>40, 49, 50</i> \@Glsxtr@p@plural@ 40
\@GLSplural@	<i>41</i> \@Glsxtr@p@short@ 40
\@GLSsymbol@	<i>28</i> \@Glsxtr@p@shortpl@ 41
\@GLStext@	<i>41</i> \@Glsxtr@p@text@ 40
\@GLSxtr@full	<i>108</i> \@GLSxtrlong 40, 112
\@GLSxtr@fullpl	<i>109</i> \@GLSxtrlongpl 41, 115
\@GLSxtr@p@acrlong@	<i>41</i> \@GLSxtrpl 17, 18

\@Glsxtrshort	40, 110	\@gls@codepage	64
\@Glsxtrshortpl	41, 113	\@gls@declareoption	4
\@acrlong	41	\@gls@doautomake	62
\@acrlongpl	41	\@gls@encapchar	92
\@acrshort	41	\@gls@entry@count	46, 47
\@acrshortpl	41	\@gls@entry@field	35, 46
\@alt@gls@hyp@opt	39	\@gls@entry@unitcount	55
\@auxout	22, 47, 55, 60, 64	\@gls@field@font	24–30
\@cGLS	49	\@gls@field@link	24–30, 35, 36
\@cGLS@	46, 49, 54, 55	\@gls@hyp@opt	35, 36, 39, 49, 50, 106–115
\@cGLSpl	50	\@gls@hyp@opt@cs	39
\@cGLSpl@	46, 50, 55	\@gls@increment@currcount	46
\@cGlspl@	46, 54	\@gls@increment@currunitcount	54
\@cgls@	46, 49, 54	\@gls@keymap	13, 35
\@cglspl@	46, 54	\@gls@label	38, 39, 118
\@disable@onlypremakeg	60	\@gls@levelchar	92
\@do@auxoutstuff	64	\@gls@link	23, 31–34, 107–116
\@do@newglossaryentry	57, 58, 104	\@gls@link@checkfirsthyper	59
\@empty	23, 31–34, 92, 107–116	\@gls@link@nocheckfirsthyper	
\@end@glsxtr@addunused	14	23, 30–34, 107–116
\@endfortrue	119	\@gls@local@increment@currcount	46
\@firstofone	24, 85, 86, 91, 96	\@gls@local@increment@currunitcount	54
\@firstofthree	23, 31–34, 39, 107, 108, 110, 111, 113, 115	\@gls@loclist	62, 63
\@firstoftwo	24–28, 32, 34, 37, 39, 100, 101, 107–109, 113–116	\@gls@longpl	102–104
\@for	10, 14, 45, 56, 60, 62, 84, 96	\@gls@noidx@nosanitizesort	61
\@glo@assign@sortkey	61	\@gls@noidx@sanitizesort	61
\@glo@category	51	\@gls@noidxloclist@finalsep	62
\@glo@countunit	51	\@gls@noidxloclist@prev	62
\@glo@default@sorttype	62	\@gls@noidxloclist@sep	62
\@glo@label	13, 14, 35	\@gls@org@glsnoidxdisplayloc	63
\@glo@name	91	\@gls@org@glsseeformat	63
\@glo@see	13, 14	\@gls@preglossaryhook	96
\@glo@sort	91	\@gls@quotechar	92
\@glo@sorttype	62	\@gls@reference	60
\@glo@thisvalue	147	\@gls@setdefault@glslink@opts	38
\@glo@tmp	35	\@gls@short	103
\@glo@type	13, 57, 60, 61, 64, 67, 68	\@gls@shortpl	102–104
\@glo@types	82	\@gls@tmpb	94
\@glossary@default@style	18, 19, 175	\@gls@type	62, 118
\@gls@	40, 48, 49	\@gls@write@entrycounts	46
\@gls@actualchar	92	\@gls@write@entryunitcounts	55
\@gls@alt@hyp@opt	39	\@gls@write@entryunitcounts@do	56
\@gls@alt@hyp@opt@char	39	\@glsabrv@current@abbreviation	103, 116
\@gls@alt@hyp@opt@keys	39	\@glsacronymlists	57
\@gls@automake	62	\@glsentry	47, 55, 56
\@gls@checkedmkidx	92, 94	\@glslink	40
\@gls@checkmkidxchars	91	\@glsnumberformat	90, 91
		\@glsorder	60
		\@glspl@	40, 48, 49

\@glsplural@	41	\@glsxtr@entryunitcount@org@localreset	54
\@glspunc@token	100	\@glsxtr@entryunitcount@org@localunset	54
\@glsstyle@inline	175	\@glsxtr@entryunitcount@org@localunset	54
\@glsstyle@listdotted	170	\@glsxtr@entryunitcount@org@reset	54
\@glstarget	40	\@glsxtr@entryunitcount@org@unset	54
\@glstext@	41	\@glsxtr@field@linkdefs	23
\@glsxtr	16, 18	\@glsxtr@format@overridefalse	90
\@glsxtr@abbreviationsdef	7, 10, 11	\@glsxtr@format@overridetrue	91
\@glsxtr@activate@initialtagging	96, 97	\@glsxtr@foundinlist	101
\@glsxtr@addunitcounter	51	\@glsxtr@full	106
\@glsxtr@addunusedxrefs	14	\@glsxtr@fullpl	108
\@glsxtr@attrval	85–91	\@glsxtr@glossdescfont	85, 86
\@glsxtr@autoindex@at	91–93	\@glsxtr@glossnamefont	87–90
\@glsxtr@autoindex@doextra@esc	91	\@glsxtr@gobbleto@endescspch	94
\@glsxtr@autoindex@encap	91–93	\@glsxtr@idx@displaynumberlist	60
\@glsxtr@autoindex@esc	92, 94, 95	\@glsxtr@idx@entrynumberlist	61
\@glsxtr@autoindex@escat	92, 93	\@glsxtr@ifcsstart	15
\@glsxtr@autoindex@escencap	92, 93	\@glsxtr@ifpunctoken	101
\@glsxtr@autoindex@escllevel	92, 93	\@glsxtr@ifunitcounter	51
\@glsxtr@autoindex@escquote	92, 94	\@glsxtr@insert@dots	102
\@glsxtr@autoindex@level	92, 93	\@glsxtr@insert@dots@next	102, 103
\@glsxtr@autoindex@setname	91	\@glsxtr@insertdots	103
\@glsxtr@autoindexcrossrefs	5, 13	\@glsxtr@label	14, 84
\@glsxtr@cat	45, 56, 57, 96	\@glsxtr@loadstyles	169
\@glsxtr@csname	52, 54	\@glsxtr@noidx@displaynumberlist	61
\@glsxtr@current@style	19, 175	\@glsxtr@noidx@entrynumberlist	61
\@glsxtr@currentunitcount	52, 54	\@glsxtr@noidx@numberlistloop	61
\@glsxtr@currunitcount	53, 55	\@glsxtr@notfoundinlist	101
\@glsxtr@declareoption	4, 6, 7, 9	\@glsxtr@optlist	17, 18
\@glsxtr@defaultnoglossarywarning	9	\@glsxtr@org@Glsxtrtitlefirst ..	152, 153
\@glsxtr@deprecated@abbrstyle	136, 137, 140, 141, 145–147	\@glsxtr@org@Glsxtrtitlefirstplural	152, 153
\@glsxtr@disabledflycommand	18	\@glsxtr@org@Glsxtrtitlefull ..	152, 153
\@glsxtr@do@@wrindex	38	\@glsxtr@org@Glsxtrtitlefullpl ..	152, 153
\@glsxtr@do@glsdisablehyperinlist	37	\@glsxtr@org@Glsxtrtitlelong ..	152, 153
\@glsxtr@do@style	10, 168	\@glsxtr@org@Glsxtrtitlelongpl ..	152, 153
\@glsxtr@do@titlecaps@warn	85–88, 96	\@glsxtr@org@Glsxtrtitleplural ..	152, 153
\@glsxtr@doabbreviationsdef	7	\@glsxtr@org@Glsxtrtitleshort ..	152, 153
\@glsxtr@doaccsupp	9, 10	\@glsxtr@org@Glsxtrtitleshortpl ..	152, 153
\@glsxtr@doloctag	21	\@glsxtr@org@Glsxtrtitletext ..	152, 153
\@glsxtr@dostylewarn	118, 119	\@glsxtr@org@MakeUppercase ..	152, 153
\@glsxtr@enabletagging	95	\@glsxtr@org@checkfirsthyper ..	36, 59
\@glsxtr@end@	15	\@glsxtr@org@delimN	21, 22
\@glsxtr@endescspch	92–95	\@glsxtr@org@delimR	21, 22
\@glsxtr@entrycount@org@localreset	46	\@glsxtr@org@glsignore	21, 22
\@glsxtr@entrycount@org@localunset	46	\@glsxtr@org@Glsxtrtitlefirst ..	152, 153
\@glsxtr@entrycount@org@reset	46	\@glsxtr@org@Glsxtrtitlefirstplural	152, 153
\@glsxtr@entrycount@org@unset	46		

\@glsxtr@org@glsxrttitlefull ..	152, 153	\@glsxtrpreloctag	20–22
\@glsxtr@org@glsxrttitlefullpl	152, 153	\@glsxtrshort	40, 110
\@glsxtr@org@glsxrttitlelong ..	152, 153	\@glsxtrshortpl	41, 113
\@glsxtr@org@glsxrttitlelongpl	152, 153	\@glsxtrundeftag	5, 11
\@glsxtr@org@glsxrttitleplural	152, 153	\@gobble	6, 102
\@glsxtr@org@glsxrttitleshort ..	152, 153	\@gobbletwo	102
\@glsxtr@org@glsxrttitleshortpl	152, 153	\@ifnextchar	39
\@glsxtr@org@glsxrttitletext ..	152, 153	\@ifpackageloaded	4, 6, 68, 85, 86, 89, 90, 168
\@glsxtr@org@makeglossaries	59, 60	\@ifstar	15, 39, 95
\@glsxtr@org@markboth	151	\@ifundefined	167
\@glsxtr@org@markright	151	\@input@	64
\@glsxtr@org@newacronymstyle	58, 59	\@istfilename	60
\@glsxtr@org@postdescription	97	\@makeglossary	60
\@glsxtr@org@setacronymstyle	58, 59	\@mfu@domakefirstuc	96, 97
\@glsxtr@orgprintglossary	18	\@mfu@nocaplist	97
\@glsxtr@orgwarndep	102	\@ne	47, 56
\@glsxtr@p@acrlong@	41	\@newglossaryentry@defcounters	45, 53
\@glsxtr@p@acrlongpl@	41	\@newglossaryentryposthook	35
\@glsxtr@p@acrshort@	41	\@newglossaryentryprehook	35
\@glsxtr@p@acrshortpl@	41	\@nnil	92, 94, 95, 101, 102
\@glsxtr@p@long@	40	\@no@makeglossaries	68
\@glsxtr@p@longpl@	41	\@onelevel@sanitize	17
\@glsxtr@p@plural@	40	\@onlypreamble	18, 21, 55, 91, 93–95
\@glsxtr@p@short@	40	\@printgloss@setsort	61
\@glsxtr@p@shortpl@	41	\@printglossary	18
\@glsxtr@p@text@	40	\@sGlsXtrEnableOnTheFly	15
\@glsxtr@pagestag	21	\@secondofthree	24– 26, 31–34, 36, 107, 109, 110, 112, 114, 115
\@glsxtr@pagetag	21	\@secondoftwo	23, 26–34, 37, 40, 101, 107, 108, 110–116, 127
\@glsxtr@prevunitcount	53	\@thirdofthree	24– 26, 31–34, 36, 108, 109, 111, 112, 114, 116
\@glsxtr@redefstyles	9, 10, 168	\@thirdoftwo	26–30
\@glsxtr@reg@glosslist	60–62	\@warn@nomakeglossaries	64
\@glsxtr@savepreloctag	21, 22	\@xdy@main@language	64
\@glsxtr@setentrycountunsetattr	45	\@xdylanguage	64
\@glsxtr@setentryunitcountunsetattr	56		
\@glsxtr@setupshortcuts	8, 9, 11	\u	66
\@glsxtr@swaptwo	101		
\@glsxtr@tag	96		
\@glsxtr@taggingcs	96		
\@glsxtr@thisloctag	21, 22		
\@glsxtr@tmp	10		
\@glsxtr@type	84		
\@glsxtr@unitcountlist	51		
\@glsxtrdocdeffalse	14		
\@glsxtrindexcrossrefsfalse	6		
\@glsxtrindexcrossreftrue	6		
\@glsxtrlong	40, 111		
\@glsxtrlongpl	41, 114, 115		
\@glsxtrpl	17, 18		
\@glsxtrpostloctag	20–22		

A

\AB	7
\Ab	7
\ab	7
abbreviation styles:	
long-noshort	145
short	130
\abbreviationsname	6
\abbrvpluralsuffix ..	103, 104, 122, 124, 125, 127, 129, 130, 132, 134–140, 148, 150

\ABP	7	glossdescfont	85
\Abp	7	glossname	86
\abp	7	glossnamefont	86, 89
\ACRfullfmt	58	headuc	153
\Acrfullfmt	58	indexname	91
\acrfullfmt	58	indexonlyfirst	38
\ACRfullplfmt	58	insertdots	103
\Acrfullplfmt	58	nohyper	37
\acrfullplfmt	58	nohyperfirst	125
\acronymtry	57	regular	22, 50, 121–123, 125, 127, 129, 131, 132, 142, 143, 148, 149
\acronymfont	31–34, 43, 58, 59	\cGLS	7, 45, 56
\acronymname	6	\cGls	7, 45, 56
\acronymsort	57	\cgls	7, 45, 56
\acronymtype	6, 57, 58	\cGLSformat	49
\acrpluralsuffix	57	\cGlsformat	48
\actualchar	94	\cglsformat	48, 50
\advance	47, 56	\cGLSpl	7, 45, 56
\AF	7	\cGlspl	7, 45, 56
\Af	7	\cglspl	7, 45, 56
\af	7	\cGLSplformat	49
\AFP	7	\cGlsplformat	48
\Afp	7	\cglsplformat	48, 50
\afp	7	\columnwidth	19, 20
\AL	7	\count@	47, 55, 56
\Al	7	\cs	49
\al	7	\csdef 35, 36, 46, 51, 52, 54, 79, 119, 120, 127, 170	
\ALP	7	\csedef	52
\Alp	7	\csgdef	21, 46, 52, 54, 55
\alp	7	\csletcs	120
\AnyTrackedLanguages	168	\csname	19, 22, 31–36, 52, 64, 67, 68, 84, 102, 107–116, 121
\appto	10, 13, 35, 38, 45, 53, 91, 100, 103	\csuse ... 21, 35, 36, 51–55, 79, 90, 98, 119, 120	
\AS	7	\csxdef	13, 52, 55
\As	7	\CurrentOption	10, 169
\as	7	\CurrentTrackedTag	168
\ASP	7	\CustomAbbreviationFields	
\Asp	7 104, 121, 123–125, 127,	
\asp	7	128, 130, 131, 133, 142, 143, 145, 148, 149	

B

babel package	91, 93, 100
\begin	49, 66, 170–174

C

category attributes:	
discardperiod	99
entrycount	44, 45, 47, 56
firstuc	88
glossdesc	85

D

\DeclareAcronymList	57
\DeclareOption	4, 169
\DeclareOptionX	4, 10
\def ... 11, 14–18, 20, 22–34, 39–43, 48–50, 57, 60, 62, 90–97, 100–104, 107–116, 118	
\define@boolkey	5, 37
\define@choicekey	5, 8, 9
\define@key	9, 10, 35, 102

\DefineAcronymSynonyms	8		
\delimN	21, 22	\gdef	21, 93, 94
\delimR	21, 22	\Genacrfullformat	58
\detokenize	15	\genacrfullformat	58
\dimen@	59	\GenericAcronymFields	57
\dimexpr	19, 20	\Genplacrfullformat	58
\disable@keys	6, 11, 14	\genplacrfullformat	58
\do	10, 14, 45, 56, 60, 62, 84, 96	\glo@name	87, 88
\do@gls@link@checkfirsthyper	23, 30–34, 107–116	glossaries package	
\do@glsdisablehyperinlist	38 4, 5, 7, 8, 10, 12, 19, 23, 36, 37,	
doc package	94 40, 44, 49, 57, 59, 88, 97, 101, 147, 151, 169	
\DTLifinlist	60, 61	glossaries-accsupp package	9, 10, 68
		glossaries-extra package	2, 68
		glossaries-extra-stylemods package	9, 97, 168
		\GlossariesExtraWarning	
	 5, 6, 16, 18, 58, 66, 85–90, 96, 120	
		\GlossariesExtraWarningNoLine ..	6, 47, 56
		\GlossariesWarning	21, 62, 63, 118
		\GlossariesWarningNoLine	60, 64
		glossary styles:	
		inline	175
		listdotted	170
		listdottedstyle	170
		sublistdotted	170
		glossary-long package	171
		glossary-longbooktabs package	171
		glossary-mcols package	169
		glossary-tree package	169
		\glossaryentrynumbers	22
		\glossaryheader	170–174
		\glossarysection	67
		\glossarytitle	67
		\glossarytoctitle	67
		\glossentry	170–174
		\glossentrydesc	170–175
		\glossentryname	170–174
		\glossentrysymbol	171–175
		\GLS	45, 56
		\Gls	17, 45, 56
		\gls	16, 18, 45, 56, 65
		\gls@assign@field	35
		\gls@checkseeallowed	15, 60
		\gls@codepage	64
		\gls@defdocnewglossaryentry	45, 53
		\gls@defglossaryentry	16, 17
		\gls@save@numberlist	20, 22
		\glsabbrvdefaultfont	
	 106, 122, 124, 125, 127, 129, 130, 132	
		\glsabbrvemfont	141–147

\glsabbrvfont	41, 42, 58, 106, 110, 111, 113, 114, 116, 117, 121–125, 127–130, 132–150	\glsadd	14, 65
\glsabbrvuserfont	147, 148, 150	\glsaddstoragekey	79
\glsabbvfont	122, 123, 125, 127, 142, 143, 148, 149	\glsbackslash	15
\GLSaccessdesc	27	\glscapscase	23–34, 36, 107–118
\Glsaccessdesc	27, 85, 95	\glscategory	23, 24, 37, 41, 42, 80–82, 85, 86, 88–90, 95, 98, 107–111, 113, 114
\glsaccessdesc	26, 85, 99	\glscategorylabel	37, 102–104, 127
\GLSaccessdescplural	27	\glsclosebrace	66, 67
\Glsaccessdescplural	27	\glscurrententrylabel	20–22, 90, 97, 98
\glsaccessdescplural	27	\glscurrentfieldvalue	147
\GLSaccessfirst	25	\glscustomtext	23, 31–34, 107–116, 118
\Glsaccessfirst	24	\glsdefaulttype	6, 65
\glsaccessfirst	24	\glsdescriptionaccessdisplay	72, 73, 85
\GLSaccessfirstplural	26	\glsdescriptionpluralaccessdisplay	73
\Glsaccessfirstplural	26	\glsdescwidth	170, 172–174
\glsaccessfirstplural	25	\glsdetoklabel	...
\Glsaccesslong	33, 105, 112, 122, 129, 132, 149	12, 14, 15, 46, 51–56, 62, 63, 84, 87, 88	
\glsaccesslong	33, 105, 111, 112, 122, 124, 126, 128–132, 148, 150	\glsdisplaynumberlist	60, 62
\Glsaccesslongpl	34, 105, 115, 122, 129, 132, 149	\glsdohyperlink	40
\glsaccesslongpl	34, 105, 115, 116, 122, 124, 126, 128, 129, 131–133, 149, 150	\glsdoifexists	23, 30–34, 62, 63, 107–116
\GLSaccessname	26	\glsdoifexistsorwarn	85, 86, 88, 89, 95
\Glsaccessname	26	\glsdonohyperlink	40
\glsaccessname	26	\glsdosanitizesort	61
\GLSaccessplural	25	\glsenableentrycount	45, 47, 55
\Glsaccessplural	25	\glsenableentryunitcount	46, 56
\glsaccessplural	25	\glsentrycurrcount	46, 47, 53
\Glsaccessshort	31, 110, 117, 124, 126, 128, 131, 150	\Glsentrydesc	73, 77, 86
\glsaccessshort	31, 105, 110, 111, 117, 122, 124, 126–132, 149, 150	\glsentrydesc	72, 73, 77, 86
\Glsaccessshortpl	32, 114, 116, 124, 126, 128, 131, 150	\Glsentrydescplural	73, 78
\glsaccessshortpl	32, 105, 113, 114, 116, 117, 122, 124, 126, 128–132, 149, 150	\glsentrydescplural	73, 77, 78
\GLSaccesssymbol	28	\Glsentryfirst	50, 70, 76
\Glsaccesssymbol	28, 95	\glsentryfirst	50, 70, 76, 164
\glsaccesssymbol	27, 95, 99	\Glsentryfirstplural	51, 71, 77
\GLSaccesssymbolplural	28	\glsentryfirstplural	50, 71, 76, 77, 165
\Glsaccesssymbolplural	28	\Glsentryfull	58
\glsaccesssymbolplural	28	\glsentryfull	58
\GLSaccessstext	24	\Glsentryfullpl	58
\Glsaccessstext	24	\glsentryfullpl	58
\glsaccessstext	24	\glsentryitem	170–174
\glsacrcutstrue	8	\Glsentrylong	42, 43, 50, 75, 78
\glsacspacemax	59	\glsentrylong	42, 43, 50, 75, 78, 127, 165
		\Glsentrylongpl	43, 51, 75, 78
		\glsentrylongpl	43, 50, 75, 78, 79, 166
		\Glsentryname	68, 76, 87–90
		\glsentryname	68, 69, 76, 91
		\glsentrynumberlist	61, 63
		\Glsentryplural	70, 76
		\glsentryplural	69, 70, 76, 163, 164
		\glsentryprevcount	46, 47, 53

\glsentryprevmaxcount 54
 \glsentryprevtotalcount 53
 \Glsentryshort 42, 43, 74, 78
 \glsentryshort 41–43, 59, 73, 74, 78, 162
 \Glsentryshortpl 42, 43, 74, 78
 \glsentryshortpl 42, 43, 74, 78, 162, 163
 \Glsentrysymbol 71, 77
 \glsentrysymbol 71, 72, 77
 \Glsentrysymbolplural 72, 77
 \glsentrysymbolplural 72, 77
 \Glsentrytext 69, 76
 \glsentrytext 69, 76, 163
 \Glsentryuseri 29
 \glsentryuseri 29
 \Glsentryuserii 29
 \glsentryuserii 29
 \Glsentryuseriii 29
 \glsentryuseriii 29
 \Glsentryuseriv 29
 \glsentryuseriv 30
 \Glsentryuserserv 30
 \glsentryuserserv 30
 \Glsentryuserservi 30
 \glsentryuserservi 30
 \glsfieldxdef 84
 \GLSfirst 157
 \Glsfirst 157
 \glsfirst 157
 \glsfirststabbrvdefaultfont
 106, 122, 124, 125, 127, 129, 130, 132
 \glsfirststabbrvemfont 142–147
 \glsfirststabbrvfont
 58, 105, 121–132, 134–140, 142–150
 \glsfirststabbrvuserfont 148, 150
 \glsfirstaccessdisplay 70
 \glsfirstlongdefaultfont
 122, 124, 125, 127, 129, 130, 132
 \glsfirstlongemfont 142–146
 \glsfirstlongfont
 105, 121–133, 142–146, 148–150
 \glsfirstlonguserfont 148, 150
 \GLSfirstplural 157, 158
 \Glsfirstplural 158
 \glsfirstplural 157, 158
 \glsfirstpluralaccessdisplay 71
 \glsforeachincategory 118
 \glsgenentryfmt 23
 \glsgetattribute ... 47, 51–53, 85, 86, 88–91
 \glsgetcategoryattribute 80
 \glsgroupheading 170–174
 \glsgroupskip 171–175
 \glshasattribute 47, 52, 54, 56, 85, 86, 88,
 89, 91, 122, 123, 125, 127, 142, 143, 148, 149
 \glshascategoryattribute 80
 \glshypernumber 91
 \glsifattribute
 37, 38, 82, 85–88, 97, 99, 100, 153–161
 \glsifcategory 82
 \glsifcategoryattribute .. 37, 81, 103, 104
 \glsifnotregular 24
 \glsifnotregularcategory 82
 \glsifplural 23, 25–28, 30–34, 99, 100, 107–117
 \glsifregular 23, 24, 50, 51
 \glsifregularcategory 81
 \glsignore 21, 22
 \glsinlinedescformat 175
 \glsinlinesubdescformat 175
 \glsinsert 23, 31–34, 107–118
 \glskeylisttok 57, 103, 104
 \glslabel 23, 37, 98, 99, 116–118, 127
 \glslabeltok . 57, 103, 104, 121–125, 127,
 129, 130, 132, 133, 142, 143, 145, 148, 149
 \glsletentryfield 91
 \glslink 58
 \glslink options
 format 90
 noindex 37
 \glslinkcheckfirsthyperhook 37
 \glslinkvar 39
 \glslistdottedwidth 170
 \glslongaccessdisplay 75
 \glslongdefaultfont
 106, 122, 124, 125, 127, 129, 130, 132
 \glslongemfont 141–146
 \glslongfont 42,
 43, 106, 111, 112, 115, 116, 122, 124,
 125, 127, 129, 130, 132, 142–146, 148, 150
 \glslongpltok 104, 122–
 125, 127, 131–133, 142, 143, 145, 148, 149
 \glslongpluralaccessdisplay 75
 \glslongtok 57, 103, 104, 121–125,
 127, 129–131, 133, 142, 143, 145, 148, 149
 \glslonguserfont 148–150
 \glsnameaccessdisplay 68, 69, 87, 89
 \glsnamefont 87–90
 \glsnoidxdisplayloc 63
 \glsnoidxdisplayloclisthandler 62
 \glsnoidxloclist 63

\glsnoidxnumberlistloophandler 63 \glsxtr@addunused 14
\glsnonumberlistfalse 20 \glsxtr@applyabbrvfmt 116
\glsnonumberlisttrue 20 \glsxtr@applyabbrvstyle 102, 103, 119
\glsnumberlistloop 61 \glsxtr@dooption 4, 6, 10, 11
\glsnumlistlastsep 62 \glsxtr@ifnextpunc 100
\glsnumlistsep 62 \glsxtr@ifpunctoken 100
\glsopenbrace 66, 67 \glsxtr@keylist 16, 17
\glsorder 60 \glsxtr@next 101
\glspagelistwidth 170, 172–174 \glsxtr@orgmakenoidxglossaries 14
\GLSpl 45, 56 \glsxtr@punclist 100, 101
\Glspl 17, 45, 56 \glsxtr@warnnonexistsordo 5, 12, 13
\glspl 17, 45, 56 \glsxtrabbrvtype 6, 104
\GLSplural 156 \glsxtraddallcrossrefs 13
\Glsplural 156 \glsxtrassignfieldfont 24–30
\glsplural 156 \glsxtrcat 16, 17
\glspluralaccessdisplay 69, 70 \GlsXtrDefineAbbreviationShortcuts 8, 9
\glspluralsuffix 103, 106, 122, \GlsXtrDefineOtherShortcuts 8, 9
124, 125, 127, 129, 130, 132, 133, 137, 148
\glspostdescription 97, 170–175 \glsxtrdiscardperiod 98
\glspostinline 175 \glsxtrdoautoindexname 38, 39, 90
\glspostlinkhook 23, 31–34, 107–116 \glsxtrdopostpunc 127
\glsprestandardsort 61 \glsxtrdownrglossaryhook 38
\glsseformat 63 \GlsXtrEnableEntryCounting 56
\glssetabrvfmt 23, 24, \GlsXtrEnableEntryUnitCounting 45
41, 42, 85, 86, 88, 89, 95, 107–111, 113, 114
\glssetattribute 122, 123, 125, 127, 129, 130, 132, 133, 142, 143, 145, 148, 149
\glssetcategoryattribute 45, 57, 59, 80, 81, 83, 84, 96
\glsshortaccessdisplay 73, 74
\glsshortpltok 104, 122–125, 127, 129, 130, 142, 143, 148, 149
\glsshortpluralaccessdisplay 74
\glsshorttok 57, 103, 104, 121, 123–125, 127–130, 133, 142, 143, 145, 148, 149
\glssubentryitem 170–175
\glssymbolaccessdisplay 71, 72
\glssymbolpluralaccessdisplay 72
\glstarget 170–175
\GLStext 155
\Glstext 155, 156
\glstext 155
\glstextaccessdisplay 69
\glstextup 133
\glstype 31–34, 107–116
\glsunset 14, 48, 49
\glswrite 60
\Glsxtr 18
\glsxtr 18 \glsxtr@addunused 14
\glsxtr@applyabbrvfmt 116
\glsxtr@applyabbrvstyle 102, 103, 119
\glsxtr@dooption 4, 6, 10, 11
\glsxtr@ifnextpunc 100
\glsxtr@ifpunctoken 100
\glsxtr@keylist 16, 17
\glsxtr@next 101
\glsxtr@orgmakenoidxglossaries 14
\glsxtr@punclist 100, 101
\glsxtr@warnnonexistsordo 5, 12, 13
\glsxtrabbrvtype 6, 104
\glsxtraddallcrossrefs 13
\glsxtrassignfieldfont 24–30
\glsxtrcat 16, 17
\GlsXtrDefineAbbreviationShortcuts 8, 9
\GlsXtrDefineOtherShortcuts 8, 9
\glsxtrdiscardperiod 98
\glsxtrdoautoindexname 38, 39, 90
\glsxtrdopostpunc 127
\glsxtrdownrglossaryhook 38
\GlsXtrEnableEntryCounting 56
\GlsXtrEnableEntryUnitCounting 45
\GlsXtrEnableOnTheFly 16, 18
\glsxtrfieldtitlecase 85–88
\glsxtrfirstscfont 134–137
\glsxtrfirstsmfont 138–140
\GlsXtrFormatLocationList 20, 22
\GLSxtrfull 7, 160, 161
\Glsxtrfull 7, 161
\glsxtrfull 7, 160
\Glsxtrfullformat 105, 118–120, 122, 124, 126, 128, 130–132, 149, 150
\glsxtrfullformat 105, 118–120, 122–124, 126, 127, 129, 131, 132, 148, 150
\glsxtrfullpl 7, 160, 161
\Glsxtrfullpl 7, 161
\glsxtrfullpl 7, 160, 161
\Glsxtrfullplformat 105, 117, 119, 120, 122, 124, 126, 128, 130–132, 149, 150
\glsxtrfullplformat 117, 119, 120, 122, 124, 126, 128, 129, 131, 132, 149, 150
\glsxtrfullsep 105, 121–124, 126, 128–132, 142, 143, 147
\glsxtrgenabbrvfmt 23
\Glsxtrheadfirst 152
\glsxtrheadfirst 152
\Glsxtrheadfirstplural 152
\glsxtrheadfirstplural 152

\Glsxtrheadfull	152	\GlsXtrNoGlsWarningEmptyStart	67
\glsxtrheadfull	152	\GlsXtrNoGlsWarningHead	67
\Glsxtrheadfullpl	152	\GlsXtrNoGlsWarningMisMatch	68
\glsxtrheadfullpl	152	\GlsXtrNoGlsWarningNoOut	68
\Glsxtrheadlong	152	\GlsXtrNoGlsWarningTail	68
\glsxtrheadlong	152	\Glsxtrpl	18
\Glsxtrheadlongpl	152	\glsxtrpl	18
\glsxtrheadlongpl	152	\glsxtrpostdescription	83, 97, 175
\Glsxtrheadplural	152	\glsxtrpostlink	98
\glsxtrheadplural	152	\glsxtrpostlinkendsentence	98
\Glsxtrheadshort	152	\glsxtrpostlinkhook	98
\glsxtrheadshort	152	\glsxtrpostlocalreset	44, 46, 54
\Glsxtrheadshortpl	152	\glsxtrpostlocalunset	44, 46, 54
\glsxtrheadshortpl	152	\glsxtrpostnamehook	88–90
\Glsxtrheadtext	152	\GlsXtrPostNewAbbreviation	
\glsxtrheadtext	152 104, 119, 120, 122, 123, 125, 127,	
\glsxtrifcounttrigger	48, 49	129, 130, 132, 133, 142, 143, 145, 148, 149	
\glsxtrifemptyglossary	67	\glsxtrpostreset	44, 46, 54
\glsxtrifindexing	38	\glsxtrpostunset	44, 46, 54
\glsxtrifnextpunc	100, 101	\glsxtrprotectlinks	40
\glsxtrifperiod	99, 100	\glsxtrregularfont	23, 24
\glsxtrifwasfirstuse		\glsxtrrestoremarkhook	151
.. 23–26, 30–34, 37, 99, 107, 110–116, 127		\glsxtrscfont	133–137
\Glsxtrinlinefullformat	106,	\glsxtrscsuffix	134–137
	107, 119, 120, 126, 128, 129, 131, 132, 167	\GlsXtrSetActualChar	94
\glsxtrinlinefullformat	106–108, 119, 120, 126, 128–130, 132, 166	\GlsXtrSetEncapChar	94
\Glsxtrinlinefullplformat	106,	\GlsXtrSetEscChar	94
	109, 119, 120, 126, 128, 129, 131, 132, 167	\GlsXtrSetLevelChar	94
\glsxtrinlinefullplformat ..	105, 106,	\glsxtrsetupfulldefs	107–109, 127
	108, 109, 119, 120, 126, 128–130, 132, 167	\GLSxtrshort	7, 153, 154
\glsxtrinsertinsidefalse	121	\Glsxtrshort	7, 154
\GLSxtrlong	7, 158, 159	\glsxtrshort	7, 153
\Glsxtrlong	7, 159	\GLSxtrshortpl	7, 154, 155
\glsxtrlong	7, 158	\Glsxtrshortpl	7, 155
\GLSxtrlongpl	7, 159	\glsxtrshortpl	7, 154
\Glsxtrlongpl	7, 160	\glsxtrsmfont	137–140
\glsxtrlongpl	7, 159	\glsxtrsmsuffix	138–140
\glsxtrlongshortdescsort	123	\glsxtrtagfont	97
\glsxtrmarkhook	151	\Glsxtrtitlefirst	152, 153, 164
\glsxtrnewabbrevpresetkeyhook	104	\glsxtrtitlefirst	152, 153, 164
\glsxtrnewnumber	7	\Glsxtrtitlefirstplural	152, 153, 165
\glsxtrnewsymbol	7	\glsxtrtitlefirstplural	152, 153, 165
\glsxtrNoGlossaryWarning	9, 64	\Glsxtrtitlefull	152, 153, 166
\GlsXtrNoGlsWarningAutoMake	67	\Glsxtrtitlefullpl	152, 153, 167
\GlsXtrNoGlsWarningBuildInfo	68	\glsxtrtitlefullpl	152, 153, 167
\GlsXtrNoGlsWarningCheckFile	67	\Glsxtrtitlelong	152, 153, 165
\GlsXtrNoGlsWarningEmptyMain	67	\glsxtrtitlelong	152, 153, 165
\GlsXtrNoGlsWarningEmptyNotMain	67	\Glsxtrtitlelongpl	152, 153, 166

\glsxtrtitlelongpl	152, 153, 166	\ifglossaryexists	11, 13
\Glsxtrtitleplural	152, 153, 164	\ifglsacronym	6, 67
\glsxtrtitleplural	152, 153, 163	\ifglsautomake	62, 67
\Glsxtrtitleshort	152, 153, 162	\ifglsentryexists	12, 16, 17, 20, 80, 81, 97, 98
\glsxtrtitleshort	152, 153, 162	\ifglsfieldeq	79
\Glsxtrtitleshortpl	152, 153, 163	\ifglshasfield	147
\glsxtrtitleshortpl	152, 153, 162	\ifglshaslong	50, 51
\Glsxtrtitletext	152, 153, 163	\ifglshasshort	23
\glsxtrtitletext	152, 153, 163	\ifglshassymbol	99
\glsxtrunedefaction	5, 11–13	\ifglsindexonlyfirst	38
\glsxtrundeftag	11	\ifglsnogroupskip	171–175
\GlsXtrUseAbbrStyleFmts	123, 125, 133–147, 149, 150	\ifglsnonumberlist	22
\GlsXtrUseAbbrStyleSetup	134–147, 149, 150	\ifglssanitizesort	61
\glsxtruserfield	147	\ifglsused	14, 37, 38, 47, 56, 116
\glsxtruserparen	148–150	\ifglsxindy	64–66
\glsxtrusersuffix	148, 150	\ifglsxtrinsertinside	110–116, 122, 124, 126–133, 148–150
\GlsXtrWarnDeprecatedAbbrStyle	102, 120	\ifHy@hyperindex	90
\GlsXtrWarning	16, 17	\ifKV@glslink@noindex	38
H			
\hbox	170	\ifnum	47, 55, 56
\hfill	170	\ifthenelse	67
\hsize	19, 20	\IfTrackedLanguageFileExists	168
\hss	170	\ifundef	40, 60, 96
\hyperlink	40	\ifx	19, 20, 92, 94, 101, 102, 175
\hyperpage	91	\immediate	47, 55, 64
hyperref package	40, 90, 151, 161	\index	91
I			
\if	15	\input	167
\if@glsxtr@format@override	91	\istfilename	60
\if@glsxtrdocdef	15	\item	66, 170
\if@glsxtrindexcrossrefs	5, 13	J	
\ifblank	9, 16, 17, 60	\jobname	64–68
\ifcase	5, 8, 9	K	
\ifcsdef	35, 36, 51, 85, 86, 88–90, 98, 102, 116, 119, 170–174	\key@ifundefined	35
\ifcsstring	11, 80, 118	\KV@glslink@hyperfalse	37, 40
\ifcsundef	18, 21, 40, 46, 51–55, 64, 80, 118, 120, 121, 169	\KV@glslink@noindexfalse	37, 38
\ifcsvoid	79	\KV@glslink@noindextrue	40
\ifdef	7, 12, 13, 19, 20, 37, 62, 63, 83, 84, 94, 97, 147, 161–167, 170, 175	L	
\ifdefempty	45, 57, 60, 62, 96, 116	\LaTeX	65, 66
\ifdefequal	68	\leaders	170
\ifdefstring	91, 96	\let ...	4, 6–8, 10, 11, 14, 15, 18, 19, 21–34, 36, 37, 39–41, 45, 46, 54–60, 62, 63, 85–92, 96, 97, 100–103, 107–116, 127, 151–153
\ifdefvoid	13, 14, 51	\letabbreviationstyle	126, 128, 130, 131, 133, 135, 139, 144, 145
\ifdim	19, 20, 59	\letcs	14, 35, 62, 63, 85–90
\IfExists	10, 64, 67, 169	\levelchar	94
		\listadd	51

\listbreak	96	descplural	73, 77, 78
\listcseadd	52	first	39, 70, 76, 121, 156–158, 164
\listcsxadd	52	firstplural	70, 71, 76, 77, 121, 157, 158, 164
\loadglsentries	15, 65	hyper	151
M			
\MakeAcronymsAbbreviations	59	long	75, 78, 165
\makeatletter	64, 93	longplural	75, 79, 166
\makeatother	93	name	68, 69, 76, 91
\makebox	170	noindex	151
\makefirsttuc	97	plural	69, 70, 76, 121, 156, 163
\makeglossaries	59, 64, 66–68	see	6, 15, 60
\makeglossary	60	short	74, 78, 102
makeindex	59	shortplural	74, 78, 102
\makenoidxglossaries	66	symbol	71, 77
\MakeTextUppercase	152	symbolplural	72, 77
\MakeUppercase	152, 153	text	39, 69, 76, 121, 155, 156, 163
\markboth	151	\newif	90, 121
\markright	151	\newnum	7
\maxdimen	19, 20	\newrobustcmd	35, 36, 49, 50, 96, 97, 106–115, 153–161
\medskip	67	\newsym	7
\MessageBreak	15, 18, 47, 56, 61, 118, 119	\newterm	83
mfirsttuc package	96	\newtoks	102
\mfirrsttucMakeUppercase	24–34, 36, 42, 43, 50, 58, 69– 79, 87, 88, 108, 109, 111, 112, 114, 116–118	\newwrite	60
\mfu@checkword@arg	96, 97	\NoCaseChange	153–161
\mfu@checkword@do	97	\noexpand	10, 57, 64, 92, 104, 169
N			
\NeedsTeXFormat	4, 169	\nofiles	67
\new@glossaryentry	15, 61	\noindent	67
\new@ifnextchar	35, 36, 49, 50, 100, 106–115	\nopostdesc	16, 17, 83
\newabbr	7	\nr	5, 8, 9
\newabbreviation	7, 58	\ns@GLSxtrfull	108
\newabbreviationhook	104	\ns@Glsxtrfull	107
\newabbreviationstyle	121, 123–125, 127, 128, 130, 131, 133–150	\ns@glsxtrfull	106
\newacronym	57, 58	\ns@GLSxtrfullpl	109
\newacronymhook	57	\ns@Glsxtrfullpl	108
\newacronymstyle	58, 59	\ns@glsxtrfullpl	108
\newcommand	4–18, 20–23, 35–40, 44–47, 49–56, 58, 59, 62, 63, 65–84, 90–116, 118–121, 123, 133, 137, 141, 147, 148, 151, 153–169	\ns@GLSxtrlong	112
\newentry	7	\ns@Glsxtrlong	112
\newglossary	6, 60	\ns@glsxtrlong	111
\newglossaryentry	7, 15, 45, 53, 57, 83, 84, 104	\ns@GLSxtrlongpl	115
\newglossaryentry options		\ns@Glsxtrlongpl	115
desc	72, 73, 77	\ns@glsxtrlongpl	114
		\ns@GLSxtrshort	111
		\ns@Glsxtrshort	110
		\ns@glsxtrshort	109, 110
		\ns@GLSxtrshortpl	114
		\ns@Glsxtrshortpl	113
		\ns@glsxtrshortpl	113
		\null	9
		\number	52–55

\numexpr	52, 55	\ProvidesPackage	4, 169
O		Q	
\or	5, 8	\quotearc	94
\org@glossaryentrynumbers	20		
P		R	
\p@glsc@hyp@opt	39	\raggedright	172, 174
package options:		\relax	5, 7–11, 15, 18–21, 39, 46, 47, 55, 60, 63, 92, 94, 96, 98, 99, 102, 103, 175
abbreviations	6, 7	\relsize package	137
accsupp	9, 68	\renewcommand	5, 6, 8–15, 18, 20–23, 35– 38, 40, 44–47, 50, 51, 53–62, 64, 83, 85, 86, 88, 89, 95–98, 106, 119–151, 170–175
acronym	6	\renewenvironment	170–174
automake	62, 65	\renewglossarystyle	170–174
docdef	14, 15, 45, 53	\RequireGlossariesExtraLang	168
nonumberlist	20	\RequirePackage	4, 9, 10, 169
numbers	7	\reserved@a	100
shortcuts	8	\reserved@b	100
all	8	\reserved@d	101
false	8	\RestoreAcronyms	58, 59
none	8		
true	8		
style	10	S	
stylemods	10	\s@glsc@hyp@opt	39
symbols	7, 83	\s@glsxtr@enabletagging	95
undefaction	12	\setabbreviationstyle	58, 122, 130
warn	5	\setacronymstyle	58, 59
\PackageError	5, 10, 15, 18, 35, 36, 45, 46, 53, 55, 56, 58, 60, 61, 118–121, 169	\SetGenericNewAcronym	59
\PackageWarning	6	\setglossarystyle	10, 170, 175
\PackageWarningNoLine	6	\setkeys	10, 11, 38, 57, 103, 104
\par	67, 68	\setlength	19, 20
\PassOptionsToPackage	4	\settowidth	59
\preto	38	\setupglossaries	4, 11
\printabbreviations	6	\sfcode	98, 99, 175
\printglossaries	60, 66	\space	5, 16, 18, 45–47, 53, 55, 56, 58–61, 64, 67, 99, 105, 123, 175
\printglossary	6, 60, 66	\spacefactor	98, 99, 103, 175
\printglossary options		\string	5, 15, 16, 18, 22, 35, 36, 45–47, 53, 55, 56, 58–61, 64–67, 87–91
nonumberlist	22	\strut	170–175
\printnoidxglossaries	66	\subglossentry	170–175
\printnoidxglossary	66		
\printnumbers	7, 83, 84	T	
\printsymbols	7, 83	\tablehead	173, 174
\ProcessOptions	169	\tail	173, 174
\ProcessOptionsX	10	\tabularnewline	170–175
\protect	76–79, 105, 121–140, 142, 143, 145, 148, 149, 153–161	\TeX	65
\protected@edef	19, 57, 91, 104	\texorpdfstring	161–167
\protected@write	22, 60	textcase package	151
\providecommand	6, 22, 36, 47, 55, 60, 64, 169	\textsc	133
\ProvidesFile	168		

\textsmaller	137		W	
\texttt	65–67		\warn@nomakeglossaries	60
\the	57, 94, 104, 121–125, 127–133, 142, 143, 145, 148, 149		\warn@noprintglossary	60
\theindex	91		\write	47, 55, 60, 64
\this@dialect	168			
\toks@	94			
		U	X	
\undef	95		\xcapitalisewords	84
\underline	97		\xifinlist	51
\unskip	14, 170		xindy	59
\usepackage	66, 67		xkeyval package	4
		V	\XKV@checkchoice	22
\val	5, 8, 9		\XKV@plfalse	22
			\XKV@resa	22
			\XKV@sttrue	22