

# Contents

|          |                                       |          |
|----------|---------------------------------------|----------|
| <b>1</b> | <b>Support Vector Machines</b>        | <b>2</b> |
| <b>2</b> | <b>Kernel Support Vector Machines</b> | <b>3</b> |
|          | <b>Acronyms</b>                       | <b>5</b> |

# Chapter 1

## Support Vector Machines

The SVM<sup>1</sup> is used widely in the area of pattern recognition. **SVMs** are ... (but beware, converting the initial letter to upper case for a small caps acronym is sometimes considered poor style).

Short version: **SVM**. Long version: **support vector machine**. Full version: **SVM (support vector machine)**. Description: Statistical pattern recognition technique [1].

This is the entry in uppercase: **SVM**.

---

<sup>1</sup>support vector machine: Statistical pattern recognition technique [1]

## Chapter 2

# Kernel Support Vector Machines

The `KSVM`<sup>1</sup> is an `SVM` that uses the so called “kernel trick”. This is the entry’s description without a link: Statistical pattern recognition technique using the “kernel trick”.

(Reset all.) Possessive: `KSVM`’s<sup>2</sup>. Make the glossary entry number bold for this one `SVM`<sup>3</sup>.

---

<sup>1</sup>kernel support vector machine: Statistical pattern recognition technique using the “kernel trick”

<sup>2</sup>kernel support vector machine: Statistical pattern recognition technique using the “kernel trick”

<sup>3</sup>support vector machine: Statistical pattern recognition technique [1]

# Bibliography

[1] ...

# Acronyms

## **kernel support vector machine (KSVM)**

Statistical pattern recognition technique using the “kernel trick”. [3](#), *see also* [SVM](#)

## **support vector machine (SVM)**

Statistical pattern recognition technique [\[1\]](#). [2](#), [3](#), [3](#)