

The gnuplottex package*

Lars Kotthoff
lars@larsko.org

October 6, 2007

1 Introduction

This package allows you to include gnuplot graphs in your L^AT_EX documents.

The gnuplot code is extracted from the document and written to `.gnuplot` files. Then, if shell escape is used, the graph files are automatically processed to graphics or L^AT_EX code files which will then be included in the document. If shell escape isn't used, the user will have to manually convert the files by running gnuplot on the extracted `.gnuplot` files.

Shell escape is available in the web2c T_EX compiler, it allows the execution of shell code during the compilation of a T_EX document. It's disabled by default, you'll have to edit your configuration files or give the `-shell-escape` option to latex.

2 Requirements

To use gnuplottex, you'll need the `graphicx`, `latexsym`, `keyval`, `ifthen`, and `moreverb` packages and, of course, gnuplot.

3 Usage

To load the package, simply `\usepackage{gnuplottex}` in your document preamble. Options that can be passed to the package are

[*<shell>*] Use shell escape to automatically generate the graphs from the gnuplot source files. This is the default. Normally, you don't need to specify this option.

[*<noshell>*] Don't use shell escape, graphs must be generated manually.

[*<miktex>*] We're using mikTeX.

The following environments can be used to include graphs:

`gnuplot` Within this environment, you can specify arbitrary gnuplot code, for example `plot sin(x)`.

The code necessary to write the plot to a file will be inserted by this package.

*This document corresponds to gnuplottex v0.4.1, dated 2007/10/06.

It adds 'set terminal $\langle terminal \rangle$ ' and the name of the output file. The terminal can be specified by the user and defaults to `latex`. It may be set to anything supported by gnuplot. If set to a terminal which produces \TeX output, such as `latex`, `tex`, `epslatex`, or `pstricks`, the file processed by gnuplot will be included with the `\include` command, else the `\includegraphics` command is used. The file extension of the intermediate file is in some cases different from the terminal name, this is taken care of for most common terminals in the package code. If graphics inclusion fails for a specific terminal, the intermediate file extension may be the cause.

The terminal name can be specified as a value to the key `terminal` as an argument to the environment, `\begin{gnuplottex}[scale= $\langle terminal \rangle$]`

```
...
\end{gnuplottex}
```

The graph can be scaled by providing an argument to the `scale` key, similar to the specification of the terminal name. It defaults to 1, i.e. no scaling will be done.

4 Acknowledgements

Thanks to Roy Ratcliffe for the suggestion and basic code for the gnuplot terminal specification and handling.

5 Implementation

5.1 Initialization

```
1 \newif\ifShellEscape
2 \newif\ifmiktex \miktexfalse
3
4 \DeclareOption{shell}{\ShellEscapetrue}
5 \DeclareOption{noshell}{\ShellEscapefalse}
6 \DeclareOption{miktex}{\global\miktextrue}
7
8 \ExecuteOptions{shell}
9 \ProcessOptions\relax
10 %% test if shell escape really works
11 \ifShellEscape
12 \def\tmpfile{/tmp/w18-test-\the\year\the\month\the\day\the\time}
13 \ifmiktex
14 \def\tmpfile{w18-test-\the\year\the\month\the\day\the\time}
15 \immediate\write18{echo t > "\tmpfile"}
16 \else
17 \immediate\write18{touch \tmpfile}
18 \fi
19 \ifmiktex
20 \IfFileExists{\tmpfile.}{\ShellEscapetrue}{\ShellEscapefalse}
21 \immediate\write18{del "\tmpfile"}
22 \else
23 \IfFileExists{\tmpfile}{\ShellEscapetrue}{\ShellEscapefalse}
24 \immediate\write18{rm -f \tmpfile}
25 \fi
```

```

26 \fi
27
28 \ifShellEscape
29   \PackageInfo{gnuplottex}
30   {Automatically converting gnuplot files.}
31 \else
32   \PackageWarningNoLine{gnuplottex}
33   {Shell escape not enabled.\MessageBreak
34   You'll need to convert the graphs yourself.}
35 \fi
36 \newcounter{fignum}

```

5.2 .gnuplot write out

```

37 \def\figname{\jobname-gnuplottex-fig\thefignum}
38
39 \def\gnuplotverbatimwrite#1{%
40   \def\BeforeStream
41     {\message{Opening gnuplot stream #1}%
42     \immediate\write\verbatim@out{\string set terminal \gnuplotterminal}
43 \immediate\write\verbatim@out{\string set output '\figname.\gnuplottexextension{\gnuplotterminal}
44   }
45   \@bsphack
46   \immediate\openout \verbatim@out #1
47   \BeforeStream%
48   \let\do\@makeother\dospecials
49   \catcode'\^M\active
50   \def\verbatim@processline{%
51     \immediate\write\verbatim@out
52     {\the\verbatim@line}}%
53   \verbatim@start}
54 \def\endgnuplotverbatimwrite{%
55   \immediate\closeout\verbatim@out
56   \@esphack
57 \catcode'\0
58 \catcode'\{1
59 \catcode'\}2
60 \catcode'\$3
61 \catcode'\&4
62 \catcode'\^M5
63 \catcode'\#6
64 \catcode'\^7
65 \catcode'\_8
66 \catcode'\ 10
67 \catcode'\%14}

```

5.3 Environment definition

```

68 \def\gnuplottexextension@latex{\string tex}
69 \def\gnuplottexextension@epslatex{\string tex}
70 \def\gnuplottexextension@eepic{\string tex}
71 \def\gnuplottexextension@pstricks{\string tex}
72 \def\gnuplottexextension@pslatex{\string tex}
73 \def\gnuplottexextension@pstex{\string tex}
74 \def\gnuplottexextension@emt看{\string tex}
75 \def\gnuplottexextension@jpeg{\string jpg}

```

```

76 \def\gnuplottexextension#1{\ifundefined{gnuplottexextension@#1}{#1}{\csname gnuplottexextension@#1\endcsname}}
77 \define@key{pic}{scale}[1]{\def\gnuplotscale{#1}}
78 \define@key{pic}{terminal}[latex]{\def\gnuplotterminal{#1}}
79 \newenvironment{gnuplot}[1][\stepcounter{fignum}%
80 \def\gnuplotterminal{latex}
81 \def\gnuplotscale{1}
82 \setkeys{pic}{#1}
83 \xdef\gnuplotCutFile{\figname.gnuplot}
84 \gnuplotverbatimwrite{\gnuplotCutFile}
85 {\endgnuplotverbatimwrite%
86 \gnuplotgraphicsprocess%
87 \gnuplotgraphicsinclude}

```

5.4 .gnuplot file processing

```

88 \long\gdef\gnuplotgraphicsprocess{%
89 \ifShellEscape
90 \IfFileExists{\figname.gnuplot}{%
91 \immediate\write18{gnuplot \figname.gnuplot}
92 \IfFileExists{\figname.\gnuplottexextension{\gnuplotterminal}}{%
93 \PackageInfo{gnuplottex}
94 {\figname.gnuplot converted}}
95 {\PackageWarningNoLine{gnuplottex}
96 {Conversion of \figname.gnuplot failed.}}{}
97 \fi}

```

5.5 Graph inclusion

```

98 \long\gdef\gnuplotgraphicsinclude{%
99 \IfFileExists{\figname.\gnuplottexextension{\gnuplotterminal}}{%
100 \ifthenelse{\equal{\gnuplottexextension{\gnuplotterminal}}{\string tex}}
101 {\scalebox{\gnuplotscale}{\input{\figname.\gnuplottexextension{\gnuplotterminal}}}}
102 {\includegraphics[scale=\gnuplotscale]{\figname.\gnuplottexextension{\gnuplotterminal}}}
103 }
104 {\PackageWarningNoLine{gnuplottex}
105 {Please convert \figname.gnuplot manually}}
106 }

```