

# **Package `hvfloat`**

## **Rotating objects and captions**


### **ver 1.2a**

Herbert Voß\*

September 16, 2017

This `hvfloat.sty` defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed, which is only for demonstration here and has no additional sense.



---

\*hvoss@tug.org

## Contents

<b>1 The Package Options</b>	<b>4</b>
<b>2 The Macros</b>	<b>4</b>
2.1 The Options . . . . .	5
<b>3 The Default Use of Floating Environments</b>	<b>5</b>
<b>4 Caption Right or Left</b>	<b>6</b>
4.1 Caption Right and Rotated . . . . .	7
<b>5 Vertical Position of the Caption</b>	<b>8</b>
<b>6 Horizontal Position of the Float</b>	<b>10</b>
<b>7 Full Page Width in Landscape Mode</b>	<b>11</b>
<b>8 The <code>nonfloat</code> Option</b>	<b>11</b>
<b>9 Tables as Objects</b>	<b>14</b>
<b>10 Text and Objects</b>	<b>16</b>
<b>11 Environment <code>hvFloatEnv</code></b>	<b>16</b>
<b>12 Global <code>float</code> setting</b>	<b>17</b>
<b>13 The Package Source</b>	<b>17</b>

## List of Tables

1	The Caption without sense . . . . .	4
2	The Options for the Macro <code>hvFloat</code> . . . . .	5
3	Demonstration of the <code>useOBox</code> Parameter . . . . .	15
4	Demonstration of the <code>useOBox</code> Parameter . . . . .	15
5	A caption for a nice table . . . . .	16
6	A caption for a nice table . . . . .	17

## List of Figures

1	<code>What a nice Caption :-)</code> . . . . .	1
2	Without any Options (only the <code>fbox</code> package option) . . . . .	6
3	With the only Option <code>capPos=t</code> to place the caption on top of the table, which is often the default . . . . .	6
4	Caption beside object and vertically centered . . . . .	7
5	Centered Caption beside Object . . . . .	7
6	Centered Caption beside Object . . . . .	8
7	Caption at bottom right beside the float . . . . .	9
8	Caption at top left beside the float . . . . .	9
9	Caption centered right beside the float . . . . .	9
10	Caption at top right beside the float and object position left . . . . .	10
11	Caption at top left beside the float and object position right . . . . .	10
12	Caption at top and together with the object rotated . . . . .	12
13	Rotated Caption . . . . .	13
14	Nonfloat Captions . . . . .	14

# 1 The Package Options

**fbox** The objects and captions are put into a `\fbox` command, like in this documentation.  
This doesn't make real sense and is only for some demonstration useful.

The length `\belowcaptionskip` is set by L<sup>A</sup>T<sub>E</sub>X to 0pt and changed in `hfvfloat` to the same value than `\abovecaptionskip`. This length can be changed to another value in the usual way with `\setlength` or `\addtolength`.

# 2 The Macros

The syntax for the `\hvFloat` macro is

```
\hvFloat[<options>]%
  {<float type>}%
  {<floating object>}%
  [<short caption>]{<long caption>}%
  {<label>}
```

If the second parameter `<float type>` is empty, then `hfvfloat` switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the `listoffigures`.

There are some more macros defined, more or less for internally use in `hfvfloat`, but they can be used for own purposes.

```
\figcaption[<short caption text>]{<caption text>}
\tabcaption[<short caption text>]{<caption text>}
```

They are used for the nonfloat option, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the `\tabcaption` command to place a caption anywhere, like here in an inlined mode:

Table 1: A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 1 is no problem.

[...] It is no problem to use the `\verb|\tabcaption|` command to place a caption anywhere, like here in an inlined mode:  
`\tabcaption[The Caption without sense ...]{A Caption without any sense and any object}\label{dummy}` A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table `\ref{dummy}` is no problem.

## 2.1 The Options

There are following options:

Table 2: The Options for the Macro `hvFloat`

Option	Default	Description
<code>floatPos</code>	<code>htb</code>	This is the same placement option like the one from the floats.
<code>rotAngle</code>	0	The value for the angle if both, the object and the caption should be rotated in the same way.
<code>capWidth</code>	0.8	The width of the caption. Can be "w" for the width of the object or "h" for the height of the object or a scale for \columnwidth.
<code>capAngle</code>	0	The value for the angle if the caption should be rotated. Counted anti clockwise.
<code>capPos</code>	<code>b</code>	The position of the caption relative to the object. Possible values are ( <code>l</code> eft  <code>b</code> ottom  <code>t</code> op  <code>r</code> ight).
<code>capVPos</code>	<code>c</code>	This is only important for <code>capPos=l r</code> . Only in this case the caption can vertically placed at the ( <code>b</code> ottom  <code>c</code> enter  <code>t</code> op).
<code>objectPos</code>	<code>c</code>	The horizontalplacement of the object relative to the document. Possible values are ( <code>l</code> eft  <code>c</code> enter  <code>r</code> ight).
<code>objectAngle</code>	0	The value for the angle if the object should be rotated. Counted anti clockwise.
<code>floatCapSep</code>	5	The additional width between the object and a left or right placed caption. The default unit is pt.
<code>useOBox</code>	<code>false</code>	Instead of passing the object as parameter to the <code>hvFloat</code> , the contents maybe saved in the box \hvOBox With <code>useOBox=true</code> the contents of this box will be used.
<code>nonFloat</code>	<code>false</code>	The object isn't put in a floating environment. It is printed as standard text with an additional caption. The float counters are increased as usual and can be referenced.

## 3 The Default Use of Floating Environments

In this case there is no essential difference to the well known `figure` or `table` environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```

Code for figure 2:




Figure 2: Without any Options (only the `fbox` package option)

```
1 \hvFloat{figure}{\includegraphics{rose}}{Without any Options (only the \texttt{fbox} package option)}{fig:0}
```

Figure 3: With the only Option `capPos=t` to place the caption on top of the table, which is often the default

Name	Type	Description
<code>hvFloat</code>	command	places object and caption in different ways
<code>hvFloatEnv</code>	environment	places object and caption exactly Here
<code>figcaption</code>	command	writes a figure caption in a non floating environment
<code>tabcaption</code>	command	writes a table caption in a non floating environment
<code>setDefaults</code>	command	sets all options to the defaults

Code for table 3:

```
1 \hvFloat[capPos=t]{figure}{%
2   \begin{tabularx}{\textwidth}{l|l|X}
3     Name & Type & Description\\ \hline
4     \CMD{hvFloat} & command & places object and caption in different ways\\
5     \texttt{hvFloatEnv} & environment & places object and caption exactly Here\\
6     \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
7     \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
8     \CMD{setDefaults} & command & sets all options to the defaults
9   \end{tabularx}%
10 }{With the only Option \texttt{capPos=t} to place the caption on top of the table, which is often the default
    }{tab:0}
```

See section 9 for some more informations about tabulars as objects.

## 4 Caption Right or Left

Code for figure 4:

```
1 \hvFloat[%
```




Figure 4: Caption vertically centered right  
beside the float with a caption width of  $0.5\text{\columnwidth}$  and  
 $\text{floatcapsep}=5\text{pt}$  (the default)

```
2   floatPos=htb,%
3   capWidth=0.5,% of \columnwidth
4   capPos=r,%
5   capVPos=c,%
6   objectPos=c]{figure}{\includegraphics{rose}}%
7   [Caption beside object and vertically centered]{%
8   Caption vertically centered right beside the float with a caption width of \texttt{%
9   {0.5\textbackslash columnwidth}} and \texttt{floatcapsep=5pt} (the default)}{fig%
:1}
```

#### 4.1 Caption Right and Rotated





Figure 5: Caption vertically  
centered right be-  
side the float with  
a caption width of  
 $0.5\text{\columnwidth}$   
and  
 $\text{floatcapsep}=5\text{pt}$   
(the default)

Code for figure 5:

```
1 \hvFloat[%
2   floatPos=htb,%
3   capWidth=h,% of \columnwidth
4   capPos=r,%
5   capAngle=90,%
6   capVPos=c,%
7   objectPos=c]{figure}{\includegraphics{rose}}%
8   [Centered Caption beside Object]{%
9   Caption vertically centered right beside the float with a caption width of \texttt{%
10  {0.5\textbackslash columnwidth}} and \texttt{floatcapsep=5pt} (the default)}{fig%
:2}
```

It is no problem to rotate the object, too. But with a different angle value than for the caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by  $-30$  degrees with the `rotatebox` makro.



Code for figure 6:

```

1 \hvFloat[%  

2   floatPos=htb,%  

3   capWidth=h  

4   capPos=r,%  

5   capAngle=180,%  

6   objectAngle=-30,%  

7   capVPos=c,%  

8   objectPos=c]{figure}{\fbox{\includegraphics{rose}}}%  

9 [Centered Caption beside Object]{%  

10 Caption vertically centered right beside the float with a caption width of the height  

     of the image and \texttt{floatcapsep=5pt} (the default){fig:3}

```

## 5 Vertical Position of the Caption

The caption can be placed beside the object in the psoitions

(c)enter|(b)ottom|(t)op

The code for figure 7:

```

1 \hvFloat[%  

2   floatPos=htb,%  

3   capWidth=0.25,%  

4   capPos=r,%  

5   capVPos=b,%  

6 ]{figure}{\includegraphics{rose}}{Caption at bottom right beside the float}{fig:4}

```

The code for figure 8:





Figure 7: Caption at bottom right beside the float

Figure 8: Caption at top left beside the float



```
1 \hvFloat[%  
2     floatPos=htb,%  
3     capWidth=0.25,%  
4     capPos=r,%  
5     capVPos=t,%  
6 ]{figure}{\includegraphics{rose}}{Caption at top left beside the float}{fig:5}
```




Figure 9: Caption centered right beside the float

The code for figure 9:

```
1 \hvFloat[%  
2     capWidth=0.25,%  
3     capPos=r,%  
4     capVPos=c,% the default
```

```
5 ]{figure}{\includegraphics{rose}}{Caption centered right beside the float}{fig:6}
```

## 6 Horizontal Position of the Float




Figure 10: Caption at top right beside the float and object position left

The code for figure 10:

```
1 \hvFloat[%  
2     capWidth=0.25,%  
3     capPos=r,%  
4     capVPos=t,%  
5     objectPos=l,%  
6 ]{figure}{\includegraphics{rose}}%  
7     Caption at top right beside the float and object position left}{fig:7}
```

Figure 11: Caption at top left beside the float and object position right



The code for figure 11:

```
1 \hvFloat[%  
2     capWidth=0.25,%  
3     capPos=l,%  
4     capVPos=t,%  
5     objectPos=r,%  
6 ]{figure}{\includegraphics{rose}}%  
7     Caption at top leftt beside the float and object position right}{fig:8}
```

## 7 Full Page Width in Landscape Mode

If you do not want to load the `\lscape` package you can use the `floatPos=p` option to put the image on an own page and rotated by 90 degrees (figure 12).

Code for figure 12:

```
1 \hvFloat[%  
2   floatPos=p,%  
3   capWidth=1,%  
4   capPos=b,%  
5   rotAngle=90,%  
6   objectPos=c%  
7 ]{figure}{\includegraphics[width=0.9\textheight]{bateaux}}%  
8   Caption at top right beside the float and object position right}{fig:9}
```

The float can also be put to the left or to the right (above/below in landscape) with the `objectPos=l` parameter

The code for figure 13:


```
1 \hvFloat[%  
2   floatPos=p,%  
3   capWidth=h,%  
4   capPos=r,%  
5   objectAngle=90,%  
6   capAngle=-90,%  
7   objectPos=l%  
8 ]{figure}{\includegraphics[width=\textheight]{bateaux}}%  
9   [Rotated Caption]{%  
10   Caption right beside the float and object position left. The caption rotated by $-90$  
degrees}{fig:10}
```

## 8 The `nonfloat` Option

Sometimes it is better to put a "float" in a specific position of the page. This is possible with the `nonfloat` package and the option `nonFloat=true`.

```
1 \hvFloat[%  
2   nonFloat=true,%  
3   capWidth=0.25,%  
4   capPos=r,%  
5   capVPos=b,%  
6   objectPos=c,%  
7 ]{figure}{\includegraphics{rose}}%  
8   [Nonfloat Captions]{%  
9   Caption of a "nonfloat" Object, using the \texttt{nonfloat} Package}{fig:11}
```

Figure 12: Caption at top and together with the object rotated



*Comment naissent les bateaux*




Figure 13: Caption right beside the float and object position left. The caption rotated by  $-90$  degrees

*Deutsche Meisterschaften der Badminton*




Figure 14: Caption of a "nonfloat" Object, using the nonfloat Package

The image 14 is exactly placed where the `hvFloat` command appears. There are only commands for `figure` and `table` environments:

```

1 \newcommand{\figcaption}{\def\@capttype{figure}\caption}
2 \newcommand{\tabcaption}{\def\@capttype{table}\caption}
```

But it is no problem, to define more `xxxcaption` commands to support other with the `float` package defined new floats.

## 9 Tables as Objects

The object has to be passed as an parameter to the `hvFloat` macro. This is no problem with images but maybe with tables, so it is easier to use the box `\hvOBox` to save the table in this box and pass it then to `hvFloat` with the `useOBox` option. For example see table 3 and 4:

```

1 \begin{tabular}{l|l|l}
2   Name & Type & Description\\ \hline
3   \texttt{hvFloat} & command & places object and caption in different ways\\
4   \texttt{hvFloatEnv} & environment & places object and caption exactly Here\\
5   \texttt{figcaption} & command & writes a figure caption in a non floating environment\\
6   \texttt{tabcaption} & command & writes a table caption in a non floating environment\\
7   \texttt{setDefaults} & command & sets all options to the defaults
8 \end{tabular}
9 }
```

The code for table 3 and 4 is:

```

1 \hvFloat[%
2   floatPos=!hb,%
3   useOBox=true]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:1}
4
5 \hvFloat[%
6   floatPos=hb,%
7   useOBox=true,%
8   objectAngle=90,%
9   capPos=r,%
10  capVPos=t,%
11  capWidth=0.3]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:2}
```

In this case leave the third parameter empty.

Name	Type	Description
hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
figcaption	command	writes a figure caption in a non floating environment
tabcaption	command	writes a table caption in a non floating environment
setDefaults	command	sets all options to the defaults


Table 3: Demonstration of the `use0Box` Parameter

Name	Type	Description
hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
figcaption	command	writes a figure caption in a non floating environment
tabcaption	command	writes a table caption in a non floating environment
setDefaults	command	sets all options to the defaults

Table 4: Demonstration  
of the `use0Box`  
Parameter

## 10 Text and Objects

With the `onlyText` option it is no problem to put some text beside an image without getting the caption titels figure/table. The object still can be a floating one or a nonfloating if the `nonfloat` is used.



The code for figure 10:

```
1 \hvFloat[%  
2     onlyText=true,%  
3     capAngle=90,%  
4     capPos=r,%  
5     capVPos=t,%  
6     capWidth=h]{\includegraphics{rose}}%  
7 ["\\texttt{onlyText}" Caption]{%  
8 Demonstration of the \\texttt{onlyText} Parameter, which makes it  
9 possible to put some text beside a floating object without getting  
10 a starting \\texttt{Figure:} or \\texttt{Table:}}{fig:text}
```

## 11 Environment `hvFloatEnv`

With the environment `hvFloat` one can place an object exactly on that position where the environment is defined. For captions the use of `\captionof` is recommended:

Table 5: A caption for a nice table

left	center	right
L	C	R

```
1 \begin{hvFloatEnv}  
2 \captionof{table}{A caption for a nice table}  
3 \begin{tabular}{@{} l c r @{} }\hline  
4 left & center & right \\  
5 L & C & R \\\hline  
6 \end{tabular}  
7 \end{hvFloatEnv}
```

The environment has an optional argument for setting the line width which is preset to `\textwidth`. The object is always centered.

Table 6: A caption for a nice table

left	center	right
L	C	R
1 \begin{hfloatEnv}[0.5\textwidth]		
2 \captionof{table}{A caption for a nice table}		
3 \begin{tabular} {@{} l c r @{} }\hline		
4 left & center & right \\		
5 L & C & R \\ \hline		
6 \end{tabular}		
7 \end{hfloatEnv}		

## 12 Global float setting

Instead of writing the following sequence into the preamble:

```
\makeatletter
\renewcommand\fps@figure{tb}
\renewcommand\fps@table{t}
\makeatother
```

you can change the global setting of floats by loading the package `hfloat-fps`. It allows optional package options to set the global placement:

```
\usepackage[figure=tb,table=t]{hfloat-fps}
```

## 13 The Package Source

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{hfloat}[2017/01/28 rotating of floating objects]
3 %%
4 %% IMPORTANT NOTICE:
5 %%
6 %% This is file 'hfloat.sty',
7 %%
8 %% Herbert Voss <hvoss@tug.de>
9 %%
10 %% This program can be redistributed and/or modified under the terms
11 %% of the LaTeX Project Public License Distributed from CTAN archives
12 %% in directory macros/latex/base/lppl.txt.
13 %%
14 %% DESCRIPTION:
15 %%   'hfloat' offers rotating of captions and objects for floats
16 %%
17 \def\fileversion{1.2a}
18 \def\filedate{2017/09/16}
```

```

19 \message{'hvfloat' v\fileversion, \filedate\space (Herbert Voss)}
20 %
21 \newif\ifhv@fbox \hv@fboxfalse
22 \DeclareOption{fbox}{\hv@fboxtrue\setlength{\fboxsep}{1pt}}
23 \ProcessOptions
24 %
25 \RequirePackage{graphicx}
26 \RequirePackage{keyval}
27 \RequirePackage{caption}
28 %
29 \newlength\hvObjectWidth
30 \newlength\hvCapWidth
31 \newlength\hvMaxCapWidth
32 \newsavebox\hvObjectBox
33 \newsavebox\hvCaptionBox
34 \newsavebox\hvOBox
35 %
36 \newif\ifhv@useOBox
37 \newif\ifhv@nonFloat
38 \newif\ifhv@onlyText
39 %
40 \def\hv@figure{figure}
41 %
42 \def\hvSet@boolkey#1#2{\csname hv@#2\ifx\relax#1\relax true\else#1\fi\endcsname}
43 %
44 \define@key{hvSet}{floatPos}[htbp]{%      LaTeX's position parameters htbp
45   \def\hvSet@floatPos{#1}%
46 }
47 \define@key{hvSet}{rotAngle}[0]{%          rotates caption AND image together
48   \def\hvSet@rotAngle{#1}%
49 }
50 \define@key{hvSet}{capWidth}[.8]{%          object (w)idth|object (h)eight|<scale of | columnwidth>
51   \def\hvSet@capWidth{#1}%
52 }
53 \define@key{hvSet}{capAngle}[0]{%          -360..+360
54   \def\hvSet@capAngle{#1}%
55 }
56 \define@key{hvSet}{capPos}[b]{%            (l)eft|(b)ottom|(t)op|(r)ight
57   \def\hvSet@capPos{#1}%
58 } it is relativ to the object
59 \define@key{hvSet}{capVPos}[c]{%          (b)ottom|(c)enter|(t)op
60   \def\hvSet@capVPos{#1}%
61 } it is relativ to the object
62 \define@key{hvSet}{objectPos}[c]{%          (l)eft|(c)enter|(r)ight
63   \def\hvSet@objectPos{#1}%
64 } it is relativ to the document
65 \define@key{hvSet}{objectAngle}[0]{%          -360..+360
66   \def\hvSet@objectAngle{#1}%
67 }
68 \define@key{hvSet}{floatCapSep}[5]{%          a width with the unit pt
69   \def\hvSet@floatCapSep{#1}%
70 }
71 \define@key{hvSet}{useOBox}[false]{%          use of the hvOBox contents

```

```

72     \lowercase{\hvSet@boolkey{#1}}{use0Box}%
73 }
74 \define@key{hvSet}{nonFloat}[false]{%      Do not use float environment
75     \lowercase{\hvSet@boolkey{#1}}{nonFloat}%
76 }
77 \define@key{hvSet}{onlyText}[false]{%      Write the caption only as text
78     \lowercase{\hvSet@boolkey{#1}}{onlyText}%
79 }
80 %
81 \newcommand{\setDefaults}{%
82 \setkeys{hvSet}{%
83     floatPos=htbp, rotAngle=0, capWidth=.8, capAngle=0,
84     capPos=b, capVPos=c, objectPos=c, objectAngle=0,
85     floatCapSep=5, use0Box=false, nonFloat=false,
86     onlyText=false}%
87 }
88 %
89 \def\hv@Top{t}
90 \def\hv@Bottom{b}
91 \def\hv@Right{r}
92 \def\hv@Left{l}
93 \def\hv@Center{c}
94 \def\hv@Width{w}
95 \def\hv@Height{h}
96 \def\hv@Zero{0}
97 %
98 \newlength{\hvAboveCaptionSkip}
99 \newlength{\hvBelowCaptionSkip}
100 \setlength{\belowcaptionskip}{\abovecaptionskip}% it is in latex.ltx = 0pt
101 \newcommand{\saveCaptionSkip}{%
102     \setlength{\hvAboveCaptionSkip}{\abovecaptionskip}%
103     \setlength{\hvBelowCaptionSkip}{\belowcaptionskip}%
104     \setlength{\abovecaptionskip}{0pt}%
105     \setlength{\belowcaptionskip}{0pt}%
106 }
107 \newcommand{\restoreCaptionSkip}{%
108     \setlength\abovecaptionskip{\hvAboveCaptionSkip}%
109     \setlength\belowcaptionskip{\hvBelowCaptionSkip}%
110 }
111 %
112 %
113 \newcommand{\figcaption}[2][]{\def\@captype{figure}%
114     \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi%
115 \newcommand{\tabcaption}[2][]{\def\@captype{table}%
116     \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi%
117 %
118 %
119 \def\hvFloat{@ifnextchar[{\do@hvFloat}{\do@hvFloat[]}}
120 \def\do@hvFloat[#1]{%
121     \setDefaults
122     \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi%
123     \gdef\hv@floatType{#2}%
124     \ifx\relax#2\relax \setkeys{hvSet}{nonFloat=true}\fi%
125     \gdef\hv@floatObject{#3}%

```

```

126   \@ifnextchar[{\do@@hvFloat}{\do@@hvFloat[]}%
127 }
128 \def\do@hvFloat[#1]#2#3{%
129   \def\hv@shortCap{#1}%
130   \def\hv@longCap{#2}%
131   \def\hv@label{#3}%
132 \%|newcommand*{\hvFloat}[5][]{%
133 \% [#1]: keyvalues
134 \% #2: type figure | table | ...
135 \% #3: float contents
136 \% [#4]: short caption
137 \% #5: caption
138 \% #6: label
139 \% \setDefaults%
140 \% \def@tempa{#1}%
141 \% \ifx@\tempa\empty|\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
142   \def@tempa{90}%
143   \ifx\hvSet@rotAngle@\tempa \setlength{\hvMaxCapWidth}{\textheight}%
144   \else                      \setlength{\hvMaxCapWidth}{\linewidth}%
145   \fi
146 %
147 % First we save the object in \hvObjectBox
148 %
149 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
150   \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
151 \else
152   \savebox{\hvObjectBox}{%
153     \rotatebox{\hvSet@objectAngle}{%
154       \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
155   \fi
156   \setlength{\hvObjectWidth}{\wd\hvObjectBox}%
157 %
158 % Now we save the caption with its defined \hvCapWidth
159 %
160 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}%
161 \else
162   \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}%
163   \else
164     \setlength{\hvCapWidth}{\hvObjectWidth}%
165     \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
166     \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
167     \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
168       \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}%
169     \else
170       \setlength{\hvCapWidth}{\hvMaxCapWidth}%
171     \fi
172   \fi
173 \fi
174 %
175 % now we have the object and the caption with the right
176 % rotated angles saved in boxes
177 %
178 \def\fps@figure{\hvSet@floatPos}%
179 \ifhv@nonFloat\begingroup% Start the nonfloat part

```

```

180 \else          \begin{\hv@floatType}%
181   Start the floating environment
182 \fi
183 \saveCaptionSkip% we put this space ourselves
184 \ifx\hvSet@capAngle\hv@Width % need rotation?
185   \sbox{\hvCaptionBox}{%
186     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
187       \ifhv@nonFloat
188         \ifhv@onlyText#2
189         \else
190           \ifx\hv@floatType\hv@figure
191             \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
192           \else
193             \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi
194           \fi
195         \fi
196       \else
197         \expandafter\ifx\expandafter\relax\hv@shortCap\relax \caption{#2}\else\caption
198           [#1]{#2}\fi
199       \fi
200     \label{#3}%
201   \end{minipage}%
202 }%
203 \else
204   \sbox{\hvCaptionBox}{%
205     \rotatebox{\hvSet@capAngle}{%
206       \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
207         \ifhv@nonFloat
208           \ifhv@onlyText#2
209           \else
210             \ifx\hv@floatType\hv@figure
211               \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
212             \else
213               \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi
214             \fi
215           \fi
216         \else
217           \expandafter\ifx\expandafter\relax\hv@shortCap\relax \caption{#2}\else\caption
218             [#1]{#2}\fi
219           \fi
220         \label{#3}%
221       \end{minipage}%
222     }%
223   \restoreCaptionSkip% save old values
224   \ifx\hvSet@objectPos\hv@Right\raggedleft%
225   \else
226     \ifx\hvSet@objectPos\hv@Center
227       \ifhv@nonFloat\hspace*{\fill}\else\centering\fi
228     \fi
229   \fi
230 %
231 % to rotate object and caption together, we save all in another box

```

```

232 % the caption comes first, if its on the left or the top
233 %
234 \savebox{\@tempboxa}{%
235 \ifx\hvSet@capPos\hv@Left % caption on left side
236   \ifx\hvSet@capVPos\hv@Center
237     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
238     \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
239   \fi
240   \hspace{\hvSet@floatCapSep pt} capfloatsep
241   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
242   \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
243   \fi
244 \else
245   \ifx\hvSet@capVPos\hv@Top % caption at top
246     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
247     \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
248   \fi
249   \hspace{\hvSet@floatCapSep pt} capfloatsep
250   \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
251   \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
252   \fi
253 \else% caption on bottom
254   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}%
255   \else\usebox{\hvCaptionBox}%
256   \fi%
257   \hspace{\hvSet@floatCapSep pt}%
258   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}%
259   \else \usebox{\hvObjectBox}%
260   \fi
261   \fi
262 \fi
263 \else
264   \ifx\hvSet@capPos\hv@Top
265     \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
266       \begin{minipage}{\wd\hvCaptionBox}%
267     \else
268       \begin{minipage}{\wd\hvObjectBox}%
269     \fi
270     \centering
271     \ifhv@fbox
272       \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
273       \fbox{\usebox{\hvObjectBox}}%
274     \else
275       \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
276       \usebox{\hvObjectBox}%
277     \fi
278     \end{minipage}%
279   \else
280     \ifx\hvSet@capPos\hv@Bottom
281       \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
282         \begin{minipage}{\wd\hvCaptionBox}%
283       \else
284         \begin{minipage}{\wd\hvObjectBox}%
285       \fi

```

```

286 \centering
287 \ifhv@fbox
288   \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
289   \fbox{\usebox{\hvCaptionBox}}
290 \else
291   \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
292   \usebox{\hvCaptionBox}
293 \fi%
294 \end{minipage}
295 \else% the last option: put the caption on the right
296 \ifx\hvSet@capVPos\hv@Center%
297   \ifhv@fbox
298     \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
299   \else
300     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
301   \fi%
302   \hspace{\hvSet@floatCapSep pt}%
303   \ifhv@fbox
304     \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
305   \else
306     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
307   \fi%
308 \else%
309   \ifx\hvSet@capVPos\hv@Top
310     \ifhv@fbox
311       \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
312     \else
313       \raisebox{-\height}{\usebox{\hvObjectBox}}%
314     \fi%
315     \hspace{\hvSet@floatCapSep pt}%
316     \ifhv@fbox
317       \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
318     \else
319       \raisebox{-\height}{\usebox{\hvCaptionBox}}%
320     \fi
321   \else
322     \ifhv@fbox
323       \fbox{\usebox{\hvObjectBox}}%
324     \else
325       \usebox{\hvObjectBox}%
326     \fi
327     \hspace{\hvSet@floatCapSep pt}%
328     \ifhv@fbox
329       \fbox{\usebox{\hvCaptionBox}}%
330     \else
331       \usebox{\hvCaptionBox}%
332     \fi%
333   \fi
334 \fi
335 \fi
336 \fi
337 \fi
338 }% End savebox Object and caption
339 %

```

```

340 % now we rotate the object and caption, if needed
341 %
342     \ifx\hvSet@rotAngle\hv@Zero
343         \usebox{\@tempboxa}
344     \else
345         \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
346     \fi
347     \ifhv@nonFloat
348         \ifx\hvSet@objectPos\hv@Center
349             \ifhv@nonFloat
350                 \hspace{\fill}
351             \fi
352         \fi
353         \endgroup% End the nonfloat part
354     \else
355         \end{\hv@floatType}% End the floating environment
356     \fi
357 }
358 %
359 \newenvironment{hvFloatEnv}[1][\textwidth]
360     {\minipage{#1}\center}
361     {\endcenter\endminipage}
362 %
363 \endinput

```