

Hypertext marks in L^AT_EX

Sebastian Rahtz

Email: `sebastian.rahtz at oucs.ox.ac.uk`

Heiko Oberdiek

Email: `heiko.oberdiek at googlemail.com`

2010/03/10 v6.80m

1 Documentation overview for hyperref

The documentation for package `hyperref` consists of several files:

Manual The **USER MANUAL** (also available as HTML).

README The **README** file (also available as text file). Here information is collected that is not yet in the manual: new features, package compatibility, limitations, known problems, ...

ChangeLog This file records the version history (also available as text file).

Options This file provides a short option summary.

Bookmark talk, slides Slides for the talk “PDF information and navigation elements with `hyperref`, pdfTeX and `thumbpdf`” at EuroTeX 1999.

Bookmark talk, paper The paper version of the talk.

Source code documentation:

☞ **hyperref.dtx** This is the source code documentation for `hyperref` (this file).

backref.dtx “Back referencing from bibliographical citations”

nameref.dtx “Section name references in L^AT_EX”

2 Contents

1 Documentation overview for hyperref	1
2 Contents	2
3 File hycheck.tex	7
4 Package options and setup	10
4.1 Save catcodes	10
4.2 Compatibility with format dumps	12
4.3 Switches	12
5 Common help macros	14
5.1 Macros for recursions	14
5.2 Babel's protection of shorthand characters	14
5.3 Coordinate transformations	14
6 Dealing with PDF strings	16
6.1 Description of PDF strings	16
6.2 Definition of \pdfstringdef	16
6.2.1 Preprocessing	17
6.2.2 Expansion	22
6.2.3 Postprocessing	23
6.3 Encodings	27
6.3.1 Xe ^T E _X	27
6.3.2 Workaround for package lingex	28
6.3.3 PD1 encoding	29
6.3.4 PU encoding	29
6.4 Additional user commands	30
6.4.1 \texorpdfstring	30
6.4.2 Hooks for \pdfstringdef	30
6.5 Help macros for expansion	31
6.5.1 \ignorespaces	31
6.5.2 Babel languages	31
6.5.3 CJK patch	36
6.5.4 CJK bookmarks	37
6.5.5 CJK unicode	38
6.5.6 \inmathwarn-Patch	42
6.5.7 Unexpandable spaces	43
6.5.8 Marker for commands	44
6.5.9 \hspace fix	44
6.5.10 Fix for AMS classes	44
6.5.11 Reference commands	44
6.5.12 Redefining the defining commands	47
6.5.13 \ifnextchar	48
6.5.14 \protected@testopt\ifnextchar	48
6.6 Help macros for postprocessing	48
6.6.1 Generic warning	48
6.6.2 Protecting spaces	49
6.6.3 Remove grouping braces	50
6.6.4 Catcode check	51
6.6.5 Check for wrong glyphs	54
6.6.6 Replacing tokens	55

6.6.7	Support for package <code>xspace</code>	55
6.6.8	Converting to Unicode	56
6.6.9	Support for UTF-8 input encoding	58
7	Support of other packages	62
7.1	Class <code>memoir</code>	62
7.2	Package <code>subfigure</code>	62
7.3	Package <code>xr</code> and <code>xr-hyper</code>	62
8	Help macros for links	63
9	Options	64
9.1	Help macros	64
9.2	Defining the options	66
10	Options for different drivers	71
11	Options to add extra features	73
12	Language options	74
13	Options to change appearance of links	80
14	Bookmarking	81
15	PDF-specific options	83
15.1	<code>PDF/A</code>	92
15.2	Patch for <code>babel</code> 's <code>\texttilde</code>	93
15.2.1	Driver loading	94
15.2.2	Bookmarks	97
16	User hypertext macros	100
17	Underlying basic hypertext macros	104
18	Compatibility with the <i>BTEx2html</i> package	107
19	Forms creation	107
19.1	Field flags	108
19.1.1	Declarations of field flags	109
19.1.2	Set submit flags	112
19.1.3	Set annot flags in fields	112
19.1.4	PushButton field	113
19.1.5	Check box field	113
19.1.6	Radio button field	113
19.1.7	Text fields	114
19.1.8	Choice fields	114
19.2	Choice field	115
19.3	Forms	117
20	Setup	122
21	Low-level utility macros	123
22	Localized nullifying of package	124

23 Package nohyperref	125
24 The Mangling Of Aux and Toc Files	126
25 Title strings	127
26 Page numbers	128
27 Every page	128
27.1 PDF/PageLabels	129
27.1.1 pdfTeX and VTeX	132
27.1.2 xetex	133
27.1.3 pdfmarkbase, dvipdfm, xetex	134
28 Automated L^AT_EX hypertext cross-references	135
29 Package lastpage support	139
30 Package ifthen support	141
31 Package titlesec and titletoc support	141
32 Package varioref support	142
33 Package longtable support	142
34 Equations	143
35 Footnotes	146
36 Float captions	150
37 Bibliographic references	153
37.1 Package harvard	156
37.2 Package chicago	157
38 Page numbers	158
39 Table of contents	159
40 New counters	161
41 AMSL^AT_EX compatibility	161
41.1 \addtoreset and \numberwithin patches	162
42 Included figures	163
43 hyperindex entries	163
44 Compatibility with foiltex	166
45 Compatibility with seminar slide package	166

46 Configuration files	175
46.1 PS/PDF strings	175
46.2 pdftex	176
46.2.1 Fix for problem with different nesting levels	189
46.3 hypertex	189
46.4 dviwindo	191
46.5 dvipdfm/xetex dvi to PDF converter	196
46.6 VTeX typesetting system	204
46.7 Fix for Adobe bug number 466320	216
46.8 Direct pdfmark support	216
46.9 Rokicki's dvips	229
46.10 VTeX's vtexpdfmark driver	231
46.11 Textures	232
46.12 dvipsone	236
46.13 TeX4ht	239
47 Driver-specific form support	241
47.1 pdfmarks	241
47.2 HyperTeX	248
47.3 TeX4ht	249
47.4 pdfTeX	251
47.5 dvipdfm, xetex	258
47.6 Common forms part	266
48 Bookmarks in the PDF file	272
48.1 Bookmarks	272
48.1.1 Rerun warning	275
48.1.2 Driver stuff	275
49 Compatibility with koma-script classes	281
50 Encoding definition files for encodings of PDF strings	281
50.1 PD1 encoding	282
50.2 PU encoding	289
50.2.1 NFSS2 accents	289
50.2.2 Basic Latin: U+0000 to U+007F	291
50.2.3 Latin-1 Supplement: U+0080 to U+00FF	293
50.2.4 Latin Extended-A: U+0080 to U+017F	296
50.2.5 Latin Extended-B: U+0180 to U+024F	301
50.2.6 Spacing Modifier Letters: U+02B0 to U+02FF	303
50.2.7 Combining Diacritical Marks: U+0300 to U+036F	303
50.2.8 Greek and Coptic: U+0370 to U+03FF	304
50.2.9 Cyrillic: U+0400 to U+04FF	306
50.2.10 Thai: U+0E00 to U+0E7F	317
50.2.11 Latin Extended Additional: U+1E00 to U+1EFF	317
50.2.12 General Punctuation: U+2000 to U+206F	319
50.2.13 Superscripts and Subscripts: U+2070 to U+209F	320
50.2.14 Currency Symbols: U+20A0 to U+20CF	321
50.2.15 Letterlike Symbols: U+2100 to U+214F	322
50.2.16 Arrows: U+2190 to U+21FF	322
50.2.17 Mathematical Operators: U+2200 to U+22FF	322
50.2.18 Miscellaneous Technical: U+2300 to U+23FF	322
50.2.19 Control Pictures: U+2400 to U+243F	322

50.2.20 Enclosed Alphanumerics: U+2460 to U+24FF	323
50.2.21 Box Drawing: U+2500 to U+257F	325
50.2.22 Miscellaneous Symbols: U+2600 to U+26FF	325
50.2.23 Miscellaneous Mathematical Symbols-A: U+27C0 to U+27EF . .	325
50.2.24 Alphabetic Presentation Forms: U+FB00 to U+FB4F	326
50.2.25 Miscellaneous	326
50.2.26 Aliases	326
50.3 PU encoding, additions for Vn _n T _E X	326
50.4 PU encoding, additions for Arabi	329
51 End of file hycheck.tex	330
52 Index	331

3 File hycheck.tex

Many commands of L^AT_EX or other packages cannot be overloaded, but have to be redefined by hyperref directly. If these commands change in newer versions, these changes are not noticed by hyperref. With this test file this situation can be checked. It defines the command \checkcommand that is more powerful than L^AT_EX's \CheckCommand, because it takes \DeclareRobustCommand and optional parameters better into account.

```
1 <*check>
2 \documentclass{article}
3 \makeatletter
\checklateX Optional argument: release date of LATEX.
4 \newcommand*{\checklateX}[1][]{%
5   \typeout{}%
6   \typeout{* Format: 'LaTeX2e' #1}%
7   \typeout{\space\space Loaded: '\fmtname' \fmtversion}%
8 }%
\checkpackage The argument of \checkpackage is the package name without extension optionally followed by a release date.
9 \newcommand*{\checkpackage}[1]{%
10  \def\HyC@package{\#1}%
11  \let\HyC@date\empty
12  \ifnextchar[\HyC@getDate\HyC@checkPackage
13 }%
\HyC@getDate The release date is scanned.
14 \def\HyC@getDate[#1]{%
15  \def\HyC@date{\#1}%
16  \HyC@checkPackage
17 }%
\HyC@checkPackage
18 \def\HyC@checkPackage{%
19  \typeout{}%
20  \begingroup
21  \edef\x{\endgroup
22  \noexpand\RequirePackage{\HyC@package}%
23  \ifx\HyC@date\empty\relax\else[\HyC@date]\fi%
24 }%
25 \x
26 \typeout{}%
27 \typeout{%
28  * Package '\HyC@package'%
29  \ifx\HyC@date\empty
30  \else
31  \space\HyC@date
32  \fi
33 }%
34 \ifundefined{ver@\HyC@package.sty}{%
35 }{%
36  \typeout{%
37  \space\space Loaded: '\HyC@package' %
38  \csname ver@\HyC@package.sty\endcsname
39 }%
40 }%
41 }
```

\checkcommand The macro \checkcommand parses the next tokens as a L^AT_EX definition and compares this definition with the current meaning of that command.

```
42 \newcommand*{\checkcommand}[1]{%
43   \begingroup
44   \ifx\long#1\relax
45     \expandafter\HyC@checklong
46   \else
47     \def\HyC@defcmd{#1}%
48     \expandafter\let\expandafter\HyC@next
49     \csname HyC@\expandafter\@gobble\string#1\endcsname
50     \expandafter\HyC@checkcommand
51   \fi
52 }
```

\HyC@checklong The definition command \def or \edef is read.

```
53 \def\HyC@checklong#1{%
54   \def\HyC@defcmd{\long#1}%
55   \expandafter\let\expandafter\HyC@next
56   \csname HyC@\expandafter\@gobble\string#1\endcsname
57   \HyC@checkcommand
58 }
```

\HyC@checkcommand The optional star of L^AT_EX's definitions is parsed.

```
59 \def\HyC@checkcommand{%
60   \ifx\HyC@next\relax
61     \PackageError{hycheck}{%
62       Unknown command `\\expandafter\\strip@prefix\\meaning\\HyC@cmd'%
63     }{\@ehd}
64     \expandafter\endinput
65   \fi
66   \@ifstar{%
67     \def\HyC@star{*}%
68     \HyC@check
69   }{%
70     \let\HyC@star\@empty
71     \HyC@check
72   }%
73 }
```

\HyC@check The macro \HyC@check reads the definition command.

```
74 \def\HyC@check#1{%
75   \def\HyC@cmd{#1}%
76   \let\HyC@org@cmd#1%
77   \let#1\relax
78   \let\HyC@param\@empty
79   \HyC@Toks{}%
80   \let\HyC@org@optcmd\HyC@noValue
81   \let\HyC@org@robustcmd\HyC@noValue
82   \let\HyC@org@robustoptcmd\HyC@noValue
83   \HyC@next
84 }
```

\HyC@noValue

```
85 \def\HyC@noValue{NoValue}
```

\HyC@newcommand The code for \newcommand.

```

86 \def\HyC@newcommand{%
87   \let\HyC@cmd\HyC@cmd
88   \@ifnextchar[\HyC@nc@opt\HyC@nc@noopt
89 }

```

\HyC@Toks A register for storing the default value of an optional argument.

```
90 \newtoks\HyC@Toks
```

\HyC@nc@noopt This macro \HyC@nc@noopt is called, if the parser has reached the definition text.

```

91 \long\def\HyC@nc@noopt#1{%
92   \edef\x{%
93     \expandafter\noexpand\HyC@defcmd
94     \HyC@star
95     \expandafter\noexpand\HyC@cmd
96     \HyC@param{\the\HyC@Toks}
97   }%
98   \x{#1}%
99   \HyC@doCheck
100 }

```

\HyC@nc@opt This macro scans the first optional argument of a L^AT_EX definition (number of arguments).

```

101 \def\HyC@nc@opt[#1]{%
102   \def\HyC@param{[{#1}]}%
103   \ifnextchar[\HyC@nc@default\HyC@nc@noopt
104 }

```

\HyC@nc@default Macro \HyC@nc@default scans the default for an optional argument.

```

105 \def\HyC@nc@default[#1]{%
106   \HyC@Toks={[{#1}]}%
107   \edef\HyC@optcmd{%
108     \expandafter\noexpand
109     \csname\expandafter\string\HyC@cmd\endcsname
110   }%
111   \expandafter\let\expandafter\HyC@org@optcmd\HyC@optcmd
112   \HyC@nc@noopt
113 }

```

\HyC@DeclareRobustCommand \DeclareRobustCommand{\cmd} makes the command \cmd robust, that then calls \cmd_ with an space at the end of the command name, defined by \newcommand. Therefore the further parsing is done by \HyC@nc@opt or \HyC@nc@noopt of the \HyC@newcommand chain.

```

114 \def\HyC@DeclareRobustCommand{%
115   \edef\HyC@robustcmd{%
116     \expandafter\noexpand
117     \csname\expandafter\expandafter\expandafter\gobble
118     \expandafter\string\HyC@cmd\space\endcsname
119   }%
120   \expandafter\let\expandafter\HyC@org@robustcmd\HyC@robustcmd
121   \expandafter\let\HyC@robustcmd\relax
122   \let\HyC@cmd\HyC@robustcmd
123   \ifnextchar[\HyC@nc@opt\HyC@nc@noopt
124 }

```

\HyC@def The parameter text of \def or \edef is stored in the token register \HyC@Toks.

\HyC@edef

```

125 \def\HyC@def#1#{%
126   \HyC@Toks={#1}%

```

```

127 \HyC@nc@noopt
128 }
129 \let\HyC@edef\HyC@def

```

\HyC@doCheck This command performs the checks and prints the result.

```

130 \def\HyC@doCheck{%
131 \typeout{* Checking '\HyC@string\HyC@cmd':}%
132 \HyC@checkItem{cmd}%
133 \HyC@checkItem{robustcmd}%
134 \HyC@checkItem{optcmd}%
135 \HyC@checkItem{robustoptcmd}%
136 \endgroup
137 }

```

\HyC@checkItem A single check.

```

138 \def\HyC@checkItem#1{%
139 \expandafter\ifx\csname HyC@org@\#1\endcsname\HyC@noValue
140 \else
141 \expandafter\expandafter\expandafter\ifx
142 \csname HyC@\#1\expandafter\endcsname
143 \csname HyC@org@\#1\endcsname
144 \expandafter\HyC@checkOk\csname HyC@\#1\endcsname
145 \else
146 \expandafter\HyC@checkFailed
147 \csname HyC@\#1\expandafter\endcsname
148 \csname HyC@org@\#1\endcsname
149 \fi
150 \fi
151 }

```

\HyC@string Some shorthands.

\HyC@meaning

```

152 \def\HyC@string#1{\expandafter\string#1}
153 \def\HyC@meaning#1{\expandafter\meaning#1}

```

\HyC@checkOk The result, if the check succeeds.

```

154 \def\HyC@checkOk#1{%
155 \typeout{\space\space\space'\HyC@string#1' ok.}%
156 }

```

\HyC@checkFailed The result, if the check fails.

```

157 \def\HyC@checkFailed#1#2{%
158 \typeout{\space\space\space'\HyC@string#1' failed.}%
159 \typeout{\space\space\space* original: \meaning#2}%
160 \typeout{\space\space\space* expected: \HyC@meaning#1}%
161 }

162 % ****
163 </check>
164 <*package>

```

4 Package options and setup

4.1 Save catcodes

There are many packages that change the standard catcodes.

First we save the original meaning of ‘ and = in the token register \toks@, because we need the two characters in the macros \Hy@SetCatcodes and \Hy@RestoreCatcodes.

```

165 \begingroup
166  \@makeother`%
167  \@makeother=%
168  \edef\x{%
169    \edef\noexpand\x{%
170      \endgroup
171      \noexpand\toks@{%
172        \catcode 96=\noexpand\the\catcode`\noexpand`\\relax
173        \catcode 61=\noexpand\the\catcode`\noexpand\!=\relax
174      }%
175    }%
176    \noexpand\x
177  }%
178 \x
179 \@makeother`‘
180 \@makeother\=

```

\Hy@SetCatcodes

```

181 \def\Hy@SetCatcodes{%
182  \@makeother`%
183  \@makeother=%
184  \catcode`\$=3 %
185  \catcode`\&=4 %
186  \catcode`\^=7 %
187  \catcode`\_=8 %
188  \@makeother\|%
189  \@makeother\.:%
190  \@makeother\(%%
191  \@makeother\)%%
192  \@makeother\[%
193  \@makeother\]%
194  \@makeother\/%%
195  \@makeother\!%
196  \@makeother\<%
197  \@makeother\>%
198  \@makeother\.%%
199  \@makeother\;%
200  \@makeother\+%
201  \@makeother\-%%
202  \@makeother\%"%
203  \@makeother\`%
204 }

```

\Hy@RestoreCatcodes

```

205 \begingroup
206  \def\x{\catcode`\noexpand#1=\the\catcode`#1\relax}%
207  \xdef\Hy@RestoreCatcodes{%
208    \the\toks@
209    \x\$%
210    \x&%
211    \x^%
212    \x_%
213    \x\|%
214    \x\.:%
215    \x\(%

```

```

216   \x\)%
217   \x[%
218   \x]%
219   \x\/%
220   \x\!%
221   \x\<%
222   \x\>%
223   \x\.%
224   \x\;%
225   \x\+%
226   \x\-%
227   \x\%"%
228   \x\'%%
229 }%
230 \endgroup

```

231 \Hy@SetCatcodes

It needs the December 95 release of L^AT_EX, because it uses \protected@write, and it defines commands in options; and the page setup internal code changed at that point. It'll probably break with the later releases!

```

232 \RequirePackage{keyval}[1997/11/10]
233 \RequirePackage{kvsetkeys}[2007/09/29]
234 \RequirePackage{pdfescape}[2007/11/11]
235 \RequirePackage{ifpdf}[2006/02/20]
236 \RequirePackage{ifvtex}
237 \RequirePackage{ifxetex}[2006/08/21]
238 \RequirePackage{hycolor}
239 \RequirePackage{letltxmacro}[2008/06/13]
240 \def\Hy@Warning#1{\PackageWarning{hyperref}{#1}}
241 \def\Hy@WarningNoLine#1{\PackageWarningNoLine{hyperref}{#1}}
242 \def\Hy@Info#1{\PackageInfo{hyperref}{#1}}

```

4.2 Compatibility with format dumps

\AfterBeginDocument For use with pre-compiled formats, created using the ldump package, there needs to be 2 hooks for adding material delayed until \begin{document}. These are called \AfterBeginDocument and \AtBeginDocument. If ldump is not loaded, then a single hook suffices for normal L^AT_EX processing.

The default definition of \AfterBeginDocument cannot be done by \let because of problems with xypic.

```

243 \@ifundefined{AfterBeginDocument} {%
244   \def\AfterBeginDocument{\AtBeginDocument}%
245 }{}%

```

4.3 Switches

```

246 \newif\ifHy@typexml
247 \newif\ifHy@activeanchor
248 \newif\ifHy@backref
249 \newif\ifHy@bookmarks
250 \newif\ifHy@bookmarksnumbered
251 \newif\ifHy@bookmarksopen
252 \newif\ifHy@breaklinks
253 \newif\ifHy@centerwindow
254 \newif\ifHy@CJKbookmarks
255 \newif\ifHy@colorlinks

```

```

256 \newif\ifHy@draft
257 \let\Hy@finaltrue\Hy@draftfalse
258 \let\Hy@finalfalse\Hy@drafttrue
259 \newif\ifHy@escapeform
260 \newif\ifHy@figures
261 \newif\ifHy@fitwindow
262 \newif\ifHy@frenchlinks
263 \newif\ifHy@hyperfootnotes
264 \newif\ifHy@hyperindex
265 \newif\ifHy@hypertexnames
266 \newif\ifHy@implicit
267 \newif\ifHy@linktocpage
268 \newif\ifHy@menubar
269 \newif\ifHy@naturalnames
270 \newif\ifHy@nesting
271 \newif\ifHy@newwindowset
272 \newif\ifHy@newwindow
273 \newif\ifHy@ocgcolorlinks
274 \newif\ifHy@pageanchor
275 \newif\ifHy@pagelabels
276 \newif\ifHy@pdfpagehidden
277 \newif\ifHy@pdfstring
278 \newif\ifHy@plainpages
279 \newif\ifHy@psize
280 \newif\ifHy@raiselinks
281 \newif\ifHy@seminarslides
282 \newif\ifHy@setpagesize
283 \newif\ifHy@texht
284 \newif\ifHy@toolbar
285 \newif\ifHy@unicode
286 \newif\ifHy@usetitle
287 \newif\ifHy@verbose
288 \newif\ifHy@windowui
289 \newif\ifHy@displaydoctitle
290 \newif\ifHy@pdfa

```

Defaults for the switches are now set.

```

291 \Hy@backrefffalse
292 \Hy@bookmarksnumberedfalse
293 \Hy@bookmarksopenfalse
294 \Hy@bookmarkstrue
295 \Hy@breaklinksfalse
296 \Hy@centerwindowfalse
297 \Hy@CJKbookmarksfalse
298 \Hy@escapeformfalse
299 \Hy@figuresfalse
300 \Hy@fitwindowfalse
301 \Hy@hyperfootnotestrue
302 \Hy@hyperindextrue
303 \Hy@hypertexnamestrue
304 \Hy@implicittrue
305 \Hy@linktocpagefalse
306 \Hy@menubartrue
307 \Hy@naturalnamesfalse
308 \Hy@nestingfalse
309 \Hy@newwindowsetfalse
310 \Hy@newwindowfalse
311 \Hy@pageanchortrue

```

```

312 \Hy@pagelabeltrue
313 \Hy@pdfpagehiddenfalse
314 \Hy@pdfstringfalse
315 \Hy@plainpagesfalse
316 \Hy@raiselinksfalse
317 \Hy@setpagesizetrue
318 \Hy@texhtfalse
319 \Hy@toolbartrue
320 \Hy@typexmlfalse
321 \Hy@unicodedefalse
322 \Hy@usetitlefalse
323 \Hy@verbosefalse
324 \Hy@windowuitrue
325 \Hy@displaydoctitlefalse
326 \Hy@pdffalse

```

5 Common help macros

```

\Hy@StepCount
327 \def\Hy@StepCount#1{\advance#1 by 1 }%

\Hy@GlobalStepCount
328 \def\Hy@GlobalStepCount#1{\global\advance#1 by 1 }%

329 \newdimen\@linkdim
330 \let\Hy@driver\@empty
331 \let\MaybeStopEarly\relax
332 \newcount\Hy@linkcounter
333 \newcount\Hy@pagecounter
334 \Hy@linkcounter0
335 \Hy@pagecounter0

```

5.1 Macros for recursions

\Hy@ReturnAfterElseFi	The commands \Hy@ReturnAfterElseFi and \Hy@ReturnAfterFi avoid a too deep \if-nesting especially for recursive macros.
\Hy@ReturnAfterFi	
336 \long\def\Hy@ReturnAfterElseFi#1\else#2\fi{\fi#1}	
337 \long\def\Hy@ReturnAfterFi#1\fi{\fi#1}	
338 \let\Hy@ReturnEnd\@empty	
339 \long\def\Hy@ReturnAfterFiFiEnd#1\fi#2\Hy@ReturnEnd{\fi\fi#1}	
340 \long\def\Hy@ReturnAfterElseFiFiEnd#1\else#2\Hy@ReturnEnd{\fi\fi#1}	

5.2 Babel's protection of shorthand characters

\Hy@safe@activestrue	Babel's switch setting commands cannot be used directly, because they can be undefined if babel is not loaded.
\Hy@safe@activesfalse	
341 \def\Hy@safe@activestrue{\csname @safe@activestrue\endcsname}	
342 \def\Hy@safe@activesfalse{\csname @safe@activesfalse\endcsname}	

5.3 Coordinate transformations

At some places numbers in pdf units are expected (eg: FitBH, ...). The following macros perform the transformation from TeX units (pt) to PDF units (bp).

\hypercalcbp The user macro \hypercalcbp can be used, for example, inside option values:

```
pdfstartview={FitBH \hypercalcbp{\paperheight-\topmargin-1in}}
```

- It cannot be used inside \usepackage, because LaTeX expands the options before package hyperref is loaded and \hypercalcbp is defined.
- With e-TeX extensions an expandable implementation is very easy; \hypercalcbp can be used everywhere and is expanded at use.
- Without e-TeX's features \hypercalcbp cannot be implemented expandable (practically) and have to be supported by \hypercalcbpdef. Limitations:
 - Works only in options that use \hypercalcbpdef (currently only pdfstartview).
 - For calculations package calc has to be loaded.
 - The expansion of the argument is done at definition time.

Example (TeX):

```
\usepackage{calc}
\usepackage[...]{hyperref}
\hypersetup{
    pdfstartview={FitBH \hypercalcbp{\paperheight-\topmargin-1in
        -\headheight-\headsep}}
}

\hypercalcbp
343 \begingroup\expandafter\expandafter\expandafter\endgroup
344 \expandafter\ifx\csname dimexpr\endcsname\relax
345   \def\hypercalcbpdef#1#2{%
346     \begingroup
347       \toks@{ }%
348       \HyCal@scan#2\hypercalcbp\@nil
349     \expandafter\endgroup
350     \expandafter\def\expandafter#1\expandafter{\the\toks@}%
351   }%
352 \def\HyCal@scan#1\hypercalcbp#2\@nil{%
353   \toks@\expandafter{\the\toks@ #1}%
354   \ifx\\#2\\%
355   \else
356     \Hy@ReturnAfterFi{%
357       \HyCal@do#2\@nil
358     }%
359   \fi
360 }%
361 \def\HyCal@do#1#2\@nil{%
362   \@ifpackageloaded{calc}{}{%
363     \Hy@Warning{%
364       For calculations \string\hypercalcbp\space needs\MessageBreak
365       package calc or e-TeX%
366     }%
367   }%
368   \setlength{\dimen@}{#1}%
369   \setlength{\dimen@}{0.99626401\dimen@}%
370   \edef\x{%
371     \toks@{%
372       \the\toks@
373       \strip@pt\dimen@}
```

```

374      }%
375      }\x
376      \HyCal@scan#2\@nil
377      }%
378 \else
379   \def\hypercalcbp#1{%
380     \strip@pt\dimexpr 0.99626401\dimexpr #1\relax\relax
381   }%
382   \def\hypercalcbpdef{\def}%
383 \fi

```

6 Dealing with PDF strings

The PDF string stuff done by Heiko Oberdiek.

Naming convention: All internal commands that are only needed by `\pdfstringdef` are prefixed with `\HyPsd@`.

6.1 Description of PDF strings

The PDF specification defines several places to hold text strings (bookmark names, document information, text annotations, etc.). The PDF strings have following properties:

- They are surrounded by parentheses. The hexadecimal form is not supported.
- Like PostScript language strings they use the same escaping mechanism:

\\\	the backslash itself
\), \(\	unbalanced parentheses
\n, \r, \t, \b, \f	special white space escape sequences
\ddd	octal character code <i>ddd</i>
- Strings are stored either in PDFDocEncoding, which is a superset of ISOLatin1 and is compatible with Unicode with character codes below 256, or in Unicode.

6.2 Definition of `\pdfstringdef`

The central macro for dealing with PDF strings is `\pdfstringdef`. It defines a command `#1` to be the result of the conversion from the string in `#2` to a legal PDFDocEncoded string. Currently the definition is global, but this can be changed in the future.

Important: In `\TeX`'s view PDF strings are written to a file and are expanded only in its mouth. Stomach commands that cannot be expanded further aren't executed, they are written verbatim. But the PDF reader that reads such a string isn't a `\TeX` interpreter!

The macro `\pdfstringdef` consists of three main parts:

1. Preprocessing. Here the expansion is prepared. The encoding is set and many commands are redefined, so that they work appropriate.
2. Expansion. The `\TeX` string is expanded the first time to get a PDF string.
3. Postprocessing. The result of the expansion is checked and converted to the final form.

`\pdfstringdef` `\pdfstringdef` works on the tokens in `#2` and converts them to a PDF string as far as possible:

- The result should obey the rules of the PDF specification for strings.

- The string can safely processed by \TeX , because the tokens have only catcodes 10 until 12.

The result is stored in the command token given in #1.

```
384 \def\pdfstringdef#1#2{%
```

Many redefinitions are needed, so all the work is done in a group.

```
385 \begingroup
```

6.2.1 Preprocessing

Octal escape sequences. To avoid problems with eight bit or non printable characters, the octal escape notation is supported. So most glyphs in the encoding definitions for PD1 and PU produce these octal escape sequences. All three octal digits have to be used:

- Wrong results are avoided, if digits follow that are not part of the octal sequence.
- Macros rely on the fact that the octal sequences always consist of three digits (vtex driver, Unicode support).

The escape sequences start with a backslash. By \backslash string it will be printed. Therefore it is ensured that the \TeX escape character indeed prints as a normal backslash. Eventually this line can be removed, because this is standard \LaTeX behaviour.

```
386 \escapechar`\\%
```

From the view of \TeX a octal sequence consists of the command tokens $\backslash 0$ until $\backslash 3$ and two digits. For saving tokens $\backslash 0$, $\backslash 1$, $\backslash 2$, and $\backslash 3$ are directly used without a preceding \backslash string in the glyph definitions. This is done here locally by defining the $\backslash 0$ until $\backslash 3$ commands. So the user can use octal escape sequences directly, the disadvantage is that a previous definition of this short commands does not apply.

```
387 \edef\0{\string\0}%
388 \edef\1{\string\1}%
389 \edef\2{\string\2}%
390 \edef\3{\string\3}%
```

Setting font encoding. The unicode encoding uses $\backslash 8$ and $\backslash 9$ as marker for the higher byte. $\backslash 8$ is an abbreviation for the higher bytes 0 until 7 that can be expressed by one digit. $\backslash 8$ will be converted to $\backslash 00$. However $\backslash 9$ only marks the next three digits as higher byte and will be removed later.

The encoding is set by \backslash enc@update for optimizing reasons.

```
391 \ifHy@unicode
392   \edef\8{\string\8}%
393   \edef\9{\string\9}%
394   \fontencoding{PU}%
395   \HyPsd@UTFviii
396   \def\ifpdfstringunicode##1##2##1{%
397     \else
398       \fontencoding{PD1}%
399       \def\ifpdfstringunicode##1##2##2{%
400         \fi
401         \enc@update
```

Internal encoding commands. \backslash pdfstringdef interpretes text strings which are not allowed to contain mathematical stuff. The text glyph commands will produce a warning, if called in math mode. But this warning disturbs while expanding. Therefore we check for math mode here, before \backslash @inmathwarn will be disabled (see below).

```
402 \inmathwarn\pdfstringdef
```

If a glyph is used, that isn't in the PD1/PU encoding there will be an infinite error loop, because the NFSS encoding stuff have to be expanded unprotected (`\edef`), so that the assignments of `\@changed@cmd` don't take place. To patch this behaviour I only found `\@inmathwarn` as a usable hook. While an `\edef` a warning message by `\@inmathwarn` or `\TextSymbolUnavailable` cannot be give out, so `\@inmathwarn` should be disabled. And with the help of it the assignments in `\@changed@cmd` can easily be caught (see below).

```
403 \let\@inmathwarn\HyPsd@\inmathwarn
```

Unknown composite characters are built with `\add@accent`, so it is redefined to provide a warning.

```
404 \let\add@accent\HyPsd@\add@accent
```

Commands that don't use NFSS directly. There are several commands that prints characters in the printable ASCII area that don't obey the NFSS, so they have to be redefined here.

```
405 \let{\textbraceleft
406 \let}\textbraceright
407 \let\\textbackslash
408 \let#\textnumbersign
409 \let$\textdollar
410 \let%\textpercent
411 \let&\textampersand
412 % \let\~\textasciitilde
413 \let\_\textunderscore
414 \let\P\textparagraph
415 \let\ldots\textellipsis
416 \let\dots\textellipsis
```

Newline `\newline` or `\\"` do not work in bookmarks, in text annotations they should expand to `\r`. In pdf strings `\\"` stands for a backslash. Therefore the commands are disabled now. The user can redefine them for a result what he want:

backslash: `\pdfstringdefDisableCommands{\let\\\\textbackslash}`

new line: `\pdfstringdefDisableCommands{\let\\\\textCR}`

disabled: `\pdfstringdefDisableCommands{\let\\\\empty}`

At any case, however, the optional argument or the star cannot be scanned in a 100% sure manner.

```
417 \def\\{\pdfstringdefWarn\\}%
418 \def\newline{\pdfstringdefWarn\newline}%
```

Logos. Because the box shifting used in the `\TeX` logo does not work while writing to a file, the standard `\TeX` logos are redefined.

```
419 \def\TeX{\TeX}%
420 \def\LaTeX{\LaTeX}%
421 \def\LaTeXe{\LaTeXe}%
422 \def\cTeX{\cTeX}%
423 \def\SiTeX{\SiTeX}%
424 \def\MF{\MF}%
425 \def\MP{\MP}%
```

Standard font commands. Because font changes do not work, the standard font switching commands are disabled.

```
426 \let\fontencoding\@gobble
427 \let\fontfamily\@gobble
428 \let\fontseries\@gobble
429 \let\fontshape\@gobble
430 \let\fontsize\@gobbletwo
431 \let\selectfont\@empty
432 \let\usefont\@gobblefour
433 \let\emph\@firstofone
434 \let\textnormal\@firstofone
435 \let\textrm\@firstofone
436 \let\textsf\@firstofone
437 \let\texttt\@firstofone
438 \let\textbf\@firstofone
439 \let\textmd\@firstofone
440 \let\textit\@firstofone
441 \let\textsc\@firstofone
442 \let\textsl\@firstofone
443 \let\textup\@firstofone
444 \let\normalfont\@empty
445 \let\rmfamily\@empty
446 \let\sffamily\@empty
447 \let\ttfamily\@empty
448 \let\bfseries\@empty
449 \let\mdseries\@empty
450 \let\itshape\@empty
451 \let\scshape\@empty
452 \let\slshape\@empty
453 \let\upshape\@empty
454 \let\em\@empty
455 \let\rm\@empty
456 \let\Huge\@empty
457 \let\Large\@empty
458 \let\footnotesize\@empty
459 \let\huge\@empty
460 \let\large\@empty
461 \let\normalsize\@empty
462 \let\scriptsize\@empty
463 \let\small\@empty
464 \let\tiny\@empty
465 \let\mathversion\@gobble
466 \let\phantom\@gobble
467 \let\vphantom\@gobble
468 \let\hphantom\@gobble
```

Package color.

```
470 \def\textcolor##1##{\@secondoftwo}%
```

Upper- and lowercase.

```
471 \def\MakeUppercase{\MakeUppercaseUnsupportedInPdfStrings}%
472 \def\MakeLowercase{\MakeLowercaseUnsupportedInPdfStrings}%
```

Package babel. Wherever “naturalnames” is used, disable \textlatin (from Babel 3.6k). Thanks to Felix Neubauer (Email: Felix.Neubauer@gmx.net).

```
473  \let\textlatin\@firstofone
474  \@ifundefined{language@group}{}{%
475    \csname HyPsd@babel@\language@group\endcsname
476  }%
477  \HyPsd@GreekPatch
478  \HyPsd@SpanishPatch
479  \HyPsd@BabelPatch
480  \let\@safe@activestru\relax
481  \let\@safe@activesfa\relax

Disable \cyr, used in russianb.ldf.
482  \let\cyr\relax

Redefine \es@roman, used in spanish.ldf.
483  \let\es@roman\@Roman
```

Package german.

```
484  \let\glqq\textglqq
485  \let\grqq\textgrqq
486  \let\glq\textglq
487  \let\grq\textgrq
488  \let\fllqq\textfllqq
489  \let\frqq\textfrqq
490  \let\fllq\textfllq
491  \let\frq\textfrq
```

Package french. The support is deferred, because it needs \GenericError to be disabled (see below).

Package FrenchPro. This package uses:

```
\if@mid@expandable{not fully expandable code}{fully expandable code}
492  \let\if@mid@expandable\@firstoftwo
```

AMS classes.

```
493  \HyPsd@AMSclassfix
```

Redefinition of \hspace \hspace don't work in bookmarks, the following fix tries to set a space if the argument is a positive length.

```
494  \let\hspace\HyPsd@hspace
```

Commands of referencing and indexing systems. Some L^AT_EX commands that are legal in \section commands have to be disabled here.

```
495  \let\label\@gobble
496  \let\index\@gobble
497  \let\glossary\@gobble
498  \let\href\@secondoftwo
499  \let\@mkboth\@gobbletwo
```

The `\ref` and `\pageref` is much more complicate because of their star form.

```
500 \let\ref\HyPsd@ref
501 \let\pageref\HyPsd@pageref
502 \let\nameref\HyPsd@nameref
503 \let\autoref\HyPsd@autoref
```

Miscellaneous commands.

```
504 \let\leavevmode\@empty
505 \let\mbox\@empty
\halign causes error messages because of the template character #.
506 \def\halign{\pdfstringdefWarn\halign\@gobble}%
507 \let\ignorespaces\HyPsd@ignorespaces
508 \let\Hy@SectionAnchorHref\@gobble
```

Patch for cjk bookmarks.

```
509 \HyPsd@CJKhook
```

User hook. The switch `\Hy@pdfstring` is turned on. So user commands can detect that they are processed not to be typesetted within \TeX 's stomach, but to be expanded by the mouth to give a PDF string. At this place before interpreting the string in #2 additional redefinitions can be added by the hook `\pdfstringdefPreHook`.

The position in the middle of the redefinitions is a compromise: The user should be able to provide his own (perhaps better) redefinitions, but some commands should have their original meaning, because they can be used in the hook (`\bgroup`, or `\@protected@testopt`, and `\@ifnextchar` for `\renewcommand`).

```
510 \Hy@pdfstringtrue
511 \pdfstringdefPreHook
```

Spaces. For checking the token of the string, spaces must be masked, because they cannot be caught by undelimited arguments.

```
512 \HyPsd@LetUnexpandableSpace\space
513 \HyPsd@LetUnexpandableSpace\ %
514 \HyPsd@LetUnexpandableSpace~%
515 \HyPsd@LetUnexpandableSpace\nobreakspace
```

Package xspace.

```
516 \@ifundefined{@xspace}{%
517   \let\xspace\HyPsd@ITALCORR
518 }{%
519   \let\xspace\HyPsd@XSPACE
520 }{%
521   \let\@\HyPsd@ITALCORR
522   \let\bgroup\%
523   \let\egroup\%
```

Redefinitions of miscellaneous commands. Hyphenation does not make sense.

```
524 \let\discretionary\@gobbletwo
\@ifstar is defined in LATEX as follows:
```

```
\def\@ifstar#1{\@ifnextchar *{\@firstoftwo{#1}}{}}
```

\@ifnextchar doesn't work, because it uses stomach commands like \let and \futurelet. But it doesn't break. Whereas \@firstoftwo{\#1} gives an error message because \@firstoftwo misses its second argument.

A mimicry of \@ifnextchar only with expandible commands would be very extensive and the result would be only an approximation. So here a cheaper solution follows in order to get rid of the error message at least:

```
525  \def\@ifnextchar{\HyPsd@ifnextchar\@ifnextchar}%
526  \def\kernel@ifnextchar{\HyPsd@ifnextchar\kernel@ifnextchar}%
527  \def\new@ifnextchar{\HyPsd@ifnextchar\new@ifnextchar}%
528  \let\@protected@testopt\HyPsd@protected@testopt
```

Support for package 'xargs':

```
529  \let\@protected@testopt@xargs\HyPsd@protected@testopt
```

6.2.2 Expansion

There are several possibilities to expand tokens within L^AT_EX:

\protected@edef: The weakest form isn't usable, because it does not expand the font encoding commands. They are made robust and protect themselves.

\csname: First the string is expanded within a \csname and \endcsname. Then the command name is converted to characters with catcode 12 by \string and the first escape character removed by \@gobble. This method has the great *advantage* that stomach tokens that aren't allowed in PDF strings are detected by T_EX and reported as errors in order to force the user to write correct things. So he get no wrong results by forgetting the proofreading of his text. But the *disadvantage* is that old wrong code cannot process without errors. Mainly the error message is very cryptic and for the normal user hard to understand. T_EX provides no way to catch the error caused by \csname or allows to support the user with a descriptive error message. Therefore the experienced user had to enable this behaviour by an option exactdef in previous versions less or equal 6.50.

\edef This version uses this standard form for expansion. It is stronger than L^AT_EX's \protected@edef. So the font encoding mechanism works and the glyph commands are converted to the correct tokens for PDF strings within the definitions of the PD1 encoding. Because the protecting mechanism of L^AT_EX doesn't work within an \edef, there are situations thinkable where code can break. For example, assignments and definitions aren't performed and so undefined command errors or argument parsing errors can occur. But this is only a compatibility problem with old texts. Now there are possibilities to write code that gives correct PDF strings (see \texorpdfstring). In the most cases unexpandable commands and tokens (math shift, grouping characters) remains. They don't cause an error like with \csname. However a PDF reader isn't T_EX, so these tokens are viewed verbatim. So this version detects them now, and removes them with an descriptive warning for the user. As additional features xspace support is possible and grouping characters can be used without problems, because they are removed silently.

Generic messages. While expanding via \xdef the \Generic... messages don't work and causes problems (error messages, invalid .out file). So they are disabled while expanding and removed silently, because a user warning would be too expensive (memory and runtime, \pdfstringdef is slow enough).

```
530  \begingroup
531  \let\GenericError\@gobblefour
532  \let\GenericWarning\@gobbletwo
```

```
533 \let\GenericInfo\@gobbletwo
```

Package french. This fix only works, if `\GenericError` is disabled.

```
534 \ifx\nofrenchguillemets\undefined
535 \else
536   \nofrenchguillemets
537 \fi
```

Definition commands and expansion. Redefining the defining commands (see sec. 6.5.12). The original meaning of `\xdef` is saved in `\Hy@temp`.

```
538 \let\Hy@temp\xdef
539 \let\def\HyPsd@DefCommand
540 \let\gdef\HyPsd@DefCommand
541 \let\edef\HyPsd@DefCommand
542 \let\xdef\HyPsd@DefCommand
543 \let\futurelet\HyPsd@LetCommand
544 \let\let\HyPsd@LetCommand
545 \Hy@temp#1{#2}%
546 \endgroup
```

6.2.3 Postprocessing

If the string is empty time can be saved by omitting the postprocessing process.

```
547 \ifx#1\empty
548 \else
```

Protecting spaces and removing grouping characters. In order to check the tokens we must separate them. This will be done with `\TeX`'s argument parsing. With this method we must the following item takes into account, that makes makes things a litte more complicate:

- `\TeX` does not accept a space as an undelimited argument, it cancels space tokens while looking for an undelimited argument. Therefore we must protect the spaces now.
- An argument can be a single token or a group of many tokens. And within curly braces tokens aren't find by `\TeX`'s argument scanning process. Third curly braces as grouping characters cannot be expanded further, so they don't vanish by the string expansion above. So these characters with catcode 1 and 2 are removed in the following and replaced by an marker for the xspace support.
- `\TeX` silently removes the outmost pair of braces of an argument. To prevent this on unwanted places, in the following the character `|` is appended to the string to make an outer brace to an inner one.

First the top level spaces are protected by replacing. Then the string is scanned to detect token groups. Each token group will now be space protected and again scanned for another token groups.

```
549 \HyPsd@ProtectSpaces#1%
550 \let\HyPsd@String\empty
551 \expandafter\HyPsd@RemoveBraces\expandafter{\#1|}%
552 \global\let#1\HyPsd@String
```

Check tokens. After removing the spaces and the grouping characters the string now should only consists of the following tokens/catcodes:

- 0 command names with start with an escape character.
- 3 math shift
- 4 alignment tabs
- 6 parameter, but this is unlikely.
- 7 superscript
- 8 subscript
- 11 letter
- 12 other
- 13 commands that are active characters.

After \HyPsd@CheckCatcodes the command \HyPsd@RemoveMask is reused to remove the group protection character |. This character is needed to ensure that the string at least consists of one token if \HyPsd@CheckCatcodes is called.

Because of internal local assignments and tabulars group braces are used.

```

553   \let\HyPsd@SPACEOPTI\relax
554   {%
555     \let\HyPsd@String\@empty
556     \expandafter\HyPsd@CheckCatcodes#1\HyPsd@End
557     \global\let#1\HyPsd@String
558   }%
559   \expandafter\HyPsd@RemoveMask\expandafter
560     |\expandafter\@empty#1\HyPsd@End#1%

```

\HyPsd@CheckCatcodes should no have removed the tokens with catcode 3, 4, 7, and 8. Because a parameter token (6) would cause to many errors before, there should now be only tokens with catcodes 11 or 12. So I think there is no need for a safety step like:

```
\xdef#1{\expandafter\strip@prefix\meaning#1}%
```

Looking for wrong glyphs. The case that glyphs aren't defined in the PD1 encoding is caught above in such a way, that the glyph name and a marker is inserted into the string. Now we can safely scan the string for this marker and provide a descriptive warning.

```

561   \expandafter\HyPsd@Subst\expandafter{\HyPsd@GLYPHERR}{\relax}#1%
562   \let\HyPsd@String\@empty
563   \expandafter\HyPsd@GlyphProcess#1\relax\@empty
564   \global\let#1\HyPsd@String

```

Backslash. The double backslash disturbs parsing octal sequenze, for example in an string like abc\\051 the sequence \051 is detected although the second \ belongs to the first backslash.

```
565   \HyPsd@StringSubst{\\"}{\textbackslash}#1%
```

Spaces. All spaces have already the form \040. The last postprocessing step will be an optimizing of the spaces, so we already introduce already the necessary command \HyPsd@SPACEOPTI. But first it is defined to be \relax in order to prevent a too early expansion by an \edef. Secondly a \relax serves as a marker for a token that is detected by \xspace.

The code of frenchb.lfd can produce an additional space before \guillemotright, because \lastskip and \unskip do not work. Therefore it is removed here.

```

566   \ifHy@unicode
567     \expandafter\HyPsd@StringSubst\csname 80\040\endcsname
568       \HyPsd@SPACEOPTI#1%
569     \edef\Hy@temp@A{\HyPsd@SPACEOPTI\HyPsd@SPACEOPTI\80\273}%

```

```

570      \expandafter\HyPsd@Subst\expandafter{\Hy@temp@A}%
571      {\HyPsd@SPACEOPTI\80\273}#1%
572 \else
573   \HyPsd@StringSubst{\040}\HyPsd@SPACEOPTI#1%
574   \expandafter\HyPsd@Subst\expandafter{%
575     \expandafter\HyPsd@SPACEOPTI\expandafter\HyPsd@SPACEOPTI
576     \string\273}{\HyPsd@SPACEOPTI\273}#1%
577 \fi

```

Right parenthesis. Also `\xspace` detects a right parenthesis. For the `\xspace` support and the following parenthesis check the different parenthesis notations `)`, `\)`, and `\051` are converted to one type `\)` and before `\HyPsd@empty` with the meaning of `\relax` is introduced for `\xspace`. By redefining to `\empty\HyPsd@empty` can easily removed later.

```

578 \ifHy@unicode
579   \HyPsd@StringSubst{\}{\80\051}#1%
580   \HyPsd@Subst){\80\051}#1%
581   \let\HyPsd@empty\relax
582   \expandafter\HyPsd@StringSubst\csname 80\051\endcsname
583   {\HyPsd@empty\80\051}#1%
584 \else
585   \HyPsd@StringSubst{\}{\051}#1%
586   \HyPsd@Subst){\051}#1%
587   \let\HyPsd@empty\relax
588   \HyPsd@StringSubst{\051}{\HyPsd@empty\string\}}#1%
589 \fi

```

Support for package `xspace`. `\xspace` looks for the next token and decides if it expands to a space or not. Following tokens prevent its transformation to a space: Beginning and end of group, handled above by replacing by an italic correction, several punctuation marks, a closing parentheses, and several spaces.

Without package `xspace` there are tokens with catcode 11 and 12, `\HyPsd@empty` and `\HyPsd@SPACEOPTI`. With package `xspace` marker for the italic correction `\/` and `\xspace` come with. In the package `xspace` case the two markers are replaced by commands and an `\edef` performs the `\xspace` processing.

In the opposite of the original `\xspace\HyPsd@xspace` uses an argument instead of a `\futurelet`, so we have to provide such an argument, if `\HyPsd@xspace` comes last. Because `\HyPsd@Subst` with several equal tokens (--) needs a safe last token, in both cases the string gets an additional `\HyPsd@empty`.

```

590 \expandafter\HyPsd@Subst\expandafter{\}/\HyPsd@empty#1%
591 \c@ifundefined{@xspace}{%
592 }{%
593   \let\HyPsd@xspace\relax
594   \expandafter\HyPsd@Subst\expandafter
595   {\HyPsd@XSPACE}\HyPsd@xspace#1%
596   \let\HyPsd@xspace\HyPsd@doxspace
597 }%
598 \xdef#1{\HyPsd@empty}%

```

Ligatures. `TEX` forms ligatures in its stomach, but the PDF strings are treated only by `TEX`'s mouth. The PDFDocEncoding contains some ligatures, but the current version 3 of the AcrobatReader lacks the `fi` and `fj` glyphs, and the Linux version lacks the `emdash` and `endash` glyphs. So the necessary code is provided here, but currently disabled, hoping that version 4 of the AcrobatReader is better. To break the ligatures the user can use

an empty group, because it leads to an insertion of an \HyPsd@empty. If this ligature code will be enabled some day, then the italic correction should also break the ligatures. Currently this occurs only, if package `xspace` is loaded.

Since newer AcrobatReader versions now show the en- and emdash in a correct way (AR7/Linux, AR8/Linux), the substitution code for them is enabled starting with version 6.781.

```

599      \HyPsd@Subst{--}\textemdash#1%
600      \HyPsd@Subst{--}\textendash#1%
601 %     \HyPsd@Subst{fi}\textfi#1%
602 %     \HyPsd@Subst{fl}\textfl#1%
603     \HyPsd@Subst{!}\textexclamdown#1%
604     \HyPsd@Subst{?}\textquestiondown#1%

```

With the next \edef we get rid of the token \HyPsd@empty.

```
605     \let\HyPsd@empty\@empty
```

Left parentheses. Left parentheses are now converted to safe forms to avoid problems with unmatched ones (\(with PDFDocEncoding, the octal sequence with Unicode.

An optimization is possible. Matched parentheses can replaced by a () pair. But this code is removed to save TeX memory and time.

```

606     \ifHy@unicode
607     \HyPsd@StringSubst{(\textparenleft#1%
608     \HyPsd@Subst{(\textparenleft#1%
609     \else
610     \HyPsd@StringSubst{\{\050}#1%
611     \HyPsd@Subst{\{\050}#1%
612     \HyPsd@StringSubst{\050}{\string\{}#1%
613     \fi

```

Optimizing spaces. Spaces are often used, but they have a very long form \040. They are converted back to real spaces, but not all, so that no space follows after another. In the bookmark case several spaces are written to the .out file, but if the entries are read back, several spaces are merged to a single one.

With Unicode the spaces are replaced by their octal sequences.

```

614     \ifHy@unicode
615     \edef\HyPsd@SPACEOPTI{\80\040}%
616     \else
617     \let\HyPsd@SPACEOPTI\HyPsd@spaceopti
618     \fi
619     \xdef#1{\#1\@empty}%
620     \fi

```

Converting to Unicode. At last the eight bit letters have to be converted to Unicode, the masks \8 and \9 are removed and the Unicode marker is added.

```

621     \endgroup
622     \begingroup
623     \ifHy@unicode
624     \HyPsd@ConvertToUnicode#1%

```

Try conversion back to PDFDocEncoding.

```

625     \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
626     \@ifundefined{StringEncodingConvertTest}{}{%
627     }{%
628     \EdefUnescapeString\HyPsd@temp#1%

```

```

629     \ifxetex
630         \let\HyPsd@UnescapedString\HyPsd@temp
631         \StringEncodingConvertTest\HyPsd@temp\HyPsd@temp
632             {utf16be}{ascii-print}%
633             \EdefEscapeString\HyPsd@temp\HyPsd@temp
634             \global\let#1\HyPsd@temp
635             \Hy@unicodedefalse
636         }%
637         \HyPsd@ToBigChars#1%
638     }%
639     \else
640         \StringEncodingConvertTest\HyPsd@temp\HyPsd@temp
641             {utf16be}{pdfdoc}%
642             \EdefEscapeString\HyPsd@temp\HyPsd@temp
643             \global\let#1\HyPsd@temp
644             \Hy@unicodedefalse
645         }%
646     \fi
647 }%
648 \fi
649 \fi
650 \HyPsd@XeTeXBigCharsfalse

```

User hook. The hook `\pdfstringdefPostHook` can be used for the purpose to post-process the string further.

```

651     \pdfstringdefPostHook#1%
652     \endgroup
653 }

```

```

\Hy@pdfstringdef
654 \def\Hy@pdfstringdef#1#2{%
655   \pdfstringdef\Hy@gtemp{#2}%
656   \let#1\Hy@gtemp
657 }

```

6.3 Encodings

6.3.1 XeTeX

```

658 \edef\Hy@temp{\catcode0=\the\catcode0\relax}
659 \catcode\z@=12 %
660 \ifxetex
661   \expandafter\@firstofone
662 \else
663   \let\HyPsd@XeTeXBigCharstrue\@empty
664   \let\HyPsd@XeTeXBigCharsfalse\@empty
665   \expandafter\@gobble
666 \fi
667 }%
668 \newif\ifHyPsd@XeTeXBigChars
669 \def\HyPsd@XeTeXBigCharsfalse{%
670   \global\let\ifHyPsd@XeTeXBigChars\iffalse
671 }%
672 \def\HyPsd@XeTeXBigCharstrue{%
673   \global\let\ifHyPsd@XeTeXBigChars\iftrue
674 }%
675 \def\HyPsd@ToBigChars#1{%

```

```

676 \ifHyPsd@XeTeXBigChars
677   \EdefEscapeHex\HyPsd@UnescapedString{%
678     \expandafter\@gobbletwo\HyPsd@UnescapedString
679   }%
680   \begingroup
681     \toks@{ }%
682     \escapechar=92\relax
683     \let\x\HyPsd@ToBigChar
684     \expandafter\HyPsd@ToBigChar\HyPsd@UnescapedString
685     \relax\relax\relax\relax\relax\relax\relax
686   \edef\x{%
687     \endgroup
688     \gdef\noexpand#1{\the\toks@}%
689   }%
690   \x
691   \fi
692 }%
693 \def\HyPsd@ToBigChar#1#2#3#4{%
694   \ifx\relax#1\relax
695     \let\x\relax
696   \else
697     \count@="#1#2#3#4\relax
698     \let\y\empty
699     \lccode\z@=\count@
700     \ifnum\count@=40 %
701       \let\y\@backslashchar
702     \else
703       \ifnum\count@=41 %
704         \let\y\@backslashchar
705       \else
706         \ifnum\count@=92 % backslash
707           \let\y\@backslashchar
708         \else
709           \ifnum\count@=10 % newline
710             \edef\y##1{\string\n}%
711           \else
712             \ifnum\count@=13 % carriage return
713               \edef\y##1{\string\r}%
714             \fi
715           \fi
716         \fi
717       \fi
718     \fi
719   \lowercase{%
720     \toks@\expandafter{%
721       \the\expandafter\toks@
722       \y
723       ^@\%
724     }%
725   }%
726   \fi
727   \x
728 }%
729 }
730 \Hy@temp

```

6.3.2 Workaround for package `linguex`

```

731 \@ifpackageloaded{linguex}{%
732   \let\HyLinguex@OrgB\b
733   \let\HyLinguex@OrgC\c
734   \let\HyLinguex@OrgD\d
735   \def\HyLinguex@Restore{%
736     \let\b\HyLinguex@OrgB
737     \let\c\HyLinguex@OrgC
738     \let\d\HyLinguex@OrgD
739   }%
740   \AtEndOfPackage{%
741     \pdfstringdefDisableCommands{%
742       \@ifundefined{oldb}{}{\let\b\oldb}%
743       \@ifundefined{oldc}{}{\let\c\oldc}%
744       \@ifundefined{oldd}{}{\let\d\oldd}%
745     }%
746   }%
747 }{%
748   \let\HyLinguex@Restore\relax
749 }

```

6.3.3 PD1 encoding

The PD1 encoding implements the PDFDocEncoding for use with L^AT_EX 2 _{ϵ} 's NFSS. Because the informational strings are not set by T_EX's typesetting mechanism but for interpreting by the PDF reader, the glyphs of the PD1 encoding are implemented to be safely written to a file (PDF output file, .out file).

The PD1 encoding can be specified as an option of the 'fontenc' package or loaded here. It does not matter what font family is selected, as T_EX does not process it anyway. So use CM.

```

750 \@ifundefined{T@PD1}{%
751   \input{pd1enc.def}%
752   \HyLinguex@Restore
753 }{%
754 \DeclareFontFamily{PD1}{pdf}{}%
755 \DeclareFontShape{PD1}{pdf}{m}{n}{<->cmr10}{}%
756 \DeclareFontSubstitution{PD1}{pdf}{m}{n}

```

6.3.4 PU encoding

The PU encoding implements the Unicode encoding for use with L^AT_EX's NFSS. Because of large memory requirements the encoding file for Unicode support is only loaded, if option `unicode` is specified as package option.

- \HyPsd@InitUnicode Because the file `puenc.def` takes a lot of memory, the loading is defined in the macro `\HyPsd@InitUnicode` called by the package option `unicode`.

```

757 \def\HyPsd@InitUnicode{%
758   \@ifundefined{T@PU}{%
759     \input{puenc.def}%
760     \HyLinguex@Restore
761   }{%
762     \DeclareFontFamily{PU}{pdf}{}%
763     \DeclareFontShape{PU}{pdf}{m}{n}{<->cmr10}{}%
764     \DeclareFontSubstitution{PU}{pdf}{m}{n}%
765     \let\HyPsd@InitUnicode\relax
766 }

```

6.4 Additional user commands

6.4.1 \texorpdfstring

\texorpdfstring While expanding the string in \pdfstringdef the switch \ifHy@pdfstring is set. This is used by the full expandible macro \texorpdfstring. It expects two arguments, the first contains the string that will be set and processed by L^AT_EX's stomach, the second contains the replacement for PDF strings.

```
767 \def\texorpdfstring{%
768   \ifHy@pdfstring
769     \expandafter\@secondoftwo
770   \else
771     \expandafter\@firstoftwo
772   \fi
773 }
```

6.4.2 Hooks for \pdfstringdef

\pdfstringdefPreHook Default definition of the hooks for \pdfstringdef. The construct \@ifundefined with \let is a little bit faster than \providecommand.

```
774 \@ifundefined{pdfstringdefPreHook}{%
775   \let\pdfstringdefPreHook\@empty
776 }{%
777 \ifundefined{pdfstringdefPostHook}{%
778   \let\pdfstringdefPostHook\@gobble
779 }}
```

\pdfstringdefDisableCommands In \pdfstringdefPreHook the user can add code that is executed before the string, that have to be converted by \pdfstringdef, is expanded. So replacements for problematic macros can be given. The code in \pdfstringdefPreHook should not be replaced perhaps by an \renewcommand, because a previous meaning gets lost.

Macro \pdfstringdefDisableCommands avoids this, because it reuses the old meaning of the hook and appends the new code to \pdfstringdefPreHook, e.g.:

```
\pdfstringdefDisableCommands{%
  \let~\textasciitilde
  \def\url{\pdfstringdefWarn?url}%
  \let\textcolor\@gobble
}
```

In the argument of \pdfstringdefDisableCommands the character @ can be used in command names. So it is easy to use useful L^AT_EX commands like \@gobble or \@firstofone.

```
780 \def\pdfstringdefDisableCommands{%
781   \begingroup
782   \makeatletter
783   \HyPsd@DisableCommands
784 }
```

\HyPsd@DisableCommands

```
785 \long\def\HyPsd@DisableCommands#1{%
786   \toks0=\expandafter{\pdfstringdefPreHook}%
787   \toks1={#1}%
788   \xdef\pdfstringdefPreHook{\the\toks0 \the\toks1}%
789 \endgroup
790 }
```

\pdfstringdefWarn The purpose of \pdfstringdefWarn is to produce a warning message, so the user can see, that something can go wrong with the conversion to PDF strings.

The prefix \<>- is added to the token. \noexpand protects the probably undefined one during the first expansion step. Then \HyPsd@CheckCatcodes can detect the not allowed token, \HyPsd@CatcodeWarning prints a warning message, after \HyPsd@RemovePrefix has removed the prefix.

\pdfstringdefWarn is intended for document authors or package writers, examples for use can be seen in the definition of \HyPsd@ifnextchar or \HyPsd@protected@testopt.

```
791 \def\pdfstringdefWarn#1{%
792   \expandafter\noexpand\csname<-`string#1`\endcsname
793 }
```

6.5 Help macros for expansion

6.5.1 \ignorespaces

\HyPsd@ignorespaces With the help of a trick using \romannumeral the effect of \ignorespaces can be simulated a little, In a special case using an alphabetic constant \romannumeral eats an optional space. If the constant is zero, then the \romannumeral expression vanishes. The following macro uses this trick twice, thus \HyPsd@ignorespaces eats up to two following spaces.

```
794 \begingroup
795   \catcode0=12 %
796   \def\x{\endgroup
797     \def\HyPsd@ignorespaces{%
798       \romannumeral\expandafter`\expandafter``@%
799       \romannumeral``@%
800     }%
801   }%
802 \x
```

6.5.2 Babel languages

Since version 2008/03/16 v3.8j babel uses inside \AtBeginDocument:

```
\pdfstringdefDisableCommands{%
  \languageshorthands{system}%
}
```

As consequence the shorthands are shown in the bookmarks, not its result. Therefore \languageshorthands is disabled before the user hook. If there is a need to use the command, then \HyOrg@languageshorthands can be used inside \pdfstringdefDisableCommands.

```
803 \def\HyPsd@BabelPatch{%
804   \let\HyOrg@languageshorthands\languageshorthands
805   \let\languageshorthands\HyPsd@LanguageShorthands
806 }
807 \RequirePackage{pdftexcmds}[2009/04/10]
808 \begingroup\expandafter\expandafter\expandafter\endgroup
809 \expandafter\ifx\csname pdfstrcmp\endcsname\relax
810   \let\HyPsd@langshort@system\empty
811   \def\HyPsd@LanguageShorthands#1{%
812     \expandafter\ifx\csname HyPsd@langshort@#1\endcsname
813       \HyPsd@langshort@system
814     \expandafter@gobble
815   \else
```

```

816     \expandafter\@firstofone
817     \fi
818     {%
819       \HyOrg@languageshorthands{\#1}%
820     }%
821   }%
822 \else
823   \def\HyPsd@LanguageShorthands{\#1}%
824   \ifnum\pdfstrcmp{\#1}{system}=1%
825     \expandafter\@gobble
826   \else
827     \expandafter\@firstofone
828   \fi
829   {%
830     \HyOrg@languageshorthands{\#1}%
831   }%
832 }%
833 \fi
834 \def\Hy@temp{%
835   \c@ifpackageloaded{babel}{%
836     \c@ifpackagelater{babel}{2008/03/16}{%
837       \let\Hy@temp\empty
838     }{%
839       \def\HyPsd@BabelPatch{%
840         \let\HyOrg@languageshorthands\languageshorthands
841       }%
842     }%
843   }{%
844 }
845 \Hy@temp
846 \expandafter\AtBeginDocument\expandafter{\Hy@temp}
847 \newif\ifHy@next

```

Nothing to do for english.

```

848 \c@ifundefined{danish@sh@"\@sel"}{%
849   \def\HyPsd@babel@danish{%
850     \declare@shorthand{danish}{|}{ }%
851     \declare@shorthand{danish}{~}{-}%
852   }%
853 }
854 \c@ifundefined{dutch@sh@"\@sel"}{%
855   \def\HyPsd@babel@dutch{%
856     \declare@shorthand{dutch}{|}{ }%
857     \declare@shorthand{dutch}{~}{-}%
858   }%
859 }
860 \c@ifundefined{finnish@sh@"\@sel"}{%
861   \def\HyPsd@babel@finnish{%
862     \declare@shorthand{finnish}{|}{ }%
863   }%
864 }
865 \c@ifundefined{french@sh@":\@sel"}{%
866   \def\HyPsd@babel@frenchb{%
867     \def\guill@spacing{ }%
868   }%
869 }
870 \c@ifundefined{german@sh@"\@sel"}{%

```

```

871 \def\HyPsd@babel@german{%
872   \declare@shorthand{german}{`f}{f}%
873   \declare@shorthand{german}{`|}{`}%
874   \declare@shorthand{german}{`-}{-}%
875 }%
876 }
877 \@ifundefined{macedonian@sh@`@sel}{%}
878   \def\HyPsd@babel@macedonian{%
879     \declare@shorthand{macedonian}{`|}{`}%
880     \declare@shorthand{macedonian}{`~}{-}%
881   }%
882 }%
883 \@ifundefined{ngerman@sh@`@sel}{%}
884   \def\HyPsd@babel@ngerman{%
885     \declare@shorthand{ngerman}{`|}{`}%
886     \declare@shorthand{ngerman}{`~}{-}%
887   }%
888 }%
889 \@ifundefined{portuges@sh@`@sel}{%}
890   \def\HyPsd@babel@portuges{%
891     \declare@shorthand{portuges}{`|}{`}%
892   }%
893 }%
894 \@ifundefined{russian@sh@`@sel}{%}
895   \def\HyPsd@babel@russian{%
896     \declare@shorthand{russian}{`|}{`}%
897     \declare@shorthand{russian}{`~}{-}%
898   }%
899 }%
900 \@ifundefined{slovene@sh@`@sel}{%}
901   \def\HyPsd@babel@slovene{%
902     \declare@shorthand{slovene}{`|}{`}%
903   }%
904 }

```

Nested quoting environments are not supported (<<, >>).

```

905 \@ifundefined{spanish@sh@>@sel}{%}
906   \def\HyPsd@babel@spanish{%
907     \declare@shorthand{spanish}{<<}{\guillemotleft}%
908     \declare@shorthand{spanish}{>>}{\guillemotright}%
909     \declare@shorthand{spanish}{`=}{-}%
910     \declare@shorthand{spanish}{`~}{-}%
911     \declare@shorthand{spanish}{`!}{\textexclamdown}%
912     \declare@shorthand{spanish}{`?}{\textquestiondown}%
913   }%
914 }%
915 \@ifundefined{swedish@sh@`@sel}{%}
916   \def\HyPsd@babel@swedish{%
917     \declare@shorthand{swedish}{`|}{`}%
918     \declare@shorthand{swedish}{`~}{-}%
919   }%
920 }%
921 \@ifundefined{ukrainian@sh@`@sel}{%}
922   \def\HyPsd@babel@ukrainian{%
923     \declare@shorthand{ukrainian}{`|}{`}%
924     \declare@shorthand{ukrainian}{`~}{-}%
925   }%
926 }

```

```

927 \@ifundefined{usorbian@sh@\sel}{\def\HyPsd@babel@usorbian{\%
928   \def\HyPsd@shorthand{usorbian}{f}{f}%
929   \def\HyPsd@shorthand{usorbian}{|\ }{}%
930 }%
931 }%
932 }

933 \@ifundefined{greek@sh@\string~\sel}{\def\HyPsd@GreekPatch{\emptyset}%
934   \let\HyPsd@GreekPatch\emptyset
935 }%
936 \def\HyPsd@GreekPatch{\emptyset}
937 \let\greeknumeral\HyPsd@greeknumeral
938 \let\Greeknumeral\HyPsd@Greeknumeral
939 }%
940 }

941 \def\HyPsd@greeknumeral#1{%
942   \HyPsd@GreekNum@\firstoftwo{#1}%
943 }
944 \def\HyPsd@Greeknumeral#1{%
945   \HyPsd@GreekNum@\secondoftwo{#1}%
946 }
947 \def\HyPsd@GreekNum#1#2{%
948   \ifHy@unicode
949     \ifnum#2<@ne
950       \@arabic{#2}%
951     \else
952       \ifnum#2<1000000 %
953         \HyPsd@@GreekNum#1{#2}%
954     \else
955       \@arabic{#2}%
956     \fi
957   \fi
958 \else
959   \@arabic{#2}%
960 \fi
961 }

962 \def\HyPsd@@GreekNum#1#2{%
963   \ifnum#2<@m
964     \ifnum#2<10 %
965       \expandafter\HyPsd@GreekNumI
966         \expandafter\@gobble\expandafter#1\number#2%
967     \else
968       \ifnum#2<100 %
969         \expandafter\HyPsd@GreekNumII
970           \expandafter\@gobble\expandafter#1\number#2%
971     \else
972       \expandafter\HyPsd@GreekNumIII
973         \expandafter\@gobble\expandafter#1\number#2%
974     \fi
975   \fi
976   \ifnum#2>\z@
977     \textnumeralsigngreek
978   \fi
979 \else
980   \ifnum#2<@M
981     \expandafter\HyPsd@GreekNumIV\expandafter#1\number#2%
982   \else
983     \ifnum#2<100000 %

```

```

984     \expandafter\HyPsd@GreekNumV\expandafter#1\number#2%
985     \else
986     \expandafter\HyPsd@GreekNumVI\expandafter#1\number#2%
987     \fi
988     \fi
989     \fi
990 }
991 \def\HyPsd@GreekNumI#1#2#3{%
992   #1{%
993     \ifnum#3>\z@%
994       \textnumeralsignlowergreek
995     \fi
996   }%
997   \expandafter#2%
998   \ifcase#3 %
999     {}{}%
1000   \or\textalpha\textAlpha
1001   \or\textbeta\textBeta
1002   \or\textgamma\textGamma
1003   \or\textdelta\textDelta
1004   \or\textepsilon\textEpsilon
1005   \or\textstigmagreek\textStigmagreek
1006   \or\textzeta\textZeta
1007   \or\texteta\textEta
1008   \or\texttheta\textTheta
1009   \else
1010     {}{}%
1011   \fi
1012 }
1013 \def\HyPsd@GreekNumII#1#2#3#4{%
1014   #1{%
1015     \ifnum#3>\z@%
1016       \textnumeralsignlowergreek
1017     \fi
1018   }%
1019   \expandafter#2%
1020   \ifcase#3 %
1021     {}{}%
1022   \or\textiota\textIota
1023   \or\textkappa\textKappa
1024   \or\textlambda\textLambda
1025   \or\textmu\textMu
1026   \or\textnu\textNu
1027   \or\textxi\textXi
1028   \or\textomicron\textOmicron
1029   \or\textpi\textPi
1030   \or\textkoppagreek\textKoppagreek
1031   \else
1032     {}{}%
1033   \fi
1034   \HyPsd@GreekNumI#1#2#4%
1035 }
1036 \def\HyPsd@GreekNumIII#1#2#3#4#5{%
1037   #1{%
1038     \ifnum#3>\z@%
1039       \textnumeralsignlowergreek
1040     \fi

```

```

1041 }%
1042 \expandafter#2%
1043 \ifcase#3 %
1044   {}{ }%
1045 \or\textrho\textRho
1046 \or\textsigma\textSigma
1047 \or\texttau\textTau
1048 \or\textupsilon\textUpsilon
1049 \or\textphi\textPhi
1050 \or\textchi\textChi
1051 \or\textpsi\textPsi
1052 \or\textomega\textOmega
1053 \or\textampigreek\textSampigreek
1054 \else
1055   {}{ }%
1056 \fi
1057 \HyPsd@GreekNumII#1#2#4#5%
1058 }
1059 \def\HyPsd@GreekNumIV#1#2#3#4#5{%
1060   \HyPsd@GreekNumI\@firstofone#1#2%
1061   \HyPsd@@GreekNum#1{#3#4#5}%
1062 }
1063 \def\HyPsd@GreekNumV#1#2#3#4#5#6{%
1064   \HyPsd@GreekNumII\@firstofone#1#2#3%
1065   \HyPsd@@GreekNum#1{#4#5#6}%
1066 }
1067 \def\HyPsd@GreekNumVI#1#2#3#4#5#6#7{%
1068   \HyPsd@GreekNumIII\@firstofone#1#2#3#4%
1069   \HyPsd@@GreekNum#1{#5#6#7}%
1070 }
1071 \def\HyPsd@SpanishPatch{%
1072   \begingroup\expandafter\expandafter\expandafter\endgroup
1073   \expandafter\ifx\csname es@save@dot\endcsname\relax
1074     \else
1075       \let\.\es@save@dot
1076     \fi
1077 }

```

6.5.3 CJK patch

```

1078 \RequirePackage{intcalc}[2007/09/27]
1079 \RequirePackage{ltxcmds}[2010/03/09]

```

\HyPsd@CJKhook

```

1080 \def\HyPsd@CJKhook{%
1081   \ltx@ifpackageloaded{CJK}{%
1082     \let\CJK@kern\relax
1083     \let\CJKkern\relax
1084     \let\CJK@CJK\relax
1085     \ifHy@CJKbookmarks
1086       \HyPsd@@CJKhook@bookmarks
1087     \fi
1088     \HyPsd@CJKhook@unicode
1089   }{}%
1090 }

```

6.5.4 CJK bookmarks

\HyPsd@CJKhook Some internal commands of package cjk are redefined to avoid error messages. For a rudimental support of CJK bookmarks the active characters are redefined so that they print themselves.

After preprocessing of Big5 encoded data the following string for a double-byte character is emitted:

```
^^7f<arg1>^^7f<arg2>^^7f
```

<arg1> is the first byte in the range (always > 0x80); <arg2> is the second byte in decimal notation ($\geq 0x40$).

```
1091 \begingroup
1092   \catcode"7F=\active
1093   \toks@{%
1094     \let\CKJ@ignorespaces\empty
1095     \def\CKJ@char#1{\@gobbletwo}%
1096     \let\CKJ@charx\@gobblefour
1097     \let\CKJ@punctchar\@gobblefour
1098     \def\CKJ@punctchar#1{\@gobblefour}%
1099     \catcode"7F=\active
1100     \def^^7f#1^^7f#2^^7f{%
1101       \string #1\HyPsd@DecimalToOctal{#2}%
1102     }%
1103     % ... ?
1104     \ifHy@unicode
1105       \def\Hy@cjkpu{\80}%
1106     \else
1107       \let\Hy@cjkpu\empty
1108     \fi
1109     \HyPsd@CJKActiveChars
1110   }%
1111   \count@=127 %
1112   \@whilenum\count@<255 \do{%
1113     \advance\count@ by 1 %
1114     \lccode`\~=\count@
1115     \lowercase{%
1116       \toks@\expandafter{\the\toks@ ~}%
1117     }%
1118   }%
1119   \toks@\expandafter{\the\toks@ !}%
1120   \xdef\HyPsd@CJKhook@bookmarks{%
1121     \the\toks@
1122   }%
1123 \endgroup
```

\HyPsd@CJKActiveChars The macro \HyPsd@CJKActiveChars is only defined to limit the memory consumption of \HyPsd@CJKhook.

```
1124 \def\HyPsd@CJKActiveChars#1{%
1125   \ifx#1!
1126     \let\HyPsd@CJKActiveChars\relax
1127   \else
1128     \edef#1{\noexpand\Hy@cjkpu\string#1}%
1129   \fi
1130   \HyPsd@CJKActiveChars
1131 }
```

\HyPsd@DecimalToOctal A character, given by the decimal number is converted to a PDF character.

```

1132 \def\HyPsd@DecimalToOctal#1{%
1133   \ifcase #1 %
1134     \000\or \001\or \002\or \003\or \004\or \005\or \006\or \007%
1135   \or \010\or \011\or \012\or \013\or \014\or \015\or \016\or \017%
1136   \or \020\or \021\or \022\or \023\or \024\or \025\or \026\or \027%
1137   \or \030\or \031\or \032\or \033\or \034\or \035\or \036\or \037%
1138   \or \040\or \041\or \042\or \043\or \044\or \045\or \046\or \047%
1139   \or \050\or \051\or \052\or \053\or \054\or \055\or \056\or \057%
1140   \or 0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1141   \or 8\or 9\or \072\or \073\or \074\or \075\or \076\or \077%
1142   \or @\or A\or B\or C\or D\or E\or F\or G%
1143   \or H\or I\or J\or K\or L\or M\or N\or O%
1144   \or P\or Q\or R\or S\or T\or U\or V\or W%
1145   \or X\or Y\or Z\or \133\or \134\or \135\or \136\or \137%
1146   \or \140\or a\or b\or c\or d\or e\or f\or g%
1147   \or h\or i\or j\or k\or l\or m\or n\or o%
1148   \or p\or q\or r\or s\or t\or u\or v\or w%
1149   \or x\or y\or z\or \173\or \174\or \175\or \176\or \177%
1150   \or \200\or \201\or \202\or \203\or \204\or \205\or \206\or \207%
1151   \or \210\or \211\or \212\or \213\or \214\or \215\or \216\or \217%
1152   \or \220\or \221\or \222\or \223\or \224\or \225\or \226\or \227%
1153   \or \230\or \231\or \232\or \233\or \234\or \235\or \236\or \237%
1154   \or \240\or \241\or \242\or \243\or \244\or \245\or \246\or \247%
1155   \or \250\or \251\or \252\or \253\or \254\or \255\or \256\or \257%
1156   \or \260\or \261\or \262\or \263\or \264\or \265\or \266\or \267%
1157   \or \270\or \271\or \272\or \273\or \274\or \275\or \276\or \277%
1158   \or \300\or \301\or \302\or \303\or \304\or \305\or \306\or \307%
1159   \or \310\or \311\or \312\or \313\or \314\or \315\or \316\or \317%
1160   \or \320\or \321\or \322\or \323\or \324\or \325\or \326\or \327%
1161   \or \330\or \331\or \332\or \333\or \334\or \335\or \336\or \337%
1162   \or \340\or \341\or \342\or \343\or \344\or \345\or \346\or \347%
1163   \or \350\or \351\or \352\or \353\or \354\or \355\or \356\or \357%
1164   \or \360\or \361\or \362\or \363\or \364\or \365\or \366\or \367%
1165   \or \370\or \371\or \372\or \373\or \374\or \375\or \376\or \377%
1166   \fi
1167 }

```

6.5.5 CJK unicode

\HyPsd@CJKhook@unicode

```

1168 \def\HyPsd@CJKhook@unicode{%
1169   \let\Unicode\HyPsd@CJK@Unicode
1170   \let\CJKnumber\HyPsd@CJKnumber
1171   \let\CJKdigits\HyPsd@CJKdigits
1172 }

```

\HyPsd@CJK@Unicode

```

1173 \def\HyPsd@CJK@Unicode#1#2{%
1174   \ifnum#1<256 %
1175     \HyPsd@DecimalToOctalFirst{#1}%
1176     \HyPsd@DecimalToOctal{#2}%
1177   \else
1178     \933%
1179   \expandafter\expandafter\expandafter\HyPsd@HighA
1180   \intcalcDiv{#1}{4}!%
1181   \933%
1182   \ifcase\intcalcMod{#1}{4} %

```

```

1183     4\or 5\or 6\or 7%
1184     \fi
1185     \HyPsd@DecimalToOctal{#2}%
1186     \fi
1187 }

1188 \def\HyPsd@HighA#1!{%
1189   \expandafter\expandafter\expandafter\HyPsd@HighB
1190   \IntCalcDiv#1!64!!%
1191   \expandafter\expandafter\expandafter\HyPsd@HighD
1192   \IntCalcMod#1!64!!%
1193 }
1194 \def\HyPsd@HighB#1!{%
1195   \expandafter\expandafter\expandafter\HyPsd@HighC
1196   \IntCalcDec#1!!%
1197 }
1198 \def\HyPsd@HighC#1!{%
1199   \IntCalcDiv#1!4!%
1200   \@backslashchar
1201   \IntCalcMod#1!4!%
1202 }
1203 \def\HyPsd@HighD#1!{%
1204   \ifcase\IntCalcDiv#1!8! %
1205   0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1206   \fi
1207   \ifcase\IntCalcMod#1!8! %
1208   0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1209   \fi
1210 }
1211 \def\HyPsd@DecimalToOctalFirst#1{%
1212   \9%
1213   \ifcase#1 %
1214     000\or 001\or 002\or 003\or 004\or 005\or 006\or 007%
1215     \or 010\or 011\or 012\or 013\or 014\or 015\or 016\or 017%
1216     \or 020\or 021\or 022\or 023\or 024\or 025\or 026\or 027%
1217     \or 030\or 031\or 032\or 033\or 034\or 035\or 036\or 037%
1218     \or 040\or 041\or 042\or 043\or 044\or 045\or 046\or 047%
1219     \or 050\or 051\or 052\or 053\or 054\or 055\or 056\or 057%
1220     \or 060\or 061\or 062\or 063\or 064\or 065\or 066\or 067%
1221     \or 070\or 071\or 072\or 073\or 074\or 075\or 076\or 077%
1222     \or 100\or 101\or 102\or 103\or 104\or 105\or 106\or 107%
1223     \or 120\or 111\or 112\or 113\or 114\or 115\or 116\or 117%
1224     \or 120\or 121\or 122\or 123\or 124\or 125\or 126\or 127%
1225     \or 130\or 131\or 132\or 133\or 134\or 135\or 136\or 137%
1226     \or 140\or 141\or 142\or 143\or 144\or 145\or 146\or 147%
1227     \or 150\or 151\or 152\or 153\or 154\or 155\or 156\or 157%
1228     \or 160\or 161\or 162\or 163\or 164\or 165\or 166\or 167%
1229     \or 170\or 171\or 172\or 173\or 174\or 175\or 176\or 177%
1230     \or 200\or 201\or 202\or 203\or 204\or 205\or 206\or 207%
1231     \or 210\or 211\or 212\or 213\or 214\or 215\or 216\or 217%
1232     \or 220\or 221\or 222\or 223\or 224\or 225\or 226\or 227%
1233     \or 230\or 231\or 232\or 233\or 234\or 235\or 236\or 237%
1234     \or 240\or 241\or 242\or 243\or 244\or 245\or 246\or 247%
1235     \or 250\or 251\or 252\or 253\or 254\or 255\or 256\or 257%
1236     \or 260\or 261\or 262\or 263\or 264\or 265\or 266\or 267%
1237     \or 270\or 271\or 272\or 273\or 274\or 275\or 276\or 277%
1238     \or 300\or 301\or 302\or 303\or 304\or 305\or 306\or 307%
1239     \or 310\or 311\or 312\or 313\or 314\or 315\or 316\or 317%

```

```

1240   \or 320\or 321\or 322\or 323\or 324\or 325\or 326\or 327%
1241   \or 330\or 331\or 332\or 333\or 334\or 335\or 336\or 337%
1242   \or 340\or 341\or 342\or 343\or 344\or 345\or 346\or 347%
1243   \or 350\or 351\or 352\or 353\or 354\or 355\or 356\or 357%
1244   \or 360\or 361\or 362\or 363\or 364\or 365\or 366\or 367%
1245   \or 370\or 371\or 372\or 373\or 374\or 375\or 376\or 377%
1246   \fi
1247 }

1248 \def\HyPsd@CJKnumber#1{%
1249   \ifnum#1<\z@
1250     \CJK@minus
1251     \expandafter\HyPsd@@CJKnumber\expandafter{\number-\number#1}%
1252   \else
1253     \expandafter\HyPsd@@CJKnumber\expandafter{\number#1}%
1254   \fi
1255 }
1256 \def\HyPsd@@CJKnumber#1{%
1257   \ifcase#1 %
1258     \CJK@zero\or\CJK@one\or\CJK@two\or\CJK@three\or\CJK@four\or
1259     \CJK@five\or\CJK@six\or\CJK@seven\or\CJK@eight\or\CJK@nine\or
1260     \CJK@ten\or\CJK@ten\JK@one\or\JK@ten\JK@two\or
1261     \JK@ten\JK@three\or\JK@ten\JK@four\or\JK@ten\JK@five\or
1262     \JK@ten\JK@six\or\JK@ten\JK@seven\or\JK@ten\JK@eight\or
1263     \JK@ten\JK@nine
1264   \else
1265     \ifnum#1<10000 %
1266       \HyPsd@CJKnumberFour#1!\empty
1267       \empty
1268     \else
1269       \ifnum#1<100000000 %
1270         \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1271         \IntCalcDiv#1!10000!%
1272         !{}%
1273         \CJK@tentousand
1274         \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1275         \IntCalcMod#1!10000!%
1276         !\CJK@zero
1277         \empty
1278       \else
1279         \expandafter\HyPsd@CJKnumberLarge
1280         \number\IntCalcDiv#1!10000000!\expandafter!%
1281         \number\IntCalcMod#1!10000000!!%
1282       \fi
1283     \fi
1284   \fi
1285 }

1286 \def\HyPsd@CJKnumberLarge#1!#2!{%
1287   \HyPsd@CJKnumberFour#1!{}%
1288   \CJK@hundredmillion
1289   \ifnum#2=\z@
1290   \else
1291     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1292     \IntCalcDiv#2!10000!%
1293     !\CJK@zero
1294     \CJK@tentousand
1295     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1296     \IntCalcMod#2!10000!%

```

```

1297      !\CJK@zero
1298      \empty
1299      \fi
1300 }
1301 \def\HyPsd@CJKnumberFour#1#2{%
1302   \ifnum#1=\z@
1303     \expandafter\@gobble
1304   \else
1305     \ifnum#1<1000 %
1306       #2%
1307       \HyPsd@CJKnumberThree#1{}%
1308     \else
1309       \HyPsd@@CJKnumber{\IntCalcDiv#1!1000!}%
1310       \CJK@thousand
1311       \expandafter\expandafter\expandafter\HyPsd@CJKnumberThree
1312         \IntCalcMod#1!1000!%
1313       !\CJK@zero
1314     \fi
1315   \fi
1316 }
1317 \def\HyPsd@CJKnumberThree#1#2{%
1318   \ifnum#1=\z@
1319   \else
1320     \ifnum#1<100 %
1321       #2%
1322       \HyPsd@CJKnumberTwo#1{}%
1323     \else
1324       \HyPsd@@CJKnumber{\IntCalcDiv#1!100!}%
1325       \CJK@hundred
1326       \expandafter\expandafter\expandafter\HyPsd@CJKnumberTwo
1327         \IntCalcMod#1!100!%
1328       !\CJK@zero
1329     \fi
1330   \fi
1331 }
1332 \def\HyPsd@CJKnumberTwo#1#2{%
1333   \ifnum#1=\z@
1334   \else
1335     \ifnum#1<10 %
1336       #2%
1337       \HyPsd@@CJKnumber{#1}%
1338     \else
1339       \HyPsd@@CJKnumber{\IntCalcDiv#1!10!}%
1340       \CJK@ten
1341       \ifnum\IntCalcMod#1!10!=\z@
1342       \else
1343         \HyPsd@@CJKnumber{\IntCalcMod#1!10!}%
1344       \fi
1345     \fi
1346   \fi
1347 }
1348 \def\HyPsd@CJKdigits#1{%
1349   \ifx*#1\relax
1350   \expandafter\HyPsd@@CJKdigits\expandafter\JK@zero
1351   \else
1352     \HyPsd@@CJKdigits\JK@null{#1}%
1353   \fi

```

```

1354 }
1355 \def\HyPsd@@CJKdigits#1#2{%
1356   \ifx\#2\%
1357   \else
1358     \HyPsd@@CJKdigits#1#2\@nil
1359   \fi
1360 }%
1361 \def\HyPsd@@@CJKdigits#1#2#3\@nil{%
1362   \HyPsd@CJKdigit#1{#2}%
1363   \ifx\#3\%
1364     \expandafter\@gobble
1365   \else
1366     \expandafter\@firstofone
1367   \fi
1368 }%
1369   \HyPsd@@@CJKdigits#1#3\@nil
1370 }%
1371 }
1372 \def\HyPsd@CJKdigit#1#2{%
1373   \ifcase#2 %
1374     #1\or
1375     \CJK@one\or\CJK@two\or\CJK@three\or\CJK@four\or
1376     \CJK@five\or\CJK@six\or\CJK@seven\or\CJK@eight\or\CJK@nine
1377   \fi
1378 }

```

6.5.6 \@inmathwarn-Patch

\HyPsd@inmathwarn The patch of \@inmathwarn is needed to get rid of the infinite error loop with glyphs of other encodings (see the explanation above). Potentially the patch is dangerous, if the code in *ltoutenc.dtx* changes. Checked with $\text{\LaTeX}\ 2_{\varepsilon}$ versions [1998/06/01] and [1998/12/01]. I expect that versions below [1995/12/01] don't work.

To understand the patch easier, the original code of \@current@cmd and \@changed@cmd follows ($\text{\LaTeX}\ 2_{\varepsilon}$ release [1998/12/01]). In the normal case \pdfstringdef is executed in a context where \protect has the meaning of \typesetprotect (=\\relax).

```

\def\@current@cmd#1{%
  \ifx\protect\@typeset@protect
    \@inmathwarn#1%
  \else
    \noexpand#1\expandafter\@gobble
  \fi}
\def\@changed@cmd#1#2{%
  \ifx\protect\@typeset@protect
    \@inmathwarn#1%
    \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
      \expandafter\ifx\csname ?\string#1\endcsname\relax
        \expandafter\def\csname ?\string#1\endcsname{%
          \TextSymbolUnavailable#1%
        }%
      \fi
      \global\expandafter\let
        \csname\cf@encoding\string#1\expandafter\endcsname
        \csname ?\string#1\endcsname
    \fi
  \csname\cf@encoding\string#1%
  \expandafter\endcsname
}

```

```

\else
    \noexpand#1%
\fi}
\gdef\TextSymbolUnavailable#1{%
    \@latex@error{%
        Command \protect#1 unavailable in encoding \cf@encoding%
    }{\@eha}
\def\@inmathwarn#1{%
    \ifmmode
        \@latex@warning{Command \protect#1 invalid in math mode}%
    \fi}

1379 \def\HyPsd@inmathwarn#1#2{%
1380     \ifx#2\expandafter
1381         \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
1382             \HyPsd@GLYPHERR
1383             \expandafter\@gobble\string#1%
1384         >%
1385         \expandafter\expandafter\expandafter\HyPsd@EndWithElse
1386     \else
1387         \expandafter\expandafter\expandafter\HyPsd@GobbleFiFi
1388     \fi
1389 \else
1390     \expandafter#2%
1391 \fi
1392 }
1393 \def\HyPsd@GobbleFiFi#1\fi#2\fi{%
1394 \def\HyPsd@EndWithElse#1\else{\else}

\HyPsd@add@accent
1395 \def\HyPsd@add@accent#1#2{%
1396     \HyPsd@GLYPHERR\expandafter\@gobble\string#1+\string#2>%
1397     #2%
1398 }%

```

6.5.7 Unexpandable spaces

\HyPsd@LetUnexpandableSpace In \HyPsd@@ProtectSpaces the space tokens are replaced by not expandable commands, that work like spaces:

- So they can caught by undelimited arguments.
- And they work in number, dimen, and skip assignments.

These properties are used in \HyPsd@CheckCatcodes.

```

1399 \def\HyPsd@LetUnexpandableSpace#1{%
1400     \expandafter\futurelet\expandafter#1\expandafter\@gobble\space\relax
1401 }%

```

\HyPsd@UnexpandableSpace \HyPsd@UnexpandableSpace is used in \HyPsd@@ProtectSpaces. In \yPsd@@ProtectSpaces the space tokens are replaced by unexpandable commands \HyPsd@UnexpandableSpace, but that have the effect of spaces.

```

1402 \HyPsd@LetUnexpandableSpace\HyPsd@UnexpandableSpace

```

6.5.8 Marker for commands

\HyPsd@XSPACE Some commands and informations cannot be utilized before the string expansion and the checking process. Command names are filtered out, so we need another way to transport the information: An unusual # with catcode 12 marks the beginning of the extra information.

```
1403 \edef\HyPsd@XSPACE{\string#\string X}
1404 \edef\HyPsd@ITALCORR{\string#\string I}
1405 \edef\HyPsd@GLYPHERR{\string#\string G}
```

6.5.9 \hspace fix

\HyPsd@hspc

```
1406 \def\HyPsd@hspc#1{\HyPsd@@hspc#1*\END}
```

\HyPsd@@hspc \HyPsd@@hspc checks whether \hspc is called in its star form.

```
1407 \def\HyPsd@@hspc#1#2\END{%
1408   \ifx\#2\%
1409     \HyPsd@hspacetest{#1}%
1410   \else
1411     \expandafter\HyPsd@hspacetest
1412   \fi
1413 }
```

\HyPsd@hspacetest \HyPsd@hspacetest replaces the \hspc by a space, if the length is greater than zero.

```
1414 \def\HyPsd@hspacetest#1{\ifdim#1>\z@\space\fi}
```

6.5.10 Fix for AMS classes

```
1415 \@ifundefined{tocsection}{%
1416   \let\HyPsd@AMSclassfix\relax
1417 }{%
1418   \def\HyPsd@AMSclassfix{%
1419     \let\tocpart\HyPsd@tocsection
1420     \let\tocchapter\HyPsd@tocsection
1421     \let\tocappendix\HyPsd@tocsection
1422     \let\tocsection\HyPsd@tocsection
1423     \let\tocsubsection\HyPsd@tocsection
1424     \let\tocsubsubsection\HyPsd@tocsection
1425     \let\tocparagraph\HyPsd@tocsection
1426   }%
1427   \def\HyPsd@tocsection#1#2#3{%
1428     \if@#2@\else\if@#1@\else#1 \fi#2. \fi
1429     #3%
1430   }%
1431 }
```

6.5.11 Reference commands

\HyPsd@ref Macro \HyPsd@ref calls the macro \HyPsd@@ref for star checking. The same methods like in \HyPsd@hspc is used.

```
1432 \def\HyPsd@ref#1{\HyPsd@@ref#1*\END}%
```

\HyPsd@@ref Macro \HyPsd@@ref checks if a star is present.

```
1433 \def\HyPsd@@ref#1#2\END{%
```

```

1434 \ifx\\#2\\%
1435   \HyPsd@@@ref{#1}%
1436 \else
1437   \expandafter\HyPsd@@@ref
1438 \fi
1439 }%

```

\HyPsd@@@ref does the work and extracts the first argument.

```

1440 \def\HyPsd@@@ref#1{%
1441   \expandafter\ifx\csname r@#1\endcsname\relax
1442     ??%
1443   \else
1444     \expandafter\expandafter\expandafter
1445     @car\csname r@#1\endcsname@nil
1446   \fi
1447 }

```

\HyPsd@pageref Macro \HyPsd@pageref calls the macro \HyPsd@pageref for star checking. The same methods like in \HyPsd@hspce is used.

```
1448 \def\HyPsd@pageref#1{\HyPsd@pageref#1*\END}
```

\HyPsd@@pageref Macro \HyPsd@@pageref checks if a star is present.

```

1449 \def\HyPsd@@pageref#1*#2\END{%
1450   \ifx\\#2\\%
1451     \HyPsd@@pageref{#1}%
1452   \else
1453     \expandafter\HyPsd@@pageref
1454   \fi
1455 }

```

\HyPsd@@@pageref \HyPsd@@@pageref does the work and extracts the second argument.

```

1456 \def\HyPsd@@@pageref#1{%
1457   \expandafter\ifx\csname r@#1\endcsname\relax
1458     ??%
1459   \else
1460     \expandafter\expandafter\expandafter\expandafter
1461     \expandafter\expandafter\expandafter@car
1462     \expandafter\expandafter\expandafter@gobble
1463     \csname r@#1\endcsname{}@nil
1464   \fi
1465 }

```

\HyPsd@nameref Macro \HyPsd@nameref calls the macro \HyPsd@nameref for star checking. The same methods like in \HyPsd@hspce is used.

```
1466 \def\HyPsd@nameref#1{\HyPsd@nameref#1*\END}
```

\HyPsd@@nameref Macro \HyPsd@@nameref checks if a star is present.

```

1467 \def\HyPsd@@nameref#1*#2\END{%
1468   \ifx\\#2\\%
1469     \HyPsd@@nameref{#1}%
1470   \else
1471     \expandafter\HyPsd@@nameref
1472   \fi
1473 }

```

\HyPsd@@@nameref \HyPsd@@@nameref does the work and extracts the third argument.

```

1474 \def\HyPsd@@@nameref#1{%
1475   \expandafter\ifx\csname r@#1\endcsname\relax
1476     ??%
1477   \else
1478     \expandafter\expandafter\expandafter\expandafter
1479     \expandafter\expandafter\expandafter\@car
1480     \expandafter\expandafter\expandafter\@gobbletwo
1481     \csname r@#1\endcsname{}{}\@nil
1482   \fi
1483 }

```

\HyPsd@autoref Macro \HyPsd@autoref calls the macro \HyPsd@autoref for star checking. The same methods like in \HyPsd@hspace is used.

```

1484 \def\HyPsd@autoref#1{\HyPsd@autoref#1*\END}

```

\HyPsd@autoref Macro \HyPsd@autoref checks if a star is present.

```

1485 \def\HyPsd@autoref#1*#2\END{%
1486   \ifx\\#2\\%
1487     \HyPsd@autoref#1%
1488   \else
1489     \expandafter\HyPsd@autoref
1490   \fi
1491 }

```

\HyPsd@@@autoref \HyPsd@@@autoref does the work and extracts the second argument.

```

1492 \def\HyPsd@@@autoref#1{%
1493   \expandafter\ifx\csname r@#1\endcsname\relax
1494     ??%
1495   \else
1496     \expandafter\expandafter\expandafter\HyPsd@autorefname
1497       \csname r@#1\endcsname{}{}{}{}\@nil
1498     \expandafter\expandafter\expandafter
1499     \@car\csname r@#1\endcsname\@nil
1500   \fi
1501 }

```

\HyPsd@autorefname At least a basic definition for getting the \autoref name.

```

1502 \def\HyPsd@autorefname#1#2#3#4#5\@nil{%
1503   \ifx\\#4\\%
1504   \else
1505     \HyPsd@autorefname#4.\@nil
1506   \fi
1507 }

```

\HyPsd@@@autorefname

```

1508 \def\HyPsd@@@autorefname#1.#2\@nil{%
1509   \@ifundefined{#1autorefname}{%
1510     \ifundefined{#1name}{%
1511       }{%
1512         \csname#1name\endcsname\space
1513       }%
1514     }{%
1515       \csname#1autorefname\endcsname\space
1516     }%
1517 }

```

6.5.12 Redefining the defining commands

Definitions aren't allowed, because they aren't executed in an only expanding context. So the command to be defined isn't defined and can perhaps be undefined. This would causes TeX to stop with an error message. With a deep trick it is possible to define commands in such a context: `\csname` does the job, it defines the command to be `\relax`, if it has no meaning.

Active characters cannot be defined with this trick. It is possible to define all undefined active characters (perhaps that they have the meaning of `\relax`). To avoid side effects this should be done in `\pdfstringdef` shortly before the `\xdef` job. But checking and defining all possible active characters of the full range (0 until 255) would take a while. `\pdfstringdef` is slow enough, so this isn't done.

`\HyPsd@DefCommand` and `\HyPsd@LetCommand` expands to the commands `\<def>-command` and `\<let>-command` with the meaning of `\def` and `\let`. So it is detected by `\HyPsd@CheckCatcodes` and the command name `\<def>-command` or `\<let>-command` should indicate a forbidden definition command.

The command to be defined is converted to a string and back to a command name with the help of `\csname`. If the command is already defined, `\noexpand` prevents a further expansion, even though the command would expand to legal stuff. If the command don't have the meaning of `\relax`, `\HyPsd@CheckCatcodes` will produce a warning. (The command itself can be legal, but the warning is legitimate because of the position after a defining command.)

The difference between `\HyPsd@DefCommand` and `\HyPsd@LetCommand` is that the first one also cancels this arguments, the parameter and definition text. The right side of the `\let` commands cannot be canceled with an undelimited parameter because of a possible space token after `\futurelet`.

To avoid unmachted `\if...` tokens, the cases `\let\if...\\iftrue` and `\let\if...\\iffalse` are checked and ignored.

```
\HyPsd@DefCommand
\HyPsd@LetCommand
1518 \begingroup
1519  \def\x##2{%
1520   \endgroup
1521   \let#1\def
1522   \def\HyPsd@DefCommand##1##2##1{%
1523     #1%
1524     \expandafter\noexpand
1525       \csname\expandafter\gobble\string##1\empty\endcsname
1526       \gobble
1527   }%
1528   \let#2\let
1529   \def\HyPsd@LetCommand##1{%
1530     \expandafter\ifx\csname##1\expandafter\endcsname
1531       \csname iftrue\endcsname
1532       \pdfstringdefWarn\let
1533       \expandafter\gobble
1534     \else
1535       \expandafter\ifx\csname##1\expandafter\endcsname
1536         \csname ifffalse\endcsname
1537         \pdfstringdefWarn\let
1538         \expandafter\expandafter\expandafter\gobble
1539     \else
1540       #2%
1541       \expandafter\noexpand
1542       \csname##1\expandafter\expandafter\expandafter\endcsname
```

```

1543      \fi
1544      \fi
1545  }%
1546 }%
1547 \expandafter\x\csname <def>-command\expandafter\endcsname
1548     \csname <let>-command\endcsname
1549 \def\HyPsd@LetCommand#1{%
1550   \expandafter\expandafter\expandafter\HyPsd@@LetCommand
1551   \expandafter\expandafter\expandafter{%
1552     \expandafter\@gobble\string#1\@empty
1553   }%
1554 }

```

6.5.13 \ifnextchar

\HyPsd@ifnextchar In \pdfstringdef \@ifnextchar is disabled via a \let command to save time. First a warning message is given, then the three arguments are canceled. \@ifnextchar cannot work in a correct manner, because it uses \futurelet, but this is a stomach feature, that doesn't work in an expanding context. There are several variants of \@ifnextchar:

- \@ifnextchar
- \kernel@ifnextchar
- \new@ifnextchar from package amsgen.sty (bug report latex/3662).

```

1555 \def\HyPsd@ifnextchar#1{%
1556   \pdfstringdefWarn#1%
1557   \expandafter\@gobbletwo\@gobble
1558 }

```

6.5.14 \@protected@testopt@ifnextchar

\HyPsd@protected@testopt Macros with optional arguments doesn't work properly, because they call \@ifnextchar to detect the optional argument (see the explanation of \HyPsd@ifnextchar). But a warning, that \@ifnextchar doesn't work, doesn't help the user very much. Therefore \@protected@testopt is also disabled, because its first argument is the problematic macro with the optional argument and it is called before \@ifnextchar.

```

1559 \def\HyPsd@protected@testopt#1{%
1560   \pdfstringdefWarn#1%
1561   \@gobbletwo
1562 }

```

6.6 Help macros for postprocessing

6.6.1 Generic warning.

\HyPsd@Warning For several reasons \space is masked and does not have its normal meaning. But it is used in warning messages, so it is redefined locally:

```

1563 \def\HyPsd@Warning#1{%
1564   \begingroup
1565   \def\space{ }%
1566   \Hy@Warning{#1}%
1567   \endgroup
1568 }

```

6.6.2 Protecting spaces

```

1569 \RequirePackage{etexcmds}[2007/09/09]
1570 \ifetex@unexpanded
1571   \expandafter\@secondoftwo
1572 \else
1573   \expandafter\@firstoftwo
1574 \fi
1575 }%

```

\HyPsd@ProtectSpaces calls with the expanded string \HyPsd@@ProtectSpacesFi. The expanded string is protected by | at the beginning and end of the expanded string. Because of this there can be no group at the beginning or end of the string and grouping characters are not removed by the call of \HyPsd@@ProtectSpacesFi.

```

1576 \def\HyPsd@ProtectSpaces#1{%
1577   \iftrue
1578     \expandafter\HyPsd@@ProtectSpacesFi
1579     \expandafter|\expandafter\@empty#1| \HyPsd@End#1%
1580   \fi
1581 }%

```

\HyPsd@@ProtectSpacesFi The string can contain command tokens, so it is better to use an \def instead of an \edef.

```

1582 \def\HyPsd@@ProtectSpacesFi#1 #2\HyPsd@End#3\fi{%
1583   \fi
1584   \ifx\scrollmode#2\scrollmode
1585     \HyPsd@RemoveMask#1\HyPsd@End#3%
1586   \else
1587     \gdef#3{\#1\HyPsd@UnexpandableSpace#2}%
1588     \expandafter\HyPsd@@ProtectSpacesFi#3\HyPsd@End#3%
1589   \fi
1590 }%

```

Remove mask.

\HyPsd@RemoveMask \HyPsd@RemoveMask removes the protecting |. It is used by \HyPsd@@ProtectSpacesFi and by the code in \pdfstringdef that removes the grouping characters.

```

1591 \def\HyPsd@RemoveMask|#1|\HyPsd@End#2{%
1592   \toks@\expandafter{\#1}%
1593   \xdef#2{\the\toks@}%
1594 }%
1595 }%
1596 \let\HyPsd@fi\fi
1597 \def\HyPsd@ProtectSpaces#1{%
1598   \xdef#1{%
1599     \iftrue
1600       \expandafter\HyPsd@@ProtectSpacesFi
1601       \expandafter|\expandafter\@empty#1| %
1602     \HyPsd@fi
1603   }%
1604   \expandafter\HyPsd@RemoveMask#1\HyPsd@End#1%
1605 }%
1606 \def\HyPsd@@ProtectSpacesFi#1 #2\HyPsd@fi{%
1607   \fi
1608   \etex@unexpanded{\#1}%
1609   \ifx\scrollmode#2\scrollmode
1610   \else
1611     \HyPsd@@ProtectSpacesFi\HyPsd@UnexpandableSpace#2%

```

```

1612     \HyPsd@fi
1613   }%
1614 \def\HyPsd@RemoveMask| #1|\HyPsd@End#2{%
1615   \xdef#2{\etex@unexpanded\expandafter{#1}}%
1616 }%
1617 }

```

6.6.3 Remove grouping braces

\HyPsd@RemoveBraces #1 contains the expanded string, the result will be locally written in command \HyPsd@String.

```

1618 \def\HyPsd@RemoveBraces#1{%
1619   \ifx\scrollmode#1\scrollmode
1620   \else
1621     \HyPsd@@RemoveBracesFi#1\HyPsd@End{#1}%
1622   \fi
1623 }

```

\HyPsd@@RemoveBraces \HyPsd@@RemoveBraces is called with the expanded string, the end marked by \HyPsd@End, the expanded string again, but enclosed in braces and the string command. The first expanded string is scanned by the parameter text #1#2. By a comparison with the original form in #3 we can decide whether #1 is a single token or a group. To avoid the case that #2 is a group, the string is extended by a | before.

While removing the grouping braces an italic correction marker is inserted for supporting package xspace and letting ligatures broken.

Because the string is already expanded, the \if commands should disappeared. So we can move some parts out of the argument of \Hy@ReturnAfterFi.

```

1624 \def\HyPsd@@RemoveBracesFi#1#2\HyPsd@End#3\fi{%
1625   \fi
1626   \def\Hy@temp@A{#1#2}%
1627   \def\Hy@temp@B{#3}%
1628   \ifx\Hy@temp@A\Hy@temp@B
1629     \expandafter\def\expandafter\HyPsd@String\expandafter{%
1630       \HyPsd@String#1}%
1631   }%
1632   \ifx\scrollmode#2\scrollmode
1633   \else
1634     \Hy@ReturnAfterFiFiEnd{%
1635       \HyPsd@RemoveBraces{#2}%
1636     }%
1637   \fi
1638 \else
1639   \def\Hy@temp@A{#1}%
1640   \HyPsd@AppendItalcorr\HyPsd@String
1641   \ifx\Hy@temp@A\empty
1642     \Hy@ReturnAfterElseFiFiEnd{%
1643       \HyPsd@RemoveBraces{#2}%
1644     }%
1645   \else
1646     \HyPsd@ProtectSpaces\Hy@temp@A
1647     \HyPsd@AppendItalcorr\Hy@temp@A
1648     \Hy@ReturnAfterFiFiEnd{%
1649       \expandafter\HyPsd@RemoveBraces\expandafter
1650       {(\Hy@temp@A#2)}%
1651     }%
1652   \fi
1653 \fi

```

```

1654 \Hy@ReturnEnd
1655 }

```

\HyPsd@AppendItalcorr The string can contain commands yet, so it is better to use \def instead of a shorter \edef.
\HyPsd@@AppendItalcorr The two help macros limit the count of \expandafter.

```

1656 \def\HyPsd@AppendItalcorr#1{%
1657 \expandafter\HyPsd@@AppendItalcorr\expandafter{\}/}#1%
1658 }
1659 \def\HyPsd@@AppendItalcorr#1#2{%
1660 \expandafter\def\expandafter#2\expandafter{#2#1}%
1661 }

```

6.6.4 Catcode check

Check catcodes.

\HyPsd@CheckCatcodes Because \ifcat expands its arguments, this is prevented by \noexpand. In case of command tokens and active characters \ifcat now sees a \relax. After protecting spaces and removing braces #1 should be a single token, no group of several tokens, nor an empty group. (So the \expandafter\relax between \ifcat and \noexpand is only for safety and it should be possible to remove it.)

\protect and \relax should be removed silently. But it is too dangerous and breaks some code giving them the meaning of \empty. So commands with the meaning of \protect are removed here. (\protect should have the meaning of \typeset@protect that is equal to \relax).

```

1662 \def\HyPsd@CheckCatcodes#1#2\HyPsd@End{%
1663 \global\let\HyPsd@Rest\relax
1664 \ifcat\relax\noexpand#1\relax
1665 \ifx#1\protect
1666 \else
1667 \ifx#1\penalty
1668 \setbox\z@=\hbox{%
1669 \afterassignment\HyPsd@AfterCountRemove
1670 \count@=#2\HyPsd@End
1671 }%
1672 \else
1673 \ifx#1\kern
1674 \setbox\z@=\hbox{%
1675 \afterassignment\HyPsd@AfterDimenRemove
1676 \dimen@=#2\HyPsd@End
1677 }%
1678 \else
1679 \ifx#1\hskip
1680 \setbox\z@=\hbox{%
1681 \afterassignment\HyPsd@AfterSkipRemove
1682 \skip@=#2\HyPsd@End
1683 }%
1684 \else
1685 \HyPsd@CatcodeWarning{#1}%
1686 \fi
1687 \fi
1688 \fi
1689 \fi
1690 \else
1691 \ifcat#1A% letter
1692 \expandafter\def\expandafter\HyPsd@String\expandafter{%

```

```

1693     \HyPsd@String#1%
1694     }%
1695 \else
1696     \ifcat#1 % SPACE
1697         \expandafter\def\expandafter\HyPsd@String\expandafter{%
1698             \HyPsd@String\HyPsd@SPACEOPTI
1699         }%
1700 \else
1701     \ifcat$#1%
1702         \HyPsd@CatcodeWarning{math shift}%
1703 \else
1704     \ifcat&#1%
1705         \HyPsd@CatcodeWarning{alignment tab}%
1706 \else
1707     \ifcat^#1%
1708         \HyPsd@CatcodeWarning{superscript}%
1709 \else
1710     \ifcat_#1%
1711         \HyPsd@CatcodeWarning{subscript}%
1712 \else
1713     \expandafter\def\expandafter\HyPsd@String\expandafter{%
1714         \HyPsd@String#1%
1715     }%
1716     \fi
1717     \fi
1718     \fi
1719     \fi
1720     \fi
1721     \fi
1722     \fi
1723 \ifx\HyPsd@Rest\relax
1724     \ifx\scrollmode#2\scrollmode
1725 \else
1726     \Hy@ReturnAfterFiFiEnd{%
1727         \HyPsd@CheckCatcodes#2\HyPsd@End
1728     }%
1729     \fi
1730 \else
1731     \ifx\HyPsd@Rest\empty
1732 \else
1733     \Hy@ReturnAfterFiFiEnd{%
1734         \expandafter\HyPsd@CheckCatcodes\HyPsd@Rest\HyPsd@End
1735     }%
1736     \fi
1737     \fi
1738 \Hy@ReturnEnd
1739 }

```

Remove counts, dimens, skips.

\HyPsd@AfterCountRemove Counts like \penalty are removed silently.

```

1740 \def\HyPsd@AfterCountRemove#1\HyPsd@End{%
1741     \gdef\HyPsd@Rest{\#1}%
1742 }

```

\HyPsd@AfterDimenRemove If the value of the dimen (\kern) is zero, it can be removed silently. All other values are difficult to interpret. Negative values do not work in bookmarks. Should positive values

be removed or should they be replaced by space(s)? The following code replaces positive values greater than 1ex with a space and removes them else.

```

1743 \def\HyPsd@AfterDimenRemove#1\HyPsd@End{%
1744   \ifdim\ifx\HyPsd@String\empty\z@\else\dimen@\fi>1ex %
1745     \HyPsd@ReplaceSpaceWarning{\string\kern\space\the\dimen@}%
1746     \gdef\HyPsd@Rest{\HyPsd@UnexpandableSpace #1}%
1747   \else
1748     \ifdim\dimen@=\z@
1749   \else
1750     \HyPsd@RemoveSpaceWarning{\string\kern\space\the\dimen@}%
1751   \fi
1752   \gdef\HyPsd@Rest{#1}%
1753 \fi
1754 }

```

\HyPsd@AfterSkipRemove The glue part of skips do not work in PDF strings and are ignored. Skips (\hskip), that are not zero, have the same interpreting problems like dimens (see above).

```

1755 \def\HyPsd@AfterSkipRemove#1\HyPsd@End{%
1756   \ifdim\ifx\HyPsd@String\empty\z@\else\skip@\fi>1ex %
1757     \HyPsd@ReplaceSpaceWarning{\string\hskip\space\the\skip@}%
1758     \gdef\HyPsd@Rest{\HyPsd@UnexpandableSpace #1}%
1759   \else
1760     \ifdim\skip@=\z@
1761   \else
1762     \HyPsd@RemoveSpaceWarning{\string\kern\space\the\skip@}%
1763   \fi
1764   \gdef\HyPsd@Rest{#1}%
1765 \fi
1766 }

```

Catcode warnings.

\HyPsd@CatcodeWarning \HyPsd@CatcodeWarning produces a warning for the user.

```

1767 \def\HyPsd@CatcodeWarning#1{%
1768   \HyPsd@Warning{%
1769     Token not allowed in a PDF string (%
1770     \ifHy@unicode
1771       Unicode%
1772     \else
1773       PDFDocEncoding%
1774     \fi
1775   ):%
1776   \MessageBreak removing '\HyPsd@RemoveCmdPrefix#1'%
1777 }%
1778 }
1779 \begingroup
1780   \catcode`\|=0 %
1781   \catcode`\\=12 %
1782   \gdef\HyPsd@RemoveCmdPrefix#1{%
1783     \expandafter\HyPsd@RemoveCmdPrefix
1784     \string#1\empty\<-|\empty\empty
1785   }%
1786   \gdef\HyPsd@RemoveCmdPrefix#1\<-#2\empty\#3\empty{#1#2}%
1787 \endgroup

```

\HyPsd@RemoveSpaceWarning

```

1788 \def\HyPsd@RemoveSpaceWarning#1{%
1789   \HyPsd@Warning{%
1790     Token not allowed in a PDF string (%
1791     \ifHy@unicode
1792       Unicode%
1793     \else
1794       PDFDocEncoding%
1795     \fi
1796   }):%
1797   \MessageBreak #1\MessageBreak
1798   removed%
1799 }
1800 }

```

\HyPsd@ReplaceSpaceWarning

```

1801 \def\HyPsd@ReplaceSpaceWarning#1{%
1802   \HyPsd@Warning{%
1803     Token not allowed in a PDF string (%
1804     \ifHy@unicode
1805       Unicode%
1806     \else
1807       PDFDocEncoding%
1808     \fi
1809   }):%
1810   \MessageBreak #1\MessageBreak
1811   replaced by space%
1812 }
1813 }

```

6.6.5 Check for wrong glyphs

A wrong glyph is marked with \relax, the glyph name follows, delimited by >. \empty ends the string.

```

1814 \def\HyPsd@GlyphProcess#1\relax#2\empty{%
1815   \expandafter\def\expandafter\HyPsd@String\expandafter{%
1816     \HyPsd@String#1%
1817   }%
1818   \ifx\\#2\\%
1819   \else
1820     \Hy@ReturnAfterFi{%
1821       \HyPsd@GlyphProcessWarning#2\empty
1822     }%
1823   \fi
1824 }
1825 \def\HyPsd@GlyphProcessWarning#1>#2\empty{%
1826   \HyPsd@GlyphProcessWarning#1++>%
1827   \HyPsd@GlyphProcess#2\empty
1828 }
1829 \def\HyPsd@@GlyphProcessWarning#1+#2+#3>{%
1830   \ifx\\#2\\%
1831     \HyPsd@Warning{%
1832       Glyph not defined in %
1833       P\ifHy@unicode U\else D1\fi\space encoding,\MessageBreak
1834       removing '\@backslashchar#1'%
1835     }%
1836   \else
1837     \HyPsd@Warning{%

```

```

1838     Composite letter '\@backslashchar#1+\#2'\MessageBreak
1839     not defined in P\ifHy@unicode U\else D1\f\space encoding,%
1840     \MessageBreak
1841     removing '\@backslashchar#1'%
1842   }%
1843 \fi
1844 }

```

Spaces.

- \HyPsd@spaceopti In the string the spaces are represented by \HyPsd@spaceopti tokens. Within an \edef it prints itself as a simple space and looks for its next argument. If another space follows, so it replaces the next \HyPsd@spaceopti by an protected space \040.

```

1845 \def\HyPsd@spaceopti#1{ % first space
1846   \ifx\HyPsd@spaceopti#1%
1847     \040%
1848   \else
1849     #1%
1850   \fi
1851 }%

```

6.6.6 Replacing tokens

- \HyPsd@Subst To save tokens \HyPsd@StringSubst is an wrapper for the command \HyPsd@Subst that does all the work: In string stored in command #3 it replaces the tokens #1 with #2.

#1 Exact the tokens that should be replaced.
#2 The replacement (don't need to be expanded).
#3 Command with the string.

```

1852 \def\HyPsd@Subst#1#2#3{%
1853   \def\HyPsd@@ReplaceFi##1##2\END\fi{%
1854     \fi
1855     ##1%
1856     \ifx\scrollmode##2\scrollmode
1857     \else
1858       ##2%
1859       \HyPsd@@ReplaceFi##2\END
1860     \fi
1861   }%
1862   \xdef#3{%
1863     \iftrue
1864       \expandafter\HyPsd@@ReplaceFi#3#1\END
1865     \fi
1866   }%
1867 }

```

- \HyPsd@StringSubst To save tokens in \pdfstringdef \HyPsd@StringSubst is a wrapper, that expands argument #1 before calling \HyPsd@Subst.

```

1868 \def\HyPsd@StringSubst#1{%
1869   \expandafter\HyPsd@Subst\expandafter{\string#1}%
1870 }

```

6.6.7 Support for package xspace

- \HyPsd@doxspace \xspace does not work, because it uses a \futurelet that cannot be executed in TeX's mouth. So this implementation uses an argument to examine the next token. In a previous

version I reused \c@xspace, but this version is shorter and easier to understand.

```
1871 \def\HyPsd@doxspace#1{%
1872   \ifx#1\relax\else
1873   \ifx#1.\else
1874   \ifx#1:\else
1875   \ifx#1,\else
1876   \ifx#1;\else
1877   \ifx#1!\else
1878   \ifx#1?\else
1879   \ifx#1/\else
1880   \ifx#1-\else
1881   \ifx#1'\else
1882     \HyPsd@SPACEOPTI
1883   \fi
1884   \fi
1885   \fi
1886   \fi
1887   \fi
1888   \fi
1889   \fi
1890   \fi
1891   \fi
1892 \fi
1893 #1%
1894 }%
```

6.6.8 Converting to Unicode

Eight bit characters are converted to the sixteen bit ones, \8 is replaced by \00, and \9 is removed. The result should be a valid Unicode PDF string without the Unicode marker at the beginning.

```
1895 \begingroup
1896   \catcode`\|=0 %
1897   \catcode`\|=12 %
```

\HyPsd@ConvertToUnicode

```
1898 |gdef| HyPsd@ConvertToUnicode#1{%
1899   |xdef#1{%
1900     |expandafter| HyPsd@DoConvert#1|@empty|@empty|@empty
1901   }%
1902   |ifx#1|@empty
1903   |else
1904     |xdef#1{%
1905       \376\377%
1906     #1%
1907   }%
1908   |fi
1909 }%
```

\HyPsd@DoConvert

```
1910 |gdef| HyPsd@DoConvert#1{%
1911   |ifx#1|@empty
1912   |else
1913     |Hy@ReturnAfterFi{%
1914       |ifx#1\%%
1915       \%%
```

```

1916      |expandafter|HyPsd@DoEscape
1917      |else
1918          |HyPsd@Char{#1}%
1919          |expandafter|HyPsd@DoConvert
1920          |fi
1921      }%
1922      |fi
1923  }%

\HyPsd@DoEscape
1924 |gdef|HyPsd@DoEscape#1{%
1925 |ifx#19%
1926 |expandafter|HyPsd@GetTwoBytes
1927 |else
1928     |Hy@ReturnAfterFi{%
1929     |ifx#18%
1930     00%
1931     |expandafter|HyPsd@GetTwoBytes
1932 |else
1933     #1%
1934     |expandafter|HyPsd@GetOneByte
1935     |fi
1936 }%
1937 |fi
1938 }%

\HyPsd@GetTwoBytes
1939 |gdef|HyPsd@GetTwoBytes#1\#2#3#4{%
1940   #1\#2#3#4%
1941   |HyPsd@DoConvert
1942 }%

\HyPsd@GetOneByte
1943 |gdef|HyPsd@GetOneByte#1#2{%
1944   #1#2%
1945   |HyPsd@DoConvert
1946 }%
1947 |endgroup

\HyPsd@@GetNextTwoTokens TEX does only allow nine parameters, so we need another macro to get more arguments.
1948 \def\HyPsd@GetNextTwoTokens#1#2#3\END#4{%
1949   \xdef#4{#4#1#2}%
1950   \HyPsd@@ConvertToUnicode#3\END#4%
1951 }

\HyPsd@Char
1952 \begingroup
1953   \catcode0=9 %
1954   \catcode`\^=7 %
1955   \catcode`\^^=12 %
1956   \def\x{^^^^0000}%
1957 \expandafter\endgroup
1958 \ifx\x\empty
1959   \def\HyPsd@Char#1{%
1960     \ifnum`#1<128 %
1961       \@backslashchar 000#1%

```

```

1962 \else
1963   \ifnum`#1<65536 %
1964     \expandafter\HyPsd@CharTwoByte\number`#1!%
1965   \else
1966     \expandafter\expandafter\expandafter\HyPsd@CharSurrogate
1967     \intcalcSub`#1}{65536}!%
1968   \fi
1969 \fi
1970 }%
1971 \def\HyPsd@CharTwoByte#1{%
1972   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
1973   \IntCalcDiv#1!256!!%
1974   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
1975   \IntCalcMod#1!256!!%
1976 }%
1977 \def\HyPsd@CharOctByte#1{%
1978   \@backslashchar
1979   \IntCalcDiv#1!64!%
1980   \intcalcDiv{\IntCalcMod#1!64!}{8}%
1981   \IntCalcMod#1!8!%
1982 }%
1983 \def\HyPsd@CharSurrogate#1{%
1984   \@backslashchar 33%
1985   \IntCalcDiv#1!262144!%
1986   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
1987   \intcalcDiv{\IntCalcMod#1!262144!}{1024}!%
1988   \@backslashchar 33%
1989   \expandafter\expandafter\expandafter\IntCalcAdd
1990   \intcalcDiv{\IntCalcMod#1!1024!}{256}!4!%
1991   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
1992   \IntCalcMod#1!256!!%
1993 }%
1994 \else
1995   \def\HyPsd@Char#1{%
1996     \@backslashchar 000#1%
1997   }%
1998 \fi

```

6.6.9 Support for UTF-8 input encoding

After `\usepackage[utf8]{inputenc}` there are macros that expect the UTF-8 octets as arguments. Therefore we can calculate the PDF octal sequences directly. Because the PDF format is limited to UCS-2, conversion macros are needed for UTF-8 sequences with two and three octets only.

This calculation must be done in an expandable context, so we use eTeXhere for performance reasons. Unhappily the results of divisions are rounded. Thus a circumvention via `\dimexpr` is used, e.g.:

```

\numexpr 123/4\relax is replaced by
\number\dimexpr.25\dimexpr 123sp\relax\relax

1999 \begingroup\expandafter\expandafter\expandafter\endgroup
2000 \expandafter\ifx\csname numexpr\endcsname\relax
2001   \let\HyPsd@UTFviii\relax
2002 \else
2003   \begingroup
2004     \lccode`\~=``^f4\relax

```

```

2005 \lowercase{\endgroup
2006 \def\HyPsd@UTFviii{%
2007   \let\UTFviii@two@octets\HyPsd@UTFviii@two
2008   \let\UTFviii@three@octets\HyPsd@UTFviii@three
2009   \let\UTFviii@four@octets\HyPsd@UTFviii@four
2010   \ifx~\HyPsd@UTFviii@ccxliv@undef
2011     \let~\HyPsd@UTFviii@ccxliv@def
2012   \fi
2013   \let\unichar\HyPsd@unichar
2014 }%
2015 }%
2016 \def\HyPsd@UTFviii@ccxliv@undef{\inenc@undefined@{utf8}}%
2017 \edef\HyPsd@UTFviii@ccxliv@def{%
2018   \noexpand\UTFviii@four@octets\string ^~f4}%
2019 }%

```

The two octet form of UTF-8 110aaabb (A) and 10ccddd (B) must be converted into octal numbers 00a and bcd. The result is \8a\bcd (with a, b, c, d as octal numbers). The conversion equations.

$$a := A/4 - 48 \quad (1)$$

$$b := A - 4 * (A/4) \quad (2)$$

$$c := B/8 - 8 * ((8 * (B/8))/8) \quad (3)$$

$$d := B - 8 * (B/8) \quad (4)$$

$$(5)$$

```

2020 \def\HyPsd@UTFviii@two#1#2{%
2021   \expandafter\HyPsd@UTFviii@#two
2022   \number\dimexpr.25\dimexpr#1sp\expandafter\relax\expandafter|%
2023   \number'##1\expandafter|%
2024   \number\dimexpr.125\dimexpr'##2sp\expandafter\relax\expandafter|%
2025   \number'##2 \@nil
2026 }%
2027 \def\HyPsd@UTFviii@#two#1|#2|#3|#4@\nil{%
2028   \expandafter\8%
2029   \number\numexpr #1-48\expandafter\relax
2030   \csname\number\numexpr #2-4*#1\relax\expandafter\endcsname
2031   \number\numexpr #3-8*%
2032   \number\dimexpr.125\dimexpr#3sp\relax\relax\expandafter\relax
2033   \number\numexpr #4-8*#3\relax
2034 }%

```

Three octet form: 1110aabb (A), 10bccddd (B), and 10eeefff (C). The result is \9abc\def (with a, ..., f as octal numbers). The conversion equations:

$$a := A/4 - 56 \quad (6)$$

$$b := 2 * (A - 4 * (A/4)) + ((B - 128 < 32)?0:1) \quad (7)$$

$$c := B/4 - 32 - ((B - 128 < 32)?0:8) \quad (8)$$

$$d := B - 4 * (B/4) \quad (9)$$

$$e := C/8 - 16 \quad (10)$$

$$f := C - 8 * (C/8) \quad (11)$$

$$(12)$$

```

2035 \def\HyPsd@UTFviii@three#1#2#3{%
2036   \expandafter\HyPsd@UTFviii@#three

```

```

2037   \number\dimexpr.25\dimexpr'#1sp\expandafter\relax\expandafter|%
2038   \number'#1\expandafter|%
2039   \number\ifnum\numexpr'#2-128\relax <32 0\else 1\fi\expandafter|%
2040   \number\dimexpr.25\dimexpr'#2sp\expandafter\relax\expandafter|%
2041   \number'#2\expandafter|%
2042   \number\dimexpr.125\dimexpr'#3sp\expandafter\relax\expandafter|%
2043   \number'#3 \@nil
2044 }%
2045 \def\HyPsd@UTFviii@@three#1|#2|#3|#4|#5|#6|#7@\nil{%
2046   \expandafter\%9%
2047   \number\numexpr #1-56\expandafter\relax
2048   \number\numexpr 2*(#2-4*#1)+#3\expandafter\relax
2049   \number\numexpr #4 - 32 -\ifcase#3 0\else 8\fi\expandafter\relax
2050   \csname\number\numexpr #5-4*#4\relax\expandafter\endcsname
2051   \number\numexpr #6-16\expandafter\relax
2052   \number\numexpr #7-8*#6\relax
2053 }%

```

Surrogates: 4 octets in UTF-8, a surrogate pair in UTF-16. High surrogate range: U+D800–U+DBFF, low surrogate range: U+DC00–U+DFFF.

UTF-8: 11110uuu	10uuzzzz	10yyyyyy	10xxxxxx
www = uuuuu - 1			
UTF-16: 110110ww	wwzzzzyy	110111yy	yyxxxxxxxx
octal: 011 011 0ww	0ww zzz zyy	011 011 1yy	0yy xxx xxx

```

2054 \def\HyPsd@UTFviii@four#1#2{%
2055   \expandafter\HyPsd@UTFviii@four\number
2056   \numexpr-1+('#1-240)*4+\dimexpr.0625\dimexpr'#2sp-128sp%
2057   \expandafter|\number
2058   \numexpr'#2-16*\dimexpr.0625\dimexpr'#2sp|%
2059 }%
2060 \def\HyPsd@@UTFviii@four#1|#2|#3{%
2061   \933\number\dimexpr.25\dimexpr'#1sp\relax\relax
2062   \csname\number\numexpr#1-4*\dimexpr.25\dimexpr'#1sp\endcsname
2063   \ifodd#2 %
2064     \number\numexpr(#2-1)/2\relax
2065   \else
2066     \number\numexpr#2/2\relax
2067   \fi
2068   \number\numexpr\ifodd#2 4+\fi
2069   \dimexpr.0625\dimexpr'#3sp-128sp\relax\relax\relax
2070 \933%
2071 \expandafter\HyPsd@@UTFviii@four\number
2072 \numexpr'#3-16*\dimexpr.0625\dimexpr'#3sp|%
2073 }%
2074 \def\HyPsd@@@UTFviii@four#1|#2{%
2075   \number\numexpr4+\dimexpr.25\dimexpr'#1sp\relax\relax\relax
2076   \csname\number\numexpr#1-4*\dimexpr.25\dimexpr'#1sp\endcsname
2077   \number\dimexpr.125\dimexpr'#2sp-128sp\relax\relax
2078   \number\numexpr'#2-8*\dimexpr.125\dimexpr'#2sp\relax\relax\relax
2079 }%

```

Input encoding utf8x of package ucs uses macro \unichar. Values greater than "FFFF" are not supported.

```

2080 \def\HyPsd@unichar#1{%
2081   \ifHy@unicode
2082     \ifnum#1>"10FFFF %
2083       \HyPsd@UnicodeReplacementCharacter % illegal

```

```

2084      \else
2085          \ifnum#1>"FFFF %
High-surrogate code point. ("D800 = 55296, \p@ = 1pt = 65536sp)
2086              \expandafter\HyPsd@unichar\expandafter{%
2087                  \number\numexpr 55296+%
2088                      \dimexpr.0009765625\dimexpr\number#1sp-\p@
2089                          \relax\relax\relax
2090                  }%
Low-surrogate code point. ("DC00 = 56320, "DC00 - 65536 = -9216)
2091              \expandafter\HyPsd@unichar\expandafter{%
2092                  \number\numexpr#1-9216%
2093                      -1024*\dimexpr.0009765625\dimexpr\number#1sp-\p@
2094                          \relax\relax\relax
2095                  }%
2096          \else
2097              \ifnum#1>"7FF %
2098                  \9%
2099                      \expandafter\HyPsd@unichar@first@byte\expandafter{%
2100                          \number
2101                              \dimexpr.00390625\dimexpr\number#1sp\relax\relax
2102                          }%
2103          \else
2104              \8%
2105                  \number\dimexpr.00390625\dimexpr\number#1sp\relax\relax
2106          \fi
2107          \expandafter\HyPsd@unichar@second@byte\expandafter{%
2108              \number
2109                  \numexpr#1-256*\number
2110                      \dimexpr.00390625\dimexpr\number#1sp\relax\relax\relax
2111                  }%
2112          \fi
2113          \fi
2114      \else
2115          .% unsupported (Unicode -> PDF Doc Encoding)
2116      \fi
2117  }%
2118 \def\HyPsd@UnicodeReplacementCharacter{\9377\375}%
2119 \def\HyPsd@unichar@first@byte#1{%
2120     \number\dimexpr.015625\dimexpr#1sp\relax\relax
2121     \expandafter\HyPsd@unichar@octtwo\expandafter{%
2122         \number
2123         \numexpr#1-64*\number\dimexpr.015625\dimexpr#1sp%
2124             \relax\relax\relax
2125         }%
2126     }%
2127 \def\HyPsd@unichar@second@byte#1{%
2128     \csname\number\dimexpr.015625\dimexpr#1sp\relax\relax\endcsname
2129     \expandafter\HyPsd@unichar@octtwo\expandafter{%
2130         \number
2131         \numexpr#1-64*\number\dimexpr.015625\dimexpr#1sp%
2132             \relax\relax\relax
2133         }%
2134     }%
2135 \def\HyPsd@unichar@octtwo#1{%
2136     \number\dimexpr.125\dimexpr#1sp\relax\relax
2137     \number\numexpr#1-8*\number\dimexpr.125\dimexpr#1sp%

```

```

2138     \relax\relax\relax
2139 }%
2140 \fi

```

7 Support of other packages

7.1 Class memoir

```

2141 \@ifclassloaded{memoir}{%
2142   \AtEndOfPackage{\RequirePackage{memhfixc}}%
2143 }{}}

```

7.2 Package subfigure

Added fix for version 2.1. Here \sub@label is defined.

```

2144 \@ifpackageloded{subfigure}{%
2145   \@ifundefined{sub@label}{%
2146     \Hy@hypertexnamesfalse
2147   }{%
2148     \renewcommand*{\sub@label}[1]{%
2149       \@bsphack
2150       \subfig@oldlabel{\#1}%
2151       \if@filesw
2152         \begingroup
2153           \edef\@currentlabstr{%
2154             \expandafter\strip@prefix\meaning\@currentlabelname
2155           }%
2156           \protected@write\@auxout{ }{%
2157             \string\newlabel{sub@\#1}{%
2158               \nameuse{@thesub\@capttype}}%
2159             \thepage}%
2160           }%
2161           \expandafter\strip@period\@currentlabstr
2162           \relax.\relax\@C@%
2163         }%
2164         \{@currentHref}%
2165       }{%
2166     }%
2167   }%
2168   \endgroup
2169 \fi
2170 \@esphack
2171 }%
2172 \@ifpackagelater{subfigure}{2002/03/26}{%
2173   \providecommand*{\toclevel@subfigure}{1}%
2174   \providecommand*{\toclevel@subtable}{1}%
2175 }%
2176 }%
2177 }{}}

```

7.3 Package xr and xr-hyper

The beta version of xr that supports \XR@addURL is called xr-hyper. Therefore we test for the macro itself and not for the package name:

```

2178 \@ifundefined{XR@addURL}{%
2179 }{%

```

If reading external aux files check whether they have a non zero fourth field in `\newlabel` and if so, add the URL as the fifth field.

```

2180 \def\XR@addURL#1{\XR@@dURL#1{}{}{}{}\%}
2181 \def\XR@@dURL#1#2#3#4#5\\{%
2182 {#1}{#2}%
2183 \if!#4!%
2184 \else
2185 {#3}{#4}{\XR@URL}%
2186 \fi
2187 }%
2188 }

2189 \def\Hy@true{true}
2190 \def\Hy@false{false}
```

Providing dummy definitions.

```

2191 \let\literalps@out@gobble
2192 \newcommand\pdfbookmark[3]{}%
2193 \def\Acrobatmenu#1#2{\leavevmode#2}
2194 \def\Hy@writebookmark#1#2#3#4#5{}%
```

8 Help macros for links

Anchors get created on the baseline of where they occur. If an XYZ PDF view is set, this means that the link places the top of the screen *on the baseline* of the target. If this is an equation, for instance, it means that you cannot see anything. Some links, of course, are created at the start of environments, and so it works. To allow for this, anchors are raised, where possible, by some small amount. This defaults to `\baselineskip`, but users can set it to something else in two ways (thanks to Heiko Oberdiek for suggesting this):

1. Redefine `\HyperRaiseLinkDefault` to be eg the height of a `\strut`
2. Redefine `\HyperRaiseLinkHook` to do something complicated; it must give a value to `\HyperRaiseLinkLength`, which is what actually gets used

```

2195 \let\HyperRaiseLinkHook\@empty
2196 \def\HyperRaiseLinkDefault{\baselineskip}
```

`\HyperRaiseLinkHook` allows the user to reassign `\HyperRaiseLinkLength`.

```

2197 \def\Hy@raisedlink#1{%
2198 \ifvmode
2199 #1%
2200 \else
2201 \penalty\@M
2202 \smash{#1}%
2203 \begingroup
2204 \let\HyperRaiseLinkLength\@tempdima
2205 \setlength\HyperRaiseLinkLength\HyperRaiseLinkDefault
2206 \HyperRaiseLinkHook
2207 \expandafter\endgroup
2208 \expandafter\raise\the\HyperRaiseLinkLength\hbox{#1}%
2209 }%
2210 \fi
2211 }
```

`\Hy@SaveLastskip` Inserting a `\special` command to set a destination destroys the `\lastskip` value.
`\Hy@RestoreLastskip`

```
2212 \def\Hy@SaveLastskip{%
```

```

2213 \let\Hy@RestoreLastskip\relax
2214 \ifvmode
2215   \ifdim\lastskip=\z@
2216     \let\Hy@RestoreLastskip\nobreak
2217   \else
2218     \begingroup
2219       \skip@=-\lastskip
2220       \edef\x{%
2221         \endgroup
2222         \def\noexpand\Hy@RestoreLastskip{%
2223           \noexpand\ifvmode
2224             \noexpand\nobreak
2225             \vskip\the\skip@
2226             \vskip\the\lastskip\relax
2227           \noexpand\fi
2228         }%
2229       }%
2230     \x
2231   \fi
2232 \else
2233   \ifhmode
2234     \ifdim\lastskip=\z@
2235       \let\Hy@RestoreLastskip\nobreak
2236     \else
2237       \begingroup
2238         \skip@=-\lastskip
2239         \edef\x{%
2240           \endgroup
2241           \def\noexpand\Hy@RestoreLastskip{%
2242             \noexpand\ifhmode
2243               \noexpand\nobreak
2244               \hskip\the\skip@
2245               \hskip\the\lastskip\relax
2246             \noexpand\fi
2247           }%
2248         }%
2249       \x
2250     \fi
2251   \fi
2252 \fi
2253 }%

```

9 Options

9.1 Help macros

\Hy@boolkey

```

2254 \def\Hy@boolkey{\@dblarg\Hy@@boolkey}
2255 \def\Hy@@boolkey[#1]{#2}{#3}{%
2256   \edef\Hy@tempa{#3}%
2257   \lowercase\expandafter{%
2258     \expandafter\def\expandafter\Hy@tempa\expandafter{\Hy@tempa}%
2259   }%
2260   \ifx\Hy@tempa\empty
2261     \let\Hy@tempa\Hy@true
2262   \fi

```

```

2263 \ifx\Hy@tempa\Hy@true
2264 \else
2265   \ifx\Hy@tempa\Hy@false
2266   \else
2267     \let\Hy@tempa\relax
2268   \fi
2269 \fi
2270 \ifx\Hy@tempa\relax
2271   \Hy@WarnOptionValue{\#3}{\#1}{‘true’ or ‘false’}%
2272 \else
2273   \Hy@Info{Option ‘#1’ set ‘\Hy@tempa’}%
2274   \csname Hy@\#2\Hy@tempa\endcsname
2275 \fi
2276 }

\Hy@WarnOptionValue
2277 \def\Hy@WarnOptionValue#1#2#3{%
2278   \Hy@Warning{%
2279     Unexpected value ‘#1’\MessageBreak
2280     of option ‘#2’ instead of\MessageBreak
2281     #3%
2282   }%
2283 }

\Hy@DisableOption
2284 \def\Hy@DisableOption#1{%
2285   \@ifundefined{KV@Hyp@\#1@default}{%
2286     \define@key{Hyp}{\#1}%
2287   }{%
2288     \define@key{Hyp}{\#1}[]%
2289   }%
2290   {\Hy@WarnOptionDisabled{\#1}}%
2291 }

\Hy@WarnOptionDisabled
2292 \def\Hy@WarnOptionDisabled#1{%
2293   \Hy@Warning{%
2294     Option ‘#1’ has already been used,\MessageBreak
2295     setting the option has no effect%
2296   }%
2297 }

\Hy@CheckOptionValue Some options take a string value out of a limited set of values. Macro \Hy@CheckOptionValue checks whether the given value #1 for option #2 is a member of the value list #3.
2298 \def\Hy@CheckOptionValue#1#2#3{%
2299   \begingroup
2300     \edef\x{\#1}%
2301     \@onelvel@sanitize\x
2302     \let\y=\y%
2303     \def\do##1##2{%
2304       \def\z{\##1}%
2305       \@onelvel@sanitize\z
2306       \ifx\x\z
2307         \let\y=n%
2308         \let\do\@gobbletwo
2309       \fi
2310     }%

```

```

2311  #3%
2312  \ifx\y y%
2313  \def\do##1##2{%
2314  * '##1'%
2315  \ifx\\##2\\else\space(##2)\fi
2316  \MessageBreak
2317  }%
2318  \Hy@Warning{%
2319  Values of option '#2':\MessageBreak
2320  #3%
2321  * An empty value disables the option.\MessageBreak
2322  Unknown value '\x'%
2323  }%
2324  \fi
2325  \endgroup
2326 }

\Hy@DefNameKey #1: option name
#2: \do list with known values, first argument of \do is value, second argument is a
comment.
2327 \def\Hy@DefNameKey#1{%
2328  \expandafter\Hy@@DefNameKey\csname @#1\endcsname{#1}%
2329 }

\Hy@@DefNameKey #1: macro for value storage
#2: option name
#3: \do list with known values.
2330 \def\Hy@@DefNameKey#1#2#3{%
2331  \define@key{Hyp}{#2}{%
2332  \edef#1{##1}%
2333  \ifx#1\empty
2334  \else
2335  \Hy@CheckOptionValue{##1}{#2}{#3}%
2336  \fi
2337 }%
2338  \let#1\empty
2339 }

\Hy@UseNameKey
2340 \def\Hy@UseNameKey#1#2{%
2341  \ifx#2\empty
2342  \else
2343  /#1/#2%
2344  \fi
2345 }

```

9.2 Defining the options

```

2346 \define@key{Hyp}{[implicit][true]}{%
2347  \Hy@boolkey{implicit}{#1}%
2348 }
2349 \define@key{Hyp}{[draft][true]}{%
2350  \Hy@boolkey{draft}{#1}%
2351 }
2352 \define@key{Hyp}{[final][true]}{%
2353  \Hy@boolkey{final}{#1}%

```

```

2354 }
2355 \let\KV@Hyp@nolinks\KV@Hyp@draft
2356 \def\Hy@ObsoletePaperOption#1{%
2357   \Hy@WarningNoLine{%
2358     Option '#1' is no longer used%
2359   }%
2360   \define@key{Hyp}{#1}[true]{}
2361 }
2362 \def\Hy@temp#1{%
2363   \define@key{Hyp}{#1}[true]{%
2364     \Hy@ObsoletePaperOption{#1}%
2365   }%
2366 }
2367 \Hy@temp{a4paper}
2368 \Hy@temp{a5paper}
2369 \Hy@temp{b5paper}
2370 \Hy@temp{letterpaper}
2371 \Hy@temp{legalpaper}
2372 \Hy@temp{executivepaper}
2373 \define@key{Hyp}{setpagesize}[true]{%
2374   \Hy@boolkey{setpagesize}{#1}%
2375 }
2376 \define@key{Hyp}{debug}[true]{%
2377   \Hy@boolkey{debug}{verbose}{#1}%
2378 }
2379 \define@key{Hyp}{linktocpage}[true]{%
2380   \Hy@boolkey{linktocpage}{#1}%
2381   \ifHy@linktocpage
2382     \let\Hy@linktoc\Hy@linktoc@page
2383   \else
2384     \let\Hy@linktoc\Hy@linktoc@section
2385   \fi
2386 }
2387 \chardef\Hy@linktoc@none=0 %
2388 \chardef\Hy@linktoc@section=1 %
2389 \chardef\Hy@linktoc@page=2 %
2390 \chardef\Hy@linktoc@all=3 %
2391 \ifHy@linktocpage
2392   \let\Hy@linktoc\Hy@linktoc@page
2393 \else
2394   \let\Hy@linktoc\Hy@linktoc@section
2395 \fi
2396 \define@key{Hyp}{linktoc}{%
2397   \ifundefined{\Hy@linktoc@#1}{%
2398     \Hy@Warning{%
2399       Unexpected value '#1' of \MessageBreak
2400       option 'linktoc' instead of 'none', \MessageBreak
2401       'section', 'page' or 'all'%
2402     }%
2403   }{%
2404     \expandafter\let\expandafter\Hy@linktoc
2405     \csname Hy@linktoc@#1\endcsname
2406   }%
2407 }
2408 \define@key{Hyp}{extension}{\def\XR@ext{#1}}
2409 \let\XR@ext\relax
2410 \define@key{Hyp}{verbose}[true]{%

```

```

2411 \Hy@boolkey{verbose}{#1}%
2412 }
2413 \define@key{Hyp}{typexml}[true]{%
2414 \Hy@boolkey{typexml}{#1}%
2415 }

```

If we are going to PDF via HyperTeX \special commands, the dvips (-z option) processor does not know the *height* of a link, as it works solely on the position of the closing \special. If we use this option, the \special is raised up by the right amount, to fool the dvi processor.

```

2416 \define@key{Hyp}{raiselinks}[true]{%
2417 \Hy@boolkey{raiselinks}{#1}%
2418 }

```

Most PDF-creating drivers do not allow links to be broken

```

2419 \def\Hy@setbreaklinks#1{%
2420 \csname breaklinks#1\endcsname
2421 }

2422 \def\Hy@breaklinks@unsupported{%
2423 \ifx\Hy@setbreaklinks\@gobble
2424 \ifHy@breaklinks
2425 \Hy@WarningNoLine{%
2426 You have enabled option 'breaklinks'.\MessageBreak
2427 But driver '\Hy@driver.def' does not support this.\MessageBreak
2428 Expect trouble with the link areas of broken links%
2429 }%
2430 \fi
2431 \fi
2432 }

2433 \define@key{Hyp}{breaklinks}[true]{%
2434 \Hy@boolkey{breaklinks}{#1}%
2435 \let\Hy@setbreaklinks\@gobble
2436 }

```

Determines whether an automatic anchor is put on each page

```

2437 \define@key{Hyp}{pageanchor}[true]{%
2438 \Hy@boolkey{pageanchor}{#1}%
2439 }

```

Are the page links done as plain arabic numbers, or do they follow the formatting of the package? The latter loses if you put in typesetting like \textbf or the like.

```

2440 \define@key{Hyp}{plainpages}[true]{%
2441 \Hy@boolkey{plainpages}{#1}%
2442 }

```

Are the names for anchors made as per the HyperTeX system, or do they simply use what L^AT_EX provides?

```

2443 \define@key{Hyp}{naturalnames}[true]{%
2444 \Hy@boolkey{naturalnames}{#1}%
2445 }

```

Completely ignore the names as per the HyperTeX system, and use unique counters.

```

2446 \define@key{Hyp}{hypertexnames}[true]{%
2447 \Hy@boolkey{hypertexnames}{#1}%
2448 }

```

Currently, dvips doesn't allow anchors nested within targets, so this option tries to stop that happening. Other processors may be able to cope.

```

2449 \define@key{Hyp}{nesting}[true]{%
2450 \Hy@boolkey{nesting}{#1}%

```

```

2451 }
2452 \define@key{Hyp}{unicode}[true]{%
2453   \Hy@boolkey{unicode}{#1}%
2454   \ifHy@unicode
2455     \def\HyPsd@pdfencoding{unicode}%
2456     \HyPsd@LoadUnicode
2457   \else
2458     \def\HyPsd@pdfencoding{pdfdoc}%
2459   \fi
2460 }
2461 \def\HyPsd@LoadUnicode{%
2462   \c@ifundefined{T@PU}{%
2463     \input{puenc.def}%
2464     \HyLinguex@Restore
2465   }%
2466   \DeclareFontFamily{PU}{pdf}{}%
2467   \DeclareFontShape{PU}{pdf}{m}{n}{\relax cmr10}{}%
2468   \DeclareFontSubstitution{PU}{pdf}{m}{n}%
2469   \global\let\HyPsd@LoadUnicode\relax
2470 }
2471 \AtBeginDocument{%
2472   \ifx\HyPsd@LoadUnicode\relax
2473   \else
2474     \def\HyPsd@LoadUnicode{%
2475       \PackageError{hyperref}{%
2476         Unicode support for bookmarks is not available.\MessageBreak
2477         Activate unicode support by using one of the options\MessageBreak
2478         ‘unicode’, ‘pdfencoding=unicode’, ‘pdfencoding=auto’\MessageBreak
2479         in the preamble}%
2480     }\@ehc
2481     \global\let\HyPsd@LoadUnicode\relax
2482     \global\Hy@unicodedefalse
2483     \global\let\Hy@unicodetrue\Hy@unicodedefalse
2484   }%
2485   \fi
2486 }
2487 \define@key{Hyp}{pdfencoding}{%
2488   \edef\HyPsd@temp{#1}%
2489   \ifx\HyPsd@temp\HyPsd@pdfencoding@pdfdoc
2490     \let\HyPsd@pdfencoding\HyPsd@temp
2491     \Hy@unicodedefalse
2492   \else
2493     \ifcase\ifx\HyPsd@temp\HyPsd@pdfencoding@unicode
2494       \z@
2495     \else
2496       \ifx\HyPsd@temp\HyPsd@pdfencoding@auto
2497         \z@
2498       \else
2499         \one@
2500       \fi
2501     \fi
2502     \let\HyPsd@pdfencoding\HyPsd@temp
2503     \hypersetup{unicode}%
2504     \ifHy@unicode
2505       \def\HyPsd@pdfencoding{#1}%
2506       \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
2507         \HyPsd@LoadStringEnc

```

```

2508      \fi
2509      \else
2510          \Hy@Warning{Cannot switch to unicode bookmarks}%
2511          \let\HyPsd@pdfencoding\HyPsd@pdfencoding@pdfdoc
2512      \fi
2513      \else
2514          \Conelevel@sanitize\HyPsd@temp
2515          \Hy@Warning{%
2516              Values of option ‘pdfencoding’: \MessageBreak
2517              ‘pdfdoc’, ‘unicode’, ‘auto’.\MessageBreak
2518              Ignoring unknown value ‘\HyPsd@temp’%
2519          }%
2520      \fi
2521  \fi
2522 }
2523 \def\HyPsd@pdfencoding@auto{auto}
2524 \def\HyPsd@pdfencoding@pdfdoc{pdfdoc}
2525 \def\HyPsd@pdfencoding@unicode{unicode}
2526 \let\HyPsd@pdfencoding\Hy@pdfencoding@pdfdoc
2527 \def\HyPsd@LoadStringEnc{%
2528     \RequirePackage{stringenc}[2009/12/15]%
2529     \let\HyPsd@LoadStringEnc\relax
2530 }
2531 \AtBeginDocument{%
2532     \@ifpackageloaded{stringenc}{%
2533         \let\HyPsd@LoadStringEnc\relax
2534     }{%
2535         \def\HyPsd@LoadStringEnc{%
2536             \Hy@WarningNoLine{%
2537                 Missing package ‘stringenc’. Use ‘pdfencoding=auto’.\MessageBreak
2538                 in the preamble or load the package there%
2539             }%
2540         }%
2541     }%
2542 }
2543 \newif\ifHy@setpdfversion
2544 \define@key{Hyp}{pdfversion}{%
2545     \@ifundefined{Hy@pdfversion@#1}{%
2546         \PackageWarning{hyperref}{%
2547             Unsupported PDF version ‘#1’.\MessageBreak
2548             Valid values: 1.2 until 1.9%
2549         }%
2550     }{%
2551         \Hy@setpdfversiontrue
2552         \edef\Hy@pdfversion{\@nameuse{Hy@pdfversion@#1}}%
2553     }%
2554 }
2555 \namedef{Hy@pdfversion@1.2}{2}%
2556 \namedef{Hy@pdfversion@1.3}{3}%
2557 \namedef{Hy@pdfversion@1.4}{4}%
2558 \namedef{Hy@pdfversion@1.5}{5}%
2559 \namedef{Hy@pdfversion@1.6}{6}%
2560 \namedef{Hy@pdfversion@1.7}{7}%
2561 \namedef{Hy@pdfversion@1.8}{8}%
2562 \namedef{Hy@pdfversion@1.9}{9}%
2563 \def\Hy@pdfversion{2}

```

10 Options for different drivers

```
2564 \define@key{Hyp}{hyperref}[true]{}
2565 \define@key{Hyp}{tex4ht}[true]{%
2566   \Hy@texhttrue
2567   \setkeys{Hyp}{colorlinks=true}%
2568   \def\BeforeTeXIVht{\usepackage{color}}%
2569   \def\Hy@driver{htex4ht}%
2570   \def\MaybeStopEarly{%
2571     \typeout{Hyperref stopped early}%
2572   \AfterBeginDocument{%
2573     \PDF@FinishDoc
2574     \gdef\PDF@FinishDoc{}%
2575   }%
2576   \endinput
2577 }%
2578 }
2579 \define@key{Hyp}{pdftex}[true]{%
2580   \def\Hy@driver{hpdftex}%
2581 }
2582 \define@key{Hyp}{nativepdf}[true]{%
2583   \def\Hy@driver{hdvips}%
2584 }
2585 \define@key{Hyp}{dvipdfm}[true]{%
2586   \def\Hy@driver{hdvipdfm}%
2587 }
2588 \define@key{Hyp}{dvipdfmx}[true]{%
2589   \def\Hy@driver{hdvipdfm}%
2590 }
2591 \define@key{Hyp}{dvipdfmx-outline-open}[true]{%
2592   \expandafter\ifx\csname if#1\expandafter\endcsname
2593   \csname iftrue\endcsname
2594   \chardef\SpecialDvipdfmxOutlineOpen\@ne
2595   \else
2596   \chardef\SpecialDvipdfmxOutlineOpen\z@
2597   \fi
2598 }
2599 \define@key{Hyp}{xetex}[true]{%
2600   \def\Hy@driver{hxetex}%
2601 }
2602 \define@key{Hyp}{pdfmark}[true]{%
2603   \def\Hy@driver{hdvips}%
2604 }
2605 \define@key{Hyp}{dvips}[true]{%
2606   \def\Hy@driver{hdvips}%
2607 }
2608 \define@key{Hyp}{hypertex}[true]{%
2609   \def\Hy@driver{hypertex}%
2610 }
2611 \let\Hy@MaybeStopNow\relax
2612 \define@key{Hyp}{vtex}[true]{%
2613   \begingroup\expandafter\expandafter\expandafter\endgroup
2614   \expandafter\ifx\csname OpMode\endcsname\relax
2615   \@latex@error{Non-VTeX processor}{}%
2616   \global\let\Hy@MaybeStopNow\endinput
2617   \endinput
2618 \else
```

```

2619 \ifnum 0\ifnum\OpMode<1 1\fi \ifnum\OpMode>3 1\fi ==0 %
2620   \def\Hy@driver{hvtex}%
2621 \else
2622   \ifnum\OpMode=10\relax
2623     \def\Hy@driver{hvtexhtm}%
2624     \def\MaybeStopEarly{%
2625       \typeout{Hyperref stopped early}%
2626       \AfterBeginDocument{%
2627         \PDF@FinishDoc
2628         \gdef\PDF@FinishDoc{}%
2629       }%
2630     }\endinput
2631   }%
2632 \else
2633   \@latex@error{Mode (\the\OpMode) has no hyperref driver}{}%
2634   \global\let\Hy@MaybeStopNow\endinput
2635 \endinput
2636 \fi
2637 \fi
2638 \fi
2639 }
2640 \define@key{Hyp}{vtexpdfmark}[true]{%
2641   \begingroup\expandafter\expandafter\expandafter\endgroup
2642   \expandafter\ifx\csname OpMode\endcsname\relax
2643     \@latex@error{Non-VTeX processor}{}%
2644     \let\Hy@MaybeStopNow\endinput
2645   \endinput
2646 \else
2647   \ifnum 0\ifnum\OpMode<1 1\fi \ifnum\OpMode>3 1\fi ==0 %
2648     \def\Hy@driver{hvtxmrk}%
2649   \else
2650     \@latex@error{Mode (\the\OpMode) has no hyperref driver}{}%
2651     \let\Hy@MaybeStopNow\endinput
2652   \endinput
2653 \fi
2654 \fi
2655 }
2656 \define@key{Hyp}{dviwindo}[true]{%
2657   \def\Hy@driver{hdviwind}%
2658   \setkeys{Hyp}{colorlinks}%
2659   \ifpdf
2660   \else
2661     \ifxetex
2662     \else
2663       \PassOptionsToPackage{dviwindo}{color}%
2664     \fi
2665   \fi
2666 }
2667 \define@key{Hyp}{dvipsone}[true]{%
2668   \def\Hy@driver{hdvipson}%
2669 }
2670 \define@key{Hyp}{textures}[true]{%
2671   \def\Hy@driver{htexture}%
2672 }
2673 \define@key{Hyp}{latex2html}[true]{%
2674   \AtBeginDocument{\C@latextohmlX}%
2675 }

```

No more special treatment for ps2pdf. Let it sink or swim.

```
2676 \define@key{Hyp}{ps2pdf}[true]{%
2677   \def\Hy@driver{hdvips}%
2678   \providecommand*\@pdfborder{0 0 1}%
2679 }
```

11 Options to add extra features

Make included figures (assuming they use the standard graphics package) be hypertext links. Off by default. Needs more work.

```
2680 \define@key{Hyp}{hyperfigures}[true]{%
2681   \Hy@boolkey{hyperfigures}{figures}{#1}%
2682 }
```

The automatic footnote linking can be disabled by option hyperfootnotes.

```
2683 \define@key{Hyp}{hyperfootnotes}[true]{%
2684   \Hy@boolkey{hyperfootnotes}{#1}%
2685 }
```

Set up back-referencing to be hyper links, by page, slide or section number,

```
2686 \def\back@none{none}
2687 \def\back@section{section}
2688 \def\back@page{page}
2689 \def\back@slide{slide}
2690 \define@key{Hyp}{backref}[section]{%
2691   \lowercase{\def\Hy@tempa{#1}}%
2692   \ifx\Hy@tempa\empty
2693     \let\Hy@tempa\back@section
2694   \fi
2695   \ifx\Hy@tempa\Hy@false
2696     \let\Hy@tempa\back@none
2697   \fi
2698   \ifx\Hy@tempa\back@slide
2699     \let\Hy@tempa\back@section
2700   \fi
2701   \ifx\Hy@tempa\back@page
2702     \PassOptionsToPackage{hyperpageref}{backref}%
2703     \Hy@backreftrue
2704   \else
2705     \ifx\Hy@tempa\back@section
2706       \PassOptionsToPackage{hyperref}{backref}%
2707       \Hy@backreftrue
2708     \else
2709       \ifx\Hy@tempa\back@none
2710         \Hy@backreffalse
2711       \else
2712         \Hy@WarnOptionValue{#1}{backref}{%
2713           'section', 'slide', 'page', 'none', \MessageBreak
2714           or 'false'}%
2715       \fi
2716     \fi
2717   \fi
2718 }
2719 \define@key{Hyp}{pagebackref}[true]{%
2720   \edef\Hy@tempa{#1}%
2721   \lowercase\expandafter{%
2722     \expandafter\def\expandafter\Hy@tempa\expandafter{\Hy@tempa}%
2723   }%
```

```

2724 \ifx\Hy@tempa\empty
2725   \let\Hy@tempa\Hy@true
2726 \fi
2727 \ifx\Hy@tempa\Hy@true
2728   \PassOptionsToPackage{hyperpageref}{backref}%
2729   \Hy@backreftrue
2730 \else
2731   \ifx\Hy@tempa\Hy@false
2732     \Hy@backreffalse
2733   \else
2734     \Hy@WarnOptionValue{\#1}{pagebackref}{‘true’ or ‘false’}%
2735   \fi
2736 \fi
2737 }

```

Make index entries be links back to the relevant pages. By default this is turned on, but may be stopped.

```

2738 \define@key{Hyp}{hyperindex}[true]{%
2739   \Hy@boolkey{hyperindex}{\#1}%
2740 }

```

Configuration of encap char.

```

2741 \define@key{Hyp}{encap}[\!]{%
2742   \def\HyInd@EncapChar{\#1}%
2743 }

```

12 Language options

The `\autoref` feature depends on the language.

```

2744 \def\HyLang@afrikaans{%
2745   \def\equationautorefname{Vergelyking}%
2746   \def\footnoteautorefname{Voetnota}%
2747   \def\itemautorefname{Item}%
2748   \def\figureautorefname{Figuur}%
2749   \def\tableautorefname{Tabel}%
2750   \def\partautorefname{Deel}%
2751   \def\appendixautorefname{Bylae}%
2752   \def\chapterautorefname{Hoofstuk}%
2753   \def\sectionautorefname{Afdeling}%
2754   \def\subsectionautorefname{Subafdeling}%
2755   \def\subsubsectionautorefname{Subsubafdeling}%
2756   \def\paragraphautorefname{Paragraaf}%
2757   \def\ subparagraphautorefname{Subparagraaf}%
2758   \def\FancyVerbLineautorefname{Lyn}%
2759   \def\theoremautorefname{Teorema}%
2760   \def\pageautorefname{Bladsy}%
2761 }
2762 \def\HyLang@english{%
2763   \def\equationautorefname{Equation}%
2764   \def\footnoteautorefname{footnote}%
2765   \def\itemautorefname{item}%
2766   \def\figureautorefname{Figure}%
2767   \def\tableautorefname{Table}%
2768   \def\partautorefname{Part}%
2769   \def\appendixautorefname{Appendix}%
2770   \def\chapterautorefname{chapter}%
2771   \def\sectionautorefname{section}%

```

```

2772 \def\subsectionautorefname{subsection}%
2773 \def\subsubsectionautorefname{subsubsection}%
2774 \def\paragraphautorefname{paragraph}%
2775 \def\ subparagraphautorefname{subparagraph}%
2776 \def\FancyVerbLineautorefname{line}%
2777 \def\theoremautorefname{Theorem}%
2778 \def\pageautorefname{page}%
2779 }
2780 \def\HyLang@french{%
2781 \def\equationautorefname{\'Equation}%
2782 \def\footnoteautorefname{note}%
2783 \def\itemautorefname{item}%
2784 \def\figureautorefname{Figure}%
2785 \def\tableautorefname{Tableau}%
2786 \def\partautorefname{Partie}%
2787 \def\appendixautorefname{Appendice}%
2788 \def\chapterautorefname{chapitre}%
2789 \def\sectionautorefname{section}%
2790 \def\subsectionautorefname{sous-section}%
2791 \def\subsubsectionautorefname{sous-sous-section}%
2792 \def\paragraphautorefname{paragraphe}%
2793 \def\ subparagraphautorefname{sous-paragraphe}%
2794 \def\FancyVerbLineautorefname{ligne}%
2795 \def\theoremautorefname{Th\'eor\`eme}%
2796 \def\pageautorefname{page}%
2797 }
2798 \def\HyLang@german{%
2799 \def\equationautorefname{Gleichung}%
2800 \def\footnoteautorefname{Fu\ss note}%
2801 \def\itemautorefname{Punkt}%
2802 \def\figureautorefname{Abbildung}%
2803 \def\tableautorefname{Tabelle}%
2804 \def\partautorefname{Teil}%
2805 \def\appendixautorefname{Anhang}%
2806 \def\chapterautorefname{Kapitel}%
2807 \def\sectionautorefname{Abschnitt}%
2808 \def\subsectionautorefname{Unterabschnitt}%
2809 \def\subsubsectionautorefname{Unterunterabschnitt}%
2810 \def\paragraphautorefname{Absatz}%
2811 \def\ subparagraphautorefname{Unterabsatz}%
2812 \def\FancyVerbLineautorefname{Zeile}%
2813 \def\theoremautorefname{Theorem}%
2814 \def\pageautorefname{Seite}%
2815 }
2816 \def\HyLang@italian{%
2817 \def\equationautorefname{Equazione}%
2818 \def\footnoteautorefname{nota}%
2819 \def\itemautorefname{punto}%
2820 \def\figureautorefname{Figura}%
2821 \def\tableautorefname{Tabella}%
2822 \def\partautorefname{Parte}%
2823 \def\appendixautorefname{Appendice}%
2824 \def\chapterautorefname{Capitolo}%
2825 \def\sectionautorefname{sezione}%
2826 \def\subsectionautorefname{sottosezione}%
2827 \def\subsubsectionautorefname{sottosottosezione}%
2828 \def\paragraphautorefname{paragrafo}%

```

```

2829 \def\subparagraphautorefname{sottoparagrafo}%
2830 \def\FancyVerbLineautorefname{linea}%
2831 \def\theoremautorefname{Teorema}%
2832 \def\pageautorefname{Pag.\@}%
2833 }
2834 \def\HyLang@magyarl{%
2835 \def\equationautorefname{Egyenlet}%
2836 \def\footnoteautorefname{l\'abjegyzet}%
2837 \def\itemautorefname{Elem}%
2838 \def\figureautorefname{\'Abra}%
2839 \def\tableautorefname{T\'abl\'azat}%
2840 \def\partautorefname{R\'esz}%
2841 \def\appendixautorefname{F\"uggel\'ek}%
2842 \def\chapterautorefname{fejezet}%
2843 \def\sectionautorefname{szakasz}%
2844 \def\subsectionautorefname{alszakasz}%
2845 \def\subsubsectionautorefname{alalszakasz}%
2846 \def\paragraphautorefname{bekezd\'es}%
2847 \def\subparagraphautorefname{albekezd\'es}%
2848 \def\FancyVerbLineautorefname{sor}%
2849 \def\theoremautorefname{T\'etel}%
2850 \def\pageautorefname{oldal}%
2851 }
2852 \def\HyLang@portuges{%
2853 \def\equationautorefname{Equa\c{c}\c{c}\~ao}%
2854 \def\footnoteautorefname{Nota de rodap\'e}%
2855 \def\itemautorefname{Item}%
2856 \def\figureautorefname{Figura}%
2857 \def\tableautorefname{Tabela}%
2858 \def\partautorefname{Parte}%
2859 \def\appendixautorefname{Ap\^endice}%
2860 \def\chapterautorefname{Cap\it{\'u}culo}%
2861 \def\sectionautorefname{Se\c{c}\c{c}\~ao}%
2862 \def\subsectionautorefname{Subse\c{c}\c{c}\~ao}%
2863 \def\subsubsectionautorefname{Subsubse\c{c}\c{c}\~ao}%
2864 \def\paragraphautorefname{par\'agrafo}%
2865 \def\subparagraphautorefname{subpar\'agrafo}%
2866 \def\FancyVerbLineautorefname{linha}%
2867 \def\theoremautorefname{Teorema}%
2868 \def\pageautorefname{P\'agina}%
2869 }

```

Next commented section for Russian is provided by Olga Lapko.

Next follow the checked reference names with commented variants and explanations.
All they are abbreviated and they won't create a grammatical problems in the *middle* of sentences.

The most weak points in these abbreviations are the \equationautorefname, \theoremautorefname and the \FancyVerbLineautorefname. But those three, and also the \footnoteautorefname are not *too* often referenced. Another rather weak point is the \appendixautorefname.

```
2870 \def\HyLang@russian{%
```

The abbreviated reference to the equation: it is not for “the good face of the book”, but maybe it will be better to get the company for the \theoremautorefname?

```
2871 \def\equationautorefname{\cyr\cyrv\cyrery\cyrr.}%
```

The name of the equation reference has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}” etc. The full name must follow full

name of the \theoremautorefname.

```
2872 % \def\equationautorefname{%
2873 %   \cyr\cyrv\cyrery\cyrr\cyra\cyrzh\cyre\cyrn\cyri\cyre
2874 % }%
```

The variant of footnote has abbreviation form of the synonym of the word “footnote”. This variant of abbreviated synonym has alternative status (maybe obsolete?).

```
2875 \def\footnoteautorefname{%
2876   \cyr\cyrp\cyro\cyrd\cyrs\cyrt\cyrr.\ \cyrp\cyrr\cyri\cyrm.%}
2877 }%
```

Commented form of the full synonym for “footnote”. It has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}”

```
2878 % \def\footnoteautorefname{%
2879 %   \cyr\cyrp\cyro\cyrd\cyrs\cyrt\cyrr\cyro\cyrch\cyrn\cyro\cyre\ %
2880 %   \cyrp\cyrr\cyri\cyrm\cyre\cyrch\cyra\cyrn\cyri\cyre
2881 % }%
```

Commented forms of the “footnote”: have different forms, the same is for the nominative and accusative. (The others needed?)

```
2882 % \def\Nomfootnoteautorefname{\cyr\cyrs\cyrn\cyro\cyrs\cyrk\cyra}%
2883 % \def\Accfootnoteautorefname{\cyr\cyrs\cyrn\cyro\cyrs\cyrk\cyru}%
```

Name of the list item, can be confused with the paragraph reference name, but reader could understand meaning from context(?). Commented variant has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}” etc.

```
2884 \def\itemautorefname{\cyr\cyrp.}%
2885 % \def\itemautorefname{\cyr\cyrp\cyru\cyrn\cyrk\cyrt}%
```

Names of the figure and table have stable (standard) abbreviation forms. No problem in the middle of sentence.

```
2886 \def\figureautorefname{\cyr\cyrr\cyri\cyrs.}%
2887 \def\tableautorefname{\cyr\cyrt\cyra\cyrb\cyrl.}%
```

Names of the part, chapter, section(s) have stable (standard) abbreviation forms. No problem in the middle of sentence.

```
2888 \def\partautorefname{\cyr\cyrch.}%
2889 \def\chapterautorefname{\cyr\cyrg\cyrl.}%
2890 \def\sectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
```

Name of the appendix can use this abbreviation, but it is not standard for books, i.e, not for “the good face of the book”. Commented variant has common form for both nominative and accusative but changes in other forms, like “of \autoref{auto}” etc.

```
2891 \def\appendixautorefname{\cyr\cyrp\cyrr\cyri\cyrl.}%
2892 % \def\appendixautorefname{%
2893 %   \cyr\cyrp\cyrr\cyri\cyrl\cyro\cyrzh\cyre\cyrn\cyri\cyre
2894 % }%
```

The sectioning command have stable (almost standard) and common abbreviation form for all levels (the meaning of these references visible from the section number). No problem.

```
2895 \def\subsectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
2896 \def\subsubsectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
```

The names of references to paragraphs also have stable (almost standard) and common abbreviation form for all levels (the meaning of these references is visible from the section number). No problem in the middle of sentence.

```
2897 \def\paragraphautorefname{\cyr\cyrp.}%
2898 \def\ subparagraphautorefname{\cyr\cyrp.}%
```

Commented variant can be used in books but since it has common form for both nominative and accusative but it changes in other forms, like “of \autoref{auto}” etc.

```
2899 % \def\paragraphautorefname{\cyr\cyrp\cyru\cynn\cyrk\cyrt}%
2900 % \def\subparagraphautorefname{\cyr\cyrp\cyru\cynn\cyrk\cyrt}%
```

The name of verbatim line. Here could be a standard of the abbreviation (used very rare). But the author preprint publications (which have not any editor or corrector) can use this abbreviation for the page reference. So the meaning of the line reference can be read as reference to the page.

```
2901 \def\FancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr.}%
```

Commented names of the “verbatim line”: have different forms, also the nominative and accusative.

```
2902 % \def\NomFancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyro\cyrk\cyra}%
2903 % \def\AccFancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyro\cyrk\cyru}%
```

The alternative, ve-e-e-ery professional abbreviation, was used in typography markup for typesetters.

```
2904 % \def\FancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyrk.}%
```

The names of theorem: if we want have “the good face of the book”, so the theorem reference must have the full name (like equation reference). But ...

```
2905 \def\theoremautorefname{\cyr\cyrt\cyre\cyro\cyrr.}%
```

Commented forms of the “theorem”: have different forms, also the nominative and accusative.

```
2906 % \def\Nomtheoremautorefname{\cyr\cyrt\cyre\cyro\cyrr\cyre\cyrm\cyra}%
2907 % \def\Acctheoremautorefname{\cyr\cyrt\cyre\cyro\cyrr\cyre\cyrm\cyru}%
```

Name of the page stable (standard) abbreviation form. No problem.

```
2908 \def\pageautorefname{\cyr\cyrs.}%
2909 }
```

```
2910 \def\HyLang@spanish{%
2911   \def\equationautorefname{Ecuaci\'on}%
2912   \def\footnoteautorefname{Nota a pie de p\'agina}%
2913   \def\itemautorefname{Elemento}%
2914   \def\figureautorefname{Figura}%
2915   \def\tableautorefname{Tabla}%
2916   \def\partautorefname{Parte}%
2917   \def\appendixautorefname{Ap\'endice}%
2918   \def\chapterautorefname{Cap\'itulo}%
2919   \def\sectionautorefname{Secci\'on}%
2920   \def\subsectionautorefname{Subsecci\'on}%
2921   \def\subsubsectionautorefname{Subsubsecci\'on}%
2922   \def\paragraphautorefname{P\'arrafo}%
2923   \def\subparagraphautorefname{Subp\'arrafo}%
2924   \def\FancyVerbLineautorefname{L\'inea}%
2925   \def\theoremautorefname{Teorema}%
2926   \def\pageautorefname{P\'agina}%
2927 }
2928 \def\HyLang@vietnamese{%
2929   \def\equationautorefname{Ph\uuhorn{} \ohorn{} ng tr\inh}%
2930   \def\footnoteautorefname{Ch\u th\ich}%
2931   \def\itemautorefname{m\ld{u}c}%
2932   \def\figureautorefname{H\inh}%
2933   \def\tableautorefname{B\h{a}ng}%
2934   \def\partautorefname{Ph\`acircumflex{}n}%
2935   \def\appendixautorefname{Ph\ld{u} l\ld{u}c}%
}
```

```

2936 \def\chapterautorefname{ch\uhorn{}\ohorn{}ng}%
2937 \def\sectionautorefname{m\du{c}}%
2938 \def\subsectionautorefname{m\du{c}}%
2939 \def\subsubsectionautorefname{m\du{c}}%
2940 \def\paragraphautorefname{\dj{o}\d{a}n}%
2941 \def\subparagraphautorefname{\dj{o}\d{a}n}%
2942 \def\FancyVerbLineautorefname{d\`ong}%
2943 \def\theoremautorefname{\DJ{}\d{i}nh l'y}%
2944 \def\pageautorefname{Trang}%
2945 }

```

Instead of package babel's definition of \addto the implementation of package varioref is used. Additionally argument #1 is checked for \relax.

```

2946 \def\HyLang@Addto#1#2{%
2947   #2%
2948   \temptokena{#2}%
2949   \ifx#1\relax
2950     \let#1\empty
2951   \fi
2952   \ifx#1\undefined
2953     \edef#1{\the\temptokena}%
2954   \else
2955     \toks@\expandafter{#1}%
2956     \edef#1{\the\toks@\the\temptokena}%
2957   \fi
2958   \temptokena{} \toks@\temptokena
2959 }

2960 \def\HyLang@DeclareLang#1#2#3{%
2961   \begingroup
2962   \edef\x##1##2{%
2963     \noexpand\ifx##2\relax
2964       \errmessage{No definitions for language #2' found!}%
2965     \noexpand\fi
2966   \endgroup
2967   \noexpand\define@key{Hyp}{#1}[]{%
2968     \noexpand\HyLang@Addto{\noexpand##1}{\noexpand##2}%
2969     #3%
2970   }%
2971 }%
2972 \expandafter\x\csname extras#1\expandafter\endcsname
2973   \csname HyLang@#2\endcsname
2974 }
2975 \HyLang@DeclareLang{english}{english}{}%
2976 \HyLang@DeclareLang{UKenglish}{english}{}%
2977 \HyLang@DeclareLang{british}{english}{}%
2978 \HyLang@DeclareLang{USenglish}{english}{}%
2979 \HyLang@DeclareLang{american}{english}{}%
2980 \HyLang@DeclareLang{german}{german}{}%
2981 \HyLang@DeclareLang{austrian}{german}{}%
2982 \HyLang@DeclareLang{n german}{german}{}%
2983 \HyLang@DeclareLang{naustrian}{german}{}%
2984 \HyLang@DeclareLang{russian}{russian}{\noexpand\hypersetup{unicode}}%
2985 \HyLang@DeclareLang{brazil}{portuges}{}%
2986 \HyLang@DeclareLang{brazilian}{portuges}{}%
2987 \HyLang@DeclareLang{portuguese}{portuges}{}%
2988 \HyLang@DeclareLang{spanish}{spanish}{}%
2989 \HyLang@DeclareLang{afrikaans}{afrikaans}{}%

```

```

2990 \HyLang@DeclareLang{french}{french}{}%
2991 \HyLang@DeclareLang{frenchb}{french}{}%
2992 \HyLang@DeclareLang{francais}{french}{}%
2993 \HyLang@DeclareLang{acadian}{french}{}%
2994 \HyLang@DeclareLang{canadien}{french}{}%
2995 \HyLang@DeclareLang{italian}{italian}{}%
2996 \HyLang@DeclareLang{magyar}{magyar}{}%
2997 \HyLang@DeclareLang{hungarian}{magyar}{}%

```

More work is needed in case of options vietnamese and vietnam.

```

2998 \define@key{Hyp}{vietnamese}[]{}%
2999   \HyLang@addto\extrasvietnamese\HyLang@vietnamese
3000   \AtEndOfPackage{}%
3001     \@ifundefined{T@PU}{}{}%
3002       \input{puvnenc.def}%
3003     }%
3004   }%
3005 }
3006 \define@key{Hyp}{vietnam}[]{}%
3007   \HyLang@addto\extrasvietnam\HyLang@vietnamese
3008   \AtEndOfPackage{}%
3009     \@ifundefined{T@PU}{}{}%
3010       \input{puvnenc.def}%
3011     }%
3012   }%
3013 }

```

Similar for option arabic that just loads the additions to PU encoding for Arabi.

```

3014 \define@key{Hyp}{arabic}[]{}%
3015   \AtEndOfPackage{}%
3016     \@ifundefined{T@PU}{}{}%
3017       \input{puarenc.def}%
3018     }%
3019   }%
3020 }

```

13 Options to change appearance of links

Colouring links at the L^AT_EX level is useful for debugging, perhaps.

```

3021 \define@key{Hyp}{colorlinks}[true]{}%
3022   \Hy@boolkey{colorlinks}{#1}%
3023 }
3024 \define@key{Hyp}{ocgcolorlinks}[true]{}%
3025   \Hy@boolkey{ocgcolorlinks}{#1}%
3026 }
3027 \AtBeginDocument{%
3028   \begingroup
3029     \@ifundefined{OBJ@OCG@view}{}{%
3030       \ifHy@ocgcolorlinks
3031         \Hy@Warning{%
3032           Driver does not support 'ocgcolorlinks', \MessageBreak
3033           using 'colorlinks' instead%
3034         }%
3035       \fi
3036     }{}%
3037   \endgroup
3038 }

```

```

3039 \define@key{Hyp}{frenchlinks}[true]{%
3040   \Hy@boolkey{frenchlinks}{#1}%
3041 }

3042 \begingroup\expandafter\expandafter\expandafter\endgroup
3043 \expandafter\ifx\csname chapter\endcsname\relax
3044   \def\toclevel@part{0}%
3045 \else
3046   \def\toclevel@part{-1}%
3047 \fi
3048 \def\toclevel@chapter{0}
3049 \def\toclevel@section{1}
3050 \def\toclevel@subsection{2}
3051 \def\toclevel@subsubsection{3}
3052 \def\toclevel@paragraph{4}
3053 \def\toclevel@ subparagraph{5}
3054 \def\toclevel@figure{0}
3055 \def\toclevel@table{0}
3056 \@ifpackageloaded{listings}{%
3057   \providecommand*\theHlisting{\thelistlisting}%
3058   \providecommand*\toclevel@lstlisting{0}%
3059 }{%
3060 \ifpackageloaded{listing}{%
3061   \providecommand*\theHlisting{\thelisting}%
3062   \providecommand*\toclevel@listing{0}%
3063 }{%
3064 \define@key{Hyp}{bookmarks}[true]{%
3065   \Hy@boolkey{bookmarks}{#1}%
3066 }

3067 \define@key{Hyp}{bookmarksopen}[true]{%
3068   \Hy@boolkey{bookmarksopen}{#1}%
3069 }

```

The depth of the outlines is controlled by option `bookmarksdepth`. The option acts globally and distinguishes three cases:

- `bookmarksdepth`: Without value `hyperref` uses counter `tocdepth` (compatible behaviour and default).
- `bookmarksdepth=<number>`: the depth is set to `<number>`.
- `bookmarksdepth=<name>`: The `<name>` must not start with a number or minus sign. It is a document division name (part, chapter, section, ...). Internally the value of macro `\toclevel@<name>` is used.

```

3070 \let\Hy@bookmarksdepth\c@tocdepth
3071 \define@key{Hyp}{bookmarksdepth}[]{%
3072   \begingroup
3073     \edef\x{#1}%
3074     \ifx\x\empty
3075       \global\let\Hy@bookmarksdepth\c@tocdepth
3076     \else
3077       \@ifundefined{toclevel@\x}{%
3078         \@onelvel@sanitize\x
3079         \edef\y{\expandafter\@car\x\@nil}%

```

```

3080      \ifcase 0\expandafter\ifx\y-1\fi
3081          \expandafter\ifnum\expandafter`\y>47 %
3082              \expandafter\ifnum\expandafter`\y<58 1\fi\fi\relax
3083      \Hy@Warning{Unknown document division name (\x)}%
3084  \else
3085      \setbox\z@=\hbox{%
3086          \count@=\x
3087          \xdef\Hy@bookmarksdepth{\the\count@}%
3088      }%
3089      \fi
3090  }{%
3091      \setbox\z@=\hbox{%
3092          \count@=\csname toclevel@\x\endcsname
3093          \xdef\Hy@bookmarksdepth{\the\count@}%
3094      }%
3095  }%
3096  \fi
3097 \endgroup
3098 }

```

'bookmarksopenlevel' to specify the open level. From Heiko Oberdiek.

```

3099 \define@key{Hyp}{bookmarksopenlevel}{%
3100   \def\@bookmarksopenlevel{\#1}%
3101 }
3102 \def\@bookmarksopenlevel{\maxdimen}
3103 % 'bookmarkstype' to specify which 'toc' file to mimic
3104 \define@key{Hyp}{bookmarkstype}{%
3105   \def\Hy@bookmarkstype{\#1}%
3106 }
3107 \def\Hy@bookmarkstype{toc}

```

Richard Curnow <richard@curnow.demon.co.uk> suggested this functionality. It adds section numbers etc to bookmarks.

```

3108 \define@key{Hyp}{bookmarksnumbered}[true]{%
3109   \Hy@boolkey{bookmarksnumbered}{\#1}%
3110 }

```

Option CJKbookmarks enables the patch for CJK bookmarks.

```

3111 \define@key{Hyp}{CJKbookmarks}[true]{%
3112   \Hy@boolkey{CJKbookmarks}{\#1}%
3113 }

3114 \def\Hy@temp{\#1}%
3115   \expandafter\Hy@temp\csname \#1color\endcsname{\#1}%
3116 }
3117 \def\Hy@temp{\#1\#2\#3}%
3118   \define@key{Hyp}{\#2color}{%
3119     \HyColor@HyperrefColor{\#1}\#1%
3120   }%
3121   \def{\#1}{\#3}%
3122 }

3123 \Hy@temp{link}{red}
3124 \Hy@temp{anchor}{black}
3125 \Hy@temp{cite}{green}
3126 \Hy@temp{file}{cyan}
3127 \Hy@temp{url}{magenta}
3128 \Hy@temp{menu}{red}
3129 \Hy@temp{run}{\@filecolor}
3130 \define@key{Hyp}{pagecolor}{%

```

```

3131 \Hy@WarningPageColor
3132 }
3133 \def\Hy@WarningPageColor{%
3134 \Hy@WarningNoLine{Option 'pagecolor' is not available anymore}%
3135 \global\let\Hy@WarningPageColor\relax
3136 }

3137 \def\hyperbaseurl#1{\def\@baseurl{#1}}
3138 \define@key{Hyp}{baseurl}{\hyperbaseurl{#1}}
3139 \let\@baseurl\@empty
3140 \def\hyperlinkfileprefix#1{\def\Hy@linkfileprefix{#1}}
3141 \define@key{Hyp}{linkfileprefix}{\hyperlinkfileprefix{#1}}
3142 \hyperlinkfileprefix{file:}

```

15 PDF-specific options

\@pdfpagetransition The value of option pdfpagetransition is stored in \@pdfpagetransition. Its initial value is set to \relax in order to be able to differentiate between a not used option and an option with an empty value.

```

3143 \let\@pdfpagetransition\relax
3144 \define@key{Hyp}{pdfpagetransition}{\def\@pdfpagetransition{#1}}

```

\@pdfpageduration The value of option pdfpageduration is stored in \@pdfpageduration. Its initial value is set to \relax in order to be able to differentiate between a not used option and an option with an empty value.

```

3145 \let\@pdfpageduration\relax
3146 \define@key{Hyp}{pdfpageduration}{\def\@pdfpageduration{#1}}

```

The entry for the /Hid key in the page object is only necessary, if it is used and set to true for at least one time. If it is always false, then the /Hid key is not written to the pdf page object in order not to enlarge the pdf file.

```

3147 \newif\ifHy@useHidKey
3148 \Hy@useHidKeyfalse
3149 \define@key{Hyp}{pdfpagehidden}[true]{%
3150 \Hy@boolkey{pdfpagehidden}{#1}%
3151 \ifHy@pdfpagehidden
3152 \global\Hy@useHidKeytrue
3153 \fi
3154 }

```

The value of the bordercolor options are not processed by the color package. Therefore the value consists of space separated rgb numbers in the range 0 until 1.

Package xcolor provides \XC@bordercolor since version 1.1. If the two spaces in the color specification are missing, then the value is processed as color specification from package xcolor by using \XC@bordercolor (since xcolor 2004/05/09 v1.11, versions 2005/03/24 v2.02 until 2006/11/28 v2.10 do not work because of a bug that is fixed in 2007/01/21 v2.11).

```

3155 \def\Hy@ColorList{cite,file,link,menu,run,url}
3156 \@for\Hy@temp:=\Hy@ColorList\do{%
3157 \edef\Hy@temp{%
3158 \noexpand\define@key{Hyp}{\Hy@temp bordercolor}{%
3159 \noexpand\HyColor@HyperrefBorderColor
3160 {##1}%
3161 \expandafter\noexpand\csname @\Hy@temp bordercolor\endcsname
3162 {hyperref}%
3163 {\Hy@temp bordercolor}%

```

```

3164    }%
3165  }%
3166  \Hy@temp
3167 }
3168 \define@key{Hyp}{pagebordercolor}{%
3169   \Hy@WarningPageBorderColor
3170 }
3171 \def\Hy@WarningPageBorderColor{%
3172   \Hy@WarningNoLine{Option ‘pagebordercolor’ is not available anymore}%
3173   \global\let\Hy@WarningPageBorderColor\relax
3174 }

3175 \define@key{Hyp}{pdfhighlight}{\def\@pdfhighlight{\#1}}
3176 \Hy@DefNameKey{pdfhighlight}{%
3177   \do{/I}{Invert}%
3178   \do{/N}{None}%
3179   \do{/O}{Outline}%
3180   \do{/P}{Push}%
3181 }
3182 \define@key{Hyp}{pdfborder}{\def\@pdfborder{\#1}}
3183 \define@key{Hyp}{pdfborderstyle}{\def\@pdfborderstyle{\#1}}
3184 \def\Hy@setpdfborder{%
3185   \ifx\@pdfborder\empty
3186   \else
3187     /Border[\@pdfborder]%
3188   \fi
3189   \ifx\@pdfborderstyle\empty
3190   \else
3191     /BS<<\@pdfborderstyle>>%
3192   \fi
3193 }
3194 \Hy@DefNameKey{pdfpagemode}{%
3195   \do{UseNone}{ }%
3196   \do{UseOutlines}{ }%
3197   \do{UseThumbs}{ }%
3198   \do{FullScreen}{ }%
3199   \do{UseOC}{PDF 1.5}%
3200   \do{UseAttachments}{PDF 1.6}%
3201 }
3202 \Hy@DefNameKey{pdfnonfullscreenpagemode}{%
3203   \do{UseNone}{ }%
3204   \do{UseOutlines}{ }%
3205   \do{UseThumbs}{ }%
3206   \do{FullScreen}{ }%
3207   \do{UseOC}{PDF 1.5}%
3208   \do{UseAttachments}{PDF 1.6}%
3209 }
3210 \Hy@DefNameKey{pdfdirection}{%
3211   \do{L2R}{Left to right}%
3212   \do{R2L}{Right to left}%
3213 }
3214 \Hy@DefNameKey{pdfviewarea}{%
3215   \do{MediaBox}{ }%
3216   \do{CropBox}{ }%
3217   \do{BleedBox}{ }%
3218   \do{TrimBox}{ }%
3219   \do{ArtBox}{ }%
3220 }

```

```

3221 \Hy@DefNameKey{pdfviewclip}{%
3222   \do{MediaBox}{}%
3223   \do{CropBox}{}%
3224   \do{BleedBox}{}%
3225   \do{TrimBox}{}%
3226   \do{ArtBox}{}%
3227 }
3228 \Hy@DefNameKey{pdfprintarea}{%
3229   \do{MediaBox}{}%
3230   \do{CropBox}{}%
3231   \do{BleedBox}{}%
3232   \do{TrimBox}{}%
3233   \do{ArtBox}{}%
3234 }
3235 \Hy@DefNameKey{pdfprintclip}{%
3236   \do{MediaBox}{}%
3237   \do{CropBox}{}%
3238   \do{BleedBox}{}%
3239   \do{TrimBox}{}%
3240   \do{ArtBox}{}%
3241 }
3242 \Hy@DefNameKey{pdfprintscaling}{%
3243   \do{AppDefault}{}%
3244   \do{None}{}%
3245 }
3246 \Hy@DefNameKey{pdfduplex}{%
3247   \do{Simplex}{}%
3248   \do{DuplexFlipShortEdge}{}%
3249   \do{DuplexFlipLongEdge}{}%
3250 }
3251 \Hy@DefNameKey{pdfpicktraybypdfsize}{%
3252   \do{true}{}%
3253   \do{false}{}%
3254 }
3255 \define@key{Hyp}{pdfprintpagerange}{%
3256   \def\@pdfprintpagerange{\#1}%
3257 }
3258 \Hy@DefNameKey{pdfnumcopies}{%
3259   \do{2}{two copies}%
3260   \do{3}{three copies}%
3261   \do{4}{four copies}%
3262   \do{5}{five copies}%
3263 }
3264 \define@key{Hyp}{pdfusetitle}[true]{%
3265   \Hy@boolkey{pdfusetitle}{usetitle}{\#1}%
3266 }
3267 \def\HyXeTeX@CheckUnicode{%
3268   \ifxetex
3269     \ifHy@unicode
3270     \else
3271       \Hy@WarningNoLine{%
3272         XeTeX driver only supports unicode.\MessageBreak
3273         Enabling option ‘unicode’}%
3274     }%
3275     \setkeys{Hyp}{unicode}%
3276   \fi
3277 \else

```

```

3278     \let\HyXeTeX@CheckUnicode\relax
3279     \fi
3280 }
3281 \def\HyPsd@PrerenderUnicode#1{%
3282   \begingroup
3283   \expandafter\ifx\csname PrerenderUnicode\endcsname\relax
3284   \else
3285   \sbox0{%
3286     \let\GenericInfo\@gobbletwo
3287     \let\GenericWarning\@gobbletwo
3288     \let\GenericError\@gobblefour
3289     \PrerenderUnicode{#1}%
3290   }%
3291   \fi
3292   \endgroup
3293 }
3294 \define@key{Hyp}{pdftitle}{%
3295   \HyXeTeX@CheckUnicode
3296   \HyPsd@XeTeXBigChartrue
3297   \HyPsd@PrerenderUnicode{#1}%
3298   \pdfstringdef\@pdftitle{#1}%
3299 }
3300 \define@key{Hyp}{pdfauthor}{%
3301   \HyXeTeX@CheckUnicode
3302   \HyPsd@XeTeXBigChartrue
3303   \HyPsd@PrerenderUnicode{#1}%
3304   \pdfstringdef\@pdfauthor{#1}%
3305 }
3306 \define@key{Hyp}{pdfproducer}{%
3307   \HyXeTeX@CheckUnicode
3308   \HyPsd@XeTeXBigChartrue
3309   \HyPsd@PrerenderUnicode{#1}%
3310   \pdfstringdef\@pdfproducer{#1}%
3311 }
3312 \define@key{Hyp}{pdfcreator}{%
3313   \HyXeTeX@CheckUnicode
3314   \HyPsd@XeTeXBigChartrue
3315   \HyPsd@PrerenderUnicode{#1}%
3316   \pdfstringdef\@pdfcreator{#1}%
3317 }
3318 \define@key{Hyp}{pdfcreationdate}{%
3319   \begingroup
3320   \Hy@unicodedefalse
3321   \pdfstringdef\@pdfcreationdate{#1}%
3322   \endgroup
3323 }
3324 \define@key{Hyp}{pdfmoddate}{%
3325   \begingroup
3326   \Hy@unicodedefalse
3327   \pdfstringdef\@pdfmoddate{#1}%
3328   \endgroup
3329 }
3330 \define@key{Hyp}{pdfsubject}{%
3331   \HyXeTeX@CheckUnicode
3332   \HyPsd@XeTeXBigChartrue
3333   \HyPsd@PrerenderUnicode{#1}%
3334   \pdfstringdef\@pdfsubject{#1}%

```

```

3335 }
3336 \define@key{Hyp}{pdfkeywords}{%
3337   \HyXeTeX@CheckUnicode
3338   \HyPsd@XeTeXBigCharstrue
3339   \HyPsd@PrerenderUnicode{#1}%
3340   \pdfstringdef\@pdfkeywords{#1}%
3341 }
3342 \define@key{Hyp}{pdftrapped}{%
3343   \lowercase{\edef\Hy@temp{#1}}%
3344   \ifx\Hy@temp\HyInfo@trapped@true
3345     \def\@pdftrapped{True}%
3346   \else
3347     \ifx\Hy@temp\HyInfo@trapped@false
3348       \def\@pdftrapped{False}%
3349     \else
3350       \ifx\Hy@temp\HyInfo@trapped@unknown
3351         \def\@pdftrapped{Unknown}%
3352       \else
3353         \ifx\Hy@temp\@empty
3354       \else
3355         \Hy@Warning{%
3356           Unsupported value '#1'\MessageBreak
3357           for option 'pdftrapped'%
3358         }%
3359       \fi
3360       \def\@pdftrapped{}%
3361     \fi
3362   \fi
3363 \fi
3364 }
3365 \def\HyInfo@trapped@true{true}
3366 \def\HyInfo@trapped@false{false}
3367 \def\HyInfo@trapped@unknown{unknown}
3368 \def\HyInfo@TrappedUnsupported{%
3369   \ifx\@pdftrapped\@empty
3370   \else
3371     \Hy@Warning{`pdftrapped' is not supported by this driver}%
3372   \gdef\HyInfo@TrappedUnsupported{}%
3373 \fi
3374 }
3375 \define@key{Hyp}{pdffinfo}{%
3376   \kvsetkeys{pdffinfo}{#1}%
3377 }
3378 \def\Hy@temp#1{%
3379   \lowercase{\Hy@temp@A{#1}{#1}}%
3380 }
3381 \def\Hy@temp@A#1#2{%
3382   \define@key{pdffinfo}{#2}{%
3383     \hypersetup{pdf#1={##1}}%
3384   }%
3385 }
3386 \Hy@temp{Title}
3387 \Hy@temp{Author}
3388 \Hy@temp{Keywords}
3389 \Hy@temp{Subject}
3390 \Hy@temp{Creator}
3391 \Hy@temp{Producer}

```

```

3392 \Hy@temp{CreationDate}
3393 \Hy@temp{ModDate}
3394 \Hy@temp{Trapped}
3395 \newif\ifHyInfo@AddonUnsupported
3396 \kv@set@family@handler{pdfinfo}{%
3397   \HyInfo@AddonHandler{\#1}{\#2}%
3398 }
3399 \let\HyInfo@do\relax
3400 \def\HyInfo@AddonHandler#1#2{%
3401   \ifx\kv@value\relax
3402     \Hy@Warning{%
3403       Option 'pdfinfo': ignoring key '\kv@key' without value%
3404     }%
3405   \else
3406     \EdefEscapeName\HyInfo@KeyEscaped{\kv@key}%
3407     \EdefUnescapeName\HyInfo@Key{\HyInfo@KeyEscaped}%
3408     \expandafter\ifx\csname KV@pdfinfo@\HyInfo@Key\endcsname\relax
3409       \ifHyInfo@AddonUnsupported
3410         \Hy@Warning{%
3411           This driver does not support additional\MessageBreak
3412           information entries, therefore\MessageBreak
3413           '\kv@key' is ignored%
3414         }%
3415       \else
3416         \define@key{pdfinfo}{\HyInfo@Key}{%
3417           \HyXeTeX@CheckUnicode
3418           \HyPsd@XeTeXBigChartrue
3419           \HyPsd@PrerenderUnicode{\##1}%
3420           \pdfstringdef\HyInfo@Value{\##1}%
3421           \expandafter\let\csname HyInfo@Value@\HyInfo@Key\endcsname
3422             \HyInfo@Value
3423         }%
3424         \edef\HyInfo@AddonList{%
3425           \HyInfo@AddonList
3426           \HyInfo@do{\HyInfo@Key}%
3427         }%
3428         \kv@parse@normalized{%
3429           \HyInfo@Key=\{#2}%
3430         }{%
3431           \kv@processor@default{pdfinfo}%
3432         }%
3433       \fi
3434     \else
3435       \kv@parse@normalized{%
3436         \HyInfo@Key=\{#2}%
3437       }{%
3438         \kv@processor@default{pdfinfo}%
3439       }%
3440     \fi
3441   \fi
3442 }
3443 \def\HyInfo@GenerateAddons{%
3444   \ifHyInfo@AddonUnsupported
3445     \def\HyInfo@Addons{}%
3446   \else
3447     \begingroup
3448       \toks@{}%

```

```

3449 \def\HyInfo@do##1{%
3450   \EdefEscapeName\HyInfo@Key{##1}%
3451   \edef\x{%
3452     \toks@{%
3453       \the\toks@%
3454       /\HyInfo@Key(\csname HyInfo@Value@##1\endcsname)%
3455     }%
3456   }%
3457   \x
3458 }%
3459 \HyInfo@AddonList
3460 \edef\x{\endgroup
3461 \def\noexpand\HyInfo@Addons{\the\toks@}%
3462 }%
3463 \x
3464 \fi
3465 }
3466 \def\HyInfo@AddonList{}

3467 \define@key{Hyp}{pdfview}{\calculate@pdfview#1 \\}
3468 \define@key{Hyp}{pdflinkmargin}{\setpdflinkmargin{#1}}
3469 \let\setpdflinkmargin@gobble
3470 \def\calculate@pdfview#1 #2\\{%
3471   \def@\pdfview{#1}%
3472   \ifx\\#2\\%
3473     \def@\pdfviewparams{-32768}%
3474   \else
3475     \def@\pdfviewparams{#2}%
3476   \fi
3477 }
3478 \begingroup\expandafter\expandafter\expandafter\endgroup
3479 \expandafter\ifx\csname numexpr\endcsname\relax
3480   \def\Hy@number#1{%
3481     \expandafter\f@irstofone\expandafter{\number#1}%
3482   }%
3483 \else
3484   \def\Hy@number#1{%
3485     \the\numexpr#1\relax
3486   }%
3487 \fi
3488 \define@key{Hyp}{pdfstartpage}{%
3489   \ifx\\#1\\%
3490     \def@\pdfstartpage{}%
3491   \else
3492     \edef@\pdfstartpage{\Hy@number{#1}}%
3493   \fi
3494 }%
3495 \define@key{Hyp}{pdfstartview}{%
3496   \ifx\\#1\\%
3497     \def@\pdfstartview{}%
3498   \else
3499     \hypercalcbpdef@\pdfstartview{/#1}%
3500   \fi
3501 }
3502 \define@key{Hyp}{pdfpagescrop}{\edef@\pdfpagescrop{#1}}
3503 \define@key{Hyp}{pdftoolbar}[true]{%
3504   \Hy@boolkey[pdftoolbar]{toolbar}{#1}%
3505 }

```

```

3506 \define@key{Hyp}{pdfmenubar}[true]{%
3507   \Hy@boolkey[pdfmenubar]{menubar}{#1}%
3508 }
3509 \define@key{Hyp}{pdfwindowui}[true]{%
3510   \Hy@boolkey[pdfwindowui]{windowui}{#1}%
3511 }
3512 \define@key{Hyp}{pdffitwindow}[true]{%
3513   \Hy@boolkey[pdffitwindow]{fitwindow}{#1}%
3514 }
3515 \define@key{Hyp}{pdfcenterwindow}[true]{%
3516   \Hy@boolkey[pdfcenterwindow]{centerwindow}{#1}%
3517 }
3518 \define@key{Hyp}{pdfdisplaydoctitle}[true]{%
3519   \Hy@boolkey[pdfdisplaydoctitle]{displaydoctitle}{#1}%
3520 }
3521 \define@key{Hyp}{pdfa}[true]{%
3522   \Hy@boolkey{pdfa}{#1}%
3523 }
3524 \define@key{Hyp}{pdfnewwindow}[true]{%
3525   \def\Hy@temp{#1}%
3526   \ifx\Hy@temp\empty
3527     \Hy@newwindowsetfalse
3528   \else
3529     \Hy@newwindowsettrue
3530     \Hy@boolkey[pdfnewwindow]{newwindow}{#1}%
3531   \fi
3532 }
3533 \def\Hy@SetNewWindow{%
3534   \ifHy@newwindowset
3535     /NewWindow %
3536     \ifHy@newwindow true\else false\fi
3537   \fi
3538 }
3539 \Hy@DefNameKey{pdfpagelayout}{%
3540   \do{SinglePage}{}
3541   \do{OneColumn}{}
3542   \do{TwoColumnLeft}{}
3543   \do{TwoColumnRight}{}
3544   \do{TwoPageLeft}{PDF 1.5}%
3545   \do{TwoPageRight}{PDF 1.5}%
3546 }
3547 \define@key{Hyp}{pdflang}{%
3548   \def\@pdflang{#1}%
3549 }
3550 \define@key{Hyp}{pdfpagelabels}[true]{%
3551   \Hy@boolkey[pdfpagelabels]{pagelabels}{#1}%
3552 }
3553 \define@key{Hyp}{pdfescapeform}[true]{%
3554   \Hy@boolkey[pdfescapeform]{escapeform}{#1}%
3555 }

```

Default values:

```

3556 \def\@linkbordercolor{1 0 0}
3557 \def\@curlbordercolor{0 1 1}
3558 \def\@menubordercolor{1 0 0}
3559 \def\@filebordercolor{0 .5 .5}
3560 \def\@runbordercolor{0 .7 .7}
3561 \def\@citebordercolor{0 1 0}

```

```

3562 \def\@pdfhighlight{/I}
3563 \def\@pdftitle{ }
3564 \def\@pdfauthor{ }
3565 \let\@pdfproducer\relax
3566 \def\@pdfcreator{LaTeX with hyperref package}
3567 \def\@pdfcreationdate{ }
3568 \def\@pdfmoddate{ }
3569 \def\@pdfsubject{ }
3570 \def\@pdfkeywords{ }
3571 \def\@pdftrapped{ }
3572 \def\@pdfpagescrop{ }
3573 \def\@pdfstartview{ /Fit }
3574 \def\@pdfstartpage{1}
3575 \def\@pdfprintpagerange{ }
3576 \def\@pdflang{ }
3577 \let\PDF@SetupDoc\@empty
3578 \let\PDF@FinishDoc\@empty
3579 \let\phantomsection\@empty
3580 \let\special@paper\@empty
3581 \def\HyperDestNameFilter#1{#1}
3582 \AtBeginDocument{%
3583   \begingroup
3584     \edef\x{\@ifundefined{stockheight}{\paperheight}{\stockheight}}%
3585     \dimen@=\x\relax
3586     \ifdim\dimen@>\z@
3587       \else
3588         \dimen@=11in\relax
3589         \Hy@WarningNoLine{%
3590           Height of page (\expandafter\string\x) %
3591           is invalid (\the\x),\MessageBreak
3592           using 11in%
3593         }%
3594       \fi
3595       \dimen@=0.99626401\dimen@
3596       \xdef\Hy@pageheight{\strip@pt\dimen@}%
3597     \endgroup
3598   }
3599 \def\HyInd@EncapChar{\|}%
3600 \def\hypersetup{\setkeys{Hyp}}

```

Allow the user to use `\ExecuteOptions` in the cfg file even though this package does not use the normal option mechanism. Use `\hyper@normalise` as a scratch macro, since it is going to be defined in a couple of lines anyway.

```

3601 \let\hyper@normalise\ExecuteOptions
3602 \let\ExecuteOptions\hypersetup
3603 \Hy@RestoreCatcodes
3604 \InputIfFileExists{hyperref.cfg}{}{%
3605   \Hy@SetCatcodes
3606   \let\ExecuteOptions\hyper@normalise
3607   \Hy@MaybeStopNow

```

To add flexibility, we will not use the ordinary processing of package options, but put them through the `keyval` package. This section was written by David Carlisle.

Package `kvoptions` is used for processing options that are given as key value pairs. The package provides `\ProcessKeyvalOptions`, formerly known as `\ProcessOptionsWithKV`.

```

3608 \RequirePackage{kvoptions}[2009/07/21]
3609 \SetupKeyvalOptions{family=Hyp}

```

```

3610 \DeclareLocalOptions{%
3611   a4paper,a5paper,b5paper,letterpaper,legalpaper,executivepaper%
3612 }

      Add option tex4ht if package tex4ht is loaded.

3613 \@ifpackageloaded{tex4ht}{%
3614   \@ifpackagewith{hyperref}{tex4ht}{}{%
3615     \PassOptionsToPackage{tex4ht}{hyperref}%
3616   }%
3617 }{}

3618 \let\ReadBookmarks\relax
3619 \ProcessKeyvalOptions{Hyp}

```

After processing options.

```

3620 \AtBeginDocument{%
3621   \ifHy@draft
3622     \let\hyper@anchor\gobble
3623     \gdef\hyper@link#1#2#3{#3}%
3624     \let\hyper@anchorstart\gobble
3625     \let\hyper@anchorend\empty
3626     \let\hyper@linkstart\gobbletwo
3627     \let\hyper@linkend\empty
3628     \def\hyper@linkurl#1#2{#1}%
3629     \def\hyper@linkfile#1#2#3{#1}%
3630     \def\hyper@link@[#1]#2#3{#1}%
3631     \def\Acrobatmenu#1#2{\leavevmodo{#2}}%
3632     \let\PDF@SetupDoc\empty
3633     \let\PDF@FinishDoc\empty
3634     \let\fifthoffive\secondoftwo
3635     \let\secondoffive\secondoftwo
3636     \let\ReadBookmarks\relax
3637     \let\WriteBookmarks\relax
3638     \Hy@WarningNoLine{ draft mode on}%
3639   \fi
3640   \Hy@DisableOption{draft}%
3641   \Hy@DisableOption{nolinks}%
3642   \Hy@DisableOption{final}%
3643 }

```

15.1 PDF/A

```

3644 \Hy@DisableOption{pdfa}
3645 \ifHy@pdfa
3646   \setkeys{Hyp}{pdfversion=1.4}%
3647   \def\Hy@Acrobatmenu#1#2{%
3648     \leavevmodo
3649     \begingroup
3650       \edef\x{#1}%
3651       \onelevel@sanitize\x
3652       \ifx\x\Hy@NextPage
3653         \let\y=Y%
3654       \else
3655         \ifx\x\Hy@PrevPage
3656           \let\y=Y%
3657         \else
3658           \ifx\x\Hy@FirstPage
3659             \let\y=Y%

```

```

3660      \else
3661          \ifx\x\Hy@LastPage
3662              \let\y=Y%
3663          \else
3664              \let\y=N%
3665          \fi
3666      \fi
3667      \fi
3668  \expandafter\endgroup
3669 \ifx\y Y%
3670 \else
3671     \PackageError{hyperref}{%
3672         PDF/A: Named action '#1' is not permitted%
3673     }{\@ehc
3674     {\#2}%
3675     \expandafter\@gobble
3676     \fi
3677 }%
3678 \def\Hy@temp#1{%
3679     \expandafter\def\csname Hy@#1\endcsname{#1}%
3680     \expandafter\@onelvel@sanitize\csname Hy@#1\endcsname
3681 }%
3682 \%
3683 \Hy@temp{NextPage}%
3684 \Hy@temp{PrevPage}%
3685 \Hy@temp{FirstPage}%
3686 \Hy@temp{LastPage}%
3687 \else
3688 \def\Hy@Acrobatmenu#1#2{\leavevmode}%
3689 \fi

```

15.2 Patch for babel's \texttilde

Babel does not define \texttilde in NFSS2 manner, so the NFSS2 definitions of PD1 or PU encoding is not compatible. To fix this, \texttilde is defined in babel manner.

```

3690 \Hy@nextfalse
3691 \@ifundefined{spanish@sh@"\@sel"}{\Hy@nexttrue}
3692 \@ifundefined{galician@sh@"\@sel"}{\Hy@nexttrue}
3693 \@ifundefined{estonian@sh@"\@sel"}{\Hy@nexttrue}
3694 \ifHy@next
3695     \let\texttilde\~%
3696 \fi
3697 \ifHy@figures
3698     \Hy@Info{Hyper figures ON}%
3699 \else
3700     \Hy@Info{Hyper figures OFF}%
3701 \fi
3702 \ifHy@nesting
3703     \Hy@Info{Link nesting ON}%
3704 \else
3705     \Hy@Info{Link nesting OFF}%
3706 \fi
3707 \ifHy@hyperindex
3708     \Hy@Info{Hyper index ON}%
3709 \else
3710     \Hy@Info{Hyper index OFF}%
3711 \fi

```

```

3712 \ifHy@plainpages
3713   \Hy@Info{Plain pages ON}%
3714 \else
3715   \Hy@Info{Plain pages OFF}%
3716 \fi
3717 \ifHy@backref
3718   \Hy@Info{Backreferencing ON}%
3719 \else
3720   \Hy@Info{Backreferencing OFF}%
3721 \fi
3722 \ifHy@typexml
3723   \AtEndOfPackage{%
3724     \RequirePackage{color}%
3725     \RequirePackage{nameref}%
3726   }%
3727 \fi
3728 \Hy@DisableOption{typexml}
3729 \ifHy@implicit
3730   \typeout{Implicit mode ON; LaTeX internals redefined}%
3731 \else
3732   \typeout{Implicit mode OFF; no redefinition of LaTeX internals}%
3733 \def\MaybeStopEarly{%
3734   \typeout{Hyperref stopped early}%
3735   \AfterBeginDocument{%
3736     \PDF@FinishDoc
3737     \gdef\PDF@FinishDoc{}%
3738   }%
3739   \endinput
3740 }%
3741 \AtBeginDocument{%
3742   \let\autoref\ref
3743   \let\autpageref\pageref
3744   \ifx\@pdfpagemode\@empty
3745     \gdef\@pdfpagemode{UseNone}%
3746   \fi
3747   \global\Hy@backreffalse
3748 }%
3749 \AtEndOfPackage{%
3750   \global\let\ReadBookmarks\relax
3751   \global\let\WriteBookmarks\relax
3752 }%
3753 \fi
3754 \Hy@DisableOption{implicit}

```

15.2.1 Driver loading

```

3755 \AtEndOfPackage{%
3756   \@ifpackageloaded{tex4ht}{%
3757     \def\Hy@driver{htex4ht}%
3758     \Hy@texhttrue
3759   }{}%

```

Some drivers can be detected. Check for these drivers, whether the given driver option is ok. Otherwise force the right driver or use the default driver.

```

3760   \ifx\Hy@driver\@empty
3761   \else
3762     \def\Hy@temp{hpdftex}%
3763     \ifpdf

```

```

3764 \ifx\Hy@driver\Hy@temp
3765 \else
3766   \Hy@WarningNoLine{%
3767     Wrong driver '\Hy@driver.def';\MessageBreak
3768     pdfTeX is running in PDF mode.\MessageBreak
3769     Forcing driver '\Hy@temp.def'%
3770   }%
3771   \let\Hy@driver\Hy@temp
3772 \fi
3773 \else
3774   \ifx\Hy@driver\Hy@temp
3775     \Hy@WarningNoLine{%
3776       Wrong driver '\Hy@driver.def';\MessageBreak
3777       pdfTeX is not running in PDF mode.\MessageBreak
3778       Using default driver%
3779     }%
3780     \let\Hy@driver\@empty
3781   \fi
3782 \fi
3783 \fi
3784 \ifx\Hy@driver\@empty
3785 \else
3786   \def\Hy@temp{hxetex}%
3787   \ifxetex
3788     \ifx\Hy@driver\Hy@temp
3789   \else
3790     \Hy@WarningNoLine{%
3791       Wrong driver '\Hy@driver.def';\MessageBreak
3792       XeTeX is running.\MessageBreak
3793       Forcing driver '\Hy@temp.def' for XeTeX%
3794     }%
3795     \let\Hy@driver\Hy@temp
3796   \fi
3797 \fi
3798 \fi
3799 \ifx\Hy@driver\@empty
3800 \else
3801   \def\Hy@temp{hvtexhtm}%
3802   \ifvtexhtml
3803     \ifx\Hy@driver\Hy@temp
3804   \else
3805     \Hy@WarningNoLine{%
3806       Wrong driver '\Hy@driver.def';\MessageBreak
3807       VTeX is running in HTML mode.\MessageBreak
3808       Forcing driver '\Hy@temp.def'%
3809     }%
3810     \let\Hy@driver\Hy@temp
3811   \fi
3812 \else
3813   \ifx\Hy@driver\Hy@temp
3814     \Hy@WarningNoLine{%
3815       Wrong driver '\Hy@driver.def';\MessageBreak
3816       VTeX is not running in HTML mode.\MessageBreak
3817       Using default driver%
3818     }%
3819     \let\Hy@driver\@empty
3820   \fi

```

```

3821   \fi
3822 \fi
If the driver is not given, find the right driver or use the default driver.
3823 \ifx\Hy@driver\empty
3824   \providecommand*\Hy@defaultdriver{hypertex}%
3825   \ifpdf
3826     \def\Hy@driver{hpdftex}%
3827   \else
3828     \ifxetex
3829       \def\Hy@driver{hxtex}%
3830     \else
3831       \ifvtexhtml
3832         \def\Hy@driver{hvtexhtm}%
3833         \def\MaybeStopEarly{%
3834           \typeout{Hyperref stopped early}%
3835           \AfterBeginDocument{%
3836             \PDF@FinishDoc
3837             \gdef\PDF@FinishDoc{}%
3838           }%
3839           \endinput
3840         }%
3841       \else
3842         \ifvtexpdf
3843           \def\Hy@driver{hvtx}%
3844         \else
3845           \ifvtexps
3846             \def\Hy@driver{hvtx}%
3847           \else
3848             \let\Hy@driver\Hy@defaultdriver
3849           \fi
3850         \fi
3851       \fi
3852     \fi
3853   \fi
3854 \ifx\Hy@driver\Hy@defaultdriver
3855   \def\Hy@temp{dviwind}%
3856   \ifx\Hy@temp\Hy@driver
3857     \setkeys{Hyp}{colorlinks}%
3858     \PassOptionsToPackage{dviwindo}{color}%
3859   \fi
3860 \fi
3861 \typeout{*hyperref using default driver \Hy@driver}%
3862 \else
3863   \typeout{*hyperref using driver \Hy@driver}%
3864 \fi
3865 \input{\Hy@driver.def}%
3866 \let\@unprocessedoptions\relax
3867 \Hy@RestoreCatcodes
3868 }

```

Support for open outlines is enabled for Xe_T_EX >= 0.9995. I don't know, if older versions also support this. AFAIK older dvipdfmx versions will break, thus the switch cannot be turned on by default.

```

3869 \newif\ifHy@DvipdfmxOutlineOpen
3870 \ifxetex
3871   \ifdim\number\XeTeXversion\XeTeXrevision in<0.9995in %
3872   \else
3873     \Hy@DvipdfmxOutlineOpentrue

```

```

3874 \fi
3875 \fi
3876 \begingroup\expandafter\expandafter\expandafter\endgroup
3877 \expandafter\ifx\csname SpecialDvipdfmxOutlineOpen\endcsname\relax
3878 \else
3879 \ifnum\SpecialDvipdfmxOutlineOpen>\z@%
3880 \Hy@DvipdfmxOutlineOpentrue
3881 \fi
3882 \fi
3883 \Hy@DisableOption{tex4ht}
3884 \Hy@DisableOption{pdftex}
3885 \Hy@DisableOption{nativepdf}
3886 \Hy@DisableOption{dvipdfm}
3887 \Hy@DisableOption{dvipdfmx}
3888 \Hy@DisableOption{dvipdfmx-outline-open}
3889 \Hy@DisableOption{pdfmark}
3890 \Hy@DisableOption{dvips}
3891 \Hy@DisableOption{hypertex}
3892 \Hy@DisableOption{vtx}
3893 \Hy@DisableOption{vtexpdfmark}
3894 \Hy@DisableOption{dviwindo}
3895 \Hy@DisableOption{dvipsone}
3896 \Hy@DisableOption{textures}
3897 \Hy@DisableOption{latex2html}
3898 \Hy@DisableOption{ps2pdf}
3899 \Hy@DisableOption{xetex}
3900 \AtEndOfPackage{%
3901 \Hy@DisableOption{pdfversion}%
3902 }

```

15.2.2 Bookmarks

```

3903 \def\WriteBookmarks{0}
3904 \def\@bookmarkopenstatus#1{%
3905 \ifHy@bookmarksopen

```

The purpose of the \@firstofone-number-space-construct is that no \relax will be inserted by TeX before the \else:

```

3906 \ifnum#1<\expandafter\@firstofone\expandafter
3907 {\number\@bookmarksopenlevel} % explicit space
3908 \else
3909 -%
3910 \fi
3911 \else
3912 -%
3913 \fi
3914 }
3915 \ifHy@bookmarks
3916 \Hy@Info{Bookmarks ON}%
3917 \ifx\@pdfpagemode\@empty
3918 \def\@pdfpagemode{UseOutlines}%
3919 \fi
3920 \else
3921 \def\@bookmarkopenstatus#1{}%
3922 \Hy@Info{Bookmarks OFF}%
3923 \AtEndOfPackage{%
3924 \global\let\ReadBookmarks\relax
3925 \global\let\WriteBookmarks\relax
3926 }%

```

```

3927 \ifx\@pdfpagemode\@empty
3928   \def\@pdfpagemode{UseNone}%
3929 \fi
3930 \fi
3931 \Hy@DisableOption{bookmarks}

    Add wrapper for setting standard catcodes (babel's shorthands).
3932 \def\Hy@CatcodeWrapper#1{%
3933   \def\Hy@EndWrap{}%
3934   \def\TMP@EnsureCode##1##2{%
3935     \edef\Hy@EndWrap{%
3936       \Hy@EndWrap
3937       \catcode##1 \the\catcode##1\relax
3938     }%
3939     \catcode##1 ##2\relax
3940   }%
3941   \TMP@EnsureCode{10}{12}%
3942   \TMP@EnsureCode{33}{12}!
3943   \TMP@EnsureCode{34}{12}%
3944   \TMP@EnsureCode{36}{3}%
3945   \TMP@EnsureCode{38}{4}%
3946   \TMP@EnsureCode{39}{12}%
3947   \TMP@EnsureCode{40}{12}%
3948   \TMP@EnsureCode{41}{12}%
3949   \TMP@EnsureCode{42}{12}%
3950   \TMP@EnsureCode{43}{12}%
3951   \TMP@EnsureCode{44}{12}%
3952   \TMP@EnsureCode{45}{12}%
3953   \TMP@EnsureCode{46}{12}%
3954   \TMP@EnsureCode{47}{12}%
3955   \TMP@EnsureCode{58}{12}%
3956   \TMP@EnsureCode{59}{12}%
3957   \TMP@EnsureCode{60}{12}%
3958   \TMP@EnsureCode{61}{12}%
3959   \TMP@EnsureCode{62}{12}%
3960   \TMP@EnsureCode{63}{12}%
3961   \TMP@EnsureCode{91}{12}%
3962   \TMP@EnsureCode{93}{12}%
3963   \TMP@EnsureCode{94}{7}%
3964   \TMP@EnsureCode{95}{8}%
3965   \TMP@EnsureCode{96}{12}%
3966   \TMP@EnsureCode{124}{12}%
3967   \TMP@EnsureCode{126}{13}%
3968   #1\relax
3969   \Hy@EndWrap
3970 }

```

\HyColor@UseColor expects a macro as argument. It contains the color specification.

```

3971 \AtBeginDocument{%
3972   \ifHy@ocgcolorlinks
3973     \setkeys{Hyp}{colorlinks}%
3974   \ifHy@pdfa
3975     \Hy@Warning{%
3976       PDF/A: Optional Content Groups are prohibited,\MessageBreak
3977       using 'colorlinks' instead of 'ocgcolorlinks'%
3978     }%
3979     \Hy@ocgcolorlinksfalse
3980   \fi

```

```

3981 \fi
3982 \ifHy@ocgcolorlinks
3983 \else
3984   \Hy@DisableOption{ocgcolorlinks}%
3985 \fi
3986 \ifHy@colorlinks
3987   \def\@pdfborder{0 0 0}%
3988   \let\@pdfborderstyle\@empty
3989 \ifHy@typexml
3990 \else
3991   \Hy@CatcodeWrapper{%
3992     \RequirePackage{color}%
3993   }%
3994 \fi
3995 \def\Hy@colorlink#1{%
3996   \begingroup
3997   \HyColor@UseColor#1%
3998 }%
3999 \def\Hy@endcolorlink{\endgroup}%
4000 \Hy@Info{Link coloring ON}%
4001 \else
4002   \ifHy@frenchlinks
4003     \def\Hy@colorlink#1{\begingroup\fontshape{sc}\selectfont}%
4004     \def\Hy@endcolorlink{\endgroup}%
4005     \Hy@Info{French linking ON}%
4006   \else
for grouping consistency:
4007   \def\Hy@colorlink#1{\begingroup}%
4008   \def\Hy@endcolorlink{\endgroup}%
4009   \Hy@Info{Link coloring OFF}%
4010 \fi
4011 \fi
4012 \Hy@DisableOption{colorlinks}%
4013 \Hy@DisableOption{frenchlinks}%
4014 \ifHy@texht
4015   \long\def\@firstoffive#1#2#3#4#5{#1}%
4016   \long\def\@secondoffive#1#2#3#4#5{#2}%
4017   \long\def\@thirdoffive#1#2#3#4#5{#3}%
4018   \long\def\@fourthoffive#1#2#3#4#5{#4}%
4019   \long\def\@fifthoffive#1#2#3#4#5{#5}%
4020   \providecommand*\@safe@activestrue{}%
4021   \providecommand*\@safe@activesfalse{}%
4022   \def\T@ref#1{%
4023     \Hy@safe@activestrue
4024     \expandafter\@setref\csname r@#1\endcsname\@firstoffive{#1}%
4025     \Hy@safe@activesfalse
4026   }%
4027   \def\T@pageref#1{%
4028     \Hy@safe@activestrue
4029     \expandafter\@setref\csname r@#1\endcsname\@secondoffive{#1}%
4030     \Hy@safe@activesfalse
4031   }%
4032 \else
4033   \ifHy@typexml
4034   \else
4035     \Hy@CatcodeWrapper{%
4036       \RequirePackage{nameref}%

```

```

4037      }%
4038      \fi
4039      \fi
4040      \DeclareRobustCommand\ref{\@ifstar\@refstar{T@ref}%
4041      \DeclareRobustCommand\pageref{%
4042      \@ifstar\@pagerefstar{T@pageref}
4043      }%
4044  }
4045 \AfterBeginDocument{%
4046   \ifHy@texht
4047   \else
4048     \Hy@CatcodeWrapper{%
4049       \ReadBookmarks
4050     }%
4051   \fi
4052 }

4053 \ifHy@backref
4054   \RequirePackage{backref}%
4055 \else
4056   \let\Hy@backout\@gobble
4057 \fi
4058 \Hy@DisableOption{backref}
4059 \Hy@DisableOption{pagebackref}
4060 \Hy@activeanchorfalse

```

16 User hypertext macros

We need to normalise all user commands taking a URL argument; Within the argument the following special definitions apply: \#, \%, ~ produce #, %, ~ respectively. for consistency \~ produces ~ as well. At the *top level only* ie not within the argument of another command, you can use # and % unescaped, to produce themselves. even if, say, # is entered as # it will be converted to \# so it does not die if written to an aux file etc. \# will write as # locally while making \specials.

```

4061 \begingroup
4062   \endlinechar=-1 %
4063   \catcode`\^^A=14 %
4064   \catcode`\^^M\active
4065   \catcode`\%\active
4066   \catcode`\#\active
4067   \catcode`\_\active
4068   \catcode`\$\active
4069   \catcode`\&\active
4070   \gdef\hyper@normalise{^^A
4071     \begingroup
4072     \catcode`\^^M\active
4073     \def^^M{ }^^A
4074     \catcode`\%\active
4075     \let%@\percentchar
4076     \let%\@percentchar
4077     \catcode`\#\active
4078     \def#{\hyper@hash}^^A
4079     \def#`{\hyper@hash}^^A
4080     \makeother\&^^A
4081     \edef&{\string&}^^A
4082     \edef\&{\string&}^^A
4083     \edef\textunderscore{\string_}^^A

```

```

4084 \let\_\textunderscore
4085 \catcode`\_active
4086 \let_\textunderscore
4087 \let~\hyper@tilde
4088 \let\~\hyper@tilde
4089 \let\textrasciitilde\hyper@tilde
4090 \let\\@\backslashchar
4091 \edef${\string$}^{\kern-.1em A}
4092 \Hy@safe@activestore
4093 \hyper@n@rmalise
4094 }^{\kern-.1em A}
4095 \catcode`#=6 ^{\kern-.1em A}
4096 \gdef\Hy@ActiveCarriageReturn{^{\kern-.1em M}}^{\kern-.1em A}
4097 \gdef\hyper@n@rmalise#1#2{^{\kern-.1em A}
4098 \def\Hy@tempa{#2}^{\kern-.1em A}
4099 \ifx\Hy@tempa\Hy@ActiveCarriageReturn
4100 \Hy@ReturnAfterElseFi{^{\kern-.1em A}
4101 \hyper@normalise{#1}^{\kern-.1em A}
4102 }^{\kern-.1em A}
4103 \else
4104 \Hy@ReturnAfterFi{^{\kern-.1em A}
4105 \hyper@normalise{#1}{#2}^{\kern-.1em A}
4106 }^{\kern-.1em A}
4107 \fi
4108 }^{\kern-.1em A}
4109 \gdef\hyper@normalise#1#2{^{\kern-.1em A}
4110 \edef\Hy@tempa{^{\kern-.1em A}
4111 \endgroup
4112 \noexpand#1{\Hy@RemovePercentCr#2%^{\kern-.1em M}@nil}^{\kern-.1em A}
4113 }^{\kern-.1em A}
4114 \Hy@tempa
4115 }^{\kern-.1em A}
4116 \gdef\Hy@RemovePercentCr#1%^{\kern-.1em M}#2@\nil{^{\kern-.1em A}
4117 #1^{\kern-.1em A}
4118 \ifx\limits#2\limits
4119 \else
4120 \Hy@ReturnAfterFi{^{\kern-.1em A}
4121 \Hy@RemovePercentCr #2@\nil
4122 }^{\kern-.1em A}
4123 \fi
4124 }^{\kern-.1em A}
4125 \endgroup
4126 \providecommand*\hyper@chars{%
4127 \let\#\hyper@hash
4128 \let\%\@percentchar
4129 \Hy@safe@activestore
4130 }
4131 \def\hyperlink#1#2{%
4132 \hyper@link{}{#1}{#2}%
4133 }
4134 \def\Hy@VerboseLinkStart#1#2{%
4135 \ifHy@verbose
4136 \begingroup
4137 \Hy@safe@activestore
4138 \Hy@Info{Reference (#1) to '#2'}%
4139 \endgroup
4140 \fi

```

```

4141 }
4142 \def\Hy@VerboseAnchor#1{%
4143   \ifHy@verbose
4144     \begingroup
4145       \Hy@safe@activestore
4146       \Hy@Info{Anchor '\HyperDestNameFilter{#1}'}%
4147     \endgroup
4148   \fi
4149 }

4150 \def\Hy@AllowHyphens{%
4151   \relax
4152   \ifhmode
4153     \penalty\@M
4154     \hskip\z@skip
4155   \fi
4156 }

4157 \DeclareRobustCommand*\{\@href}{%
4158   \@ifnextchar\bgroup\Hy@href{\hyper@normalise\@href}%
4159 }
4160 \def\Hy@href#1{%
4161   \hyper@normalise\@href
4162 }
4163 \begingroup
4164   \catcode`\$=6 %
4165   \catcode`\#=12 %
4166   \gdef\@href{$1{\expandafter\@href\@split$1##\@}%
4167 \gdef\@split$1#$2#$3\\{%
4168   \hyper@link{$1}{$2}}%
4169 }%
4170 \endgroup

```

Load package url.sty and save the meaning of the original \url in \nolinkurl.

```

4171 \RequirePackage{url}
4172 \let\HyOrg@url\url
4173 \def\Hurl{\begingroup \Url}
4174 \DeclareRobustCommand*\{\nolinkurl}{\hyper@normalise\nolinkurl@}
4175 \def\nolinkurl#1{\Hurl{#1}}
4176 \DeclareRobustCommand*\{\url}{\hyper@normalise\url@}
4177 \def\url#1{\hyper@linkurl{\Hurl{#1}}{#1}}
4178 \DeclareRobustCommand*\{\hyperimage}{\hyper@normalise\hyper@image}
4179 \providecommand\hyper@image[2]{#2}

4180 \def\hypertarget#1#2{%
4181   \ifHy@nesting
4182     \hyper@@anchor{#1}{#2}%
4183   \else
4184     \hyper@@anchor{#1}{\relax}#2%
4185   \fi
4186 }

```

\hyperref is more complicated, as it includes the concept of a category of link, used to make the name. This is not really used in this package. \hyperdef sets up an anchor in the same way. They each have three parameters of category, linkname, and marked text, and \hyperref also has a first parameter of URL. If there is an optional first parameter to \hyperdef, it is the name of a L^AT_EX label which can be used in a short form of \hyperref later, to avoid remembering the name and category.

```

4187 \DeclareRobustCommand*\{\hyperref\}{%
4188   \Gifnextchar[\{ \Hy@babelnormalise\label\hyperref\}\@hyperref
4189 }
4190 \def\Hy@babelnormalise#1[#2]{%
4191   \begingroup
4192     \Hy@safe@activestruue
4193     \edef\Hy@tempa{%
4194       \endgroup
4195       \noexpand#1[#2]}%
4196   }%
4197   \Hy@tempa
4198 }
4199 \def\@hyperref{\hyper@normalise\@hyperref}
4200 \def\@@hyperref#1#2#3{%
4201   \edef\ref@one{\ifx\\#2\\\else#2.\fi#3}%
4202   \expandafter\tryhyper@link\ref@one\\{#1}%
4203 }
4204 \def\tryhyper@link#1\\#2{%
4205   \hyper@link{#2}{#1}%
4206 }

4207 \def\hyperdef{\Gifnextchar[\{\label\hyperdef\}\@hyperdef\}}
4208 \def\@hyperdef#1#2#3{%, category, name, text
4209   \ifx\\#1\\%
4210     \def\Hy@AnchorName{#2}%
4211   \else
4212     \def\Hy@AnchorName{#1.#2}%
4213   \fi
4214   \ifHy@nesting
4215     \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{#3}%
4216   \else
4217     \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}\relax{#3}%
4218   \fi
4219 }

```

We also have a need to give a L^AT_EX *label* to a hyper reference, to ease the pain of referring to it later.

```

4220 \def\label@hyperref[#1]{%
4221   \expandafter\label@\hyperref\csname r@#1\endcsname{#1}%
4222 }%
4223 \def\label@hyperref#1#2#3{%
4224   \ifx#1\relax
4225     \protect\G@refundefinedtrue
4226     \G@latex@warning{%
4227       Hyper reference '#2' on page \thepage \space undefined%
4228     }%
4229     \hyper@link{}{??}{#3}%
4230   \else
4231     \hyper@link{\expandafter\G@fifthoffive#1}{%
4232       \expandafter\G@fourthoffive#1\G@empty\G@empty}{#3}%
4233   \fi
4234 }
4235 \def\label@hyperdef[#1]#2#3#4{%
4236   % label name, category, name,
4237   % anchor text
4238   \G@bsphack
4239   \ifx\\#2\\%
4240     \def\Hy@AnchorName{#3}%

```

```

4241   \def\Hy@AnchorName{\#2.\#3}%
4242 \fi
4243 \if@filesw
4244   \protected@write\auxout{}{%
4245     \string\newlabel{\#1}{{}\{}{\}\}{\Hy@AnchorName}{}}
4246   }%
4247 \fi
4248 \c@esp@h@ck
4249 \ifHy@nesting
4250   \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{\#4}%
4251 \else
4252   \expandafter\hyper@anchor\expandafter{\Hy@AnchorName}{\relax}\#4%
4253 \fi
4254 }

```

17 Underlying basic hypertext macros

Links have an optional type, a filename (possibly a URL), an internal name, and some marked text. (Caution: the internal name may contain babel shorthand characters.) If the second parameter is empty, its an internal link, otherwise we need to open another file or a URL. A link start has a type, and a URL.

```

4255 \def\hyper@link{\let\Hy@reserved@a\relax
4256   \@ifnextchar[{\hyper@link@}{\hyper@link@[link]}%
4257 }
4258 \def\hyper@link@[#1]#2#3#4{%
4259   \begingroup
4260   \protected@edef\Hy@tempa{#2}%
4261   \Hy@safe@activestrue
4262   \edef\x{#3}%
4263   \ifx\Hy@tempa\empty
4264     \toks0{\hyper@link{#1}}%
4265   \else
4266     \toks0{\expandafter\hyper@readexternallink#2\{\#1\}}%
4267   \fi
4268   \toks2{%
4269     \Hy@safe@activefalse
4270     #4%
4271   }%
4272   \edef\Hy@tempa{\the\toks2}%
4273   \edef\x{\endgroup
4274   \ifx\Hy@tempa\empty
4275     \noexpand\Hy@Warning{Suppressing empty link}%
4276   \else
4277     \the\toks0 {\x}{\the\toks2}%
4278   \fi
4279 }%
4280 \x
4281 }

```

The problem here is that the first (URL) parameter may be a local file: reference (in which case some browsers treat it differently) or a genuine URL, in which case we'll have to activate a real Web browser. Note that a simple name is also a URL, as that is interpreted as a relative file name. We have to worry about # signs in a local file as well.

```
4282 \def\hyper@readexternallink#1\\#2#3#4{%
```

Parameters are:

1. The URL or file name
2. The type
3. The internal name
4. The link string

We need to get the 1st parameter properly expanded, so we delimit the arguments rather than passing it inside a group.

```
4283 \expandafter\@hyper@readexternallink{#2}{#3}{#4}#1:\\\{#1}%
4284 }
```

Now (potentially), we are passed: 1) The link type 2) The internal name, 3) the link string, 4) the URL type (http, mailto, file etc), 5) the URL details 6) anything after a real : in the URL 7) the whole URL again

```
4285 \def\@pdftempwordfile{file}%
4286 \def\@pdftempwordrun{run}%
4287 \def\@hyper@readexternallink#1#2#3#4:#5:#6\\#7{%
```

If there are no colons at all (#6 is blank), its a local file; if the URL type (#4) is blank, its probably a Mac filename, so treat it like a file: URL. The only flaw is if its a relative Mac path, with several colon-separated elements — then we lose. Such names must be prefixed with an explicit dvi:

```
4288 \ifx\\#6\\%
4289 \expandafter\@hyper@linkfile file:#7\\{#3}{#2}%
4290 \else
4291 \ifx\\#4\\%
4292 \expandafter\@hyper@linkfile file:#7\\{#3}{#2}%
4293 \else
```

If the URL type is ‘file’, pass it for local opening

```
4294 \def\@pdftempa{#4}%
4295 \ifx\@pdftempa\@pdftempwordfile
4296 \expandafter\@hyper@linkfile#7\\{#3}{#2}%
4297 \else
```

if it starts ‘run:’, its to launch an application.

```
4298 \ifx\@pdftempa\@pdftempwordrun
4299 \ifHy@pdfa
4300 \PackageError{hyperref}{%
4301 PDF/A: Launch action is prohibited%
4302 }@\ehc
4303 \begingroup
4304 \leavevmode
4305 #2%
4306 \endgroup
4307 \else
4308 \expandafter\@hyper@launch#7\\{#3}{#2}%
4309 \fi
4310 \else
```

otherwise its a URL

```
4311 \hyper@linkurl{#3}{#7}\ifx\\#2\\else\hyper@hash#2\fi}%
4312 \fi
4313 \fi
4314 \fi
4315 \fi
4316 }
```

By default, turn run: into file:

```
4317 \def\@hyper@launch run:#1\\#2#3{%
4318   \hyper@linkurl{#2}{%
4319     \Hy@linkfileprefix
4320     #1%
4321     \ifx\\#3\\%
4322     \else
4323       \hyper@hash
4324       #3%
4325     \fi
4326   }%
4327 }
```

D P Story <story@uakron.edu> pointed out that relative paths starting .. fell over.
Switched to using \filename@parse to solve this.

```
4328 \def\@hyper@linkfile file:#1\\#2#3{%
4329   %file url,link string, name
4330   \filename@parse{#1}%
4331   \ifx\filename@ext\relax
4332     \edef\filename@ext{\XR@ext}%
4333   \fi
4334   \def\use@file{\filename@area\filename@base.\filename@ext}%
4335   \ifx\filename@ext\XR@ext
4336     \hyper@linkfile{#2}{\use@file}{#3}%
4337   \else
4338     \ifx\@baseurl\@empty
4339       \hyper@linkurl{#2}{%
4340         \Hy@linkfileprefix\use@file\ifx\\#3\\else\hyper@hash#3\fi
4341       }%
4342     \else
4343       \hyper@linkurl{#2}{\use@file\ifx\\#3\\else\hyper@hash#3\fi}%
4344     \fi
4345   \fi
4346 }
```

Anchors have a name, and marked text. We have to be careful with the marked text, as if we break off part of something to put a \special around it, all hell breaks loose. Therefore, we check the category code of the first token, and only proceed if its safe. Tanmoy sorted this out.

A curious case arises if the original parameter was in braces. That means that #2 comes here a multiple letters, and the noexpand just looks at the first one, putting the rest in the output. Yuck.

```
4347 \long\def\hyper@@anchor#1#2{%
4348   \long\def\@hyper@@anchor#1\relax#2\relax{%
4349     \ifx\\#1\\%
4350       #2\Hy@WarningNoLine{empty link? #1: #2#3}%
4351     \else
4352       \def\anchor@spot{#2#3}%
4353       \let\put@me@back\@empty
4354       \ifx\relax#2\relax
4355     \else
4356       \ifHy@nesting
4357     \else
4358       \ifcat a\noexpand#2\relax
4359     \else
4360       \ifcat 0\noexpand#2\relax
4361     \else
```

```

4362 \%          \typeout{Anchor start is not alphanumeric %
4363 \%          on input line\the\inputlineno%
4364 \%          }%
4365   \let\anchor@spot\@empty
4366   \def\put@me@back{\#2\#3}%
4367   \fi
4368   \fi
4369   \fi
4370   \fi
4371 \ifHy@activeanchor
4372   \anchor@spot
4373 \else
4374   \hyper@anchor{\#1}%
4375 \fi
4376 \expandafter\put@me@back
4377 \fi
4378 \let\anchor@spot\@empty
4379 }

```

18 Compatibility with the *LATEX2html* package

Map our macro names on to Nikos', so that documents prepared for that system will work without change.

Note, however, that the whole complicated structure for segmenting documents is not supported; it is assumed that the user will load *html.sty* first, and then *hyperref.sty*, so that the definitions in *html.sty* take effect, and are then overridden in a few circumstances by this package.

```

4380 \let\htmladdimg\hyperimage
4381 \def\htmladdnormallink{\#1\#2{\href{\#2}{\#1}}}
4382 \def\htmladdnormallinkfoot{\#1\#2{\href{\#2}{\#1}\footnote{\#2}}}
4383 \def\htmlref{\#1\#2{\% anchor text, label
4384   \label@hyperref{\#2}\#1\%}
4385 }

```

This is really too much. The *LATEX2html* package defines its own *\hyperref* command, with a different syntax. Was this always here? Its weird, anyway. We interpret it in the ‘printed’ way, since we are about fidelity to the page.

```

4386 \def\@latextohtmlX{%
4387   \let\hhyperref\hyperref
4388   \def\hyperref{\#1\#2\#3\#4{\% anchor text for HTML
4389     % text to print before label in print
4390     % label
4391     % post-label text in print
4392     \#2\ref{\#4}\#3\%
4393   }%
4394 }

```

19 Forms creation

Allow for creation of PDF or HTML forms. The effects here are limited somewhat by the need to support both output formats, so it may not be as clever as something which only wants to make PDF forms.

I (Sebastian) could not have started this without the encouragement of T V Raman.

19.1 Field flags

The field flags are organized in a bit set.

```
4395 \RequirePackage{bitset}
```

Each flag has a option name, an `\if` switch, and a bit position. The default is always ‘false’, the flag is clear. This is also the default of the switch created by `\newif`.

The names of the flags in the PDF specification (1.7) are used as lowercase option names.

```
\HyField@NewFlag #1: type: F annot flags, Ff field flags  
#2: PDF name  
#3: PDF position  
4396 \def\HyField@NewFlag#1#2{  
4397   \lowercase{\HyField@NewOption{#2}}%  
4398   \lowercase{\HyField@NewBitsetFlag{#2}{#2}{#1}}%  
4399 }
```

```
\HyField@NewFlagOnly  
4400 \def\HyField@NewFlagOnly#1#2{  
4401   \lowercase{\HyField@NewBitsetFlag{#2}{#2}{#1}}%  
4402 }
```

```
\HyField@NewOption #1: option name  
4403 \def\HyField@NewOption#1{  
4404   \expandafter\newif\csname ifFld@#1\endcsname  
4405   \define@key{Field}{#1}[true]{  
4406     \lowercase{\Field@boolkey{##1}{#1}}%  
4407   }%  
4408 }
```

```
\HyField@NewBitsetFlag Package ‘bitset’ uses zero based positions, the PDF specification starts with one.  
#1: option  
#2: PDF name  
#3: type: F annot flags, Ff field flags  
#4: PDF position  
4409 \def\HyField@NewBitsetFlag#1#2#3#4{  
4410   \begingroup  
4411     \count@=#4\relax  
4412     \advance\count@\m@ne  
4413     \def\x##1{  
4414       \endgroup  
4415       \expandafter\def\csname HyField@#3@#1\endcsname{##1}%  
4416       \expandafter\ifx\csname HyField@#3@##1\endcsname\relax  
4417         \expandafter\edef\csname HyField@#3@##1\endcsname{  
4418           (\number#4) #2%  
4419         }%  
4420       \else  
4421         \expandafter\edef\csname HyField@#3@##1\endcsname{  
4422           \csname HyField@#3@##1\endcsname  
4423           /#2%  
4424         }%  
4425       \fi  
4426     }%  
4427   \expandafter\x\expandafter{\the\count@}%  
4428 }
```

\HyField@UseFlag The bit set is HyField@#1

```

4429 \def\HyField@UseFlag#1#2{%
4430   \lowercase{\HyField@@UseFlag{#2}{#1}}%
4431 }
```

\HyField@@UseFlag

```

4432 \def\HyField@@UseFlag#1#2{%
4433   \bitsetSetValue{HyField@#2}{%
4434     \csname HyField@#2@#1\endcsname
4435   }{%
4436     \csname ifFld@#1\endcsname 1\else 0\fi
4437   }%
4438 }
```

\HyField@SetFlag The bit set is HyField@#1

```

4439 \def\HyField@SetFlag#1#2{%
4440   \lowercase{\HyField@@SetFlag{#2}{#1}}%
4441 }
```

\HyField@@SetFlag

```

4442 \def\HyField@@SetFlag#1#2{%
4443   \bitsetSetValue{HyField@#2}{%
4444     \csname HyField@#2@#1\endcsname
4445   }{1}%
4446 }
```

\HyField@PrintFlags

```

4447 \def\HyField@PrintFlags#1#2{%
4448   \ifHy@verbose
4449     \begingroup
4450       \let\Hy@temp\@empty
4451       \let\MessageBreak\relax
4452       \expandafter\@for\expandafter\x\expandafter:\expandafter=%
4453       \bitsetGetSetBitList{HyField@#1}\do{%
4454         \edef\Hy@temp{%
4455           \Hy@temp
4456           \csname HyField@#1@\x\endcsname\MessageBreak
4457         }%
4458       }%
4459     \edef\x{\endgroup
4460     \noexpand\Hy@Info{%
4461       Field flags: %
4462       \expandafter\ifx\@car#1\@nil S\else/\fi
4463       #1 %
4464       \bitsetGetDec{HyField@#1} %
4465       (0x\bitsetGetHex{HyField@#1}{32})\MessageBreak
4466       \Hy@temp
4467       for #2%
4468     }%
4469   }\x
4470 \fi
4471 }
```

19.1.1 Declarations of field flags

“Table 8.70 Field flags common to all field types”

```

4472 \HyField@NewFlag{Ff}{ReadOnly}{1}
4473 \HyField@NewFlag{Ff}{Required}{2}
4474 \HyField@NewFlag{Ff}{NoExport}{3}

```

“Table 8.75 Field flags specific to button fields”

```

4475 \HyField@NewFlag{Ff}{NoToggleToOff}{15}
4476 \HyField@NewFlag{Ff}{Radio}{16}
4477 \HyField@NewFlag{Ff}{PushButton}{17}
4478 \HyField@NewFlag{Ff}{RadiosInUnison}{26}

```

“Table 8.77 Field flags specific to text fields”

```

4479 \HyField@NewFlag{Ff}{Multiline}{13}
4480 \HyField@NewFlag{Ff}{Password}{14}
4481 \HyField@NewFlag{Ff}{FileSelect}{21}%
4482 \HyField@NewFlag{Ff}{DoNotSpellCheck}{23}%
4483 \HyField@NewFlag{Ff}{DoNotScroll}{24}%
4484 \HyField@NewFlag{Ff}{Comb}{25}%
4485 \HyField@NewFlag{Ff}{RichText}{26}%

```

“Table 8.79 field flags specific to choice fields”

```

4486 \HyField@NewFlag{Ff}{Combo}{18}
4487 \HyField@NewFlag{Ff}{Edit}{19}
4488 \HyField@NewFlag{Ff}{Sort}{20}
4489 \HyField@NewFlag{Ff}{MultiSelect}{22}%
4490 % \HyField@NewFlag{Ff}{DoNotSpellCheck}{23}%
4491 \HyField@NewFlag{Ff}{CommitOnSelChange}{27}%

```

Signature fields are not supported.

Until 6.76i hyperref uses field option ‘combo’ to set three flags ‘Combo’, ‘Edit’, and ‘Sort’. Option ‘popdown’ sets flag ‘Combo’ only.

```

4492 \newif\ifFld@popdown
4493 \define@key{Field}{popdown}[true]{%
4494   \lowercase{\Field@boolkey{#1}}{popdown}%
4495 }

```

Annotation flags. The form objects are widget annotations. There are two flags for readonly settings, the one in the annotation flags is ignored, instead the other in the field flags is used.

Flag Print is not much useful, because hyperref do not use the appearance entry of the annotations for most fields.

```

4496 \HyField@NewFlag{F}{Invisible}{1}
4497 \HyField@NewFlag{F}{Hidden}{2}%
4498 \HyField@NewFlag{F}{Print}{3}%
4499 \HyField@NewFlag{F}{NoZoom}{4}%
4500 \HyField@NewFlag{F}{NoRotate}{5}%
4501 \HyField@NewFlag{F}{NoView}{6}%
4502 \HyField@NewFlag{F}{Locked}{8}%
4503 \HyField@NewFlag{F}{ToggleNoView}{9}%
4504 \HyField@NewFlag{F}{LockedContents}{10}%

```

```

4505 \ifHy@pdflatex
4506   \def\HyField@PDFAFlagWarning{\#1\#2}%
4507   \Hy@Warning{%
4508     PDF/A: Annotation flag '\#1' must\MessageBreak
4509     be set to '\#2'%
4510   }%
4511 }%
4512 \Fld@invisiblefalse
4513 \def\Fld@invisibletrue{%

```

```

4514   \HyField@PDFAFlagWarning{invisible}{false}%
4515 }%
4516 \Fld@hiddenfalse
4517 \def\Fld@hiddentrue{%
4518   \HyField@PDFAFlagWarning{hidden}{false}%
4519 }%
4520 \Fld@printtrue
4521 \def\Fld@printfalse{%
4522   \HyField@PDFAFlagWarning{print}{true}%
4523 }%
4524 \Fld@nozoomtrue
4525 \def\Fld@nozoomfalse{%
4526   \HyField@PDFAFlagWarning{nozoom}{true}%
4527 }%
4528 \Fld@norotatetrue
4529 \def\Fld@norotatefalse{%
4530   \HyField@PDFAFlagWarning{norotate}{true}%
4531 }%
4532 \Fld@noviewfalse
4533 \def\Fld@noviewtrue{%
4534   \HyField@PDFAFlagWarning{noview}{false}%
4535 }%
4536 \fi

```

Submit flags. Flag 1 Include/Exclude is not supported, use option noexport instead.

```

4537 \HyField@NewFlag{Submit}{IncludeNoValueFields}{2}
4538 \HyField@NewFlagOnly{Submit}{ExportFormat}{3}
4539 \HyField@NewFlag{Submit}{GetMethod}{4}
4540 \HyField@NewFlag{Submit}{SubmitCoordinates}{5}
4541 \HyField@NewFlagOnly{Submit}{XFDF}{6}
4542 \HyField@NewFlag{Submit}{IncludeAppendSaves}{7}
4543 \HyField@NewFlag{Submit}{IncludeAnnotations}{8}
4544 \HyField@NewFlagOnly{Submit}{SubmitPDF}{9}
4545 \HyField@NewFlag{Submit}{CanonicalFormat}{10}
4546 \HyField@NewFlag{Submit}{ExclNonUserAnnots}{11}
4547 \HyField@NewFlag{Submit}{ExclFKey}{12}
4548 \HyField@NewFlag{Submit}{EmbedForm}{14}

4549 \define@key{Field}{export}{%
4550   \lowercase{\def\Hy@temp{\#1}}%
4551   \@ifundefined{Fld@export@\Hy@temp}{%
4552     \@onellevel@sanitize\Hy@temp
4553     \PackageError{hyperref}{%
4554       Unknown export format `\'\Hy@temp'\MessageBreak
4555       Known formats are 'FDF', 'HTML', 'XFDF', and 'PDF'%
4556     }\@ehc
4557   }%
4558   \let\Fld@export\Hy@temp
4559 }%
4560 }
4561 \def\Fld@export{fdf}
4562 \namedef{Fld@export@fdf}{0}%
4563 \namedef{Fld@export@html}{1}%
4564 \namedef{Fld@export@xfdf}{2}%
4565 \namedef{Fld@export@pdf}{3}%

```

19.1.2 Set submit flags

```
\HyField@FlagsSubmit

4566 \def\HyField@FlagsSubmit{%
4567   \bitsetReset{HyField@Submit}%
4568   \ifcase\@nameuse{Fld@export@\Fld@export} %
4569     % FDF
4570     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
4571     \HyField@UseFlag{Submit}{SubmitCoordinates}%
4572     \HyField@UseFlag{Submit}{IncludeAppendSaves}%
4573     \HyField@UseFlag{Submit}{IncludeAnnotations}%
4574     \HyField@UseFlag{Submit}{CanonicalFormat}%
4575     \HyField@UseFlag{Submit}{ExclNonUserAnnots}%
4576     \HyField@UseFlag{Submit}{ExclFKey}%
4577     \HyField@UseFlag{Submit}{EmbedForm}%
4578   \or % HTML
4579     \HyField@SetFlag{Submit}{ExportFormat}%
4580     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
4581     \HyField@UseFlag{Submit}{GetMethod}%
4582     \HyField@UseFlag{Submit}{SubmitCoordinates}%
4583     \HyField@UseFlag{Submit}{CanonicalFormat}%
4584   \or % XFDF
4585     \HyField@SetFlag{Submit}{XFDF}%
4586     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
4587     \HyField@UseFlag{Submit}{SubmitCoordinates}%
4588     \HyField@UseFlag{Submit}{CanonicalFormat}%
4589   \or % PDF
4590     \HyField@SetFlag{Submit}{SubmitPDF}%
4591     \HyField@UseFlag{Submit}{GetMethod}%
4592   \fi
4593   \HyField@PrintFlags{Submit}{submit button field}%
4594   \bitsetIsEmpty{HyField@Submit}%
4595   \def\Fld@submitflags{}%
4596 }{%
4597   \edef\Fld@submitflags{/Flags \bitsetGetDec{HyField@Submit}}%
4598 }%
4599 }
```

19.1.3 Set annot flags in fields

```
\HyField@FlagsAnnot

4600 \def\HyField@FlagsAnnot#1{%
4601   \bitsetReset{HyField@F}%
4602   \HyField@UseFlag{F}{Invisible}%
4603   \HyField@UseFlag{F}{Hidden}%
4604   \HyField@UseFlag{F}{Print}%
4605   \HyField@UseFlag{F}{NoZoom}%
4606   \HyField@UseFlag{F}{NoRotate}%
4607   \HyField@UseFlag{F}{NoView}%
4608   \HyField@UseFlag{F}{Locked}%
4609   \HyField@UseFlag{F}{ToggleNoView}%
4610   \HyField@UseFlag{F}{LockedContents}%
4611   \HyField@PrintFlags{F}{#1}%
4612   \bitsetIsEmpty{HyField@F}%
4613   \def\Fld@annotflags{}%
4614 }{%
4615   \edef\Fld@annotflags{/F \bitsetGetDec{HyField@F}}%
```

```
4616 }%
4617 }
```

19.1.4 Pushbutton field

```
\HyField@FlagsPushButton
```

```
4618 \def\HyField@FlagsPushButton{%
4619   \HyField@FlagsAnnot{push button field}%
4620   \bitsetReset{\HyField@Ff}%
4621   \HyField@UseFlag{Ff}{ReadOnly}%
4622   \HyField@UseFlag{Ff}{Required}%
4623   \HyField@UseFlag{Ff}{NoExport}%
4624   \HyField@SetFlag{Ff}{Pushbutton}%
4625   \HyField@PrintFlags{Ff}{push button field}%
4626   \bitsetIsEmpty{\HyField@Ff}{%
4627     \def\Fld@flags{}%
4628   }{%
4629     \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}{%
4630   }%
4631 }
```

19.1.5 Check box field

```
\HyField@FlagsCheckBox
```

```
4632 \def\HyField@FlagsCheckBox{%
4633   \HyField@FlagsAnnot{check box field}%
4634   \bitsetReset{\HyField@Ff}%
4635   \HyField@UseFlag{Ff}{ReadOnly}%
4636   \HyField@UseFlag{Ff}{Required}%
4637   \HyField@UseFlag{Ff}{NoExport}%
4638   \HyField@PrintFlags{Ff}{check box field}%
4639   \bitsetIsEmpty{\HyField@Ff}{%
4640     \def\Fld@flags{}%
4641   }{%
4642     \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}{%
4643   }%
4644 }
```

19.1.6 Radio button field

```
\HyField@FlagsRadioButton
```

```
4645 \def\HyField@FlagsRadioButton{%
4646   \HyField@FlagsAnnot{radio button field}%
4647   \bitsetReset{\HyField@Ff}%
4648   \HyField@UseFlag{Ff}{ReadOnly}%
4649   \HyField@UseFlag{Ff}{Required}%
4650   \HyField@UseFlag{Ff}{NoExport}%
4651   \HyField@UseFlag{Ff}{NoToggleToOff}%
4652   \HyField@SetFlag{Ff}{Radio}%
4653   \HyField@UseFlag{Ff}{RadiosInUnison}%
4654   \HyField@PrintFlags{Ff}{radio button field}%
4655   \bitsetIsEmpty{\HyField@Ff}{%
4656     \def\Fld@flags{}%
4657   }{%
4658     \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}{%
4659   }%
4660 }
```

4660 }

19.1.7 Text fields

\HyField@FlagsText

```
4661 \def\HyField@FlagsText{%
4662   \HyField@FlagsAnnot{text field}%
4663   \bitsetReset{\HyField@Ff}%
4664   \HyField@UseFlag{Ff}{ReadOnly}%
4665   \HyField@UseFlag{Ff}{Required}%
4666   \HyField@UseFlag{Ff}{NoExport}%
4667   \HyField@UseFlag{Ff}{Multiline}%
4668   \HyField@UseFlag{Ff}{Password}%
4669   \HyField@UseFlag{Ff}{FileSelect}%
4670   \HyField@UseFlag{Ff}{DoNotSpellCheck}%
4671   \HyField@UseFlag{Ff}{DoNotScroll}%
4672   \ifFld@comb
4673     \ifcase0\ifFld@multiline
4674       \else\ifFld@password
4675       \else\ifFld@fileselect
4676       \else 1\fi\fi\fi\relax
4677     \PackageError{hyperref}{%
4678       Field option `comb' cannot used together with\MessageBreak
4679       `multiline', `password', or `fileselect'%
4680     }\@ehc
4681   \else
4682     \HyField@UseFlag{Ff}{Comb}%
4683   \fi
4684 \fi
4685 \HyField@UseFlag{Ff}{RichText}%
4686 \HyField@PrintFlags{Ff}{text field}%
4687 \bitsetIsEmpty{\HyField@Ff}%
4688   \def\Fld@flags{}%
4689 }%
4690   \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}%
4691 }%
4692 }
```

19.1.8 Choice fields

\HyField@FlagsChoice

```
4693 \def\HyField@FlagsChoice{%
4694   \HyField@FlagsAnnot{choice field}%
4695   \bitsetReset{\HyField@Ff}%
4696   \HyField@UseFlag{Ff}{ReadOnly}%
4697   \HyField@UseFlag{Ff}{Required}%
4698   \HyField@UseFlag{Ff}{NoExport}%
4699   \HyField@UseFlag{Ff}{Combo}%
4700   \ifFld@combo
4701     \HyField@UseFlag{Ff}{Edit}%
4702   \fi
4703   \HyField@UseFlag{Ff}{Sort}%
4704   \HyField@UseFlag{Ff}{MultiSelect}%
4705   \ifFld@combo
4706     \ifFld@edit
4707       \HyField@UseFlag{Ff}{DoNotSpellCheck}%
```

```

4708     \fi
4709     \fi
4710     \HyField@UseFlag{Ff}{CommitOnSelChange}%
4711     \HyField@PrintFlags{Ff}{choice field}%
4712     \bitsetIsEmpty{\HyField@Ff}%
4713     \def\Fld@flags{}%
4714   }%
4715   \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}%
4716 }%
4717 }

```

19.2 Choice field

\HyField@PDFChoices #1: list of choices in key value syntax, key = exported name, value = displayed text.
Input: \Fld@default, \Fld@value, \ifFld@multiselect
Result: \Fld@choices with entries: /Opt, /DV, /V, /I.

```

4718 \def\HyField@PDFChoices#1{%
4719   \begingroup
4720   \gdef\Fld@choices{}%
4721   \def\HyTmp@optlist{}%
4722   \let\HyTmp@optitem\relax
4723   \count@=0 %
4724   \kv@parse{#1}{%
4725     \Hy@pdfstringdef\kv@key\kv@key
4726     \ifx\kv@value\relax
4727       \ifnum\Hy@pdfversion<3 % implementation note 122, PDF spec 1.7
4728         \xdef\Fld@choices{\Fld@choices[(\kv@key)(\kv@key)]}%
4729       \else
4730         \xdef\Fld@choices{\Fld@choices(\kv@key)}%
4731       \fi
4732     \else
4733       \Hy@pdfstringdef\kv@value\kv@value
4734       \xdef\Fld@choices{\Fld@choices[(\kv@value)(\kv@key)]}%
4735     \fi
4736   \edef\HyTmp@optlist{%
4737     \HyTmp@optlist
4738     \HyTmp@optitem{\the\count@}{\kv@key}0%
4739   }%
4740   \advance\count@ by 1 %
4741   \gobbletwo
4742 }%
4743 \xdef\Fld@choices{/Opt[\Fld@choices]}%
4744 \ifFld@multiselect
4745   \HyField@PDFChoices{DV}\Fld@default
4746   \HyField@PDFChoices{V}\Fld@value
4747 \else
4748   \ifx\Fld@default\relax
4749   \else
4750     \pdfstringdef\Hy@gtemp\Fld@default
4751     \xdef\Fld@choices{\Fld@choices/DV(\Hy@gtemp)}%
4752   \fi
4753   \ifx\Fld@value\relax
4754   \else
4755     \pdfstringdef\Hy@gtemp\Fld@value
4756     \xdef\Fld@choices{\Fld@choices/V(\Hy@gtemp)}%
4757   \fi
4758 \fi

```

```

4759 \endgroup
4760 }

\HyField@@PDFChoices

4761 \def\HyField@@PDFChoices#1##2{%
4762   \ifx##2\relax
4763   \else
4764     \count@=0 %
4765     \def\HyTmp@optitem##1##2##3{%
4766       \def\HyTmp@key{##2}%
4767       \ifx\HyTmp@key\Hy@gtemp
4768         \expandafter\def\expandafter\HyTmp@optlist\expandafter{%
4769           \HyTmp@optlist
4770           \HyTmp@optitem{##1}{##2}1%
4771         }%
4772         \let\HyTmp@found=Y%
4773       \else
4774         \expandafter\def\expandafter\HyTmp@optlist\expandafter{%
4775           \HyTmp@optlist
4776           \HyTmp@optitem{##1}{##2}##3%
4777         }%
4778       \fi
4779     }%
4780     \expandafter\comma@parse\expandafter{##2}{%
4781       \pdfstringdef\Hy@gtemp\comma@entry
4782       \let\HyTmp@found=N %
4783       \expandafter\let\expandafter\HyTmp@optlist\expandafter\@empty
4784       \HyTmp@optlist
4785       \ifx\HyTmp@found Y%
4786         \advance\count@ by 1 %
4787       \else
4788         \onelevel@sanitize\comma@entry
4789         \PackageWarning{hyperref}{%
4790           \string\ChoiceBox: Ignoring value '\comma@entry',%
4791           \MessageBreak
4792           it cannot be found in the choices%
4793         }%
4794       \fi
4795       \@gobble
4796     }%
4797     \def\HyTmp@optitem##1##2##3{%
4798       \ifnum##3=1 %
4799         (##2)%
4800       \fi
4801     }%
4802     \ifcase\count@
4803     \or
4804       \xdef\Fld@choices{\Fld@choices/#1\HyTmp@optlist}%
4805     \else
4806       \xdef\Fld@choices{\Fld@choices/#1[\HyTmp@optlist]}%
4807       \ifx##1V%
4808         \def\HyTmp@optitem##1##2##3{%
4809           \ifnum##3=1 %
4810             \firstofone{ ##1}%
4811           \fi
4812         }%
4813       \edef\HyTmp@optlist{\HyTmp@optlist}%

```

```

4814      \xdef\Fld@choices{%
4815          \Fld@choices
4816          /I[\expandafter\@firstofone\HyTmp@optlist]%
4817          }%
4818          \fi
4819      \fi
4820  \fi
4821 }

```

19.3 Forms

\HyField@SetKeys

```

4822 \def\HyField@SetKeys{%
4823   \setkeys{Field}%
4824 }

4825 \newif\ifFld@checked
4826 \newif\ifFld@disabled
4827 \Fld@checkedfalse
4828 \Fld@disabledfalse
4829 \newcount\Fld@menulength
4830 \newdimen\Field@Width
4831 \newdimen\Fld@charsize
4832 \Fld@charsize=10\p@
4833 \def\Fld@maxlen{0}
4834 \def\Fld@align{0}
4835 \def\Fld@color{0 0 0 rg}
4836 \def\Fld@bcolor{1 1 1}
4837 \def\Fld@bordercolor{1 0 0}
4838 \def\Fld@bordersep{1\p@}
4839 \def\Fld@borderwidth{1}
4840 \def\Fld@borderstyle{S}
4841 \def\Fld@cbsymbol{4}
4842 \def\Fld@radiosymbol{H}
4843 \def\Fld@rotation{0}
4844 \def\Form{\@ifnextchar[{\@Form}{\@Form[]}}
4845 \def\endForm{\@endForm}
4846 \newif\ifForm@html
4847 \Form@htmlfalse
4848 \def\Form@boolkey#1#2{%
4849   \csname Form@#2\ifx\relax#1\relax true\else#1\fi\endcsname
4850 }
4851 \define@key{Form}{action}{%
4852   \hyper@normalise\Hy@DefFormAction{#1}%
4853 }
4854 \def\Hy@DefFormAction{\def\Form@action}
4855 \def\enc@@html{html}
4856 \define@key{Form}{encoding}{%
4857   \def\Hy@tempa{#1}%
4858   \ifx\Hy@tempa\enc@@html
4859     \Form@htmltrue
4860     \def\Fld@export{html}%
4861   \else
4862     \typeout{hyperref: form 'encoding' key set to #1 %
4863           -- unknown type%}
4864   }%
4865   \Form@htmlfalse

```

```

4866 \fi
4867 }
4868 \define@key{Form}{method}{%
4869 \lowercase{\def\Hy@temp{\#1}}%
4870 \c@ifundefined{Form@method@\Hy@temp}{%
4871 \c@onelevel@sanitize\Hy@temp
4872 \PackageError{hyperref}{%
4873 Unknown method '\Hy@temp'.\MessageBreak
4874 Known values are 'post' and 'get'%}
4875 }@\ehc
4876 }{%
4877 \let\Form@method\Hy@temp
4878 \ifcase\c@nameuse{Form@method@\Hy@temp} %
4879 \Fld@getmethodfalse
4880 \else
4881 \Fld@getmethodtrue
4882 \fi
4883 }%
4884 }
4885 \def\Form@method{}
4886 \c@namedef{Form@method@post}{0}
4887 \c@namedef{Form@method@get}{1}
4888 \def\Field@boolkey{\#1\#2}{%
4889 \csname Fld@#2\ifx\relax\#1\relax true\else\#1\fi\endcsname
4890 }
4891 \newtoks\Field@toks
4892 \Field@toks={ }%
4893 \def\Field@addtoks{\#1\#2}{%
4894 \edef\c@processme{\Field@toks{\the\Field@toks\space \#1="#"2}}%
4895 \c@processme
4896 }
4897 \def\Fld@checkequals{\#1\#2\#3}{%
4898 \def\c@currDisplay{\#1}%
4899 \ifx\#2\%
4900 \def\c@currValue{\#1}%
4901 \else
4902 \def\c@currValue{\#2}%
4903 \fi
4904 }
4905 \define@key{Field}{loc}{%
4906 \def\Fld@loc{\#1}%
4907 }
4908 \define@key{Field}{checked}[true]{%
4909 \lowercase{\Field@boolkey{\#1}}{checked}%
4910 }
4911 \define@key{Field}{disabled}[true]{%
4912 \lowercase{\Field@boolkey{\#1}}{disabled}%
4913 }
4914 \define@key{Field}{accesskey}{%
4915 \Field@addtoks{accesskey}{\#1}%
4916 }
4917 \define@key{Field}{tabkey}{%
4918 \Field@addtoks{tabkey}{\#1}%
4919 }
4920 \define@key{Field}{name}{%
4921 \def\Fld@name{\#1}%
4922 }

```

```

4923 \define@key{Field}{width}{%
4924   \def\Fld@width{\#1}%
4925   \Field@Width\#1\setbox0=\hbox{m}%
4926 }
4927 \define@key{Field}{maxlen}{%
4928   \def\Fld@maxlen{\#1}%
4929 }
4930 \define@key{Field}{menulength}{%
4931   \Fld@menulength=\#1\relax
4932 }
4933 \define@key{Field}{height}{%
4934   \def\Fld@height{\#1}%
4935 }
4936 \define@key{Field}{charsize}{%
4937   \Fld@charsize\#1%
4938 }
4939 \define@key{Field}{borderwidth}{%
4940   \def\Fld@borderwidth{\#1}%
4941 }
4942 \define@key{Field}{borderstyle}{%
4943   \def\Fld@borderstyle{\#1}%
4944 }
4945 \define@key{Field}{bordersep}{%
4946   \def\Fld@bordersep{\#1}%
4947 }
4948 \define@key{Field}{default}{%
4949   \def\Fld@default{\#1}%
4950 }
4951 \define@key{Field}{align}{%
4952   \def\Fld@align{\#1}%
4953 }
4954 \define@key{Field}{value}{%
4955   \def\Fld@value{\#1}%
4956 }
4957 \define@key{Field}{checkboxsymbol}{%
4958   \Fld@DingDef\Fld@cbsymbol\#1}%
4959 }
4960 \define@key{Field}{radiosymbol}{%
4961   \Fld@DingDef\Fld@radiosymbol\#1}%
4962 }
4963 \def\Fld@DingDef{\#1\#2{%
4964   \def\Fld@temp{}%
4965   \Fld@DingDef\#2\ding{}\@nil
4966   \let\#1\Fld@temp
4967 }
4968 \def\Fld@@DingDef{\#1\ding\#2\#3\@nil{%
4969   \expandafter\def\expandafter\Fld@temp\expandafter{%
4970     \Fld@temp
4971     \#1%
4972   }%
4973   \ifx\\#3\\%
4974   \expandafter\@gobble
4975   \else
4976   \begingroup
4977     \lccode'0=\#2\relax
4978     \lowercase{\endgroup
4979     \expandafter\def\expandafter\Fld@temp\expandafter{%

```

```

4980      \Fld@temp
4981      0%
4982      }%
4983      }%
4984      \expandafter\@firstofone
4985      \fi
4986      {%
4987      \Fld@@DingDef#3\@nil
4988      }%
4989 }

4990 \define@key{Field}{rotation}{%
4991   \def\Fld@rotation{\#1}%
4992 }

4993 \define@key{Field}{backgroundcolor}{%
4994   \HyColor@FieldBColor{\#1}\Fld@bcolor{hyperref}{backgroundcolor}%
4995 }
4996 \define@key{Field}{bordercolor}{%
4997   \HyColor@FieldBColor{\#1}\Fld@bordercolor{hyperref}{bordercolor}%
4998 }
4999 \define@key{Field}{color}{%
5000   \HyColor@FieldColor{\#1}\Fld@color{hyperref}{color}%
5001 }

5002 \def\Fld@onclick@code{}
5003 \def\Fld@format@code{}
5004 \def\Fld@validate@code{}
5005 \def\Fld@calculate@code{}
5006 \def\Fld@keystroke@code{}
5007 \def\Fld@onfocus@code{}
5008 \def\Fld@onblur@code{}
5009 \def\Fld@onmousedown@code{}
5010 \def\Fld@onmouseup@code{}
5011 \def\Fld@onenter@code{}
5012 \def\Fld@onexit@code{}
5013 \def\Hy@temp{\#1}%
5014 \expandafter\Hy@@temp\csname Fld@#1@code\endcsname{\#1}%
5015 }

5016 \def\Hy@temp{\#1\#2}%
5017 \ifHy@pdfa
5018   \define@key{Field}{\#2}{%
5019     \PackageError{hyperref}{%
5020       PDF/A: Additional action '\#2' is prohibited%
5021     }{\@ehc}
5022   }%
5023 \else
5024   \define@key{Field}{\#2}{%
5025     \def\#1{\#1}%
5026   }%
5027 \fi
5028 }

5029 \Hy@temp{keystroke}
5030 \Hy@temp{format}
5031 \Hy@temp{validate}
5032 \Hy@temp{calculate}
5033 \Hy@temp{onfocus}
5034 \Hy@temp{onblur}
5035 \Hy@temp{onenter}

```

```

5036 \Hy@temp{onexit}
5037 \def\Hy@temp#1{%
5038   \define@key{Field}{#1}{%
5039     \Field@addtoks{#1}{##1}%
5040   }%
5041 }
5042 \Hy@temp{onselect}
5043 \Hy@temp{onchange}
5044 \Hy@temp{ondblclick}
5045 \Hy@temp{onmousedown}
5046 \Hy@temp{onmouseup}
5047 \Hy@temp{onmouseover}
5048 \Hy@temp{onmousemove}
5049 \Hy@temp{onmouseout}
5050 \Hy@temp{onkeypress}
5051 \Hy@temp{onkeydown}
5052 \Hy@temp{onkeyup}
5053 \ifHy@pdfa
5054   \define@key{Field}{onclick}{%
5055     \PackageError{hyperref}{%
5056       PDF/A: Action ‘onclick’ is prohibited%
5057     }@\ehc
5058   }%
5059 \else
5060   \define@key{Field}{onclick}{%
5061     \def\Fld@onclick@code{#1}%
5062     \Field@addtoks{onclick}{#1}%
5063   }%
5064 \fi
5065 \DeclareRobustCommand\TextField{%
5066   \@ifnextchar[{\@\TextField}{\@TextField[]}%
5067 }
5068 \DeclareRobustCommand\ChoiceMenu{%
5069   \@ifnextchar[{\@\ChoiceMenu}{\@ChoiceMenu[]}%
5070 }
5071 \DeclareRobustCommand\CheckBox{%
5072   \@ifnextchar[{\@\CheckBox}{\@CheckBox[]}%
5073 }
5074 \DeclareRobustCommand\PushButton{%
5075   \@ifnextchar[{\@\PushButton}{\@PushButton[]}%
5076 }
5077 \DeclareRobustCommand\Gauge{%
5078   \@ifnextchar[{\@\Gauge}{\@Gauge[]}%
5079 }
5080 \DeclareRobustCommand\Submit{%
5081   \@ifnextchar[{\@\Submit}{\@Submit[]}%
5082 }
5083 \DeclareRobustCommand\Reset{%
5084   \@ifnextchar[{\@\Reset}{\@Reset[]}%
5085 }
5086 \def\LayoutTextField#1#2{%
5087   #1 #2%
5088 }
5089 \def\LayoutChoiceField#1#2{%
5090   #1 #2%
5091 }
5092 \def\LayoutCheckField#1#2{%

```

```

5093 #1 #2%
5094 }
5095 \def\LayoutPushButtonField#1{%
5096 #1%
5097 }
5098 \def\MakeRadioField#1#2{\vbox to #2{\hbox to #1{\hfill}\vfill}}
5099 \def\MakeCheckField#1#2{\vbox to #2{\hbox to #1{\hfill}\vfill}}
5100 \def\MakeTextField#1#2{\vbox to #2{\hbox to #1{\hfill}\vfill}}
5101 \def\MakeChoiceField#1#2{\vbox to #2{\hbox to #1{\hfill}\vfill}}
5102 \def\MakeButtonField#1{%
5103 \sbox0{%
5104 \hspace{\Fld@borderwidth bp}\#1\hspace{\Fld@borderwidth bp}%
5105 }%
5106 \tempdima\ht0 %
5107 \advance\tempdima by \Fld@borderwidth bp %
5108 \advance\tempdima by \Fld@borderwidth bp %
5109 \ht0\tempdima
5110 \tempdima\dp0 %
5111 \advance\tempdima by \Fld@borderwidth bp %
5112 \advance\tempdima by \Fld@borderwidth bp %
5113 \dp0\tempdima
5114 \box0\relax
5115 }
5116 \def\DefaultHeightofSubmit{14pt}
5117 \def\DefaultWidthofSubmit{2cm}
5118 \def\DefaultHeightofReset{14pt}
5119 \def\DefaultWidthofReset{2cm}
5120 \def\DefaultHeightofCheckBox{\baselineskip}
5121 \def\DefaultWidthofCheckBox{\baselineskip}
5122 \def\DefaultHeightofChoiceMenu{\baselineskip}
5123 \def\DefaultWidthofChoiceMenu{\baselineskip}
5124 \def\DefaultHeightofText{\baselineskip}
5125 \def\DefaultHeightofTextMultiline{4\baselineskip}
5126 \def\DefaultWidthofText{3cm}
5127 \def\DefaultOptionsofSubmit{print,name=Submit,noexport}
5128 \def\DefaultOptionsofReset{print,name=Reset,noexport}
5129 \def\DefaultOptionsofPushButton{print}
5130 \def\DefaultOptionsofCheckBox{print}
5131 \def\DefaultOptionsofText{print}

```

Default options for the types of \ChoiceMenu.

```

5132 \def\DefaultOptionsofListBox{print}
5133 \def\DefaultOptionsofComboBox{print,edit,sort}
5134 \def\DefaultOptionsofPopdownBox{print}
5135 \def\DefaultOptionsofRadio{print,notoggletooff}

```

20 Setup

```

5136 \ifHy@figures
5137 \Hy@Info{Hyper figures ON}%
5138 \else
5139 \Hy@Info{Hyper figures OFF}%
5140 \fi
5141 \ifHy@nesting
5142 \Hy@Info{Link nesting ON}%
5143 \else
5144 \Hy@Info{Link nesting OFF}%

```

```

5145 \fi
5146 \ifHy@hyperindex
5147   \Hy@Info{Hyper index ON}%
5148 \else
5149   \Hy@Info{Hyper index OFF}%
5150 \fi
5151 \ifHy@backref
5152   \Hy@Info{backreferencing ON}%
5153 \else
5154   \Hy@Info{backreferencing OFF}%
5155 \fi
5156 \ifHy@colorlinks
5157   \Hy@Info{Link coloring ON}%
5158 \else
5159   \Hy@Info{Link coloring OFF}%
5160 \fi
5161 \ifHy@ocgcolorlinks
5162   \Hy@Info{Link coloring with OCG ON}%
5163 \else
5164   \Hy@Info{Link coloring with OCG OFF}%
5165 \fi
5166 \ifHy@pdfa
5167   \Hy@Info{PDF/A mode ON}%
5168 \else
5169   \Hy@Info{PDF/A mode OFF}%
5170 \fi

```

21 Low-level utility macros

We need unrestricted access to the #, ~ and " characters, so make them nice macros.

```

5171 \edef\hyper@hash{\string#}
5172 \edef\hyper@tilde{\string~}
5173 \edef\hyper@quote{\string"}
5174 \let\@currentHref\empty
5175 \let\Hy@footnote@currentHref\empty

```

We give the start of document a special label; this is used in backreferencing-by-section, to allow for cites before any sectioning commands. Set up PDF info.

```

5176 \AfterBeginDocument{%
5177   \Hy@pdfstringtrue
5178   \PDF@SetupDoc
5179   \let\PDF@SetupDoc\empty
5180   \Hy@DisableOption{pdfpagescrop}%
5181   \Hy@DisableOption{pdfpagemode}%
5182   \Hy@DisableOption{pdfnonfullscreenpagemode}%
5183   \Hy@DisableOption{pdfdirection}%
5184   \Hy@DisableOption{pdfviewarea}%
5185   \Hy@DisableOption{pdfviewclip}%
5186   \Hy@DisableOption{pdfprintarea}%
5187   \Hy@DisableOption{pdfprintclip}%
5188   \Hy@DisableOption{pdfprintscaling}%
5189   \Hy@DisableOption{pdfduplex}%
5190   \Hy@DisableOption{pdfpicktraybypdfsize}%
5191   \Hy@DisableOption{pdfprintpagerange}%
5192   \Hy@DisableOption{pdfnumcopies}%
5193   \Hy@DisableOption{pdfstartview}%
5194   \Hy@DisableOption{pdfstartpage}%

```

```

5195 \Hy@DisableOption{pdftoolbar}%
5196 \Hy@DisableOption{pdfmenubar}%
5197 \Hy@DisableOption{pdfwindowui}%
5198 \Hy@DisableOption{pdffitwindow}%
5199 \Hy@DisableOption{pdfcenterwindow}%
5200 \Hy@DisableOption{pdfdisplaydoctitle}%
5201 \Hy@DisableOption{pdfpagelayout}%
5202 \Hy@DisableOption{pdflang}%
5203 \Hy@DisableOption{baseurl}%
5204 \ifHy@texht\else\hyper@anchorstart{Doc-Start}\hyper@anchorend\fi
5205 \Hy@pdfstringfalse
5206 }

```

Ignore star from referencing macros:

```

5207 \LetLtxMacro\NoHy@OrgRef\ref
5208 \DeclareRobustCommand*\{\ref\}%
5209 \c@ifstar\NoHy@OrgRef\NoHy@OrgRef
5210 }
5211 \LetLtxMacro\NoHy@OrgPageRef\pageref
5212 \DeclareRobustCommand*\{\pageref\}%
5213 \c@ifstar\NoHy@OrgPageRef\NoHy@OrgPageRef
5214 }

```

22 Localized nullifying of package

Sometimes we just don't want the wretched package interfering with us. Define an environment we can put in manually, or include in a style file, which stops the hypertext functions doing anything. This is used, for instance, in the Elsevier classes, to stop hyperref playing havoc in the front matter.

```

5215 \def\NoHyper{%
5216 \def\hyper@link@##1##2##3##4{##4}%
5217 \def\hyper@anchor##1{}%
5218 \global\let\hyper@livelink\hyper@link
5219 \gdef\hyper@link##1##2##3##3{}%
5220 \def\hyper@anchor##1{}%
5221 \def\hyper@anchorstart##1{}%
5222 \let\hyper@anchorend\empty
5223 \def\hyper@linkstart##1##2{}%
5224 \let\hyper@linkend\empty
5225 \def\hyper@linkurl##1##2##1{}%
5226 \def\hyper@linkfile##1##2##3##1{}%
5227 \def\hyper@link@##1##2##3{}%
5228 \let\Hy@backout\@gobble
5229 }
5230 \def\stop@hyper{%
5231 \def\hyper@link@##1##2##3##4{##4}%
5232 \let\Hy@backout\@gobble
5233 \def\hyper@anchor##1{}%
5234 \def\hyper@link##1##2##3##3{}%
5235 \def\hyper@anchor##1{}%
5236 \def\hyper@anchorstart##1{}%
5237 \let\hyper@anchorend\empty
5238 \def\hyper@linkstart##1##2{}%
5239 \let\hyper@linkend\empty
5240 \def\hyper@linkurl##1##2##1{}%
5241 \def\hyper@linkfile##1##2##3##1{}%

```

```

5242 \def\hyper@link@{\#1\#2\#3{}%}
5243 }
5244 \def\endNoHyper{%
5245 \global\let\hyper@link\hyper@livelink
5246 }
5247 
```

23 Package nohyperref

This package is introduced by Sebastian Rahtz.

Package nohyperref is a dummy package that defines some low level and some top-level commands. It is done for jadetex, which calls hyperref low-level commands, but it would also be useful with people using normal hyperref, who really do not want the package loaded at all.

Some low-level commands:

```

5248 {*nohyperref}
5249 \RequirePackage{letltxmacro}[2008/06/13]
5250 \let\hyper@anchor@gobble
5251 \def\hyper@link#1#2#3{#3}%
5252 \let\hyper@anchorstart@gobble
5253 \let\hyper@anchorend@\empty
5254 \let\hyper@linkstart@gobbletwo
5255 \let\hyper@linkend@\empty
5256 \def\hyper@linkurl#1#2{#1}%
5257 \def\hyper@linkfile#1#2#3{#1}%
5258 \def\hyper@link@[#1]#2#3{}%
5259 \let\PDF@SetupDoc@\empty
5260 \let\PDF@FinishDoc@\empty
5261 \def\nohyperpage#1{#1}
```

Some top-level commands:

```

5262 \def\Acrobatmenu#1#2{\leavevmode#2}
5263 \let\pdfstringdefDisableCommands@gobbletwo
5264 \let\texorpdfstring@\firstoftwo
5265 \let\pdfbookmark@\undefined
5266 \newcommand\pdfbookmark[3]{}{}
5267 \let\phantomsection@\empty
5268 \let\hypersetup@gobble
5269 \let\hyperbaseurl@gobble
5270 \let\href@gobble
5271 \let\hyperdef@gobbletwo
5272 \let\hyperlink@gobble
5273 \let\hypertarget@gobble
5274 \def\hyperref{%
5275 \@ifnextchar[\gobbleopt{\expandafter\gobbletwo\gobble}%
5276 }%
5277 \long\def\gobbleopt[#1]{}%
5278 \let\hyperpage@\empty
```

Ignore star from referencing macros:

```

5279 \LetLtxMacro\NoHy@OrgRef\ref
5280 \DeclareRobustCommand*\{\ref}{%
5281 \ifstar\NoHy@OrgRef\NoHy@OrgRef
5282 }%
5283 \LetLtxMacro\NoHy@OrgPageRef\pageref
5284 \DeclareRobustCommand*\{\pageref}{%
```

```

5285  \@ifstar\NoHy@OrgPageRef\NoHy@OrgPageRef
5286 }
5287 
```

24 The Mangling Of Aux and Toc Files

Some extra tests so that the hyperref package may be removed or added to a document without having to remove .aux and .toc files (this section is by David Carlisle) All the code is delayed to \begin{document}

```

5288 {*package}
5289 \AfterBeginDocument{%

```

First the code to deal with removing the hyperref package from a document.

Write some stuff into the aux file so if the next run is done without hyperref, then \contentsline and \newlabel are defined to cope with the extra arguments.

```

5290 \if@filesw
5291 \ifHy@typexml
5292 \immediate\closeout\@mainaux
5293 \immediate\openout\@mainaux\jobname.aux\relax
5294 \immediate\write\@auxout{<relaxxml>\relax}%
5295 \fi
5296 \immediate\write\@auxout{%
5297 \string\ifx\string\hyper@anchor\string\@undefined^^J%
5298 \global\let\string\oldcontentsline\string\contentsline^^J%
5299 \gdef\string\contentsline{%
5300 \string#1\string#2\string#3\string#4{%
5301 \string\oldcontentsline{%
5302 \string#1}{\string#2}{\string#3}}^^J%
5303 \global\let\string\oldnewlabel\string\newlabel^^J%
5304 \gdef\string\newlabel{\string#1\string#2{%
5305 \string\newlabelxx{\string#1}\string#2}}^^J%
5306 \gdef\string\newlabelxx{%
5307 \string#1\string#2\string#3\string#4\string#5\string#6{%
5308 \string\oldnewlabel{\string#1}{\string#2}{\string#3}}}^^J%

```

But the new aux file will be read again at the end, with the normal definitions expected, so better put things back as they were.

```

5309 \string\AtEndDocument{%
5310 \let\string\contentsline\string\oldcontentsline^^J%
5311 \let\string\newlabel\string\oldnewlabel}^^J%

```

If the document is being run with hyperref put this definition into the aux file, so we can spot it on the next run.

```

5312 \string\else^^J%
5313 \global\let\string\hyper@last\relax^^J%
5314 \string\fi^^J%
5315 }%
5316 \fi

```

Now the code to deal with adding the hyperref package to a document with aux and toc written the standard way.

If hyperref was used last time, do nothing. If it was not used, or an old version of hyperref was used, don't use that TOC at all but generate a warning. Not ideal, but better than failing with pre-5.0 hyperref TOCs.

```

5317 \ifx\hyper@last\@undefined
5318 \def\@starttoc#1{%

```

```

5319 \begingroup
5320   \makeatletter
5321   \IfFileExists{\jobname.\#1}{%
5322     \Hy@WarningNoLine{%
5323       old #1 file detected, not used; run LaTeX again%
5324     }%
5325   }{}%
5326   \if@filesw
5327     \expandafter\newwrite\csname tf@\#1\endcsname
5328     \immediate\openout\csname tf@\#1\endcsname \jobname.\#1\relax
5329   \fi
5330   \nobreakfalse
5331   \endgroup
5332 }%
5333 \def\newlabel#1#2{\@newl@bel r{\#1}{#2}{}}{}}%
5334 \fi
5335 }

```

25 Title strings

If options pdftitle and pdfauthor are not used, these informations for the pdf information dictionary can be extracted by the nd

```

5336 \ifHy@usetitle
5337   \let\HyOrg@title\title
5338   \let\HyOrg@author\author
5339   \def\title{\@ifnextchar[{\Hy@scantitle}{\Hy@scantitle}}%
5340   \def\Hy@scantitle[#1]{%
5341     \gdef\Hy@title{#1}%
5342     \HyOrg@title{#1}%
5343   }%
5344   \def\Hy@scantitle#1{%
5345     \gdef\Hy@title{#1}%
5346     \HyOrg@title{#1}%
5347   }%
5348   \def\author{\@ifnextchar[{\Hy@scantauthor}{\Hy@scantauthor}}%
5349   \def\Hy@scantauthor[#1]{%
5350     \gdef\Hy@author{#1}%
5351     \HyOrg@author{#1}%
5352   }%
5353   \def\Hy@scantauthor#1{%
5354     \gdef\Hy@author{#1}%
5355     \HyOrg@author{#1}%
5356   }%

```

The case, that or re given before hyperref is loaded, is much more complicate, because LaTeX initializes the macros title and author with LaTeX error and warning messages.

```

5357 \begingroup
5358   \def\process@me#1\@nil#2{%
5359     \expandafter\let\expandafter\x\csname @#2\endcsname
5360     \edef\y{\expandafter\strip@prefix\meaning\x}%
5361     \def\c##1#1##2\@nil{%
5362       \ifx\\##1\\%
5363     \else
5364       \expandafter\gdef\csname Hy@#2\expandafter\endcsname
5365         \expandafter{\x}%
5366     \fi

```

```

5367      }%
5368      \expandafter\c\y\relax#1\@nil
5369      }%
5370      \expandafter\process@me\string\@latex@{\@nil{title}}%
5371      \expandafter\process@me\string\@latex@{\@nil{author}}%
5372      \endgroup
5373 \fi
5374 \Hy@DisableOption{pdfusetitle}

```

Macro \Hy@UseMaketitleInfos is used in the driver files, before the information entries are used.

The newline macro \newline or \\ is much more complicate. In the title a good replacement can be a space, but can be already a space after \\ in the title string. So this space is removed by scanning for the next non-empty argument.

In the macro \author the newline can perhaps separate the different authors, so the newline expands here to a comma with space.

The possible arguments such as space or the optional argument after the newline macros are not detected.

```

5375 \def\Hy@UseMaketitleString#1{%
5376   \@ifundefined{Hy@#1}{}{%
5377     \begingroup
5378     \let\Hy@saved@hook\pdfstringdefPreHook
5379     \pdfstringdefDisableCommands{%
5380       \expandafter\let\expandafter\\csname Hy@newline@\#1\endcsname
5381       \let\newline\\%
5382     }%
5383     \expandafter\ifx\csname @pdf#1\endcsname\@empty
5384     \expandafter\pdfstringdef\csname @pdf#1\endcsname{%
5385       \csname Hy@#\#1\endcsname\@empty
5386     }%
5387   \fi
5388   \global\let\pdfstringdefPreHook\Hy@saved@hook
5389   \endgroup
5390 }%
5391 }
5392 \def\Hy@newline@title#1{ #1}
5393 \def\Hy@newline@author#1{, #1}
5394 \def\Hy@UseMaketitleInfos{%
5395   \Hy@UseMaketitleString{title}%
5396   \Hy@UseMaketitleString{author}%
5397 }

```

26 Page numbers

This stuff is done by Heiko Oberdiek.

27 Every page

```

5398 \RequirePackage{atbegshi}[2007/09/09]
5399 \def\Hy@EveryPageHook{}
5400 \def\Hy@EveryPageBoxHook{}
5401 \def\Hy@FirstPageHook{}
5402 \AtBeginShipout{%
5403   \Hy@EveryPageHook
5404   \ifx\Hy@EveryPageBoxHook\@empty

```

```

5405 \else
5406   \setbox\AtBeginShipoutBox=\vbox{%
5407     \offinterlineskip
5408     \Hy@EveryPageBoxHook
5409     \box\AtBeginShipoutBox
5410   }%
5411 \fi
5412 }
5413 \AtBeginShipoutFirst{%
5414   \Hy@FirstPageHook
5415 }
5416 \g@addto@macro\Hy@FirstPageHook{%
5417   \PDF@FinishDoc
5418   \gdef\PDF@FinishDoc{}%
5419 }

```

27.1 PDF /PageLabels

Internal macros of this module are marked with \HyPL@.

```

5420 \ifHy@pagelabels
5421   \begingroup\expandafter\expandafter\expandafter\endgroup
5422   \expandafter\ifx\csname thepage\endcsname\relax
5423     \Hy@pagelabelsfalse
5424     \Hy@WarningNoLine{%
5425       Option 'pdffpagelabels' is turned off\MessageBreak
5426       because \string\thepage\space is undefined%
5427     }%
5428   \csname fi\endcsname
5429   \csname ifffalse\expandafter\endcsname
5430 \fi

```

\thispdfpagelabel The command \thispdfpagelabel allows to label a special page without the redefinition of \thepage for the page.

```

5431 \def\thispdfpagelabel#1{%
5432   \gdef\HyPL@thisLabel{#1}%
5433 }%
5434 \global\let\HyPL@thisLabel\relax

```

\HyPL@Labels The page labels are collected in \HyPL@Labels and set at the end of the document.

```
5435 \def\HyPL@Labels{}%
```

\Hy@abspage We have to know the absolute page number and introduce a new counter for that.

```

5436 \newcount\Hy@abspage
5437 \Hy@abspage=0 %

```

For comparisons with the values of the previous page, some variables are needed:

```

5438 \def\HyPL@LastType{init}%
5439 \def\HyPL@LastNumber{0}%
5440 \def\HyPL@LastPrefix{}%

```

Definitions for the PDF names of the L^AT_EX pendants.

```

5441 \def\HyPL@arabic{D}%
5442 \def\HyPL@Roman{R}%
5443 \def\HyPL@roman{r}%
5444 \def\HyPL@Alph{A}%
5445 \def\HyPL@alph{a}%

```

\HyPL@EveryPage If a page is shipout and the page number is known, \HyPL@EveryPage has to be called.
It stores the current page label.

```

5446  \def\HyPL@EveryPage{%
5447    \begingroup
5448    \ifx\HyPL@thisLabel\relax
5449      \let\HyPL@page\thepage
5450    \else
5451      \let\HyPL@page\HyPL@thisLabel
5452      \global\let\HyPL@thisLabel\relax
5453    \fi
5454    \let\HyPL@Type\relax
5455    \ifnum\the\c@page>0 %
5456      \expandafter\HyPL@CheckThePage\HyPL@page\@nil
5457    \fi
5458    \let\Hy@temp Y%
5459    \ifx\HyPL@Type\HyPL@LastType
5460    \else
5461      \let\Hy@temp N%
5462    \fi
5463    \ifx\HyPL@Type\relax
5464      \pdfstringdef\HyPL@Prefix{\HyPL@page}%
5465    \else
5466      \pdfstringdef\HyPL@Prefix\HyPL@Prefix
5467    \fi
5468    \ifx\HyPL@Prefix\HyPL@LastPrefix
5469    \else
5470      \let\Hy@temp N%
5471    \fi
5472    \if Y\Hy@temp
5473      \advance\c@page by -1 %
5474      \ifnum\HyPL@LastNumber=\the\c@page\relax
5475      \else
5476        \let\Hy@temp N%
5477      \fi
5478      \Hy@StepCount\c@page
5479    \fi
5480    \if N\Hy@temp
5481      \ifx\HyPL@Type\relax
5482        \HyPL@StorePageLabel{/P(\HyPL@Prefix)}%
5483      \else
5484        \HyPL@StorePageLabel{%
5485          \ifx\HyPL@Prefix\@empty
5486            \else
5487              /P(\HyPL@Prefix)%
5488            \fi
5489            /S/\csname HyPL\HyPL@Type\endcsname
5490            \ifnum\the\c@page=1 %
5491            \else
5492              \space/St \the\c@page
5493            \fi
5494          }%
5495        \fi
5496      \fi
5497      \xdef\HyPL@LastNumber{\the\c@page}%
5498      \global\let\HyPL@LastType\HyPL@Type
5499      \global\let\HyPL@LastPrefix\HyPL@Prefix
5500    \endgroup

```

	<pre> 5501 \Hy@GlobalStepCount\Hy@abspage 5502 }% </pre>
\HyPL@CheckThePage	Macro \HyPL@CheckThePage calls \HyPL@@CheckThePage that does the job.
	<pre> 5503 \def\HyPL@CheckThePage#1@nil{% 5504 \HyPL@@CheckThePage{#1}#1\csname\endcsname\c@page\@nil 5505 }% </pre>
\HyPL@@CheckThePage	The first check is, is \thepage is defined such as in LATEX, e.g.: \csname @arabic\endcsname\c@page. In the current implemenation the check fails, if there is another \csname before. The second check tries to detect \arabic{page} at the end of the definition text of \thepage.
	<pre> 5506 \def\HyPL@@CheckThePage#1#2\csname#3\endcsname\c@page#4\@nil{% 5507 \def\Hy@tempa{#4}% 5508 \def\Hy@tempb{\csname\endcsname\c@page}% 5509 \ifx\Hy@tempa\Hy@tempb 5510 \expandafter\ifx\csname HyPL#3\endcsname\relax 5511 \else 5512 \def\HyPL@Type{#3}% 5513 \def\HyPL@Prefix{#2}% 5514 \fi 5515 \else 5516 \begingroup 5517 \let\Hy@next\endgroup 5518 \let\HyPL@found\@undefined 5519 \def\arabic{\HyPL@Format{arabic}}% 5520 \def\Roman{\HyPL@Format{Roman}}% 5521 \def\roman{\HyPL@Format{roman}}% 5522 \def\Alph{\HyPL@Format{Alph}}% 5523 \def\alph{\HyPL@Format{alph}}% 5524 \protected@edef\Hy@temp{#1}% 5525 \ifx\HyPL@found\relax 5526 \toks@\expandafter{\Hy@temp}% 5527 \edef\Hy@next{\endgroup 5528 \noexpand\HyPL@@CheckThePage\the\toks@ 5529 \noexpand\HyPL@found\relax\noexpand\@nil 5530 }% 5531 \fi 5532 \Hy@next 5533 \fi 5534 }% </pre>
\HyPL@Format	The help macro \HyPL@Format is executed while a \protected@edef in the second check method of \HyPL@@CheckPage. The first occurrences of, for example, \arabic{page} is marked by \HyPL@found that is also defined by \csname.
	<pre> 5535 \def\HyPL@Format#1#2{% 5536 \ifx\HyPL@found\@undefined 5537 \expandafter\ifx\csname c@#2\endcsname\c@page 5538 \expandafter\noexpand\csname HyPL@found\endcsname{#1}% 5539 \else 5540 \expandafter\noexpand\csname#1\endcsname{#2}% 5541 \fi 5542 \else 5543 \expandafter\noexpand\csname#1\endcsname{#2}% 5544 \fi 5545 }% </pre>

\HyPL@@@CheckThePage	If the second check method is successful, \HyPL@@@CheckThePage scans the result of \HyPL@Format and stores the found values.
	5546 \def\HyPL@@@CheckThePage#1\HyPL@found#2#3@nil{% 5547 \def\Hy@tempa{\#3}% 5548 \def\Hy@tempb{\HyPL@found\relax}% 5549 \ifx\Hy@tempa\Hy@tempb 5550 \def\HyPL@Type{@#2}% 5551 \def\HyPL@Prefix{\#1}% 5552 \fi 5553 }%
\HyPL@StorePageLabel	Dummy for drivers that does not support /PageLabel.
	5554 \providecommand*\HyPL@StorePageLabel}[1]{}
\HyPL@Useless	The /PageLabels entry does not make sense, if the absolute page numbers and the page labels are the same. Then \HyPL@Labels has the meaning of \HyPL@Useless.
	5555 \def\HyPL@Useless{0<</S/D>>}% 5556 \Onelevel@sanitize\HyPL@Useless
\HyPL@SetPageLabels	The page labels are written to the PDF catalogue. The command \Hy@PutCatalog is defined in the driver files.
	5557 \def\HyPL@SetPageLabels{% 5558 \Onelevel@sanitize\HyPL@Labels 5559 \ifx\HyPL@Labels\empty 5560 \else 5561 \ifx\HyPL@Labels\HyPL@Useless 5562 \else 5563 \Hy@PutCatalog{/PageLabels<</Nums[\HyPL@Labels]>>}% 5564 \fi 5565 \fi 5566 }%
	5567 \g@addto@macro\Hy@EveryPageHook{\HyPL@EveryPage}% 5568 \fi
	Option ‘pdfpagelabels’ has been used and is now disabled.
	5569 \Hy@DisableOption{pdfpagelabels}
	5570 </package>

27.1.1 pdfTeX and VTeX

Because of pdfTeX’s \pdfcatalog command the /PageLabels entry can set at end of document in the first run.

\Hy@PutCatalog	5571 (pdftex)\let\Hy@PutCatalog\pdfcatalog
	The code for VTeX is more complicate, because it does not allow the direct access to the /Catalog object. The command scans its argument and looks for a /PageLabels entry.
	VTeX 6.59g is the first version, that implements \special{!pdfpagelabels...}. For this version \VTeXversion reports 660.
	5572 /*vtx*/ 5573 \providecommand*\XR@ext{pdf} 5574 \edef\Hy@VTeXversion{% 5575 \ifx\VTeXversion\undefined 5576 \z@

```

5577 \else
5578   \ifx\VTeXversion\relax
5579     \z@%
5580   \else
5581     \VTeXversion
5582   \fi
5583 \fi
5584 }
5585 \begingroup
5586 \ifnum\Hy@VTeXversion<660 %
5587   \gdef\Hy@PutCatalog#1{%
5588     \Hy@WarningNoLine{%
5589       VTeX 6.59g or above required for pdfpagelabels%
5590     }%
5591   }%
5592 \else
5593   \gdef\Hy@PutCatalog#1{%
5594     \Hy@vt@PutCatalog#1/PageLabels<>>\@nil
5595   }%
5596   \gdef\Hy@vt@PutCatalog#1/PageLabels<<#2>>#3\@nil{%
5597     \ifx\@#2\@%
5598     \else
5599       \immediate\special{!pdfpagelabels #2}%
5600     \fi
5601   }%
5602 \fi
5603 \endgroup
5604 </vtx>
5605 {*pdftex | vtex}

```

\HyPL@StorePageLabel This macro adds the entry #1 to \HyPL@Labels.

```

5606 \ifHy@pagelabels
5607   \def\HyPL@StorePageLabel#1{%
5608     \toks@\expandafter{\HyPL@Labels}%
5609     \xdef\HyPL@Labels{%
5610       \the\toks@
5611       \the\Hy@abspage<<#1>>%
5612     }%
5613   }%

```

Package `atveryend` is used to get behind the final `\clearpage` and to avoid a `\clearpage` in `\AtEndDocument`. Then the PDF catalog entry for `\PageLabels` is set.

```

5614 \RequirePackage{atveryend}[2009/12/07]%
5615 \AtVeryEndDocument{%
5616   \HyPL@SetPageLabels
5617 }%
5618 \fi
5619 </pdftex | vtex>

```

27.1.2 xetex

```

5620 {*xetex}
5621 \HyPsd@LoadUnicode
5622 \Hy@unicodetrue
5623 \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@unicode

```

```

5624 \else
5625   \let\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
5626 \fi
5627 \HyPsd@LoadStringEnc
5628 \define@key{Hyp}{unicode}[true]{%
5629   \Hy@boolkey{unicode}{#1}%
5630   \ifHy@unicode
5631   \else
5632     \Hy@Warning{%
5633       XeTeX driver only supports ‘unicode=true’.\MessageBreak
5634       Ignoring option setting ‘unicode=false’%
5635     }%
5636   \Hy@unicodetrue
5637 \fi
5638 }
5639 \define@key{Hyp}{pdfencoding}{%
5640   \edef\HyPsd@temp{#1}%
5641   \ifx\HyPsd@temp\HyPsd@pdfencoding@unicode
5642     \let\HyPsd@pdfencoding\HyPsd@temp
5643   \else
5644     \ifx\HyPsd@temp\HyPsd@pdfencoding@auto
5645       \let\HyPsd@pdfencoding\HyPsd@temp
5646     \else
5647       \Hy@Warning{%
5648         XeTeX driver only supports ‘pdfencoding=unicode|auto.%\MessageBreak
5649         Ignoring option setting ‘pdfencoding=\HyPsd@temp’%
5650       }%
5651     \fi
5652   \fi
5653 \fi
5654 }
5655 \let\HyXeTeX@CheckUnicode\relax
5656 
```

27.1.3 pdfmarkbase, dvipdfm, xetex

```

5657 (*pdfmarkbase)
5658 \begingroup
5659 \@ifundefined{headerps@out}{}{%
5660   \toks@\expandafter{\Hy@FirstPageHook}%
5661   \xdef\Hy@FirstPageHook{%
5662     \noexpand\headerps@out{%
5663       systemdict /pdfmark known%
5664       {%
5665         userdict /?pdfmark systemdict /exec get put%
5666       }{%
5667         userdict /?pdfmark systemdict /pop get put %
5668         userdict /pdfmark systemdict /cleartomark get put%
5669       }%
5670       ifelse%
5671     }%
5672     \the\toks@
5673   }%
5674 }%
5675 \endgroup
5676 
```

\Hy@PutCatalog

```

5677 <dvipdfm | xetex>\def\Hy@PutCatalog#1{\@pdfm@mark{docview << #1 >>}}
5678 *</pdfmarkbase>
5679 \def\Hy@PutCatalog#1{%
5680   \pdfmark{pdfmark=/PUT,Raw={\string{Catalog\string} << #1 >>}}%
5681 }
5682 </pdfmarkbase>

5683 (*pdfmarkbase | dvipdfm | xetex)
5684 \ifHy@pagelabels

```

\HyPL@StorePageLabel This macro writes a string to the .aux file.

```

5685 \def\HyPL@StorePageLabel#1{%
5686   \if@filesw
5687     \begingroup
5688       \edef\Hy@tempa{\the\Hy@abspospage<<#1>>}%
5689       \immediate\write\@mainaux{%
5690         \string\HyPL@Entry{\Hy@tempa}%
5691       }%
5692     \endgroup
5693   \fi
5694 }%

```

Write a dummy definition of \HyPL@Entry for the case, that the next run is done without hyperref. A marker for the rerun warning is set and the /PageLabels is written.

```

5695 \AfterBeginDocument{%
5696   \if@filesw
5697     \immediate\write\@mainaux{%
5698       \string\providetoggle\string*\string\HyPL@Entry[1]{}}%
5699     }%
5700   \fi
5701 \ifx\HyPL@Labels\empty
5702   \Hy@WarningNoLine{Rerun to get /PageLabels entry}%
5703 \else
5704   \HyPL@SetPageLabels
5705 \fi
5706 \let\HyPL@Entry\@gobble
5707 }%

```

\HyPL@Entry

```

5708 \def\HyPL@Entry#1{%
5709   \expandafter\gdef\expandafter\HyPL@Labels\expandafter{%
5710     \HyPL@Labels
5711     #1%
5712   }%
5713 }%

5714 \fi
5715 </pdfmarkbase | dvipdfm | xetex>
5716 (*package)
5717 \MaybeStopEarly

```

28 Automated L^AT_EX hypertext cross-references

Anything which can be referenced advances some counter; we overload this to put in a hypertext starting point (with no visible anchor), and make a note of that for later use in

\label. This will fail badly if \theH<name> does not expand to a sensible reference. This means that classes or package which introduce new elements need to define an equivalent \theH<name> for every \the<name>. We do make a trap to make \theH<name> be the same as \arabic{<name>}, if \theH<name> is not defined, but this is not necessarily a good idea. Alternatively, the ‘naturalnames’ option uses whatever L^AT_EX provides, which may be useable. But then its up to you to make sure these are legal PDF and HTML names. The ‘hypertexnames=false’ option just makes up arbitrary names.

All the shenanigans is to make sure section numbers etc are always arabic, separated by dots. Who knows how people will set up \currentlabel? If they put spaces in, or brackets (quite legal) then the hypertext processors will get upset.

But this is flaky, and open to abuse. Styles like subeqn will mess it up, for starters. Appendices are an issue, too. We just hope to cover most situations. We can at least cope with the standard sectioning structure, allowing for \part and \chapter.

Start with a fallback for equations

```

5718 \def\Hy@CounterExists#1{%
5719   \begingroup\expandafter\expandafter\expandafter\endgroup
5720   \expandafter\ifx\csname c@#1\endcsname\relax
5721     \expandafter\@gobble
5722   \else
5723     \begingroup\expandafter\expandafter\expandafter\endgroup
5724     \expandafter\ifx\csname the#1\endcsname\relax
5725       \expandafter\expandafter\expandafter\@gobble
5726     \else
5727       \expandafter\expandafter\expandafter\@firstofone
5728     \fi
5729   \fi
5730 }
5731 \Hy@CounterExists{section}{%
5732   \newcommand{\theHequation}{\theHsection.\arabic{equation}}%
5733 }
5734 \Hy@CounterExists{part}{%
5735   \newcommand{\theHpart}{\arabic{part}}%
5736 }
5737 \@ifundefined{\thechapter}{%
5738   \newcommand{\theHsection}{\arabic{section}}%
5739   \newcommand{\theHfigure}{\arabic{figure}}%
5740   \newcommand{\theHtable}{\arabic{table}}%
5741 }{%
5742   \newcommand{\theHchapter}{\arabic{chapter}}%
5743   \newcommand{\theHfigure}{\theHchapter.\arabic{figure}}%
5744   \newcommand{\theHtable}{\theHchapter.\arabic{table}}%
5745   \newcommand{\theHsection}{\theHchapter.\arabic{section}}%
5746 }
5747 \newcommand{\theHsubsection}{\theHsection.\arabic{subsection}}%
5748 \newcommand{\theHsubsubsection}{\theHsubsection.\arabic{subsubsection}}%
5749 \newcommand{\theHparagraph}{\theHsubsubsection.\arabic{paragraph}}%
5750 \newcommand{\theH subparagraph}{\theHparagraph.\arabic{subparagraph}}%
5751 \newcommand{\theH theorem}{\theHsection.\arabic{theorem}}%
5752 \newcommand{\theH thm}{\theHsection.\arabic{thm}}

```

Thanks to Greta Meyer (gbd@pop.cwru.edu) for making me realize that enumeration starts at 0 for every list! But \item occurs inside \trivlist, so check if its a real \item before incrementing counters.

```

5753 \let\H@item\item
5754 \newcounter{Item}
5755 \def\theHItem{\arabic{Item}}

```

```

5756 \def\item{%
5757   \hyper@itemfalse
5758   \if@nmbrlist \hyper@itemtrue\fi
5759   \H@item
5760 }

5761 \newcommand{\theHenumi} {\theHItem}
5762 \newcommand{\theHenumii} {\theHItem}
5763 \newcommand{\theHenumiii} {\theHItem}
5764 \newcommand{\theHenumiv} {\theHItem}
5765 \newcommand{\theHfootnote} {\arabic{Hfootnote}}
5766 \newcommand{\theHmpfootnote}{\arabic{mpfootnote}}
5767 \let\theHHmpfootnote\theHfootnote

```

Tanmoy asked for this default handling of undefined `\theH<name>` situations. It really isn't clear what would be ideal, whether to turn off hyperizing of unknown elements, to pick up the textual definition of the counter, or to default it to something like `\arabic{name}`. We take the latter course, slightly worriedly.

```

5768 \let\H@refstepcounter\refstepcounter
5769 \edef\name@of@eq{equation}%
5770 \edef\name@of@slide{slide}%

```

We do not want the handler for `\refstepcounter` to cut in during the processing of `\item` (we handle that separately), so we provide a bypass conditional.

```

5771 \newif\if@hyper@item
5772 \newif\if@skiphyperref
5773 \hyper@itemfalse
5774 \skiphyperreffalse
5775 \def\refstepcounter#1{%
5776   \ifHy@pdfstring
5777   \else
5778   \H@refstepcounter{#1}%
5779   \edef\This@name{#1}%
5780   \ifx\This@name\name@of@slide
5781   \else
5782   \if@skiphyperref
5783   \else
5784   \if@hyper@item
5785     \stepcounter{Item}%
5786     \hyper@refstepcounter{Item}%
5787     \hyper@itemfalse
5788   \else
5789     \hyper@refstepcounter{#1}%
5790   \fi
5791   \fi
5792   \fi
5793 \fi
5794 }

```

AMSL^AT_EX processes all equations twice; we want to make sure that the hyper stuff is not executed twice, so we use the AMS `\ifmeasuring@`, initialized if AMS math is not used.

```
5795 \ifpackageloaded{amsmath}{}{\newif\ifmeasuring@\measuring@false}
```

```
\hyper@refstepcounter
```

```

5796 \def\hyper@refstepcounter#1{%
5797   \edef\This@name{#1}%
5798   \ifx\This@name\name@of@eq
5799   \ifundefined{theHequation}%

```

```

5800     \make@stripped@name{\theequation}%
5801     \let\theHequation\newname
5802     }{}%
5803     \fi
5804     \c@ifundefined{theH#1}{%
5805       \expandafter\def\csname theH#1\endcsname{\arabic{#1}}%
5806     }{}%
5807     \hyper@makecurrent{#1}%
5808     \ifmeasuring@
5809     \else
5810       \Hy@raisedlink{%
5811         \hyper@anchorstart{@currentHref}\hyper@anchorend
5812       }%
5813     \fi
5814 }

```

After \appendix “chapter” (or “section” for classes without chapter) should be replaced by “appendix” to get \autoref work. Macro \Hy@chapapp contains the current valid name like \@chapapp, which cannot be used, because this string depends on the current language.

The “french” package defines counter \thechapter by \newcounterchapter, if \c@ifundefinedchapter.

```

5815 \begingroup\expandafter\expandafter\expandafter\endgroup
5816 \expandafter\ifx\csname chapter\endcsname\relax
5817   \def\Hy@chapterstring{section}%
5818 \else
5819   \def\Hy@chapterstring{chapter}%
5820 \fi
5821 \def\Hy@appendixstring{appendix}
5822 \def\Hy@chapapp{\Hy@chapterstring}
5823 \let\HyOrg@appendix\appendix
5824 \def\appendix{%
5825   \c@ifdefined{chapter}%
5826   {\gdef\theHsection{\Alph{section}}}%
5827   {\gdef\theHchapter{\Alph{chapter}}}%
5828   \xdef\Hy@chapapp{\Hy@appendixstring}%
5829 \HyOrg@appendix
5830 }

```

\hyper@makecurrent Because of Babel mucking around, nullify \textlatin when making names. And \c@number because of babel’s lrbabel.def.

```

5831 \def\hyper@makecurrent#1{%
5832   \begingroup
5833   \edef\Hy@param{#1}%
5834   \ifx\Hy@param\Hy@chapterstring
5835     \let\Hy@param\Hy@chapapp
5836   \fi
5837   \ifHy@hypertexnames
5838     \let\c@number\c@firstofone
5839     \c@ifundefined{latin@Alph}{}{%
5840       \ifx\c@Alph\greek@Alph
5841         \def\c@Alph{\c@Alph\c@arabic}%
5842       \fi
5843     }%
5844     \ifx\c@Alph\c@Alph@bul
5845       \def\c@Alph{\c@Alph\c@arabic}%
5846     \fi

```

```

5847   \ifx\@alph\@alph@bul
5848     \def\@alph{\@ph\@arabic}%
5849   \fi
5850   \ifHy@naturalnames
5851     \let\textlatin\@firstofone
5852     \xdef\@currentHlabel{\csname the\#1\endcsname}%
5853   \else
5854     \xdef\@currentHlabel{%
5855       \csname
5856         the%
5857       \expandafter\ifx\csname the\#1\endcsname\relax\else H\fi
5858         #1%
5859       \endcsname
5860     }%
5861   \fi
5862   \xdef\@currentHref{%
5863     \Hy@param.\expandafter\strip@prefix\meaning\@currentHlabel
5864   }%
5865   \else
5866     \Hy@GlobalStepCount\Hy@linkcounter
5867     \xdef\@currentHref{\Hy@param.\the\Hy@linkcounter}%
5868   \fi
5869 \endgroup
5870 }

5871 \@ifpackageloaded{fancyvrb}{%
5872   \@ifpackagelater{fancyvrb}{1998/05/20}{}{%
5873     \def\FV@StepLineNo{%
5874       \FV@SetLineNo
5875       \def\FV@StepLineNo{\H@refstepcounter{FancyVerbLine}}%
5876       \FV@StepLineNo
5877     }%
5878   }%
5879 }{}}

```

29 Package lastpage support

Package `lastpage` directly writes the `\newlabel` command to the aux file. Because package `hyperref` requires additional arguments, the internal command `\lastpage@putlabel` is redefined. The patch is deferred by `\AtBeginDocument`, because it is possible that package `lastpage` is loaded after package `hyperref`. The same algorithm (options `hypertexnames` and `plainpages`) is used to get the page anchor name as in `\Hy@EveryPageAnchor` (see sec. 38). The link will not work if option `pageanchor` is set to false.

```

\lastpage@putlabel
5880 \AtBeginDocument{%
5881   \@ifclassloaded{revtex4}{%
5882     \@namedef{ver@lastpage.sty}{1994/06/25}%
5883   }{}%
5884   \@ifpackageloaded{lastpage}{%
5885     \ifHy@pageanchor
5886     \else
5887       \Hy@WarningNoLine{%
5888         The \string\pageref{LastPage} link doesn't work\MessageBreak
5889         with disabled option 'pageanchor'%

```

```

5890      }%
5891      \fi
5892      \def\lastpage@putlabel{%
5893          \addtocounter{page}{-1}%
5894          \if@filesw
5895              \begingroup
5896                  \let\@number\@firstofone
5897                  \ifHy@pageanchor
5898                      \ifHy@hypertexnames
5899                          \ifHy@plainpages
5900                              \def\Hy@temp{\arabic{page}}%
5901                          \else
5902                              \Hy@unicodedefalse
5903                              \pdfstringdef\Hy@temp{\thepage}%
5904                          \fi
5905                      \else
5906                          \def\Hy@temp{\the\Hy@pagecounter}%
5907                      \fi
5908                  \fi
5909                  \immediate\write\@auxout{%
5910                      \string\newlabel
5911                      {LastPage}{}{\thepage}{}%
5912                      \ifHy@pageanchor page.\Hy@temp\fi}{}%
5913                  }%
5914          \endgroup
5915      \fi
5916      \addtocounter{page}{1}%
5917  }%
5918  \@ifclassloaded{revtex4}{%
5919      \begingroup
5920          \toks@\expandafter{\lastpage@putlabel}%
5921          \edef\x{\endgroup
5922              \def\noexpand\lastpage@putlabel{%
5923                  \noexpand\stepcounter{page}%
5924                  \the\toks@
5925                  \noexpand\addtocounter{page}\noexpand\m@ne
5926              }%
5927          }%
5928          \x
5929      }{}%
5930  }{}%
5931 }
5932 </package>
5933 <*check>
5934 \checkpackage{lastpage}[1994/06/25]
5935 \checkcommand\def\lastpage@putlabel{%
5936     \addtocounter{page}{-1}%
5937     \immediate\write\@auxout{%
5938         \string\newlabel{LastPage}{}{\thepage}{}%
5939     }%
5940     \addtocounter{page}{1}%
5941 }
5942 </check>
5943 <*package>

```

30 Package ifthen support

Since version 6.75a this is done in package nameref.

For compatibility \hypergetref and \hypergetpageref are still provided. But they do not generate warnings, if the reference is undefined.

```
5944 \def\hypergetref#1{\getrefbykeydefault{#1}{}{??}}
5945 \def\hypergetpageref#1{\getrefbykeydefault{#1}{page}{0}}
```

31 Package titlesec and titletoc support

This code is contributed by Javier Bezos (Email: jbez@arrakis.es).

Package titlesec support:

```
5946 \@ifpackageloaded{titlesec}{%
5947   \def\ttl@Hy@steplink#1{%
5948     \Hy@GlobalStepCount\Hy@linkcounter
5949     \xdef\@currentHref{\#1.\the\Hy@linkcounter}%
5950     \edef\ttl@Hy@saveanchor{%
5951       \noexpand\Hy@raisedlink{%
5952         \noexpand\hyper@anchorstart{\@currentHref}%
5953         \noexpand\hyper@anchorend
5954         \def\noexpand\ttl@Hy@SavedCurrentHref{\@currentHref}%
5955         \noexpand\ttl@Hy@PatchSaveWrite
5956       }%
5957     }%
5958   }%
5959   \def\ttl@Hy@PatchSaveWrite{%
5960     \begingroup
5961     \toks@\expandafter{\ttl@savewrite}%
5962     \edef\x{\endgroup
5963       \def\noexpand\ttl@savewrite{%
5964         \let\noexpand\@currentHref
5965           \noexpand\ttl@Hy@SavedCurrentHref
5966           \the\toks@
5967         }%
5968       }%
5969     \x
5970   }%
5971   \def\ttl@Hy@refstepcounter#1{%
5972     \let\ttl@b\Hy@raisedlink
5973     \def\Hy@raisedlink##1{%
5974       \def\ttl@Hy@saveanchor{\Hy@raisedlink{##1}}%
5975     }%
5976     \refstepcounter{#1}%
5977     \let\Hy@raisedlink\ttl@b
5978   }%
5979 }{}}
```

Package titletoc support:

```
5980 \@ifpackageloaded{titletoc}{%
5981   \def\ttl@gobblecontents#1#2#3#4{\ignorespaces}%
5982 }{}}
```

32 Package varioref support

Package nameref uses five arguments for the ref system. Fix provided by Felix Neubauer (felix.neubauer@gmx.net).

```
5983 \def\Hy@varioref@undefined{{?}{?}{?}{?}{?}}{}{}{}{}{}  
5984 \@ifpackageloaded{varioref}{%  
5985   \def\vref@pagenum#1#2{  
5986     @ifundefined{r@#2}{%  
5987       \expandafter\let\csname r@#2\endcsname\Hy@varioref@undefined  
5988     }{}%  
5989     \edef#1{\getpagerefnumber{#2}}%  
5990   }%  
5991 }
```

33 Package longtable support

Sometimes the anchor of the longtable goes to the previous page. Thus the following patch separates the anchor setting and counter incrementation by hyperref's \refstepcounter and the anchor setting is moved after \vskip\LTpre.

Patch of \LT@array: replace \refstepcounter by the original \H@refstepcounter without anchor generation

```
5992 \@ifpackageloaded{longtable}{%  
5993   \begingroup  
5994     \def\y{\LT@array}{%  
5995     \@ifundefined{scr@LT@array}{}{\def\y{\scr@LT@array}}%  
5996     \long\def\x\refstepcounter#1#2\sharp#3#4@nil{  
5997       \expandafter\endgroup  
5998       \expandafter\def\y##1##2{  
5999         \H@refstepcounter{#1}}%  
6000         \hyper@makecurrent{table}}%  
6001         \let\Hy@LT@currentHlabel@\currentHlabel  
6002         \let\Hy@LT@currentHref@\currentHref  
6003         #2\sharp####4%  
6004     }%  
6005   }%  
6006   \expandafter\expandafter\expandafter\x\y{##1}{##2}@nil
```

Patch of \LT@start: add anchor before first line after \vskip\LTpre

```
6007 \begingroup  
6008   \def\x#1\ifvoid\LT@firsthead\copy#2@nil{  
6009     \endgroup  
6010     \def\LT@start{  
6011       #1%  
6012       \let\@currentHlabel\Hy@LT@currentHlabel  
6013       \let\@currentHref\Hy@LT@currentHref  
6014       \Hy@raisedlink{  
6015         \hyper@anchorstart{\@currentHref}\hyper@anchorend  
6016       }%  
6017       \ifvoid\LT@firsthead\copy  
6018         #2%  
6019       }%  
6020     }%  
6021   \expandafter\x\LT@start@nil  
6022 }
```

34 Equations

We want to make the whole equation a target anchor. Overload equation, temporarily reverting to original `\refstepcounter`. If, however, it is in AMS math, we do not do anything, as the tag mechanism is used there (see section 41). The exception is that we move the equation incrementation inside the math environment to avoid specials outside and a wrong vertical spacing of equation environments.

```
6023 \let\new@refstepcounter\refstepcounter
6024 \let\H@equation\equation
6025 \let\H@endequation\endequation
6026 \@ifpackageloaded{amsmath}{%
6027   \long\def\Hy@temp{%
6028     \incr@eqnum
6029     \mathdisplay@push
6030     \st@rredfalse \global\@eqnswtrue
6031     \mathdisplay{equation}%
6032   }%
6033   \ifx\Hy@temp\equation
6034     \expandafter\ifx\csname if@fleqn\expandafter\endcsname
6035       \csname iftrue\endcsname
6036     \else
6037       \long\def\equation{%
6038         \mathdisplay@push
6039         \st@rredfalse \global\@eqnswtrue
6040         \mathdisplay{equation}%
6041         \incr@eqnum
6042       }%
6043     \fi
6044   \fi
6045 }%
6046 \def\equation{%
6047   \let\refstepcounter\H@refstepcounter
6048   \H@equation
6049   \@ifundefined{theHequation}{%
6050     \make@stripped@name{\theequation}%
6051     \let\theHequation\newname
6052   }{%
6053     \hyper@makecurrent{equation}%
6054     \Hy@raisedlink{\hyper@anchorstart{\@currentHref}}%
6055     \let\refstepcounter\new@refstepcounter
6056   }%
6057 \def\endequation{\Hy@raisedlink{\hyper@anchorend}\H@endequation}%
6058 }
```

My goodness, why can't L^AT_EX be consistent? Why is `\eqnarray` set up differently from other objects?

People (you know who you are, Thomas Beuth) sometimes make an eqnarray where *all* the lines end with `\notag`, so there is no suitable anchor at all. In this case, pass by on the other side.

```
6059 \newif\if@eqnstar
6060 \eqnstarfalse
6061 \let\H@eqnarray\eqnarray
6062 \let\H@endeqnarray\endeqnarray
6063 \def\eqnarray{%
6064   \let\Hy@reserved@a\relax
6065   \def\@currentHref{}}
```

```

6066 \H@eqnarray
6067 \if@eqnstar
6068 \else
6069 \ifx\\@\currentHref\\%
6070 \else
6071 \@ifundefined{theHequation}{%
6072 \make@stripped@name{\theequation}%
6073 \let\theHequation\newname
6074 }{}%
6075 \hyper@makecurrent{equation}%
6076 \hyper@anchorstart{\@currentHref}{}\hyper@anchorend
6077 \fi
6078 \fi
6079 }
6080 \def\endeqnarray{%
6081 \H@endeqnarray
6082 }

```

This is quite heavy-handed, but it works for now. If its an `eqnarray*` we need to disable the `hyperref` actions. There may well be a cleaner way to trap this. Bill Moss found this.

```

6083 \namedef{eqnarray*}{%
6084 \def\@eqncr{\nonumber\@seqncr}\@eqnstartrue\eqnarray
6085 }
6086 \namedef{endeqnarray*}{%
6087 \nonumber\endeqnarray\@eqnstarfalse
6088 }

```

Then again, we have the `subeqnarray` package. Tanmoy provided some code for this:

```

6089 \ifundefined{subeqnarray}{%
6090 \let\H@subeqnarray\subeqnarray
6091 \let\H@endsubeqnarray\endsubeqnarray
6092 \def\subeqnarray{%
6093 \let\Hy@reserved@a\relax
6094 \H@subeqnarray
6095 \ifundefined{theHequation}{%
6096 \make@stripped@name{\theequation}%
6097 \let\theHequation\newname
6098 }{}%
6099 \hyper@makecurrent{equation}%
6100 \hyper@anchorstart{\@currentHref}{}\hyper@anchorend
6101 }%
6102 \def\endsubeqnarray{%
6103 \H@endsubeqnarray
6104 }%
6105 \newcommand\theHsubequation{\theHequation\alph{subequation}}%
6106 }

```

The aim of this macro is to produce a sanitized version of its argument, to make it a safe label.

```

6107 \def\make@stripped@name#1{%
6108 \begingroup
6109 \escapechar\m@ne
6110 \global\let\newname\@empty
6111 \protected@edef\Hy@tempa{#1}%
6112 \edef\@tempb{%
6113 \noexpand\@tfor\noexpand\Hy@tempa:=%
6114 \expandafter\strip@prefix\meaning\Hy@tempa
6115 }%
6116 \tempb\do{%

```

```

6117     \if{\Hy@tempa}{\else
6118         \if{\Hy@tempa}{\else
6119             \xdef{\newname}{\newname\Hy@tempa}%
6120         \fi
6121     \fi
6122 }%
6123 \endgroup
6124 }

```

Support for amsmath's subequations:

```

6125 \begingroup\expandafter\expandafter\expandafter\endgroup
6126 \expandafter\ifx\csname subequations\endcsname\relax
6127 \else
6128     \let\HyOrg@subequations\subequations
6129     \def\subequations{%
6130         \stepcounter{equation}%
6131         \protected@edef\theHparentequation{%
6132             \c@ifundefined{theHequation}{\theequation}{\theHequation}%
6133 }%
6134         \addtocounter{equation}{-1}%
6135         \HyOrg@subequations
6136         \def\theHequation{\theHparentequation\alph{equation}}%
6137         \ignorespaces
6138 }%
6139 \fi

```

Support for package amsthm (Daniel Müllner):

```

6140 \c@ifpackageloaded{amsthm}{%
6141     \def\@thm#1#2#3{%
6142         \ifhmode
6143             \unskip\unskip\par
6144         \fi
6145         \normalfont
6146         \trivlist
6147         \let\thmheadnl\relax
6148         \let\thm@swap\@gobble
6149         \thm@notefont{\fontseries\mddefault\upshape}%
6150         \thm@headpunct{.}% add period after heading
6151         \thm@headsep 5\p@ plus\p@ minus\p@\relax
6152         \thm@space@setup
6153         #1% style overrides
6154         \c@topsep \thm@preskip          % used by thm head
6155         \c@topsepadd \thm@postskip      % used by \c@endparentv
6156         \def\dth@counter{#2}%
6157         \ifx\c@empty\dth@counter
6158             \def\@tempa{%
6159                 \c@oparg{\c@begintheorem{#3}{}}[]%
6160             }%
6161         \else
6162             \H@refstepcounter{#2}%
6163             \hyper@makecurrent{#2}%
6164             \def\@tempa{%
6165                 \c@oparg{\c@begintheorem{#3}{\c@section\the\#2\c@endsection}}[]%
6166             }%
6167         \fi
6168         \c@tempa
6169     }%
6170     \dth@everypar=%

```

```

6171  \c@minipagefalse
6172  \global\c@newlistfalse
6173  \c@noparitemfalse
6174  \if@inlabel
6175  \global\c@inlabelfalse
6176  \begingroup
6177  \setbox\z@\lastbox
6178  \ifvoid\z@
6179  \kern-\itemindent
6180  \fi
6181  \endgroup
6182  \ifx\c@empty\dth@counter
6183  \else
6184  \Hy@raisedlink{%
6185  \hyper@anchorstart{\c@currentHref}\hyper@anchorend
6186  }%
6187  \fi
6188  \unhbox\c@labels
6189  \fi
6190  \if@nobreak
6191  \c@nobreakfalse \clubpenalty\c@M
6192  \else
6193  \clubpenalty\c@clubpenalty \everypar{}%
6194  \fi
6195 }%
6196 }{ }

```

35 Footnotes

The footnote mark is a hypertext link, and the text is a target. We separately number the footnotes sequentially through the text, separately from whatever labels the text assigns. Too hard to keep track of markers otherwise. If the raw forms `\footnotemark` and `\footnotetext` are used, force them to use un-hyper original.

Tabularx causes footnote problems, disable the linking if that is loaded.

```

6197 \c@ifpackageloaded{tabularx}{\Hy@hyperfootnotesfalse}{}%
6198 \ifHy@hyperfootnotes
6199 \newcounter{Hfootnote}%
6200 \let\H@C@footnotetext\@footnotetext
6201 \let\H@C@footnotemark\@footnotemark
6202 \def\c@xfootnotenext[#1]{%
6203 \begingroup
6204 \csname c@\c@mpfn\endcsname #1\relax
6205 \unrestored@protected\xdef\c@thefnmark{\thempfn}%
6206 \endgroup
6207 \ifx\c@footnotetext\c@mpfootnotetext
6208 \expandafter\H@C@mpfootnotetext
6209 \else
6210 \expandafter\H@C@footnotetext
6211 \fi
6212 }%
6213 \def\c@xfootnotemark[#1]{%
6214 \begingroup
6215 \c@footnote #1\relax
6216 \unrestored@protected\xdef\c@thefnmark{\thefootnote}%
6217 \endgroup
6218 \H@C@footnotemark

```

```

6219 }%
6220 \let\H@@mpfootnotetext\mpfootnotetext
6221 \long\def\@mpfootnotetext#1{%
6222   \H@@mpfootnotetext{%
6223     \ifHy@nesting
6224       \expandafter\hyper@anchor\expandafter{%
6225         \Hy@footnote@currentHref
6226       }{\#1}%
6227     \else
6228       \Hy@raisedlink{%
6229         \expandafter\hyper@anchor\expandafter{%
6230           \Hy@footnote@currentHref
6231         }{\relax}%
6232       }{\#1}%
6233     \fi
6234   }%
6235 }%
6236 \long\def\@footnotetext#1{%
6237   \H@@footnotetext{%
6238     \ifHy@nesting
6239       \expandafter\hyper@anchor\expandafter{%
6240         \Hy@footnote@currentHref
6241       }{\#1}%
6242     \else
6243       \Hy@raisedlink{%
6244         \expandafter\hyper@anchor\expandafter{%
6245           \Hy@footnote@currentHref
6246         }{\relax}%
6247       }%
6248       \let\@currentHlabel\Hy@footnote@currentHlabel
6249       \let\@currentHref\Hy@footnote@currentHref
6250       \let\@currentlabelname\@empty
6251       #1}%
6252     \fi
6253   }%
6254 }%

```

Redefine `\@footnotemark`, borrowing its code (at the cost of getting out of sync with `latex.ltx`), to take advantage of its white space and hyphenation fudges. If we just overload it, we can get variant documents (the word before the footnote is treated differently). Thanks to David Carlisle and Brian Ripley for confusing and helping me on this.

```

6255 \def\@footnotemark{%
6256   \leavevmode
6257   \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
6258   \stepcounter{Hfootnote}%
6259   \global\let\Hy@saved@currentHlabel\@currentHlabel
6260   \global\let\Hy@saved@currentHref\@currentHref
6261   \hyper@makecurrent{Hfootnote}%
6262   \global\let\Hy@footnote@currentHlabel\@currentHlabel
6263   \global\let\Hy@footnote@currentHref\@currentHref
6264   \global\let\@currentHlabel\Hy@saved@currentHlabel
6265   \global\let\@currentHref\Hy@saved@currentHref
6266   \hyper@linkstart{link}{\Hy@footnote@currentHref}%
6267   \makefnmark
6268   \hyper@linkend
6269   \ifhmode\spacefactor\x@sf\fi
6270   \relax
6271 }%

```

Support for footnotes in p columns of longtable. Here \footnote commands are splitted into \footnotemark and a call of \footnotetext with the optional argument, that is not supported by hyperref. The result is a link by \footnotemark without valid anchor

```

6272  \@ifpackageloaded{longtable}{%
6273    \CheckCommand*\{LT@p@ftntext}[1]{%
6274      \edef\@tempa{%
6275        \the\LT@p@ftn
6276        \noexpand\footnotetext[\the\c@footnote]%
6277      }%
6278      \global\LT@p@ftn\expandafter{\@tempa{\#1}}%
6279    }%
6280    \long\def\LT@p@ftntext#1{%
6281      \edef\@tempa{%
6282        \the\LT@p@ftn
6283        \begingroup
6284          \noexpand\c@footnote=\the\c@footnote\relax
6285          \noexpand\protected@xdef
6286            \noexpand\@thefnmark{\noexpand\thempfn}%
6287          \noexpand\protected@xdef\noexpand\@thefnmark{%
6288            \noexpand\thempfn
6289          }%
6290          \expandafter\expandafter\expandafter\noexpand
6291          \expandafter\expandafter\expandafter\Hy@LT@footnotetext
6292          \expandafter\expandafter\expandafter{%
6293            \expandafter\Hy@footnote@currentHref\expandafter
6294            }\expandafter{\Hy@footnote@currentHlabel}%
6295        }%
6296        \global\LT@p@ftn\expandafter{%
6297          \@tempa{\#1}%
6298          \endgroup
6299        }%
6300      }%
6301      \long\def\Hy@LT@footnotetext#1#2#3{%
6302        \H@footnotetext{%
6303          \ifHy@nesting
6304            \hyper@anchor{\#1}{\#3}%
6305          \else
6306            \Hy@raisedlink{%
6307              \hyper@anchor{\#1}{\relax}%
6308            }%
6309            \def\@currentHlabel{\#2}%
6310            \def\@currentHref{\#1}%
6311            \let\@currentlabelname\@empty
6312            \#3%
6313            \fi
6314          }%
6315        }%
6316      }{%

```

Footnotes for fancyvrb (Fix by Manuel Pégourié-Gonnard).

```

6317  \@ifpackageloaded{fancyvrb}{%
6318    \def\V@footnotetext{%
6319      \insert\footins\bgroup
6320      \csname reset@font\endcsname
6321      \footnotesize
6322      \interlinepenalty\interfootnotelinepenalty

```

```

6323  \splittopskip\footnotesep
6324  \splitmaxdepth\dp\strutbox
6325  \floatingpenalty \MM
6326  \hsize\columnwidth
6327  \parboxrestore
6328  \edef\@currentlabel{\csname p@footnote\endcsname\@thefnmark}%
6329  \makefntext{ }%
6330  \rule{\z@}{\footnotesep}%
6331  \bgroup
6332  \aftergroup\V@@@footnotetext
6333  \Hy@raisedlink{ }%
6334  \expandafter\hyper@anchor\expandafter{ }%
6335  \Hy@footnote@currentHref
6336  {\relax}%
6337  }%
6338  \let\@currentHlabel\Hy@footnote@currentHlabel
6339  \let\@currentHref\Hy@footnote@currentHref
6340  \let\@currentlabelname\empty
6341  \ignorespaces
6342  }%
6343 }%

```

KOMA-Script defines \footref that uses both \ref and \@footnotemark resulting in two links, one of them wrong.

```

6344 \def\Hy@temp#1{%
6345  \begingroup
6346  \unrestored@protected\xdef\@thefnmark{\ref{#1}}%
6347  \endgroup
6348  \@footnotemark
6349 }%
6350 \ifx\Hy@temp\footref
6351  \def\footref#1{%
6352  \begingroup
6353  \unrestored@protected\xdef\@thefnmark{\ref{#1}}%
6354  \endgroup
6355  \H@footnotemark
6356 }%
6357 \fi

```

But the special footnotes in \maketitle are much too hard to deal with properly. Let them revert to plain behaviour. The koma classes add an optional argument.

```

6358 \let\HyOrg@maketitle\maketitle
6359 \def\maketitle{%
6360  \let\Hy@saved@footnotemark\@footnotemark
6361  \let\Hy@saved@footnotetext\@footnotetext
6362  \let\@footnotemark\H@footnotemark
6363  \let\@footnotetext\H@footnotetext
6364  \@ifnextchar[\Hy@maketitle@optarg{%
6365   \HyOrg@maketitle
6366   \Hy@maketitle@end
6367 }%
6368 }%
6369 \def\Hy@maketitle@optarg[#1]{%
6370  \HyOrg@maketitle[ #1]%
6371  \Hy@maketitle@end
6372 }%
6373 \def\Hy@maketitle@end{%
6374  \ifx\@footnotemark\H@footnotemark

```

```

6375     \let\@footnotemark\Hy@saved@footnotemark
6376     \fi
6377     \ifx\@footnotetext\H@C@footnotetext
6378     \let\@footnotetext\Hy@saved@footnotetext
6379     \fi
6380 }%

```

\realfootnote Does anyone remember the function and purpose of \realfootnote?

```

6381 \def\realfootnote{%
6382   \@ifnextchar[\@xfootnote{%
6383     \stepcounter{\@mpfn}%
6384     \protected@xdef\@thefnmark{\thempfn}%
6385     \H@C@footnotemark\H@C@footnotetext
6386   }%
6387 }%

```

```

6388 \fi
6389 \Hy@DisableOption{hyperfootnotes}

6390 </package>
6391 <*check>
6392 \checklateX
6393 \checkcommand\def\@xfootnotenext[#1]{%
6394   \begingroup
6395   \csname c@\@mpfn\endcsname #1\relax
6396   \unrestored@protected@xdef\@thefnmark{\thempfn}%
6397   \endgroup
6398   \@footnotetext
6399 }
6400 \checkcommand\def\@xfootnotemark[#1]{%
6401   \begingroup
6402   \c@footnote #1\relax
6403   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
6404   \endgroup
6405   \@footnotemark
6406 }
6407 \checkcommand\def\@footnotemark{%
6408   \leavevmode
6409   \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
6410   \makefnmark
6411   \ifhmode\spacefactor\x@sf\fi
6412   \relax
6413 }
6414 </check>
6415 <*package>

```

36 Float captions

Make the float caption the hypertext anchor; curiously enough, we can't just copy the definition of \caption. Its all to do with expansion. It screws up. Sigh.

```

6416 \def\caption{%
6417   \ifx\@cotype\@undefined
6418     \@latex@error{\noexpand\caption outside float}\@ehd
6419     \expandafter\@gobble
6420   \else
6421     \H@refstepcounter\@cotype
6422     \let\Hy@tempa\@caption

```

```

6423  \@ifundefined{float@caption}{%
6424  }{%
6425    \expandafter\ifx\csname @float@c@\@capttype\endcsname
6426      \float@caption
6427      \let\Hy@tempa\Hy@float@caption
6428    \fi
6429  }%
6430  \expandafter\@firstofone
6431 \fi
6432 { \dblarg{\Hy@tempa\@capttype} }%
6433 }
6434 \long\def\@caption#1[#2]#3{%
6435   \expandafter\ifx\csname if@capstart\expandafter\endcsname
6436     \csname iftrue\endcsname
6437     \global\let\@currentHref\hc@currentHref
6438   \else
6439     \hyper@makecurrent{\@capttype}%
6440   \fi
6441 \ifundefined{NR@getttitle}{%
6442   \def\@currentlabelname{#2}%
6443 }{%
6444   \NR@getttitle{#2}%
6445 }%
6446 \par\addcontentsline{\csname ext@#1\endcsname}{#1}{%
6447   \protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}%
6448 }%
6449 \begingroup
6450   \parboxrestore
6451   \if@minipage
6452     \setminipage
6453   \fi
6454   \normalsize
6455   \expandafter\ifx\csname if@capstart\expandafter\endcsname
6456     \csname iftrue\endcsname
6457     \global\@capstartfalse
6458     \makecaption{\csname fnum@\#1\endcsname}{\ignorespaces#3}%
6459   \else
6460     \makecaption{\csname fnum@\#1\endcsname}{%
6461       \ignorespaces

```

If we cannot have nesting, the anchor is empty.

```

6462   \ifHy@nesting
6463     \expandafter\hyper@anchor\expandafter{\@currentHref}{#3}%
6464   \else
6465     \Hy@raisedlink{%
6466       \expandafter\hyper@anchor\expandafter{%
6467         \@currentHref
6468       }{\relax}%
6469     }%
6470     #3%
6471   \fi
6472 }%
6473 \fi
6474 \par
6475 \endgroup
6476 }

```

Compatibility with float.sty: anchor setting at the top of the float, if the float is controlled by float.sty. Several \caption commands inside one float are not supported.

```
6477 \let\Hy@float@caption\@caption
6478 \@ifpackageloaded{float}{%
6479   \def\Hy@float@caption{%
6480     \ifx\Hy@float@currentHref\@undefined
6481       \hyper@makecurrent{\@capttype}%
6482     \global\let\Hy@float@currentHref\@currentHref
6483   \else
6484     \let\@currentHref\Hy@float@currentHref
6485   \fi
6486   \float@caption
6487 }%
6488 \let\HyOrg@float@makebox\float@makebox
6489 \renewcommand{\float@makebox}[1]{%
6490   \HyOrg@float@makebox{%
6491     #1\relax
6492     \ifx\Hy@float@currentHref\@undefined
6493   \else
6494     \expandafter\hyper@anchor\expandafter{%
6495       \Hy@float@currentHref
6496     }{\relax}%
6497     \global\let\Hy@float@currentHref\@undefined
6498   \fi
6499 }%
6500 }%
6501 }{}}
6502 </package>
6503 <*check>
6504 \checklatex[1999/06/01 - 2000/06/01]
6505 \checkcommand\def\caption{%
6506   \ifx\@capttype\@undefined
6507     @latex@error{\noexpand\caption outside float}\@ehd
6508   \expandafter\@gobble
6509   \else
6510     \refstepcounter\@capttype
6511     \expandafter\@firstofone
6512   \fi
6513   {\@dblarg{\@caption\@capttype}}%
6514 }
6515 \checkcommand\long\def\@caption#1[#2]#3{%
6516   \par
6517   \addcontentsline{\csname ext@#1\endcsname}{#1}{%
6518     \protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}%
6519   }%
6520   \begingroup
6521     \parboxrestore
6522     \if@minipage
6523       \setminipage
6524     \fi
6525     \normalsize
6526     \makecaption{\csname fnum@\#1\endcsname}{\ignorespaces #3}\par
6527   \endgroup
6528 }
6529 </check>
6530 <*package>
```

37 Bibliographic references

This is not very robust, since many styles redefine these things. The package used to redefine \citex and the like; then we tried adding the hyperref call explicitly into the .aux file. Now we redefine \bibcite; this still breaks some citation packages so we have to work around them. But this remains extremely dangerous. Any or all of *achemso* and *drftcite* may break.

However, lets make an attempt to get *natbib* right, because thats a powerful, important package. Patrick Daly (daly@linmpi.mpg.de) has provided hooks for us, so all we need to do is activate them.

```
6531 \def\hyper@natlinkstart#1{%
6532   \Hy@backout{\#1}%
6533   \hyper@linkstart{cite}{cite.\#1}%
6534   \def\hyper@nat@current{\#1}%
6535 }
6536 \def\hyper@natlinkend{%
6537   \hyper@linkend
6538 }
6539 \def\hyper@natlinkbreak#1#2{%
6540   \hyper@linkend#1\hyper@linkstart{cite}{cite.\#2}%
6541 }
6542 \def\hyper@natanchorstart#1{%
6543   \Hy@raisedlink{\hyper@anchorstart{cite.\#1}}%
6544 }
6545 \def\hyper@natanchorend{\hyper@anchorend}
```

Do not play games if we have natbib support. Macro extra@binfo added for chapterbib support. Chapterbib also wants \extra@binfo in the hyper-link, but since the link tag is not expanded immediately, we use \extra@b@citeb, so cites in a chapter will link to the bibliography in that chapter.

```
6546 \@ifundefined{NAT@parse}{%
6547   \providecommand*\@extra@binfo{}%
6548   \providecommand*\@extra@b@citeb{}%
6549   \def\bibcite#1#2{%
6550     \newl@bel{b}{\#1}\@extra@binfo}%
6551     \hyper@link[cite]{\#1}{\#1\@extra@b@citeb}%
6552   }%
6553 }%
6554 \gdef\@extra@binfo{}%
```

Package babel redefines \bibcite with macro \bbl@cite@choice. It needs to be overwritten to avoid the warning “Label(s) may have changed.”.

```
6555 \let\Hy@bibcite\bibcite
6556 \begingroup
6557 \ifundefined{\bbl@cite@choice}{}{%
6558   \g@addto@macro\bbl@cite@choice{%
6559     \let\bibcite\Hy@bibcite
6560   }%
6561 }%
6562 \endgroup
\@BIBLABEL is working around a ‘feature’ of RevTeX.
6563 \providecommand*\@BIBLABEL{\@biblabel}%
6564 \def\@lbibitem[#1]#2{%
6565   \skiphyperreftrue
6566   \H@item{%
6567     \ifx\Hy@raisedlink\empty
```

```

6568     \hyper@anchorstart{cite.\#2@\extra@b@citeb}%
6569     \BIBLABEL{\#1}%
6570     \hyper@anchorend
6571     \else
6572     \Hy@raisedlink{%
6573         \hyper@anchorstart{cite.\#2@\extra@b@citeb}\hyper@anchorend
6574     }%
6575     \BIBLABEL{\#1}%
6576     \fi
6577     \hfill
6578 ]%
6579 \csname\ifskiphyperref\relax\fi\false
6580 \if@filesw
6581     \begingroup
6582     \let\protect\noexpand
6583     \immediate\write\auxout{%
6584         \string\bibcite{\#2}{\#1}%
6585     }%
6586     \endgroup
6587     \fi
6588     \ignorespaces
6589 ]%

```

Since `\bibitem` is doing its own labelling, call the raw version of `\item`, to avoid extra spurious labels

```

6590 \def\@bibitem#1{%
6591     \csname\ifskiphyperref\relax\H@item\fi\false
6592     \Hy@raisedlink{%
6593         \hyper@anchorstart{cite.\#1@\extra@b@citeb}\relax\hyper@anchorend
6594     }%
6595     \if@filesw
6596         \begingroup
6597         \let\protect\noexpand
6598         \immediate\write\auxout{%
6599             \string\bibcite{\#1}{\the\value{@listctr}}%
6600         }%
6601         \endgroup
6602         \fi
6603         \ignorespaces
6604     }%
6605 }{}}

6606 
```

```

6606 //package)
6607 {*check}
6608 \checklateX
6609 \checkcommand\def\@bibitem[#1]{%
6610     \item[\BIBLABEL{\#1}\hfill]%
6611     \if@filesw
6612         {%
6613             \let\protect\noexpand
6614             \immediate\write\auxout{%
6615                 \string\bibcite{\#2}{\#1}%
6616             }%
6617         }%
6618         \fi
6619         \ignorespaces
6620 }%
6621 \checkcommand\def\@bibitem#1{%

```

```

6622 \item
6623 \if@filesw
6624   \immediate\write\@auxout{%
6625     \string\bibcite{\#1}{\the\value{\@listctr}}}%
6626   }%
6627 \fi
6628 \ignorespaces
6629 }
6630 </check>
6631 <*package>

```

Revtex (bless its little heart) takes over \bibcite and looks at the result to measure something. Make this a hypertext link and it goes ape. Therefore, make an anodyne result first, call its business, then go back to the real thing.

```

6632 \@ifclassloaded{revtex}{%
6633 \Hy@Info{*** compatibility with revtex ***}%
6634 \def\revtex@checking#1#2{%
6635   \expandafter\let\expandafter\T@temp\csname b@\#1\endcsname
6636   \expandafter\def\csname b@\#1\endcsname{\#2}%
6637   \SetMaxRnhefLabel{\#1}%
6638   \expandafter\let\csname b@\#1\endcsname\T@temp
6639 }%

```

Tanmoy provided this replacement for CITEX. Lord knows what it does. For chapterbib added: extra@b@citeb

```

6640 \@ifundefined{@CITE}{\def\@CITE{\@cite}}{}%
6641 \providecommand*\@extra@b@citeb{}%
6642 \def\@CITEX[#1]#2{%
6643   \let\@citea\empty
6644   \leavevmode
6645   \unskip
6646   $^{\%}
6647   \scriptstyle
6648   \@CITE{%
6649     \for\@citeb:=#2\do{%
6650       \@citea
6651       \def\@citeaf,\penalty\@m\ }%
6652       \edef\@citeb{\expandafter\@firstofone\@citeb}%
6653     \if@filesw
6654       \immediate\write\@auxout{\string\citation{\@citeb}}%
6655     \fi
6656   \ifundefined{b@\@citeb\extra@b@citeb}{%
6657     \mbox{\reset@font\bfseries ?}%
6658     \G@refundefinedtrue
6659     \G@lateX@warning{%
6660       Citation '\@citeb' on page \thepage \space undefined%
6661     }%
6662   }%
6663   {\csname b@\@citeb\extra@b@citeb\endcsname}%
6664 }%
6665 }%
6666 \{#1}%
6667 }$%
6668 }%

```

No, life is too short. I am not going to understand the Revtex \collapse macro, I shall just restore the original behaviour of \@citex; sigh. This is SO vile.

```

6669 \def\@citex[#1]#2{%

```

```

6670 \let\@citea\@empty
6671 \@cite{%
6672   \@for\@citeb:=\#2\do{%
6673     \@citea
6674     \def\@citea{,\penalty\@m\ }%
6675     \edef\@citeb{\expandafter\@firstofone\@citeb}%
6676     \if@filesw
6677       \immediate\write\@auxout{\string\citation{\@citeb}}%
6678     \fi
6679     \@ifundefined{b@\@citeb\@extra@b@\@citeb}{%
6680       \mbox{\reset@font\bfseries ?}}%
6681     \G@refundefinedtrue
6682     \G@latex@warning{%
6683       Citation '\@citeb' on page \thepage\space undefined}%
6684     }%
6685   }{%
6686     \hbox{\csname b@\@citeb\@extra@b@\@citeb\endcsname}%
6687   }%
6688 }%
6689 \#1}%
6690 }%
6691 }{}}

```

37.1 Package harvard

Override Peter Williams' Harvard package; we have to a) make each of the citation types into a link; b) make each citation write a backref entry, and c) kick off a backreference section for each bibliography entry.

The redefinitions have to be deferred to `\begin{document}`, because if `harvard.sty` is loaded and `html.sty` is present and detects `pdfTeX`, then `hyperref` is already loaded at the begin of `harvard.sty`, and the `\newcommand` macros causes error messages.

```

6692 \@ifpackageloaded{harvard}{%
6693   \AtBeginDocument{%
6694     \Hy@Info{*** compatibility with harvard ****}%
6695     \Hy@raiselinksfalse
6696     \def\harvardcite#1#2#3#4{%
6697       \global\@namedef{HAR@fn@#1}{\hyper@link[cite]{}{cite.\#1}{\#2}}%
6698       \global\@namedef{HAR@an@#1}{\hyper@link[cite]{}{cite.\#1}{\#3}}%
6699       \global\@namedef{HAR@yr@#1}{\hyper@link[cite]{}{cite.\#1}{\#4}}%
6700       \global\@namedef{HAR@df@#1}{\csname HAR@fn@\#1\endcsname}%
6701     }%
6702     \def\HAR@citetoaux#1{%
6703       \if@filesw\immediate\write\@auxout{\string\citation{\#1}}\fi%
6704       \ifHy@backref
6705         \ifx\@empty\@currentlabel
6706           \else
6707             \@bsphack
6708             \if@filesw
6709               \protected@write\@auxout{}{%
6710                 \string\@writefile{brf}{%
6711                   \string\backcite{\#1}{%
6712                     {\thepage}\{@currentlabel}\{@currentHref}}}%
6713               }%
6714             }%
6715           }%
6716         \fi

```

```

6717      \@esphack
6718      \fi
6719      \fi
6720  }%
6721  \def\harvarditem{%
6722    \@ifnextchar{`}{\harvarditem}{\harvarditem[\null]}%
6723  }%
6724  \def\@harvarditem[#1]#2#3#4#5\par{%
6725    \item[]%
6726    \hyper@anchorstart{cite.\#4}\relax\hyper@anchorend
6727    \if@filesw
6728      \begingroup
6729        \def\protect##1{\string ##1\space}%
6730        \ifthenelse{\equal{#1}{\null}}{%
6731          {\def\next{##4}{##2}{##2}{##3}}{%
6732            {\def\next{##4}{##2}{##1}{##3}}{%
6733              \immediate\write\auxout{\string\harvardcite\codeof\next}%
6734            }%
6735          }%
6736        \protect\hspace*{-\labelwidth}%
6737        \protect\hspace*{-\labelsep}%
6738        \ignorespaces
6739      }%
6740      \ifHy@backref
6741        \newblock
6742        \backref{\csname br@\#4\endcsname}%
6743      }%
6744      \par
6745  }%

```

\HAR@checkcitations Package hyperref has added \hyper@@link, so the original test \HAR@checkcitations will fail every time and always will appear the “Changed labels” warning. So we have to redefine \Har@checkcitations:

```

6746  \long\def\HAR@checkcitations#1#2#3#4{%
6747    \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#2}}%
6748    \expandafter\ifx\csname HAR@fn@\#1\endcsname\HAR@tempa
6749      \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#3}}%
6750    \expandafter\ifx\csname HAR@an@\#1\endcsname\HAR@tempa
6751      \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#4}}%
6752    \expandafter\ifx\csname HAR@yr@\#1\endcsname\HAR@tempa
6753      \else
6754        \tempswattrue
6755      \fi
6756    \else
6757      \tempswattrue
6758    \fi
6759  \else
6760    \tempswattrue
6761  \fi
6762 }%
6763 }%
6764 }{%

```

37.2 Package chicago

The links by \citeN and \shortciteN should include the closing parentheses.

```

6765 \@ifpackageloaded{chicago}{%
6766   \citeN
6767   \def\@citeseppen{-1000}%
6768   \def\@cite##1##2##1{##1}%
6769   \def\citeauthoryear##1##2##3##1{##1 (\##3\@cite@opt)}%
6770   \citedata@opt
6771 }%
6772 \shortciteN
6773   \def\@citeseppen{-1000}%
6774   \def\@cite##1##2##1{##1}%
6775   \def\citeauthoryear##1##2##3##2{##2 (\##3\@cite@opt)}%
6776   \citedata@opt
6777 }%
6778 \citedata@opt
6779   \def\@citedata@opt{%
6780     \let\@cite@opt\empty
6781     \ifnextchar [{%
6782       \tempswattrue
6783       \citedata@opt
6784     }{%
6785       \tempswafalse
6786       \citedata[]%
6787     }%
6788   }%
6789   \def\@cite@opt[ #1]{%
6790     \citedata[#1]%
6791   }%
6792 }{}}

```

38 Page numbers

The last page should not contain a /Dur key, because there is no page after the last page. Therefore at the last page there should be a command `\hypersetup{pdfpageduration={}}.` This can be set with `\AtEndDocument`, but it can be too late, if the last page is already finished, or too early, if lots of float pages will follow. Therefore currently nothing is done by hyperref.

This where we supply a destination for each page.

```

6793 \def\Hy@EveryPageAnchor{%
6794   \Hy@DistillerDestFix
6795   \ifHy@pageanchor
6796     \ifHy@hypertexnames
6797       \ifHy@plainpages
6798         \def\Hy@TempPageAnchor{\hyper@anchor{page.\the\c@page}}%
6799       \else
6800         \begingroup
6801           \let\@number\firstofone

```

```

6802      \Hy@unicodedefalse
6803      \pdfstringdef`@the@H@page{\thepage}%
6804      \endgroup
6805      \def\Hy@TempPageAnchor{\hyper@anchor{page.\@the@H@page}}%
6806      \fi
6807      \else
6808      \Hy@GlobalStepCount\Hy@pagecounter
6809      \def\Hy@TempPageAnchor{%
6810          \hyper@anchor{page.\the\Hy@pagecounter}%
6811      }%
6812      \fi
6813      \vbox to 0pt{%
6814          \kern\voffset
6815          \kern\topmargin
6816          \kern-1bp\relax
6817          \hbox to 0pt{%
6818              \kern\hoffset
6819              \kern\ifodd\value{page}%
6820                  \oddsidemargin
6821              \else
6822                  \evensidemargin
6823              \fi
6824              \kern-1bp\relax
6825              \Hy@TempPageAnchor
6826              \hss
6827          }%
6828          \vss
6829      }%
6830      \fi
6831 }
6832 \g@addto@macro\Hy@EveryPageBoxHook{%
6833 \Hy@EveryPageAnchor
6834 }

```

39 Table of contents

TV Raman noticed that people who add arbitrary material into the TOC generate a bad or null link. We avoid that by checking if the current destination is empty. But if ‘the most recent destination’ is not what you expect, you will be in trouble.

```

6835 \def\addcontentsline##1##2##3{%
6836     toc extension, type, tag
6837     \begingroup
6838     \let\label\gobble
6839     \ifx\@currentHref\@empty
6840         \Hy@Warning{%
6841             No destination for bookmark of \string\addcontentsline,%
6842             \MessageBreak destination is added%
6843         }%
6844         \phantomsection
6845     \fi
6846     \expandafter\ifx\csname toplevel@\#2\endcsname\relax
6847     \begingroup
6848         \def\Hy@tempa{##1}%
6849         \ifx\Hy@tempa\Hy@bookmarkstype
6850             \Hy@WarningNoLine{%
6851                 bookmark level for unknown ##2 defaults to 0%
6852             }%

```

```

6852     \else
6853         \Hy@Info{bookmark level for unknown #2 defaults to 0}%
6854     \fi
6855     \endgroup
6856     \expandafter\gdef\csname toclevel@\#2\endcsname{0}%
6857     \fi
6858     \edef\Hy@toclevel{\csname toclevel@\#2\endcsname}%
6859     \Hy@writebookmark{\csname the#\#2\endcsname}%
6860     {\#3}%
6861     {\@currentHref}%
6862     {\Hy@toclevel}%
6863     {\#1}%
6864     \ifHy@verbose
6865         \begingroup
6866             \def\Hy@tempa{\#3}%
6867             \onelevel@sanitize\Hy@tempa
6868             \let\temp@online\on@line
6869             \let\on@line\empty
6870             \Hy@Info{%
6871                 bookmark\temp@online:\MessageBreak
6872                 thecounter {\csname the#\#2\endcsname}\MessageBreak
6873                 text {\Hy@tempa}\MessageBreak
6874                 reference {\@currentHref}\MessageBreak
6875                 toclevel {\Hy@toclevel}\MessageBreak
6876                 type {\#1}%
6877             }%
6878         \endgroup
6879     \fi
6880     \addtocontents{\#1}{%
6881         \protect\contentsline{\#2}{\#3}{\thepage}{\@currentHref}%
6882     }%
6883     \endgroup
6884 }
6885 \def\contentsline#1#2#3#4{%
6886     \ifx\\#4\\%
6887         \csname l@\#1\endcsname{\#2}{\#3}%
6888     \else
6889         \ifcase\Hy@linktoc % none
6890             \csname l@\#1\endcsname{\#2}{\#3}%
6891         \or % section
6892             \csname l@\#1\endcsname{%
6893                 \hyper@linkstart{link}{\#4}{\#2}\hyper@linkend
6894             }{\#3}%
6895         \or % page
6896             \csname l@\#1\endcsname{{\#2}}{%
6897                 \hyper@linkstart{link}{\#4}{\#3}\hyper@linkend
6898             }%
6899         \else % all
6900             \csname l@\#1\endcsname{%
6901                 \hyper@linkstart{link}{\#4}{\#2}\hyper@linkend
6902             }{%
6903                 \hyper@linkstart{link}{\#4}{\#3}\hyper@linkend
6904             }%
6905     \fi
6906     \fi
6907 }
6908 
```

```

6909 /*check)
6910 \checklateX
6911 \checkcommand\def\addcontentsline#1#2#3{%
6912   \addtocontents{#1}{\protect\contentsline{#2}{#3}{\thepage}}%
6913 }
6914 \checkcommand\def\contentsline#1{\csname l@#1\endcsname}
6915 /*check)
6916 /*package)

```

40 New counters

The whole theorem business makes up new counters on the fly; we are going to intercept this. Sigh. Do it at the level where new counters are defined.

```

6917 \let\H@definecounter\@definecounter
6918 \def\@definecounter#1{%
6919   \H@definecounter{#1}%
6920   \expandafter\def\csname theH#1\endcsname{\arabic{#1}}%
6921 }

```

But what if they have used the optional argument to e.g. `\newtheorem` to determine when the numbering is reset? OK, we'll trap that too.

```

6922 \let\H@newctr\@newctr
6923 \def\@newctr#1[#2]{%
6924   \H@newctr#1[{\#2}]%
6925   \expandafter\def\csname theH#1\endcsname{%
6926     \csname the\@ifundefined{theH#2}{}{H}\#2\endcsname.\arabic{#1}}%
6927 }%
6928 }

```

41 AMS \LaTeX compatibility

Oh, no, they don't use anything as simple as `\refstepcounter` in the AMS! We need to intercept some low-level operations of theirs. Damned if we are going to try and work out what they get up to. Just stick a label of 'AMS' on the front, and use the label *they* worked out. If that produces something invalid, I give up. They'll change all the code again anyway, I expect (SR).

Version 6.77p uses a patch by Ross Moore.

```

6929 \@ifpackageloaded{amsmath}{%
6930   \def\Hy@make@anchor{%
6931     \Hy@GlobalStepCount\Hy@linkcounter
6932     \xdef\@currentHref{AMS.\the\Hy@linkcounter}%
6933     \Hy@raisedlink{\hyper@anchorstart{\@currentHref}\hyper@anchorend}%
6934   }%
6935   \def\Hy@make@df@tag@@#1{%
6936     \gdef\df@tag{%
6937       \maketag@@@{\Hy@make@anchor#1}%
6938       \def\@currentlabel{#1}%
6939     }%
6940   }%
6941   \def\Hy@make@df@tag@@@#1{%
6942     \gdef\df@tag{%
6943       \tagform@\{\Hy@make@anchor#1}%
6944       \toks@\@xp{\p@equation{#1}}%
6945       \edef\@currentlabel{\the\toks@}%
6946     }%

```

```

6947 }%
6948 \let\HyOrg@make@df@tag@@\make@df@tag@@
6949 \let\HyOrg@make@df@tag@@@\make@df@tag@@@
6950 \let\make@df@tag@@@\Hy@make@df@tag@@@
6951 \let\make@df@tag@@@\Hy@make@df@tag@@@
6952 }{}}

```

Only play with `\seteqlabel` if we are using pdftex. Other drivers cause problems; requested by Michael Downes (AMS).

```

6953 \@ifpackagewith{hyperref}{pdftex} {%
6954   \let\H@seteqlabel\@seteqlabel
6955   \def\@seteqlabel#1{%
6956     \H@seteqlabel{\#1}%
6957     \xdef\@currentHref{AMS.\the\Hy@linkcounter}%
6958     \Hy@raisedlink{%
6959       \hyper@anchorstart{\@currentHref}\hyper@anchorend
6960     }%
6961   }%
6962 }{}}

```

This code I simply cannot remember what I was trying to achieve. The final result seems to do nothing anyway.

```

\let\H@tagform@\tagform@
\def\tagform@#1{%
  \maketag@@@\{\hyper@anchor{\@currentHref}%
  {\ignorespaces#1\unskip}\}%
}
\def\eqref#1{\textup{\H@tagform@\{\ref{\#1}\}}}

```

41.1 \@addtoreset and \numberwithin patches

`\@addtoreset` puts a counter to the reset list of another counter. After a reset the counter starts again with perhaps already used values. Therefore the hyperref version of the counter print command `\theHcounter` is redefined in order to add the parent counter.

```

6963 \let\HyOrg@addtoreset\@addtoreset
6964 \def\@addtoreset#1#2{%
6965   \HyOrg@addtoreset{\#1}{\#2}%
6966   \expandafter\xdef\csname theH#1\endcsname{%
6967     \expandafter\noexpand
6968     \csname the\@ifundefined{theH#2}{}H#2\endcsname
6969     .\noexpand\the\noexpand\value{\#1}%
6970   }%
6971 }

```

`\numberwithin` A appropriate definition of hyperref's companion counter (`\theH...`) is added for correct link names.

```

6972 </package>
6973 <*check>
6974 \checkpackage{amsmath}[1999/12/14 - 2000/06/06]
6975 \checkcommand\newcommand{\numberwithin}[3][\arabic]{%
6976   \@ifundefined{c@\#2}{\@nocounterr{\#2}}{%
6977     \@ifundefined{c@\#3}{\@nocnterr{\#3}}{%
6978       \@addtoreset{\#2}{\#3}%
6979       \@xp\xdef\csname the\#2\endcsname{%
6980         \@xp\@nx\csname the\#3\endcsname .\@nx\#1{\#2}%
6981       }%
6982     }%
}

```

```

6983 }%
6984 }%
6985 </check>
6986 {*package}
6987 \c@ifpackageloaded{amsmath}{%
6988   \c@ifpackagelater{amsmath}{1999/12/14}{%
6989     \renewcommand*{\numberwithin}[3]{\arabic}{%
6990       \c@ifundefined{c@#2}{\c@nocounterr{#2}}{%
6991         \c@ifundefined{c@#3}{\c@nocnterr{#3}}{%
6992           \HyOrg@addtoreset{#2}{#3}{%
6993             \c@xp\xdef\csname the#2\endcsname{%
6994               \c@xp\c@nx\csname the#3\endcsname .\c@nx#1{#2}{%
6995             }%
6996             \c@xp\xdef\csname theH#2\endcsname{%
6997               \c@xp\c@nx
6998                 \csname the\c@ifundefined{theH#3}{}H#3\endcsname
6999                   .\c@nx#1{#2}{%
7000             }%
7001           }%
7002         }%
7003       }%
7004     }{%
7005       \Hy@WarningNoLine{%
7006         \string\numberwithin\space of package 'amsmath' %
7007         only fixed\MessageBreak
7008         for version 2000/06/06 v2.12 or newer%
7009       }%
7010     }%
7011   }{%
7012 }
```

42 Included figures

Simply intercept the low level graphics package macro.

```

7012 \ifHy@figures
7013   \let\Hy@Gin@setfile\Gin@setfile
7014   \def\Gin@setfile#1#2#3{%
7015     \hyperimage{#3}{\Hy@Gin@setfile{#1}{#2}{#3}}%
7016   }%
7017 \fi
7018 \Hy@DisableOption{hyperfigures}
```

43 hyperindex entries

Internal command names are prefixed with \HyInd@.

Hyper-indexing works crudely, by forcing code onto the end of the index entry with the | feature; this puts a hyperlink around the printed page numbers. It will not proceed if the author has already used the | specifier for something like emboldening entries. That would make Makeindex fail (cannot have two | specifiers). The solution is for the author to use generic coding, and put in the requisite \hyperpage in his/her own macros along with the boldness.

This section is poor stuff; it's open to all sorts of abuse. Sensible large projects will design their own indexing macros any bypass this.

```

7019 \ifHy@hyperindex
7020   \def\HyInd@ParenLeft{()}%
```

```

7021 \def\HyInd@ParenRight{}%
7022 \def\hyperindexformat#1#2{%
7023   \let\HyOrg@hyperpage\hyperpage
7024   \let\hyperpage\@firstofone
7025   #1{\HyOrg@hyperpage{#2}}%
7026   \let\hyperpage\HyOrg@hyperpage
7027 }%
7028 \Hy@nextfalse
7029 \@ifpackageloaded{multind}{\Hy@nexttrue}{}
7030 \@ifpackageloaded{index}{\Hy@nexttrue}{}
7031 \@ifpackageloaded{amsidx}{\Hy@nexttrue}{}
7032 \begingroup
7033 \lccode`|= \expandafter\HyInd@EncapChar\relax
7034 \lccode`/='\\relax
7035 \lowercase{\endgroup
7036 \ifHy@next
7037   \let\HyInd@org@wrindex\@wrindex
7038   \def\@wrindex#1#2{\HyInd@wrindex{#1}#2||\\}%
7039   \def\HyInd@wrindex#1#2|#3|#4\\{%
7040     \ifx\\#3\\%
7041       \HyInd@org@wrindex{#1}{#2|hyperpage}%
7042     \else
7043       \HyInd@@@wrindex{#1}{#2}#3\\%
7044     \fi
7045   }%
7046   \def\HyInd@@@wrindex#1#2#3#4\\{%
7047     \def\Hy@temp@A{#3}%
7048     \ifcase0\ifx\Hy@temp@A\HyInd@ParenLeft 1\fi
7049       \ifx\Hy@temp@A\HyInd@ParenRight 1\fi
7050         \relax
7051         \HyInd@org@wrindex{#1}{%
7052           #2|hyperindexformat{/#3#4}}%
7053       }%
7054     \else
7055       \ifx\\#4\\%
7056         \ifx\Hy@temp@A\HyInd@ParenRight
7057           \HyInd@org@wrindex{#1}{#2|#3}%
7058         \else
7059           \HyInd@org@wrindex{#1}{#2|#3hyperpage}%
7060         \fi
7061       \else
7062         \HyInd@org@wrindex{#1}{%
7063           #2|#3hyperindexformat{/#4}}%
7064         }%
7065       \fi
7066     \fi
7067   }%
7068 \else
7069   \def\@wrindex#1{\@@wrindex#1||\\}%
7070   \def\@@wrindex#1#2|#3|#4\\{%
7071     \if@filesw
7072       \ifx\\#2\\%
7073         \protected@write\@indexfile{}{%
7074           \string\indexentry{#1|hyperpage}{\thepage}}%
7075         }%
7076       \else
7077         \HyInd@@@wrindex{#1}{#2}\\%

```

```

7078      \fi
7079      \fi
7080      \endgroup
7081      \@esphack
7082  }%
7083  \def\HyInd@@wrindex#1#2#3\\{%
7084    \def\Hy@temp@A{#2}%
7085    \ifcase0\ifx\Hy@temp@A\HyInd@ParenLeft 1\fi
7086      \ifx\Hy@temp@A\HyInd@ParenRight 1\fi
7087      \relax
7088    \protected@write\@indexfile{}{%
7089      \string\indexentry{%
7090        #1|hyperindexformat{/#2#3}%
7091        }{\thepage}%
7092  }%
7093  \else
7094    \ifx\\#3\\%
7095      \ifx\Hy@temp@A\HyInd@ParenRight
7096        \protected@write\@indexfile{}{%
7097          \string\indexentry{#1|#2}{\thepage}%
7098        }%
7099      \else
7100        \protected@write\@indexfile{}{%
7101          \string\indexentry{#1|#2hyperpage}{\thepage}%
7102        }%
7103      \fi
7104    \else
7105      \protected@write\@indexfile{}{%
7106        \string\indexentry{%
7107          #1|#2hyperindexformat{/#3}%
7108          }{\thepage}%
7109        }%
7110      \fi
7111    \fi
7112  }%
7113  \fi
7114 }%
7115 \fi
7116 \Hy@DisableOption{hyperindex}
7117 \Hy@DisableOption{encap}

```

\nohyperpage The definition of \nohyperpage is just a precaution. It is used to mark code that does not belong to a page number, but \nohyperpage is never executed.

```
7118 \def\nohyperpage#1{#1}
```

This again is quite flaky, but allow for the common situation of a page range separated by en-rule. We split this into two different hyperlinked pages.

```

7119 \def\hyperpage#1{%
7120   \HyInd@hyperpage#1\nohyperpage{}\@nil
7121 }
7122 \def\HyInd@hyperpage#1\nohyperpage#2#3\@nil{%
7123   \HyInd@@hyperpage{#1}%
7124   #2%
7125   \def\Hy@temp{#3}%
7126   \ifx\Hy@temp\@empty
7127   \else
7128     \Hy@ReturnAfterFi{%

```

```

7129      \HyInd@hyperpage#3\@nil
7130    }%
7131   \fi
7132 }
7133 \def\HyInd@@hyperpage#1{\@hyperpage#1----\\}
7134 \def\@hyperpage#1--#2--#3\\{%
7135   \ifx\\#2\\%
7136     \@commahyperpage{#1}%
7137   \else
7138     \HyInd@pagelink{#1}--\HyInd@pagelink{#2}%
7139   \fi
7140 }
7141 \def\@commahyperpage#1{\@commahyperpage#1, ,\\}
7142 \def\@commahyperpage#1, #2,#3\\{%
7143   \ifx\\#2\\%
7144     \HyInd@pagelink{#1}%
7145   \else
7146     \HyInd@pagelink{#1}, \HyInd@pagelink{#2}%
7147   \fi
7148 }

```

The argument of `\hyperpage` can be empty. And the line breaking algorithm of `Makeindex` can introduce spaces. So we have to remove them.

```

7149 \def\HyInd@pagelink#1{%
7150   \begingroup
7151   \toks@={}
7152   \HyInd@removespaces#1 \@nil
7153   \endgroup
7154 }
7155 \def\HyInd@removespaces#1 #2\@nil{%
7156   \toks@=\expandafter{\the\toks@#1}%
7157   \ifx\\#2\\%
7158     \edef\x{\the\toks@}%
7159     \ifx\x\empty
7160       \else
7161         \hyperlink{page.\the\toks@}{\the\toks@}%
7162       \fi
7163     \else
7164       \Hy@ReturnAfterFi{%
7165         \HyInd@removespaces#2\@nil
7166       }%
7167     \fi
7168 }

```

44 Compatibility with foiltex

```

7169 \@ifclassloaded{foils}{%
7170   \providecommand*\ext@table{lot}%
7171   \providecommand*\ext@figure{lof}%
7172 }{%

```

45 Compatibility with seminar slide package

This requires `seminar.bg2`, version 1.6 or later. Contributions by Denis Girou (`denis.girou@idris.fr`).

```

7173 \@ifclassloaded{seminar}{%

```

```

7174 \Hy@seminarslidestrue\newcommand{\theHslide{\arabic{slide}}}{%
7175 }{%
7176 \Hy@seminarslidesfalse
7177 }%
7178 \@ifpackageloaded{slidesec}{%
7179 \newcommand{\theHslidesection}{\arabic{slidesection}}{%
7180 \newcommand{\theHslidesubsection}{%
7181 \theHslidesection.\arabic{slidesubsection}}{%
7182 }{%
7183 \def\slide@heading[#1]{%
7184 \H@refstepcounter{slidesection}}{%
7185 \@addtoreset{slidesubsection}{slidesection}}{%
7186 \addtocontents{los}{%
7187 \protect\l@slide{\the\c@slidesection}{\ignorespaces#1}}{%
7188 {\@SCTR}{slideheading.\theslidesection}}{%
7189 }{%
7190 \def\Hy@tempa{#2}{%
7191 \ifx\Hy@tempa\empty
7192 \else
7193 {%
7194 \edef@\currentlabel{%
7195 \csname p@slidesection\endcsname\theslidesection
7196 }{%
7197 \makeslideheading{#2}}{%
7198 }{%
7199 \fi
7200 \gdef\theslideheading{#1}{%
7201 \gdef\theslidesubheading{}{%
7202 \ifHy@bookmarksnumbered
7203 \def\Hy@slidetitle{\theslidesection\space #1}{%
7204 \else
7205 \def\Hy@slidetitle{#1}{%
7206 \fi
7207 \ifHy@hypertexnames
7208 \ifHy@naturalnames
7209 \hyper@anchor{slideheading.\theslidesection}{\relax}{%
7210 \Hy@writebookmark
7211 {\theslidesection}{%
7212 {\Hy@slidetitle}{%
7213 {slideheading.\theslidesection}{%
7214 {1}{%
7215 {toc}}{%
7216 \else
7217 \hyper@@anchor{slideheading.\theHslidesection}{\relax}{%
7218 \Hy@writebookmark
7219 {\theslidesection}{%
7220 {\Hy@slidetitle}{%
7221 {slideheading.\theHslidesection}{%
7222 {1}{%
7223 {toc}}{%
7224 \fi
7225 \else
7226 \Hy@GlobalStepCount\Hy@linkcounter
7227 \hyper@anchor{slideheading.\the\Hy@linkcounter}{\relax}{%
7228 \Hy@writebookmark
7229 {\theslidesection}{%
7230 {\Hy@slidetitle}}{%

```

```

7231 {slideheading.\the\Hy@linkcounter}%
7232 {1}%
7233 {toc}%
7234 \fi
7235 }%
7236 \def\slide@subheading[#1]{%
7237 \H@refstepcounter{slidesubsection}%
7238 \addtocontents{los}{%
7239 \protect\l@subslide{\the\c@slidesubsection}{\ignorespaces#1}%
7240 {\@SCTR}{slideheading.\theslidesubsection}%
7241 }%
7242 \def\Hy@tempa{#2}%
7243 \ifx\Hy@tempa\empty
7244 \else
7245 {%
7246 \edef\@currentlabel{%
7247 \csname p@slidesubsection\endcsname\theslidesubsection
7248 }%
7249 \makeslidesubheading{#2}%
7250 }%
7251 \fi
7252 \gdef\theslidesubheading{#1}%
7253 \ifHy@bookmarksnumbered
7254 \def\Hy@slidetitle{\theslidesubsection\space #1}%
7255 \else
7256 \def\Hy@slidetitle{#1}%
7257 \fi
7258 \ifHy@hypertexnames
7259 \ifHy@naturalnames
7260 \hyper@@anchor{slideheading.\theslidesubsection}{\relax}%
7261 \Hy@writebookmark
7262 {\theslidesubsection}%
7263 {\Hy@slidetitle}%
7264 {slideheading.\theslidesubsection}%
7265 {2}%
7266 {toc}%
7267 \else
7268 \hyper@@anchor{slideheading.\theHslidesubsection}{\relax}%
7269 \Hy@writebookmark
7270 {\theHslidesubsection}%
7271 {\Hy@slidetitle}%
7272 {slideheading.\theHslidesubsection}%
7273 {2}%
7274 {toc}%
7275 \fi
7276 \else
7277 \Hy@GlobalStepCount\Hy@linkcounter
7278 \hyper@@anchor{slideheading.\the\Hy@linkcounter}{\relax}%
7279 \Hy@writebookmark
7280 {\theslidesubsection}%
7281 {\Hy@slidetitle}%
7282 {slideheading.\the\Hy@linkcounter}%
7283 {1}%
7284 {toc}%
7285 \fi
7286 }%
7287 \providecommand*{\listslidename}{List of Slides}%

```

```

7288 \def\listofslides{%
7289   \section*{%
7290     \listsldename
7291     \@mkboth{%
7292       \expandafter\MakeUppercase\listsldename
7293     }{%
7294       \expandafter\MakeUppercase\listsldename
7295     }%
7296   }%
7297 \def\l@slide##1##2##3##4{%
7298   \slide@undottedcline{%
7299     \slidenumberline{##3}{\hyperlink{##4}{##2}}{##3}%
7300   }{%
7301 }%
7302 \let\l@subslide\l@slide
7303 \atstartlos
7304 }%
7305 \def\slide@contents{%
7306   \def\l@slide##1##2##3##4{%
7307     \slide@cline{\slidenumberline{##3}{\hyperlink{##4}{##2}}{##3}%
7308   }%
7309   \let\l@subslide\@gobblefour
7310   \atstartlos
7311 }%
7312 \def\Slide@contents{%
7313   \def\l@slide##1##2##3##4{%
7314     \ifcase\lslide@flag
7315       \message{##1 ** \the\c@slidesection}%
7316       \ifnum##1>\c@slidesection
7317         \def\lslide@flag{1}%
7318       {%
7319         \large
7320         \slide@cline{%
7321           \slidenumberline{$\rightarrow$\bullet$}%
7322           {\hyperlink{##4}{##2}}%
7323         }{##3}%
7324       }%
7325     \else
7326       {%
7327         \large
7328         \slide@cline{%
7329           \slidenumberline{$\sqrt{\;}\bullet$}%
7330           {\hyperlink{##4}{##2}}%
7331         }{##3}%
7332       }%
7333     \fi
7334   \or
7335     \def\lslide@flag{2}%
7336     {%
7337       \large
7338       \slide@cline{%
7339         \slidenumberline{$\bullet$}%
7340         {\hyperlink{##4}{##2}}%
7341       }{##3}%
7342     }%
7343   \or
7344     {%

```

```

7345      \large
7346      \slide@cline{%
7347          \slidenumberline{$\bullet$}%
7348          {\hyperlink{\#4}{\#2}}%
7349      }{\#3}%
7350      }%
7351      \fi
7352  }%
7353 \def\l@subslide##1##2##3##4{%
7354     \ifnum\lslide@flag=1 %
7355         \atundottedtocline{2}{3.8em}{3.2em}{\hyperlink{\#4}{\#2}}{}%
7356     \fi
7357  }%
7358 \def\lslide@flag{0}%
7359 \startlos
7360 }%
7361 }{}
```

This breaks TeX4ht, so leave it to last. Emend `\@setref` to put out a hypertext link as well as its normal text (which is used as an anchor). (`\endinput` have to be on the same line like `\fi`, or you have to use `\expandafter` before.)

```

7362 \ifHy@texht
7363 \expandafter\endinput
7364 \fi
7365 \let\real@setref\@setref
7366 \def\@setref#1#2#3{%
    \csname extract group, refname
    \ifx#1\relax
        \protect\G@refundefinedtrue
    \else
        \nfss@text{\reset@font\bfseries ??}%
    \fi
    \relax
    \ifx#3\relax
        \Reference{'#3' on page \thepage \space undefined}%
    \else
        \expandafter\Hy@setref@link#1\empty\empty\@nil{#2}%
    \fi
}
```

`\Hy@setref@link` extracts the reference information entries, because `\hyper@link` does not expand arguments for the automatic link type detection.

```

7377 \def\Hy@setref@link#1#2#3#4#5#6\@nil#7{%
7378     \begingroup
7379     \toks0=\hyper@link{\#4}{\#4}%
7380     \toks1=\expandafter{\#7{\#1}{\#2}{\#3}{\#4}{\#5}}%
7381     \edef\x{\endgroup
7382         \the\toks0 \the\toks1 }%
7383     }%
7384     \x
7385 }
7386 \def\@pagesetref#1#2#3{%
    \csname extract macro, ref
    \ifx#1\relax
        \protect\G@refundefinedtrue
    \else
        \nfss@text{\reset@font\bfseries ??}%
    \fi
    \relax
    \ifx#3\relax
        \Reference{'#3' on page \thepage \space undefined}%
    \else
        \expandafter\protect\hyper@link
            {\expandafter\@fifthoffive#1}%
    \fi
}
```

```

7396     {page.\expandafter\@secondoffive#1}%
7397     {\expandafter\@secondoffive#1}%
7398 \fi
7399 }

7400 </package>
7401 <*check>
7402 \checklateX
7403 \checkcommand\def\setref#1#2#3{%
7404   \ifx#1\relax
7405     \protect\G@refundefinedtrue
7406     \nfss@text{\reset@font\bfseries ??}%
7407     \clatex@warning{%
7408       Reference '#3' on page \thepage\space undefined%
7409     }%
7410   \else
7411     \expandafter#2#1\null
7412   \fi
7413 }
7414 </check>
7415 <*package>

```

Now some extended referencing. `\ref*` and `\pageref*` are not linked, and `\autoref` prefixes with a tag based on the type.

```

7416 \def\HyRef@StarSetRef#1{%
7417   \begingroup
7418   \Hy@safe@activestruE
7419   \edef\x{\#1}%
7420   \onelevel@sanitize\x
7421   \edef\x{\endgroup
7422   \noexpand\HyRef@@StarSetRef
7423   \expandafter\noexpand\csname r@\x\endcsname{\x}%
7424 }%
7425 \x
7426 }
7427 \def\HyRef@@StarSetRef#1#2#3{%
7428   \ifx#1\undefined
7429     \let#1\relax
7430   \fi
7431   \real@setref#1#3{#2}%
7432 }
7433 \def\@refstar#1{%
7434   \HyRef@StarSetRef{#1}\@firstoffive
7435 }
7436 \def\@pagerefstar#1{%
7437   \HyRef@StarSetRef{#1}\@secondoffive
7438 }
7439 \AtBeginDocument{%
7440   \ifpackageloaded{varioref}{%
7441     \def\@Refstar#1{%
7442       \HyRef@StarSetRef{#1}\HyRef@MakeUppercaseFirstOfFive
7443     }%
7444     \def\HyRef@MakeUppercaseFirstOfFive#1#2#3#4#5{%
7445       \MakeUppercase#1%
7446     }%
7447     \DeclareRobustCommand*\@Ref{%
7448       \ifstar\@Refstar\HyRef@Ref
7449     }%

```

```

7450 \def\HyRef@Ref#1{%
7451   \hyperref[{#1}]{\Ref*{#1}}%
7452 }%
7453 \def\Vr@f#1{%
7454   \leavevmode\unskip\vref@space
7455   \hyperref[{#1}]{%
7456     \Ref*{#1}%
7457     \let\vref@space\nobreakspace
7458     \@vpageref[\unskip]{#1}%
7459   }%
7460 }%
7461 \def\vr@f#1{%
7462   \leavevmode\unskip\vref@space
7463   \begingroup
7464     \let\T@pageref\@pagerefstar
7465     \hyperref[{#1}]{%
7466       \ref*{#1}%
7467       \vpageref[\unskip]{#1}%
7468     }%
7469   \endgroup
7470 }%
7471 }{%
7472 }
7473 \DeclareRobustCommand*\autopageref{%
7474   \@ifstar{%
7475     \HyRef@autopagerefname\pageref*%
7476   }{\HyRef@autopageref
7477 }
7478 \def\HyRef@autopageref#1{%
7479   \hyperref[{#1}]{\HyRef@autopagerefname\pageref*{#1}}%
7480 }
7481 \def\HyRef@autopagerefname{%
7482   \@ifundefined{pageautorefname}{%
7483     \@ifundefined{pagename}{%
7484       \Hy@Warning{No autoref name for ‘page’}%
7485     }{%
7486       \pagename\nobreakspace
7487     }%
7488   }{%
7489     \pageautorefname\nobreakspace
7490   }%
7491 }
7492 \DeclareRobustCommand*\autoref{%
7493   \@ifstar{\HyRef@autoref@gobbletwo}{\HyRef@autoref\hyper@\link}%
7494 }
7495 \def\HyRef@autoref#1#2{%
7496   \begingroup
7497     \Hy@safe@activestore
7498     \expandafter\HyRef@autosetref\csname r@##2\endcsname{##2}{#1}%
7499   \endgroup
7500 }
7501 \def\HyRef@autosetref#1#2#3{%
7502   \HyRef@ShowKeysRef{#2}%
7503   \ifcase 0\ifx#1\relax 1\fi\ifx#1\Hy@varioreref@undefined 1\fi\relax
7504     \edef\HyRef@thisref{%
7505       \expandafter\@fourthoffive#1\@empty\@empty\@empty
7506     }%

```

```

7507  \expandafter\HyRef@testreftype\HyRef@thisref.\%
7508  \Hy@safe@activesfalse
7509  #3{%
7510   \expandafter\@fifthoffive#1\empty\empty\empty
7511 }{%
7512   \expandafter\@fourthoffive#1\empty\empty\empty
7513 }{%
7514   \HyRef@currentHtag
7515   \expandafter\@firstoffive#1\empty\empty\empty
7516   \null
7517 }%
7518 \else
7519   \protect\G@refundefinedtrue
7520   \nfss@text{\reset@font\bfseries ??}%
7521   \@latex@warning{%
7522     Reference '#2' on page \thepage\space undefined%
7523   }%
7524 \fi
7525 }
7526 \def\HyRef@testreftype#1.#2\{\%
7527   \ifundefined{#1autorefname}{%
7528     \ifundefined{#1name}{%
7529       \HyRef@StripStar#1\*\@nil{#1}%
7530     \ifundefined{\HyRef@name autorefname}{%
7531       \ifundefined{\HyRef@name name}{%
7532         \def\HyRef@currentHtag{}%
7533         \Hy@Warning{No autoref name for '#1'}%
7534     }{%
7535       \edef\HyRef@currentHtag{%
7536         \expandafter\noexpand\csname\HyRef@name name\endcsname
7537         \noexpand~%
7538     }%
7539   }{%
7540 }{%
7541   \edef\HyRef@currentHtag{%
7542     \expandafter\noexpand
7543     \csname\HyRef@name autorefname\endcsname
7544     \noexpand~%
7545   }%
7546 }{%
7547 }{%
7548   \edef\HyRef@currentHtag{%
7549     \expandafter\noexpand\csname#1name\endcsname
7550     \noexpand~%
7551   }%
7552 }{%
7553 }{%
7554   \edef\HyRef@currentHtag{%
7555     \expandafter\noexpand\csname#1autorefname\endcsname
7556     \noexpand~%
7557   }%
7558 }%
7559 }
7560 \def\HyRef@StripStar#1*\#2\@nil#3{%
7561   \def\HyRef@name{#2}%
7562   \ifx\HyRef@name\HyRef@CaseStar
7563     \def\HyRef@name{#1}%

```

```

7564 \else
7565   \def\HyRef@name{\#3}%
7566 \fi
7567 }
7568 \def\HyRef@CaseStar{*\\}
7569 \def\HyRef@currentHtag{}
```

Support for package showkeys.

\HyRef@showKeysRef

```

7570 \let\HyRef@showKeysRef@gobble
7571 \def\HyRef@showKeysInit{%
7572   \begingroup\expandafter\expandafter\expandafter\endgroup
7573   \expandafter\ifx\csname SK@\label\endcsname\relax
7574   \else
7575     \ifx\SK@ref\empty
7576     \else
7577       \def\HyRef@showKeysRef{%
7578         \SK@\SK@ref
7579       }%
7580     \fi
7581   \fi
7582 }
7583 \@ifpackageloaded{showkeys}{%
7584   \HyRef@showKeysInit
7585 }{%
7586   \AtBeginDocument{%
7587     \@ifpackageloaded{showkeys}{%
7588       \HyRef@showKeysInit
7589     }{}%
7590   }%
7591 }
```

Defaults for the names that \autoref uses.

```

7592 \providecommand*\AMSAutorefname{\equationautorefname}
7593 \providecommand*\Hfootnoteautorefname{\footnoteautorefname}
7594 \providecommand*\Itemautorefname{\itemautorefname}
7595 \providecommand*\itemautorefname[item]
7596 \providecommand*\equationautorefname[Equation]
7597 \providecommand*\footnoteautorefname[footnote]
7598 \providecommand*\itemautorefname[item]
7599 \providecommand*\figureautorefname[Figure]
7600 \providecommand*\tableautorefname[Table]
7601 \providecommand*\partautorefname[Part]
7602 \providecommand*\appendixautorefname[Appendix]
7603 \providecommand*\chapterautorefname[chapter]
7604 \providecommand*\sectionautorefname[section]
7605 \providecommand*\subsectionautorefname[subsection]
7606 \providecommand*\subsubsectionautorefname[subsubsection]
7607 \providecommand*\paragraphautorefname[paragraph]
7608 \providecommand*\ subparagraphautorefname[subparagraph]
7609 \providecommand*\FancyVerbLineautorefname[line]
7610 \providecommand*\theoremautorefname[Theorem]
7611 \providecommand*\pageautorefname[page]
7612 
```

46 Configuration files

46.1 PS/PDF strings

Some drivers write PS or PDF strings. These strings are delimited by parentheses, therefore a lonely unmatched parenthesis must be avoided to avoid PS or PDF syntax errors. Also the backslash character itself has to be protected.

\Hy@pstringdef Therefore such strings should be passed through \Hy@pstringdef. The first argument holds a macro for the result, the second argument is the string that needs protecting. Since version 1.30.0 pdfTeX offers \pdfescapestring.

```
7613 {*pdftex | dvipdfm | xetex | vtex | pdfmarkbase | dviwindo}
7614 \RequirePackage{pdftexcmds}[2009/04/10]
7615 \begingroup\expandafter\expandafter\expandafter\endgroup
7616 \expandafter\ifx\csname pdf@escapestring\endcsname\relax
7617   \begingroup
7618     \catcode`\|=0 %
7619     \@makeother\\%
7620   |\@firstofone{\endgroup
7621   |\def|\Hy@pstringdef#1#2{%
7622     \begingroup
7623       \edef~{\|string~}%
7624       \xdef|\Hy@gtemp{#2}%
7625     \endgroup
7626     \let#1|\Hy@gtemp
7627     |\@onelvel@sanitize#1%
7628     \edef#1{\|expandafter|\Hy@ExchangeBackslash#1\|@nil}%
7629     \edef#1{\|expandafter|\Hy@ExchangeLeftParenthesis#1(\|@nil}%
7630     \edef#1{\|expandafter|\Hy@ExchangeRightParenthesis#1)|@nil}%
7631   }%
7632   |\def|\Hy@ExchangeBackslash#1\#2|@nil{%
7633     #1%
7634     |ifx|\#2|\%%
7635   |else
7636     \\%
7637     |\Hy@ReturnAfterFi{%
7638       |\Hy@ExchangeBackslash#2|@nil
7639     }%
7640   |fi
7641 }%
7642 }%
7643 |\def|\Hy@ExchangeLeftParenthesis#1(#2\|@nil{%
7644   #1%
7645   |ifx|\#2|\%%
7646   |else
7647     \\\backslashchar%
7648     |\Hy@ReturnAfterFi{%
7649       |\Hy@ExchangeLeftParenthesis#2\|@nil
7650     }%
7651   |fi
7652 }%
7653 |\def|\Hy@ExchangeRightParenthesis#1)##2\|@nil{%
7654   #1%
7655   |ifx|\#2|\%%
7656   |else
7657     \\\backslashchar%
7658     |\Hy@ReturnAfterFi{%
```

```

7659      \Hy@ExchangeRightParenthesis#2\@nil
7660      }%
7661      \fi
7662  }%
7663 \else
7664 \def\Hy@pstringdef#1#2{%
7665   \begingroup
7666   \edef~{\string~}%
7667   \xdef\Hy@gtemp{\pdf@escapestring{#2}}%
7668   \endgroup
7669   \let#1\Hy@gtemp
7670 }%
7671 \fi
7672 </pdftex | dvipdfm | xetex | vtex | pdfmarkbase | dviwindo>

```

46.2 pdftex

```

7673 {*pdftex}
7674 \providecommand*{\XR@ext}{pdf}
7675 \Hy@setbreaklinks{true}

```

This driver is for Han The Thanh's TeX variant which produces PDF directly. This has new primitives to do PDF things, which usually translate almost directly to PDF code, so there is a lot of flexibility which we do not at present harness.

Set PDF version if requested by option `pdfversion`.

- pdfTeX 1.10a, 2003-01-16: `\pdfoptionpdfminorversion`
- pdfTeX 1.30, 2005-08-081: `\pdfminorversion`

```

7676 \let\Hy@pdfminorversion\relax
7677 \begingroup\expandafter\expandafter\expandafter\endgroup
7678 \expandafter\ifx\csname pdfminorversion\endcsname\relax
7679 \begingroup\expandafter\expandafter\expandafter\endgroup
7680 \expandafter\ifx\csname pdfoptionpdfminorversion\endcsname\relax
7681 \else
7682 \def\Hy@pdfminorversion{\pdfoptionpdfminorversion}%
7683 \fi
7684 \else
7685 \def\Hy@pdfminorversion{\pdfminorversion}%
7686 \fi
7687 \ifundefined{Hy@pdfminorversion}{%
7688 \PackageInfo{hyperref}{%
7689 PDF version is not set, because pdfTeX is too old (<1.10a)}%
7690 }%
7691 }{%
7692 \ifHy@ocgcolorlinks
7693 \ifnum\Hy@pdfminorversion<5 %
7694 \setkeys{Hyp}{pdfversion=1.5}%
7695 \fi
7696 \fi
7697 \ifHy@setpdfversion
7698 \ifnum\Hy@pdfminorversion=\Hy@pdfversion\relax
7699 \else
7700 \Hy@pdfminorversion=\Hy@pdfversion\relax
7701 \fi
7702 \PackageInfo{hyperref}{%
7703 \expandafter\string\Hy@pdfminorversion
7704 :=\number\Hy@pdfversion\space

```

```

7705      }%
7706  \fi
7707  \edef\Hy@pdfversion{\number\Hy@pdfminorversion}%
7708 }
7709 \Hy@DisableOption{pdfversion}%
7710 \ifHy@ocgcolorlinks
7711  \immediate\pdfobj{%
7712    <<%
7713    /Type/OCG%
7714    /Name(View)%
7715    /Usage<<%
7716    /Print<<%
7717    /PrintState/OFF%
7718    >>%
7719    /View<<%
7720    /ViewState/ON%
7721    >>%
7722    >>%
7723    >>%
7724  }%
7725 \edef\OBJ@OCG@view{\the\pdflastobj\space 0 R}%
7726 \immediate\pdfobj{%
7727  <<%
7728  /Type/OCG%
7729  /Name(Print)%
7730  /Usage<<%
7731  /Print<<%
7732  /PrintState/ON%
7733  >>%
7734  /View<<%
7735  /ViewState/OFF%
7736  >>%
7737  >>%
7738  >>%
7739 }%
7740 \edef\OBJ@OCG@print{\the\pdflastobj\space 0 R}%
7741 \immediate\pdfobj{%
7742  [%
7743    \OBJ@OCG@view\space\OBJ@OCG@print
7744  ]%
7745 }%
7746 \edef\OBJ@OCGs{\the\pdflastobj\space 0 R}%
7747 \pdfcatalog{%
7748  /OCProperties<<%
7749  /OCGs \OBJ@OCGs
7750  /D<<%
7751  /OFF[\OBJ@OCG@print]%
7752  /AS[%%
7753    <<%
7754    /Event/View%
7755    /OCGs \OBJ@OCGs
7756    /Category[/View]%
7757    >>%
7758    <<%
7759    /Event/Print%
7760    /OCGs \OBJ@OCGs
7761    /Category[/Print]%

```

```

7762      >>%
7763      <<%
7764          /Event/Export%
7765          /OCGs \OBJ@OCGs
7766          /Category[/Print]%
7767      >>%
7768      }%
7769      >>%
7770      >>%
7771  }%
7772  \begingroup
7773  \edef\x{\endgroup
7774  \pdfpageresources{%
7775      /Properties<<%
7776          /OCView \OBJ@OCG@view
7777          /OCPrint \OBJ@OCG@print
7778      >>%
7779  }%
7780  }%
7781  \x
7782  \AtBeginDocument{%
7783  \def\Hy@colorlink#1{%
7784      \begin{group}
7785          \ifHy@ocgcolorlinks
7786              \def\Hy@ocgcolor{\#1}%
7787              \setbox0=\color@hbox
7788          \else
7789              \HyColor@UseColor{\#1}%
7790          \fi
7791      }%
7792  \def\Hy@endcolorlink{%
7793  \ifHy@ocgcolorlinks
7794      \color@endbox
7795      \mbox{%
7796          \pdfliteral page{/OC/OCPrint BDC}%
7797          \rlap{\copy0}%
7798          \pdfliteral page{EMC/OC/OCView BDC}%
7799      \begin{group}
7800          \expandafter\HyColor@UseColor\Hy@ocgcolor
7801          \box0 %
7802      \end{group}
7803      \pdfliteral page{EMC}%
7804  }%
7805  \fi
7806  \endgroup
7807  }%
7808  }%
7809 \else
7810  \Hy@DisableOption{ocgcolorlinks}%
7811 \fi

```

First, allow for some changes and additions to pdftex syntax:

```

7812 \def\setpdfinkmargin#1{\pdfinkmargin#1}
7813 \ifx\pdfstartlink\@undefined% less than version 14
7814  \let\pdfstartlink\pdfannotlink
7815  \let\pdfinkmargin\tempdima
7816  \let\pdfxform\pdfform
7817  \let\pdflastxform\pdflastform

```

```

7818 \let\pdfrefxform\pdfreform
7819 \else
7820 \pdflinkmargin1pt %
7821 \fi
First set up the default linking
7822 \providecommand*\@pdfview{XYZ}
First define the anchors:
7823 \def\new@pdflink#1{%
7824   \Hy@SaveLastskip
7825   \Hy@VerboseAnchor{#1}%
7826   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{#1}}%
7827   \Hy@DestName\Hy@pstringDest\@pdfview
7828   \Hy@RestoreLastskip
7829 }
7830 \let\pdf@endanchor\@empty

```

\Hy@DestName Wrap the call of \pdfdest name in \Hy@DestName. Then it can easier be catched by package hypdestopt.

```

7831 \def\Hy@DestName#1#2{%
7832   \pdfdest name{#1}#2\relax
7833 }

```

Now the links; the interesting part here is the set of attributes which define how the link looks. We probably want to add a border and color it, but there are other choices. This directly translates to PDF code, so consult the manual for how to change this. We will add an interface at some point.

```

7834 \providecommand*\@pdfborder{0 0 1}
7835 \providecommand*\@pdfborderstyle{}
7836 \def\Hy@undefinedname{UNDEFINED}
7837 \def\find@pdflink#1#2{%
7838   \leavevmode
7839   \protected\edef\Hy@testname{#2}%
7840   \ifx\Hy@testname\@empty
7841     \Hy@Warning{%
7842       Empty destination name,\MessageBreak
7843       using '\Hy@undefinedname'%
7844     }%
7845   \let\Hy@testname\Hy@undefinedname
7846 \else
7847   \Hy@pstringdef\Hy@testname{%
7848     \expandafter\HyperDestNameFilter\expandafter{\Hy@testname}%
7849   }%
7850 \fi
7851 \Hy@StartlinkName{%
7852   \ifHy@pdflatex \F 4\fi
7853   \Hy@setpdfborder
7854   \ifx\@pdfhighlight\@empty
7855   \else
7856     /H\@pdfhighlight
7857   \fi
7858   \ifx\CurrentBorderColor\relax
7859   \else
7860     /C[\CurrentBorderColor]%
7861   \fi
7862 }\Hy@testname
7863 \expandafter\Hy@colorlink\csname \#1color\endcsname

```

```

7864 }
7865 \def\Hy@StartlinkName#1#2{%
7866   \pdfstartlink attr{#1}goto name{#2}\relax
7867 }
7868 \def\close@pdflink{%
7869   \Hy@endcolorlink
7870   \pdfendlink
7871 }
7872 \def\hyper@anchor#1{%
7873   \new@pdflink{#1}\anchor@spot\pdf@endanchor
7874 }
7875 \def\hyper@anchorstart#1{%
7876   \new@pdflink{#1}%
7877   \Hy@activeanchortrue
7878 }
7879 \def\hyper@anchorend{%
7880   \pdf@endanchor
7881   \Hy@activeanchorfalse
7882 }
7883 \def\hyper@linkstart#1#2{%
7884   \Hy@VerboseLinkStart{#1}{#2}%
7885   \cifundefined{@#1bordercolor}{%
7886     \let\CurrentBorderColor\relax
7887   }{%
7888     \edef\CurrentBorderColor{\csname @##1bordercolor\endcsname}%
7889   }%
7890   \find@pdflink{#1}{#2}%
7891 }
7892 \def\hyper@linkend{\close@pdflink}
7893 \def\hyper@link#1#2#3{%
7894   \Hy@VerboseLinkStart{#1}{#2}%
7895   \cifundefined{@#1bordercolor}{%
7896     \let\CurrentBorderColor\relax
7897   }{%
7898     \edef\CurrentBorderColor{\csname @##1bordercolor\endcsname}%
7899   }%
7900   \find@pdflink{#1}{#2}#3%
7901   \close@pdflink
7902 }
7903 \let\CurrentBorderColor@linkbordercolor
7904 \def\hyper@linkurl#1#2{%
7905   \begingroup
7906     \Hy@pstringdef\Hy@pstringURI{#2}%
7907     \hyper@chars
7908     \leavevmode
7909     \pdfstartlink
7910       attr{%
7911         \Hy@setpdfborder
7912         \ifx\@pdfhighlight\empty
7913           \else
7914             /H\@pdfhighlight
7915           \fi
7916           \ifx\@urlbordercolor\relax
7917             \else
7918               /C[\@urlbordercolor]%
7919             \fi
7920       }%

```

```

7921 user{%
7922   /Subtype/Link%
7923   \ifHy@pdfa /F 4\fi
7924   /A<<%
7925     /Type/Action%
7926     /S/URI%
7927     /URI(\Hy@pstringURI)%
7928   >>%
7929 }%
7930 \relax
7931 \Hy@colorlink\@urlcolor#1%
7932 \close@pdflink
7933 \endgroup
7934 }
7935 \def\hyper@linkfile#1#2#3{%
  anchor text, filename, linkname
7936 \begingroup
7937   \Hy@pstringdef\Hy@pstringF{#2}%
7938   \Hy@pstringdef\Hy@pstringD{#3}%
7939   \leavevmode
7940   \pdfstartlink
7941     attr{%
7942       \Hy@setpdfborder
7943       \ifx\@pdfhighlight\empty
7944       \else
7945         /H\@pdfhighlight
7946       \fi
7947       \ifx\@filebordercolor\relax
7948       \else
7949         /C[\@filebordercolor]%
7950       \fi
7951     }%
7952   user {%
7953     /Subtype/Link%
7954     \ifHy@pdfa /F 4\fi
7955     /A<<%
7956     /F(\Hy@pstringF)%
7957     /S/GoToR%
7958     \Hy@SetNewWindow

```

If #3 is empty, page 0; if its a number, Page number, otherwise a named destination.

```

\afterassignment\xxx\count@=0\foo!%

\def\xxx#1{%
  \ifx\xxx#1\xxx
    foo was an integer
  \else
    it wasnt
  \fi}

7959   \ifx\\#3\\%
7960     /D[0 \@pdfstartview]%
7961   \else
7962     /D(\Hy@pstringD)%
7963   \fi
7964   >>%
7965 }%
7966 \relax

```

```

7967   \Hy@colorlink\@filecolor#1%
7968   \close@pdflink
7969 \endgroup
7970 }
7971 \def\@hyper@launch run:#1\\#2#3{%
7972   \begingroup
7973   \Hy@pstringdef\Hy@pstringF{\#1}%
7974   \Hy@pstringdef\Hy@pstringP{\#3}%
7975   \leavevmode
7976   \pdfstartlink
7977   attr{%
7978     \Hy@setpdfborder
7979     \ifx\@pdfhighlight\empty
7980     \else
7981       /H\@pdfhighlight
7982     \fi
7983     \ifx\@runbordercolor\relax
7984     \else
7985       /C[\@runbordercolor]%
7986     \fi
7987   }%
7988   user {%
7989     /Subtype/Link%
7990     \ifHy@pdfa /F 4\fi
7991     /A<<%
7992     /F(\Hy@pstringF)%
7993     /S/Launch%
7994     \Hy@SetNewWindow
7995     \ifx\\#3\\%
7996     \else
7997       /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
7998     \fi
7999     >>%
8000   }%
8001   \relax
8002   \Hy@colorlink\@runcolor#2%
8003   \close@pdflink
8004 \endgroup
8005 }

```

```

\@pdfproducer
8006 \ifx\@pdfproducer\relax
8007 \begingroup\expandafter\expandafter\expandafter\endgroup
8008 \expandafter\ifx\csname luatexversion\endcsname\relax
8009 \def\@pdfproducer{pdfTeX}%
8010 \ifx\TeXversion\undefined
8011 \else
8012 \ifx\TeXversion\relax
8013 \else
8014 \ifnum\TeXversion>0 %
8015 \def\@pdfproducer{pdfeTeX}%
8016 \fi
8017 \fi
8018 \fi
8019 \ifx\pdftexversion\undefined
8020 \else
8021 \ifnum\pdftexversion<100 %

```

```

8022     \edef\@pdfproducer{%
8023         \@pdfproducer
8024         \the\pdftexversion.\pdftexrevision
8025     }%
8026 \else
8027     \ifnum\pdftexversion<130 %
8028         \edef\@pdfproducer{%
8029             \@pdfproducer-
8030             \expandafter\car\the\pdftexversion\empty\@nil.% 
8031             \expandafter\cdr\the\pdftexversion\empty\@nil
8032             \pdftexrevision
8033         }%
8034 \else
8035     \ifnum\pdftexversion<140 %
8036     \else
8037         \def\@pdfproducer{pdfTeX}%
8038     \fi
8039     \edef\@pdfproducer{%
8040         \@pdfproducer-
8041         \expandafter\car\the\pdftexversion\empty\@nil.% 
8042         \expandafter\cdr\the\pdftexversion\empty\@nil.% 
8043         \pdftexrevision
8044     }%
8045     \fi
8046     \fi
8047     \fi
8048 \else
8049     \begingroup
8050     \count@=\luatexversion
8051     \divide\count@ by 100 %
8052     \edef\x{\the\count@}%
8053     \count@=\x\relax
8054     \multiply\count@ by 100 %
8055     \advance\count@ by \luatexversion
8056     \edef\x{\endgroup
8057         \def\noexpand\@pdfproducer{%
8058             \LuaTeX-\x.\the\count@\luatexrevision
8059         }%
8060     }%
8061     \x
8062     \fi
8063 \fi

```

\PDF@SetupDox

```

8064 \def\PDF@SetupDoc{%
8065   \ifx\@pdfpagescrop\empty
8066   \else
8067     \edef\process@me{%
8068       \pdfpagesattr=%
8069       /CropBox[\@pdfpagescrop]%
8070       \expandafter\ifx\expandafter\\ \the\pdfpagesattr\\%
8071       \else
8072         ^\the\pdfpagesattr
8073       \fi
8074     }%
8075   }%
8076   \process@me

```

```

8077 \fi
8078 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
8079 \pdfcatalog{%
8080 /PageMode/\@pdfpagemode
8081 \ifx\@baseurl\@empty
8082 \else
8083 /URI<</Base(\Hy@pstringB)>>%
8084 \fi
8085 }%
8086 \ifx\@pdfstartpage\@empty
8087 \else
8088 \ifx\@pdfstartview\@empty
8089 \else
8090 openaction goto page\@pdfstartpage{\@pdfstartview}%
8091 \fi
8092 \fi
8093 \edef\Hy@temp{%
8094 \ifHy@toolbar\else /HideToolbar true\fi
8095 \ifHy@menubar\else /HideMenubar true\fi
8096 \ifHy@windowui\else /HideWindowUI true\fi
8097 \ifHy@fitwindow /FitWindow true\fi
8098 \ifHy@centerwindow /CenterWindow true\fi
8099 \ifHy@displaydoctitle /DisplayDocTitle true\fi
8100 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
8101 \Hy@UseNameKey{Direction}\@pdfdirection
8102 \Hy@UseNameKey{ViewArea}\@pdfviewarea
8103 \Hy@UseNameKey{ViewClip}\@pdfviewclip
8104 \Hy@UseNameKey{PrintArea}\@pdfprintarea
8105 \Hy@UseNameKey{PrintClip}\@pdfprintclip
8106 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
8107 \Hy@UseNameKey{Duplex}\@pdfduplex
8108 \ifx\@pdfpicktraybypdfsize\@empty
8109 \else
8110 /PickTrayByPDFSize \@pdfpicktraybypdfsize
8111 \fi
8112 \ifx\@pdfprintpagerange\@empty
8113 \else
8114 /PrintPageRange[\@pdfprintpagerange]%
8115 \fi
8116 \ifx\@pdfnumcopies\@empty
8117 \else
8118 /NumCopies \@pdfnumcopies
8119 \fi
8120 }%
8121 \pdfcatalog{%
8122 \ifx\Hy@temp\@empty
8123 \else
8124 /ViewerPreferences<<\Hy@temp>>%
8125 \fi
8126 \Hy@UseNameKey{PageLayout}\@pdfpagelayout
8127 \ifx\@pdflang\@empty
8128 \else
8129 /Lang(\@pdflang)%
8130 \fi
8131 }%
8132 }

```

```
\PDF@FinishDoc
```

```
8133 \def\PDF@FinishDoc{%
8134   \Hy@UseMaketitleInfos
8135   \HyInfo@GenerateAddons
8136   \pdfinfo{%
8137     /Author(\@pdfauthor)%
8138     /Title(\@pdftitle)%
8139     /Subject(\@pdfsubject)%
8140     /Creator(\@pdfcreator)%
8141     \ifx\@pdfcreationdate\@empty
8142     \else
8143       /CreationDate(\@pdfcreationdate)%
8144     \fi
8145     \ifx\@pdfmoddate\@empty
8146     \else
8147       /ModDate(\@pdfmoddate)%
8148     \fi
8149     \ifx\@pdfproducer\relax
8150     \else
8151       /Producer(\@pdfproducer)%
8152     \fi
8153     /Keywords(\@pdfkeywords)%
8154     \ifx\@pdftrapped\@empty
8155     \else
8156       /Trapped/\@pdftrapped
8157     \fi
8158     \HyInfo@Addons
8159   }%
8160   \Hy@DisableOption{pdfauthor}%
8161   \Hy@DisableOption{pdftitle}%
8162   \Hy@DisableOption{pdfsubject}%
8163   \Hy@DisableOption{pdfcreator}%
8164   \Hy@DisableOption{pdfcreationdate}%
8165   \Hy@DisableOption{pdfmoddate}%
8166   \Hy@DisableOption{pdfproducer}%
8167   \Hy@DisableOption{pdfkeywords}%
8168   \Hy@DisableOption{pdftrapped}%
8169   \Hy@DisableOption{pdfinfo}%
8170 }
```

\hyper@pagetransition \@pdfpagetransition is initialized with \relax. So it indicates, if option pdfpagetransition is used. First previous /Trans entries are removed. If a new /Trans key exists, it is appended to \pdfpageattr.

```
8171 \def\hyper@pagetransition{%
8172   \ifx\@pdfpagetransition\relax
8173   \else
8174     \expandafter\Hy@RemoveTransPageAttr
8175     \the\pdfpageattr^J/Trans{}>>\END
8176     \ifx\@pdfpagetransition\@empty
8177     \else
8178       \edef\@processme{%
8179         \global\pdfpageattr{%
8180           \the\pdfpageattr
8181           ^J/Trans << /S /\@pdfpagetransition\space >>%
8182         }%
8183       }%
8184       \@processme
```

```
8185   \fi  
8186   \fi  
8187 }
```

\Hy@RemoveTransPageAttr Macro \Hy@RemoveTransPageAttr removes a /Trans entry from \pdfpageattr. It is called with the end marker ^^J/Trans{}>>\END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Trans object or the end marker.

```
8188 \gdef\Hy@RemoveTransPageAttr#1^^J/Trans#2#3>>#4\END{  
8189   \ifx\\#2\\%  
8190     \global\pdfpageattr{\#1}%  
8191   \else  
8192     \Hy@RemoveTransPageAttr#1#4\END  
8193   \fi  
8194 }
```

\hyper@pageduration \@pdfpageduration is initialized with \relax. So it indicates, if option pdfpageduration is used. First previous /Dur entries are removed. If a new /Dur key exists, it is appended to \pdfpageattr.

```
8195 \def\hyper@pageduration{  
8196   \ifx\@pdfpageduration\relax  
8197   \else  
8198     \expandafter  
8199     \Hy@RemoveDurPageAttr\the\pdfpageattr^^J/Dur{} \END  
8200   \ifx\@pdfpageduration\@empty  
8201   \else  
8202     \edef\@processme{  
8203       \global\pdfpageattr{  
8204         \the\pdfpageattr  
8205           ^^J/Dur \@pdfpageduration\space  
8206         }%  
8207       }%  
8208     \@processme  
8209   \fi  
8210 \fi  
8211 }
```

\Hy@RemoveDurPageAttr Macro \Hy@RemoveDurPageAttr removes a /Dur entry from \pdfpageattr. It is called with the end marker ^^J/Dur{} \END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Dur object or the end marker.

```
8212 \gdef\Hy@RemoveDurPageAttr#1^^J/Dur#2#3 #4\END{  
8213   \ifx\\#2\\%  
8214     \global\pdfpageattr{\#1}%  
8215   \else  
8216     \Hy@RemoveDurPageAttr#1#4\END  
8217   \fi  
8218 }
```

\hyper@pagehidden The boolean value of the key /Hid is stored in switch \ifHy@pdfpagehidden. First previous /Hid entries are removed, then the new one is appended, if the value is true (the PDF default is false).

```
8219 \def\hyper@pagehidden{  
8220   \ifHy@useHidKey  
8221     \expandafter  
8222     \Hy@RemoveHidPageAttr\the\pdfpageattr^^J/Hid{} \END
```

```

8223   \ifHy@pdfpagehidden
8224     \edef\@processme{%
8225       \global\pdfpageattr{%
8226         \the\pdfpageattr
8227         ^^J/Hid true % SPACE
8228       }%
8229     }%
8230     \@processme
8231   \fi
8232 \fi
8233 }

\Hy@RemoveHidPageAttr Macro \Hy@RemoveHidPageAttr removes a /Hid entry from \pdfpageattr. It is
called with the end marker ^^J/Hid{} \END. The trick is the empty group that does
not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether
the parameter text catches a really /Hid object or the end marker.
8234 \gdef\Hy@RemoveHidPageAttr#1^^J/Hid#2#3 #4\END{%
8235   \ifx\#2\\%
8236     \global\pdfpageattr{\#1}%
8237   \else
8238     \Hy@RemoveHidPageAttr#1#4\END
8239   \fi
8240 }

8241 \g@addto@macro\Hy@EveryPageHook{%
8242   \hyper@pagetransition
8243   \hyper@pageduration
8244   \hyper@pagehidden
8245 }

Also XeTEX support \pdfpagewidth and \pdfpageheight, but it does not provide
\pdfhorigin and \pdfvorigin.
8246 </pdftex>
8247 <*pdftex | xetex>
8248 \AtBeginDocument{%
8249   \ifHy@setpagesize
8250     \expandafter\@firstofone
8251   \else
8252     \expandafter\@gobble
8253   \fi
8254   {%
8255     \ifclassloaded{seminar}{%
8256       <*pdftex>
8257         \setlength{\pdfhorigin}{1truein}%
8258         \setlength{\pdfvorigin}{1truein}%
8259     </pdftex>
8260     \ifportrait
8261       \ifdim\paperwidth=\z@
8262     \else
8263       \setlength{\pdfpagewidth}{\strip@pt\paperwidth truept}%
8264     \fi
8265     \ifdim\paperheight=\z@
8266     \else
8267       \setlength{\pdfpageheight}{\strip@pt\paperheight truept}%
8268     \fi
8269   \else
8270     \ifdim\paperheight=\z@
8271     \else

```

```

8272      \setlength{\pdfpagewidth}{\strip@pt\paperheight truept}%
8273      \fi
8274      \ifdim\paperwidth=\z@
8275      \else
8276          \setlength{\pdfpageheight}{\strip@pt\paperwidth truept}%
8277          \fi
8278      \fi
8279  }{%
8280      \@ifundefined{stockwidth}{%
8281          \ifdim\paperwidth>\z@
8282              \setlength{\pdfpagewidth}{\paperwidth}%
8283          \fi
8284          \ifdim\paperheight>\z@
8285              \setlength{\pdfpageheight}{\paperheight}%
8286          \fi
8287      }{%
8288          \ifdim\stockwidth>\z@
8289              \setlength{\pdfpagewidth}{\stockwidth}%
8290          \fi
8291          \ifdim\stockheight>\z@
8292              \setlength{\pdfpageheight}{\stockheight}%
8293          \fi
8294      }%
8295  }%
8296 }%
8297 \Hy@DisableOption{setpagesize}%
8298 }
8299 </pdftex | xetex>
8300 <*pdftex>
8301 \def\Acrobatmenu#1#2{%
8302     \Hy@Acrobatmenu{#1}{#2}{%
8303         \pdfstartlink
8304             attr{%
8305                 \Hy@setpdfborder
8306                 \ifx\@pdfhighlight\empty
8307                 \else
8308                     /H\@pdfhighlight
8309                 \fi
8310                 \ifx\@menubordercolor\relax
8311                 \else
8312                     /C[\@menubordercolor]%
8313                 \fi
8314             }%
8315             user{%
8316                 /Subtype/Link%
8317                 \ifHy@pdflatex /F 4\fi
8318                 /A<<%
8319                     /S/Named/N/#1%
8320                     >>%
8321             }%
8322             \relax
8323         \Hy@colorlink\@menucolor#2%
8324         \close@pdflink
8325     }%
8326 }

```

46.2.1 Fix for problem with different nesting levels

\AtBeginShipoutFirst adds an additional box layer around the first output page. This disturbs pdfTeX's low level link commands \pdfstartlink and \pdfendlink, if a link is broken across the first and second output page.

The problem could be fixed by replacing \AtBeginShipoutFirst, because the box layer is not necessary for pdfTeX—no \specials need to be inserted. However it's easier to add an additional box level for the pages after the first one. Also \AtBeginShipoutFirst could be invoked independently from hyperref.

```
8327 \def\Hy@FixNotFirstPage{%
8328   \gdef\Hy@FixNotFirstPage{%
8329     \setbox\AtBeginShipoutBox=\hbox{%
8330       \copy\AtBeginShipoutBox
8331     }%
8332   }%
8333 }
8334 \AtBeginShipout{\Hy@FixNotFirstPage}
8335 
```

46.3 hypertex

The HyperTeX specification (this is borrowed from an article by Arthur Smith) says that conformant viewers/translators must recognize the following set of \special commands:

```
href: html:<a href = "href_string">
name: html:<a name = "name_string">
end: html:</a>
image: html:<img src = "href_string">
base_name: html:<base href = "href_string">
```

The *href*, *name* and *end* commands are used to do the basic hypertext operations of establishing links between sections of documents. The *image* command is intended (as with current html viewers) to place an image of arbitrary graphical format on the page in the current location. The *base_name* command is be used to communicate to the *dvi* viewer the full (URL) location of the current document so that files specified by relative URL's may be retrieved correctly.

The *href* and *name* commands must be paired with an *end* command later in the TeX file — the TeX commands between the two ends of a pair form an *anchor* in the document. In the case of an *href* command, the *anchor* is to be highlighted in the *dvi* viewer, and when clicked on will cause the scene to shift to the destination specified by *href_string*. The *anchor* associated with a *name* command represents a possible location to which other hypertext links may refer, either as local references (of the form *href="#name_string* with the *name_string* identical to the one in the *name* command) or as part of a URL (of the form *URL#name_string*). Here *href_string* is a valid URL or local identifier, while *name_string* could be any string at all: the only caveat is that “” characters should be escaped with a backslash (\), and if it looks like a URL name it may cause problems.

```
8336 {*hypertex}
8337 \providecommand*\{XR@ext}\{dvi}
8338 \def\PDF@FinishDoc{}
8339 \def\PDF@SetupDoc{%
```

```

8340 \ifx\@baseurl\@empty
8341 \else
8342 \special{html:<base href="\@baseurl">}%
8343 \fi
8344 }
8345 \def\hyper@anchor#1{%
8346 \Hy@SaveLastskip
8347 \Hy@VerboseAnchor{#1}%
8348 \begingroup
8349 \let\protect=\string
8350 \hyper@chars
8351 \special{html:<a name=%
8352 \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}%
8353 \endgroup
8354 \Hy@activeanchortrue
8355 \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
8356 \special{html:</a>}%
8357 \Hy@activeanchorfalse
8358 \Hy@RestoreLastskip
8359 }
8360 \def\hyper@anchorstart#1{%
8361 \Hy@SaveLastskip
8362 \Hy@VerboseAnchor{#1}%
8363 \begingroup
8364 \hyper@chars
8365 \special{html:<a name=%
8366 \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}%
8367 \endgroup
8368 \Hy@activeanchortrue
8369 }
8370 \def\hyper@anchorend{%
8371 \special{html:</a>}%
8372 \Hy@activeanchorfalse
8373 \Hy@RestoreLastskip
8374 }
8375 \def\@curltype{url}
8376 \def\hyper@linkstart#1#2{%
8377 \Hy@VerboseLinkStart{#1}{#2}%
8378 \expandafter\Hy@colorlink\csname @#1color\endcsname
8379 \def\Hy@tempa{#1}%
8380 \ifx\Hy@tempa\@curltype
8381 \special{html:<a href=\hyper@quote#2\hyper@quote}%
8382 \else
8383 \begingroup
8384 \hyper@chars
8385 \special{html:<a href=%
8386 \hyper@quote\#\HyperDestNameFilter{#2}\hyper@quote}%
8387 \endgroup
8388 \fi
8389 }
8390 \def\hyper@linkend{%
8391 \special{html:</a>}%
8392 \Hy@endcolorlink
8393 }
8394 \def\hyper@linkfile#1#2#3{%
8395 \hyper@linkurl{#1}{\Hy@linkfileprefix#2\ifx\\#3\\else\\#3\fi}%
8396 }

```

```
8397 \def\hyper@linkurl#1#2{%
```

If we want to raise up the final link `\special`, we need to get its height; ask me why L^AT_EX constructs make this totally foul up, and make us revert to basic T_EX. I do not know.

```
8398 \leavevmode
8399 \ifHy@raiselinks
8400 \setbox\@tempboxa=\color@hbox #1\color@endbox
8401 \linkdim\dp\@tempboxa
8402 \lower\linkdim\hbox{%
8403 \hyper@chars
8404 \special{html:<a href=\hyper@quote#2\hyper@quote>}%
8405 }%
8406 \Hy@colorlink\curlcolor#1%
8407 \linkdim\ht\@tempboxa
```

Because of the interaction with the dvihps processor, we have to subtract a little from the height. This is not clean, or checked. Check with Mark Doyle about what gives here. It may not be needed with the new dvips (Jan 1997).

```
8408 \advance\linkdim by -6.5\p@
8409 \raise\linkdim\hbox{\special{html:</a>}}%
8410 \Hy@endcolorlink
8411 \else
8412 \begingroup
8413 \hyper@chars
8414 \special{html:<a href=\hyper@quote#2\hyper@quote>}%
8415 \Hy@colorlink\curlcolor#1%
8416 \special{html:</a>}%
8417 \Hy@endcolorlink
8418 \endgroup
8419 \fi
8420 }
```

Very poor implementation of `\hyper@link` without considering #1.

```
8421 \def\hyper@link#1#2#3{%
8422 \Hy@VerboseLinkStart{#1}{#2}%
8423 \hyper@linkurl{#3}{\#HyperDestNameFilter{#2}}%
8424 }

8425 \def\hyper@image#1#2{%
8426 \begingroup
8427 \hyper@chars
8428 \special{html:<img src=\hyper@quote#1\hyper@quote>}%
8429 \endgroup
8430 }
8431 </hypertex>
8432 <*dviwindo>
```

46.4 dviwindo

[This was developed by David Carlisle]. Within a file dviwindo hyperlinking is used, for external URL's a call to `\wwwbrowser` is made. (You can define this command before or after loading the hyperref package if the default `c:/netscape/netscape` is not suitable) Dviwindo could in fact handle external links to dvi files on the same machine without calling a web browser, but that would mean parsing the URL to recognise such, and this is currently not done.

This was more or less blindly copied from the hypertex cfg. For dviwindo, L^AT_EX must specify the size of the active area for links. For some hooks this information is available

but for some, the start and end of the link are specified separately in which case a fixed size area of 10000000sp wide by \baselineskip high is used.

```
8433 \providecommand*{\XR@ext}{dvi}
8434 \providecommand*\wwwbrowser{c:\string\netscape\string\netscape}
8435 \def\hyper@anchor#1{%
8436   \Hy@SaveLastskip
8437   \Hy@VerboseAnchor{#1}%
8438   \begingroup
8439     \let\protect=\string
8440     \special{mark: #1}%
8441   \endgroup
8442   \Hy@activeanchortrue
8443   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
8444   \Hy@activeanchorfalse
8445   \Hy@RestoreLastskip
8446 }
8447 \def\hyper@anchorstart#1{%
8448   \Hy@SaveLastskip
8449   \Hy@VerboseAnchor{#1}%
8450   \special{mark: #1}%
8451   \Hy@activeanchortrue
8452 }
8453 \def\hyper@anchorend{%
8454   \Hy@activeanchorfalse
8455   \Hy@RestoreLastskip
8456 }
8457 \def\hyper@linkstart#1#2{%
8458   \Hy@VerboseLinkStart{#1}{#2}%
8459   \expandafter\Hy@colorlink\csname @#1color\endcsname
8460   \special{button: %
8461     1000000 %
8462     \number\baselineskip\space
8463     #2%
8464   }%
8465 }
8466 \def\hyper@linkend{%
8467   \Hy@endcolorlink
8468 }
8469 \def\hyper@link#1#2#3{%
8470   \Hy@VerboseLinkStart{#1}{#2}%
8471   \setbox\@tempboxa=\color@hbox #3\color@endbox
8472   \leavevmode
8473   \ifHy@raiselinks
8474     \linkdim\dp\@tempboxa
8475     \lower\linkdim\hbox{%
8476       \special{button: %
8477         \number\wd\@tempboxa\space
8478         \number\ht\@tempboxa\space
8479         #2%
8480       }%
8481     \expandafter\Hy@colorlink\csname @#1color\endcsname#3%
8482     \Hy@endcolorlink
8483   }%
8484   \linkdim\ht\@tempboxa
8485   \advance\linkdim by -6.5\p@
8486   \raise\linkdim\hbox{}%
8487 }%
```

```

8488 \special{button: %
8489   \number\wd\@tempboxa\space
8490   \number\ht\@tempboxa\space
8491   #2%
8492 }%
8493 \expandafter\Hy@colorlink\csname @#1color\endcsname#3%
8494 \Hy@endcolorlink
8495 \fi
8496 }
8497 \def\hyper@linkurl#1#2{%
8498   \begingroup
8499   \hyper@chars
8500   \leavevmode
8501   \setbox\@tempboxa=\color@hbox #1\color@endbox
8502   \ifHy@raiselinks
8503     \linkdim\dp\@tempboxa
8504     \lower\linkdim\hbox{%
8505       \special{button: %
8506         \number\wd\@tempboxa\space
8507         \number\ht\@tempboxa\space
8508         launch: \wwwbrowser\space
8509         #2%
8510     }%
8511     \Hy@colorlink\curlcolor#1\Hy@endcolorlink
8512   }%
8513   \linkdim\ht\@tempboxa
8514   \advance\linkdim by -6.5\p@
8515   \raise\linkdim\hbox{%
8516     \else
8517       \special{button: %
8518         \number\wd\@tempboxa\space
8519         \number\ht\@tempboxa\space
8520         launch: \wwwbrowser\space
8521         #2%
8522     }%
8523     \Hy@colorlink\curlcolor#1\Hy@endcolorlink
8524   \fi
8525   \endgroup
8526 }
8527 \def\hyper@linkfile#1#2#3{%
8528   \begingroup
8529   \hyper@chars
8530   \leavevmode
8531   \setbox\@tempboxa=\color@hbox #1\color@endbox
8532   \ifHy@raiselinks
8533     \linkdim\dp\@tempboxa
8534     \lower\linkdim\hbox{%
8535       \special{button: %
8536         \number\wd\@tempboxa\space
8537         \number\ht\@tempboxa\space
8538         #3,%
8539         file: #2%
8540     }%
8541     \Hy@colorlink\filecolor#1\Hy@endcolorlink
8542   }%
8543   \linkdim\ht\@tempboxa
8544   \advance\linkdim by -6.5\p@

```

```

8545   \raise\@linkdim\hbox{}%
8546   \else
8547     \special{button: %
8548       \number\wd\@tempboxa\space
8549       \number\ht\@tempboxa\space
8550       #3,%
8551       file: #2%
8552     }%
8553   \Hy@colorlink\@filecolor#1\Hy@endcolorlink
8554   \fi
8555 \endgroup
8556 }
8557 \ifx\@pdfproducer\relax
8558   \def\@pdfproducer{dviwindo + Distiller}%
8559 \fi
8560 \HyInfo@AddonUnsupportedtrue
8561 \def\PDF@FinishDoc{%
8562   \Hy@UseMaketitleInfos
8563   \HyInfo@TrappedUnsupported
8564   \special{PDF: Keywords \@pdfkeywords}%
8565   \special{PDF: Title \@pdftitle}%
8566   \special{PDF: Creator \@pdfcreator}%
8567   \ifx\@pdfcreationdate\@empty
8568   \else
8569     \special{PDF: CreationDate \@pdfcreationdate}%
8570   \fi
8571   \ifx\@pdfmoddate\@empty
8572   \else
8573     \special{PDF: ModDate \@pdfmoddate}%
8574   \fi
8575   \special{PDF: Author \@pdfauthor}%
8576   \ifx\@pdfproducer\relax
8577   \else
8578     \special{PDF: Producer \@pdfproducer}%
8579   \fi
8580   \special{PDF: Subject \@pdfsubject}%
8581   \Hy@DisableOption{pdfauthor}%
8582   \Hy@DisableOption{pdftitle}%
8583   \Hy@DisableOption{pdfsubject}%
8584   \Hy@DisableOption{pdfcreator}%
8585   \Hy@DisableOption{pdfcreationdate}%
8586   \Hy@DisableOption{pdfmoddate}%
8587   \Hy@DisableOption{pdfproducer}%
8588   \Hy@DisableOption{pdfkeywords}%
8589   \Hy@DisableOption{pdftrapped}%
8590   \Hy@DisableOption{pdfinfo}%
8591 }
8592 \def\PDF@SetupDoc{%
8593   \ifx\@baseurl\@empty
8594   \else
8595     \special{PDF: Base \@baseurl}%
8596   \fi
8597   \ifx\@pdfpagescrop\@empty\else
8598     \special{PDF: BBox \@pdfpagescrop}%
8599   \fi
8600   \def\Hy@temp{}%
8601   \ifx\@pdfstartpage\@empty

```

```

8602 \else
8603   \ifx\@pdfstartview\@empty
8604   \else
8605     \edef\Hy@temp{%
8606       ,Page=\@pdfstartpage
8607       ,View=\@pdfstartview
8608     }%
8609   \fi
8610 \fi
8611 \edef\Hy@temp{%
8612   \noexpand\pdfmark{%
8613     pdfmark=/DOCVIEW,%
8614     PageMode=/\@pdfpagemode
8615     \Hy@temp
8616   }%
8617 }%
8618 \Hy@temp
8619 \ifx\@pdfpagescrop\@empty
8620 \else
8621   \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
8622 \fi
8623 \edef\Hy@temp{%
8624   \ifHy@toolbar\else /HideToolbar true\fi
8625   \ifHy@menubar\else /HideMenubar true\fi
8626   \ifHy@windowui\else /HideWindowUI true\fi
8627   \ifHy@fitwindow /FitWindow true\fi
8628   \ifHy@centerwindow /CenterWindow true\fi
8629   \ifHy@displaydoctitle /DisplayDocTitle true\fi
8630   \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
8631   \Hy@UseNameKey{Direction}\@pdfdirection
8632   \Hy@UseNameKey{ViewArea}\@pdfviewarea
8633   \Hy@UseNameKey{ViewClip}\@pdfviewclip
8634   \Hy@UseNameKey{PrintArea}\@pdfprintarea
8635   \Hy@UseNameKey{PrintClip}\@pdfprintclip
8636   \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
8637   \Hy@UseNameKey{Duplex}\@pdfduplex
8638   \ifx\@pdfpicktraybysize\@empty
8639   \else
8640     /PickTrayByPDFSize \@pdfpicktraybysize
8641   \fi
8642   \ifx\@pdfprintpagerange\@empty
8643   \else
8644     /PrintPageRange[\@pdfprintpagerange]%
8645   \fi
8646   \ifx\@pdfnumcopies\@empty
8647   \else
8648     /NumCopies \@pdfnumcopies
8649   \fi
8650 }%
8651 \pdfmark{pdfmark=/PUT,%
8652   Raw={%
8653     \string{Catalog\string}<<%
8654     \ifx\Hy@temp\@empty
8655     \else
8656       /ViewerPreferences<<\Hy@temp>>%
8657     \fi
8658     \Hy@UseNameKey{PageLayout}\@pdfpagelayout

```

```

8659      \ifx\@pdflang\@empty
8660      \else
8661          /Lang(\@pdflang)%
8662          \fi
8663      >>%
8664  }%
8665 }%
8666 }
8667 </dviwindo>
8668 <*dvipdfm | xetex>

```

46.5 dvipdfm/xetex dvi to PDF converter

Provided by Mark Wicks (mwicks@kettering.edu)

```

8669 \providecommand*{\XR@ext}{pdf}
8670 \Hy@setbreaklinks{true}
8671 \newsavebox{\pdfm@box}
8672 \def\pdfm@mark#1{\special{pdf:#1}}
8673 \def\pdfm@dest#1{%
8674   \Hy@SaveLastskip
8675   \Hy@VerboseAnchor{#1}%
8676   \begingroup
8677     \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{#1}}%
8678     \def\x{XYZ}%
8679     \ifx\x\@pdfview
8680       \def\x{XYZ @xpos @ypos null}%
8681     \else
8682       \def\x{FitH}%
8683       \ifx\x\@pdfview
8684         \def\x{FitH @ypos}%
8685       \else
8686         \def\x{FitBH}%
8687         \ifx\x\@pdfview
8688           \def\x{FitBH @ypos}%
8689         \else
8690           \def\x{FitV}%
8691           \ifx\x\@pdfview
8692             \def\x{FitV @xpos}%
8693           \else
8694             \def\x{FitBV}%
8695             \ifx\x\@pdfview
8696               \def\x{FitBV @xpos}%
8697             \else
8698               \def\x{Fit}%
8699               \ifx\x\@pdfview
8700                 \let\x\@pdfview
8701               \else
8702                 \def\x{FitB}%
8703                 \ifx\x\@pdfview
8704                   \let\x\@pdfview
8705                 \else
8706                   \def\x{FitR}%
8707                   \ifx\x\@pdfview
8708                     \Hy@Warning{'pdfview=FitR' is not supported}%
8709                     \def\x{XYZ @xpos @ypos null}%
8710                   \else
8711                     \onelevel@sanitize\@pdfview

```

```

8712          \Hy@Warning{%
8713              Unknown value '\@pdfview' for pdfview%
8714          }%
8715          \def\x{XYZ @xpos @ypos null}%
8716          \fi
8717          \fi
8718          \fi
8719          \fi
8720          \fi
8721          \fi
8722          \fi
8723          \fi
8724          \@pdfm@mark{dest (\Hy@pstringDest) [@thispage /\x]}%
8725      \endgroup
8726      \Hy@RestoreLastskip
8727  }
8728 \providecommand*\@pdfview{XYZ}
8729 \providecommand*\@pdfborder{0 0 1}
8730 \providecommand*\@pdfborderstyle{}
8731 \def\hyper@anchor#1{%
8732     \@pdfm@dest{\#1}%
8733 }
8734 \def\hyper@anchorstart#1{%
8735     \Hy@activeanchortrue
8736     \@pdfm@dest{\#1}%
8737 }
8738 \def\hyper@anchorend{%
8739     \Hy@activeanchorfalse
8740 }

8741 \newcounter{Hy@AnnotLevel}
8742 \ifHy@ocgcolorlinks
8743     \def\OBJ@OCG@view{@OCC@view}%
8744     \@pdfm@mark{%
8745         obj \OBJ@OCG@view <<%
8746             /Type/OCG%
8747             /Name(View)%
8748             /Usage<<%
8749             /Print<<%
8750                 /PrintState/OFF%
8751             >>%
8752             /View<<%
8753                 /ViewState/ON%
8754             >>%
8755             >>%
8756             >>%
8757     }%
8758     \@pdfm@mark{close \OBJ@OCG@view}%
8759     \def\OBJ@OCG@print{@OCC@print}%
8760     \@pdfm@mark{%
8761         obj \OBJ@OCG@print <<%
8762             /Type/OCG%
8763             /Name(Print)%
8764             /Usage<<%
8765             /Print<<%
8766                 /PrintState/ON%
8767             >>%
8768             /View<<%

```

```

8769      /ViewState/OFF%
8770      >>%
8771      >>%
8772      >>%
8773  }%
8774  \@pdfm@mark{close \OBJ@OCG@print}%
8775  \def\OBJ@OCGs{\OCGs}%
8776  \@pdfm@mark{%
8777    obj \OBJ@OCGs [%
8778      \OBJ@OCG@view\space\OBJ@OCG@print
8779    ]%
8780  }%
8781  \@pdfm@mark{close \OBJ@OCGs}%
8782  \@pdfm@mark{%
8783    put @catalog <<%
8784    /OCProperties<<%
8785    /OCGs \OBJ@OCGs
8786    /D<<%
8787    /OFF[\OBJ@OCG@print]%
8788    /AS[%%
8789    <<%
8790    /Event/View%
8791    /OCGs \OBJ@OCGs
8792    /Category[/View]%
8793    >>%
8794    <<%
8795    /Event/Print%
8796    /OCGs \OBJ@OCGs
8797    /Category[/Print]%
8798    >>%
8799    <<%
8800    /Event/Export%
8801    /OCGs \OBJ@OCGs
8802    /Category[/Print]%
8803    >>%
8804    ]%
8805    >>%
8806    >>%
8807    >>%
8808  }%
8809  \AtBeginShipout{%
8810  \setbox\AtBeginShipoutBox=\hbox{%
8811  \copy\AtBeginShipoutBox
8812  \@pdfm@mark{%
8813    put @resources <<%
8814    /Properties<<%
8815    /OCView \OBJ@OCG@view
8816    /OCPrint \OBJ@OCG@print
8817    >>%
8818    >>%
8819  }%
8820  }%
8821 }%
8822 \AtBeginDocument{%
8823 \def\Hy@colorlink#1{%
8824 \begingroup
8825 \ifHy@ocgcolorlinks

```

```

8826      \def\Hy@ocgcolor{\#1}%
8827      \setbox0=\color@hbox
8828      \else
8829          \HyColor@UseColor\#1%
8830      \fi
8831  }%
8832  \def\Hy@endcolorlink{%
8833  \ifHy@ocgcolorlinks
8834      \color@endbox
8835      \mbox{%
8836          \@pdfmk@mark{content /OC/OCPrint BDC}%
8837          \rlap{\copy0}%
8838          \@pdfmk@mark{content EMC/OC/OCView BDC}%
8839          \begingroup
8840              \expandafter\HyColor@UseColor\Hy@ocgcolor
8841              \box0 %
8842          \endgroup
8843          \@pdfmk@mark{content EMC}%
8844      }%
8845      \fi
8846  \endgroup
8847  }%
8848 }%
8849 \else
8850  \Hy@DisableOption{ocgcolorlinks}%
8851 \fi
8852 \def\Hy@BeginAnnot{\#1}%
8853  \stepcounter{Hy@AnnotLevel}%
8854  \ifnum\value{Hy@AnnotLevel}=\@ne
8855      \#1%
8856  \fi
8857 }
8858 \def\Hy@EndAnnot{%
8859  \ifnum\value{Hy@AnnotLevel}=\@ne
8860      \Hy@endcolorlink
8861      \@pdfmk@mark{eann}%
8862  \fi
8863  \addtocounter{Hy@AnnotLevel}\m@ne
8864 }
8865 \def\Hy@undefinedname{UNDEFINED}
8866 \def\hyper@linkstart{\#1\#2}{%
8867  \Hy@VerboseLinkStart{\#1}{\#2}%
8868  \Hy@BeginAnnot{%
8869      \protected@edef\Hy@testname{\#2}%
8870      \ifx\Hy@testname\empty
8871          \Hy@Warning{%
8872              Empty destination name,\MessageBreak
8873              using '\Hy@undefinedname'%
8874          }%
8875          \let\Hy@testname\Hy@undefinedname
8876      \else
8877          \Hy@pstringdef\Hy@testname{%
8878              \expandafter\HyperDestNameFilter\expandafter{%
8879                  \Hy@testname
8880              }%
8881          }%
8882      \fi

```

```

8883   \@pdfm@mark{%
8884     bann<<%
8885     /Type/Annot%
8886     /Subtype/Link%
8887     \ifHy@pdfa /F 4\fi
8888     \Hy@setpdfborder
8889     \expandafter\ifx\csname @#1bordercolor\endcsname\relax
8890     \else
8891       /C[\csname @#1bordercolor\endcsname]%
8892     \fi
8893     /A<<%
8894     /S/GoTo%
8895     /D(\Hy@testname)%
8896     >>%
8897     >>%
8898   }%
8899   \expandafter\Hy@colorlink\csname @#1color\endcsname
8900 }%
8901 }
8902 \def\hyper@linkend{\Hy@EndAnnot}%
8903 \def\hyper@link#1#2#3{%
8904   \hyper@linkstart{#1}{#2}{#3}\hyper@linkend
8905 }
8906 \def\hyper@linkfile#1#2#3{%
8907   \leavevmode
8908   \Hy@BeginAnnot{%
8909     \Hy@pstringdef\Hy@pstringF{#2}%
8910     \Hy@pstringdef\Hy@pstringD{#3}%
8911     \@pdfm@mark{%
8912       bann<<%
8913       /Type/Annot%
8914       /Subtype/Link%
8915       \ifHy@pdfa /F 4\fi
8916       \Hy@setpdfborder
8917       \ifx\@filebordercolor\relax
8918       \else
8919         /C[\@filebordercolor]%
8920       \fi
8921       /A<<%
8922       /S/GoToR%
8923       /F(\Hy@pstringF)%
8924       /D\ifx\\#3\\0 \Hy@pdfstartview]\else(\Hy@pstringD)\fi
8925       \Hy@SetNewWindow
8926     >>%
8927     >>%
8928   }%
8929   \Hy@colorlink\@filecolor
8930 }%
8931 #1%
8932 \Hy@EndAnnot
8933 }
8934 \def\hyper@linkurl#1#2{%
8935   \leavevmode
8936   \Hy@BeginAnnot{%
8937     \Hy@pstringdef\Hy@pstringURI{#2}%
8938     \@pdfm@mark{%
8939       bann<<%

```

```

8940     /Type/Annot%
8941     /Subtype/Link%
8942     \ifHy@pdflatex /F 4\fi
8943     \Hy@setpdfborder
8944     \ifx\@urlbordercolor\relax
8945     \else
8946         /C[\@urlbordercolor]%
8947     \fi
8948     /A<<%
8949         /S/URI%
8950         /URI(\Hy@pstringURI)%
8951     >>%
8952     >>%
8953 }%
8954 \Hy@colorlink\@urlcolor
8955 }%
8956 #1%
8957 \Hy@EndAnnot
8958 }
8959 \def\Acrobatmenu#1#2{%
8960   \Hy@Acrobatmenu{#1}{#2}{%
8961     \Hy@BeginAnnot{%
8962       \pdfmark{%
8963         bann<<%
8964         /Type/Annot%
8965         /Subtype/Link%
8966         \ifHy@pdflatex /F 4\fi
8967         /A<<%
8968             /S/Named%
8969             /N/#1%
8970         >>%
8971         \Hy@setpdfborder
8972         \ifx\@menubordercolor\relax
8973             \relax
8974             /C[\@menubordercolor]%
8975         \fi
8976         >>%
8977     }%
8978     \Hy@colorlink\@menucolor
8979   }%
8980   #2%
8981   \Hy@EndAnnot
8982 }%
8983 }
8984 \ifx\@pdfproducer\relax
8985 \def\@pdfproducer{\dvipdfm}%

```

Detect Xe_Te_X. However, but `xdvipdfmx` will overwrite it in the final PDF file.

```

8986 \begingroup\expandafter\expandafter\expandafter\endgroup
8987 \expandafter\ifx\csname XeTeXversion\endcsname\relax
8988 \else
8989   \edef\@pdfproducer{XeTeX \the\XeTeXversion\XeTeXrevision}%
8990 \fi
8991 \fi
8992 \def\PDF@FinishDoc{%
8993   \Hy@UseMaketitleInfos
8994   \HyInfo@GenerateAddons
8995   \pdfmark{%

```

```

8996 docinfo<<%
8997   /Title(\@pdftitle)%
8998   /Subject(\@pdfsubject)%
8999   /Creator(\@pdfcreator)%
9000   \ifx\@pdfcreationdate\@empty
9001   \else
9002     /CreationDate(\@pdfcreationdate)%
9003   \fi
9004   \ifx\@pdfmoddate\@empty
9005   \else
9006     /ModDate(\@pdfmoddate)%
9007   \fi
9008   /Author(\@pdfauthor)%
9009   \ifx\@pdfproducer\relax
9010   \else
9011     /Producer(\@pdfproducer)%
9012   \fi
9013   /Keywords(\@pdfkeywords)%
9014   \ifx\@pdftrapped\@empty
9015   \else
9016     /Trapped/\@pdftrapped
9017   \fi
9018   \HyInfo@Addons
9019 >>%
9020 }%
9021 \Hy@DisableOption{pdfauthor}%
9022 \Hy@DisableOption{pdftitle}%
9023 \Hy@DisableOption{pdfsubject}%
9024 \Hy@DisableOption{pdfcreator}%
9025 \Hy@DisableOption{pdfcreationdate}%
9026 \Hy@DisableOption{pdfmoddate}%
9027 \Hy@DisableOption{pdfproducer}%
9028 \Hy@DisableOption{pdfkeywords}%
9029 \Hy@DisableOption{pdftrapped}%
9030 \Hy@DisableOption{pdfinfo}%
9031 }

9032 \def\PDF@SetupDoc{%
9033   \edef\Hy@temp{%
9034     \ifHy@toolbar\else /HideToolbar true\fi
9035     \ifHy@menubar\else /HideMenubar true\fi
9036     \ifHy@windowui\else /HideWindowUI true\fi
9037     \ifHy@fitwindow /FitWindow true\fi
9038     \ifHy@centerwindow /CenterWindow true\fi
9039     \ifHy@displaydoctitle /DisplayDocTitle true\fi
9040     \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9041     \Hy@UseNameKey{Direction}\@pdfdirection
9042     \Hy@UseNameKey{ViewArea}\@pdfviewarea
9043     \Hy@UseNameKey{ViewClip}\@pdfviewclip
9044     \Hy@UseNameKey{PrintArea}\@pdfprintarea
9045     \Hy@UseNameKey{PrintClip}\@pdfprintclip
9046     \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9047     \Hy@UseNameKey{Duplex}\@pdfduplex
9048     \ifx\@pdfpicktraybypdfsize\@empty
9049     \else
9050       /PickTrayByPDFSize \@pdfpicktraybypdfsize
9051     \fi
9052     \ifx\@pdfprintpagerange\@empty

```

```

9053 \else
9054   /PrintPageRange[\@pdfprintpagerange]%
9055 \fi
9056 \ifx\@pdfnumcopies\empty
9057 \else
9058   /NumCopies \@pdfnumcopies
9059 \fi
9060 }%
9061 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
9062 \@pdfm@mark{%
9063   docview<<%
9064   \ifx\@pdfstartpage\empty
9065   \else
9066     \ifx\@pdfstartview\empty
9067     \else
9068       /OpenAction[@page\@pdfstartpage\@pdfstartview]%
9069     \fi
9070   \fi
9071   \ifx\@baseurl\empty
9072   \else
9073     /URI<</Base(\Hy@pstringB)>>%
9074   \fi
9075   /PageMode/\@pdfpagemode
9076   \ifx\Hy@temp\empty
9077   \else
9078     /ViewerPreferences<<\Hy@temp>>%
9079   \fi
9080   \Hy@UseNameKey{PageLayout}\@pdfpagelayout
9081   \ifx\@pdflang\empty
9082   \else
9083     /Lang(\@pdflang)%
9084   \fi
9085 >>%
9086 }%
9087 \ifx\@pdfpagescrop\empty
9088 \else
9089   \@pdfm@mark{put @pages <</CropBox[\@pdfpagescrop]>>}%
9090 \fi
9091 }
9092 </dvipdfm | xetex>

```

Xe^TE_X uses pdf^TE_X's method `\pdfpagewidth` and `\pdfpageheight` for setting the paper size.

```

9093 <*dvipdfm>
9094 \AtBeginShipoutFirst{%
9095   \ifHy@setpagesize
9096     \begingroup
9097       \c@ifundefined{stockwidth}{%
9098         \ifdim\paperwidth>z@
9099           \ifdim\paperheight>z@
9100             \special{papersize=\the\paperwidth,\the\paperheight}%
9101           \fi
9102         \fi
9103       }{%
9104         \ifdim\stockwidth>z@
9105           \ifdim\stockheight>z@
9106             \special{papersize=\the\stockwidth,\the\stockheight}%
9107           \fi
9108       }
9109     \endgroup
9110   \fi
9111 }
9112 \AtEndShipoutFirst{%
9113   \begingroup
9114     \c@ifundefined{stockwidth}{%
9115       \ifdim\paperwidth>z@
9116         \ifdim\paperheight>z@
9117           \special{papersize=\the\paperwidth,\the\paperheight}%
9118         \fi
9119       \fi
9120     }{%
9121       \ifdim\stockwidth>z@
9122         \ifdim\stockheight>z@
9123           \special{papersize=\the\stockwidth,\the\stockheight}%
9124         \fi
9125       }
9126     \endgroup
9127   \fi
9128 }
9129 \AtBeginDvipdfmFirst{%
9130   \begingroup
9131     \c@ifundefined{stockwidth}{%
9132       \ifdim\paperwidth>z@
9133         \ifdim\paperheight>z@
9134           \special{papersize=\the\paperwidth,\the\paperheight}%
9135         \fi
9136       \fi
9137     }{%
9138       \ifdim\stockwidth>z@
9139         \ifdim\stockheight>z@
9140           \special{papersize=\the\stockwidth,\the\stockheight}%
9141         \fi
9142       }
9143     \endgroup
9144   \fi
9145 }
9146 \AtEndDvipdfmFirst{%
9147   \begingroup
9148     \c@ifundefined{stockwidth}{%
9149       \ifdim\paperwidth>z@
9150         \ifdim\paperheight>z@
9151           \special{papersize=\the\paperwidth,\the\paperheight}%
9152         \fi
9153       \fi
9154     }{%
9155       \ifdim\stockwidth>z@
9156         \ifdim\stockheight>z@
9157           \special{papersize=\the\stockwidth,\the\stockheight}%
9158         \fi
9159       }
9160     \endgroup
9161   \fi
9162 }
9163 \AtBeginDvipdfmLast{%
9164   \begingroup
9165     \c@ifundefined{stockwidth}{%
9166       \ifdim\paperwidth>z@
9167         \ifdim\paperheight>z@
9168           \special{papersize=\the\paperwidth,\the\paperheight}%
9169         \fi
9170       \fi
9171     }{%
9172       \ifdim\stockwidth>z@
9173         \ifdim\stockheight>z@
9174           \special{papersize=\the\stockwidth,\the\stockheight}%
9175         \fi
9176       }
9177     \endgroup
9178   \fi
9179 }
9180 \AtEndDvipdfmLast{%
9181   \begingroup
9182     \c@ifundefined{stockwidth}{%
9183       \ifdim\paperwidth>z@
9184         \ifdim\paperheight>z@
9185           \special{papersize=\the\paperwidth,\the\paperheight}%
9186         \fi
9187       \fi
9188     }{%
9189       \ifdim\stockwidth>z@
9190         \ifdim\stockheight>z@
9191           \special{papersize=\the\stockwidth,\the\stockheight}%
9192         \fi
9193       }
9194     \endgroup
9195   \fi
9196 }
9197 \AtBeginDvipdfm{%
9198   \begingroup
9199     \c@ifundefined{stockwidth}{%
9200       \ifdim\paperwidth>z@
9201         \ifdim\paperheight>z@
9202           \special{papersize=\the\paperwidth,\the\paperheight}%
9203         \fi
9204       \fi
9205     }{%
9206       \ifdim\stockwidth>z@
9207         \ifdim\stockheight>z@
9208           \special{papersize=\the\stockwidth,\the\stockheight}%
9209         \fi
9210       }
9211     \endgroup
9212   \fi
9213 }
9214 \AtEndDvipdfm{%
9215   \begingroup
9216     \c@ifundefined{stockwidth}{%
9217       \ifdim\paperwidth>z@
9218         \ifdim\paperheight>z@
9219           \special{papersize=\the\paperwidth,\the\paperheight}%
9220         \fi
9221       \fi
9222     }{%
9223       \ifdim\stockwidth>z@
9224         \ifdim\stockheight>z@
9225           \special{papersize=\the\stockwidth,\the\stockheight}%
9226         \fi
9227       }
9228     \endgroup
9229   \fi
9230 }
9231 \AtBeginDvipdfmPage{%
9232   \begingroup
9233     \c@ifundefined{stockwidth}{%
9234       \ifdim\paperwidth>z@
9235         \ifdim\paperheight>z@
9236           \special{papersize=\the\paperwidth,\the\paperheight}%
9237         \fi
9238       \fi
9239     }{%
9240       \ifdim\stockwidth>z@
9241         \ifdim\stockheight>z@
9242           \special{papersize=\the\stockwidth,\the\stockheight}%
9243         \fi
9244       }
9245     \endgroup
9246   \fi
9247 }
9248 \AtEndDvipdfmPage{%
9249   \begingroup
9250     \c@ifundefined{stockwidth}{%
9251       \ifdim\paperwidth>z@
9252         \ifdim\paperheight>z@
9253           \special{papersize=\the\paperwidth,\the\paperheight}%
9254         \fi
9255       \fi
9256     }{%
9257       \ifdim\stockwidth>z@
9258         \ifdim\stockheight>z@
9259           \special{papersize=\the\stockwidth,\the\stockheight}%
9260         \fi
9261       }
9262     \endgroup
9263   \fi
9264 }
9265 \AtBeginDvipdfmPageFirst{%
9266   \begingroup
9267     \c@ifundefined{stockwidth}{%
9268       \ifdim\paperwidth>z@
9269         \ifdim\paperheight>z@
9270           \special{papersize=\the\paperwidth,\the\paperheight}%
9271         \fi
9272       \fi
9273     }{%
9274       \ifdim\stockwidth>z@
9275         \ifdim\stockheight>z@
9276           \special{papersize=\the\stockwidth,\the\stockheight}%
9277         \fi
9278       }
9279     \endgroup
9280   \fi
9281 }
9282 \AtEndDvipdfmPageFirst{%
9283   \begingroup
9284     \c@ifundefined{stockwidth}{%
9285       \ifdim\paperwidth>z@
9286         \ifdim\paperheight>z@
9287           \special{papersize=\the\paperwidth,\the\paperheight}%
9288         \fi
9289       \fi
9290     }{%
9291       \ifdim\stockwidth>z@
9292         \ifdim\stockheight>z@
9293           \special{papersize=\the\stockwidth,\the\stockheight}%
9294         \fi
9295       }
9296     \endgroup
9297   \fi
9298 }
9299 \AtBeginDvipdfmPageLast{%
9300   \begingroup
9301     \c@ifundefined{stockwidth}{%
9302       \ifdim\paperwidth>z@
9303         \ifdim\paperheight>z@
9304           \special{papersize=\the\paperwidth,\the\paperheight}%
9305         \fi
9306       \fi
9307     }{%
9308       \ifdim\stockwidth>z@
9309         \ifdim\stockheight>z@
9310           \special{papersize=\the\stockwidth,\the\stockheight}%
9311         \fi
9312       }
9313     \endgroup
9314   \fi
9315 }
9316 \AtEndDvipdfmPageLast{%
9317   \begingroup
9318     \c@ifundefined{stockwidth}{%
9319       \ifdim\paperwidth>z@
9320         \ifdim\paperheight>z@
9321           \special{papersize=\the\paperwidth,\the\paperheight}%
9322         \fi
9323       \fi
9324     }{%
9325       \ifdim\stockwidth>z@
9326         \ifdim\stockheight>z@
9327           \special{papersize=\the\stockwidth,\the\stockheight}%
9328         \fi
9329       }
9330     \endgroup
9331   \fi
9332 }
9333 \AtBeginDvipdfmPage{%
9334   \begingroup
9335     \c@ifundefined{stockwidth}{%
9336       \ifdim\paperwidth>z@
9337         \ifdim\paperheight>z@
9338           \special{papersize=\the\paperwidth,\the\paperheight}%
9339         \fi
9340       \fi
9341     }{%
9342       \ifdim\stockwidth>z@
9343         \ifdim\stockheight>z@
9344           \special{papersize=\the\stockwidth,\the\stockheight}%
9345         \fi
9346       }
9347     \endgroup
9348   \fi
9349 }
9350 \AtEndDvipdfmPage{%
9351   \begingroup
9352     \c@ifundefined{stockwidth}{%
9353       \ifdim\paperwidth>z@
9354         \ifdim\paperheight>z@
9355           \special{papersize=\the\paperwidth,\the\paperheight}%
9356         \fi
9357       \fi
9358     }{%
9359       \ifdim\stockwidth>z@
9360         \ifdim\stockheight>z@
9361           \special{papersize=\the\stockwidth,\the\stockheight}%
9362         \fi
9363       }
9364     \endgroup
9365   \fi
9366 }
9367 \AtBeginDvipdfmPageFirst{%
9368   \begingroup
9369     \c@ifundefined{stockwidth}{%
9370       \ifdim\paperwidth>z@
9371         \ifdim\paperheight>z@
9372           \special{papersize=\the\paperwidth,\the\paperheight}%
9373         \fi
9374       \fi
9375     }{%
9376       \ifdim\stockwidth>z@
9377         \ifdim\stockheight>z@
9378           \special{papersize=\the\stockwidth,\the\stockheight}%
9379         \fi
9380       }
9381     \endgroup
9382   \fi
9383 }
9384 \AtEndDvipdfmPageFirst{%
9385   \begingroup
9386     \c@ifundefined{stockwidth}{%
9387       \ifdim\paperwidth>z@
9388         \ifdim\paperheight>z@
9389           \special{papersize=\the\paperwidth,\the\paperheight}%
9390         \fi
9391       \fi
9392     }{%
9393       \ifdim\stockwidth>z@
9394         \ifdim\stockheight>z@
9395           \special{papersize=\the\stockwidth,\the\stockheight}%
9396         \fi
9397       }
9398     \endgroup
9399   \fi
9400 }
9401 \AtBeginDvipdfmPageLast{%
9402   \begingroup
9403     \c@ifundefined{stockwidth}{%
9404       \ifdim\paperwidth>z@
9405         \ifdim\paperheight>z@
9406           \special{papersize=\the\paperwidth,\the\paperheight}%
9407         \fi
9408       \fi
9409     }{%
9410       \ifdim\stockwidth>z@
9411         \ifdim\stockheight>z@
9412           \special{papersize=\the\stockwidth,\the\stockheight}%
9413         \fi
9414       }
9415     \endgroup
9416   \fi
9417 }
9418 \AtEndDvipdfmPageLast{%
9419   \begingroup
9420     \c@ifundefined{stockwidth}{%
9421       \ifdim\paperwidth>z@
9422         \ifdim\paperheight>z@
9423           \special{papersize=\the\paperwidth,\the\paperheight}%
9424         \fi
9425       \fi
9426     }{%
9427       \ifdim\stockwidth>z@
9428         \ifdim\stockheight>z@
9429           \special{papersize=\the\stockwidth,\the\stockheight}%
9430         \fi
9431       }
9432     \endgroup
9433   \fi
9434 }
9435 \AtBeginDvipdfmPage{%
9436   \begingroup
9437     \c@ifundefined{stockwidth}{%
9438       \ifdim\paperwidth>z@
9439         \ifdim\paperheight>z@
9440           \special{papersize=\the\paperwidth,\the\paperheight}%
9441         \fi
9442       \fi
9443     }{%
9444       \ifdim\stockwidth>z@
9445         \ifdim\stockheight>z@
9446           \special{papersize=\the\stockwidth,\the\stockheight}%
9447         \fi
9448       }
9449     \endgroup
9450   \fi
9451 }
9452 \AtEndDvipdfmPage{%
9453   \begingroup
9454     \c@ifundefined{stockwidth}{%
9455       \ifdim\paperwidth>z@
9456         \ifdim\paperheight>z@
9457           \special{papersize=\the\paperwidth,\the\paperheight}%
9458         \fi
9459       \fi
9460     }{%
9461       \ifdim\stockwidth>z@
9462         \ifdim\stockheight>z@
9463           \special{papersize=\the\stockwidth,\the\stockheight}%
9464         \fi
9465       }
9466     \endgroup
9467   \fi
9468 }
9469 \AtBeginDvipdfmPageFirst{%
9470   \begingroup
9471     \c@ifundefined{stockwidth}{%
9472       \ifdim\paperwidth>z@
9473         \ifdim\paperheight>z@
9474           \special{papersize=\the\paperwidth,\the\paperheight}%
9475         \fi
9476       \fi
9477     }{%
9478       \ifdim\stockwidth>z@
9479         \ifdim\stockheight>z@
9480           \special{papersize=\the\stockwidth,\the\stockheight}%
9481         \fi
9482       }
9483     \endgroup
9484   \fi
9485 }
9486 \AtEndDvipdfmPageFirst{%
9487   \begingroup
9488     \c@ifundefined{stockwidth}{%
9489       \ifdim\paperwidth>z@
9490         \ifdim\paperheight>z@
9491           \special{papersize=\the\paperwidth,\the\paperheight}%
9492         \fi
9493       \fi
9494     }{%
9495       \ifdim\stockwidth>z@
9496         \ifdim\stockheight>z@
9497           \special{papersize=\the\stockwidth,\the\stockheight}%
9498         \fi
9499       }
9500     \endgroup
9501   \fi
9502 }
9503 \AtBeginDvipdfmPageLast{%
9504   \begingroup
9505     \c@ifundefined{stockwidth}{%
9506       \ifdim\paperwidth>z@
9507         \ifdim\paperheight>z@
9508           \special{papersize=\the\paperwidth,\the\paperheight}%
9509         \fi
9510       \fi
9511     }{%
9512       \ifdim\stockwidth>z@
9513         \ifdim\stockheight>z@
9514           \special{papersize=\the\stockwidth,\the\stockheight}%
9515         \fi
9516       }
9517     \endgroup
9518   \fi
9519 }
9520 \AtEndDvipdfmPageLast{%
9521   \begingroup
9522     \c@ifundefined{stockwidth}{%
9523       \ifdim\paperwidth>z@
9524         \ifdim\paperheight>z@
9525           \special{papersize=\the\paperwidth,\the\paperheight}%
9526         \fi
9527       \fi
9528     }{%
9529       \ifdim\stockwidth>z@
9530         \ifdim\stockheight>z@
9531           \special{papersize=\the\stockwidth,\the\stockheight}%
9532         \fi
9533       }
9534     \endgroup
9535   \fi
9536 }
9537 \AtBeginDvipdfmPage{%
9538   \begingroup
9539     \c@ifundefined{stockwidth}{%
9540       \ifdim\paperwidth>z@
9541         \ifdim\paperheight>z@
9542           \special{papersize=\the\paperwidth,\the\paperheight}%
9543         \fi
9544       \fi
9545     }{%
9546       \ifdim\stockwidth>z@
9547         \ifdim\stockheight>z@
9548           \special{papersize=\the\stockwidth,\the\stockheight}%
9549         \fi
9550       }
9551     \endgroup
9552   \fi
9553 }
9554 \AtEndDvipdfmPage{%
9555   \begingroup
9556     \c@ifundefined{stockwidth}{%
9557       \ifdim\paperwidth>z@
9558         \ifdim\paperheight>z@
9559           \special{papersize=\the\paperwidth,\the\paperheight}%
9560         \fi
9561       \fi
9562     }{%
9563       \ifdim\stockwidth>z@
9564         \ifdim\stockheight>z@
9565           \special{papersize=\the\stockwidth,\the\stockheight}%
9566         \fi
9567       }
9568     \endgroup
9569   \fi
9570 }
9571 \AtBeginDvipdfmPageFirst{%
9572   \begingroup
9573     \c@ifundefined{stockwidth}{%
9574       \ifdim\paperwidth>z@
9575         \ifdim\paperheight>z@
9576           \special{papersize=\the\paperwidth,\the\paperheight}%
9577         \fi
9578       \fi
9579     }{%
9580       \ifdim\stockwidth>z@
9581         \ifdim\stockheight>z@
9582           \special{papersize=\the\stockwidth,\the\stockheight}%
9583         \fi
9584       }
9585     \endgroup
9586   \fi
9587 }
9588 \AtEndDvipdfmPageFirst{%
9589   \begingroup
9590     \c@ifundefined{stockwidth}{%
9591       \ifdim\paperwidth>z@
9592         \ifdim\paperheight>z@
9593           \special{papersize=\the\paperwidth,\the\paperheight}%
9594         \fi
9595       \fi
9596     }{%
9597       \ifdim\stockwidth>z@
9598         \ifdim\stockheight>z@
9599           \special{papersize=\the\stockwidth,\the\stockheight}%
9600         \fi
9601       }
9602     \endgroup
9603   \fi
9604 }
9605 \AtBeginDvipdfmPageLast{%
9606   \begingroup
9607     \c@ifundefined{stockwidth}{%
9608       \ifdim\paperwidth>z@
9609         \ifdim\paperheight>z@
9610           \special{papersize=\the\paperwidth,\the\paperheight}%
9611         \fi
9612       \fi
9613     }{%
9614       \ifdim\stockwidth>z@
9615         \ifdim\stockheight>z@
9616           \special{papersize=\the\stockwidth,\the\stockheight}%
9617         \fi
9618       }
9619     \endgroup
9620   \fi
9621 }
9622 \AtEndDvipdfmPageLast{%
9623   \begingroup
9624     \c@ifundefined{stockwidth}{%
9625       \ifdim\paperwidth>z@
9626         \ifdim\paperheight>z@
9627           \special{papersize=\the\paperwidth,\the\paperheight}%
9628         \fi
9629       \fi
9630     }{%
9631       \ifdim\stockwidth>z@
9632         \ifdim\stockheight>z@
9633           \special{papersize=\the\stockwidth,\the\stockheight}%
9634         \fi
9635       }
9636     \endgroup
9637   \fi
9638 }
9639 \AtBeginDvipdfmPage{%
9640   \begingroup
9641     \c@ifundefined{stockwidth}{%
9642       \ifdim\paperwidth>z@
9643         \ifdim\paperheight>z@
9644           \special{papersize=\the\paperwidth,\the\paperheight}%
9645         \fi
9646       \fi
9647     }{%
9648       \ifdim\stockwidth>z@
9649         \ifdim\stockheight>z@
9650           \special{papersize=\the\stockwidth,\the\stockheight}%
9651         \fi
9652       }
9653     \endgroup
9654   \fi
9655 }
9656 \AtEndDvipdfmPage{%
9657   \begingroup
9658     \c@ifundefined{stockwidth}{%
9659       \ifdim\paperwidth>z@
9660         \ifdim\paperheight>z@
9661           \special{papersize=\the\paperwidth,\the\paperheight}%
9662         \fi
9663       \fi
9664     }{%
9665       \ifdim\stockwidth>z@
9666         \ifdim\stockheight>z@
9667           \special{papersize=\the\stockwidth,\the\stockheight}%
9668         \fi
9669       }
9670     \endgroup
9671   \fi
9672 }
9673 \AtBeginDvipdfmPageFirst{%
9674   \begingroup
9675     \c@ifundefined{stockwidth}{%
9676       \ifdim\paperwidth>z@
9677         \ifdim\paperheight>z@
9678           \special{papersize=\the\paperwidth,\the\paperheight}%
9679         \fi
9680       \fi
9681     }{%
9682       \ifdim\stockwidth>z@
9683         \ifdim\stockheight>z@
9684           \special{papersize=\the\stockwidth,\the\stockheight}%
9685         \fi
9686       }
9687     \endgroup
9688   \fi
9689 }
9690 \AtEndDvipdfmPageFirst{%
9691   \begingroup
9692     \c@ifundefined{stockwidth}{%
9693       \ifdim\paperwidth>z@
9694         \ifdim\paperheight>z@
9695           \special{papersize=\the\paperwidth,\the\paperheight}%
9696         \fi
9697       \fi
9698     }{%
9699       \ifdim\stockwidth>z@
9700         \ifdim\stockheight>z@
9701           \special{papersize=\the\stockwidth,\the\stockheight}%
9702         \fi
9703       }
9704     \endgroup
9705   \fi
9706 }
9707 \AtBeginDvipdfmPageLast{%
9708   \begingroup
9709     \c@ifundefined{stockwidth}{%
9710       \ifdim\paperwidth>z@
9711         \ifdim\paperheight>z@
9712           \special{papersize=\the\paperwidth,\the\paperheight}%
9713         \fi
9714       \fi
9715     }{%
9716       \ifdim\stockwidth>z@
9717         \ifdim\stockheight>z@
9718           \special{papersize=\the\stockwidth,\the\stockheight}%
9719         \fi
9720       }
9721     \endgroup
9722   \fi
9723 }
9724 \AtEndDvipdfmPageLast{%
9725   \begingroup
9726     \c@ifundefined{stockwidth}{%
9727       \ifdim\paperwidth>z@
9728         \ifdim\paperheight>z@
9729           \special{papersize=\the\paperwidth,\the\paperheight}%
9730         \fi
9731       \fi
9732     }{%
9733       \ifdim\stockwidth>z@
9734         \ifdim\stockheight>z@
9735           \special{papersize=\the\stockwidth,\the\stockheight}%
9736         \fi
9737       }
9738     \endgroup
9739   \fi
9740 }
9741 \AtBeginDvipdfmPage{%
9742   \begingroup
9743     \c@ifundefined{stockwidth}{%
9744       \ifdim\paperwidth>z@
9745         \ifdim\paperheight>z@
9746           \special{papersize=\the\paperwidth,\the\paperheight}%
9747         \fi
9748       \fi
9749     }{%
9750       \ifdim\stockwidth>z@
9751         \ifdim\stockheight>z@
9752           \special{papersize=\the\stockwidth,\the\stockheight}%
9753         \fi
9754       }
9755     \endgroup
9756   \fi
9757 }
9758 \AtEndDvipdfmPage{%
9759   \begingroup
9760     \c@ifundefined{stockwidth}{%
9761       \ifdim\paperwidth>z@
9762         \ifdim\paperheight>z@
9763           \special{papersize=\the\paperwidth,\the\paperheight}%
9764         \fi
9765       \fi
9766     }{%
9767       \ifdim\stockwidth>z@
9768         \ifdim\stockheight>z@
9769           \special{papersize=\the\stockwidth,\the\stockheight}%
9770         \fi
9771       }
9772     \endgroup
9773   \fi
9774 }
9775 \AtBeginDvipdfmPageFirst{%
9776   \begingroup
9777     \c@ifundefined{stockwidth}{%
9778       \ifdim\paperwidth>z@
9779         \ifdim\paperheight>z@
9780           \special{papersize=\the\paperwidth,\the\paperheight}%
9781         \fi
9782       \fi
9783     }{%
9784       \ifdim\stockwidth>z@
9785         \ifdim\stockheight>z@
9786           \special{papersize=\the\stockwidth,\the\stockheight}%
9787         \fi
9788       }
9789     \endgroup
9790   \fi
9791 }
9792 \AtEndDvipdfmPageFirst{%
9793   \begingroup
9794     \c@ifundefined{stockwidth}{%
9795       \ifdim\paperwidth>z@
9796         \ifdim\paperheight>z@
9797           \special{papersize=\the\paperwidth,\the\paperheight}%
9798         \fi
9799       \fi
9800     }{%
9801       \ifdim\stockwidth>z@
9802         \ifdim\stockheight>z@
9803           \special{papersize=\the\stockwidth,\the\stockheight}%
9804         \fi
9805       }
9806     \endgroup
9807   \fi
9808 }
9809 \AtBeginDvipdfmPageLast{%
9810   \begingroup
9811     \c@ifundefined{stockwidth}{%
9812       \ifdim\paperwidth>z@
9813         \ifdim\paperheight>z@
9814           \special{papersize=\the\paperwidth,\the\paperheight}%
9815         \fi
9816       \fi
9817     }{%
9818       \ifdim\stockwidth>z@
9819         \ifdim\stockheight>z@
9820           \special{papersize=\the\stockwidth,\the\stockheight}%
9821         \fi
9822       }
9823     \endgroup
9824   \fi
9825 }
9826 \AtEndDvipdfmPageLast{%
9827   \begingroup
9828     \c@ifundefined{stockwidth}{%
9829       \ifdim\paperwidth>z@
9830         \ifdim\paperheight>z@
9831           \special{papersize=\the\paperwidth,\the\paperheight}%
9832         \fi
9833       \fi
9834     }{%
9835       \ifdim\stockwidth>z@
9836         \ifdim\stockheight>z@
9837           \special{papersize=\the\stockwidth,\the\stockheight}%
9838         \fi
9839       }
9840     \endgroup
9841   \fi
9842 }
9843 \AtBeginDvipdfmPage{%
9844   \begingroup
9845     \c@ifundefined{stockwidth}{%
9846       \ifdim\paperwidth>z@
9847         \ifdim\paperheight>z@
9848           \special{papersize=\the\paperwidth,\the\paperheight}%
9849         \fi
9850       \fi
9851     }{%
9852       \ifdim\stockwidth>z@
9853         \ifdim\stockheight>z@
9854           \special{papersize=\the\stockwidth,\the\stockheight}%
9855         \fi
9856       }
9857     \endgroup
9858   \fi
9859 }
9860 \AtEndDvipdfmPage{%
9861   \begingroup
9862     \c@ifundefined{stockwidth}{%
9863       \ifdim\paperwidth>z@
9864         \ifdim\paperheight>z@
9865           \special{papersize=\the\paperwidth,\the\paperheight}%
9866         \fi
9867       \fi
9868     }{%
9869       \ifdim\stockwidth>z@
9870         \ifdim\stockheight>z@
9871           \special{papersize=\the\stockwidth,\the\stockheight}%
9872         \fi
9873       }
9874     \endgroup
9875   \fi
9876 }
9877 \AtBeginDvipdfmPageFirst{%
9878   \begingroup
9879     \c@ifundefined{stockwidth}{%
9880       \ifdim\paperwidth>z@
9881         \ifdim\paperheight>z@
9882           \special{papersize=\the\paperwidth,\the\paperheight}%
9883         \fi
9884       \fi
9885     }{%
9886       \ifdim\stockwidth>z@
9887         \ifdim\stockheight>z@
9888           \special{papersize=\the\stockwidth,\the\stockheight}%
9889         \fi
9890       }
9891     \endgroup
9892   \fi
9893 }
9894 \AtEndDvipdfmPageFirst{%
9895   \begingroup
9896     \c@ifundefined{stockwidth}{%
9897       \ifdim\paperwidth>z@
9898         \ifdim\paperheight>z@
9899           \special{papersize=\the\paperwidth,\the\paperheight}%
9900         \fi
9901       \fi
9902     }{%
9903       \ifdim\stockwidth>z@
9904         \ifdim\stockheight>z@
9905           \special{papersize=\the\stockwidth,\the\stockheight}%
9906         \fi
9907       }
9908     \endgroup
9909   \fi
9910 }
9911 \AtBeginDvipdfmPageLast{%
9912   \begingroup
9913     \c@ifundefined{stockwidth}{%
9914       \ifdim\paperwidth>z@
9915         \ifdim\paperheight>z@
9916           \special{papersize=\the\paperwidth,\the\paperheight}%
9917         \fi
9918       \fi
9919     }{%
9920       \ifdim\stockwidth>z@
9921         \ifdim\stockheight>z@
9922           \special{papersize=\the\stockwidth,\the\stockheight}%
9923         \fi
9924       }
9925     \endgroup
9926   \fi
9927 }
9928 \AtEndDvipdfmPageLast{%
9929   \begingroup
9930     \c@ifundefined{stockwidth}{%
9931       \ifdim\paperwidth>z@
9932         \ifdim\paperheight>z@
9933           \special{papersize=\the\paperwidth,\the\paperheight}%
9934         \fi
9935       \fi
9936     }{%
9937       \ifdim\stockwidth>z@
9938         \ifdim\stockheight>z@
9939           \special{papersize=\the\stockwidth,\the\stockheight}%
9940         \fi
9941       }
9942     \endgroup
9943   \fi
9944 }
9945 \AtBeginDvipdfmPage{%
9946   \begingroup
9947     \c@ifundefined{stockwidth}{%
9948       \ifdim\paperwidth>z@
9949         \ifdim\paperheight>z@
9950           \special{papersize=\the\paperwidth,\the\paperheight}%
9951         \fi
9952       \fi
9953     }{%
9954       \ifdim\stockwidth>z@
9955         \ifdim\stockheight>z@
9956           \special{papersize=\the\stockwidth,\the\stockheight}%
9957         \fi
9958       }
9959     \endgroup
9960   \fi
9961 }
9962 \AtEndDvipdfmPage{%
9963   \begingroup
9964     \c@ifundefined{stockwidth}{%
9965       \ifdim\paperwidth>z@
9966         \ifdim\paperheight>z@
9967           \special{papersize=\the\paperwidth,\the\paperheight}%
9968         \fi
9969       \fi
9970     }{%
9971       \ifdim\stockwidth>z@
9972         \ifdim\stockheight>z@
9973           \special{papersize=\the\stockwidth,\the\stockheight}%
9974         \fi
9975       }
9976     \endgroup
9977   \fi
9978 }
9979 \AtBeginDvipdfmPageFirst{%
9980   \begingroup
9981     \c@ifundefined{stockwidth}{%
9982       \ifdim\paperwidth>z@
9983         \ifdim\paperheight>z@
9984           \special{papersize=\the\paperwidth,\the\paperheight}%
9985         \fi
9986       \fi
9987     }{%
9988       \ifdim\stockwidth>z@
9989         \ifdim\stockheight>z@
9990           \special{papersize=\the\stockwidth,\the\stockheight}%
9991         \fi
9992       }
9993     \endgroup
9994   \fi

```

```

9108      \fi
9109      }%
9110      \endgroup
9111      \fi
9112      \Hy@DisableOption{setpagesize}%
9113 }
9114 
```

46.6 VTeX typesetting system

Provided by MicroPress, May 1998. They require VTeX version 6.02 or newer; see <http://www.micropress-inc.com/> for details.

```

9115 <*vtexhtml>
9116 \providecommand*\XR@ext{[htm]}
9117 \RequirePackage{vtexhtml}
9118 \newif\if@Localurl
9119 \def\PDF@FinishDoc{}
9120 \def\PDF@SetupDoc{%
9121   \ifx\@baseurl\@empty
9122   \else
9123     \special{!direct <base href="\@baseurl">}%
9124   \fi
9125 }
9126 \def\@curltype{url}
9127 \def\hyper@link#1#2#3{%
9128   \Hy@VerboseLinkStart{#1}{#2}%
9129   \leavevmode
9130   \special{!direct <a href=%
9131     \hyper@quote\hyper@hash\HyperDestNameFilter{#2}\hyper@quote}%
9132   #3%
9133   \special{!direct </a>}%
9134 }
9135 \def\hyper@linkurl#1#2{%
9136   \begingroup
9137   \hyper@chars
9138   \leavevmode
9139   \MathBSuppress=1\relax
9140   \special{!direct <a href=%
9141     \hyper@quote\HyperDestNameFilter{#2}\hyper@quote}%
9142   #1%
9143   \MathBSuppress=0\relax
9144   \special{!direct </a>}%
9145   \endgroup
9146 }
9147 \def\hyper@linkfile#1#2#3{%
9148   \hyper@linkurl{#1}{\Hy@linkfileprefix#2\ifx\\#3\\else##3\fi}%
9149 }
9150 \def\hyper@linkstart#1#2{%
9151   \Hy@VerboseLinkStart{#1}{#2}%
9152   \def\Hy@tempa{#1}\ifx\Hy@tempa\@curltype
9153   \@Localurltrue
9154   \special{!direct <a href=\hyper@quote#2\hyper@quote}%
9155   \else
9156   \@Localurlfalse
9157   \begingroup
9158   \hyper@chars
9159   \special{!aref \HyperDestNameFilter{#2}}%

```

```

9160   \endgroup
9161   \fi
9162 }
9163 \def\hyper@linkend{%
9164   \if@Localurl
9165     \special{!endaref}%
9166   \else
9167     \special{!direct </a>}%
9168   \fi
9169 }
9170 \def\hyper@anchorstart#1{%
9171   \Hy@SaveLastskip
9172   \Hy@VerboseAnchor{#1}%
9173   \begingroup
9174     \hyper@chars
9175     \special{!aname #1}%
9176     \special{!direct <a name=%
9177       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}%
9178   \endgroup
9179   \Hy@activeanchortrue
9180 }
9181 \def\hyper@anchorend{%
9182   \special{!direct </a>}%
9183   \Hy@activeanchorfalse
9184   \Hy@RestoreLastskip
9185 }
9186 \def\hyper@anchor#1{%
9187   \Hy@SaveLastskip
9188   \Hy@VerboseAnchor{#1}%
9189   \begingroup
9190     \let\protect=\string
9191     \hyper@chars
9192     \leavevmode
9193     \special{!aname #1}%
9194     \special{!direct <a name=%
9195       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}%
9196   \endgroup
9197   \Hy@activeanchortrue
9198   \bgroup\anchor@spot\egroup
9199   \special{!direct </a>}%
9200   \Hy@activeanchorfalse
9201   \Hy@RestoreLastskip
9202 }
9203 \def\@Form[#1]{%
9204   \typeout{Sorry, TeXpider does not yet support FORMs}%
9205 }
9206 \def\@endForm{}
9207 \def\@Gauge[#1]#2#3#4{%
9208   parameters, label, minimum, maximum
9209   \typeout{Sorry, TeXpider does not yet support FORM gauges}%
9210 \def\@TextField[#1]#2{%
9211   parameters, label
9212   \typeout{Sorry, TeXpider does not yet support FORM text fields}%
9213 \def\@CheckBox[#1]#2{%
9214   parameters, label
9215   \typeout{Sorry, TeXpider does not yet support FORM checkboxes}%
9216 \def\@ChoiceMenu[#1]#2#3{%
9217   parameters, label, choices

```

```

9217 \typeout{Sorry, TeXpider does not yet support FORM choice menus}%
9218 }
9219 \def\@PushButton[#1]#2{%
9220 \typeout{Sorry, TeXpider does not yet support FORM pushbuttons}%
9221 }
9222 \def\@Reset[#1]#2{%
9223 \typeout{Sorry, TeXpider does not yet support FORMs}%
9224 }
9225 \def\@Submit[#1]#2{%
9226 \typeout{Sorry, TeXpider does not yet support FORMs}%
9227 }
9228 </vtexhtml>
9229 /*vtex*/

```

VTeX version 6.68 supports `\mediawidth` and `\mediaheight`. The `\ifx` construct is better than a `\csname`, because it avoids the definition and the hash table entry of a previous undefined macro.

```

9230 \ifx\mediaheight\undefined
9231 \else
9232 \ifx\mediaheight\relax
9233 \else
9234 \ifHy@setpagesize
9235 \providecommand*\VTeXInitMediaSize}{%
9236 \@ifundefined{stockwidth}{%
9237 \ifdim\paperheight>0pt %
9238 \setlength\mediaheight\paperheight
9239 \fi
9240 \ifdim\paperheight>0pt %
9241 \setlength\mediawidth\paperwidth
9242 \fi
9243 }{%
9244 \ifdim\stockheight>0pt %
9245 \setlength\mediaheight\stockheight
9246 \fi
9247 \ifdim\stockwidth>0pt %
9248 \setlength\mediawidth\stockwidth
9249 \fi
9250 }%
9251 }%
9252 \AtBeginDocument{\VTeXInitMediaSize}%
9253 \fi
9254 \Hy@DisableOption{setpagesize}%
9255 \fi
9256 \fi

```

Older versions of VTeX require `xyz` in lower case.

```

9257 \providecommand*\@pdfview{xyz}
9258 \providecommand*\@pdfborder{0 0 1}
9259 \providecommand*\@pdfborderstyle{}
9260 \let\CurrentBorderColor\@linkbordercolor
9261 \def\hyper@anchor#1{%
9262 \Hy@SaveLastskip
9263 \Hy@VerboseAnchor{#1}%
9264 \begingroup
9265 \let\protect=\string
9266 \hyper@chars
9267 \special{!aname \HyperDestNameFilter{#1};\@pdfview}%
9268 \endgroup

```

```

9269 \Hy@activeanchortrue
9270 \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
9271 \Hy@activeanchorfalse
9272 \Hy@RestoreLastskip
9273 }
9274 \def\hyper@anchorstart#1{%
9275 \Hy@SaveLastskip
9276 \Hy@VerboseAnchor{#1}%
9277 \begingroup
9278 \hyper@chars
9279 \special{!aname \HyperDestNameFilter{#1};\@pdfview}%
9280 \endgroup
9281 \Hy@activeanchortrue
9282 }
9283 \def\hyper@anchorend{%
9284 \Hy@activeanchorfalse
9285 \Hy@RestoreLastskip
9286 }
9287 \def\curltype{url}
9288 \def\Hy@undefinedname{UNDEFINED}
9289 \def\hyper@linkstart#1#2{%
9290 \Hy@VerboseLinkStart{#1}{#2}%
9291 \Hy@pstringdef\Hy@pstringURI{#2}%
9292 \expandafter\Hy@colorlink\csname @#1color\endcsname
9293 \ifundefined{@#1bordercolor}{%
9294 \let\CurrentBorderColor\relax
9295 }{%
9296 \edef\CurrentBorderColor{%
9297 \csname @#1bordercolor\endcsname
9298 }%
9299 }%
9300 \def\Hy@tempa{#1}%
9301 \ifx\Hy@tempa\curltype
9302 \special{!%
9303 aref <u=/Type /Action /S /URI /URI (\Hy@pstringURI)>;%
9304 a=<%
9305 \ifHy@pdfa /F 4\fi
9306 \Hy@setpdfborder
9307 \ifx\CurrentBorderColor\relax
9308 \else
9309 /C [\CurrentBorderColor]%
9310 \fi
9311 >%
9312 }%
9313 \else
9314 \protected@edef\Hy@testname{#2}%
9315 \ifx\Hy@testname\empty
9316 \Hy@Warning{%
9317 Empty destination name,\MessageBreak
9318 using '\Hy@undefinedname'%
9319 }%
9320 \let\Hy@testname\Hy@undefinedname
9321 \fi
9322 \special{!%
9323 aref \expandafter\HyperDestNameFilter
9324 \expandafter{\Hy@testname};%
9325 a=<%

```

```

9326      \ifHy@pdfa /F 4\fi
9327      \Hy@setpdfborder
9328      \ifx\CurrentBorderColor\relax
9329      \else
9330          /C [\CurrentBorderColor]%
9331      \fi
9332      >%
9333  }%
9334 \fi
9335 }
9336 \def\hyper@linkend{%
9337   \special{!endaref}%
9338   \Hy@endcolorlink
9339 }
9340 \def\hyper@linkfile#1#2#3{%
9341   \leavevemode
9342   \special{!%
9343     aref <%
9344       \ifnum\Hy@TeXversion>753 \ifHy@newwindow n\fi\fi
9345     f==#2>#3;%
9346     a=<%
9347       \ifHy@pdfa /F 4\fi
9348       \Hy@setpdfborder
9349       \ifx\@filebordercolor\relax
9350       \else
9351         /C [\@filebordercolor]%
9352       \fi
9353     >%
9354   }%
9355   \Hy@colorlink\@filecolor#1\Hy@endcolorlink
9356   \special{!endaref}%
9357 }
9358 \def\hyper@linkurl#1#2{%
9359   \begingroup
9360   \Hy@pstringdef\Hy@pstringURI{\#2}%
9361   \hyper@chars
9362   \leavevemode
9363   \special{!%
9364     aref <u=/Type /Action /S /URI /URI (\Hy@pstringURI)>;%
9365     a=<%
9366       \ifHy@pdfa /F 4\fi
9367       \Hy@setpdfborder
9368       \ifx\@urlbordercolor\relax
9369       \else
9370         /C [\@urlbordercolor]%
9371       \fi
9372     >%
9373   }%
9374   \Hy@colorlink\@urlcolor#1\Hy@endcolorlink
9375   \special{!endaref}%
9376   \endgroup
9377 }
9378 \def\hyper@link#1#2#3{%
9379   \Hy@VerboseLinkStart{\#1}{\#2}%
9380   \c@ifundefined{@#1bordercolor}{%
9381     \let\CurrentBorderColor\relax
9382   }{%

```

```

9383   \edef\CurrentBorderColor{\csname @#1bordercolor\endcsname}%
9384 }%
9385 \leavevemode
9386 \protected@edef\Hy@testname{#2}%
9387 \ifx\Hy@testname\empty
9388   \Hy@Warning{%
9389     Empty destination name,\MessageBreak
9390     using '\Hy@undefinedname'%
9391   }%
9392 \let\Hy@testname\Hy@undefinedname
9393 \fi
9394 \special{!%
9395   aref \expandafter\HyperDestNameFilter
9396     \expandafter{\Hy@testname};%
9397   a=<%
9398   \ifHy@pdfa /F 4\fi
9399   \Hy@setpdfborder
9400   \ifx\CurrentBorderColor\relax
9401   \else
9402     /C [\CurrentBorderColor]%
9403   \fi
9404 >%
9405 }%
9406 \expandafter
9407 \Hy@colorlink\csname @#1color\endcsname#3\Hy@endcolorlink
9408 \special{!endaref}%
9409 }
9410 \def\hyper@image#1#2{%
9411   \hyper@linkurl{#2}{#1}%
9412 }
9413 \def\@hyper@launch run:#1\\#2#3{%
9414   \Hy@pstringdef\Hy@pstringF{#1}%
9415   \Hy@pstringdef\Hy@pstringP{#3}%
9416   \leavevemode
9417   \special{!aref %
9418     <u=%
9419     /Type/Action%
9420     /S/Launch%
9421     /F(\Hy@pstringF)%
9422     \Hy@SetNewWindow
9423     \ifx\\#3\\%
9424     \else
9425       /Win<</F(\Hy@pstringF)/P(\Hy@pstringP)>>%
9426     \fi%
9427   >,%
9428   a=<%
9429   \ifHy@pdfa /F 4\fi
9430   \Hy@setpdfborder
9431   \ifx\@runbordercolor\relax
9432   \else
9433     /C[\@runbordercolor]%
9434   \fi
9435 >%
9436 }%
9437 \Hy@colorlink\@runcolor#2\Hy@endcolorlink
9438 \special{!endaref}%
9439 }

```

```

9440 \def\Acrobatmenu#1#2{%
9441   \Hy@Acrobatmenu{#1}{#2}{%
9442     \special{!%
9443       aref <u=/S /Named /N /#1>;%
9444       a=<%
9445         \ifHy@pdfa /F 4\fi
9446         \Hy@setpdfborder
9447         \ifx\@menubordercolor\relax
9448         \else
9449           /C[\@menubordercolor]%
9450         \fi
9451       >%
9452     }%
9453   \Hy@colorlink\@menucolor#2\Hy@endcolorlink
9454   \special{!endaref}%
9455 }%
9456 }

```

The following code (transition effects) is made by Alex Kostin.

The code below makes sense for VTeX 7.02 or later.

Please never use `\@ifundefined{VTeXversion}{..}{..}` *globally*.

```

9457 \ifnum\Hy@VTeXversion<702 %
9458 \else
9459   \def\hyper@pagetransition{%
9460     \ifx\@pdfpagetransition\relax
9461     \else
9462       \ifx\@pdfpagetransition\@empty

```

Standard incantation.

1. Does an old entry have to be deleted? 2. If 1=yes, how to delete?

```

9463   \else
9464     \hvtex@parse@trans\@pdfpagetransition
9465   \fi
9466   \fi
9467 }%

```

I have to write an “honest” parser to convert raw PDF code into VTeX `\special`. (AVK)

Syntax of VTeX `\special{!trans <transition_effect>}`:

```

<transition_effect> ::= <transition_style>[,<transition_duration>]
<transition_style> ::= <Blinds_effect> | <Box_effect> |
                      <Dissolve_effect> | <Glitter_effect> |
                      <Split_effect> | <Wipe_effect>
<Blinds_effect> ::= B[<effect_dimension>]
<Box_effect> ::= X[<effect_motion>]
<Dissolve_effect> ::= D
<Glitter_effect> ::= G[<effect_direction>]
<Split_effect> ::= S[<effect_motion>][<effect_dimension>]
<Wipe_effect> ::= W[<effect_direction>]
<Replace_effect> ::= R
<effect_direction> ::= <number>
<effect_dimension> ::= H | V
<effect_motion> ::= I | O
<transition_duration> ::= <number>

```

Transition codes:

```

9468 \def\hvtex@trans@effect@Blinds{\def\hvtex@trans@code{B}}%
9469 \def\hvtex@trans@effect@Box{\def\hvtex@trans@code{X}}%

```

```
9470 \def\hvtex@trans@effect@Dissolve{\def\hvtex@trans@code{D}}%
9471 \def\hvtex@trans@effect@Glitter{\def\hvtex@trans@code{G}}%
9472 \def\hvtex@trans@effect@Split{\def\hvtex@trans@code{S}}%
9473 \def\hvtex@trans@effect@Wipe{\def\hvtex@trans@code{W}}%
9474 \def\hvtex@trans@effect@R{\def\hvtex@trans@code{R}}%
```

Optional parameters:

```
9475 \def\hvtex@par@dimension{/Dm}%
9476 \def\hvtex@par@direction{/Di}%
9477 \def\hvtex@par@duration{/D}%
9478 \def\hvtex@par@motion{/M}%
```

Tokenizer:

```
9479 \def\hvtex@gettoken{%
9480   \expandafter\hvtex@gettoken@\hvtex@buffer@\nil
9481 }%
```

Notice that tokens in the input buffer must be space delimited.

```
9482 \def\hvtex@gettoken@#1 #2@\nil{%
9483   \edef\hvtex@token{#1}%
9484   \edef\hvtex@buffer{#2}%
9485 }%
9486 \def\hvtex@parse@trans#1{%
```

Initializing code:

```
9487 \let\hvtex@trans@code\@empty
9488 \let\hvtex@param@dimension\@empty
9489 \let\hvtex@param@direction\@empty
9490 \let\hvtex@param@duration\@empty
9491 \let\hvtex@param@motion\@empty
9492 \edef\hvtex@buffer{#1\space}%
```

First token is the PDF transition name without escape.

```
9493 \hvtex@gettoken
9494 \ifx\hvtex@token\@empty
```

Leading space(s)?

```
9495 \ifx\hvtex@buffer\@empty
```

The buffer is empty, nothing to do.

```
9496 \else
9497   \hvtex@gettoken
9498 \fi
9499 \fi
9500 \csname hvtex@trans@effect@\hvtex@token\endcsname
```

Now is time to parse optional parameters.

```
9501 \hvtex@trans@params
9502 }%
```

Reentrant macro to parse optional parameters.

```
9503 \def\hvtex@trans@params{%
9504   \ifx\hvtex@buffer\@empty
9505   \else
9506     \hvtex@gettoken
9507     \let\hvtex@trans@par\hvtex@token
9508     \ifx\hvtex@buffer\@empty
9509     \else
9510       \hvtex@gettoken
9511       \ifx\hvtex@trans@par\hvtex@par@duration
```

/D is the effect duration in seconds. VT_EX special takes it in milliseconds.

```
9512      \let\hvtex@param@duration\hvtex@token  
9513      \else \ifx\hvtex@trans@par\hvtex@par@motion
```

/M can be either /I or /O

```
9514      \expandafter\edef\expandafter\hvtex@param@motion  
9515          \expandafter{\expandafter\@gobble\hvtex@token} %  
9516      \else \ifx\hvtex@trans@par\hvtex@par@dimension
```

/Dm can be either /H or /V

```
9517      \expandafter\edef\expandafter\hvtex@param@dimension  
9518          \expandafter{\expandafter\@gobble\hvtex@token} %  
9519      \else \ifx\hvtex@trans@par\hvtex@par@direction
```

Valid values for /Di are 0, 270, 315 (the Glitter effect) or 0, 90, 180, 270 (the Wipe effect).

```
9520      \let\hvtex@param@direction\hvtex@token  
9521      \fi\fi\fi\fi  
9522      \fi  
9523      \fi  
9524      \ifx\hvtex@buffer\@empty  
9525          \let\next\hvtex@produce@trans  
9526      \else  
9527          \let\next\hvtex@trans@params  
9528      \fi  
9529      \next  
9530  }%
```

Merge <transition_effect> and issue the special when possible. Too lazy to validate optional parameters.

```
9531 \def\hvtex@produce@trans{ %  
9532     \let\vtex@trans@special\@empty  
9533     \if S\hvtex@trans@code  
9534         \edef\vtex@trans@special{\hvtex@trans@code  
9535             \hvtex@param@dimension\hvtex@param@motion} %  
9536     \else\if B\hvtex@trans@code  
9537         \edef\vtex@trans@special{ %  
9538             \hvtex@trans@code\hvtex@param@dimension  
9539         } %  
9540     \else\if X\hvtex@trans@code  
9541         \edef\vtex@trans@special{ %  
9542             \hvtex@trans@code\hvtex@param@motion  
9543         } %  
9544     \else\if W\hvtex@trans@code  
9545         \edef\vtex@trans@special{ %  
9546             \hvtex@trans@code\hvtex@param@direction  
9547         } %  
9548     \else\if D\hvtex@trans@code  
9549         \let\vtex@trans@special\hvtex@trans@code  
9550     \else\if R\hvtex@trans@code  
9551         \let\vtex@trans@special\hvtex@trans@code  
9552     \else\if G\hvtex@trans@code  
9553         \edef\vtex@trans@special{ %  
9554             \hvtex@trans@code\hvtex@param@direction  
9555         } %  
9556     \fi\fi\fi\fi\fi\fi  
9557     \ifx\vtex@trans@special\@empty  
9558     \else  
9559         \ifx\hvtex@param@duration\@empty
```

```

9560     \else
9561         \setlength{\dimen@}{\hvtex@param@duration\p@}%

```

I'm not guilty of possible overflow.

```

9562     \multiply\dimen@\@m
9563     \edef\vtx@trans@special{%
9564         \vtx@trans@special,\strip@pt\dimen@
9565     }%
9566     \fi

```

And all the mess is just for this.

```

9567     \special{!trans \vtx@trans@special}%
9568     \fi
9569 }%
9570 \def\hyper@pageduration{%
9571     \ifx\@pdfpageduration\relax
9572     \else
9573         \ifx\@pdfpageduration\empty
9574             \special{!duration-}%
9575         \else
9576             \special{!duration \@pdfpageduration}%
9577         \fi
9578     \fi
9579 }%
9580 \def\hyper@pagehidden{%
9581     \ifHy@useHidKey
9582         \special{!hidden\ifHy@pdfpagehidden +\else -\fi}%
9583     \fi
9584 }%
9585 \g@addto@macro\Hy@EveryPageBoxHook{%
9586     \hyper@pagetransition
9587     \hyper@pageduration
9588     \hyper@pagehidden
9589 }%
9590 \fi

```

Caution: In opposite to the other drivers, the argument of `\special{!onopen #1}` is a reference name. The VTeX's postscript mode will work with a version higher than 7.0x.

The command `\VTeXOS` is defined since version 7.45. Magic values encode the operating system:

- 1: WinTel
- 2: Linux
- 3: OS/2
- 4: MacOS
- 5: MacOS/X

```

9591 \ifx\@pdfproducer\relax
9592 \def\@pdfproducer{VTeX}%
9593 \ifnum\Hy@VTeXversion>\z@
9594 \count@\VTeXversion
9595 \divide\count@ 100 %
9596 \edef\@pdfproducer{\@pdfproducer\space v\the\count@}%
9597 \multiply\count@ -100 %
9598 \advance\count@\VTeXversion
9599 \edef\@pdfproducer{%
9600     \@pdfproducer
9601     .\ifnum\count@<10 0\fi\the\count@
9602     \ifx\VTeXOS\@undefined\else

```

```

9603      \ifnum\VTeXOS>0 %
9604          \ifnum\VTeXOS<6 %
9605              \space(%
9606                  \ifcase\VTeXOS
9607                      \or Windows\or Linux\or OS/2\or MacOS\or MacOS/X%
9608                  \fi
9609              )%
9610          \fi
9611      \fi
9612  \fi
9613  ,\space
9614  \ifnum\OpMode=\@ne PDF\else PS\fi
9615  \space backend%
9616  \ifx\gemode\@undefined\else
9617      \ifnum\gemode>\z@\space with GeX\fi
9618  \fi
9619 }%
9620 \fi
9621 \fi

```

Current !pdfinfo key syntax:

Key	Field	Type
a	Author	String
b	CropBox	String
c	Creator	String
k	Keywords	String
l	PageLayout	PS
p	PageMode	PS
r	Producer	String
s	Subject	String
t	Title	String
u	URI	PS
v	ViewPreferences	PS

Note: PS objects that are dicts are in <<<...>>> (yuck; no choice).

```

9622 \def\PDF@SetupDoc{%
9623   \ifx\@pdfpagescrop\@empty
9624   \else
9625     \special{!pdfinfo b=<\@pdfpagescrop>}%
9626   \fi
9627   \ifx\@pdfstartpage\@empty
9628   \else
9629     \ifx\@pdfstartview\@empty
9630     \else
9631       \special{!onopen Page\@pdfstartpage}%
9632     \fi
9633   \fi
9634   \special{!pdfinfo p=</\@pdfpagemode>}%
9635   \ifx\@baseurl\@empty
9636   \else
9637     \special{!pdfinfo u=<<</Base (\@baseurl)>>>}%
9638   \fi
9639   \special{!pdfinfo v=<<<%
9640     \ifHy@toolbar\else /HideToolbar true\fi
9641     \ifHy@menubar\else /HideMenubar true\fi
9642     \ifHy@windowui\else /HideWindowUI true\fi
9643     \ifHy@fitwindow /FitWindow true\fi
9644     \ifHy@centerwindow /CenterWindow true\fi

```

```

9645 \ifHy@displaydoctitle /DisplayDocTitle true\fi
9646 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9647 \Hy@UseNameKey{Direction}\@pdfdirection
9648 \Hy@UseNameKey{ViewArea}\@pdfviewarea
9649 \Hy@UseNameKey{ViewClip}\@pdfviewclip
9650 \Hy@UseNameKey{PrintArea}\@pdfprintarea
9651 \Hy@UseNameKey{PrintClip}\@pdfprintclip
9652 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9653 \Hy@UseNameKey{Duplex}\@pdfduplex
9654 \ifx\@pdfpicktraybypdfsize\@empty
9655 \else
9656   /PickTrayByPDFSize \@pdfpicktraybypdfsize
9657 \fi
9658 \ifx\@pdfprintpagerange\@empty
9659 \else
9660   /PrintPageRange[\@pdfprintpagerange]%
9661 \fi
9662 \ifx\@pdfnumcopies\@empty
9663 \else
9664   /NumCopies \@pdfnumcopies
9665 \fi
9666 >>> }%
9667 \ifx\@pdfpagelayout\@empty
9668 \else
9669   \special{!pdfinfo l=<\@pdfpagelayout\space>}%
9670 \fi
9671 }%
9672 \HyInfo@AddonUnsupportedtrue
9673 \def\PDF@FinishDoc{%
9674   \Hy@UseMaketitleInfos
9675   \HyInfo@TrappedUnsupported
9676   \special{!pdfinfo a=<\@pdfauthor>}%
9677   \special{!pdfinfo t=<\@pdftitle>}%
9678   \special{!pdfinfo s=<\@pdfsubject>}%
9679   \special{!pdfinfo c=<\@pdfcreator>}%
9680   \ifx\@pdfproducer\relax
9681   \else
9682     \special{!pdfinfo r=<\@pdfproducer>}%
9683   \fi
9684   \special{!pdfinfo k=<\@pdfkeywords>}%
9685   \Hy@DisableOption{pdfauthor}%
9686   \Hy@DisableOption{pdftitle}%
9687   \Hy@DisableOption{pdfsubject}%
9688   \Hy@DisableOption{pdfcreator}%
9689   \Hy@DisableOption{pdfcreationdate}%
9690   \Hy@DisableOption{pdfmoddate}%
9691   \Hy@DisableOption{pdfproducer}%
9692   \Hy@DisableOption{pdfkeywords}%
9693   \Hy@DisableOption{pdftrapped}%
9694   \Hy@DisableOption{pdfinfo}%
9695 }
9696 </vtex>

```

46.7 Fix for Adobe bug number 466320

If a destination occurs at the very begin of a page, the destination is moved to the previous page by Adobe Distiller 5. As workaround Adobe suggests:

```
/showpage {  
    //showpage  
    clippath stroke erasepage  
} bind def
```

But unfortunately this fix generates an empty page at the end of the document. Therefore another fix is used by writing some clipped text.

```
9697 <dviwindo>\def\literalps@out{\special{ps:#1}}%  
9698 <package>\providecommand*{\Hy@DistillerDestFix}{}  
9699 {*pdfmark | dviwindo}  
9700 \def\Hy@DistillerDestFix{  
9701   \begingroup  
9702     \let\x\literalps@out
```

The fix has to be passed unchanged through GeX, if VTeX in PostScript mode with GeX is used.

```
9703   \ifnum \c@ifundefined{OpMode}{0}{%  
9704     \c@ifundefined{gexmode}{0}{%  
9705       \ifnum\gexmode>0 \OpMode\else 0\fi  
9706     }}}}>1 %  
9707   \def\x##1{  
9708     \immediate\special{!=##1}%  
9709   }%  
9710 \fi  
9711 \x{  
9712   /product where{  
9713     pop %  
9714     product(Distiller)search{  
9715       pop pop pop %  
9716       version(.)search{  
9717         exch pop exch pop%  
9718         (3011)eq{  
9719           gsave %  
9720           newpath 0 0 moveto closepath clip%  
9721           /Courier findfont 10 scalefont setfont %  
9722           72 72 moveto(.)show %  
9723           grestore%  
9724         }if%  
9725       }{pop}ifelse%  
9726     }{pop}ifelse%  
9727   }if%  
9728 }%  
9729 \endgroup  
9730 }  
9731 </pdfmark | dviwindo>
```

46.8 Direct pdfmark support

Drivers that load `pdfmark.def` have to provide the correct macro definitions of

```
\@pdfproducer for document information  
\literalps@out PostScript output  
\headerps@out PostScript output that goes in the header area
```

and the correct definitions of the following PostScript procedures:

H.S	start of anchor, link or rect
#1 H.A	end of anchor, argument=baselineskip in pt
#1 H.L	end of link, argument=baselineskip in pt
H.R	end of rect
H.B	raw rect code

```

9732 {*pdfmark}
9733 \Hy@breaklinks@unsupported
9734 \def\hyper@anchor#1{%
9735   \Hy@SaveLastskip
9736   \Hy@VerboseAnchor{#1}%
9737   \begingroup
9738     \pdfmark[\anchor@spot]{%
9739       pdfmark=/DEST,%
9740       linktype=anchor,%
9741       View=/@\pdfview \pdfviewparams,%
9742       DestAnchor={#1}%
9743     }%
9744   \endgroup
9745   \Hy@RestoreLastskip
9746 }
9747 \ifundefined{\hyper@anchorstart}{}{\endinput}
9748 \def\hyper@anchorstart#1{%
9749   \Hy@SaveLastskip
9750   \Hy@VerboseAnchor{#1}%
9751   \literalps@out{H.S}%
9752   \Hy@AllowHyphens
9753   \xdef\hyper@currentanchor{#1}%
9754   \Hy@activeanchortrue
9755 }
9756 \def\hyper@anchorend{%
9757   \literalps@out{\strip@pt@and@otherjunk\baselineskip\space H.A}%
9758   \pdfmark{%
9759     pdfmark=/DEST,%
9760     linktype=anchor,%
9761     View=/@\pdfview \pdfviewparams,%
9762     DestAnchor=\hyper@currentanchor,%
9763   }%
9764   \Hy@activeanchorfalse
9765   \Hy@RestoreLastskip
9766 }
9767 \def\hyper@linkstart#1#2{%
9768   \Hy@VerboseLinkStart{#1}{#2}%
9769   \ifHy@breaklinks
9770   \else
9771     \leavevmode\hbox\bgroup
9772   \fi
9773   \expandafter\Hy@colorlink\csname @#1color\endcsname
9774   \literalps@out{H.S}%
9775   \Hy@AllowHyphens
9776   \xdef\hyper@currentanchor{#2}%
9777   \gdef\hyper@currentlinktype{#1}%
9778 }
9779 \def\hyper@linkend{%
9780   \literalps@out{\strip@pt@and@otherjunk\baselineskip\space H.L}%
9781   \ifundefined{@\hyper@currentlinktype bordercolor}{%

```

```

9782   \let\Hy@tempcolor\relax
9783 }{%
9784   \edef\Hy@tempcolor{%
9785     \csname @\hyper@currentlinktype bordercolor\endcsname
9786   }%
9787 }%
9788 \pdfmark{%
9789   pdfmark=/ANN,%
9790   linktype=link,%
9791   Subtype=/Link,%
9792   PDFAFlags=4,%
9793   Dest=\hyper@currentanchor,%
9794   AcroHighlight=\@pdfhighlight,%
9795   Border=\@pdfborder,%
9796   BorderStyle=\@pdfborderstyle,%
9797   Color=\Hy@tempcolor,%
9798   Raw=H.B%
9799 }%
9800 \Hy@endcolorlink
9801 \ifHy@breaklinks
9802 \else
9803 \egroup
9804 \fi
9805 }

```

We have to allow for `\baselineskip` having an optional stretch and shrink (you meet this in slide packages, for instance), so we need to strip off the junk. David Carlisle, of course, wrote this bit of code.

```

9806 \begingroup
9807 \catcode`P=12 %
9808 \catcode`T=12 %
9809 \lowercase{\endgroup
9810 \gdef\rem@ptetc#1.#2PT#3!{#1\ifnum#2>\z@\#2\fi}%
9811 }
9812 \def\strip@pt@and@otherjunk#1{\expandafter\rem@ptetc\the#1}

```

`\hyper@pagetransition`

```

9813 \def\hyper@pagetransition{%
9814   \ifx\@pdfpagetransition\relax
9815   \else
9816     \ifx\@pdfpagetransition\empty
9817       % 1. Does an old entry have to be deleted?
9818       % 2. If 1=yes, how to delete?
9819     \else
9820       \pdfmark{%
9821         pdfmark=/PUT,%
9822         Raw={%
9823           \string{ThisPage\string}%
9824           <</Trans << /S /@\pdfpagetransition\space >>>%
9825         }%
9826       }%
9827     \fi
9828   \fi
9829 }

```

`\hyper@pageduration`

```

9830 \def\hyper@pageduration{%

```

```

9831 \ifx\@pdfpageduration\relax
9832 \else
9833 \ifx\@pdfpageduration\@empty
9834 % 1. Does an old entry have to be deleted?
9835 % 2. If 1=yes, how to delete?
9836 \else
9837 \pdfmark{%
9838 pdfmark=/PUT,%
9839 Raw={%
9840 \string{ThisPage\string}%
9841 <</Dur \@pdfpageduration>>%
9842 }%
9843 }%
9844 \fi
9845 \fi
9846 }

\hyper@pagehidden

9847 \def\hyper@pagehidden{%
9848 \ifHy@useHidKey
9849 \pdfmark{%
9850 pdfmark=/PUT,%
9851 Raw={%
9852 \string{ThisPage\string}%
9853 <</Hid \ifHy@pdfpagehidden true\else false\fi>>%
9854 }%
9855 }%
9856 \fi
9857 }

9858 \g@addto@macro\Hy@EveryPageBoxHook{%
9859 \hyper@pagetransition
9860 \hyper@pageduration
9861 \hyper@pagehidden
9862 }

9863 \def\hyper@image##2{%
9864 \hyper@linkurl{##2}{##1}%
9865 }
9866 \def\Hy@undefinedname{UNDEFINED}
9867 \def\hyper@link##1##2##3{%
9868 \Hy@VerboseLinkStart{##1}{##2}%
9869 \c@ifundefined{@#1bordercolor}{%
9870 \let\Hy@tempcolor\relax
9871 }{%
9872 \edef\Hy@tempcolor{\csname @#1bordercolor\endcsname}%
9873 }%
9874 \begingroup
9875 \protected@edef\Hy@testname{##2}%
9876 \ifx\Hy@testname\@empty
9877 \Hy@Warning{%
9878 Empty destination name,\MessageBreak
9879 using '\Hy@undefinedname'%
9880 }%
9881 \let\Hy@testname\Hy@undefinedname
9882 \fi
9883 \pdfmark{##3}{%
9884 Color=\Hy@tempcolor,%

```

```

9885     linktype={#1},%
9886     AcroHighlight=\@pdfhighlight,%
9887     Border=\@pdfborder,%
9888     BorderStyle=\@pdfborderstyle,%
9889     pdfmark=/ANN,%
9890     Subtype=/Link,%
9891     PDFAFlags=4,%
9892     Dest=\Hy@testname
9893   }%
9894 \endgroup
9895 }
9896 \newtoks\pdf@docset
9897 \def\PDF@FinishDoc{%
9898   \Hy@UseMaketitleInfos
9899   \HyInfo@GenerateAddons
9900   \let\Hy@temp\@empty
9901   \ifx\@pdfcreationdate\@empty
9902   \else
9903     \def\Hy@temp{CreationDate=\@pdfcreationdate,}%
9904   \fi
9905   \ifx\@pdfmoddate\@empty
9906   \else
9907     \expandafter\def\expandafter\Hy@temp\expandafter{%
9908       \Hy@temp
9909       ModDate=\@pdfmoddate,%
9910     }%
9911   \fi
9912   \ifx\@pdfproducer\relax
9913   \else
9914     \expandafter\def\expandafter\Hy@temp\expandafter{%
9915       \Hy@temp
9916       Producer=\@pdfproducer,%
9917     }%
9918   \fi
9919   \expandafter
9920   \pdfmark\expandafter{%
9921     \Hy@temp
9922     pdfmark=/DOCINFO,%
9923     Title=\@pdftitle,%
9924     Subject=\@pdfsubject,%
9925     Creator=\@pdfcreator,%
9926     Author=\@pdfauthor,%
9927     Keywords=\@pdfkeywords,%
9928     Trapped=\@pdftrapped
9929   }%
9930   \ifx\HyInfo@Addons\@empty
9931   \else
9932     \pdfmark{%
9933       pdfmark=/DOCINFO,%
9934       Raw=\{\HyInfo@Addons\}%
9935     }%
9936   \fi
9937   \Hy@DisableOption{pdfauthor}%
9938   \Hy@DisableOption{pdftitle}%
9939   \Hy@DisableOption{pdfsubject}%
9940   \Hy@DisableOption{pdfcreator}%
9941   \Hy@DisableOption{pdfcreationdate}%

```

```

9942 \Hy@DisableOption{pdfmoddate}%
9943 \Hy@DisableOption{pdfproducer}%
9944 \Hy@DisableOption{pdfkeywords}%
9945 \Hy@DisableOption{pdftrapped}%
9946 \Hy@DisableOption{pdffinfo}%
9947 }
9948 \def\PDF@SetupDoc{%
9949 \def\Hy@temp{}%
9950 \ifx\@pdfstartpage\empty
9951 \else
9952 \ifx\@pdfstartview\empty
9953 \else
9954 \edef\Hy@temp{%
9955 ,Page=\@pdfstartpage
9956 ,View=\@pdfstartview
9957 }%
9958 \fi
9959 \fi
9960 \edef\Hy@temp{%
9961 \noexpand\pdfmark{%
9962 pdfmark=/DOCVIEW,%
9963 PageMode=/@\pdfpagemode
9964 \Hy@temp
9965 }%
9966 }%
9967 \Hy@temp
9968 \ifx\@pdfpagescrop\empty
9969 \else
9970 \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
9971 \fi
9972 \edef\Hy@temp{%
9973 \ifHy@toolbar\else /HideToolbar true\fi
9974 \ifHy@menubar\else /HideMenubar true\fi
9975 \ifHy@windowui\else /HideWindowUI true\fi
9976 \ifHy@fitwindow /FitWindow true\fi
9977 \ifHy@centerwindow /CenterWindow true\fi
9978 \ifHy@displaydoctitle /DisplayDocTitle true\fi
9979 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9980 \Hy@UseNameKey{Direction}\@pdfdirection
9981 \Hy@UseNameKey{ViewArea}\@pdfviewarea
9982 \Hy@UseNameKey{ViewClip}\@pdfviewclip
9983 \Hy@UseNameKey{PrintArea}\@pdfprintarea
9984 \Hy@UseNameKey{PrintClip}\@pdfprintclip
9985 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9986 \Hy@UseNameKey{Duplex}\@pdfduplex
9987 \ifx\@pdfpicktraybypdfsize\empty
9988 \else
9989 /PickTrayByPDFSize \@pdfpicktraybypdfsize
9990 \fi
9991 \ifx\@pdfprintpagerange\empty
9992 \else
9993 /PrintPageRange[\@pdfprintpagerange]%
9994 \fi
9995 \ifx\@pdfnumcopies\empty
9996 \else
9997 /NumCopies \@pdfnumcopies
9998 \fi

```

```

9999  }%
10000 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
10001 \pdfmark{%
10002 pdfmark=/PUT,%
10003 Raw={%
10004 \string{Catalog\string}<<%
10005 \ifx\Hy@temp\@empty
10006 \else
10007 /ViewerPreferences<<\Hy@temp>>%
10008 \fi
10009 \Hy@UseNameKey{PageLayout}\@pdfpagelayout
10010 \ifx\@pdflang\@empty
10011 \else
10012 /Lang(\@pdflang)%
10013 \fi
10014 \ifx\@baseurl\@empty
10015 \else
10016 /URI<</Base(\Hy@pstringB)>>%
10017 \fi
10018 >>%
10019 }%
10020 }%
10021 }
10022 
```

10023 /*pdfmarkbase)

We define a single macro, pdfmark, which uses the ‘keyval’ system to define the various allowable keys; these are *exactly* as listed in the pdfmark reference for Acrobat 3.0. The only addition is pdfmark which specifies the type of pdfmark to create (like ANN, LINK etc). The surrounding round and square brackets in the pdfmark commands are supplied, but you have to put in / characters as needed for the values.

```

10024 \newif\ifHy@pdfmarkerror
10025 \def\pdfmark{\@ifnextchar[\@pdfmark@{}{\@pdfmark@[]}}
10026 \def\pdfmark@[#1]#2{%
10027 \Hy@pdfmarkerrorfalse
10028 \edef\@processme{\noexpand\pdf@toks={\the\pdf@defaulttoks}}%
10029 \@processme
10030 \let\pdf@type\relax
10031 \setkeys{PDF}{#2}%
10032 \ifHy@pdfmarkerror
10033 \else
10034 \ifx\pdf@type\relax
10035 \Hy@WarningNoLine{no pdfmark type specified in #2!!}%
10036 \ifx\\#1\\%
10037 \else
10038 \pdf@rect{#1}%
10039 \fi
10040 \else
10041 \ifx\\#1\\%
10042 \literalps@out{%
10043 [\the\pdf@toks\space\pdf@type\space pdfmark%
10044 }%
10045 \else
10046 \@ifundefined{@\pdf@linktype color}{%
10047 \Hy@colorlink\@linkcolor
10048 }%
10049 \expandafter\Hy@colorlink

```

```

10050           \csname @\pdf@linktype color\endcsname
10051       }%
10052       \pdf@rect{\#1}%
10053       \literalps@out{%
10054         [the\pdf@toks\space\pdf@type\space pdfmark%
10055       }%
10056       \Hy@endcolorlink
10057     \fi
10058   \fi
10059 \fi
10060 }

```

The complicated bit is working out the right enclosing rectangle of some piece of TeX text, needed by the /Rect key. This solution originates with Toby Thain (tobyt@netspace.net.au).

For the case breaklinks is enabled, I have added two hooks, the first one for package setouterhbox, it provides a hopefully better method without setting the text twice.

```
\usepackage[hyperref]{setouterhbox}
```

With the second hook, also you can set the text twice, e.g.:

```

\long\def\Hy@setouterhbox#1#2{\long\def\my@temp{\#2}}
\def\Hy@breaklinksunhbox#1{\my@temp}

10061 \newsavebox{\pdf@box}
10062 \providecommand*{\Hy@setouterhbox}{\sbox}
10063 \providecommand*{\Hy@breaklinksunhbox}{\unhbox}
10064 \def\Hy@DEST{/DEST}
10065 \def\pdf@rect#1{%
10066   \leavevmode
10067   \ifHy@breaklinks
10068     \Hy@setouterhbox\pdf@box{\Hy@AllowHyphens#1}%
10069   \else
10070     \sbox\pdf@box{\#1}%
10071   \fi
10072   \dimen@\ht\pdf@box
10073   \ifdim\dp\pdf@box=\z@
10074     \literalps@out{H.S}%
10075   \else
10076     \lower\dp\pdf@box\hbox{\literalps@out{H.S}}%
10077   \fi

```

If the text has to be horizontal mode stuff then just unbox the saved box like this, which saves executing it twice, which can mess up counters etc (thanks DPC...).

```

10078 \ifHy@breaklinks
10079   \expandafter\Hy@breaklinksunhbox
10080 \else
10081   \expandafter\box
10082 \fi
10083 \pdf@box

```

but if it can have multiple paragraphs you'd need one of these, but in that case the measured box size would be wrong anyway.

```

\ifHy@breaklinks#1\else\box\pdf@box\fi
\ifHy@breaklinks{\#1}\else\box\pdf@box\fi

10084 \ifdim\dimen@=\z@
10085   \literalps@out{H.R}%
10086 \else

```

```

10087   \raise\dimen@\hbox{\literalps@out{H.R}}}%
10088   \fi
10089   \ifx\pdf@type\Hy@DEST
10090   \else
10091   \pdf@addtoks{x{H.B}}%
10092   \fi
10093 }

```

All the supplied material is stored in a token list; since I do not feel sure I quite understand these, things may not work as expected with expansion. We'll have to experiment.

```

10094 \newtoks\pdf@toks
10095 \newtoks\pdf@defaulttoks
10096 \pdf@defaulttoks={}
10097 \def\pdf@addtoks#1#2{%
10098   \edef\@processme{\pdf@toks{\the\pdf@toks/#2 #1}}%
10099   \@processme
10100 }
10101 \def\pdf@addtoks{x#1{%
10102   \edef\@processme{\pdf@toks{\the\pdf@toks\space #1}}%
10103   \@processme
10104 }
10105 \def\PDFdefaults#1{%
10106   \pdf@defaulttoks={#1}%
10107 }

```

This is the list of allowed keys. See the Acrobat manual for an explanation.

```

10108 % what is the type of pdfmark?
10109 \define@key{PDF}{pdfmark}{\def\pdf@type{#1}}
10110 % what is the link type?
10111 \define@key{PDF}{linktype}{\def\pdf@linktype{#1}}
10112 \def\pdf@linktype{link}
10113 % parameter is a stream of PDF
10114 \define@key{PDF}{Raw}{\pdf@addtoksx{#1}}
10115 % parameter is a name
10116 \define@key{PDF}{Action}{\pdf@addtoks{#1}{Action}}
10117 % parameter is a array
10118 \define@key{PDF}{Border}{%
10119   \edef\Hy@temp{#1}%
10120   \ifx\Hy@temp\empty
10121   \else
10122     \pdf@addtoks{[#1]\Hy@BorderArrayPatch}{Border}%
10123   \fi
10124 }
10125 \let\Hy@BorderArrayPatch\empty
10126 % parameter is a dictionary
10127 \define@key{PDF}{BorderStyle}{%
10128   \edef\Hy@temp{#1}%
10129   \ifx\Hy@temp\empty
10130   \else
10131     \pdf@addtoks{<<#1>>}{BS}%
10132   \fi
10133 }
10134 % parameter is a array
10135 \define@key{PDF}{Color}{%
10136   \ifx\relax#1\relax
10137   \else
10138     \pdf@addtoks{[#1]}{Color}%
10139   \fi

```

```

10140 }
10141 % parameter is a string
10142 \define@key{PDF}{Contents}{\pdf@addtoks{(#1)}{Contents}}
10143 % parameter is a integer
10144 \define@key{PDF}{Count}{\pdf@addtoks{#1}{Count}}
10145 % parameter is a array
10146 \define@key{PDF}{CropBox}{\pdf@addtoks{[#1]}{CropBox}}% hash-ok
10147 % parameter is a string
10148 \define@key{PDF}{DOSFile}{\pdf@addtoks{(#1)}{DOSFile}}
10149 % parameter is a string or file
10150 \define@key{PDF}{DataSource}{\pdf@addtoks{(#1)}{DataSource}}
10151 % parameter is a destination
10152 \define@key{PDF}{Dest}{%
10153   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{#1}}%
10154   \ifx\Hy@pstringDest\@empty
10155     \Hy@pdfmarkerrortrue
10156     \Hy@Warning{Destination with empty name ignored}%
10157   \else
10158     \pdf@addtoks{(\Hy@pstringDest) cvn}{Dest}%
10159   \fi
10160 }
10161 \define@key{PDF}{DestAnchor}{%
10162   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{#1}}%
10163   \ifx\Hy@pstringDest\@empty
10164     \Hy@pdfmarkerrortrue
10165     \Hy@Warning{Destination with empty name ignored}%
10166   \else
10167     \pdf@addtoks{(\Hy@pstringDest) cvn}{Dest}%
10168   \fi
10169 }
10170 % parameter is a string
10171 \define@key{PDF}{Dir}{\pdf@addtoks{(#1)}{Dir}}
10172 % parameter is a string
10173 \define@key{PDF}{File}{\pdf@addtoks{(#1)}{File}}
10174 % parameter is a int
10175 \define@key{PDF}{Flags}{\pdf@addtoks{#1}{Flags}}
10176 \define@key{PDF}{PDFAFlags}{%
10177   \ifHy@pdflatex
10178     \pdf@addtoks{#1}{F}%
10179   \fi
10180 }
10181 % parameter is a name
10182 \define@key{PDF}{AcroHighlight}{%
10183   \begingroup
10184   \edef\x{#1}%
10185   \expandafter\endgroup\ifx\x\@empty
10186   \else
10187     \pdf@addtoks{#1}{H}%
10188   \fi
10189 }
10190 % parameter is a string
10191 \define@key{PDF}{ID}{\pdf@addtoks{[#1]}{ID}}% hash-ok
10192 % parameter is a string
10193 \define@key{PDF}{MacFile}{\pdf@addtoks{(#1)}{MacFile}}
10194 % parameter is a string
10195 \define@key{PDF}{ModDate}{\pdf@addtoks{(#1)}{ModDate}}
10196 % parameter is a string

```

```

10197 \define@key{PDF}{Op}{\pdf@addtoks{(#1)}{Op}}
10198 % parameter is a Boolean
10199 \define@key{PDF}{Open}{\pdf@addtoks{#1}{Open}}
10200 % parameter is a integer or name
10201 \define@key{PDF}{Page}{\pdf@addtoks{#1}{Page}}
10202 % parameter is a name
10203 \define@key{PDF}{PageMode}{\pdf@addtoks{#1}{PageMode}}
10204 % parameter is a string
10205 \define@key{PDF}{Params}{\pdf@addtoks{(#1)}{Params}}
10206 % parameter is a array
10207 \define@key{PDF}{Rect}{\pdf@addtoks{(#1)}{Rect}}% hash-ok
10208 % parameter is a integer
10209 \define@key{PDF}{SrcPg}{\pdf@addtoks{#1}{SrcPg}}
10210 % parameter is a name
10211 \define@key{PDF}{Subtype}{\pdf@addtoks{#1}{Subtype}}
10212 % parameter is a string
10213 \define@key{PDF}{Title}{\pdf@addtoks{(#1)}{Title}}
10214 % parameter is a string
10215 \define@key{PDF}{Unix}{\pdf@addtoks{(#1)}{Unix}}
10216 % parameter is a string
10217 \define@key{PDF}{UnixFile}{\pdf@addtoks{(#1)}{UnixFile}}
10218 % parameter is an array
10219 \define@key{PDF}{View}{\pdf@addtoks{(#1)}{View}}% hash-ok
10220 % parameter is a string
10221 \define@key{PDF}{WinFile}{\pdf@addtoks{(#1)}{WinFile}}

```

These are the keys used in the DOCINFO section.

```

10222 \define@key{PDF}{Author}{\pdf@addtoks{(#1)}{Author}}
10223 \define@key{PDF}{Creator}{\pdf@addtoks{(#1)}{Creator}}
10224 \define@key{PDF}{CreationDate}{\pdf@addtoks{(#1)}{CreationDate}}
10225 \define@key{PDF}{ModDate}{\pdf@addtoks{(#1)}{ModDate}}
10226 \define@key{PDF}{Producer}{\pdf@addtoks{(#1)}{Producer}}
10227 \define@key{PDF}{Subject}{\pdf@addtoks{(#1)}{Subject}}
10228 \define@key{PDF}{Keywords}{\pdf@addtoks{(#1)}{Keywords}}
10229 \define@key{PDF}{ModDate}{\pdf@addtoks{(#1)}{ModDate}}
10230 \define@key{PDF}{Base}{\pdf@addtoks{(#1)}{Base}}
10231 \define@key{PDF}{URI}{\pdf@addtoks{#1}{URI}}
10232 \define@key{PDF}{Trapped}{%
10233   \edef\Hy@temp{#1}%
10234   \ifx\Hy@temp\empty
10235     \else
10236       \pdf@addtoks{/#1}{Trapped}%
10237     \fi
10238 }
10239
10240 </pdfmarkbase>
10241 <*pdfmark>
10242 \def\Acrobatmenu#1#2{%
10243   \Hy@Acrobatmenu{#1}{#2}{%
10244     \pdfmark{#2}{%
10245       linktype=menu,%
10246       pdfmark=/ANN,%
10247       AcroHighlight=\@pdfhighlight,%
10248       Border=\@pdfborder,%
10249       BorderStyle=\@pdfborderstyle,%
10250       Action={<< /Subtype /Named /N /#1 >>},%
10251       Subtype=/Link,%
10252       PDFAFlags=4%
10253     }%
10254   }%
10255 }
10256
10257 \def\Acrobatmenu#1#2{%
10258   \Hy@Acrobatmenu{#1}{#2}{%
10259     \pdfmark{#2}{%
10260       linktype=menu,%
10261       pdfmark=/ANN,%
10262       AcroHighlight=\@pdfhighlight,%
10263       Border=\@pdfborder,%
10264       BorderStyle=\@pdfborderstyle,%
10265       Action={<< /Subtype /Named /N /#1 >>},%
10266       Subtype=/Link,%
10267       PDFAFlags=4%
10268     }%
10269   }%
10270 }
10271
10272 \def\Acrobatmenu#1#2{%
10273   \Hy@Acrobatmenu{#1}{#2}{%
10274     \pdfmark{#2}{%
10275       linktype=menu,%
10276       pdfmark=/ANN,%
10277       AcroHighlight=\@pdfhighlight,%
10278       Border=\@pdfborder,%
10279       BorderStyle=\@pdfborderstyle,%
10280       Action={<< /Subtype /Named /N /#1 >>},%
10281       Subtype=/Link,%
10282       PDFAFlags=4%
10283     }%
10284   }%
10285 }
10286
10287 \def\Acrobatmenu#1#2{%
10288   \Hy@Acrobatmenu{#1}{#2}{%
10289     \pdfmark{#2}{%
10290       linktype=menu,%
10291       pdfmark=/ANN,%
10292       AcroHighlight=\@pdfhighlight,%
10293       Border=\@pdfborder,%
10294       BorderStyle=\@pdfborderstyle,%
10295       Action={<< /Subtype /Named /N /#1 >>},%
10296       Subtype=/Link,%
10297       PDFAFlags=4%
10298     }%
10299   }%
10300 }
10301
10302 \def\Acrobatmenu#1#2{%
10303   \Hy@Acrobatmenu{#1}{#2}{%
10304     \pdfmark{#2}{%
10305       linktype=menu,%
10306       pdfmark=/ANN,%
10307       AcroHighlight=\@pdfhighlight,%
10308       Border=\@pdfborder,%
10309       BorderStyle=\@pdfborderstyle,%
10310       Action={<< /Subtype /Named /N /#1 >>},%
10311       Subtype=/Link,%
10312       PDFAFlags=4%
10313     }%
10314   }%
10315 }
10316
10317 \def\Acrobatmenu#1#2{%
10318   \Hy@Acrobatmenu{#1}{#2}{%
10319     \pdfmark{#2}{%
10320       linktype=menu,%
10321       pdfmark=/ANN,%
10322       AcroHighlight=\@pdfhighlight,%
10323       Border=\@pdfborder,%
10324       BorderStyle=\@pdfborderstyle,%
10325       Action={<< /Subtype /Named /N /#1 >>},%
10326       Subtype=/Link,%
10327       PDFAFlags=4%
10328     }%
10329   }%
10330 }
10331
10332 \def\Acrobatmenu#1#2{%
10333   \Hy@Acrobatmenu{#1}{#2}{%
10334     \pdfmark{#2}{%
10335       linktype=menu,%
10336       pdfmark=/ANN,%
10337       AcroHighlight=\@pdfhighlight,%
10338       Border=\@pdfborder,%
10339       BorderStyle=\@pdfborderstyle,%
10340       Action={<< /Subtype /Named /N /#1 >>},%
10341       Subtype=/Link,%
10342       PDFAFlags=4%
10343     }%
10344   }%
10345 }
10346
10347 \def\Acrobatmenu#1#2{%
10348   \Hy@Acrobatmenu{#1}{#2}{%
10349     \pdfmark{#2}{%
10350       linktype=menu,%
10351       pdfmark=/ANN,%
10352       AcroHighlight=\@pdfhighlight,%
10353       Border=\@pdfborder,%
10354       BorderStyle=\@pdfborderstyle,%
10355       Action={<< /Subtype /Named /N /#1 >>},%
10356       Subtype=/Link,%
10357       PDFAFlags=4%
10358     }%
10359   }%
10360 }
10361
10362 \def\Acrobatmenu#1#2{%
10363   \Hy@Acrobatmenu{#1}{#2}{%
10364     \pdfmark{#2}{%
10365       linktype=menu,%
10366       pdfmark=/ANN,%
10367       AcroHighlight=\@pdfhighlight,%
10368       Border=\@pdfborder,%
10369       BorderStyle=\@pdfborderstyle,%
10370       Action={<< /Subtype /Named /N /#1 >>},%
10371       Subtype=/Link,%
10372       PDFAFlags=4%
10373     }%
10374   }%
10375 }
10376
10377 \def\Acrobatmenu#1#2{%
10378   \Hy@Acrobatmenu{#1}{#2}{%
10379     \pdfmark{#2}{%
10380       linktype=menu,%
10381       pdfmark=/ANN,%
10382       AcroHighlight=\@pdfhighlight,%
10383       Border=\@pdfborder,%
10384       BorderStyle=\@pdfborderstyle,%
10385       Action={<< /Subtype /Named /N /#1 >>},%
10386       Subtype=/Link,%
10387       PDFAFlags=4%
10388     }%
10389   }%
10390 }
10391
10392 \def\Acrobatmenu#1#2{%
10393   \Hy@Acrobatmenu{#1}{#2}{%
10394     \pdfmark{#2}{%
10395       linktype=menu,%
10396       pdfmark=/ANN,%
10397       AcroHighlight=\@pdfhighlight,%
10398       Border=\@pdfborder,%
10399       BorderStyle=\@pdfborderstyle,%
10400       Action={<< /Subtype /Named /N /#1 >>},%
10401       Subtype=/Link,%
10402       PDFAFlags=4%
10403     }%
10404   }%
10405 }
10406
10407 \def\Acrobatmenu#1#2{%
10408   \Hy@Acrobatmenu{#1}{#2}{%
10409     \pdfmark{#2}{%
10410       linktype=menu,%
10411       pdfmark=/ANN,%
10412       AcroHighlight=\@pdfhighlight,%
10413       Border=\@pdfborder,%
10414       BorderStyle=\@pdfborderstyle,%
10415       Action={<< /Subtype /Named /N /#1 >>},%
10416       Subtype=/Link,%
10417       PDFAFlags=4%
10418     }%
10419   }%
10420 }
10421
10422 \def\Acrobatmenu#1#2{%
10423   \Hy@Acrobatmenu{#1}{#2}{%
10424     \pdfmark{#2}{%
10425       linktype=menu,%
10426       pdfmark=/ANN,%
10427       AcroHighlight=\@pdfhighlight,%
10428       Border=\@pdfborder,%
10429       BorderStyle=\@pdfborderstyle,%
10430       Action={<< /Subtype /Named /N /#1 >>},%
10431       Subtype=/Link,%
10432       PDFAFlags=4%
10433     }%
10434   }%
10435 }
10436
10437 \def\Acrobatmenu#1#2{%
10438   \Hy@Acrobatmenu{#1}{#2}{%
10439     \pdfmark{#2}{%
10440       linktype=menu,%
10441       pdfmark=/ANN,%
10442       AcroHighlight=\@pdfhighlight,%
10443       Border=\@pdfborder,%
10444       BorderStyle=\@pdfborderstyle,%
10445       Action={<< /Subtype /Named /N /#1 >>},%
10446       Subtype=/Link,%
10447       PDFAFlags=4%
10448     }%
10449   }%
10450 }
10451
10452 \def\Acrobatmenu#1#2{%
10453   \Hy@Acrobatmenu{#1}{#2}{%
10454     \pdfmark{#2}{%
10455       linktype=menu,%
10456       pdfmark=/ANN,%
10457       AcroHighlight=\@pdfhighlight,%
10458       Border=\@pdfborder,%
10459       BorderStyle=\@pdfborderstyle,%
10460       Action={<< /Subtype /Named /N /#1 >>},%
10461       Subtype=/Link,%
10462       PDFAFlags=4%
10463     }%
10464   }%
10465 }
10466
10467 \def\Acrobatmenu#1#2{%
10468   \Hy@Acrobatmenu{#1}{#2}{%
10469     \pdfmark{#2}{%
10470       linktype=menu,%
10471       pdfmark=/ANN,%
10472       AcroHighlight=\@pdfhighlight,%
10473       Border=\@pdfborder,%
10474       BorderStyle=\@pdfborderstyle,%
10475       Action={<< /Subtype /Named /N /#1 >>},%
10476       Subtype=/Link,%
10477       PDFAFlags=4%
10478     }%
10479   }%
10480 }
10481
10482 \def\Acrobatmenu#1#2{%
10483   \Hy@Acrobatmenu{#1}{#2}{%
10484     \pdfmark{#2}{%
10485       linktype=menu,%
10486       pdfmark=/ANN,%
10487       AcroHighlight=\@pdfhighlight,%
10488       Border=\@pdfborder,%
10489       BorderStyle=\@pdfborderstyle,%
10490       Action={<< /Subtype /Named /N /#1 >>},%
10491       Subtype=/Link,%
10492       PDFAFlags=4%
10493     }%
10494   }%
10495 }
10496
10497 \def\Acrobatmenu#1#2{%
10498   \Hy@Acrobatmenu{#1}{#2}{%
10499     \pdfmark{#2}{%
10500       linktype=menu,%
10501       pdfmark=/ANN,%
10502       AcroHighlight=\@pdfhighlight,%
10503       Border=\@pdfborder,%
10504       BorderStyle=\@pdfborderstyle,%
10505       Action={<< /Subtype /Named /N /#1 >>},%
10506       Subtype=/Link,%
10507       PDFAFlags=4%
10508     }%
10509   }%
10510 }
10511
10512 \def\Acrobatmenu#1#2{%
10513   \Hy@Acrobatmenu{#1}{#2}{%
10514     \pdfmark{#2}{%
10515       linktype=menu,%
10516       pdfmark=/ANN,%
10517       AcroHighlight=\@pdfhighlight,%
10518       Border=\@pdfborder,%
10519       BorderStyle=\@pdfborderstyle,%
10520       Action={<< /Subtype /Named /N /#1 >>},%
10521       Subtype=/Link,%
10522       PDFAFlags=4%
10523     }%
10524   }%
10525 }
10526
10527 \def\Acrobatmenu#1#2{%
10528   \Hy@Acrobatmenu{#1}{#2}{%
10529     \pdfmark{#2}{%
10530       linktype=menu,%
10531       pdfmark=/ANN,%
10532       AcroHighlight=\@pdfhighlight,%
10533       Border=\@pdfborder,%
10534       BorderStyle=\@pdfborderstyle,%
10535       Action={<< /Subtype /Named /N /#1 >>},%
10536       Subtype=/Link,%
10537       PDFAFlags=4%
10538     }%
10539   }%
10540 }
10541
10542 \def\Acrobatmenu#1#2{%
10543   \Hy@Acrobatmenu{#1}{#2}{%
10544     \pdfmark{#2}{%
10545       linktype=menu,%
10546       pdfmark=/ANN,%
10547       AcroHighlight=\@pdfhighlight,%
10548       Border=\@pdfborder,%
10549       BorderStyle=\@pdfborderstyle,%
10550       Action={<< /Subtype /Named /N /#1 >>},%
10551       Subtype=/Link,%
10552       PDFAFlags=4%
10553     }%
10554   }%
10555 }
10556
10557 \def\Acrobatmenu#1#2{%
10558   \Hy@Acrobatmenu{#1}{#2}{%
10559     \pdfmark{#2}{%
10560       linktype=menu,%
10561       pdfmark=/ANN,%
10562       AcroHighlight=\@pdfhighlight,%
10563       Border=\@pdfborder,%
10564       BorderStyle=\@pdfborderstyle,%
10565       Action={<< /Subtype /Named /N /#1 >>},%
10566       Subtype=/Link,%
10567       PDFAFlags=4%
10568     }%
10569   }%
10570 }
10571
10572 \def\Acrobatmenu#1#2{%
10573   \Hy@Acrobatmenu{#1}{#2}{%
10574     \pdfmark{#2}{%
10575       linktype=menu,%
10576       pdfmark=/ANN,%
10577       AcroHighlight=\@pdfhighlight,%
10578       Border=\@pdfborder,%
10579       BorderStyle=\@pdfborderstyle,%
10580       Action={<< /Subtype /Named /N /#1 >>},%
10581       Subtype=/Link,%
10582       PDFAFlags=4%
10583     }%
10584   }%
10585 }
10586
10587 \def\Acrobatmenu#1#2{%
10588   \Hy@Acrobatmenu{#1}{#2}{%
10589     \pdfmark{#2}{%
10590       linktype=menu,%
10591       pdfmark=/ANN,%
10592       AcroHighlight=\@pdfhighlight,%
10593       Border=\@pdfborder,%
10594       BorderStyle=\@pdfborderstyle,%
10595       Action={<< /Subtype /Named /N /#1 >>},%
10596       Subtype=/Link,%
10597       PDFAFlags=4%
10598     }%
10599   }%
10600 }
10601
10602 \def\Acrobatmenu#1#2{%
10603   \Hy@Acrobatmenu{#1}{#2}{%
10604     \pdfmark{#2}{%
10605       linktype=menu,%
10606       pdfmark=/ANN,%
10607       AcroHighlight=\@pdfhighlight,%
10608       Border=\@pdfborder,%
10609       BorderStyle=\@pdfborderstyle,%
10610       Action={<< /Subtype /Named /N /#1 >>},%
10611       Subtype=/Link,%
10612       PDFAFlags=4%
10613     }%
10614   }%
10615 }
10616
10617 \def\Acrobatmenu#1#2{%
10618   \Hy@Acrobatmenu{#1}{#2}{%
10619     \pdfmark{#2}{%
10620       linktype=menu,%
10621       pdfmark=/ANN,%
10622       AcroHighlight=\@pdfhighlight,%
10623       Border=\@pdfborder,%
10624       BorderStyle=\@pdfborderstyle,%
10625       Action={<< /Subtype /Named /N /#1 >>},%
10626       Subtype=/Link,%
10627       PDFAFlags=4%
10628     }%
10629   }%
10630 }
10631
10632 \def\Acrobatmenu#1#2{%
10633   \Hy@Acrobatmenu{#1}{#2}{%
10634     \pdfmark{#2}{%
10635       linktype=menu,%
10636       pdfmark=/ANN,%
10637       AcroHighlight=\@pdfhighlight,%
10638       Border=\@pdfborder,%
10639       BorderStyle=\@pdfborderstyle,%
10640       Action={<< /Subtype /Named /N /#1 >>},%
10641       Subtype=/Link,%
10642       PDFAFlags=4%
10643     }%
10644   }%
10645 }
10646
10647 \def\Acrobatmenu#1#2{%
10648   \Hy@Acrobatmenu{#1}{#2}{%
10649     \pdfmark{#2}{%
10650       linktype=menu,%
10651       pdfmark=/ANN,%
10652       AcroHighlight=\@pdfhighlight,%
10653       Border=\@pdfborder,%
10654       BorderStyle=\@pdfborderstyle,%
10655       Action={<< /Subtype /Named /N /#1 >>},%
10656       Subtype=/Link,%
10657       PDFAFlags=4%
10658     }%
10659   }%
10660 }
10661
10662 \def\Acrobatmenu#1#2{%
10663   \Hy@Acrobatmenu{#1}{#2}{%
10664     \pdfmark{#2}{%
10665       linktype=menu,%
10666       pdfmark=/ANN,%
10667       AcroHighlight=\@pdfhighlight,%
10668       Border=\@pdfborder,%
10669       BorderStyle=\@pdfborderstyle,%
10670       Action={<< /Subtype /Named /N /#1 >>},%
10671       Subtype=/Link,%
10672       PDFAFlags=4%
10673     }%
10674   }%
10675 }
10676
10677 \def\Acrobatmenu#1#2{%
10678   \Hy@Acrobatmenu{#1}{#2}{%
10679     \pdfmark{#2}{%
10680       linktype=menu,%
10681       pdfmark=/ANN,%
10682       AcroHighlight=\@pdfhighlight,%
10683       Border=\@pdfborder,%
10684       BorderStyle=\@pdfborderstyle,%
10685       Action={<< /Subtype /Named /N /#1 >>},%
10686       Subtype=/Link,%
10687       PDFAFlags=4%
10688     }%
10689   }%
10690 }
10691
10692 \def\Acrobatmenu#1#2{%
10693   \Hy@Acrobatmenu{#1}{#2}{%
10694     \pdfmark{#2}{%
10695       linktype=menu,%
10696       pdfmark=/ANN,%
10697       AcroHighlight=\@pdfhighlight,%
10698       Border=\@pdfborder,%
10699       BorderStyle=\@pdfborderstyle,%
10700       Action={<< /Subtype /Named /N /#1 >>},%
10701       Subtype=/Link,%
10702       PDFAFlags=4%
10703     }%
10704   }%
10705 }
10706
10707 \def\Acrobatmenu#1#2{%
10708   \Hy@Acrobatmenu{#1}{#2}{%
10709     \pdfmark{#2}{%
10710       linktype=menu,%
10711       pdfmark=/ANN,%
10712       AcroHighlight=\@pdfhighlight,%
10713       Border=\@pdfborder,%
10714       BorderStyle=\@pdfborderstyle,%
10715       Action={<< /Subtype /Named /N /#1 >>},%
10716       Subtype=/Link,%
10717       PDFAFlags=4%
10718     }%
10719   }%
10720 }
10721
10722 \def\Acrobatmenu#1#2{%
10723   \Hy@Acrobatmenu{#1}{#2}{%
10724     \pdfmark{#2}{%
10725       linktype=menu,%
10726       pdfmark=/ANN,%
10727       AcroHighlight=\@pdfhighlight,%
10728       Border=\@pdfborder,%
10729       BorderStyle=\@pdfborderstyle,%
10730       Action={<< /Subtype /Named /N /#1 >>},%
10731       Subtype=/Link,%
10732       PDFAFlags=4%
10733     }%
10734   }%
10735 }
10736
10737 \def\Acrobatmenu#1#2{%
10738   \Hy@Acrobatmenu{#1}{#2}{%
10739     \pdfmark{#2}{%
10740       linktype=menu,%
10741       pdfmark=/ANN,%
10742       AcroHighlight=\@pdfhighlight,%
10743       Border=\@pdfborder,%
10744       BorderStyle=\@pdfborderstyle,%
10745       Action={<< /Subtype /Named /N /#1 >>},%
10746       Subtype=/Link,%
10747       PDFAFlags=4%
10748     }%
10749   }%
10750 }
10751
10752 \def\Acrobatmenu#1#2{%
10753   \Hy@Acrobatmenu{#1}{#2}{%
10754     \pdfmark{#2}{%
10755       linktype=menu,%
10756       pdfmark=/ANN,%
10757       AcroHighlight=\@pdfhighlight,%
10758       Border=\@pdfborder,%
10759       BorderStyle=\@pdfborderstyle,%
10760       Action={<< /Subtype /Named /N /#1 >>},%
10761       Subtype=/Link,%
10762       PDFAFlags=4%
10763     }%
10764   }%
10765 }
10766
10767 \def\Acrobatmenu#1#2{%
10768   \Hy@Acrobatmenu{#1}{#2}{%
10769     \pdfmark{#2}{%
10770       linktype=menu,%
10771       pdfmark=/ANN,%
10772       AcroHighlight=\@pdfhighlight,%
10773       Border=\@pdfborder,%
10774       BorderStyle=\@pdfborderstyle,%
10775       Action={<< /Subtype /Named /N /#1 >>},%
10776       Subtype=/Link,%
10777       PDFAFlags=4%
10778     }%
10779   }%
10780 }
10781
10782 \def\Acrobatmenu#1#2{%
10783   \Hy@Acrobatmenu{#1}{#2}{%
10784     \pdfmark{#2}{%
10785       linktype=menu,%
10786       pdfmark=/ANN,%
10787       AcroHighlight=\@pdfhighlight,%
10788       Border=\@pdfborder,%
10789       BorderStyle=\@pdfborderstyle,%
10790       Action={<< /Subtype /Named /N /#1 >>},%
10791       Subtype=/Link,%
10792       PDFAFlags=4%
10793     }%
10794   }%
10795 }
10796
10797 \def\Acrobatmenu#1#2{%
10798   \Hy@Acrobatmenu{#1}{#2}{%
10799     \pdfmark{#2}{%
10800       linktype=menu,%
10801       pdfmark=/ANN,%
10802       AcroHighlight=\@pdfhighlight,%
10803       Border=\@pdfborder,%
10804       BorderStyle=\@pdfborderstyle,%
10805       Action={<< /Subtype /Named /N /#1 >>},%
10806       Subtype=/Link,%
10807       PDFAFlags=4%
10808     }%
10809   }%
10810 }
10811
10812 \def\Acrobatmenu#1#2{%
10813   \Hy@Acrobatmenu{#1}{#2}{%
10814     \pdfmark{#2}{%
10815       linktype=menu,%
10816       pdfmark=/ANN,%
10817       AcroHighlight=\@pdfhighlight,%
10818       Border=\@pdfborder,%
10819       BorderStyle=\@pdfborderstyle,%
10820       Action={<< /Subtype /Named /N /#1 >>},%
10821       Subtype=/Link,%
10822       PDFAFlags=4%
10823     }%
10824   }%
10825 }
10826
10827 \def\Acrobatmenu#1#2{%
10828   \Hy@Acrobatmenu{#1}{#2}{%
10829     \pdfmark{#2}{%
10830       linktype=menu,%
10831       pdfmark=/ANN,%
10832       AcroHighlight=\@pdfhighlight,%
10833       Border=\@pdfborder,%
10834       BorderStyle=\@pdfborderstyle,%
10835       Action={<< /Subtype /Named /N /#1 >>},%
10836       Subtype=/Link,%
10837       PDFAFlags=4%
10838     }%
10839   }%
10840 }
10841
10842 \def\Acrobatmenu#1#2{%
10843   \Hy@Acrobatmenu{#1}{#2}{%
10844     \pdfmark{#2}{%
10845       linktype=menu,%
10846       pdfmark=/ANN,%
10847       AcroHighlight=\@pdfhighlight,%
10848       Border=\@pdfborder,%
10849       BorderStyle=\@pdfborderstyle,%
10850       Action={<< /Subtype /Named /N /#1 >>},%
10851       Subtype=/Link,%
10852       PDFAFlags=4%
10853     }%
10854   }%
10855 }
10856
10857 \def\Acrobatmenu#1#2{%
10858   \Hy@Acrobatmenu{#1}{#2}{%
10859     \pdfmark{#2}{%
10860       linktype=menu,%
10861       pdfmark=/ANN,%
10862       AcroHighlight=\@pdfhighlight,%
10863       Border=\@pdfborder,%
10864       BorderStyle=\@pdfborderstyle,%
10865       Action={<< /Subtype /Named /N /#1 >>},%
10866       Subtype=/Link,%
10867       PDFAFlags=4%
10868     }%
10869   }%
10870 }
10871
10872 \def\Acrobatmenu#1#2{%
10873   \Hy@Acrobatmenu{#1}{#2}{%
10874     \pdfmark{#2}{%
10875       linktype=menu,%
10876       pdfmark=/ANN,%
10877       AcroHighlight=\@pdfhighlight,%
10878       Border=\@pdfborder,%
10879       BorderStyle=\@pdfborderstyle,%
10880       Action={<< /Subtype /Named /N /#1 >>},%
10881       Subtype=/Link,%
10882       PDFAFlags=4%
10883     }%
10884   }%
10885 }
10886
10887 \def\Acrobatmenu#1#2{%
10888   \Hy@Acrobatmenu{#1}{#2}{%
10889     \pdfmark{#2}{%
10890       linktype=menu,%
10891       pdfmark=/ANN,%
10892       AcroHighlight=\@pdfhighlight,%
10893       Border=\@pdfborder,%
10894       BorderStyle=\@pdfborderstyle,%
10895       Action={<< /Subtype /Named /N /#1 >>},%
10896       Subtype=/Link,%
10897       PDFAFlags=4%
10898     }%
10899   }%
10900 }
10901
10902 \def\Acrobatmenu#1#2{%
10903   \Hy@Acrobatmenu{#1}{#2}{%
10904     \pdfmark{#2}{%
10905       linktype=menu,%
10906       pdfmark=/ANN,%
10907       AcroHighlight=\@pdfhighlight,%
10908       Border=\@pdfborder,%
10909       BorderStyle=\@pdfborderstyle,%
10910       Action={<< /Subtype /Named /N /#1 >>},%
10911       Subtype=/Link,%
10912       PDFAFlags=4%
10913     }%
10914   }%
10915 }
10916
10917 \def\Acrobatmenu#1#2{%
10918   \Hy@Acrobatmenu{#1}{#2}{%
10919     \pdfmark{#2}{%
10920       linktype=menu,%
10921       pdfmark=/ANN,%
10922       AcroHighlight=\@pdfhighlight,%
10923       Border=\@pdfborder,%
10924       BorderStyle=\@pdfborderstyle,%
10925       Action={<< /Subtype /Named /N /#1 >>},%
10926       Subtype=/Link,%
10927       PDFAFlags=4%
10928     }%
10929   }%
10930 }
10931
10932 \def\Acrobatmenu#1#2{%
10933   \Hy@Acrobatmenu{#1}{#2}{%
10934     \pdfmark{#2}{%
10935       linktype=menu,%
10936       pdfmark=/ANN,%
10937       AcroHighlight=\@pdfhighlight,%
10938       Border=\@pdfborder,%
10939       BorderStyle=\@pdfborderstyle,%
10940       Action={<< /Subtype /Named /N /#1 >>},%
10941       Subtype=/Link,%
10942       PDFAFlags=4%
10943     }%
10944   }%
10945 }
10946
10947 \def\Acrobatmenu#1#2{%
10948   \Hy@Acrobatmenu{#1}{#2}{%
10949     \pdfmark{#2}{%
10950       linktype=menu,%
10951       pdfmark=/ANN,%
10952       AcroHighlight=\@pdfhighlight,%
10953       Border=\@pdfborder,%
10954       BorderStyle=\@pdfborderstyle,%
10955       Action={<< /Subtype /Named /N /#1 >>},%
10956       Subtype=/Link,%
10957       PDFAFlags=4%
10958     }%
10959   }%
10960 }
10961
10962 \def\Acrobatmenu#1#2{%
10963   \Hy@Acrobatmenu{#1}{#2}{%
10964     \pdfmark{#2}{%
10965       linktype=menu,%
10966       pdfmark=/ANN,%
10967       AcroHighlight=\@pdfhighlight,%
10968       Border=\@pdfborder,%
10969       BorderStyle=\@pdfborderstyle,%
10970       Action={<< /Subtype /Named /N /#1 >>},%
10971       Subtype=/Link,%
10972       PDFAFlags=4%
10973     }%
10974   }%
10975 }
10976
10977 \def\Acrobatmenu#1#2{%
10978   \Hy@Acrobatmenu{#1}{#2}{%
10979     \pdfmark{#2}{%
10980       linktype=menu,%
10981       pdfmark=/ANN,%
10982       AcroHighlight=\@pdfhighlight,%
10983       Border=\@pdfborder,%
10984       BorderStyle=\@pdfborderstyle,%
10985       Action={<< /Subtype /Named /N /#1 >>},%
10986       Subtype=/Link,%
10987       PDFAFlags=4%
10988     }%
10989   }%
10990 }
10991
10992 \def\Acrobatmenu#1#2{%
10993   \Hy@Acrobatmenu{#1}{#2}{%
10994     \pdfmark{#2}{%
10995       linktype=menu,%
10996       pdfmark=/ANN,%
10997       AcroHighlight=\@pdfhighlight,%
10998       Border=\@pdfborder,%
10999       BorderStyle=\@pdfborderstyle,%
11000       Action={<< /Subtype /Named /N /#1 >>},%
11001       Subtype=/Link,%
11002       PDFAFlags=4%
11003    
```

```
10253 }%
10254 }%
10255 }
```

And now for some useful examples:

```
10256 \def\PDFNextPage{\@ifnextchar[{\PDFNextPage@}{\PDFNextPage@[]}}
10257 \def\PDFNextPage@[#1]#2{%
10258   \pdfmark[{-#2}]{%
10259     #1,%
10260     Border=\@pdfborder,%
10261     BorderStyle=\@pdfborderstyle,%
10262     Color=.2 .1 .5,%
10263     pdfmark=/ANN,%
10264     Subtype=/Link,%
10265     PDFAFlags=4,%
10266     Page=/Next%
10267   }%
10268 }
10269 \def\PDFPreviousPage{%
10270   \@ifnextchar[{\PDFPreviousPage@}{\PDFPreviousPage@[]}}%
10271 }
10272 \def\PDFPreviousPage@[#1]#2{%
10273   \pdfmark[{-#2}]{%
10274     #1,%
10275     Border=\@pdfborder,%
10276     BorderStyle=\@pdfborderstyle,%
10277     Color=.4 .4 .1,%
10278     pdfmark=/ANN,%
10279     Subtype=/Link,%
10280     PDFAFlags=4,%
10281     Page=/Prev%
10282   }%
10283 }
10284 \def\PDFOpen#1{%
10285   \pdfmark[#1, pdfmark=/DOCVIEW]%
10286 }
```

This will only work if you use Distiller 2.1 or higher.

```
10287 \def\hyper@linkurl#1#2{%
10288   \begingroup
10289   \Hy@pstringdef\Hy@pstringURI{#2}%
10290   \hyper@chars
10291   \leavevmode
10292   \pdfmark[{-#1}]{%
10293     pdfmark=/ANN,%
10294     linktype=url,%
10295     AcroHighlight=\@pdfhighlight,%
10296     Border=\@pdfborder,%
10297     BorderStyle=\@pdfborderstyle,%
10298     Color=\@urlbordercolor,%
10299     Action={<< /Subtype /URI /URI (\Hy@pstringURI) >>},%
10300     Subtype=/Link,%
10301     PDFAFlags=4%
10302   }%
10303   \endgroup
10304 }
10305 \def\hyper@linkfile#1#2#3{%
10306   \begingroup
```

```

10307 \Hy@pstringdef\Hy@pstringF{\#2}%
10308 \Hy@pstringdef\Hy@pstringD{\#3}%
10309 \leavevmode
10310 \pdfmark{\#1}{%
10311   pdfmark=/ANN,%
10312   Subtype=/Link,%
10313   PDFAFlags=4,%
10314   AcroHighlight=\@pdfhighlight,%
10315   Border=\@pdfborder,%
10316   BorderStyle=\@pdfborderstyle,%
10317   linktype=file,%
10318   Color=\@filebordercolor,%
10319   Action={%
10320     <<%
10321       /S/GoToR%
10322       \Hy@SetNewWindow
10323       /F(\Hy@pstringF)%
10324       /D\ifx\\#3\\[0 \@pdfstartview]\else(\Hy@pstringD)cvn\fi
10325     >>%
10326   }%
10327 }%
10328 \endgroup
10329 }
10330 \def\@hyper@launch run:#1\\#2\\#3{%
10331   \begingroup
10332   \Hy@pstringdef\Hy@pstringF{\#1}%
10333   \Hy@pstringdef\Hy@pstringP{\#3}%
10334   \leavevmode
10335   \pdfmark{\#2}{%
10336     pdfmark=/ANN,%
10337     Subtype=/Link,%
10338     PDFAFlags=4,%
10339     AcroHighlight=\@pdfhighlight,%
10340     Border=\@pdfborder,%
10341     BorderStyle=\@pdfborderstyle,%
10342     linktype=run,%
10343     Color=\@runbordercolor,%
10344     Action={%
10345       <<%
10346         /S/Launch%
10347         \Hy@SetNewWindow
10348         /F(\Hy@pstringF)%
10349         \ifx\\#3\\%
10350           \else
10351             /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
10352           \fi
10353         >>%
10354       }%
10355     }%
10356   \endgroup
10357 }
10358 
```

Unfortunately, some parts of the `pdfmark` PostScript code depend on vagaries of the dvi driver. We isolate here all the problems.

46.9 Rokicki's dvips

dvips thinks in 10ths of a big point, its coordinate space is resolution dependent, and its *y* axis starts at the top of the page. Other drivers can and will be different!

The work is done in SDict, because we add in some header definitions in a moment.

```

10359 /*dvips*/
10360 \providecommand*\XR@ext{pdf}
10361 \def\Hy@raisedlink{}
10362 \def\literalps@out#1{\special{ps:SDict begin #1 end}}%
10363 \def\headerps@out#1{\special{! #1}}%
10364 \input{pdfmark.def}%
10365 \ifx\@pdfproducer\relax
10366 \def\@pdfproducer{dvips + Distiller}%
10367 \fi
10368 \providecommand*\@pdfborder{0 0 1}
10369 \providecommand*\@pdfborderstyle{}
10370 \providecommand*\@pdfview{XYZ}
10371 \providecommand*\@pdfviewparams{ H.V}
10372 \def\Hy@BorderArrayPatch{BorderArrayPatch}
10373 \g@addto@macro\Hy@FirstPageHook{%
10374 \headerps@out{%

```

Unless I am going mad, this *appears* to be the relationship between the default coordinate system (PDF), and dvips;

```

/DvipsToPDF { .01383701 div Resolution div } def
/PDFToDvips { .01383701 mul Resolution mul } def

```

the latter's coordinates are resolution dependent, but what that .01383701 is, who knows? well, almost everyone except me, I expect... And yes, Maarten Gelderman <mgelder-
man@econ.vu.nl> points out that its 1/72.27 (the number of points to an inch, big points to inch is 1/72). This also suggests that the code would be more understandable (and exact) if 0.013 div would be replaced by 72.27 mul, so here we go. If this isn't right, I'll revert it.

```

10375 /DvipsToPDF{72.27 mul Resolution div} def%
10376 /PDFToDvips{72.27 div Resolution mul} def%
10377 /BPToDvips{72 div Resolution mul}def%

```

The values inside the /Boder array are not taken literally, but interpreted by ghostscript using the resolution of the dvi driver. I don't know how other distiller programs behaves in this manner.

```

10378 /BorderArrayPatch{%
10379 [exch{%
10380 dup dup type/integertype eq exch type/realtypeseq or%
10381 {BPToDvips}if%
10382 }forall]%
10383 }def%

```

The rectangle around the links starts off *exactly* the size of the box; we will to make it slightly bigger, 1 point on all sides.

```

10384 /HyperBorder {1 PDFToDvips} def%
10385 /H.V {pdf@hoff pdf@voff null} def%
10386 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%

```

H.S (start of anchor, link, or rect) stores the *x* and *y* coordinates of the current point, in PDF coordinates

```

10387 /H.S {%

```

```

10388     currentpoint %
10389     HyperBorder add /pdf@lly exch def %
10390     dup DvipsToPDF 72 add /pdf@hoff exch def %
10391     HyperBorder sub /pdf@llx exch def%
10392 } def%

```

The calculation of upper left y is done without raising the point in TeX, by simply adding on the current \baselineskip to the current y . This is usually too much, so we remove a notional 2 points.

We have to see what the current baselineskip is, and convert it to the dvips coordinate system.

Argument: baselineskip in pt. The x and y coordinates of the current point, minus the baselineskip

```

10393   /H.L {%
10394     2 sub dup%
10395     /HyperBasePt exch def %
10396     PDFToDvips /HyperBaseDvips exch def %
10397     currentpoint %
10398     HyperBaseDvips sub /pdf@ury exch def%
10399     /pdf@urx exch def%
10400 } def%
10401 /H.A {%
10402   H.L %
10403 % |/pdf@voff| = the distance from the top of the page to a point
10404 % |\baselineskip| above the current point in PDF coordinates
10405   currentpoint exch pop %
10406   vsize 72 sub exch DvipsToPDF %
10407   HyperBasePt sub % baseline skip
10408   sub /pdf@voff exch def%
10409 } def%
10410 /H.R {%
10411   currentpoint %
10412   HyperBorder sub /pdf@ury exch def %
10413   HyperBorder add /pdf@urx exch def %
10414 % |/pdf@voff| = the distance from the top of the page to the current point, in
10415 % PDF coordinates
10416   currentpoint exch pop vsize 72 sub %
10417   exch DvipsToPDF sub /pdf@voff exch def%
10418 } def%
10419 }%
10420 }
10421 \AtBeginShipoutFirst{%
10422   \ifHy@setpagesize
10423     \begingroup
10424       \c@ifundefined{stockwidth}{%
10425         \ifdim\paperwidth>\z@
10426           \ifdim\paperheight>\z@
10427             \special{papersize=\the\paperwidth,\the\paperheight}%
10428           \fi
10429         \fi
10430       }{%
10431         \ifdim\stockwidth>\z@
10432           \ifdim\stockheight>\z@
10433             \special{papersize=\the\stockwidth,\the\stockheight}%
10434           \fi
10435         \fi
10436       }%

```

```

10437   \endgroup
10438   \fi
10439   \Hy@DisableOption{setpagesize}%
10440 }
10441 </dvips>

```

46.10 VTeX's vtexpdfmark driver

This part is derived from the dvips (many names reflect this).

The origin seems to be the same as TeX's origin, 1 in from the left and 1 in downwards from the top. The direction of the y axis is downwards, the opposite of the dvips case. Units seems to be pt or bp.

```

10442 <*vtexpdfmark>
10443 \providecommand*\{\XR@ext\}{pdf}
10444 \def\Hy@raisedlink{}
10445 \def\literalps@out#1{\special{pS:#1}}%
10446 \def\headerps@out#1{\immediate\special{pS:#1}}%
10447 \input{pdfmark.def}%
10448 \ifx\@pdfproducer\relax
10449   \ifnum\OpMode=\@ne
10450     \def\@pdfproducer{VTeX}%
10451   \else
10452     \def\@pdfproducer{VTeX + Distiller}%
10453   \fi
10454 \fi
10455 \providecommand*\@pdfborder{0 0 1}%
10456 \providecommand*\@pdfborderstyle{}
10457 \providecommand*\@pdfview{XYZ}%
10458 \providecommand*\@pdfviewparams{ H.V}%
10459 \g@addto@macro\Hy@FirstPageHook{%
10460   \headerps@out{%
10461     /vsize {\Hy@pageheight} def%}

```

The rectangle around the links starts off *exactly* the size of the box; we will to make it slightly bigger, 1 point on all sides.

```

10462   /HyperBorder {1} def%
10463   /H.V {pdf@hoff pdf@voff null} def%
10464   /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%

```

H.S (start of anchor, link, or rect) stores the x and y coordinates of the current point, in PDF coordinates: $\text{pdf@llx} = Y_c - \text{HyperBorder}$, $\text{pdf@hoff} = X_c + 72$, $\text{pdf@llx} = X_c - \text{HyperBorder}$

```

10465   /H.S {%
10466     currentpoint %
10467     HyperBorder sub%
10468     /pdf@lly exch def %
10469     dup 72 add /pdf@hoff exch def %
10470     HyperBorder sub%
10471     /pdf@llx exch def%
10472   } def%

```

The x and y coordinates of the current point, minus the \baselineskip: $\text{pdf@ury} = Y_c + \text{HyperBasePt} + \text{HyperBorder}$, $\text{pdf@urx} = X_c + \text{HyperBorder}$

```

10473   /H.L {%
10474     2 sub%
10475     /HyperBasePt exch def %
10476     currentpoint %

```

```

10477   HyperBasePt add HyperBorder add%
10478   /pdf@ury exch def %
10479   HyperBorder add%
10480   /pdf@urx exch def%
10481 } def%
10482 /H.A {%
10483   H.L %
10484   currentpoint exch pop %
10485   vsize 72 sub exch %
10486   HyperBasePt add add%
10487   /pdf@voff exch def%
10488 } def%
10489 pdf@ury =  $Y_c + \text{HyperBorder}$ , pdf@urx =  $X_c + \text{HyperBorder}$ 
10490 /H.R {%
10491   currentpoint %
10492   HyperBorder add%
10493   /pdf@ury exch def %
10494   HyperBorder add%
10495   /pdf@urx exch def %
10496   currentpoint exch pop vsize 72 sub add%
10497   /pdf@voff exch def%
10498 } def%
10499 }%
10500 }%
10500 </vtexpdfmark>

```

46.11 Textures

```

10501 {*textures}
10502 \providecommand*{\XR@ext}{\pdf}

```

At the suggestion of Jacques Distler (distler@golem.ph.utexas.edu), try to derive a suitable driver for Textures. This was initially a copy of dvips, with some guesses about Textures behaviour. Ross Moore (ross@maths.mq.edu.au) has added modifications for better compatibility, and to support use of pdfmark.

Start by defining a macro that expands to the end-of-line character. This will be used to format the appearance of PostScript code, to enhance readability, and avoid excessively long lines which might otherwise become broken to bad places.

\Hy@ps@CR The macro \Hy@ps@CR contains the end-of-line character.

```

10503 \begingroup
10504   \obeylines %
10505   \gdef\Hy@ps@CR{\noexpand
10506 }%
10507 \endgroup %

```

Textures has two types of \special command for inserting PostScript code directly into the dvi output. The ‘postscript’ way preserves TeX’s idea of where on the page the \special occurred, but it wraps the contents with a save–restore pair, and adjusts the user-space coordinate system for local drawing commands. The ‘rawpostscript’ way simply inserts code, without regard for the location on the page.

Thus, to put arbitrary PostScript coding at a fixed location requires using *both* \special constructions. It works by pushing the device-space coordinates onto the operand stack, where they can be used to transform back to the correct user-space coordinates for the whole page, within a ‘rawpostscript’ \special.

```
10508 \def\literalps@out#1{%
```

```

10509 \special{postscript 0 0 transform}%
10510 \special{rawpostscript itransform moveto\Hy@ps@CR #1}%
10511 }%
10512 %

```

The ‘prepostscript’ is a 3rd kind of \special, used for inserting definitions into the dictionaries, before page-building begins. These are to be available for use on all pages.

```

10513 \def\headerps@out#1{%
10514 \special{%
10515 prepostscript TeXdict begin\Hy@ps@CR
10516 #1\Hy@ps@CR
10517 end%
10518 }%
10519 }%
10520 %

```

To correctly support the pdfmark method, for embedding PDF definitions with .ps files in a non-intrusive way, an appropriate definition needs to be made *before* the file pdfmark.def is read. Other parameters are best set afterwards.

```

10521 \g@addto@macro\Hy@FirstPageHook{%
10522 \headerps@out{%
10523 /betterpdfmark {%
10524 systemdict begin %
10525 dup /BP eq%
10526 {cleartomark gsave nulldevice []%
10527 {dup /EP eq%
10528 {cleartomark cleartomark grestore}%
10529 {cleartomark}%
10530 ifelse%
10531 }ifelse %
10532 end%
10533 }def\Hy@ps@CR
10534 __pdfmark__ not{/pdfmark /betterpdfmark load def}if%
10535 }% end of \headerps@out
10536 }% end of \AtBeginShipoutFirst
10537 %
10538 \input{pdfmark.def}%
10539 %
10540 \ifx\@pdfproducer\relax
10541 \def\@pdfproducer{Textures + Distiller}%
10542 \fi
10543 \providecommand*\@pdfborder{0 0 1}
10544 \providecommand*\@pdfborderstyle{%
10545 \providecommand*\@pdfview{XYZ}
10546 \providecommand*\@pdfviewparams{ H.V}
10547 %

```

These are called at the start and end of unboxed links; their job is to leave available PS variables called pdf@llx pdf@lly pdf@urx pdf@ury, which are the coordinates of the bounding rectangle of the link, and pdf@hoff pdf@voff which are the PDF page offsets. The Rect pair are called at the LL and UR corners of a box known to T_EX.

```

10548 \AfterBeginDocument{%
10549 \headerps@out{%

```

Textures lives in normal points, I think. So conversion from one coordinate system to another involves doing nothing.

```

10550 /vsize {\Hy@pageheight} def%

```

```

10551 /DvipsToPDF {} def%
10552 /PDFToDvips {} def%
10553 /BPToDvips {} def%
10554 /HyperBorder { 1 PDFToDvips } def\Hy@ps@CR
10555 /H.V {pdf@hoff pdf@voff null} def\Hy@ps@CR
10556 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def\Hy@ps@CR
10557 /H.S {%
    currentpoint %
    HyperBorder add /pdf@lly exch def %
    dup DvipsToPDF 72 add /pdf@hoff exch def %
    HyperBorder sub /pdf@llx exch def%
} def\Hy@ps@CR
10563 /H.L {%
    2 sub %
    PDFToDvips /HyperBase exch def %
    currentpoint %
    HyperBase sub /pdf@ury exch def%
    /pdf@urx exch def%
} def\Hy@ps@CR
10569 /H.A {%
    H.L %
    currentpoint exch pop %
    vsize 72 sub exch DvipsToPDF %
    HyperBase sub % baseline skip
    sub /pdf@voff exch def%
} def\Hy@ps@CR
10576 /H.R {%
    currentpoint %
    HyperBorder sub /pdf@ury exch def %
    HyperBorder add /pdf@urx exch def %
    currentpoint exch pop vsize 72 sub %
    exch DvipsToPDF sub /pdf@voff exch def%
} def\Hy@ps@CR
10583 }%
10584 }%
10585 }

10586 \AfterBeginDocument{%
10587 \ifHy@colorlinks
10588 \headerps@out{/PDFBorder{/Border [0 0 0]}def}%
10589 \fi
10590 }

```

Textures provides built-in support for HyperTeX specials so this part combines code from `hypertex.def` with what is established by loading `pdfmark.def`, or any other driver.

```

10591 \expandafter\let\expandafter\keepPDF@SetupDoc
10592 \csname PDF@SetupDoc\endcsname
10593 \def\PDF@SetupDoc{%
10594 \ifx\@baseurl\@empty
10595 \else
10596 \special{html:<base href="\@baseurl">}%
10597 \fi
10598 \keepPDF@SetupDoc
10599 }
10600 \def\hyper@anchor#1{%
10601 \Hy@SaveLastskip
10602 \Hy@VerboseAnchor{#1}%
10603 \begingroup
10604 \let\protect=\string

```

```

10605   \special{html:<a name=%
10606     \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote>}%
10607   \endgroup
10608   \Hy@activeanchortrue
10609   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
10610   \special{html:</a>}%
10611   \Hy@activeanchorfalse
10612   \Hy@RestoreLastskip
10613 }
10614 \def\hyper@anchorstart#1{%
10615   \Hy@SaveLastskip
10616   \Hy@VerboseAnchor{\#1}%
10617   \begingroup
10618     \hyper@chars
10619     \special{html:<a name=%
10620       \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote>}%
10621   \endgroup
10622   \Hy@activeanchortrue
10623 }
10624 \def\hyper@anchorend{%
10625   \special{html:</a>}%
10626   \Hy@activeanchorfalse
10627   \Hy@RestoreLastskip
10628 }
10629 \def\@urltype{url}
10630 \def\hyper@linkstart#1#2{%
10631   \Hy@VerboseLinkStart{\#1}{\#2}%
10632   \expandafter\Hy@colorlink\csname \#1color\endcsname
10633   \def\Hy@tempa{\#1}%
10634   \ifx\Hy@tempa\@urltype
10635     \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
10636   \else
10637     \begingroup
10638       \hyper@chars
10639       \special{%
10640         html:<a href=%
10641         \hyper@quote\#\HyperDestNameFilter{\#2}\hyper@quote>%
10642       }%
10643     \endgroup
10644   \fi
10645 }
10646 \def\hyper@linkend{%
10647   \special{html:</a>}%
10648   \Hy@endcolorlink
10649 }
10650 \def\hyper@linkfile#1#2#3{%
10651   \hyper@linkurl{\#1}{%
10652     \Hy@linkfileprefix\#2\ifx\\#3\\\else\#\#3\fi
10653   }%
10654 }
10655 \def\hyper@linkurl#1#2{%
10656   \leavevemode
10657   \ifHy@raiselinks
10658     \setbox\@tempboxa=\color@hbox \#1\color@endbox
10659     \linkdim\dp\@tempboxa
10660     \lower\linkdim\hbox{%
10661       \hyper@chars

```

```

10662     \special{html:<a href=\hyper@quote#2\hyper@quote>}%
10663     }%
10664     \Hy@colorlink\@urlcolor#1%
10665     \linkdim\ht\@tempboxa
10666     \advance\linkdim by -6.5\p@
10667     \raise\linkdim\hbox{\special{html:</a>}}%
10668     \Hy@endcolorlink
10669 \else
10670   \begingroup
10671     \hyper@chars
10672     \special{html:<a href=\hyper@quote#2\hyper@quote>}%
10673     \Hy@colorlink\@urlcolor#1%
10674     \special{html:</a>}%
10675     \Hy@endcolorlink
10676   \endgroup
10677 \fi
10678 }

```

Very poor implementation of \hyper@link without considering #1.

```

10679 \def\hyper@link#1#2#3{%
1080   \Hy@VerboseLinkStart{#1}{#2}%
1081   \hyper@linkurl{#3}{\#HyperDestNameFilter{#2}}%
1082 }
1083 \def\hyper@image#1#2{%
1084   \begingroup
1085     \hyper@chars
1086     \special{html:<img src=\hyper@quote#1\hyper@quote>}%
1087   \endgroup
1088 }
1089 </textures>

```

46.12 dvipsone

```

10690 % \subsection{dvipsone driver}
10691 % Over-ride the default setup macro in pdfmark driver to use Y\&Y
10692 % |\special| commands.
10693 {*dvipsone}
10694 \providecommand*\XR@ext{pdf}
10695 \def\Hy@raisedlink{%
10696   \providecommand*\@pdfborder{0 0 1}
10697   \providecommand*\@pdfborderstyle{%
10698     \def\literalps@out#1{\special{ps:#1}}%
10699     \def\headerps@out#1{\special{headertext=#1}}%
10700     \input{pdfmark.def}%
10701     \ifx\@pdfproducer\relax
10702       \def\@pdfproducer{dvipsone + Distiller}%
10703     \fi
10704     \HyInfo@AddonUnsupportedtrue
10705     \def\PDF@FinishDoc{%
10706       \Hy@UseMaketitleInfos
10707       \HyInfo@TrappedUnsupported
10708       \special{PDF: Keywords \@pdfkeywords}%
10709       \special{PDF: Title \@pdftitle}%
10710       \special{PDF: Creator \@pdfcreator}%
10711       \ifx\@pdfcreationdate\empty
10712         \else
10713           \special{PDF: CreationDate \@pdfcreationdate}%
10714         \fi

```

```

10715 \ifx\@pdfmoddate\@empty
10716 \else
10717   \special{PDF: ModDate \@pdfmoddate}%
10718 \fi
10719 \special{PDF: Author \@pdfauthor}%
10720 \ifx\@pdfproducer\relax
10721 \else
10722   \special{PDF: Producer \@pdfproducer}%
10723 \fi
10724 \special{PDF: Subject \@pdfsubject}%
10725 \Hy@DisableOption{pdfauthor}%
10726 \Hy@DisableOption{pdftitle}%
10727 \Hy@DisableOption{pdfsubject}%
10728 \Hy@DisableOption{pdfcreator}%
10729 \Hy@DisableOption{pdfcreationdate}%
10730 \Hy@DisableOption{pdfmoddate}%
10731 \Hy@DisableOption{pdfproducer}%
10732 \Hy@DisableOption{pdfkeywords}%
10733 \Hy@DisableOption{pdftrapped}%
10734 \Hy@DisableOption{pdfinfo}%
10735 }
10736 \def\PDF@SetupDoc{%
10737 \def\Hy@temp{}%
10738 \ifx\@pdfstartpage\@empty
10739 \else
10740   \ifx\@pdfstartview\@empty
10741   \else
10742     \edef\Hy@temp{%
10743       ,Page=\@pdfstartpage
10744       ,View=\@pdfstartview
10745     }%
10746   \fi
10747 \fi
10748 \edef\Hy@temp{%
10749   \noexpand\pdfmark{%
10750     pdfmark=/DOCVIEW,%
10751     PageMode=/\@pdffpagemode
10752     \Hy@temp
10753   }%
10754 }%
10755 \Hy@temp
10756 \ifx\@pdfpagescrop\@empty
10757 \else
10758   \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
10759 \fi
10760 \edef\Hy@temp{%
10761   \ifHy@toolbar\else /HideToolbar true\fi
10762   \ifHy@menubar\else /HideMenubar true\fi
10763   \ifHy@windowui\else /HideWindowUI true\fi
10764   \ifHy@fitwindow /FitWindow true\fi
10765   \ifHy@centerwindow /CenterWindow true\fi
10766   \ifHy@displaydoctitle /DisplayDocTitle true\fi
10767   \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
10768   \Hy@UseNameKey{Direction}\@pdfdirection
10769   \Hy@UseNameKey{ViewArea}\@pdfviewarea
10770   \Hy@UseNameKey{ViewClip}\@pdfviewclip
10771   \Hy@UseNameKey{PrintArea}\@pdfprintarea

```

```

10772 \Hy@UseNameKey{PrintClip}\@pdfprintclip
10773 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
10774 \Hy@UseNameKey{Duplex}\@pdfduplex
10775 \ifx\@pdfpicktraybysize\@empty
10776 \else
10777   /PickTrayByPDFSize \@pdfpicktraybysize
10778 \fi
10779 \ifx\@pdfprintpagerange\@empty
10780 \else
10781   /PrintPageRange[\@pdfprintpagerange]%
10782 \fi
10783 \ifx\@pdfnumcopies\@empty
10784 \else
10785   /NumCopies \@pdfnumcopies
10786 \fi
10787 }%
10788 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
10789 \pdfmark{%
10790   pdfmark=/PUT,%
10791   Raw={%
10792     \string{Catalog\string}<<%
10793       \ifx\Hy@temp\@empty
10794         \else
10795           /ViewerPreferences<<\Hy@temp>>%
10796         \fi
10797       \Hy@UseNameKey{PageLayout}\@pdfpagelayout
10798       \ifx\@pdflang\@empty
10799         \else
10800           /Lang(\@pdflang)%
10801         \fi
10802       \ifx\@baseurl\@empty
10803         \else
10804           /URI<</Base(\Hy@pstringB)>>%
10805         \fi
10806       >>%
10807     }%
10808   }%
10809 }
10810 \providecommand*\@pdfview{XYZ}
10811 \providecommand*\@pdfviewparams{ %
10812   gsave revscl currentpoint grestore %
10813   72 add exch pop null exch null%
10814 }
10815 \def\Hy@BorderArrayPatch{BorderArrayPatch}

```

These are called at the start and end of unboxed links; their job is to leave available PS variables called `pdf@llx` `pdf@lly` `pdf@urx` `pdf@ury`, which are the coordinates of the bounding rectangle of the link, and `pdf@hoff` `pdf@voff` which are the PDF page offsets. These latter are currently not used in the dvipsone setup. The Rect pair are called at the LL and UR corners of a box known to TeX.

```

10816 \g@addto@macro\Hy@FirstPageHook{%
10817   \headerps@out{%

```

`dvipsone` lives in scaled points; does this mean 65536 or 65781?

```

10818   /DvipsToPDF { 65781 div } def%
10819   /PDFToDvips { 65781 mul } def%
10820   /BPToDvips{65781 mul}def%
10821   /HyperBorder { 1 PDFToDvips } def%

```

```
10822 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%
```

The values inside the /Boder array are not taken literally, but interpreted by ghostscript using the resolution of the dvi driver. I don't know how other distiller programs behaves in this manner.

```
10823 /BorderArrayPatch{%
10824 [exch{%
10825 dup dup type/integertype eq exch type/realtypeseq or%
10826 {BPToDvips}if%
10827 }forall]%
10828 }def%
10829 /H.S {%
10830 currentpoint %
10831 HyperBorder add /pdf@lly exch def %
10832 dup DvipsToPDF 72 add /pdf@hoff exch def %
10833 HyperBorder sub /pdf@llx exch def%
10834 } def%
10835 /H.L {%
10836 2 sub %
10837 PDFToDvips /HyperBase exch def %
10838 currentpoint %
10839 HyperBase sub /pdf@ury exch def%
10840 /pdf@urx exch def%
10841 } def%
10842 /H.A {%
10843 H.L %
10844 currentpoint exch pop %
10845 HyperBase sub % baseline skip
10846 DvipsToPDF /pdf@voff exch def%
10847 } def%
10848 /H.R {%
10849 currentpoint %
10850 HyperBorder sub /pdf@ury exch def %
10851 HyperBorder add /pdf@urx exch def %
10852 currentpoint exch pop DvipsToPDF /pdf@voff exch def%
10853 } def%
10854 }%
10855 }
10856 
```

46.13 TeX4ht

```
10857 /*tex4ht*/
10858 \providecommand*\XR@ext{html}
10859 \def\Hy@raisedlink{}
10860 \@ifpackageloaded{tex4ht}{%
10861 \typeout{hyperref tex4ht: tex4ht already loaded}%
10862 }{%
10863 \RequirePackage[htex4ht]{tex4ht}%
10864 }
10865 \hyperlinkfileprefix{%
10866 \def\PDF@FinishDoc{}%
10867 \def\PDF@SetupDoc{%
10868 \ifx\@baseurl\empty%
10869 \else%
10870 \special{t4ht=<base href="\@baseurl">}%
10871 \fi%
10872 }
```

```

10873 \def\hyper@anchor#1{%
10874   \Hy@SaveLastskip
10875   \Hy@VerboseAnchor{#1}%
10876   \begingroup
10877     \let\protect=\string
10878     \special{t4ht=<a name=%
10879       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
10880   \endgroup
10881   \Hy@activeanchortrue
10882   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
10883   \special{t4ht=</a>}%
10884   \Hy@activeanchorfalse
10885   \Hy@RestoreLastskip
10886 }
10887 \def\hyper@anchorstart#1{%
10888   \Hy@SaveLastskip
10889   \Hy@VerboseAnchor{#1}%
10890   \begingroup
10891     \hyper@chars\special{t4ht=<a name=%
10892       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
10893   \endgroup
10894   \Hy@activeanchortrue
10895 }
10896 \def\hyper@anchorend{%
10897   \special{t4ht=</a>}%
10898   \Hy@activeanchorfalse
10899   \Hy@RestoreLastskip
10900 }
10901 \def\curltype[url]
10902 \def\hyper@linkstart#1#2{%
10903   \Hy@VerboseLinkStart{#1}{#2}%
10904   \expandafter\Hy@colorlink\csname @#1color\endcsname
10905   \def\Hy@tempa{#1}%
10906   \ifx\Hy@tempa\curltype
10907     \special{t4ht=<a href=\hyper@quote#2\hyper@quote>}%
10908   \else
10909     \begingroup
10910       \hyper@chars
10911       \special{t4ht=<a href=%
10912         \hyper@quote\#\HyperDestNameFilter{#2}\hyper@quote>}%
10913     \endgroup
10914   \fi
10915 }
10916 \def\hyper@linkend{%
10917   \special{t4ht=</a>}%
10918   \Hy@endcolorlink
10919 }
10920 \def\hyper@linkfile#1#2#3{%
10921   \hyper@linkurl{#1}{\Hy@linkfileprefix#2\ifx\\#3\\else\\#3\fi}%
10922 }
10923 \def\hyper@linkurl#1#2{%
10924   \leavevemode
10925   \ifHy@raiselinks
10926     \setbox\@tempboxa=\color@hbox #1\color@endbox
10927     \linkdim\dp\@tempboxa
10928     \lower\linkdim\hbox{%
10929       \begingroup

```

```

10930     \hyper@chars
10931     \special{%
10932         t4ht=<a href=\hyper@quote#2\hyper@quote>%
10933     }%
10934     \endgroup
10935 }%
10936 \Hy@colorlink\@urlcolor#1\Hy@endcolorlink
10937 \@linkdim\ht\@tempboxa
10938 \advance\@linkdim by -6.5\p@
10939 \raise\@linkdim\hbox{\special{t4ht=</a>}}%
10940 \else
10941 \begingroup
10942 \hyper@chars
10943 \special{t4ht=<a href=\hyper@quote#2\hyper@quote>}%
10944 \Hy@colorlink\@urlcolor#1\Hy@endcolorlink
10945 \special{t4ht=</a>}%
10946 \endgroup
10947 \fi
10948 }

```

Poor implementation of \hyper@link without considering #1.

```

10949 \def\hyper@link#1#2#3{%
10950   \Hy@VerboseLinkStart{#1}{#2}%
10951   \hyper@linkurl{#3}{\#\HyperDestNameFilter{#2}}%
10952 }
10953 \def\hyper@image#1#2{%
10954   \begingroup
10955   \hyper@chars
10956   \special{t4ht=<img src=\hyper@quote#1\hyper@quote>}%
10957   \endgroup
10958 }
10959 \let\autoref\ref
10960 \ifx \rEfLiNK \UnDef
10961   \def\rEfLiNK #1#2{#2}%
10962 \fi
10963 \def\backref#1{%
10964   /tex4ht}
10965 {*tex4htcfg}
10966 \IfFileExists{\jobname.cfg}{\endinput}{}
10967 \Preamble{html}
10968 \begin{document}%
10969 \EndPreamble
10970 \def\TeX{\TeX}
10971 \def\OMEGA{\Omega}
10972 \def\LaTeX{\LaTeX}
10973 \def\LaTeXe{\LaTeXe}
10974 \def\cTeX{\cTeX}
10975 \def\MF{\Metafont}
10976 \def\MP{\MetaPost}
10977 /tex4htcfg

```

47 Driver-specific form support

47.1 pdfmarks

```

10978 {*pdfmark}
10979 \long\def\@Form[#1]{%
10980 \g@addto@macro\Hy@FirstPageHook{%

```

```

10981 \headerps@out{%
10982 [%]
10983 /_objdef{pdfDocEncoding}%
10984 /type/dict%
10985 /OBJ pdfmark%
10986 [%]
10987 {pdfDocEncoding}%
10988 <<%
10989 /Type/Encoding%
10990 /Differences[%]
10991 24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek/ring%
10992 /tilde %
10993 39/quotesingle %
10994 96/grave %
10995 128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
10996 /fraction/guilingleft/guilingleft/minus/perthousand%
10997 /quotedblbase/quotedblleft/quotedblright/quotelleft%
10998 /quoteright/quotesinglbase/trademark/fi/fl/Lslash/OE/Scaron%
10999 /Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron %
11000 164/currency %
11001 166/brokenbar %
11002 168/dieresis/copyright/ordfeminine %
11003 172/logicalnot/.notdef/registered/macron/degree/plusminus%
11004 /twosuperior/threesuperior/acute/mu %
11005 183/periodcentered/cedilla/onesuperior/ordmasculine %
11006 188/onequarter/onehalf/threequarters %
11007 192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
11008 /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave%
11009 /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute%
11010 /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave%
11011 /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls%
11012 /grave/aacute/acircumflex/tilde/adieresis/aring/ae%
11013 /ccedilla/egrave/eacute/ecircumflex/edieresis/igrave%
11014 /iacute/icircumflex/idieresis/eth/ntilde/ograve/oacute%
11015 /ocircumflex/otilde/odieresis/divide/oslash/ugrave/uacute%
11016 /ucircumflex/udieresis/yacute/thorn/ydieresis%
11017 ]%
11018 >>%
11019 /PUT pdfmark%
11020 [%]
11021 /_objdef{ZaDb}%
11022 /type/dict%
11023 /OBJ pdfmark%
11024 [%]
11025 {ZaDb}%
11026 <<%
11027 /Type/Font%
11028 /Subtype/Type1%
11029 /Name/ZaDb%
11030 /BaseFont/ZapfDingbats%
11031 >>%
11032 /PUT pdfmark%
11033 [%]
11034 /_objdef{Helv}%
11035 /type/dict%
11036 /OBJ pdfmark%
11037 [%]

```

```

11038 {Helv}%
11039 <<%
11040 /Type/Font%
11041 /Subtype/Type1%
11042 /Name/Helv%
11043 /BaseFont/Helvetica%
11044 /Encoding{pdfDocEncoding}%
11045 >>%
11046 /PUT pdfmark%
11047 [%]
11048 /_objdef{aform}%
11049 /type/dict%
11050 /OBJ pdfmark%
11051 [%]
11052 /_objdef{afields}%
11053 /type/array%
11054 /OBJ pdfmark%
11055 {%
11056 [%]
11057 /BBox[0 0 100 100]%
11058 /_objdef{Check}%
11059 /BP pdfmark %
11060 1 0 0 setrgbcolor%
11061 /ZapfDingbats 80 selectfont %
11062 20 20 moveto%
11063 (4)show%
11064 [/EP pdfmark%
11065 [%]
11066 /BBox[0 0 100 100]%
11067 /_objdef{Cross}%
11068 /BP pdfmark %
11069 1 0 0 setrgbcolor%
11070 /ZapfDingbats 80 selectfont %
11071 20 20 moveto%
11072 (8)show%
11073 [/EP pdfmark%
11074 [%]
11075 /BBox[0 0 250 100]%
11076 /_objdef{Submit}%
11077 /BP pdfmark %
11078 0.6 setgray %
11079 0 0 250 100 rectfill %
11080 1 setgray %
11081 2 2 moveto %
11082 2 98 lineto %
11083 248 98 lineto %
11084 246 96 lineto %
11085 4 96 lineto %
11086 4 4 lineto %
11087 fill %
11088 0.34 setgray %
11089 248 98 moveto %
11090 248 2 lineto %
11091 2 2 lineto %
11092 4 4 lineto %
11093 246 4 lineto %
11094 246 96 lineto %

```

```

11095 fill%
11096 /Helvetica 76 selectfont %
11097 0 setgray %
11098 8 22.5 moveto%
11099 (Submit)show%
11100 [/EP pdfmark%
11101 [%]
11102 /BBox[0 0 250 100]%
11103 /_objdef{SubmitP}%
11104 /BP pdfmark %
11105 0.6 setgray %
11106 0 0 250 100 rectfill %
11107 0.34 setgray %
11108 2 2 moveto %
11109 2 98 lineto %
11110 248 98 lineto %
11111 246 96 lineto %
11112 4 96 lineto %
11113 4 4 lineto %
11114 fill %
11115 1 setgray %
11116 248 98 moveto %
11117 248 2 lineto %
11118 2 2 lineto %
11119 4 4 lineto %
11120 246 4 lineto %
11121 246 96 lineto %
11122 fill%
11123 /Helvetica 76 selectfont %
11124 0 setgray %
11125 10 20.5 moveto%
11126 (Submit)show%
11127 [/EP pdfmark%
11128 } ?pdfmark%
11129 [%]
11130 {aform}%
11131 <<%
11132 /Fields{afields}%
11133 /DR<<%
11134 /Font<<%
11135 /ZaDb{ZaDb}%
11136 /Helv{Helv}%
11137 >>%
11138 >>%
11139 /DA(/Helv 10 Tf 0 g)%
11140 /CO{corder}%
11141 \ifHy@pdfa
11142 \else
11143 /NeedAppearances true%
11144 \fi
11145 >>%
11146 /PUT pdfmark%
11147 [%]
11148 {Catalog}%
11149 <<%
11150 /AcroForm{aform}%
11151 >>%

```

```

11152 /PUT pdfmark%
11153 [%]
11154   /_objdef{corder}%
11155   /type/array%
11156 /OBJ pdfmark% dps
11157 }}%
11158   \setkeys{Form}{#1}%
11159 }
11160 \def\@endForm{}
11161 \def\@Gauge[#1]#2#3#4{%
  parameters, label, minimum, maximum
  \typeout{Sorry, pdfmark drivers do not support FORM gauges}%
}
11163 }
11164 \def\@TextField[#1]#2{%
  parameters, label
  \def\Fld@name{#2}%
  \def\Fld@default{}%
  \let\Fld@value\empty
  \def\Fld@width{\DefaultWidthofText}%
  \def\Fld@height{%
    \ifFld@multiline
      \DefaultHeightofTextMultiline
    \else
      \DefaultHeightofText
    \fi
  }%
}
11165 \begingroup
11166   \Field@toks={}
11167   \expandafter\HyField@SetKeys\expandafter{%
  \DefaultOptionsofText,#1}%
}
11168 \HyField@FlagsText
11169 \ifFld@hidden\def\Fld@width{1sp}\fi
11170 \ifx\Fld@value\empty\def\Fld@value{\Fld@default}\fi
11171 \LayoutTextField{#2}{%
  \Hy@escapeform\PDFForm@Text
  \pdfmark{\MakeTextField{\Fld@width}{\Fld@height}}{%
    pdfmark=/ANN,Raw={\PDFForm@Text}}%
}
11172 \begingroup
11173   \Field@toks={}
11174   \expandafter\HyField@SetKeys\expandafter{%
  \DefaultOptionsofText,\Fld@width,\Fld@height}%
}
11175 \endgroup
11176 \endgroup
11177 \def\@ChoiceMenu[#1]#2#3{%
  parameters, label, choices
  \def\Fld@name{#2}%
  \let\Fld@default\relax
  \let\Fld@value\relax
  \def\Fld@width{\DefaultWidthofChoiceMenu}%
  \def\Fld@height{\DefaultHeightofChoiceMenu}%
}
11178 \begingroup
11179   \Fld@menulength=0 %
11180   \tempdima\z@
11181   \for\currpt:=#3\do{%
  \expandafter\Fld@checkeq\currpt==\\%
  \Hy@StepCount\Fld@menulength
  \settowidth{\tempdima}{\currDisplay}%
  \ifdim\tempdima>\tempdima\tempdima\tempdima\tempdima\fi
}
11182 \advance\tempdima by 15\p@
11183 \Field@toks={}

```

```

11209 \begingroup
11210   \HyField@SetKeys{#1}%
11211 \edef\x{\endgroup
11212   \noexpand\expandafter
11213   \noexpand\HyField@SetKeys
11214   \noexpand\expandafter{%
11215     \expandafter\noexpand\csname DefaultOptionsof%
11216     \ifFld@radio
11217       Radio%
11218     \else
11219       \ifFld@combo
11220         \ifFld@popdown
11221           PopdownBox%
11222         \else
11223           ComboBox%
11224         \fi
11225       \else
11226         ListBox%
11227       \fi
11228     \fi
11229   \endcsname
11230 }%
11231 }\x
11232 \HyField@SetKeys{#1}%
11233 \ifFld@hidden\def\Fld@width{1sp}\fi
11234 \ifx\Fld@value\relax
11235   \let\Fld@value\Fld@default
11236 \fi
11237 \LayoutChoiceField{#2}{%
11238   \ifFld@radio
11239     \HyField@FlagsRadioButton
11240     \@@Radio{#3}%
11241   \else
11242     \begingroup
11243       \HyField@FlagsChoice
11244       \ifdim\Fld@width<@\tempdima
11245         \ifdim@\tempdima<1cm@\tempdima1cm\fi
11246         \edef\Fld@width{\the@\tempdima}%
11247       \fi
11248       \ifFld@combo
11249       \else
11250         \tempdima=\the\Fld@menulength\Fld@charsize
11251         \advance@\tempdima by \Fld@borderwidth bp %
11252         \advance@\tempdima by \Fld@borderwidth bp %
11253         \edef\Fld@height{\the@\tempdima}%
11254       \fi
11255       \@@Listbox{#3}%
11256     \endgroup
11257   \fi
11258 }%
11259 \endgroup
11260 }
11261 \def\@@Radio#1{%
11262   \Fld@listcount=0 %
11263   \cfor\curropt:=#1\do{%
11264     \expandafter\Fld@checkequals\curropt==\\%
11265     \Hy@StepCount\Fld@listcount

```

```

11266  \@currDisplay\space
11267  \Hy@escapeform\PDFForm@Radio
11268  \pdfmark[\MakeRadioField{\Fld@width}{\Fld@height}]{%
11269    pdfmark=/ANN,%
11270    Raw={%
11271      \PDFForm@Radio /AP </>N <>/\currValue\space {Check}>> >>%
11272    }%
11273  } % deliberate space between radio buttons
11274 }%
11275 }
11276 \newcount\Fld@listcount
11277 \def\@@Listbox#1{%
11278  \HyField@PDFChoices{#1}%
11279  \Hy@escapeform\PDFForm@List
11280  \pdfmark[\MakeChoiceField{\Fld@width}{\Fld@height}]{%
11281    pdfmark=/ANN,Raw={\PDFForm@List}%
11282  }%
11283 }
11284 \def\@PushButton[#1]#2{%
parameters, label
11285 \def\Fld@name{#2}%
11286 \begingroup
11287  \Field@toks={ }%
11288  \expandafter\HyField@SetKeys\expandafter{%
11289    \DefaultOptionsofPushButton,#1%
11290  }%
11291  \ifHy@pdflatex
11292    \PackageError{hyperref}{%
11293      PDF/A: Push button with JavaScript is prohibited%
11294    }%
11295  \LayoutPushButtonField{%
11296    \leavevmode
11297    \MakeButtonField{#2}%
11298  }%
11299  \else
11300  \HyField@FlagsPushButton
11301  \ifFld@hidden\def\Fld@width{1sp}\fi
11302  \LayoutPushButtonField{%
11303    \leavevmode
11304    \Hy@escapeform\PDFForm@Push
11305    \pdfmark[\MakeButtonField{#2}]{%
11306      pdfmark=/ANN,Raw={\PDFForm@Push}%
11307    }%
11308  }%
11309  \fi
11310 \endgroup
11311 }
11312 \def\@Submit[#1]#2{%
11313  \Field@toks={ }%
11314  \def\Fld@width{\DefaultWidthofSubmit}%
11315  \def\Fld@height{\DefaultHeightofSubmit}%
11316  \begingroup
11317  \expandafter\HyField@SetKeys\expandafter{%
11318    \DefaultOptionsofSubmit,#1%
11319  }%
11320  \HyField@FlagsPushButton
11321  \HyField@FlagsSubmit
11322  \ifFld@hidden\def\Fld@width{1sp}\fi

```

```

11323   \Hy@escapeform\PDFForm@Submit
11324   \pdfmark[\MakeButtonField{\#2}]{%
11325     pdfmark=/ANN,%
11326     Raw={\PDFForm@Submit /AP << /N {Submit} /D {SubmitP} >>}%
11327   }%
11328 \endgroup
11329 }
11330 \def\@Reset[#1]#2{%
11331   \Field@toks={ }%
11332   \def\Fld@width{\DefaultWidthofReset}%
11333   \def\Fld@height{\DefaultHeightofReset}%
11334 \begingroup
11335   \expandafter\HyField@SetKeys\expandafter{%
11336     \DefaultOptionsofReset,#1}%
11337   }%
11338   \leavevmode
11339   \ifHy@pdfa
11340     \PackageError{hyperref}{%
11341       PDF/A: Reset action is prohibited}%
11342   } \else
11343     \MakeButtonField{\#2}%
11344   \else
11345     \HyField@FlagsPushButton
11346     \ifFld@hidden\def\Fld@width{1sp}\fi
11347     \Hy@escapeform\PDFForm@Reset
11348     \pdfmark[\MakeButtonField{\#2}]{%
11349       pdfmark=/ANN,Raw={\PDFForm@Reset}}%
11350     }%
11351   \fi
11352 \endgroup
11353 }%
11354 \def\@CheckBox[#1]#2{%
11355   \def\Fld@name{\#2}%
11356   \def\Fld@default{0}%
11357 \begingroup
11358   \def\Fld@width{\DefaultWidthofCheckBox}%
11359   \def\Fld@height{\DefaultHeightofCheckBox}%
11360   \Field@toks={ }%
11361   \expandafter\HyField@SetKeys\expandafter{%
11362     \DefaultOptionsofCheckBox,#1}%
11363   }%
11364   \HyField@FlagsCheckBox
11365   \ifFld@hidden\def\Fld@width{1sp}\fi
11366   \LayoutCheckField{\#2}{%
11367     \Hy@escapeform\PDFForm@Check
11368     \pdfmark[\MakeCheckField{\Fld@width}{\Fld@height}]{%
11369       pdfmark=/ANN,Raw={\PDFForm@Check}}%
11370     }%
11371   }%
11372 \endgroup
11373 }
11374 
```

47.2 HyperTeX

```

11375 (*hypertex)
11376 \def\@Form[#1]{\typeout{Sorry, HyperTeX does not support FORMs}}
11377 \def\@endForm{}
```

```

11378 \def\@Gauge[#1]#2#3#4{%
11379   \typeout{Sorry, HyperTeX does not support FORM gauges}%
11380 }
11381 \def\@TextField[#1]#2{%
11382   \typeout{Sorry, HyperTeX does not support FORM text fields}%
11383 }
11384 \def\@CheckBox[#1]#2{%
11385   \typeout{Sorry, HyperTeX does not support FORM checkboxes}%
11386 }
11387 \def\@ChoiceMenu[#1]#2#3{%
11388   \typeout{Sorry, HyperTeX does not support FORM choice menus}%
11389 }
11390 \def\@PushButton[#1]#2{%
11391   \typeout{Sorry, HyperTeX does not support FORM pushbuttons}%
11392 }
11393 \def\@Reset[#1]#2{\typeout{Sorry, HyperTeX does not support FORMs}%
11394 \def\@Submit[#1]#2{\typeout{Sorry, HyperTeX does not support FORMs}%
11395 
```

47.3 TeX4ht

```

11396 (*tex4ht)
11397 \def\@Form[#1]{%
11398   \setkeys{Form}{#1}%
11399   \HCode{<form action="\Form@action" method="\Form@method">}%
11400 }
11401 \def\@endForm{\HCode{</form>}}
11402 \def\@Gauge[#1]#2#3#4{%
11403   \typeout{Sorry, TeX4ht does not support gauges}%
11404 }
11405 \def\@TextField[#1]#2{%
11406   \let\Hy@reserved@a\empty
11407   \def\Fld@name{#2}%
11408   \def\Fld@default{}%
11409   \bgroup
11410     \Field@toks={ }%
11411     \setkeys{Field}{#1}%
11412     \HCode{<label for="\Fld@name">#2</label>}%
11413     \ifFld@password
11414       \@@PasswordField
11415     \else
11416       \@@TextField
11417     \fi
11418   \egroup
11419 }
11420 \def\@@PasswordField{%
11421   \HCode{%
11422     <input type="password" %
11423     id="\Fld@name" %
11424     name="\Fld@name" %
11425     \ifFld@hidden type="hidden" \fi
11426     value="\Fld@default" %
11427     \the\Field@toks
11428   >%
11429 }
11430 }
11431 \def\@@TextField{%
11432   \ifFld@multiline

```

```

11433 \HCode{<textarea %
11434   \ifFld@readonly readonly \fi
11435   id="\Fld@name" %
11436   name="\Fld@name" %
11437   \ifFld@hidden type="hidden" \fi
11438   \the\Field@toks>%
11439 }%
11440 \Fld@default
11441 \HCode{</textarea>}%
11442 \else
11443 \HCode{<input type="textbox" %
11444   \ifFld@readonly readonly \fi
11445   id="\Fld@name" %
11446   name="\Fld@name" %
11447   \ifFld@hidden type="hidden" \fi
11448   value="\Fld@default" %
11449   \the\Field@toks>%
11450 }%
11451 \fi
11452 }
11453 \def\@ChoiceMenu[#1]\#2\#3{%
parameters, label, choices
11454 \def\Fld@name{\#2}%
11455 \def\Fld@default{}%
11456 \let\Hy@reserved@a\relax
11457 \begingroup
11458 \expandafter\Fld@findlength\#3\\%
11459 \Field@toks={ }%
11460 \setkeys{Field}{\#1}%
11461 \#2%
11462 \ifFld@radio
11463 \expandafter\@@Radio\#3\\%
11464 \else
11465 \expandafter\@@Menu\#3\\%
11466 \fi
11467 \endgroup
11468 }
11469 \def\Fld@findlength#1\\{%
11470 \Fld@menulength=0 %
11471 \@for\@curropt:=\#1\do{\Hy@StepCount\Fld@menulength}%
11472 }
11473 \def\@@Menu\#1\\{%
11474 \HCode{<select size="\the\Fld@menulength" %
11475   name="\Fld@name" %
11476   \the\Field@toks>%
11477 }%
11478 \@for\@curropt:=\#1\do{%
11479 \expandafter\Fld@checkequals\@curropt==\\%
11480 \HCode{<option %
11481   \ifx\@curropt\Fld@default selected \fi
11482   value="@currValue">\currDisplay</option>%
11483 }%
11484 }%
11485 \HCode{</select>}%
11486 }
11487 \def\@@Radio\#1\\{%
11488 \@for\@curropt:=\#1\do{%
11489 \expandafter\Fld@checkequals\@curropt==\\%

```

```

11490  \HCode{<input type="radio" %
11491    \ifx\@curropt\Fld@default checked \fi
11492    name="\Fld@name" %
11493    value="\@currValue" %
11494    \the\Field@toks>%
11495  }%
11496  \@currDisplay
11497 }%
11498 }%
11499 \def\@PushButton[#1]#2{%
11500   \def\Fld@name{#2}%
11501   \bgroup
11502     \Field@toks=%
11503     \setkeys{Field}{#1}%
11504     \HCode{<input type="button" %
11505       name="\Fld@name" %
11506       value="#2" %
11507       \the\Field@toks>%
11508     }%
11509     \HCode{</button>}%
11510   \egroup
11511 }%
11512 \def\@Submit[#1]#2{%
11513   \HCode{<button type="submit">#2</button>}%
11514 }%
11515 \def\@Reset[#1]#2{%
11516   \HCode{<button type="reset">#2</button>}%
11517 }%
11518 \def\@CheckBox[#1]#2{%
11519   \let\Hy@reserved@a\empty
11520   \def\Fld@name{#2}%
11521   \def\Fld@default{0}%
11522   \bgroup
11523     \Field@toks=%
11524     \setkeys{Field}{#1}%
11525     \HCode{<input type="checkbox" %
11526       \ifFld@checked checked \fi
11527       \ifFld@disabled disabled \fi
11528       \ifFld@readonly readonly \fi
11529       name="\Fld@name" %
11530       \ifFld@hidden type="hidden" \fi
11531       value="\Fld@default" %
11532       \the\Field@toks>%
11533     #2%
11534   }%
11535   \egroup
11536 }%
11537 
```

47.4 pdfTeX

```

11538 {*pdftex}
11539 \def\@Gauge[#1]#2#3#4{%
11540   \typeout{Sorry, pdftex does not support FORM gauges}%
11541 }%
11542 \def\MakeFieldObject#1#2{\sbox0{#1}%
11543   \immediate\pdfxform0 %
11544   \expandafter\edef\csname #2Object\endcsname{%

```

```

11545   \the\pdflastxform\space 0 R%
11546 }%
11547 % \hbox to 0pt{\hskip-\maxdimen\pdfrefxform \the\pdflastxform}%
11548 }%
11549 \def\HyField@afIELDS{%
11550 \begingroup\expandafter\expandafter\expandafter\endgroup
11551 \expandafter\ifx\csname pdflastlink\endcsname\relax
11552 \let\HyField@AddToFields\relax
11553 \PackageInfo{hyperref}{%
11554 You need pdfTeX 1.40.0 for setting the /Fields entry.%
11555 \MessageBreak
11556 Adobe Reader/Acrobat accepts an empty /Field array,%
11557 \MessageBreak
11558 but other PDF viewers might complain%
11559 }%
11560 \else
11561 \def\HyField@AuxAddToFields#1{}%
11562 \def\HyField@AfterAuxOpen{\AtBeginDocument}%
11563 \AtBeginDocument{%
11564 \if@filesw
11565 \immediate\write\@mainaux{%
11566 \string\providecommand\string\HyField@AuxAddToFields[1]{}%
11567 }%
11568 \fi
11569 \let\HyField@AfterAuxOpen\@firstofone
11570 \def\HyField@AuxAddToFields#1{%
11571 \xdef\HyField@afIELDS{%
11572 \ifx\HyField@afIELDS\@empty
11573 \else
11574 \HyField@afIELDS
11575 \space
11576 \fi
11577 #1 0 R%
11578 }%
11579 }%
11580 }%
11581 \def\HyField@AddToFields{%
11582 \expandafter\HyField@AddToFields\expandafter{%
11583 \the\pdflastlink
11584 }%
11585 }%
11586 \def\HyField@@AddToFields#1{%
11587 \HyField@AfterAuxOpen{%
11588 \if@filesw
11589 \write\@mainaux{%
11590 \string\HyField@AuxAddToFields{#1}%
11591 }%
11592 \fi
11593 }%
11594 }%
11595 \fi
11596 \def\@Form[#1]{%
11597 \@ifundefined{textcolor}{\let\textcolor\@gobble}{}%
11598 \setkeys{Form}{#1}%
11599 \Hy@FormObjects
11600 \ifnum\pdftexversion>13 %
11601 \pdfrefobj\OBJ@pdfdocencoding

```

```

11602   \pdfrefobj\OBJ@ZaDb
11603   \pdfrefobj\OBJ@Helv
11604 \fi
11605 \AtVeryEndDocument{%
11606   \immediate\pdfobj{%
11607     <<%
11608     /Fields[\HyField@fields]%
11609     /DR<<%
11610     /Font<<%
11611     /ZaDb \OBJ@ZaDb\space 0 R%
11612     /Helv \OBJ@Helv\space 0 R%
11613     >>%
11614   >>%
11615   /DA(/Helv 10 Tf 0 g)%
11616   \ifHy@pdfa
11617   \else
11618     /NeedAppearances true%
11619   \fi
11620   >>%
11621 }%
11622 \edef\OBJ@acroform{\the\pdflastobj}%
11623 \pdfcatalog{/AcroForm \OBJ@acroform\space 0 R}%
11624 }%
11625 \MakeFieldObject{%

```

Same as \ding{123} of package pifont.

```

11626 \begingroup
11627   \fontfamily{pzd}%
11628   \fontencoding{U}%
11629   \fontseries{m}%
11630   \fontshape{n}%
11631   \selectfont
11632   \char123 %
11633 \endgroup
11634 \{Ding\}%
11635 \MakeFieldObject{%
11636   \fbox{\textcolor{yellow}{\textsf{Submit}}}%
11637 \{Submit\}%
11638 \MakeFieldObject{%
11639   \fbox{\textcolor{yellow}{\textsf{SubmitP}}}%
11640 \{SubmitP\}%
11641 }
11642 \def\@endForm{%
11643 \def\@TextField[#1]{% parameters, label
11644   \def\Fld@name{#2}%
11645   \def\Fld@default{}%
11646   \let\Fld@value\empty
11647   \def\Fld@width{\DefaultWidthofText}%
11648   \def\Fld@height{%
11649     \ifFld@multiline
11650       \DefaultHeightofTextMultiline
11651     \else
11652       \DefaultHeightofText
11653     \fi
11654   }%
11655 \begingroup
11656   \Field@toks={ }%
11657   \expandafter\HyField@SetKeys\expandafter{%

```

```

11658      \DefaultOptionsofText,#1%
11659  }%
11660  \PDFForm@Name
11661  \HyField@FlagsText
11662  \ifFld@hidden\def\Fld@width{1sp}\fi
11663  \ifx\Fld@value\empty\def\Fld@value{\Fld@default}\fi
11664  \LayoutTextField{#2}{%
11665      \Hy@escapeform\PDFForm@Text
11666      \pdfstartlink user {\PDFForm@Text}\relax
11667      \MakeTextField{\Fld@width}{\Fld@height}\pdfendlink
11668      \HyField@AddToFields
11669  }%
11670  \endgroup
11671 }
11672 \def\@ChoiceMenu[#1]{% parameters, label, choices
11673  \def\Fld@name{#2}%
11674  \let\Fld@default\relax
11675  \let\Fld@value\relax
11676  \def\Fld@width{\DefaultWidthofChoiceMenu}%
11677  \def\Fld@height{\DefaultHeightofChoiceMenu}%
11678  \begingroup
11679  \Fld@menulength=0 %
11680  \tempdima\z@
11681  \for\curropt:=#3\do{%
11682      \expandafter\Fld@checkeq\curropt==\\%
11683      \Hy@StepCount\Fld@menulength
11684      \settowidth{\tempdima}{\currDisplay}%
11685      \ifdim\tempdima>\tempdima\tempdima\tempdima\tempdima\fi
11686  }%
11687  \advance\tempdima by 15\p@
11688  \Field@toks={ }%
11689  \begingroup
11690  \HyField@SetKeys{#1}%
11691  \edef\x{\endgroup
11692  \noexpand\expandafter
11693  \noexpand\HyField@SetKeys
11694  \noexpand\expandafter{%
11695      \expandafter\noexpand\csname DefaultOptionsof%
11696      \ifFld@radio
11697          Radio%
11698      \else
11699          \ifFld@combo
11700              \ifFld@popdown
11701                  PopdownBox%
11702              \else
11703                  ComboBox%
11704              \fi
11705              \else
11706                  ListBox%
11707              \fi
11708          \fi
11709      \endcsname
11710  }%
11711  }\x
11712  \HyField@SetKeys{#1}%
11713  \PDFForm@Name
11714  \ifFld@hidden\def\Fld@width{1sp}\fi

```

```

11715 \ifx\Fld@value\relax
11716   \let\Fld@value\Fld@default
11717 \fi
11718 \LayoutChoiceField{\#2}{%
11719   \ifFld@radio
11720     \HyField@FlagsRadioButton
11721     \@@Radio{\#3}%
11722   \else
11723     \begingroup
11724       \HyField@FlagsChoice
11725       \ifdim\Fld@width<\@tempdima
11726         \ifdim\@tempdima<1cm\@tempdima1cm\fi
11727         \edef\Fld@width{\the\@tempdima}%
11728       \fi
11729     \ifFld@combo
11730     \else
11731       \tempdima=\the\Fld@menulength\Fld@charsize
11732       \advance\tempdima by \Fld@borderwidth bp %
11733       \advance\tempdima by \Fld@borderwidth bp %
11734       \edef\Fld@height{\the\tempdima}%
11735     \fi
11736     \@@Listbox{\#3}%
11737   \endgroup
11738 \fi
11739 }%
11740 \endgroup
11741 }
11742 \def\@@Radio#1{%
11743   \Fld@listcount=0 %
11744   \cfor\curreopt:=#1\do{%
11745     \expandafter\Fld@checkequals\curreopt==\\%
11746     \Hy@StepCount\Fld@listcount
11747     \currDisplay\space
11748     \leavevmode
11749     \Hy@escapeform\PDFForm@Radio
11750     \pdfstartlink user {%
11751       \PDFForm@Radio
11752       /AP<<%
11753       /N<<%
11754       /\currValue\space \DingObject
11755       >>%
11756       >>%
11757     }%
11758   \relax
11759   \MakeRadioField{\Fld@width}{\Fld@height}\pdfendlink
11760   \ifnum\Fld@listcount=1 %
11761     \HyField@AddToFields
11762   \fi
11763   \space % deliberate space between radio buttons
11764 }%
11765 }
11766 \newcount\Fld@listcount
11767 \def\@@Listbox#1{%
11768   \HyField@PDFChoices{\#1}%

```

```

11769 \leavevemode
11770 \Hy@escapeform\PDFForm@List
11771 \pdfstartlink user {\PDFForm@List}\relax
11772 \MakeChoiceField{\Fld@width}{\Fld@height}%
11773 \pdfendlink
11774 \HyField@AddToFields
11775 }
11776 \def\@PushButton[#1]#2{%
parameters, label
11777 \def\Fld@name{#2}%
11778 \begingroup
11779 \Field@toks={ }%
11780 \expandafter\HyField@SetKeys\expandafter{%
11781 \DefaultOptionsofPushButton,#1}%
11782 }%
11783 \PDFForm@Name
11784 \ifHy@pdfa
11785 \PackageError{hyperref}{%
11786 PDF/A: Push button with JavaScript is prohibited}%
11787 }\@ehc
11788 \LayoutPushButtonField{%
11789 \leavevemode
11790 \MakeButtonField{#2}%
11791 }%
11792 \else
11793 \HyField@FlagsPushButton
11794 \ifFld@hidden\def\Fld@width{1sp}\fi
11795 \LayoutPushButtonField{%
11796 \leavevemode
11797 \Hy@escapeform\PDFForm@Push
11798 \pdfstartlink user {\PDFForm@Push}\relax
11799 \MakeButtonField{#2}%
11800 \pdfendlink
11801 \HyField@AddToFields
11802 }%
11803 \fi
11804 \endgroup
11805 }
11806 \def\@Submit[#1]#2{%
11807 \Field@toks={ }%
11808 \def\Fld@width{\DefaultWidthofSubmit}%
11809 \def\Fld@height{\DefaultHeightofSubmit}%
11810 \begingroup
11811 \expandafter\HyField@SetKeys\expandafter{%
11812 \DefaultOptionsofSubmit,#1}%
11813 }%
11814 \HyField@FlagsPushButton
11815 \HyField@FlagsSubmit
11816 \ifFld@hidden\def\Fld@width{1sp}\fi
11817 \leavevemode
11818 \Hy@escapeform\PDFForm@Submit
11819 \pdfstartlink user {%
11820 \PDFForm@Submit
11821 /AP<</N \SubmitObject/D \SubmitPObject>>}%
11822 }%
11823 \relax
11824 \MakeButtonField{#2}%
11825 \pdfendlink

```

```

11826   \HyField@AddToFields
11827   \endgroup
11828 }
11829 \def\@Reset[#1]#2{%
11830   \Field@toks={ }%
11831   \def\Fld@width{\DefaultWidthofReset}%
11832   \def\Fld@height{\DefaultHeightofReset}%
11833   \begingroup
11834     \expandafter\HyField@SetKeys\expandafter{%
11835       \DefaultOptionsofReset,#1%
11836     }%
11837   \leavevemode
11838   \ifHy@pdfa
11839     \PackageError{hyperref}{%
11840       PDF/A: Reset action is prohibited%
11841     }\@ehc
11842     \MakeButtonField{#2}%
11843   \else
11844     \HyField@FlagsPushButton
11845     \ifFld@hidden\def\Fld@width{1sp}\fi
11846     \Hy@escapeform\PDFForm@Reset
11847     \pdfstartlink user {\PDFForm@Reset}\relax
11848     \MakeButtonField{#2}%
11849     \pdfendlink
11850     \HyField@AddToFields
11851   \fi
11852 \endgroup
11853 }
11854 \def\@CheckBox[#1]#2{%
11855   \def\Fld@name{#2}%
11856   \def\Fld@default{0}%
11857   \begingroup
11858     \def\Fld@width{\DefaultWidthofCheckBox}%
11859     \def\Fld@height{\DefaultHeightofCheckBox}%
11860     \Field@toks={ }%
11861     \expandafter\HyField@SetKeys\expandafter{%
11862       \DefaultOptionsofCheckBox,#1%
11863     }%
11864     \PDFForm@Name
11865     \HyField@FlagsCheckBox
11866     \ifFld@hidden\def\Fld@width{1sp}\fi
11867     \LayoutCheckField{#2}{%
11868       \Hy@escapeform\PDFForm@Check
11869       \pdfstartlink user {\PDFForm@Check}\relax
11870       \MakeCheckField{\Fld@width}{\Fld@height}%
11871       \pdfendlink
11872       \HyField@AddToFields
11873     }%
11874   \endgroup
11875 }
11876 \def\Hy@FormObjects{%
11877   \pdfobj {%
11878     <<%
11879     /Type/Encoding%
11880     /Differences[%
11881       24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek%
11882       /ring/tilde %

```

```

11883     39/quotesingle %
11884     96/grave %
11885     128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
11886         /fraction/guilingleft/guilingleft/minus/perthousand%
11887         /quotedblbase/quotedblleft/quotedblright/quotelleft%
11888         /quoteright/quotesinglbase/trademark/fi/fl/Lslash/OE%
11889         /Scaron/Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron %
11890     164/currency %
11891     166/brokenbar %
11892     168/dieresis/copyright/ordfeminine %
11893     172/logicalnot/.notdef/registered/macron/degree/plusminus%
11894         /twosuperior/threesuperior/acute/mu %
11895     183/periodcentered/cedilla/onesuperior/ordmasculine %
11896     188/onequarter/onehalf/threequarters %
11897     192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
11898         /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave%
11899         /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute%
11900         /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave%
11901         /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls%
11902         /agrave/aacute/acircumflex/tilde/adieresis/aring/ae%
11903         /ccedilla/egrave/eacute/ecircumflex/edieresis/igrave%
11904         /iacute/icircumflex/idieresis/eth/ntilde/ograve/oacute%
11905         /ocircumflex/otilde/odieresis/divide/oslash/ugrave%
11906         /uacute/ucircumflex/udieresis/yacute/thorn/ydieresis%
11907     ]%
11908     >>%
11909   }%
11910 \xdef\OBJ@pdfdocencoding{\the\pdflastobj}%
11911 \pdfobj{%
11912   <<%
11913     /Type/Font%
11914     /Subtype/Type1%
11915     /Name/ZaDb%
11916     /BaseFont/ZapfDingbats%
11917   >>%
11918 }%
11919 \xdef\OBJ@ZaDb{\the\pdflastobj}%
11920 \pdfobj{%
11921   <<%
11922     /Type/Font%
11923     /Subtype/Type1%
11924     /Name/Helv%
11925     /BaseFont/Helvetica%
11926     /Encoding \OBJ@pdfdocencoding\space 0 R%
11927   >>%
11928 }%
11929 \xdef\OBJ@Helv{\the\pdflastobj}%
11930 \global\let\Hy@FormObjects\relax
11931 }
11932 
```

47.5 dvipdfm, xetex

D. P. Story adapted the pdf_TE_X forms part for dvipdfm, of which version 0.12.7b or higher is required because of a bug.

```
11933 (*dvipdfm | xetex)
```

```
\@Gauge
```

```

11934 \def\@Gauge[#1]#2#3#4{%
11935   \typeout{Sorry, dvipdfm/XeTeX does not support FORM gauges}%
11936 }

\@Form
11937 \def\@Form[#1]{%
11938   \ifundefined{textcolor}{\let\textcolor\@gobble}{}%
11939   \setkeys{Form}{#1}%
11940   \Hy@Form@Objects
11941   \Cpdfm@mark{obj @fields []}%
11942   \Cpdfm@mark{obj @corder []}%
11943   \Cpdfm@mark{%
11944     obj @form <<%
11945     /Fields @fields%
11946     /DR<<%
11947     /Font<<%
11948     /ZaDb @OBJZaDb%
11949     /Helv @OBJHelv%
11950     >>%
11951     >>%
11952     /DA(/Helv 10 Tf 0 g)%
11953     /CO @corder%
11954     \ifHy@pdflatex
11955     \else
11956       /NeedAppearances true%
11957     \fi
11958     >>%
11959   }%
11960   \Cpdfm@mark{put @catalog <</AcroForm @form>>}%
11961 }

\@endForm
11962 \def\@endForm{}

\dvipdfm@setdim \dvipdfm@setdim sets dimensions for ann using \pdfm@box.
11963 \def\dvipdfm@setdim{%
11964   height \the\ht\pdfm@box\space
11965   width \the\wd\pdfm@box\space
11966   depth \the\dp\pdfm@box\space
11967 }

\HyField@AnnotCount
11968 \newcount\HyField@AnnotCount
11969 \HyField@AnnotCount=\z@

\HyField@AdvanceAnnotCount
11970 \def\HyField@AdvanceAnnotCount{%
11971   \global\advance\HyField@AnnotCount\@ne
11972 }

\HyField@TheAnnotCount
11973 \def\HyField@TheAnnotCount{%
11974   \the\HyField@AnnotCount
11975 }

```

```

\@TextField

11976 \def\@TextField[#1]#2{%
parameters, label
11977 \def\Fld@name{#2}%
11978 \def\Fld@default{}%
11979 \let\Fld@value\empty
11980 \def\Fld@width{\DefaultWidthofText}%
11981 \def\Fld@height{}%
11982 \ifFld@multiline
11983 \DefaultHeightofTextMultiline
11984 \else
11985 \DefaultHeightofText
11986 \fi
11987 }%
11988 \begingroup
11989 \Field@toks={ }%
11990 \expandafter\HyField@SetKeys\expandafter{%
11991 \DefaultOptionsofText,#1}%
11992 }%
11993 \PDFForm@Name
11994 \HyField@FlagsText
11995 \ifFld@hidden\def\Fld@width{1sp}\fi
11996 \ifx\Fld@value\empty\def\Fld@value{\Fld@default}\fi
11997 \setbox\pdfm@box=\hbox{%
11998 \MakeTextField{\Fld@width}{\Fld@height}}%
11999 }%
12000 \HyField@AdvanceAnnotCount
12001 \LayoutTextField{#2}{%
12002 \Hy@escapeform\PDFForm@Text
12003 \pdfm@mark{%
12004 ann @text\HyField@TheAnnotCount\space
12005 \dvipdfm@setdim << \PDFForm@Text >>}%
12006 }%
12007 }%
12008 \unhbox\pdfm@box
12009 \pdfm@mark{put @afIELDS @text\HyField@TheAnnotCount}%
12010 % record in @afIELDS array
12011 \endgroup
12012 }

```

\@ChoiceMenu

```

12013 \def\@ChoiceMenu[#1]#2#3{%
parameters, label, choices
12014 \def\Fld@name{#2}%
12015 \let\Fld@default\relax
12016 \let\Fld@value\relax
12017 \def\Fld@width{\DefaultWidthofChoiceMenu}%
12018 \def\Fld@height{\DefaultHeightofChoiceMenu}%
12019 \begingroup
12020 \Fld@menulength=0 %
12021 \tempdima\z@
12022 \for\curropt:=#3\do{%
12023 \expandafter\Fld@checkequals\curropt==\\%
12024 \Hy@StepCount\Fld@menulength
12025 \settowidth{@tempdimb}{\currDisplay}%
12026 \ifdim\tempdimb>\tempdima\tempdima\tempdimb\fi
12027 }%
12028 \advance\tempdima by 15\p@
12029 \Field@toks={ }%

```

```

12030 \begingroup
12031   \HyField@SetKeys{#1}%
12032 \edef\x{\endgroup
12033   \noexpand\expandafter
12034   \noexpand\HyField@SetKeys
12035   \noexpand\expandafter{%
12036     \expandafter\noexpand\csname DefaultOptionsof%
12037     \ifFld@radio
12038       Radio%
12039     \else
12040       \ifFld@combo
12041         \ifFld@popdown
12042           PopdownBox%
12043         \else
12044           ComboBox%
12045         \fi
12046       \else
12047         ListBox%
12048       \fi
12049     \fi
12050   \endcsname
12051 }%
12052 }\x
12053 \HyField@SetKeys{#1}%
12054 \PDFForm@Name
12055 \ifFld@hidden\def\Fld@width{1sp}\fi
12056 \ifx\Fld@value\relax
12057   \let\Fld@value\Fld@default
12058 \fi
12059 \LayoutChoiceField{#2}{%
12060   \ifFld@radio
12061     \HyField@FlagsRadioButton
12062     \@@Radio{#3}%
12063   \else
12064     \begingroup
12065       \HyField@FlagsChoice
12066       \ifdim\Fld@width<\@tempdima
12067         \ifdim\@tempdima<1cm\@tempdima1cm\fi
12068         \edef\Fld@width{\the\@tempdima}%
12069       \fi
12070     \ifFld@combo
12071     \else
12072       \ifdim\@tempdima=\the\Fld@menulength\Fld@charsize
12073         \advance\@tempdima by \Fld@borderwidth bp %
12074         \advance\@tempdima by \Fld@borderwidth bp %
12075         \edef\Fld@height{\the\@tempdima}%
12076       \fi
12077       \@@Listbox{#3}%
12078     \endgroup
12079   \fi
12080 }%
12081 \endgroup
12082 }

\@@Radio
12083 \def\@@Radio#1{%
12084   \Fld@listcount=0 %

```

```

12085 \setbox\pdfm@box=\hbox{%
12086   \MakeRadioField{\Fld@width}{\Fld@height}%
12087 }%
12088 \@for\curropt:=#1\do{%
12089   \expandafter\Fld@checkeq\curropt==\%
12090   \Hy@StepCount\Fld@listcount
12091   \currDisplay\space
12092   \leavevmode
12093   \Hy@escapeform\PDFForm@Radio
12094   \ifnum\Fld@listcount=1 %
12095     \HyField@AdvanceAnnotCount
12096   \fi
12097   \pdfm@mark{%
12098     ann %
12099     \ifnum\Fld@listcount=1 %
12100       @radio\HyField@TheAnnotCount%
12101       \space
12102     \fi
12103     \dvipdfm@setdim
12104     <<%
12105       \PDFForm@Radio
12106       /AP<</N<</\currValue /null>>>%
12107     >>%
12108   }%
12109   \unhcopy\pdfm@box\space% deliberate space between radio buttons
12110   \ifnum\Fld@listcount=1 %
12111     \pdfm@mark{%
12112       put @fields @radio\HyField@TheAnnotCount
12113     }%
12114   \fi
12115 }%
12116 }

\Fld@listcount
12117 \newcount\Fld@listcount

\@@Listbox
12118 \def\@@Listbox#1{%
12119   \HyField@PDFChoices{#1}%
12120   \setbox\pdfm@box=\hbox{%
12121     \MakeChoiceField{\Fld@width}{\Fld@height}%
12122   }%
12123   \leavevmode
12124   \Hy@escapeform\PDFForm@List
12125   \HyField@AdvanceAnnotCount
12126   \pdfm@mark{%
12127     ann @list\HyField@TheAnnotCount\space
12128     \dvipdfm@setdim
12129     <<\PDFForm@List>>%
12130   }%
12131   \unhbox\pdfm@box
12132   \pdfm@mark{put @fields @list\HyField@TheAnnotCount}%
12133 }

\@PushButton
12134 \def\@PushButton[#1]#2{%
parameters, label
12135   \def\Fld@name{#2}%

```

```

12136 \begingroup
12137   \Field@toks={ }%
12138   \expandafter\HyField@SetKeys\expandafter{%
12139     \DefaultOptionsofPushButton,#1%
12140   }%
12141   \PDFForm@Name
12142   \ifHy@pdfa
12143     \PackageError{hyperref}{%
12144       PDF/A: Push button with JavaScript is prohibited%
12145     }%
12146     \LayoutPushButtonField{%
12147       \leavevmode
12148       \MakeButtonField{#2}%
12149     }%
12150   \else
12151     \setbox\pdfm@box=\hbox{\MakeButtonField{#2}}%
12152     \HyField@FlagsPushButton
12153     \ifFld@hidden\def\Fld@width{1sp}\fi
12154     \HyField@AdvanceAnnotCount
12155     \LayoutPushButtonField{%
12156       \leavevmode
12157       \Hy@escapeform\PDFForm@Push
12158       \pdfm@mark{%
12159         ann @push\HyField@TheAnnotCount\space
12160         \dvipdfm@setdim
12161         <<\PDFForm@Push>>%
12162       }%
12163     }%
12164     \unhbox\pdfm@box
12165     \pdfm@mark{put @fields @push\HyField@TheAnnotCount}%
12166   \fi
12167 \endgroup
12168 }

\@Submit

12169 \def\@Submit[#1]#2{%
12170   \Field@toks={ }%
12171   \def\Fld@width{\DefaultWidthofSubmit}%
12172   \def\Fld@height{\DefaultHeightofSubmit}%
12173   \begingroup
12174     \expandafter\HyField@SetKeys\expandafter{%
12175       \DefaultOptionsofSubmit,#1%
12176     }%
12177     \HyField@FlagsPushButton
12178     \HyField@FlagsSubmit
12179     \ifFld@hidden\def\Fld@width{1sp}\fi
12180     \setbox\pdfm@box=\hbox{\MakeButtonField{#2}}%
12181     \leavevmode
12182     \Hy@escapeform\PDFForm@Submit
12183     \HyField@AdvanceAnnotCount
12184     \pdfm@mark{%
12185       ann @submit\HyField@TheAnnotCount\space
12186       \dvipdfm@setdim
12187       <<\PDFForm@Submit>>%
12188     }%
12189     \unhbox\pdfm@box%
12190     \pdfm@mark{put @fields @submit\HyField@TheAnnotCount}%

```

```

12191 \endgroup
12192 }

\@Reset

12193 \def\@Reset[#1]#2{%
12194 \Field@toks={ }%
12195 \def\Fld@width{\DefaultWidthofReset}%
12196 \def\Fld@height{\DefaultHeightofReset}%
12197 \begingroup
12198 \expandafter\HyField@SetKeys\expandafter{%
12199 \DefaultOptionsofReset,#1}%
12200 }%
12201 \leavevmode
12202 \ifHy@pdfa
12203 \PackageError{hyperref}{%
12204 PDF/A: Reset action is prohibited}%
12205 } \at@ehc
12206 \MakeButtonField{#2}%
12207 \else
12208 \HyField@FlagsPushButton
12209 \ifFld@hidden\def\Fld@width{1sp}\fi
12210 \setbox\pdfm@box=\hbox{\MakeButtonField{#2}}%
12211 \Hy@escapeform\PDFForm@Reset
12212 \HyField@AdvanceAnnotCount
12213 \pdfm@mark{%
12214 ann @reset\HyField@TheAnnotCount\space
12215 \dvipdfm@setdim
12216 <<\PDFForm@Reset>>%
12217 }%
12218 \unhbox\pdfm@box
12219 \pdfm@mark{put @fields @reset\HyField@TheAnnotCount}%
12220 \fi
12221 \endgroup
12222 }

```

\@CheckBox

```

12223 \def\@CheckBox[#1]#2{%
parameters, label
12224 \def\Fld@name{#2}%
12225 \def\Fld@default{0}%
12226 \begingroup
12227 \def\Fld@width{\DefaultWidthofCheckBox}%
12228 \def\Fld@height{\DefaultHeightofCheckBox}%
12229 \Field@toks={ }%
12230 \expandafter\HyField@SetKeys\expandafter{%
12231 \DefaultOptionsofCheckBox,#1}%
12232 }%
12233 \PDFForm@Name
12234 \HyField@FlagsCheckBox
12235 \ifFld@hidden\def\Fld@width{1sp}\fi
12236 \setbox\pdfm@box=\hbox{%
12237 \MakeCheckField{\Fld@width}{\Fld@height}%
12238 }%
12239 \HyField@AdvanceAnnotCount
12240 \LayoutCheckField{#2}{%
12241 \Hy@escapeform\PDFForm@Check
12242 \pdfm@mark{%
ann @check\HyField@TheAnnotCount\space

```

```

12244      \dvipdfm@setdim
12245      <<\PDFForm@Check>>%
12246  }%
12247  \unhbox\pdfm@box
12248  \@pdfm@mark{put @afIELDS @check\HyField@TheAnnotCount}%
12249  }%
12250 \endgroup
12251 }

12252 \def\Hy@FormObjects{%
12253  \@pdfm@mark{obj @OBJJpdfdocencoding}%
12254  <<%
12255  /Type/Encoding%
12256  /Differences[%
12257  24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek/ring/tilde %
12258  39/quotesingle %
12259  96/grave %
12260  128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
12261  /fraction/guilingleft/guilingsright/minus/perthousand%
12262  /quotedblbase/quotedblleft/quotedblright/quotelleft/quoteright%
12263  /quotesinglbase/trademark/fi/fl/Lslash/OE/Scaron/Ydieresis%
12264  /Zcaron/dotlessi/lslash/oe/scaron/zcaron %
12265  164/currency %
12266  166/brokenbar %
12267  168/dieresis/copyright/ordfeminine %
12268  172/logicalnot/.notdef/registered/macron/degree/plusminus%
12269  /twosuperior/threesuperior/acute/mu %
12270  183/periodcentered/cedilla/onesuperior/ordmasculine %
12271  188/onequarter/onehalf/threequarters %
12272  192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
12273  /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave/Iacute%
12274  /Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute/Ocircumflex%
12275  /Otilde/Odieresis/multiply/Oslash/Ugrave/Uacute/Ucircumflex%
12276  /Udieresis/Yacute/Thorn/germandbls/grave/aacute/acircumflex%
12277  /atilde/adieresis/aring/ae/ccedilla/egrave/eacute%
12278  /ecircumflex/edieresis/igrave/iacute/icircumflex/idieresis%
12279  /eth/ntilde/ograve/oacute/ocircumflex/otilde/odieresis%
12280  /divide/oslash/ugrave/uacute/ucircumflex/udieresis/yacute%
12281  /thorn/ydieresis%
12282  ]%
12283  >>%
12284 }%
12285 \@pdfm@mark{obj @OBJZaDb}%
12286  <<%
12287  /Type/Font%
12288  /Subtype/Type1%
12289  /Name/ZaDb%
12290  /BaseFont/ZapfDingbats%
12291  >>%
12292 }%
12293 \@pdfm@mark{obj @OBJHelv}%
12294  <<%
12295  /Type/Font%
12296  /Subtype/Type1%
12297  /Name/Helv%
12298  /BaseFont/Helvetica%
12299  /Encoding @OBJpdfdocencoding%
12300  >>%

```

```

12301  }%
12302  \global\let\Hy@FormObjects\relax
12303 }
12304 </dvipdfm | xetex>

47.6 Common forms part

12305 {*pdfform}

\Hy@escapestring
12306 \begingroup\expandafter\expandafter\expandafter\endgroup
12307 \expandafter\ifx\csname pdfescapestring\endcsname\relax
12308 \let\Hy@escapestring\@firstofone
12309 \def\Hy@escapeform#1{%
12310   \ifHy@escapeform
12311     \def\Hy@escapestring##1{%
12312       \noexpand\Hy@escapestring{\noexpand##1}%
12313     }%
12314     \edef\Hy@temp{#1}%
12315     \expandafter\Hy@escapeform\Hy@temp\Hy@escapestring{}@\nil
12316     \def\Hy@escapestring##1{%
12317       \@ifundefined{\Hy@esc@\string##1}{%
12318         ##1%
12319         \ThisShouldNotHappen
12320       }{%
12321         \csname Hy@esc@\string##1\endcsname
12322       }%
12323     }%
12324   \else
12325     \let\Hy@escapestring\@firstofone
12326   \fi
12327 }%
12328 \def\Hy@escapeform#1\Hy@escapestring#2#3@\nil{%
12329   \ifx\\#3\\%
12330   \else
12331     \expandafter
12332     \Hy@pstringdef\csname Hy@esc@\string##2\endcsname{#2}%
12333     \Hy@ReturnAfterFi{%
12334       \Hy@escapeform#3@\nil
12335     }%
12336   \fi
12337 }%
12338 \else
12339   \def\Hy@escapeform#1{%
12340     \ifHy@escapeform
12341       \let\Hy@escapestring\pdfescapestring
12342     \else
12343       \let\Hy@escapestring\@firstofone
12344     \fi
12345   }%
12346   \Hy@escapeform{}%
12347 \fi

\PDFForm@Name
12348 \def\PDFForm@Name{%
12349   \begingroup
12350     \ifnum\Hy@pdfversion<5 % implementation note 117, PDF spec 1.7

```

```

12351 \ifHy@unicode
12352   \Hy@unicodedefalse
12353   \fi
12354 \fi
12355 \HyPsd@XeTeXBigCharstrue
12356 \pdfstringdef\Hy@gtemp\Fld@name
12357 \endgroup
12358 \let\Fld@name\Hy@gtemp
12359 }

```

\PDFForm@Check

```

12360 \def\PDFForm@Check{%
12361 /Subtype/Widget%
12362 \Fld@annotflags
12363 /T(\Fld@name)%
12364 /FT/Btn%
12365 \Fld@flags
12366 /Q \Fld@align
12367 /BS<</W \Fld@borderwidth /S/\Fld@borderstyle>>%
12368 /MK<<%
12369 \ifnum\Fld@rotation=\z@
12370 \else
12371   /R \Fld@rotation
12372 \fi
12373 \ifx\Fld@bordercolor\relax
12374 \else
12375   /BC[\Fld@bordercolor]%
12376 \fi
12377 \ifx\Fld@bcolor\relax
12378 \else
12379   /BG[\Fld@bcolor]%
12380 \fi
12381 /CA(\Hy@escapestring{\Fld@cbsymbol})%
12382 >>%
12383 /DA(/ZaDb \strip@pt\Fld@charsize\space Tf%
12384   \ifx\Fld@color\empty\else\space\Fld@color\fi)%
12385 /H/P%
12386 \ifFld@checked /V/Yes\else /V/Off\fi
12387 }

```

\PDFForm@Push

```

12388 \ifHy@pdfa
12389 \else
12390 \def\PDFForm@Push{%
12391 /Subtype/Widget%
12392 \Fld@cannotflags
12393 /T(\Fld@name)%
12394 /FT/Btn%
12395 \Fld@flags
12396 /H/P%
12397 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
12398 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
12399   \ifx\Fld@bordercolor\relax\else 1\fi
12400   \space
12401 \else
12402   /MK<<%
12403     \ifnum\Fld@rotation=\z@

```

```

12404      \else
12405          /R \Fld@rotation
12406      \fi
12407      \ifx\Fld@bordercolor\relax
12408      \else
12409          /BC[\Fld@bordercolor]%
12410      \fi
12411      >>%
12412      \fi
12413      /A<</S/JavaScript/JS(\Hy@escapestring{\Fld@onclick@code})>>%
12414  }%
12415 \fi

\Fld@additionalactions
12416 \def\Fld@@additionalactions{%
K input (keystroke) format
12417  \ifx\Fld@keystroke@code\@empty
12418  \else
12419      /K<</S/JavaScript/JS(\Hy@escapestring{\Fld@keystroke@code})>>%
12420  \fi
F display format
12421  \ifx\Fld@format@code\@empty
12422  \else
12423      /F<</S/JavaScript/JS(\Hy@escapestring{\Fld@format@code})>>%
12424  \fi
V validation
12425  \ifx\Fld@validate@code\@empty
12426  \else
12427      /V<</S/JavaScript/JS(\Hy@escapestring{\Fld@validate@code})>>%
12428  \fi
C calculation
12429  \ifx\Fld@calculate@code\@empty
12430  \else
12431      /C<</S/JavaScript/JS(\Hy@escapestring{\Fld@calculate@code})>>%
12432  \fi
Fo receiving the input focus
12433  \ifx\Fld@onfocus@code\@empty
12434  \else
12435      /Fo<</S/JavaScript/JS(\Hy@escapestring{\Fld@onfocus@code})>>%
12436  \fi
Bl loosing the input focus (blurred)
12437  \ifx\Fld@onblur@code\@empty
12438  \else
12439      /Bl<</S/JavaScript/JS(\Hy@escapestring{\Fld@onblur@code})>>%
12440  \fi
D pressing the mouse button (down)
12441  \ifx\Fld@onmousedown@code\@empty
12442  \else
12443      /D<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmousedown@code})>>%
12444  \fi
U releasing the mouse button (up)
12445  \ifx\Fld@onmouseup@code\@empty

```

```

12446 \else
12447 /U<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmouseup@code})>>%
12448 \fi
E cursor enters the annotation's active area.
12449 \ifx\Fld@onenter@code\@empty
12450 \else
12451 /E<</S/JavaScript/JS(\Hy@escapestring{\Fld@onenter@code})>>%
12452 \fi
X cursor exits the annotation's active area.
12453 \ifx\Fld@onexit@code\@empty
12454 \else
12455 /X<</S/JavaScript/JS(\Hy@escapestring{\Fld@onexit@code})>>%
12456 \fi
12457 }
12458 \def\Fld@additionalactions{%
12459 \if-\Fld@additionalactions-%
12460 \else
12461 \ifHy@pdfa
12462 \else
12463 /AA<<\Fld@additionalactions>>%
12464 \fi
12465 \fi
12466 }

\PDFForm@List
12467 \def\PDFForm@List{%
12468 /Subtype/Widget%
12469 \Fld@annotflags
12470 /T(\Fld@name)%
12471 /FT/Ch%
12472 \Fld@flags
12473 /Q \Fld@align
12474 /BS<</W\Fld@borderwidth/S/\Fld@borderstyle>>%
12475 \ifcase0\ifnum\Fld@rotation=\z@\ \else 1\fi
12476 \ifx\Fld@bordercolor\relax\else 1\fi
12477 \ifx\fld@bcolor\relax \else 1\fi
12478 \space
12479 \else
12480 /MK<<%
12481 \ifnum\Fld@rotation=\z@
12482 \else
12483 /R \Fld@rotation
12484 \fi
12485 \ifx\Fld@bordercolor\relax
12486 \else
12487 /BC[\Fld@bordercolor]%
12488 \fi
12489 \ifx\Fld@bcolor\relax
12490 \else
12491 /BG[\Fld@bcolor]%
12492 \fi
12493 >>%
12494 \fi
12495 /DA(/Helv \strip@pt\Fld@charsize\space Tf%
12496 \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
12497 \Fld@choices

```

```

12498 \Fld@additionalactions
12499 }

\PDFForm@Radio

12500 \def\PDFForm@Radio{%
12501 /Subtype/Widget%
12502 \Fld@annotflags
12503 /T(\Fld@name)%
12504 /FT/Btn%
12505 \Fld@flags
12506 /H/P%
12507 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
12508 /MK<<%
12509 \ifnum\Fld@rotation=\z@
12510 \else
12511 /R \Fld@rotation
12512 \fi
12513 \ifx\Fld@bordercolor\relax
12514 \else
12515 /BC[\Fld@bordercolor]%
12516 \fi
12517 \ifx\Fld@bcolor\relax
12518 \else
12519 /BG[\Fld@bcolor]%
12520 \fi
12521 /CA(\Fld@radiosymbol)%
12522 >>%
12523 /DA(/ZaDb \strip@pt\Fld@charsize\space Tf%
12524 \ifx\Fld@color\empty\else\space\Fld@color\fi)%
12525 \ifx\@currValue\Fld@default
12526 /V/\Fld@default
12527 \else
12528 /V/Off%
12529 \fi
12530 \Fld@additionalactions
12531 }

```

\PDFForm@Text

```

12532 \def\PDFForm@Text{%
12533 /Subtype/Widget%
12534 \Fld@annotflags
12535 /T(\Fld@name)%
12536 /FT/Tx%
12537 \Fld@flags
12538 /Q \Fld@align
12539 /BS<</W \Fld@borderwidth\space /S /\Fld@borderstyle>>%
12540 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
12541 \ifx\Fld@bordercolor\relax\else 1\fi
12542 \ifx\Fld@bcolor\relax \else 1\fi
12543 \space
12544 \else
12545 /MK<<%
12546 \ifnum\Fld@rotation=\z@
12547 \else
12548 /R \Fld@rotation
12549 \fi
12550 \ifx\Fld@bordercolor\relax

```

```

12551 \else
12552   /BC[\Fld@bordercolor]%
12553 \fi
12554 \ifx\Fld@bcolor\relax
12555 \else
12556   /BG[\Fld@bcolor]%
12557 \fi
12558 >>%
12559 \fi
12560 /DA(/Helv \strip@pt\Fld@charsize\space Tf%
12561   \ifx\Fld@color@\empty\else\space\Fld@color\fi)%
12562 /DV(\Hy@escapestring{\Fld@default})%
12563 /V(\Hy@escapestring{\Fld@value})%
12564 \Fld@additionalactions
12565 \ifnum\Fld@maxlen>\z@/MaxLen \Fld@maxlen \fi
12566 }

```

\PDFForm@Submit

```

12567 \def\PDFForm@Submit{%
12568   /Subtype/Widget%
12569   \Fld@annotflags
12570   /T(\Fld@name)%
12571   /FT/Btn%
12572   \Fld@flags
12573   /H/P%
12574   /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
12575   \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
12576     \ifx\Fld@bordercolor\relax\else 1\fi
12577     \space
12578 \else
12579   /MK<<%
12580   \ifnum\Fld@rotation=\z@
12581   \else
12582     /R \Fld@rotation
12583   \fi
12584   \ifx\Fld@bordercolor\relax
12585   \else
12586     /BC[\Fld@bordercolor]%
12587   \fi
12588 >>%
12589 \fi
12590 /A<<%
12591   /S/SubmitForm%
12592   /F<<%
12593   /FS/URL%
12594   /F(\Hy@escapestring{\Form@action})%
12595 >>%
12596   \Fld@submitflags
12597 >>%
12598 }

```

\PDFForm@Reset

```

12599 \ifHy@pdfa
12600 \else
12601 \def\PDFForm@Reset{%
12602   /Subtype/Widget%
12603   \Fld@annotflags

```

```

12604 /T(\Fld@name)%
12605 /FT/Btn%
12606 \Fld@flags
12607 /H/P%
12608 /DA(/Helv \strip@pt\Fld@charsize\space Tf 0 0 1 rg)%
12609 \ifcase0\ifnum\Fld@rotation=\z@\ else 1\fi
12610 \ifx\Fld@bordercolor\relax\else 1\fi
12611 \space
12612 \else
12613 /MK<<%
12614 \ifnum\Fld@rotation=\z@
12615 \else
12616 /R \Fld@rotation
12617 \fi
12618 \ifx\Fld@bordercolor\relax
12619 \else
12620 /BC[\Fld@bordercolor]%
12621 \fi
12622 % /CA (Clear)
12623 % /AC (Done)
12624 >>%
12625 \fi
12626 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
12627 /A<</S/ResetForm>>%
12628 }%
12629 \fi
12630 </pdfform>
12631 <*package>

```

48 Bookmarks in the PDF file

This was originally developed by Yannis Haralambous (it was the separate `repere.sty`); it needed the `repere` or `makebook.pl` post-processor to work properly. Now redundant, as it is done entirely in L^AT_EX macros.

To write out the current section title, and its rationalized number, we have to intercept the `\@sect` command, which is rather dangerous. But how else to see the information we need? We do the *same* for `\@ssect`, giving anchors to unnumbered sections. This allows things like bibliographies to get bookmarks when used with a manual `\addcontentsline`

```

12632 \def\phantomsection{%
12633 \Hy@GlobalStepCount\Hy@linkcounter
12634 \xdef\@currentHref{section*\the\Hy@linkcounter}%
12635 \Hy@raisedlink{\hyper@anchorstart{\@currentHref}\hyper@anchorend}%
12636 }%
12637 </package>

```

48.1 Bookmarks

```
12638 <*outlines>
```

This section was written by Heiko Oberdiek; the code replaces an earlier version by David Carlisle.

The first part of bookmark code is in section 6. Further documentation is available as paper and slides of the talk, that Heiko Oberdiek has given at the EuroTeX'99 meeting in Heidelberg. See `paper.pdf` and `slides.pdf` in the `doc` directory of `hyperref`.

When using the right-to-left typesetting based on ε - \TeX , the order of the \BOOKMARK commands written to the \outlinefile could appear wrong, because of mis-feature of ε - \TeX 's implementation (that it processes the shipped out lines left-to-right, instead of the order in which they appear in the document). The wrong order will appear when the file contains two bookmarks on the same line typeset right-to-left.

To work around this problem, the bookmark@seq@number counter is used to write the bookmark's sequential number into a comment in the \outlinefile, which could be used to post-process it to achieve the proper ordering of \BOOKMARK commands in that file.

```

12639 \def\Hy@writebookmark#1#2#3#4#5{%
12640   % section number, text, label, level, file
12641   \ifx\WriteBookmarks\relax%
12642   \else
12643     \ifnum#4>\Hy@bookmarksdepth\relax
12644     \else
12645       \@@writetorep{#1}{#2}{#3}{#4}{#5}%
12646     \fi
12647   \fi
12648 }
12649 \def\Hy@currentbookmarklevel{0}
12650 \def\Hy@numberline#1{#1 }
12651 \def\@@writetorep#1#2#3#4#5{%
12652   \begingroup
12653   \edef\Hy@tempa{#5}%
12654   \ifx\Hy@tempa\Hy@bookmarkstype
12655     \edef\Hy@level{#4}%
12656     \ifx\Hy@levelcheck Y%
12657       \atempcpta\Hy@level\relax
12658       \advance\atempcpta by -1 %
12659       \ifnum\Hy@currentbookmarklevel<\atempcpta
12660         \advance\atempcpta by -\Hy@currentbookmarklevel\relax
12661         \advance\atempcpta by 1 %
12662         \Hy@Warning{%
12663           Difference (\the\atempcpta) between bookmark levels is %
12664           greater \MessageBreak than one, level fixed%
12665         }%
12666         \atempcpta\Hy@currentbookmarklevel
12667         \advance\atempcpta by 1 %
12668         \edef\Hy@level{\the\atempcpta}%
12669       \fi
12670     \else
12671       \global\let\Hy@levelcheck Y%
12672     \fi
12673     \global\let\Hy@currentbookmarklevel\Hy@level
12674     \atempcpta\Hy@level\relax
12675     \expandafter\xdef\csname Parent\Hy@level\endcsname{#3}%
12676     \advance\atempcpta by -1 %
12677     \edef\Hy@tempa{#3}%
12678     \edef\Hy@tempb{\csname Parent\the\atempcpta\endcsname}%
12679     \ifx\Hy@tempa\Hy@tempb
12680       \Hy@Warning{%
12681         The anchor of a bookmark and its parent's must not%
12682           \MessageBreak be the same. Added a new anchor%
12683       }%
12684       \phantomsection
12685     \fi
12686   \ifHy@bookmarksnumbered

```

```

12687      \let\numberline\Hy@numberline
12688      \let\partnumberline\Hy@numberline
12689      \let\chapternumberline\Hy@numberline
12690  \else
12691      \let\numberline\@gobble
12692      \let\partnumberline\@gobble
12693      \let\chapternumberline\@gobble
12694  \fi
12695  \HyPsd@XeTeXBigChartrue
12696  \pdfstringdef\Hy@tempa{#2}%
12697  \if@filesw
12698      \stepcounter{bookmark@seq@number}%
12699      \@ifundefined{@outlinefile}{%
12700  }{%
12701      \protected@write\@outlinefile{}{%
12702          \protect\BOOKMARK
12703              [\Hy@level][\@bookmarkopenstatus{\Hy@level}]{#3}%
12704              {\Hy@tempa}{\Hy@tempb}%
12705              \percentchar\space\thebookmark@seq@number
12706      }%
12707  }%
12708  \fi
12709  \fi
12710 \endgroup
12711 }
12712 \newcounter{bookmark@seq@number}

```

In the call of \BOOKMARK the braces around #4 are omitted, because it is not likely, that the level number contains].

```

12713 \newcommand{\currentpdfbookmark}{%
12714  \pdfbookmark[\Hy@currentbookmarklevel]%
12715 }%
12716 \newcommand{\subpdfbookmark}{%
12717  \tempcnta\Hy@currentbookmarklevel
12718  \Hy@StepCount\tempcnta
12719  \expandafter\pdfbookmark\expandafter[\the\tempcnta]%
12720 }%
12721 \newcommand{\belowpdfbookmark}[2]{%
12722  \tempcnta\Hy@currentbookmarklevel
12723  \Hy@StepCount\tempcnta
12724  \expandafter\pdfbookmark\expandafter[\the\tempcnta]{#1}{#2}%
12725  \advance\tempcnta by -1 %
12726  \xdef\Hy@currentbookmarklevel{\the\tempcnta}%
12727 }

```

Tobias Oetiker rightly points out that we need a way to force a bookmark entry. So we introduce \pdfbookmark, with two parameters, the title, and a symbolic name. By default this is at level 1, but we can reset that with the optional first argument.

```

12728 \renewcommand\pdfbookmark[3][0]{%
12729  \Hy@writebookmark{}{#2}{#3.#1}{#1}{toc}%
12730  \hyper@anchorstart{#3.#1}\hyper@anchorend
12731 }%
12732 \def\BOOKMARK{%
12733  \ifnextchar[\{@BOOKMARK}{\@@BOOKMARK[1][-]}%
12734 }%
12735 \def\@BOOKMARK[#1]{%
12736  \ifnextchar[\{@BOOKMARK[{#1}]\}{\@@BOOKMARK[{#1}][-]}%
12737 }

```

The macros for calculating structure of outlines are derived from those by Petr Olsak used in the `texinfopdf` macros.

48.1.1 Rerun warning

```
\Hy@OutlineRerunCheck
12738 \RequirePackage{rerunfilecheck}[2009/12/10]
12739 \def\Hy@OutlineRerunCheck{%
12740   \RerunFileCheck{\jobname.out}{%
12741     \immediate\closeout\outlinefile
12742   }%
12743   Rerun to get outlines right\MessageBreak
12744   or use package 'bookmark'%
12745 }%
12746 }
```

48.1.2 Driver stuff

The VTEX section was written originally by VTEX, but then amended by Denis Girou (denis.girou@idris.fr), then by Taco Hoekwater (taco.hoekwater@wkap.nl). The problem is that VTEX, with its close integration of the PDF backend, does look at the contents of bookmarks, escaping \ and the like.

```
12747 /*vtx*/
12748 \newcount\@serial@counter\@serial@counter=1\relax
```

\hv@pdf@char Plain octal codes doesn't work with versions below 6.50. So for early versions hex numbers have to be used. It would be possible to program this instead of the large `\ifcase`, but I'm too lazy to sort that out now.

```
12749 \begingroup
12750   \catcode`\'=12 %
12751   \ifnum\Hy@VTeXversion<650 %
12752     \catcode`\'=12 %
12753     \gdef\hv@pdf@char#1#2#3{%
12754       \char
12755       \ifcase#1#2#3 %
12756         "00\or"01\or"02\or"03\or"04\or"05\or"06\or"07%
12757         \or"08\or"09\or"0A\or"0B\or"0C\or"0D\or"0E\or"0F%
12758         \or"10\or"11\or"12\or"13\or"14\or"15\or"16\or"17%
12759         \or"18\or"19\or"1A\or"1B\or"1C\or"1D\or"1E\or"1F%
12760         \or"20\or"21\or"22\or"23\or"24\or"25\or"26\or"27%
12761         \or"28\or"29\or"2A\or"2B\or"2C\or"2D\or"2E\or"2F%
12762         \or"30\or"31\or"32\or"33\or"34\or"35\or"36\or"37%
12763         \or"38\or"39\or"3A\or"3B\or"3C\or"3D\or"3E\or"3F%
12764         \or"40\or"41\or"42\or"43\or"44\or"45\or"46\or"47%
12765         \or"48\or"49\or"4A\or"4B\or"4C\or"4D\or"4E\or"4F%
12766         \or"50\or"51\or"52\or"53\or"54\or"55\or"56\or"57%
12767         \or"58\or"59\or"5A\or"5B\or"5C\or"5D\or"5E\or"5F%
12768         \or"60\or"61\or"62\or"63\or"64\or"65\or"66\or"67%
12769         \or"68\or"69\or"6A\or"6B\or"6C\or"6D\or"6E\or"6F%
12770         \or"70\or"71\or"72\or"73\or"74\or"75\or"76\or"77%
12771         \or"78\or"79\or"7A\or"7B\or"7C\or"7D\or"7E\or"7F%
12772         \or"80\or"81\or"82\or"83\or"84\or"85\or"86\or"87%
12773         \or"88\or"89\or"8A\or"8B\or"8C\or"8D\or"8E\or"8F%
12774         \or"90\or"91\or"92\or"93\or"94\or"95\or"96\or"97%
12775         \or"98\or"99\or"9A\or"9B\or"9C\or"9D\or"9E\or"9F%
12776         \or"A0\or"A1\or"A2\or"A3\or"A4\or"A5\or"A6\or"A7%
12777         \or"A8\or"A9\or"AA\or"AB\or"AC\or"AD\or"AE\or"AF%
```

```

12778   \or"B0\or"B1\or"B2\or"B3\or"B4\or"B5\or"B6\or"B7%
12779   \or"B8\or"B9\or"BA\or"BB\or"BC\or"BD\or"BE\or"BF%
12780   \or"C0\or"C1\or"C2\or"C3\or"C4\or"C5\or"C6\or"C7%
12781   \or"C8\or"C9\or"CA\or"CB\or"CC\or"CD\or"CE\or"CF%
12782   \or"D0\or"D1\or"D2\or"D3\or"D4\or"D5\or"D6\or"D7%
12783   \or"D8\or"D9\or"DA\or"DB\or"DC\or"DD\or"DE\or"DF%
12784   \or"E0\or"E1\or"E2\or"E3\or"E4\or"E5\or"E6\or"E7%
12785   \or"E8\or"E9\or"EA\or"EB\or"EC\or"ED\or"EE\or"EF%
12786   \or"F0\or"F1\or"F2\or"F3\or"F4\or"F5\or"F6\or"F7%
12787   \or"F8\or"F9\or"FA\or"FB\or"FC\or"FD\or"FE\or"FF%
12788   \fi
12789 }%
12790 \else
12791 \gdef\hv@pdf@char{\char'}%
12792 \fi
12793 \endgroup

```

\@BOOKMARK

```

12794 \def\@BOOKMARK[#1][#2]#3#4#5{%
12795   \expandafter\edef\csname @count@#3\endcsname{%
12796     \the\@serial@counter
12797   }%
12798   \edef\@mycount{\the\@serial@counter}%
12799   \Hy@StepCount\@serial@counter
12800   \edef\@parcount{%
12801     \expandafter\ifx\csname @count@#5\endcsname\relax
12802       0%
12803     \else
12804       \csname @count@#5\endcsname
12805     \fi
12806   }%
12807   \immediate\special{%
12808     !outline \HyperDestNameFilter{#3};p=\@parcount,i=\@mycount,%
12809     s=\ifx#2-c\else o\fi,t=#4%
12810   }%
12811 }%

```

\ReadBookmarks

```

12812 \def\ReadBookmarks{%
12813   \begingroup
12814   \def\0{\hv@pdf@char 0}%
12815   \def\1{\hv@pdf@char 1}%
12816   \def\2{\hv@pdf@char 2}%
12817   \def\3{\hv@pdf@char 3}%
12818   \def\{{\%
12819   \def\}{\}%
12820   \def\do##1{%
12821     \ifnum\the\catcode'##1=\active
12822       \makeother'##1%
12823     \fi
12824   }%
12825   \dospecials
12826   \InputIfFileExists{\jobname.out}{}{%
12827   \endgroup
12828   \ifx\WriteBookmarks\relax
12829   \else
12830     \if@filesw

```

```

12831   \newwrite\@outlinefile
12832   \Hy@OutlineRerunCheck
12833   \immediate\openout\@outlinefile=\jobname.out\relax
12834   \ifHy@typexml
12835     \immediate\write\@outlinefile{<relaxxml>\relax}%
12836   \fi
12837   \fi
12838   \fi
12839 }

12840 </vtex>
12841 (*!vtex)
12842 \def\ReadBookmarks{%
12843   \begingroup
12844   \escapechar='\\%
12845   \let\escapechar\@gobble %
12846   \def\@@BOOKMARK[##1][##2]##3##4##5{%
12847     \calc@bm@number{##5}%
12848   }%
12849   \InputIfFileExists{\jobname.out}{}{%
12850     \ifx\WriteBookmarks\relax
12851       \global\let\WriteBookmarks\relax
12852     \fi
12853     \def\@@BOOKMARK[##1][##2]##3##4##5{%
12854       \def\Hy@temp{##4}%
12855     (*pdftex)
12856       \Hy@pstringdef\Hy@pstringName{\HyperDestNameFilter{##3}}%
12857       \Hy@OutlineName{}\Hy@pstringName{%
12858         ##2\check@bm@number{##3}%
12859       }%
12860       \expandafter\strip@prefix\meaning\Hy@temp
12861     }%
12862   </pdftex>
12863   (*pdfmark)
12864     \pdfmark{%
12865       pdfmark=/OUT,%
12866       Count={##2\check@bm@number{##3}},%
12867       Dest={##3},%
12868       Title=\expandafter\strip@prefix\meaning\Hy@temp
12869     }%
12870   </pdfmark>
12871   (*dvipdfm | xetex)
12872     \Hy@pstringdef\Hy@pstringName{\HyperDestNameFilter{##3}}%
12873     \@pdfm@mark{%
12874       outline \ifHy@DvipdfmxOutlineOpen
12875         %
12876         \ifnum##21>\z@
12877           \else
12878             -%
12879           \fi
12880         ] %
12881       \fi
12882     %%1<<%
12883     /Title(\expandafter\strip@prefix\meaning\Hy@temp)%
12884     /A<<%
12885     /S/GoTo%
12886     /D(\Hy@pstringName)%
12887     >>%

```

```

12888      >>%
12889      }%
12900 〈/dvipdfm | xetex〉
12901  }%
12902  {%
12903  \def\WriteBookmarks{0}%
12904  \InputIfFileExists{\jobname.out}{}{}%
12905  }%
12906  %{\escapechar`m@ne\InputIfFileExists{\jobname.out}{}{}%
12907  \ifx\WriteBookmarks\relax
12908  \else
12909  \if@filesw
12910  \newwrite\@outlinefile
12911  \Hy@OutlineRerunCheck
12912  \immediate\openout\@outlinefile=\jobname.out\relax
12913  \ifHy@typexml
12914  \immediate\write\@outlinefile{<relaxxml>\relax}%
12915  \fi
12916  \fi
12917  \fi
12918  \endgroup
12919  }%
12920 〈*pdfTeX〉
12921 \def\Hy@OutlineName#1#2#3#4{%
12922 \pdfoutline goto name{#2}count#3{#4}%
12923 }%
12924 〈/pdfTeX〉
12925 \def\check@bm@number#1{%
12926 \expandafter\ifx\csname B_#1\endcsname\relax
12927 0%
12928 \else
12929 \csname B_#1\endcsname
12930 \fi
12931 }%
12932 \def\calc@bm@number#1{%
12933 \tempcnta=\check@bm@number{#1}\relax
12934 \advance\tempcnta by 1 %
12935 \expandafter\xdef\csname B_#1\endcsname{\the\tempcnta}%
12936 }%
12937 〈/!vTeX〉
12938 \ifHy@implicit
12939 \else
12940 \expandafter\endinput
12941 \fi
12942 〈/outlines〉
12943 〈*outlines | hypertex〉
12944 \newlength\Hy@SectionHShift
12945 \def\Hy@SectionAnchorHref#1{%
12946 \ifx\protect\@typeset@protect
12947 \Hy@@SectionAnchor{#1}%
12948 \fi
12949 }%
12950 \DeclareRobustCommand*\Hy@@SectionAnchor[1]{%
12951 \leavevmode
12952 \hbox to 0pt{%
12953 \kern-\Hy@SectionHShift

```

```

12944   \Hy@raisedlink{%
12945     \hyper@anchorstart{\#1}\hyper@anchorend
12946   }%
12947   \hss
12948 }%
12949 }
12950 \let\H@old@ssect\@ssect
12951 \def\@ssect{\#1\#2\#3\#4\#5{%
12952   \Hy@GlobalStepCount\Hy@linkcounter
12953   \xdef\@currentHref{section*\.\the\Hy@linkcounter}%
12954   \setlength{\Hy@sectionHShift}{\#1}%
12955   \begingroup
12956     \toks@{\H@old@ssect{\#1}{\#2}{\#3}{\#4}}%
12957     \toks\tw@{\expandafter{%
12958       \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
12959       \#5}%
12960     }%
12961   \edef\x{\endgroup
12962     \the\toks@{\the\toks\tw@}%
12963   }\x
12964 }
12965 \let\H@old@schapter\@schapter
12966 \def\@schapter{\#1{%
12967   \begingroup
12968     \let\@mkboth\@gobbletwo
12969     \Hy@GlobalStepCount\Hy@linkcounter
12970     \xdef\@currentHref{\Hy@chapapp*\.\the\Hy@linkcounter}%
12971     \Hy@raisedlink{%
12972       \hyper@anchorstart{\@currentHref}\hyper@anchorend
12973     }%
12974   \endgroup
12975   \H@old@schapter{\#1}%
12976 }

```

If there is no chapter number (\frontmatter or \backmatter) then \refstepcounter{chapter} is not executed, so there will be no destination for \ddcontentsline. So \@chapter is overloaded to avoid this:

```

12977 \ifundefined{@chapter}{}{%
12978   \let\Hy@org@chapter\@chapter
12979   \def\@chapter{%
12980     \def\Hy@next{%
12981       \Hy@GlobalStepCount\Hy@linkcounter
12982       \xdef\@currentHref{\Hy@chapapp*\.\the\Hy@linkcounter}%
12983       \Hy@raisedlink{%
12984         \hyper@anchorstart{\@currentHref}\hyper@anchorend
12985       }%
12986     }%
12987     \ifnum\c@secnumdepth>\m@ne
12988       \ifundefined{if@mainmatter}%
12989         \iftrue{\csname if@mainmatter\endcsname}%
12990         \let\Hy@next\relax
12991         \fi
12992       \fi
12993     \Hy@next
12994     \Hy@org@chapter
12995   }%
12996 }

```

```

12997 \let\H@old@part\@part
12998 \begingroup\expandafter\expandafter\expandafter\endgroup
12999 \expandafter\ifx\csname chapter\endcsname\relax
13000   \let\Hy@secnum@part\z@
13001 \else
13002   \let\Hy@secnum@part\m@ne
13003 \fi
13004 \def\@part{%
13005   \ifnum\Hy@secnum@part>\c@secnumdepth
13006     \phantomsection
13007   \fi
13008   \H@old@part
13009 }

13010 \let\H@old@s part\@spart
13011 \def\@spart#1{%
13012   \Hy@GlobalStepCount\Hy@linkcounter
13013   \xdef\@currentHref{part*. \the\Hy@linkcounter}%
13014   \Hy@raisedlink{%
13015     \hyper@anchorstart{\@currentHref}\hyper@anchorend
13016   }%
13017   \H@old@s part{#1}%
13018 }
13019 \let\H@old@sect\@sect
13020 \def\@sect#1#2#3#4#5#6[#7]{#8}{%
13021   \ifnum #2>\c@secnumdepth
13022     \expandafter\@firstoftwo
13023   \else
13024     \expandafter\@secondoftwo
13025   \fi
13026 }%
13027   \Hy@GlobalStepCount\Hy@linkcounter
13028   \xdef\@currentHref{section*. \the\Hy@linkcounter}%
13029   \setlength{\Hy@SectionHShift}{#3}%
13030   \begingroup
13031     \toks@{\H@old@sect{#1}{#2}{#3}{#4}{#5}{#6}{#7}}%
13032     \toks@tw@{\expandafter{%
13033       \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
13034       #8%
13035     }%
13036     \edef\x{\endgroup
13037       \the\toks@{\the\toks@tw@}%
13038     }\x
13039   }%
13040   \H@old@sect{#1}{#2}{#3}{#4}{#5}{#6}{#7}{#8}%
13041 }%
13042 }

13043 </outlines | hypertex>
13044 <*outlines>

13045 \expandafter\def\csname Parent-4\endcsname{}
13046 \expandafter\def\csname Parent-3\endcsname{}
13047 \expandafter\def\csname Parent-2\endcsname{}
13048 \expandafter\def\csname Parent-1\endcsname{}
13049 \expandafter\def\csname Parent0\endcsname{}
13050 \expandafter\def\csname Parent1\endcsname{}
13051 \expandafter\def\csname Parent2\endcsname{}
13052 \expandafter\def\csname Parent3\endcsname{}

```

```

13053 \expandafter\def\csname Parent4\endcsname{%
13054 </outlines>

```

49 Compatibility with koma-script classes

```
13055 (*outlines | hypertex)
```

Hard-wire in an unpleasant over-ride of komascript ‘scrbook’ class for Tobias Isenberg (Tobias.Isenberg@gmx.de). With version 6.71b the hack is also applied to ‘scrreprt’ class and is removed for koma-script versions since 2001/01/01, because Markus Kohm supports hyperref in komascript.

```

13056 \def\Hy@tempa{%
13057   \def\@addchap[##1]{##2}{%
13058     \typeout{##2}%
13059     \if@twoside
13060       \omkboth{##1}{}%
13061     \else
13062       \omkboth{}{##1}%
13063     \fi
13064     \addtocontents{lof}{\protect\addvspace{10\p@}}%
13065     \addtocontents{lot}{\protect\addvspace{10\p@}}%
13066     \Hy@GlobalStepCount\Hy@linkcounter
13067     \xdef\@currentHref{\Hy@chapapp*\.\the\Hy@linkcounter}%
13068     \Hy@raisedlink{%
13069       \hyper@anchorstart{\@currentHref}\hyper@anchorend
13070     }%
13071     \if@twocolumn
13072       \atopnewpage[\makeschapterhead{##2}]%
13073     \else
13074       \makeschapterhead{##2}%
13075       \afterheading
13076     \fi
13077     \addcontentsline{toc}{chapter}{##1}%
13078   }%
13079 }
13080 \@ifclassloaded{scrbook}{%
13081   \ifclasslater{scrbook}{2001/01/01}{%
13082     \let\Hy@tempa\empty
13083   }%
13084 }%
13085 \ifclassloaded{scrreprt}{%
13086   \ifclasslater{scrreprt}{2001/01/01}{%
13087     \let\Hy@tempa\empty
13088   }%
13089 }%
13090   \let\Hy@tempa\empty
13091 }%
13092 }%
13093 \Hy@tempa
13094 </outlines | hypertex>

```

50 Encoding definition files for encodings of PDF strings

This was contributed by Heiko Oberdiek.

50.1 PD1 encoding

```
13095 /*pd1enc*/
13096 \DeclareFontEncoding{PD1}{}{}

Accents
13097 \DeclareTextAccent{\'}{PD1}{\textasciigrave}
13098 \DeclareTextAccent{\'}{PD1}{\textacute}
13099 \DeclareTextAccent{\^}{PD1}{\textasciicircum}
13100 \DeclareTextAccent{\~}{PD1}{\texttilde}
13101 \DeclareTextAccent{\"}{PD1}{\textasciidieresis}
13102 \DeclareTextAccent{\r}{PD1}{\textring}
13103 \DeclareTextAccent{\v}{PD1}{\textasciicaron}
13104 \DeclareTextAccent{\.}{PD1}{\textdotaccent}
13105 \DeclareTextAccent{\c}{PD1}{\textcedilla}
13106 \DeclareTextAccent{\=}{PD1}{\textasciimacron}
13107 \DeclareTextAccent{\b}{PD1}{\textmacronbelow}
13108 \DeclareTextAccent{\d}{PD1}{\textdotbelow}
13109 \DeclareTextCompositeCommand{\'}{PD1}{\emptyset}{\textasciigrave}
13110 \DeclareTextCompositeCommand{\'}{PD1}{\emptyset}{\textacute}
13111 \DeclareTextCompositeCommand{\^}{PD1}{\emptyset}{\textasciicircum}
13112 \DeclareTextCompositeCommand{\~}{PD1}{\emptyset}{\texttilde}
13113 \DeclareTextCompositeCommand{\"}{PD1}{\emptyset}{\textasciidieresis}
13114 \DeclareTextCompositeCommand{\r}{PD1}{\emptyset}{\textring}
13115 \DeclareTextCompositeCommand{\v}{PD1}{\emptyset}{\textasciicaron}
13116 \DeclareTextCompositeCommand{\.}{PD1}{\emptyset}{\textdotaccent}
13117 \DeclareTextCompositeCommand{\c}{PD1}{\emptyset}{\textcedilla}
13118 \DeclareTextCompositeCommand{\=}{PD1}{\emptyset}{\textasciimacron}
13119 \DeclareTextCompositeCommand{\b}{PD1}{\emptyset}{\textmacronbelow}
13120 \DeclareTextCompositeCommand{\d}{PD1}{\emptyset}{\textdotbelow}
13121 \DeclareTextCompositeCommand{\'}{PD1}{\emptyset}{\textasciigrave}
13122 \DeclareTextCompositeCommand{\'}{PD1}{\emptyset}{\textacute}
13123 \DeclareTextCompositeCommand{\^}{PD1}{\emptyset}{\textasciicircum}
13124 \DeclareTextCompositeCommand{\~}{PD1}{\emptyset}{\texttilde}
13125 \DeclareTextCompositeCommand{\"}{PD1}{\emptyset}{\textasciidieresis}
13126 \DeclareTextCompositeCommand{\r}{PD1}{\emptyset}{\textring}
13127 \DeclareTextCompositeCommand{\v}{PD1}{\emptyset}{\textasciicaron}
13128 \DeclareTextCompositeCommand{\.}{PD1}{\emptyset}{\textdotaccent}
13129 \DeclareTextCompositeCommand{\c}{PD1}{\emptyset}{\textcedilla}
13130 \DeclareTextCompositeCommand{\=}{PD1}{\emptyset}{\textasciimacron}
13131 \DeclareTextCompositeCommand{\b}{PD1}{\emptyset}{\textmacronbelow}
13132 \DeclareTextCompositeCommand{\d}{PD1}{\emptyset}{\textdotbelow}
13133 \DeclareTextCommand{\k}{PD1}[1]{\TextSymbolUnavailable{\k{\#1}}{\#1}}
13134 \DeclareTextCommand{\t}{PD1}[1]{\TextSymbolUnavailable{\t{\#1}}{\#1}}
13135 \DeclareTextCommand{\newtie}{PD1}[1]{%
13136 \TextSymbolUnavailable{\newtie{\#1}}{\#1}%
13137 }
```

Special white space escape characters not for use in bookmarks but for other PDF strings.

```
13138 % U+0009 (CHARACTER TABULATION)
13139 \DeclareTextCommand{\textHT}{PD1}{\011}% U+0009
13140 % U+000A (LINE FEED)
13141 \DeclareTextCommand{\textLF}{PD1}{\012}% U+000A
13142 % U+000D (CARRIAGE RETURN)
13143 \DeclareTextCommand{\textCR}{PD1}{\015}% U+000D
```

Accent glyph names

```
13144 % U+02D8 BREVE; breve
13145 \DeclareTextCommand{\textasciibreve}{PD1}{\030}% U+02D8
13146 % U+02C7 CARON; caron
```

```

13147 \DeclareTextCommand{\textasciicaron}{\PD1}{\031}%
13148 % U+02C6 MODIFIER LETTER CIRCUMFLEX ACCENT; circumflex
13149 \DeclareTextCommand{\textcircumflex}{\PD1}{\032}%
13150 % U+02D9 DOT ABOVE; dotaccent
13151 \DeclareTextCommand{\textdotaccent}{\PD1}{\033}%
13152 % U+02DD DOUBLE ACUTE ACCENT; hungarumlaut
13153 \DeclareTextCommand{\texthungarumlaut}{\PD1}{\034}%
13154 % U+02DB OGONEK; ogonek
13155 \DeclareTextCommand{\textogonek}{\PD1}{\035}%
13156 % U+02DA RING ABOVE; ring
13157 \DeclareTextCommand{\textring}{\PD1}{\036}%
13158 % U+02DC SMALL TILDE; ilde, *tilde
13159 \DeclareTextCommand{\texttilde}{\PD1}{\037}%
13160 % U+0020 SPACE; *space, spacehackarabic
13161 % U+0021 EXCLAMATION MARK; exclam
13162 % U+0022 QUOTATION MARK; quotedbl
13163 \DeclareTextCommand{\textquotedbl}{\PD1}{\string"}%
13164 % U+0023 NUMBER SIGN; numbersign
13165 \DeclareTextCommand{\textdollar}{\PD1}{\044}%
13166 % U+0024 DOLLAR SIGN; dollar
13167 \DeclareTextCommand{\textpercent}{\PD1}{\045}%
13168 % U+0025 PERCENT SIGN; percent
13169 \DeclareTextCommand{\textampersand}{\PD1}{\046}%
13170 % U+0027 APOSTROPHE; quotesingle
13171 \DeclareTextCommand{\textparenleft}{\PD1}{\string(}%
13172 % U+0028 LEFT PARENTHESIS; parenleft
13173 \DeclareTextCommand{\textparenright}{\PD1}{\string)}%
13174 % U+0029 RIGHT PARENTHESIS; parenright
13175 \DeclareTextCommand{\textdotbelow}{\PD1}{.}%
13176 % U+002A ASTERISK; asterisk
13177 % U+002B PLUS SIGN; plus
13178 % U+002C COMMA; comma
13179 % U+002D HYPHEN-MINUS; hyphen
13180 % U+002E FULL STOP; period
13181 \DeclareTextCommand{\textdotabove}{\PD1}{.}%
13182 % U+002F SOLIDUS; slash
13183 % U+0030 DIGIT ZERO; zero
13184 ...
13185 \DeclareTextCommand{\textdigitnine}{\PD1}{\039}%
13186 % U+003A COLON; colon
13187 % U+003B SEMICOLON; semicolon
13188 % U+003C LESS-THAN SIGN; less
13189 \DeclareTextCommand{\textless}{\PD1}{<}%
13190 % U+003D EQUALS SIGN; equal
13191 % U+003E GREATER-THAN SIGN; greater
13192 \DeclareTextCommand{\textgreater}{\PD1}{>}%
13193 % U+003F QUESTION MARK; question
13194 % U+0040 COMMERCIAL AT; at
13195 % U+0041 LATIN CAPITAL LETTER A; A
13196 ...

```

```

\132: U+005A LATIN CAPITAL LETTER Z; Z
\133: U+005B LEFT SQUARE BRACKET; bracketleft
13180 % U+005C REVERSE SOLIDUS; backslash
13181 \DeclareTextCommand{\textbackslash}{\PD1}{\134} % U+005C
\135: U+005D RIGHT SQUARE BRACKET; bracketright
13182 % U+005E CIRCUMFLEX ACCENT; asciicircum
13183 \DeclareTextCommand{\textasciicircum}{\PD1}{\136} % U+005E
13184 % U+005F LOW LINE; underscore
13185 \DeclareTextCommand{\textunderscore}{\PD1}{\137} % U+005F
13186 \DeclareTextCommand{\textmacronbelow}{\PD1}{\137} % U+005F
13187 % U+0060 GRAVE ACCENT; grave
13188 \DeclareTextCommand{\textasciigrave}{\PD1}{\140} % U+0060
\141: U+0061 LATIN SMALL LETTER A; a
...
\150: U+0068 LATIN SMALL LETTER H; h
13189 % U+0069 LATIN SMALL LETTER I; i
13190 \DeclareTextCompositeCommand{.}{\PD1}{i}{i} % \151 U+0069
\152: U+006A LATIN SMALL LETTER J; j
...
\172: U+007A LATIN SMALL LETTER Z; z
13191 % U+007B LEFT CURLY BRACKET; braceleft
13192 \DeclareTextCommand{\textbraceleft}{\PD1}{\173} % U+007B
13193 % U+007C VERTICAL LINE; *bar, verticalbar
13194 \DeclareTextCommand{\textbar}{\PD1}{|} % U+007C
13195 % U+007D RIGHT CURLY BRACKET; braceright
13196 \DeclareTextCommand{\textbraceright}{\PD1}{\175} % U+007D
13197 % U+007E TILDE; asciitilde
13198 \DeclareTextCommand{\textasciitilde}{\PD1}{\176} % U+007E

Slot \177 (0x7F) is undefined in PDFDocEncoding.
13199 % U+2022 BULLET; bullet
13200 \DeclareTextCommand{\textbullet}{\PD1}{\200} % U+2022
13201 % U+2020 DAGGER; dagger
13202 \DeclareTextCommand{\textdagger}{\PD1}{\201} % U+2020
13203 % U+2021 DOUBLE DAGGER; daggerdbl
13204 \DeclareTextCommand{\textdaggerdbl}{\PD1}{\202} % U+2021
13205 % U+2026 HORIZONTAL ELLIPSIS; ellipsis
13206 \DeclareTextCommand{\textellipsis}{\PD1}{\203} % U+2026
13207 % U+2014 EM DASH; emdash
13208 \DeclareTextCommand{\textemdash}{\PD1}{\204} % U+2014
13209 % U+2013 EN DASH; endash
13210 \DeclareTextCommand{\textendash}{\PD1}{\205} % U+2013
13211 % U+0192 LATIN SMALL LETTER F WITH HOOK; florin
13212 \DeclareTextCommand{\textflorin}{\PD1}{\206} % U+0192
13213 % U+2044 FRACTION SLASH; fraction
13214 \DeclareTextCommand{\textfractionsolidus}{\PD1}{\207} % U+2044
13215 % U+2039 SINGLE LEFT-POINTING ANGLE QUOTATION MARK; guilsinglleft
13216 \DeclareTextCommand{\guilsinglleft}{\PD1}{\210} % U+2039
13217 % U+203A SINGLE RIGHT-POINTING ANGLE QUOTATION MARK; guilsinglright
13218 \DeclareTextCommand{\guilsinglright}{\PD1}{\211} % U+203A
13219 % U+2212 MINUS SIGN; minus
13220 \DeclareTextCommand{\textminus}{\PD1}{\212} % U+2212
13221 % U+2030 PER MILLE SIGN; perthousand
13222 \DeclareTextCommand{\textperthousand}{\PD1}{\213} % U+2030
13223 % U+201E DOUBLE LOW-9 QUOTATION MARK; quotedblbase

```

```

13224 \DeclareTextCommand{\quotedblbase}{PD1}{\214}% U+201E
13225 % U+201C LEFT DOUBLE QUOTATION MARK; quotedblleft
13226 \DeclareTextCommand{\textquotedblleft}{PD1}{\215}% U+201C
13227 % U+201D RIGHT DOUBLE QUOTATION MARK; quotedblrigh
13228 \DeclareTextCommand{\textquotedblrigh}{PD1}{\216}% U+201D
13229 % U+2018 LEFT SINGLE QUOTATION MARK; quoteleft
13230 \DeclareTextCommand{\textquotleft}{PD1}{\217}% U+2018
13231 % U+2019 RIGHT SINGLE QUOTATION MARK; quoteright
13232 \DeclareTextCommand{\textquotright}{PD1}{\220}% U+2019
13233 % U+201A SINGLE LOW-9 QUOTATION MARK; quotesinglbase
13234 \DeclareTextCommand{\quotesinglbase}{PD1}{\221}% U+201A
13235 % U+2122 TRADE MARK SIGN; trademark
13236 \DeclareTextCommand{\texttrademark}{PD1}{\222}% U+2122
13237 % U+FB01 LATIN SMALL LIGATURE FI; fi
13238 \DeclareTextCommand{\textf}{PD1}{\223}% U+FB01
13239 % U+FB02 LATIN SMALL LIGATURE FL; fl
13240 \DeclareTextCommand{\textfl}{PD1}{\224}% U+FB02
13241 % U+0141 LATIN CAPITAL LETTER L WITH STROKE; lslash
13242 \DeclareTextCommand{\L}{PD1}{\225}% U+0141
13243 % U+0152 LATIN CAPITAL LIGATURE OE; oe
13244 \DeclareTextCommand{\OE}{PD1}{\226}% U+0152
13245 % U+0160 LATIN CAPITAL LETTER S WITH CARON; Scaron
13246 \DeclareTextCompositeCommand{\v}{PD1}{S}{\227}% U+0160
13247 % U+0178 LATIN CAPITAL LETTER Y WITH DIAERESIS; Ydieresis
13248 \DeclareTextCompositeCommand{\Y}{PD1}{Y}{\230}% U+0178
13249 \DeclareTextCommand{\IJ}{PD1}{\230}
13250 % U+017D LATIN CAPITAL LETTER Z WITH CARON; Zcaron
13251 \DeclareTextCompositeCommand{\v}{PD1}{Z}{\231}% U+017D
13252 % U+0131 LATIN SMALL LETTER DOTLESS I; dotlessi
13253 \DeclareTextCommand{\i}{PD1}{\232}% U+0131
13254 % U+0142 LATIN SMALL LETTER L WITH STROKE; lslash
13255 \DeclareTextCommand{\l}{PD1}{\233}% U+0142
13256 % U+0153 LATIN SMALL LIGATURE OE; oe
13257 \DeclareTextCommand{\oe}{PD1}{\234}% U+0153
13258 % U+0161 LATIN SMALL LETTER S WITH CARON; scaron
13259 \DeclareTextCompositeCommand{\v}{PD1}{s}{\235}% U+0161
13260 % U+017E LATIN SMALL LETTER Z WITH CARON; zcaron
13261 \DeclareTextCompositeCommand{\v}{PD1}{z}{\236}% U+017E
Slot \237 (0x9F) is not defined in PDFDocEncoding.
The euro \240 is inserted in version 1.3 of the pdf specification.
13262 % U+20AC EURO SIGN; *Euro, euro
13263 \DeclareTextCommand{\texteuro}{PD1}{\240}% U+20AC
13264 % U+00A1 INVERTED EXCLAMATION MARK; exclamdown
13265 \DeclareTextCommand{\textexclamdown}{PD1}{\241}% U+00A1
13266 % U+00A2 CENT SIGN; cent
13267 \DeclareTextCommand{\textcent}{PD1}{\242}% U+00A2
13268 % U+00A3 POUND SIGN; sterling
13269 \DeclareTextCommand{\textsterling}{PD1}{\243}% U+00A3
13270 % U+00A4 CURRENCY SIGN; currency
13271 \DeclareTextCommand{\textcurrency}{PD1}{\244}% U+00A4
13272 % U+00A5 YEN SIGN; yen
13273 \DeclareTextCommand{\textyen}{PD1}{\245}% U+00A5
13274 % U+00A6 BROKEN BAR; brokenbar
13275 \DeclareTextCommand{\textbrokenbar}{PD1}{\246}% U+00A6
13276 % U+00A7 SECTION SIGN; section
13277 \DeclareTextCommand{\textsection}{PD1}{\247}% U+00A7
13278 % U+00A8 DIAERESIS; dieresis

```

```

13279 \DeclareTextCommand{\textasciidieresis}{PD1}{\250}%
13280 % U+00A9 COPYRIGHT SIGN; copyright
13281 \DeclareTextCommand{\textcopyright}{PD1}{\251}%
13282 % U+00AA FEMININE ORDINAL INDICATOR; ordfeminine
13283 \DeclareTextCommand{\textordfeminine}{PD1}{\252}%
13284 % U+00AB LEFT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
     motleft
13285 \DeclareTextCommand{\guillemotleft}{PD1}{\253}%
13286 % U+00AC NOT SIGN; logicalnot
13287 \DeclareTextCommand{\textlogicalnot}{PD1}{\254}%
13288 \DeclareTextCommand{\textlnot}{PD1}{\254}%
13289 % U+00AE REGISTERED SIGN; registered
13290 \DeclareTextCommand{\textregistered}{PD1}{\256}%
13291 % U+00AF MACRON; *macron, overscore
13292 \DeclareTextCommand{\textasciimacron}{PD1}{\257}%
13293 % U+00B0 DEGREE SIGN; degree
13294 \DeclareTextCommand{\textdegree}{PD1}{\260}%
13295 % U+00B1 PLUS-MINUS SIGN; plusminus
13296 \DeclareTextCommand{\textplusminus}{PD1}{\261}%
13297 % U+00B2 SUPERSCRIPT TWO; twosuperior
13298 \DeclareTextCommand{\texttwosuperior}{PD1}{\262}%
13299 % U+00B3 SUPERSCRIPT THREE; threesuperior
13300 \DeclareTextCommand{\textthreesuperior}{PD1}{\263}%
13301 % U+00B4 ACUTE ACCENT; acute
13302 \DeclareTextCommand{\textacute}{PD1}{\264}%
13303 % U+00B5 MICRO SIGN; mu, mu1
13304 \DeclareTextCommand{\textmu}{PD1}{\265}%
13305 % U+00B6 PILCROW SIGN; paragraph
13306 \DeclareTextCommand{\textparagraph}{PD1}{\266}%
13307 % U+00B7 MIDDLE DOT; middot, *periodcentered
13308 \DeclareTextCommand{\textperiodcentered}{PD1}{\267}%
13309 % U+00B8 CEDILLA; cedilla
13310 \DeclareTextCommand{\textcedilla}{PD1}{\270}%
13311 % U+00B9 SUPERSCRIPT ONE; onesuperior
13312 \DeclareTextCommand{\textonesuperior}{PD1}{\271}%
13313 % U+00BA MASCULINE ORDINAL INDICATOR; ordmasculine
13314 \DeclareTextCommand{\textordmasculine}{PD1}{\272}%
13315 % U+00BB RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
     motright
13316 \DeclareTextCommand{\guillemotright}{PD1}{\273}%
13317 % U+00BC VULGAR FRACTION ONE QUARTER; onequarter
13318 \DeclareTextCommand{\textonequarter}{PD1}{\274}%
13319 % U+00BD VULGAR FRACTION ONE HALF; onehalf
13320 \DeclareTextCommand{\textonehalf}{PD1}{\275}%
13321 % U+00BE VULGAR FRACTION THREE QUARTERS; threequarters
13322 \DeclareTextCommand{\textthreequarters}{PD1}{\276}%
13323 % U+00BF INVERTED QUESTION MARK; questiondown
13324 \DeclareTextCommand{\textquestiondown}{PD1}{\277}%
13325 % U+00C0 LATIN CAPITAL LETTER A WITH GRAVE; Agrave
13326 \DeclareTextCompositeCommand{\'}{PD1}{A}{\300}%
13327 % U+00C1 LATIN CAPITAL LETTER A WITH ACUTE; Aacute
13328 \DeclareTextCompositeCommand{\'}{PD1}{A}{\301}%
13329 % U+00C2 LATIN CAPITAL LETTER A WITH CIRCUMFLEX; Acircumflex
13330 \DeclareTextCompositeCommand{\~}{PD1}{A}{\302}%
13331 % U+00C3 LATIN CAPITAL LETTER A WITH TILDE; Atilde
13332 \DeclareTextCompositeCommand{\~}{PD1}{A}{\303}%

```

13333 % U+00C4 LATIN CAPITAL LETTER A WITH DIAERESIS; Adieresis
13334 \DeclareTextCompositeCommand{"}{PD1}{A}{\304}% U+00C4
13335 % U+00C5 LATIN CAPITAL LETTER A WITH RING ABOVE; Aring
13336 \DeclareTextCompositeCommand{r}{PD1}{A}{\305}% U+00C5
13337 % U+00C6 LATIN CAPITAL LETTER AE; AE
13338 \DeclareTextCommand{\AE}{PD1}{\306}% U+00C6
13339 % U+00C7 LATIN CAPITAL LETTER C WITH CEDILLA; Ccedilla
13340 \DeclareTextCompositeCommand{c}{PD1}{C}{\307}% U+00C7
13341 % U+00C8 LATIN CAPITAL LETTER E WITH GRAVE; Egrave
13342 \DeclareTextCompositeCommand{'}{PD1}{E}{\310}% U+00C8
13343 % U+00C9 LATIN CAPITAL LETTER E WITH ACUTE; Eacute
13344 \DeclareTextCompositeCommand{'}{PD1}{E}{\311}% U+00C9
13345 % U+00CA LATIN CAPITAL LETTER E WITH CIRCUMFLEX; Ecircumflex
13346 \DeclareTextCompositeCommand{^}{PD1}{E}{\312}% U+00CA
13347 % U+00CB LATIN CAPITAL LETTER E WITH DIAERESIS; Edieresis
13348 \DeclareTextCompositeCommand{"}{PD1}{E}{\313}% U+00CB
13349 % U+00CC LATIN CAPITAL LETTER I WITH GRAVE; Igrave
13350 \DeclareTextCompositeCommand{'}{PD1}{I}{\314}% U+00CC
13351 % U+00CD LATIN CAPITAL LETTER I WITH ACUTE; Iacute
13352 \DeclareTextCompositeCommand{'}{PD1}{I}{\315}% U+00CD
13353 % U+00CE LATIN CAPITAL LETTER I WITH CIRCUMFLEX; Icircumflex
13354 \DeclareTextCompositeCommand{^}{PD1}{I}{\316}% U+00CE
13355 % U+00CF LATIN CAPITAL LETTER I WITH DIAERESIS; Idieresis
13356 \DeclareTextCompositeCommand{"}{PD1}{I}{\317}% U+00CF
13357 % U+00D0 LATIN CAPITAL LETTER ETH; Eth
13358 \DeclareTextCommand{DH}{PD1}{\320}% U+00D0
13359 \DeclareTextCommand{DJ}{PD1}{\320}% U+00D0
13360 % U+00D1 LATIN CAPITAL LETTER N WITH TILDE; Ntilde
13361 \DeclareTextCompositeCommand{~}{PD1}{N}{\321}% U+00D1
13362 % U+00D2 LATIN CAPITAL LETTER O WITH GRAVE; Ograve
13363 \DeclareTextCompositeCommand{'}{PD1}{O}{\322}% U+00D2
13364 % U+00D3 LATIN CAPITAL LETTER O WITH ACUTE; Oacute
13365 \DeclareTextCompositeCommand{'}{PD1}{O}{\323}% U+00D3
13366 % U+00D4 LATIN CAPITAL LETTER O WITH CIRCUMFLEX; Ocircumflex
13367 \DeclareTextCompositeCommand{^}{PD1}{O}{\324}% U+00D4
13368 % U+00D5 LATIN CAPITAL LETTER O WITH TILDE; Otilde
13369 \DeclareTextCompositeCommand{~}{PD1}{O}{\325}% U+00D5
13370 % U+00D6 LATIN CAPITAL LETTER O WITH DIAERESIS; Odieresis
13371 \DeclareTextCompositeCommand{"}{PD1}{O}{\326}% U+00D6
13372 % U+00D7 MULTIPLICATION SIGN; multiply
13373 \DeclareTextCommand{textmultiply}{PD1}{\327}% U+00D7
13374 % U+00D8 LATIN CAPITAL LETTER O WITH STROKE; Oslash
13375 \DeclareTextCommand{\O}{PD1}{\330}% U+00D8
13376 % U+00D9 LATIN CAPITAL LETTER U WITH GRAVE; Ugrave
13377 \DeclareTextCompositeCommand{'}{PD1}{U}{\331}% U+00D9
13378 % U+00DA LATIN CAPITAL LETTER U WITH ACUTE; Uacute
13379 \DeclareTextCompositeCommand{'}{PD1}{U}{\332}% U+00DA
13380 % U+00DB LATIN CAPITAL LETTER U WITH CIRCUMFLEX; Ucircumflex
13381 \DeclareTextCompositeCommand{^}{PD1}{U}{\333}% U+00DB
13382 % U+00DC LATIN CAPITAL LETTER U WITH DIAERESIS; Udieresis
13383 \DeclareTextCompositeCommand{"}{PD1}{U}{\334}% U+00DC
13384 % U+00DD LATIN CAPITAL LETTER Y WITH ACUTE; Yacute
13385 \DeclareTextCompositeCommand{'}{PD1}{Y}{\335}% U+00DD
13386 % U+00DE LATIN CAPITAL LETTER THORN; Thorn
13387 \DeclareTextCommand{\TH}{PD1}{\336}% U+00DE
13388 % U+00DF LATIN SMALL LETTER SHARP S; germandbls
13389 \DeclareTextCommand{\ss}{PD1}{\337}% U+00DF

```

13390 % U+00E0 LATIN SMALL LETTER A WITH GRAVE; agrave
13391 \DeclareTextCompositeCommand{\'}{PD1}{a}{\340}% U+00E0
13392 % U+00E1 LATIN SMALL LETTER A WITH ACUTE; aacute
13393 \DeclareTextCompositeCommand{\'}{PD1}{a}{\341}% U+00E1
13394 % U+00E2 LATIN SMALL LETTER A WITH CIRCUMFLEX; acircumflex
13395 \DeclareTextCompositeCommand{\~}{PD1}{a}{\342}% U+00E2
13396 % U+00E3 LATIN SMALL LETTER A WITH TILDE; atilde
13397 \DeclareTextCompositeCommand{\~}{PD1}{a}{\343}% U+00E3
13398 % U+00E4 LATIN SMALL LETTER A WITH DIAERESIS; adieresis
13399 \DeclareTextCompositeCommand{\"}{PD1}{a}{\344}% U+00E4
13400 % U+00E5 LATIN SMALL LETTER A WITH RING ABOVE; aring
13401 \DeclareTextCompositeCommand{\r}{PD1}{a}{\345}% U+00E5
13402 % U+00E6 LATIN SMALL LETTER AE; ae
13403 \DeclareTextCommand{\ae}{PD1}{\346}% U+00E6
13404 % U+00E7 LATIN SMALL LETTER C WITH CEDILLA; ccedilla
13405 \DeclareTextCompositeCommand{\c}{PD1}{c}{\347}% U+00E7
13406 % U+00E8 LATIN SMALL LETTER E WITH GRAVE; egrave
13407 \DeclareTextCompositeCommand{\'}{PD1}{e}{\350}% U+00E8
13408 % U+00E9 LATIN SMALL LETTER E WITH ACUTE; eacute
13409 \DeclareTextCompositeCommand{\'}{PD1}{e}{\351}% U+00E9
13410 % U+00EA LATIN SMALL LETTER E WITH CIRCUMFLEX; ecircumflex
13411 \DeclareTextCompositeCommand{\~}{PD1}{e}{\352}% U+00EA
13412 % U+00EB LATIN SMALL LETTER E WITH DIAERESIS; edieresis
13413 \DeclareTextCompositeCommand{\"}{PD1}{e}{\353}% U+00EB
13414 % U+00EC LATIN SMALL LETTER I WITH GRAVE; igrave
13415 \DeclareTextCompositeCommand{\'}{PD1}{i}{\354}% U+00EC
13416 \DeclareTextCompositeCommand{\'}{PD1}{i}{\354}% U+00EC
13417 % U+00ED LATIN SMALL LETTER I WITH ACUTE; iacute
13418 \DeclareTextCompositeCommand{\'}{PD1}{i}{\355}% U+00ED
13419 \DeclareTextCompositeCommand{\'}{PD1}{i}{\355}% U+00ED
13420 % U+00EE LATIN SMALL LETTER I WITH CIRCUMFLEX; icircumflex
13421 \DeclareTextCompositeCommand{\~}{PD1}{i}{\356}% U+00EE
13422 \DeclareTextCompositeCommand{\~}{PD1}{i}{\356}% U+00EE
13423 % U+00EF LATIN SMALL LETTER I WITH DIAERESIS; idieresis
13424 \DeclareTextCompositeCommand{\\"}{PD1}{i}{\357}% U+00EF
13425 \DeclareTextCompositeCommand{\\"}{PD1}{i}{\357}% U+00EF
13426 % U+00F0 LATIN SMALL LETTER ETH; eth
13427 \DeclareTextCommand{\dh}{PD1}{\360}% U+00F0
13428 % U+00F1 LATIN SMALL LETTER N WITH TILDE; ntilde
13429 \DeclareTextCompositeCommand{\~}{PD1}{n}{\361}% U+00F1
13430 % U+00F2 LATIN SMALL LETTER O WITH GRAVE; ograve
13431 \DeclareTextCompositeCommand{\'}{PD1}{o}{\362}% U+00F2
13432 % U+00F3 LATIN SMALL LETTER O WITH ACUTE; oacute
13433 \DeclareTextCompositeCommand{\'}{PD1}{o}{\363}% U+00F3
13434 % U+00F4 LATIN SMALL LETTER O WITH CIRCUMFLEX; ocircumflex
13435 \DeclareTextCompositeCommand{\~}{PD1}{o}{\364}% U+00F4
13436 % U+00F5 LATIN SMALL LETTER O WITH TILDE; otilde
13437 \DeclareTextCompositeCommand{\~}{PD1}{o}{\365}% U+00F5
13438 % U+00F6 LATIN SMALL LETTER O WITH DIAERESIS; odieresis
13439 \DeclareTextCompositeCommand{\\"}{PD1}{o}{\366}% U+00F6
13440 % U+00F7 DIVISION SIGN; divide
13441 \DeclareTextCommand{\textdivide}{PD1}{\367}% U+00F7
13442 % U+00F8 LATIN SMALL LETTER O WITH STROKE; oslash
13443 \DeclareTextCommand{\o}{PD1}{\370}% U+00F8
13444 % U+00F9 LATIN SMALL LETTER U WITH GRAVE; ugrave
13445 \DeclareTextCompositeCommand{\'}{PD1}{u}{\371}% U+00F9
13446 % U+00FA LATIN SMALL LETTER U WITH ACUTE; uacute

```

```

13447 \DeclareTextCompositeCommand{\'}{PD1}{u}{\372}% U+00FA
13448 % U+00FB LATIN SMALL LETTER U WITH CIRCUMFLEX; ucircumflex
13449 \DeclareTextCompositeCommand{\^}{PD1}{u}{\373}% U+00FB
13450 % U+00FC LATIN SMALL LETTER U WITH DIAERESIS; udieresis
13451 \DeclareTextCompositeCommand{\"}{PD1}{u}{\374}% U+00FC
13452 % U+00FD LATIN SMALL LETTER Y WITH ACUTE; yacute
13453 \DeclareTextCompositeCommand{\'}{PD1}{y}{\375}% U+00FD
13454 % U+00FE LATIN SMALL LETTER THORN; thorn
13455 \DeclareTextCommand{\th}{PD1}{\376}% U+00FE
13456 % U+00FF LATIN SMALL LETTER Y WITH DIAERESIS; ydieresis
13457 \DeclareTextCompositeCommand{\"}{PD1}{y}{\377}% U+00FF
13458 \DeclareTextCommand{\ij}{PD1}{\377}% U+00FF

Glyphs that consist of several characters.
13459 \DeclareTextCommand{\SS}{PD1}{SS}
13460 \DeclareTextCommand{\textcelsius}{PD1}{\textdegree C}

Aliases (german.sty)
13461 \DeclareTextCommand{\textglqq}{PD1}{\quotedblbase}
13462 \DeclareTextCommand{\textgrqq}{PD1}{\textquotedblleft}
13463 \DeclareTextCommand{\textglq}{PD1}{\quotesinglbase}
13464 \DeclareTextCommand{\textgrq}{PD1}{\textquotelleft}
13465 \DeclareTextCommand{\textflqq}{PD1}{\guillemotleft}
13466 \DeclareTextCommand{\textfrqq}{PD1}{\guillemotright}
13467 \DeclareTextCommand{\textflq}{PD1}{\guilsingleleft}
13468 \DeclareTextCommand{\textfrq}{PD1}{\guilsinglright}

Aliases (math names)
13469 \DeclareTextCommand{\textneg}{PD1}{\textlogicalnot}
13470 \DeclareTextCommand{\texttimes}{PD1}{\textmultiply}
13471 \DeclareTextCommand{\textdiv}{PD1}{\textdivide}
13472 \DeclareTextCommand{\textpm}{PD1}{\textplusminus}
13473 \DeclareTextCommand{\textcdot}{PD1}{\textperiodcentered}
13474 \DeclareTextCommand{\textbeta}{PD1}{\ss}

Polish aliases. PDF encoding does not have the characters, but it is useful to Poles to
have the plain letters regardless. Requested by Wojciech Myszka (W.Myszka@immt.
pwr.wroc.pl).
13475 \DeclareTextCompositeCommand{\k}{PD1}{a}{a}% aogonek
13476 \DeclareTextCompositeCommand{\'}{PD1}{c}{c}% cacute
13477 \DeclareTextCompositeCommand{\k}{PD1}{e}{e}% eogonek
13478 \DeclareTextCompositeCommand{\'}{PD1}{n}{n}% nacute
13479 \DeclareTextCompositeCommand{\'}{PD1}{s}{s}% sacute
13480 \DeclareTextCompositeCommand{\'}{PD1}{z}{z}% zacute
13481 \DeclareTextCompositeCommand{\.}{PD1}{z}{z}% zdot
13482 \DeclareTextCompositeCommand{\k}{PD1}{A}{A}% Aogonek
13483 \DeclareTextCompositeCommand{\'}{PD1}{C}{C}% Cacute
13484 \DeclareTextCompositeCommand{\k}{PD1}{E}{E}% Eogonek
13485 \DeclareTextCompositeCommand{\'}{PD1}{N}{N}% Nacute
13486 \DeclareTextCompositeCommand{\'}{PD1}{S}{S}% Sacute
13487 \DeclareTextCompositeCommand{\'}{PD1}{Z}{Z}% Zacute
13488 \DeclareTextCompositeCommand{\.}{PD1}{Z}{Z}% Zdot
13489 </pd1enc>

```

50.2 PU encoding

```

13490 /*puenc*/
13491 \DeclareFontEncoding{PU}{}{}

```

50.2.1 NFSS2 accents

```

13492 % U+0300 COMBINING GRAVE ACCENT; gravecmb, *gravecomb
13493 \DeclareTextCommand{\`}{PU}[1]{#1\83\000}% U+0300
13494 % U+0301 COMBINING ACUTE ACCENT; acutecmb, *acutecomb
13495 \DeclareTextCommand{\'}{PU}[1]{#1\83\001}% U+0301
13496 % U+0302 COMBINING CIRCUMFLEX ACCENT; circumflexcmb
13497 \DeclareTextCommand{\^}{PU}[1]{#1\83\002}% U+0302
13498 % U+0303 COMBINING TILDE; tildecmb, *tildecomb
13499 \DeclareTextCommand{\~}{PU}[1]{#1\83\003}% U+0303
13500 % U+0304 COMBINING MACRON; macroncmb
13501 \DeclareTextCommand{\=}{PU}[1]{#1\83\004}% U+0304
13502 % U+0306 COMBINING BREVE; brevecmb
13503 \DeclareTextCommand{\u}{PU}[1]{#1\83\006}% U+0306
13504 \DeclareTextCommand{\U}{PU}[1]{#1\83\006}% U+0306
13505 % U+0307 COMBINING DOT ABOVE; dotaccentcmb
13506 \DeclareTextCommand{\.}{PU}[1]{#1\83\007}% U+0307
13507 % U+0308 COMBINING DIAERESIS; dieresiscmb
13508 \DeclareTextCommand{\"}{PU}[1]{#1\83\010}% U+0308
13509 % U+030A COMBINING RING ABOVE; ringcmb
13510 \DeclareTextCommand{\r}{PU}[1]{#1\83\012}% U+030A
13511 % U+030B COMBINING DOUBLE ACUTE ACCENT; hungarumlautcmb
13512 \DeclareTextCommand{\H}{PU}[1]{#1\83\013}% U+030B
13513 % U+030C COMBINING CARON; caroncmb
13514 \DeclareTextCommand{\v}{PU}[1]{#1\83\014}% U+030C
13515 % U+030F COMBINING DOUBLE GRAVE ACCENT; dblgravecmb
13516 \DeclareTextCommand{\G}{PU}[1]{#1\83\017}% U+030F
13517 \DeclareTextCommand{\C}{PU}[1]{#1\83\017}% U+030F
13518 % U+0311 COMBINING INVERTED BREVE; breveinvertedcmb
13519 \DeclareTextCommand{\newtie}{PU}[1]{#1\83\021}% U+0311
13520 % U+0323 COMBINING DOT BELOW; dotbelowcmb, *dotbelowcomb
13521 \DeclareTextCommand{\d}{PU}[1]{#1\83\043}% U+0323
13522 % U+0331 COMBINING MACRON BELOW; macronbelowcmb
13523 \DeclareTextCommand{\b}{PU}[1]{#1\83\061}% U+0331
13524 % U+0327 COMBINING CEDILLA; cedillacmb
13525 \DeclareTextCommand{\c}{PU}[1]{#1\83\047}% U+0327
13526 % U+0328 COMBINING OGONEK; ogonekcmb
13527 \DeclareTextCommand{\k}{PU}[1]{#1\83\050}% U+0328
13528 % U+0361 COMBINING DOUBLE INVERTED BREVE; breveinverteddoublecmb
13529 \DeclareTextCommand{\t}{PU}[1]{#1\83\141}% U+0361
13530 % U+20DD COMBINING ENCLOSING CIRCLE
13531 \DeclareTextCommand{\textcircled}{PU}[1]{#1\9040\335}% U+20DD

\@empty is an artefact of the NFSS2 machinery, it gets inserted for empty arguments
and spaces.
13532 \DeclareTextCompositeCommand{\`}{PU}{\@empty}{\textasciigrave}
13533 \DeclareTextCompositeCommand{\'}{PU}{\@empty}{\textacute}
13534 \DeclareTextCompositeCommand{\^}{PU}{\@empty}{\textasciicircum}
13535 \DeclareTextCompositeCommand{\~}{PU}{\@empty}{\texttilde}
13536 \DeclareTextCompositeCommand{\=}{PU}{\@empty}{\textasciidieresis}
13537 \DeclareTextCompositeCommand{\r}{PU}{\@empty}{\textring}
13538 \DeclareTextCompositeCommand{\v}{PU}{\@empty}{\textasciicaron}
13539 \DeclareTextCompositeCommand{\.}{PU}{\@empty}{\textdotaccent}
13540 \DeclareTextCompositeCommand{\c}{PU}{\@empty}{\textcedilla}
13541 \DeclareTextCompositeCommand{\u}{PU}{\@empty}{\textasciibreve}
13542 \DeclareTextCompositeCommand{\G}{PU}{\@empty}{\textdoublegrave}
13543 \DeclareTextCompositeCommand{\=}{PU}{\@empty}{\textasciimacron}
13544 \DeclareTextCompositeCommand{\H}{PU}{\@empty}{\texthungarumlaut}
13545 \DeclareTextCompositeCommand{\k}{PU}{\@empty}{\textogonek}
13546 \DeclareTextCompositeCommand{\b}{PU}{\@empty}{\textmacronbelow}

```

```

13547 \DeclareTextCompositeCommand{\d}{PU}{\emptyset}{\textdotbelow}
13548 \DeclareTextCompositeCommand{\t}{PU}{\emptyset}{\texttie}
13549 \DeclareTextCompositeCommand{\newtie}{PU}{\emptyset}{\textnewtie}
13550 \DeclareTextCompositeCommand{\textcircled}{PU}{\emptyset}{\textbigcircle}
13551 \DeclareTextCompositeCommand{\`}{PU}{\emptyset}{\textasciigrave}
13552 \DeclareTextCompositeCommand{\'}{PU}{\emptyset}{\textacute}
13553 \DeclareTextCompositeCommand{\^}{PU}{\emptyset}{\textasciicircum}
13554 \DeclareTextCompositeCommand{\~}{PU}{\emptyset}{\texttilde}
13555 \DeclareTextCompositeCommand{\"}{PU}{\emptyset}{\textasciidieresis}
13556 \DeclareTextCompositeCommand{\r}{PU}{\emptyset}{\textring}
13557 \DeclareTextCompositeCommand{\v}{PU}{\emptyset}{\textasciicaron}
13558 \DeclareTextCompositeCommand{\.}{PU}{\emptyset}{\textdotaccent}
13559 \DeclareTextCompositeCommand{\c}{PU}{\emptyset}{\textcedilla}
13560 \DeclareTextCompositeCommand{\u}{PU}{\emptyset}{\textasciibreve}
13561 \DeclareTextCompositeCommand{\G}{PU}{\emptyset}{\textdoublegrave}
13562 \DeclareTextCompositeCommand{\=}{PU}{\emptyset}{\textasciimacron}
13563 \DeclareTextCompositeCommand{\H}{PU}{\emptyset}{\texthungarumlaut}
13564 \DeclareTextCompositeCommand{\k}{PU}{\emptyset}{\textogonek}
13565 \DeclareTextCompositeCommand{\b}{PU}{\emptyset}{\textmacronbelow}
13566 \DeclareTextCompositeCommand{\d}{PU}{\emptyset}{\textdotbelow}
13567 \DeclareTextCompositeCommand{\t}{PU}{\emptyset}{\texttie}
13568 \DeclareTextCompositeCommand{\newtie}{PU}{\emptyset}{\textnewtie}
13569 \DeclareTextCompositeCommand{\textcircled}{PU}{\emptyset}{\textbigcircle}

```

Accents for capitals (see encoding TS1)

```

13570 \DeclareTextCommand{\capitalcedilla}{PU}[1]{\c{\#1}}
13571 \DeclareTextCommand{\capitalogonek}{PU}[1]{\k{\#1}}
13572 \DeclareTextCommand{\capitalgrave}{PU}[1]{\`{\#1}}
13573 \DeclareTextCommand{\capitalacute}{PU}[1]{\'{\#1}}
13574 \DeclareTextCommand{\capitalcircumflex}{PU}[1]{\^{\#1}}
13575 \DeclareTextCommand{\capitaltilde}{PU}[1]{\~{\#1}}
13576 \DeclareTextCommand{\capitaldieresis}{PU}[1]{\"{\#1}}
13577 \DeclareTextCommand{\capitalhungarumlaut}{PU}[1]{\H{\#1}}
13578 \DeclareTextCommand{\capitalring}{PU}[1]{\r{\#1}}
13579 \DeclareTextCommand{\capitalcaron}{PU}[1]{\v{\#1}}
13580 \DeclareTextCommand{\capitalbreve}{PU}[1]{\u{\#1}}
13581 \DeclareTextCommand{\capitalmacron}{PU}[1]{\={\#1}}
13582 \DeclareTextCommand{\capitaldotaccent}{PU}[1]{\.{\#1}}
13583 \DeclareTextCommand{\capitaltie}{PU}[1]{\t{\#1}}
13584 \DeclareTextCommand{\capitalnewtie}{PU}[1]{\newtie{\#1}}

```

50.2.2 Basic Latin: U+0000 to U+007F

Special white space escape characters.

```

13585 % U+0009 (CHARACTER TABULATION)
13586 \DeclareTextCommand{\textHT}{PU}{\80\011}% U+0009
13587 % U+000A (LINE FEED)
13588 \DeclareTextCommand{\textLF}{PU}{\80\012}% U+000A
13589 % U+000D (CARRIAGE RETURN)
13590 \DeclareTextCommand{\textCR}{PU}{\80\015}% U+000D
\80\040: U+0020 SPACE; space, spacehackarabic
\80\041: U+0021 EXCLAMATION MARK; exclam
13591 % U+0022 QUOTATION MARK; quotedbl
13592 \DeclareTextCommand{\textquotedbl}{PU}{\string"}% \80\042 U+0022
13593 % U+0023 NUMBER SIGN; numbersign
13594 \DeclareTextCommand{\textnumbersign}{PU}{\80\043}% U+0023
13595 % U+0024 DOLLAR SIGN; dollar
13596 \DeclareTextCommand{\textdollar}{PU}{\80\044}% U+0024

```

```

13597 % U+0025 PERCENT SIGN; percent
13598 \DeclareTextCommand{\textpercent}{\PU}{\80\045}% U+0025
13599 % U+0026 AMPERSAND; ampersand
13600 \DeclareTextCommand{\textampersand}{\PU}{\80\046}% U+0026
13601 % U+0027 APOSTROPHE; quotesingle
13602 \DeclareTextCommand{\textquotesingle}{\PU}{\80\047}% U+0027
13603 % U+0028 LEFT PARENTHESIS; parenleft
13604 \DeclareTextCommand{\textparenleft}{\PU}{\80\050}% U+0028
13605 % U+0029 RIGHT PARENTHESIS; parenright
13606 \DeclareTextCommand{\textparenright}{\PU}{\80\051}% U+0029
13607 % U+002A ASTERISK; asterisk
13608 \DeclareTextCommand{\textasteriskcentered}{\PU}{\80\052}% U+002A (?)

\80\053: U+002B PLUS SIGN; plus
\80\054: U+002C COMMA; comma
\80\055: U+002D HYPHEN-MINUS; hyphen
\80\056: U+002E FULL STOP; period
\80\057: U+002F SOLIDUS; slash
\80\060: U+0030 DIGIT ZERO; zero
...
\80\071: U+0039 DIGIT NINE; nine
\80\072: U+003A COLON; colon
\80\073: U+003B SEMICOLON; semicolon
13609 % U+003C LESS-Than SIGN; less
13610 \DeclareTextCommand{\textless}{\PU}{<}% \80\074 U+003C
\80\075: U+003D EQUALS SIGN; equal
13611 % U+003E GREATER-Than SIGN; greater
13612 \DeclareTextCommand{\textgreater}{\PU}{>}% \80\076 U+003E
\80\077: U+003F QUESTION MARK; question
\80\100: U+0040 COMMERCIAL AT; at
\80\101: U+0041 LATIN CAPITAL LETTER A; A
...
\80\132: U+005A LATIN CAPITAL LETTER Z; Z
\80\133: U+005B LEFT SQUARE BRACKET; bracketleft
13613 % U+005C REVERSE SOLIDUS; backslash
13614 \DeclareTextCommand{\textbackslash}{\PU}{\80\134}% U+005C
\80\135: U+005D RIGHT SQUARE BRACKET; bracketright
13615 % U+005E CIRCUMFLEX ACCENT; asciicircum
13616 \DeclareTextCommand{\textasciicircum}{\PU}{\80\136}% U+005E
13617 % U+005F LOW LINE; underscore
13618 \DeclareTextCommand{\textunderscore}{\PU}{\80\137}% U+005F
13619 % U+0060 GRAVE ACCENT; grave
13620 \DeclareTextCommand{\textasciigrave}{\PU}{\80\140}% U+0060
\80\141: U+0061 LATIN SMALL LETTER A; a
...
\80\150: U+0068 LATIN SMALL LETTER H; h
13621 % U+0069 LATIN SMALL LETTER I; i
13622 \DeclareTextCompositeCommand{\.\i}{\PU}{\i}{\i} % \80\151 U+0069
13623 \DeclareTextCompositeCommand{\.\i}{\PU}{\i}{\i} % \80\151 U+0069
\80\152: U+006A LATIN SMALL LETTER J; j
...
\80\172: U+007A LATIN SMALL LETTER Z; z
13624 % U+007B LEFT CURLY BRACKET; braceleft

```

```

13625 \DeclareTextCommand{\textbraceleft}{\PU}{\80\173}% U+007B
13626 % U+007C VERTICAL LINE; *bar, verticalbar
13627 \DeclareTextCommand{\textbar}{\PU}{|}% \80\174 U+007C
13628 % U+007D RIGHT CURLY BRACKET; braceright
13629 \DeclareTextCommand{\textbraceright}{\PU}{\80\175}% U+007D
13630 % U+007E TILDE; asciitilde
13631 \DeclareTextCommand{\textasciitilde}{\PU}{\80\176}% U+007E

```

50.2.3 Latin-1 Supplement: U+0080 to U+00FF

\80\240: U+00A0 NO-BREAK SPACE; nbspace, nonbreakingspace
13632 % U+00A1 INVERTED EXCLAMATION MARK; exclamdown
13633 \DeclareTextCommand{\textexclamdown}{\PU}{\80\241}% U+00A1
13634 % U+00A2 CENT SIGN; cent
13635 \DeclareTextCommand{\textcent}{\PU}{\80\242}% U+00A2
13636 % U+00A3 POUND SIGN; sterling
13637 \DeclareTextCommand{\textsterling}{\PU}{\80\243}% U+00A3
13638 % U+00A4 CURRENCY SIGN; currency
13639 \DeclareTextCommand{\textcurrency}{\PU}{\80\244}% U+00A4
13640 % U+00A5 YEN SIGN; yen
13641 \DeclareTextCommand{\textyen}{\PU}{\80\245}% U+00A5
13642 % U+00A6 BROKEN BAR; brokenbar
13643 \DeclareTextCommand{\textbrokenbar}{\PU}{\80\246}% U+00A6
13644 % U+00A7 SECTION SIGN; section
13645 \DeclareTextCommand{\textsection}{\PU}{\80\247}% U+00A7
13646 % U+00A8 DIAERESIS; dieresis
13647 \DeclareTextCommand{\textasciidieresis}{\PU}{\80\250}% U+00A8
13648 % U+00A9 COPYRIGHT SIGN; copyright
13649 \DeclareTextCommand{\textcopyright}{\PU}{\80\251}% U+00A9
13650 % U+00AA FEMININE ORDINAL INDICATOR; ordfeminine
13651 \DeclareTextCommand{\textordfeminine}{\PU}{\80\252}% U+00AA
13652 % U+00AB LEFT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
 motleft
13653 \DeclareTextCommand{\guillemotleft}{\PU}{\80\253}% U+00AB
13654 % U+00AC NOT SIGN; logicalnot
13655 \DeclareTextCommand{\textlogicalnot}{\PU}{\80\254}% U+00AC
13656 \DeclareTextCommand{\textlnot}{\PU}{\80\254}% U+00AC

\80\255: U+00AD SOFT HYPHEN; sfhyphen, softhyphen
13657 % U+00AE REGISTERED SIGN; registered
13658 \DeclareTextCommand{\textregistered}{\PU}{\80\256}% U+00AE
13659 % U+00AF MACRON; *macron, overscore
13660 \DeclareTextCommand{\textasciimacron}{\PU}{\80\257}% U+00AF
13661 % U+00B0 DEGREE SIGN; degree
13662 \DeclareTextCommand{\textdegree}{\PU}{\80\260}% U+00B0
13663 % U+00B1 PLUS-MINUS SIGN; plusminus
13664 \DeclareTextCommand{\textplusminus}{\PU}{\80\261}% U+00B1
13665 % U+00B2 SUPERSCRIPT TWO; twosuperior
13666 \DeclareTextCommand{\texttwosuperior}{\PU}{\80\262}% U+00B2
13667 % U+00B3 SUPERSCRIPT THREE; threesuperior
13668 \DeclareTextCommand{\textthreesuperior}{\PU}{\80\263}% U+00B3
13669 % U+00B4 ACUTE ACCENT; acute
13670 \DeclareTextCommand{\textacute}{\PU}{\80\264}% U+00B4
13671 \DeclareTextCommand{\textasciacute}{\PU}{\80\264}% U+00B4
13672 % U+00B5 MICRO SIGN; mu, mu1
13673 \DeclareTextCommand{\textmu}{\PU}{\80\265}% U+00B5
13674 % U+00B6 PILCROW SIGN; paragraph
13675 \DeclareTextCommand{\textparagraph}{\PU}{\80\266}% U+00B6

13676 % U+00B7 MIDDLE DOT; middot, *periodcentered
13677 \DeclareTextCommand{\textperiodcentered}{PU}{\80\267}% U+00B7
13678 % U+00B8 CEDILLA; cedilla
13679 \DeclareTextCommand{\textcedilla}{PU}{\80\270}% U+00B8
13680 % U+00B9 SUPERSCRIPT ONE; onesuperior
13681 \DeclareTextCommand{\textonesuperior}{PU}{\80\271}% U+00B9
13682 % U+00BA MASCULINE ORDINAL INDICATOR; ordmasculine
13683 \DeclareTextCommand{\textordmasculine}{PU}{\80\272}% U+00BA
13684 % U+00BB RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-motright
13685 \DeclareTextCommand{\guillemotright}{PU}{\80\273}% U+00BB
13686 % U+00BC VULGAR FRACTION ONE QUARTER; onequarter
13687 \DeclareTextCommand{\textonequarter}{PU}{\80\274}% U+00BC
13688 % U+00BD VULGAR FRACTION ONE HALF; onehalf
13689 \DeclareTextCommand{\textonehalf}{PU}{\80\275}% U+00BD
13690 % U+00BE VULGAR FRACTION THREE QUARTERS; threequarters
13691 \DeclareTextCommand{\textthreequarters}{PU}{\80\276}% U+00BE
13692 % U+00BF INVERTED QUESTION MARK; questiondown
13693 \DeclareTextCommand{\textquestiondown}{PU}{\80\277}% U+00BF
13694 % U+00C0 LATIN CAPITAL LETTER A WITH GRAVE; Agrave
13695 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\300}% U+00C0
13696 % U+00C1 LATIN CAPITAL LETTER A WITH ACUTE; Aacute
13697 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\301}% U+00C1
13698 % U+00C2 LATIN CAPITAL LETTER A WITH CIRCUMFLEX; Acircumflex
13699 \DeclareTextCompositeCommand{\~}{PU}{A}{\80\302}% U+00C2
13700 % U+00C3 LATIN CAPITAL LETTER A WITH TILDE; Atilde
13701 \DeclareTextCompositeCommand{\~}{PU}{A}{\80\303}% U+00C3
13702 % U+00C4 LATIN CAPITAL LETTER A WITH DIAERESIS; Adieresis
13703 \DeclareTextCompositeCommand{\"}{PU}{A}{\80\304}% U+00C4
13704 % U+00C5 LATIN CAPITAL LETTER A WITH RING ABOVE; Aring
13705 \DeclareTextCompositeCommand{\r}{PU}{A}{\80\305}% U+00C5
13706 % U+00C6 LATIN CAPITAL LETTER AE; AE
13707 \DeclareTextCommand{\AE}{PU}{\80\306}% U+00C6
13708 % U+00C7 LATIN CAPITAL LETTER C WITH CEDILLA; Ccedilla
13709 \DeclareTextCompositeCommand{\c}{PU}{C}{\80\307}% U+00C7
13710 % U+00C8 LATIN CAPITAL LETTER E WITH GRAVE; Egrave
13711 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\310}% U+00C8
13712 % U+00C9 LATIN CAPITAL LETTER E WITH ACUTE; Eacute
13713 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\311}% U+00C9
13714 % U+00CA LATIN CAPITAL LETTER E WITH CIRCUMFLEX; Ecircumflex
13715 \DeclareTextCompositeCommand{\~}{PU}{E}{\80\312}% U+00CA
13716 % U+00CB LATIN CAPITAL LETTER E WITH DIAERESIS; Edieresis
13717 \DeclareTextCompositeCommand{\"}{PU}{E}{\80\313}% U+00CB
13718 % U+00CC LATIN CAPITAL LETTER I WITH GRAVE; Igrave
13719 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\314}% U+00CC
13720 % U+00CD LATIN CAPITAL LETTER I WITH ACUTE; Iacute
13721 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\315}% U+00CD
13722 % U+00CE LATIN CAPITAL LETTER I WITH CIRCUMFLEX; Icircumflex
13723 \DeclareTextCompositeCommand{\~}{PU}{I}{\80\316}% U+00CE
13724 % U+00CF LATIN CAPITAL LETTER I WITH DIAERESIS; Idieresis
13725 \DeclareTextCompositeCommand{\"}{PU}{I}{\80\317}% U+00CF
13726 % U+00D0 LATIN CAPITAL LETTER ETH; Eth
13727 \DeclareTextCommand{\DH}{PU}{\80\320}% U+00D0
13728 % U+00D1 LATIN CAPITAL LETTER N WITH TILDE; Ntilde
13729 \DeclareTextCompositeCommand{\~}{PU}{N}{\80\321}% U+00D1
13730 % U+00D2 LATIN CAPITAL LETTER O WITH GRAVE; Ograve
13731 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\322}% U+00D2

13732 % U+00D3 LATIN CAPITAL LETTER O WITH ACUTE; Oacute
13733 \DeclareTextCompositeCommand{\'}\{PU\}\{O\}\{80\323\} % U+00D3
13734 % U+00D4 LATIN CAPITAL LETTER O WITH CIRCUMFLEX; Ocircumflex
13735 \DeclareTextCompositeCommand{\^}\{PU\}\{O\}\{80\324\} % U+00D4
13736 % U+00D5 LATIN CAPITAL LETTER O WITH TILDE; Otilde
13737 \DeclareTextCompositeCommand{\~}\{PU\}\{O\}\{80\325\} % U+00D5
13738 % U+00D6 LATIN CAPITAL LETTER O WITH DIAERESIS; Odieresis
13739 \DeclareTextCompositeCommand{\"}\{PU\}\{O\}\{80\326\} % U+00D6
13740 % U+00D7 MULTIPLICATION SIGN; multiply
13741 \DeclareTextCommand{\textmultiply}\{PU\}\{80\327\} % U+00D7
13742 % U+00D8 LATIN CAPITAL LETTER O WITH STROKE; Oslash
13743 \DeclareTextCommand{\O}\{PU\}\{80\330\} % U+00D8
13744 % U+00D9 LATIN CAPITAL LETTER U WITH GRAVE; Ugrave
13745 \DeclareTextCompositeCommand{\'}\{PU\}\{U\}\{80\331\} % U+00D9
13746 % U+00DA LATIN CAPITAL LETTER U WITH ACUTE; Uacute
13747 \DeclareTextCompositeCommand{\'}\{PU\}\{U\}\{80\332\} % U+00DA
13748 % U+00DB LATIN CAPITAL LETTER U WITH CIRCUMFLEX; Ucircumflex
13749 \DeclareTextCompositeCommand{\^}\{PU\}\{U\}\{80\333\} % U+00DB
13750 % U+00DC LATIN CAPITAL LETTER U WITH DIAERESIS; Udieresis
13751 \DeclareTextCompositeCommand{\"}\{PU\}\{U\}\{80\334\} % U+00DC
13752 % U+00DD LATIN CAPITAL LETTER Y WITH ACUTE; Yacute
13753 \DeclareTextCompositeCommand{\'}\{PU\}\{Y\}\{80\335\} % U+00DD
13754 % U+00DE LATIN CAPITAL LETTER THORN; Thorn
13755 \DeclareTextCommand{\TH}\{PU\}\{80\336\} % U+00DE
13756 % U+00DF LATIN SMALL LETTER SHARP S; germandbls
13757 \DeclareTextCommand{\ss}\{PU\}\{80\337\} % U+00DF
13758 % U+00E0 LATIN SMALL LETTER A WITH GRAVE; agrave
13759 \DeclareTextCompositeCommand{\'}\{PU\}\{a\}\{80\340\} % U+00E0
13760 % U+00E1 LATIN SMALL LETTER A WITH ACUTE; aacute
13761 \DeclareTextCompositeCommand{\'}\{PU\}\{a\}\{80\341\} % U+00E1
13762 % U+00E2 LATIN SMALL LETTER A WITH CIRCUMFLEX; acircumflex
13763 \DeclareTextCompositeCommand{\^}\{PU\}\{a\}\{80\342\} % U+00E2
13764 % U+00E3 LATIN SMALL LETTER A WITH TILDE; atilde
13765 \DeclareTextCompositeCommand{\~}\{PU\}\{a\}\{80\343\} % U+00E3
13766 % U+00E4 LATIN SMALL LETTER A WITH DIAERESIS; adieresis
13767 \DeclareTextCompositeCommand{\"}\{PU\}\{a\}\{80\344\} % U+00E4
13768 % U+00E5 LATIN SMALL LETTER A WITH RING ABOVE; aring
13769 \DeclareTextCompositeCommand{\r}\{PU\}\{a\}\{80\345\} % U+00E5
13770 % U+00E6 LATIN SMALL LETTER AE; ae
13771 \DeclareTextCommand{\ae}\{PU\}\{80\346\} % U+00E6
13772 % U+00E7 LATIN SMALL LETTER C WITH CEDILLA; ccedilla
13773 \DeclareTextCompositeCommand{\c}\{PU\}\{c\}\{80\347\} % U+00E7
13774 % U+00E8 LATIN SMALL LETTER E WITH GRAVE; egrave
13775 \DeclareTextCompositeCommand{\'}\{PU\}\{e\}\{80\350\} % U+00E8
13776 % U+00E9 LATIN SMALL LETTER E WITH ACUTE; eacute
13777 \DeclareTextCompositeCommand{\'}\{PU\}\{e\}\{80\351\} % U+00E9
13778 % U+00EA LATIN SMALL LETTER E WITH CIRCUMFLEX; ecircumflex
13779 \DeclareTextCompositeCommand{\^}\{PU\}\{e\}\{80\352\} % U+00EA
13780 % U+00EB LATIN SMALL LETTER E WITH DIAERESIS; edieresis
13781 \DeclareTextCompositeCommand{\"}\{PU\}\{e\}\{80\353\} % U+00EB
13782 % U+00EC LATIN SMALL LETTER I WITH GRAVE; igrave
13783 \DeclareTextCompositeCommand{\'}\{PU\}\{i\}\{80\354\} % U+00EC
13784 \DeclareTextCompositeCommand{\'}\{PU\}\{i\}\{80\354\} % U+00EC
13785 % U+00ED LATIN SMALL LETTER I WITH ACUTE; iacute
13786 \DeclareTextCompositeCommand{\'}\{PU\}\{i\}\{80\355\} % U+00ED
13787 \DeclareTextCompositeCommand{\'}\{PU\}\{i\}\{80\355\} % U+00ED
13788 % U+00EE LATIN SMALL LETTER I WITH CIRCUMFLEX; icircumflex

```

13789 \DeclareTextCompositeCommand{\^}{PU}{i}{\80\356}% U+00EE
13790 \DeclareTextCompositeCommand{\^}{PU}{\i}{\80\356}% U+00EE
13791 % U+00EF LATIN SMALL LETTER I WITH DIAERESIS; idieresis
13792 \DeclareTextCompositeCommand{\"}{PU}{i}{\80\357}% U+00EF
13793 \DeclareTextCompositeCommand{\"}{PU}{\i}{\80\357}% U+00EF
13794 % U+00F0 LATIN SMALL LETTER ETH; eth
13795 \DeclareTextCommand{\dh}{PU}{\80\360}% U+00F0
13796 % U+00F1 LATIN SMALL LETTER N WITH TILDE; ntilde
13797 \DeclareTextCompositeCommand{\~}{PU}{n}{\80\361}% U+00F1
13798 % U+00F2 LATIN SMALL LETTER O WITH GRAVE; ograve
13799 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\362}% U+00F2
13800 % U+00F3 LATIN SMALL LETTER O WITH ACUTE; oacute
13801 \DeclareTextCompositeCommand{\'}{PU}{\o}{\80\363}% U+00F3
13802 % U+00F4 LATIN SMALL LETTER O WITH CIRCUMFLEX; ocircumflex
13803 \DeclareTextCompositeCommand{\~}{PU}{\o}{\80\364}% U+00F4
13804 % U+00F5 LATIN SMALL LETTER O WITH TILDE; otilde
13805 \DeclareTextCompositeCommand{\~}{PU}{\o}{\80\365}% U+00F5
13806 % U+00F6 LATIN SMALL LETTER O WITH DIAERESIS; odieresis
13807 \DeclareTextCompositeCommand{\"}{PU}{\o}{\80\366}% U+00F6
13808 % U+00F7 DIVISION SIGN; divide
13809 \DeclareTextCommand{\textdivide}{PU}{\80\367}% U+00F7
13810 % U+00F8 LATIN SMALL LETTER O WITH STROKE; oslash
13811 \DeclareTextCommand{\o}{PU}{\80\370}% U+00F8
13812 % U+00F9 LATIN SMALL LETTER U WITH GRAVE; ugrave
13813 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\371}% U+00F9
13814 % U+00FA LATIN SMALL LETTER U WITH ACUTE; uacute
13815 \DeclareTextCompositeCommand{\'}{PU}{\u}{\80\372}% U+00FA
13816 % U+00FB LATIN SMALL LETTER U WITH CIRCUMFLEX; ucircumflex
13817 \DeclareTextCompositeCommand{\~}{PU}{\u}{\80\373}% U+00FB
13818 % U+00FC LATIN SMALL LETTER U WITH DIAERESIS; udieresis
13819 \DeclareTextCompositeCommand{\"}{PU}{\u}{\80\374}% U+00FC
13820 % U+00FD LATIN SMALL LETTER Y WITH ACUTE; yacute
13821 \DeclareTextCompositeCommand{\'}{PU}{y}{\80\375}% U+00FD
13822 % U+00FE LATIN SMALL LETTER THORN; thorn
13823 \DeclareTextCommand{\th}{PU}{\80\376}% U+00FE
13824 % U+00FF LATIN SMALL LETTER Y WITH DIAERESIS; ydieresis
13825 \DeclareTextCompositeCommand{\"}{PU}{y}{\80\377}% U+00FF

```

50.2.4 Latin Extended-A: U+0080 to U+017F

```

13826 % U+0100 LATIN CAPITAL LETTER A WITH MACRON; Amacron
13827 \DeclareTextCompositeCommand{\=}{PU}{A}{\81\000}% U+0100
13828 % U+0101 LATIN SMALL LETTER A WITH MACRON; amacron
13829 \DeclareTextCompositeCommand{\=}{PU}{a}{\81\001}% U+0101
13830 % U+0102 LATIN CAPITAL LETTER A WITH BREVE; Abreve
13831 \DeclareTextCompositeCommand{\u}{PU}{A}{\81\002}% U+0102
13832 % U+0103 LATIN SMALL LETTER A WITH BREVE; breve
13833 \DeclareTextCompositeCommand{\u}{PU}{a}{\81\003}% U+0103
13834 % U+0104 LATIN CAPITAL LETTER A WITH OGONEK; Aogonek
13835 \DeclareTextCompositeCommand{\k}{PU}{A}{\81\004}% U+0104
13836 % U+0105 LATIN SMALL LETTER A WITH OGONEK; aogonek
13837 \DeclareTextCompositeCommand{\k}{PU}{a}{\81\005}% U+0105
13838 % U+0106 LATIN CAPITAL LETTER C WITH ACUTE; Cacute
13839 \DeclareTextCompositeCommand{\'}{PU}{C}{\81\006}% U+0106
13840 % U+0107 LATIN SMALL LETTER C WITH ACUTE; cacute
13841 \DeclareTextCompositeCommand{\'}{PU}{c}{\81\007}% U+0107
13842 % U+0108 LATIN CAPITAL LETTER C WITH CIRCUMFLEX; Ccircumflex

```

```

13843 \DeclareTextCompositeCommand{\^}{PU}{C}{\81\010}% U+0108
13844 % U+0109 LATIN SMALL LETTER C WITH CIRCUMFLEX; ccircumflex
13845 \DeclareTextCompositeCommand{\^}{PU}{c}{\81\011}% U+0109
13846 % U+010A LATIN CAPITAL LETTER C WITH DOT ABOVE; Cdot, Cdotaccent
13847 \DeclareTextCompositeCommand{\.\.}{PU}{C}{\81\012}% U+010A
13848 % U+010B LATIN SMALL LETTER C WITH DOT ABOVE; cdot, cdotaccent
13849 \DeclareTextCompositeCommand{\.\.}{PU}{c}{\81\013}% U+010B
13850 % U+010C LATIN CAPITAL LETTER C WITH CARON; Ccaron
13851 \DeclareTextCompositeCommand{\v}{PU}{C}{\81\014}% U+010C
13852 % U+010D LATIN SMALL LETTER C WITH CARON; ccaron
13853 \DeclareTextCompositeCommand{\v}{PU}{c}{\81\015}% U+010D
13854 % U+010E LATIN CAPITAL LETTER D WITH CARON; Dcaron
13855 \DeclareTextCompositeCommand{\v}{PU}{D}{\81\016}% U+010E
13856 % U+010F LATIN SMALL LETTER D WITH CARON; dcaron
13857 \DeclareTextCompositeCommand{\v}{PU}{d}{\81\017}% U+010F
13858 % U+0110 LATIN CAPITAL LETTER D WITH STROKE; Dcroat, Dslash
13859 \DeclareTextCommand{\DJ}{PU}{\81\020}% U+0110
13860 % U+0111 LATIN SMALL LETTER D WITH STROKE; dcroat, dmacron
13861 \DeclareTextCommand{\dj}{PU}{\81\021}% U+0111
13862 % U+0112 LATIN CAPITAL LETTER E WITH MACRON; Emacron
13863 \DeclareTextCompositeCommand{\=\=}{PU}{E}{\81\022}% U+0112
13864 % U+0113 LATIN SMALL LETTER E WITH MACRON; emacron
13865 \DeclareTextCompositeCommand{\=\=}{PU}{e}{\81\023}% U+0113
13866 % U+0114 LATIN CAPITAL LETTER E WITH BREVE; Ebreve
13867 \DeclareTextCompositeCommand{\u}{PU}{E}{\81\024}% U+0114
13868 % U+0115 LATIN SMALL LETTER E WITH BREVE; ebreve
13869 \DeclareTextCompositeCommand{\u}{PU}{e}{\81\025}% U+0115
13870 % U+0116 LATIN CAPITAL LETTER E WITH DOT ABOVE; Edot, Edotaccent
13871 \DeclareTextCompositeCommand{\.\.}{PU}{E}{\81\026}% U+0116
13872 % U+0117 LATIN SMALL LETTER E WITH DOT ABOVE; edot, edotaccent
13873 \DeclareTextCompositeCommand{\.\.}{PU}{e}{\81\027}% U+0117
13874 % U+0118 LATIN CAPITAL LETTER E WITH OGONEK; Eogonek
13875 \DeclareTextCompositeCommand{\k}{PU}{E}{\81\030}% U+0118
13876 % U+0119 LATIN SMALL LETTER E WITH OGONEK; eogonek
13877 \DeclareTextCompositeCommand{\k}{PU}{e}{\81\031}% U+0119
13878 % U+011A LATIN CAPITAL LETTER E WITH CARON; Ecaron
13879 \DeclareTextCompositeCommand{\v}{PU}{E}{\81\032}% U+011A
13880 % U+011B LATIN SMALL LETTER E WITH CARON; ecaron
13881 \DeclareTextCompositeCommand{\v}{PU}{e}{\81\033}% U+011B
13882 % U+011C LATIN CAPITAL LETTER G WITH CIRCUMFLEX; Gcircumflex
13883 \DeclareTextCompositeCommand{\^}{PU}{G}{\81\034}% U+011C
13884 % U+011D LATIN SMALL LETTER G WITH CIRCUMFLEX; gcircumflex
13885 \DeclareTextCompositeCommand{\^}{PU}{g}{\81\035}% U+011D
13886 % U+011E LATIN CAPITAL LETTER G WITH BREVE; Gbreve
13887 \DeclareTextCompositeCommand{\u}{PU}{G}{\81\036}% U+011E
13888 % U+011F LATIN SMALL LETTER G WITH BREVE; gbreve
13889 \DeclareTextCompositeCommand{\u}{PU}{g}{\81\037}% U+011F
13890 % U+0120 LATIN CAPITAL LETTER G WITH DOT ABOVE; Gdot, Gdotaccent
13891 \DeclareTextCompositeCommand{\.\.}{PU}{G}{\81\040}% U+0120
13892 % U+0121 LATIN SMALL LETTER G WITH DOT ABOVE; gdot, gdotaccent
13893 \DeclareTextCompositeCommand{\.\.}{PU}{g}{\81\041}% U+0121
13894 % U+0122 LATIN CAPITAL LETTER G WITH CEDILLA; Gcedilla, Gcommaaccent
13895 \DeclareTextCompositeCommand{\c}{PU}{G}{\81\042}% U+0122
13896 % U+0123 LATIN SMALL LETTER G WITH CEDILLA; gcedilla, gcommaaccent
13897 \DeclareTextCompositeCommand{\c}{PU}{g}{\81\043}% U+0123
13898 % U+0124 LATIN CAPITAL LETTER H WITH CIRCUMFLEX; Hcircumflex

```

```

13899 \DeclareTextCompositeCommand{\^}{PU}{H}{\81\044}% U+0124
13900 % U+0125 LATIN SMALL LETTER H WITH CIRCUMFLEX; hcircumflex
13901 \DeclareTextCompositeCommand{\^}{PU}{h}{\81\045}% U+0125
13902 % U+0126 LATIN CAPITAL LETTER H WITH STROKE; Hbar
13903 \DeclareTextCommand{\textHslash}{PU}{\81\046}% U+0126
13904 % U+0127 LATIN SMALL LETTER H WITH STROKE; hbar
13905 \DeclareTextCommand{\texthslash}{PU}{\81\047}% U+0127
13906 % U+0128 LATIN CAPITAL LETTER I WITH TILDE; Itilde
13907 \DeclareTextCompositeCommand{\~}{PU}{I}{\81\050}% U+0128
13908 % U+0129 LATIN SMALL LETTER I WITH TILDE; itilde
13909 \DeclareTextCompositeCommand{\~}{PU}{i}{\81\051}% U+0129
13910 \DeclareTextCompositeCommand{\~}{PU}{\i}{\81\051}% U+0129
13911 % U+012A LATIN CAPITAL LETTER I WITH MACRON; Imacron
13912 \DeclareTextCompositeCommand{\=}{PU}{I}{\81\052}% U+012A
13913 % U+012B LATIN SMALL LETTER I WITH MACRON; imacron
13914 \DeclareTextCompositeCommand{\=}{PU}{i}{\81\053}% U+012B
13915 \DeclareTextCompositeCommand{\=}{PU}{\i}{\81\053}% U+012B
13916 % U+012C LATIN CAPITAL LETTER I WITH BREVE; Ibreve
13917 \DeclareTextCompositeCommand{\u}{PU}{I}{\81\054}% U+012C
13918 % U+012D LATIN SMALL LETTER I WITH BREVE; ibreve
13919 \DeclareTextCompositeCommand{\u}{PU}{i}{\81\055}% U+012D
13920 \DeclareTextCompositeCommand{\u}{PU}{\i}{\81\055}% U+012D
13921 % U+012E LATIN CAPITAL LETTER I WITH OGONEK; iogonek
13922 \DeclareTextCompositeCommand{\k}{PU}{I}{\81\056}% U+012E
13923 % U+012F LATIN SMALL LETTER I WITH OGONEK; iogonek
13924 \DeclareTextCompositeCommand{\k}{PU}{i}{\81\057}% U+012F
13925 \DeclareTextCompositeCommand{\k}{PU}{\i}{\81\057}% U+012F
13926 % U+0130 LATIN CAPITAL LETTER I WITH DOT ABOVE; Idot, Idotaccent
13927 \DeclareTextCompositeCommand{\.}{PU}{I}{\81\060}% U+0130
13928 % U+0131 LATIN SMALL LETTER DOTLESS I; dotlessi
13929 \DeclareTextCommand{\i}{PU}{\81\061}% U+0131
13930 % U+0132 LATIN CAPITAL LIGATURE IJ; ij
13931 \DeclareTextCommand{\IJ}{PU}{\81\062}% U+0132
13932 % U+0133 LATIN SMALL LIGATURE IJ; ij
13933 \DeclareTextCommand{\ij}{PU}{\81\063}% U+0133
13934 % U+0134 LATIN CAPITAL LETTER J WITH CIRCUMFLEX; Jcircumflex
13935 \DeclareTextCompositeCommand{\^}{PU}{J}{\81\064}% U+0134
13936 % U+0135 LATIN SMALL LETTER J WITH CIRCUMFLEX; jcircumflex
13937 \DeclareTextCompositeCommand{\^}{PU}{j}{\81\065}% U+0135
13938 \DeclareTextCompositeCommand{\^}{PU}{\j}{\81\065}% U+0135
13939 % U+0136 LATIN CAPITAL LETTER K WITH CEDILLA; Kcedilla, Kcommaaccent
13940 \DeclareTextCompositeCommand{\c}{PU}{K}{\81\066}% U+0136
13941 % U+0137 LATIN SMALL LETTER K WITH CEDILLA; kcedilla, kcommaaccent
13942 \DeclareTextCompositeCommand{\c}{PU}{k}{\81\067}% U+0137
13943 % U+0138 LATIN SMALL LETTER KRA; kgreenlandic
13944 \DeclareTextCommand{\textkra}{PU}{\81\070}% U+0138
13945 % U+0139 LATIN CAPITAL LETTER L WITH ACUTE; Lacute
13946 \DeclareTextCompositeCommand{\'}{PU}{L}{\81\071}% U+0139
13947 % U+013A LATIN SMALL LETTER L WITH ACUTE; lacute
13948 \DeclareTextCompositeCommand{\'}{PU}{l}{\81\072}% U+013A
13949 % U+013B LATIN CAPITAL LETTER L WITH CEDILLA; Lcedilla, Lcommaaccent
13950 \DeclareTextCompositeCommand{\c}{PU}{L}{\81\073}% U+013B

```

The canonical name of U+0138, small letter kra, would be \textkgreenlandic, following the glyph naming convention. However latex/base/inputenc.dtx has choosen \textkra.

```

13943 % U+0138 LATIN SMALL LETTER KRA; kgreenlandic
13944 \DeclareTextCommand{\textkra}{PU}{\81\070}% U+0138
13945 % U+0139 LATIN CAPITAL LETTER L WITH ACUTE; Lacute
13946 \DeclareTextCompositeCommand{\'}{PU}{L}{\81\071}% U+0139
13947 % U+013A LATIN SMALL LETTER L WITH ACUTE; lacute
13948 \DeclareTextCompositeCommand{\'}{PU}{l}{\81\072}% U+013A
13949 % U+013B LATIN CAPITAL LETTER L WITH CEDILLA; Lcedilla, Lcommaaccent
13950 \DeclareTextCompositeCommand{\c}{PU}{L}{\81\073}% U+013B

```

13951 % U+013C LATIN SMALL LETTER L WITH CEDILLA; lcedilla, lcommaaccent
 13952 \DeclareTextCompositeCommand{\c}{PU}{l}{\81\074}% U+013C
 13953 % U+013D LATIN CAPITAL LETTER L WITH CARON; Lcaron
 13954 \DeclareTextCompositeCommand{\v}{PU}{L}{\81\075}% U+013D
 13955 % U+013E LATIN SMALL LETTER L WITH CARON; lcaron
 13956 \DeclareTextCompositeCommand{\v}{PU}{l}{\81\076}% U+013E

 There seems to be no variants of letters ‘L’ and ‘l’ with a dot above (reasonable). Therefore the \. accent is reused instead of making a separate accent macro \textmiddledot.
 13957 % U+013F LATIN CAPITAL LETTER L WITH MIDDLE DOT; Ldot, Ldotaccent
 13958 \DeclareTextCompositeCommand{\.}{PU}{L}{\81\077}% U+013F
 13959 % U+0140 LATIN SMALL LETTER L WITH MIDDLE DOT; ldot, ldotaccent
 13960 \DeclareTextCompositeCommand{\.}{PU}{l}{\81\100}% U+0140
 13961 % U+0141 LATIN CAPITAL LETTER L WITH STROKE; Lslash
 13962 \DeclareTextCommand{\L}{PU}{\81\101}% U+0141
 13963 % U+0142 LATIN SMALL LETTER L WITH STROKE; lslash
 13964 \DeclareTextCommand{\l}{PU}{\81\102}% U+0142
 13965 % U+0143 LATIN CAPITAL LETTER N WITH ACUTE; Nacute
 13966 \DeclareTextCompositeCommand{\'}{PU}{N}{\81\103}% U+0143
 13967 % U+0144 LATIN SMALL LETTER N WITH ACUTE; nacute
 13968 \DeclareTextCompositeCommand{\'}{PU}{n}{\81\104}% U+0144
 13969 % U+0145 LATIN CAPITAL LETTER N WITH CEDILLA; Ncedilla, Ncommaaccent
 13970 \DeclareTextCompositeCommand{\c}{PU}{N}{\81\105}% U+0145
 13971 % U+0146 LATIN SMALL LETTER N WITH CEDILLA; ncedilla, ncommaaccent
 13972 \DeclareTextCompositeCommand{\c}{PU}{n}{\81\106}% U+0146
 13973 % U+0147 LATIN CAPITAL LETTER N WITH CARON; Ncaron
 13974 \DeclareTextCompositeCommand{\v}{PU}{N}{\81\107}% U+0147
 13975 % U+0148 LATIN SMALL LETTER N WITH CARON; ncaron
 13976 \DeclareTextCompositeCommand{\v}{PU}{n}{\81\110}% U+0148
 13977 % U+0149 LATIN SMALL LETTER N PRECEDED BY APOSTROPHE; napostrophe, quoterightn
 13978 \DeclareTextCommand{\textnapostrophe}{PU}{\81\111}% U+0149
 13979 % U+014A LATIN CAPITAL LETTER ENG; Eng
 13980 \DeclareTextCommand{\NG}{PU}{\81\112}% U+014A
 13981 % U+014B LATIN SMALL LETTER ENG; eng
 13982 \DeclareTextCommand{\ng}{PU}{\81\113}% U+014B
 13983 % U+014C LATIN CAPITAL LETTER O WITH MACRON; Omacron
 13984 \DeclareTextCompositeCommand{\=}{PU}{O}{\81\114}% U+014C
 13985 % U+014D LATIN SMALL LETTER O WITH MACRON; omacron
 13986 \DeclareTextCompositeCommand{\=}{PU}{o}{\81\115}% U+014D
 13987 % U+014E LATIN CAPITAL LETTER O WITH BREVE; Obreve
 13988 \DeclareTextCompositeCommand{\u}{PU}{O}{\81\116}% U+014E
 13989 % U+014F LATIN SMALL LETTER O WITH BREVE; obreve
 13990 \DeclareTextCompositeCommand{\u}{PU}{o}{\81\117}% U+014F
 13991 % U+0150 LATIN CAPITAL LETTER O WITH DOUBLE ACUTE; Odblacute, Ohungarumlaut
 13992 \DeclareTextCompositeCommand{\H}{PU}{O}{\81\120}% U+0150
 13993 % U+0151 LATIN SMALL LETTER O WITH DOUBLE ACUTE; odblacute, ohungarumlaut
 13994 \DeclareTextCompositeCommand{\H}{PU}{o}{\81\121}% U+0151
 13995 % U+0152 LATIN CAPITAL LIGATURE OE; OE
 13996 \DeclareTextCommand{\OE}{PU}{\81\122}% U+0152
 13997 % U+0153 LATIN SMALL LIGATURE OE; oe
 13998 \DeclareTextCommand{\oe}{PU}{\81\123}% U+0153
 13999 % U+0154 LATIN CAPITAL LETTER R WITH ACUTE; Racute
 14000 \DeclareTextCompositeCommand{\'}{PU}{R}{\81\124}% U+0154
 14001 % U+0155 LATIN SMALL LETTER R WITH ACUTE; racute

```

14002 \DeclareTextCompositeCommand{\'}{PU}{r}{\81\125}% U+0155
14003 % U+0156 LATIN CAPITAL LETTER R WITH CEDILLA; Rcedilla, Rcommaaccent
14004 \DeclareTextCompositeCommand{\c}{PU}{R}{\81\126}% U+0156
14005 % U+0157 LATIN SMALL LETTER R WITH CEDILLA; rcedilla, rcommaaccent
14006 \DeclareTextCompositeCommand{\c}{PU}{r}{\81\127}% U+0157
14007 % U+0158 LATIN CAPITAL LETTER R WITH CARON; Rcaron
14008 \DeclareTextCompositeCommand{\v}{PU}{R}{\81\130}% U+0158
14009 % U+0159 LATIN SMALL LETTER R WITH CARON; rcaron
14010 \DeclareTextCompositeCommand{\v}{PU}{r}{\81\131}% U+0159
14011 % U+015A LATIN CAPITAL LETTER S WITH ACUTE; Sacute
14012 \DeclareTextCompositeCommand{\'}{PU}{S}{\81\132}% U+015A
14013 % U+015B LATIN SMALL LETTER S WITH ACUTE; sacute
14014 \DeclareTextCompositeCommand{\'}{PU}{s}{\81\133}% U+015B
14015 % U+015C LATIN CAPITAL LETTER S WITH CIRCUMFLEX; Scircumflex
14016 \DeclareTextCompositeCommand{\^}{PU}{S}{\81\134}% U+015C
14017 % U+015D LATIN SMALL LETTER S WITH CIRCUMFLEX; scircumflex
14018 \DeclareTextCompositeCommand{\^}{PU}{s}{\81\135}% U+015D
14019 % U+015E LATIN CAPITAL LETTER S WITH CEDILLA; Scedilla
14020 \DeclareTextCompositeCommand{\c}{PU}{S}{\81\136}% U+015E
14021 % U+015F LATIN SMALL LETTER S WITH CEDILLA; scedilla
14022 \DeclareTextCompositeCommand{\c}{PU}{s}{\81\137}% U+015F
14023 % U+0160 LATIN CAPITAL LETTER S WITH CARON; Scaron
14024 \DeclareTextCompositeCommand{\v}{PU}{S}{\81\140}% U+0160
14025 % U+0161 LATIN SMALL LETTER S WITH CARON; scaron
14026 \DeclareTextCompositeCommand{\v}{PU}{s}{\81\141}% U+0161
14027 % U+0162 LATIN CAPITAL LETTER T WITH CEDILLA; Tcedilla, Tcommaaccent
14028 \DeclareTextCompositeCommand{\c}{PU}{T}{\81\142}% U+0162
14029 % U+0163 LATIN SMALL LETTER T WITH CEDILLA; tcedilla, tcommaaccent
14030 \DeclareTextCompositeCommand{\c}{PU}{t}{\81\143}% U+0163
14031 % U+0164 LATIN CAPITAL LETTER T WITH CARON; Tcaron
14032 \DeclareTextCompositeCommand{\v}{PU}{T}{\81\144}% U+0164
14033 % U+0165 LATIN SMALL LETTER T WITH CARON; tcaron
14034 \DeclareTextCompositeCommand{\v}{PU}{t}{\81\145}% U+0165
14035 % U+0166 LATIN CAPITAL LETTER T WITH STROKE; Tbar
14036 \DeclareTextCommand{\textTslash}{PU}{\81\146}% U+0166
14037 % U+0167 LATIN SMALL LETTER T WITH STROKE; tbar
14038 \DeclareTextCommand{\textttslash}{PU}{\81\147}% U+0167
14039 % U+0168 LATIN CAPITAL LETTER U WITH TILDE; Utilde
14040 \DeclareTextCompositeCommand{\~}{PU}{U}{\81\150}% U+0168
14041 % U+0169 LATIN SMALL LETTER U WITH TILDE; utilde
14042 \DeclareTextCompositeCommand{\~}{PU}{u}{\81\151}% U+0169
14043 % U+016A LATIN CAPITAL LETTER U WITH MACRON; Umacron
14044 \DeclareTextCompositeCommand{\=}{PU}{U}{\81\152}% U+016A
14045 % U+016B LATIN SMALL LETTER U WITH MACRON; umacron
14046 \DeclareTextCompositeCommand{\=}{PU}{u}{\81\153}% U+016B
14047 % U+016C LATIN CAPITAL LETTER U WITH BREVE; Ubreve
14048 \DeclareTextCompositeCommand{\u}{PU}{U}{\81\154}% U+016C
14049 % U+016D LATIN SMALL LETTER U WITH BREVE; ubreve
14050 \DeclareTextCompositeCommand{\u}{PU}{u}{\81\155}% U+016D
14051 % U+016E LATIN CAPITAL LETTER U WITH RING ABOVE; Uring
14052 \DeclareTextCompositeCommand{\r}{PU}{U}{\81\156}% U+016E
14053 % U+016F LATIN SMALL LETTER U WITH RING ABOVE; uring
14054 \DeclareTextCompositeCommand{\r}{PU}{u}{\81\157}% U+016F
14055 % U+0170 LATIN CAPITAL LETTER U WITH DOUBLE ACUTE; Udbla-
14056 % U+0171 LATIN SMALL LETTER U WITH DOUBLE ACUTE; Udbla-
cent, Uhungarumlaut

```

```

14056 \DeclareTextCompositeCommand{\H}{PU}{U}{\81\160}% U+0170
14057 % U+0171 LATIN SMALL LETTER U WITH DOUBLE ACUTE; udblacute, uhun-
garumlaut
14058 \DeclareTextCompositeCommand{\H}{PU}{u}{\81\161}% U+0171
14059 % U+0172 LATIN CAPITAL LETTER U WITH OGONEK; Uogonek
14060 \DeclareTextCompositeCommand{\k}{PU}{U}{\81\162}% U+0172
14061 % U+0173 LATIN SMALL LETTER U WITH OGONEK; uogonek
14062 \DeclareTextCompositeCommand{\k}{PU}{u}{\81\163}% U+0173
14063 % U+0174 LATIN CAPITAL LETTER W WITH CIRCUMFLEX; Wcircumflex
14064 \DeclareTextCompositeCommand{\^}{PU}{W}{\81\164}% U+0174
14065 % U+0175 LATIN SMALL LETTER W WITH CIRCUMFLEX; wcircumflex
14066 \DeclareTextCompositeCommand{\^}{PU}{w}{\81\165}% U+0175
14067 % U+0176 LATIN CAPITAL LETTER Y WITH CIRCUMFLEX; Ycircumflex
14068 \DeclareTextCompositeCommand{\^}{PU}{Y}{\81\166}% U+0176
14069 % U+0177 LATIN SMALL LETTER Y WITH CIRCUMFLEX; ycircumflex
14070 \DeclareTextCompositeCommand{\^}{PU}{y}{\81\167}% U+0177
14071 % U+0178 LATIN CAPITAL LETTER Y WITH DIAERESIS; Ydieresis
14072 \DeclareTextCompositeCommand{\"}{PU}{Y}{\81\170}% U+0178
14073 % U+0179 LATIN CAPITAL LETTER Z WITH ACUTE; Zacute
14074 \DeclareTextCompositeCommand{\'}{PU}{Z}{\81\171}% U+0179
14075 % U+017A LATIN SMALL LETTER Z WITH ACUTE; zacute
14076 \DeclareTextCompositeCommand{\'}{PU}{z}{\81\172}% U+017A
14077 % U+017B LATIN CAPITAL LETTER Z WITH DOT ABOVE; Zdot, Zdotaccent
14078 \DeclareTextCompositeCommand{\.}{PU}{Z}{\81\173}% U+017B
14079 % U+017C LATIN SMALL LETTER Z WITH DOT ABOVE; zdot, zdotaccent
14080 \DeclareTextCompositeCommand{\.}{PU}{z}{\81\174}% U+017C
14081 % U+017D LATIN CAPITAL LETTER Z WITH CARON; Zcaron
14082 \DeclareTextCompositeCommand{\v}{PU}{Z}{\81\175}% U+017D
14083 % U+017E LATIN SMALL LETTER Z WITH CARON; zcaron
14084 \DeclareTextCompositeCommand{\v}{PU}{z}{\81\176}% U+017E
14085 % U+017F LATIN SMALL LETTER LONG S; longs, slong
14086 \DeclareTextCommand{\textlongs}{PU}{\81\177}% U+017F

```

50.2.5 Latin Extended-B: U+0180 to U+024F

```

14087 % U+0192 LATIN SMALL LETTER F WITH HOOK; florin
14088 \DeclareTextCommand{\textflorin}{PU}{\81\222}% U+0192
14089 % U+01CD LATIN CAPITAL LETTER A WITH CARON; Acaron
14090 \DeclareTextCompositeCommand{\v}{PU}{A}{\81\315}% U+01CD
14091 % U+01CE LATIN SMALL LETTER A WITH CARON; acaron
14092 \DeclareTextCompositeCommand{\v}{PU}{a}{\81\316}% U+01CE
14093 % U+01CF LATIN CAPITAL LETTER I WITH CARON; Icaron
14094 \DeclareTextCompositeCommand{\v}{PU}{I}{\81\317}% U+01CF
14095 % U+01D0 LATIN SMALL LETTER I WITH CARON; icaron
14096 \DeclareTextCompositeCommand{\v}{PU}{i}{\81\320}% U+01D0
14097 \DeclareTextCompositeCommand{\v}{PU}{i}{\81\320}% U+01D0
14098 % U+01D1 LATIN CAPITAL LETTER O WITH CARON; Ocaron
14099 \DeclareTextCompositeCommand{\v}{PU}{O}{\81\321}% U+01D1
14100 % U+01D2 LATIN SMALL LETTER O WITH CARON; ocaron
14101 \DeclareTextCompositeCommand{\v}{PU}{o}{\81\322}% U+01D2
14102 % U+01D3 LATIN CAPITAL LETTER U WITH CARON; Ucaron
14103 \DeclareTextCompositeCommand{\v}{PU}{U}{\81\323}% U+01D3
14104 % U+01D4 LATIN SMALL LETTER U WITH CARON; ucaron
14105 \DeclareTextCompositeCommand{\v}{PU}{u}{\81\324}% U+01D4
14106 % U+01E4 LATIN CAPITAL LETTER G WITH STROKE; Gstroke
14107 \DeclareTextCommand{\textGslash}{PU}{\81\344}% U+01E4
14108 % U+01E5 LATIN SMALL LETTER G WITH STROKE; gstroke
14109 \DeclareTextCommand{\textgslash}{PU}{\81\345}% U+01E5

```

```

14110 % U+01E6 LATIN CAPITAL LETTER G WITH CARON; Gcaron
14111 \DeclareTextCompositeCommand{\v}{PU}{G}{\81\346}% U+01E6
14112 % U+01E7 LATIN SMALL LETTER G WITH CARON; gcaron
14113 \DeclareTextCompositeCommand{\v}{PU}{g}{\81\347}% U+01E7
14114 % U+01E8 LATIN CAPITAL LETTER K WITH CARON; Kcaron
14115 \DeclareTextCompositeCommand{\v}{PU}{K}{\81\350}% U+01E8
14116 % U+01E9 LATIN SMALL LETTER K WITH CARON; kcaron
14117 \DeclareTextCompositeCommand{\v}{PU}{k}{\81\351}% U+01E9
14118 % U+01EA LATIN CAPITAL LETTER O WITH OGONEK; Oogonek
14119 \DeclareTextCompositeCommand{\k}{PU}{O}{\81\352}% U+01EA
14120 % U+01EB LATIN SMALL LETTER O WITH OGONEK; oogonek
14121 \DeclareTextCompositeCommand{\k}{PU}{o}{\81\353}% U+01EB
14122 % U+01F0 LATIN SMALL LETTER J WITH CARON; jcaron
14123 \DeclareTextCompositeCommand{\v}{PU}{j}{\81\360}% U+01F0
14124 \DeclareTextCompositeCommand{\v}{PU}{j}{\81\360}% U+01F0
14125 % U+01F4 LATIN CAPITAL LETTER G WITH ACUTE; Gacute
14126 \DeclareTextCompositeCommand{\v}{PU}{G}{\81\364}% U+01F4
14127 % U+01F5 LATIN SMALL LETTER G WITH ACUTE; gacute
14128 \DeclareTextCompositeCommand{\v}{PU}{g}{\81\365}% U+01F5
14129 % U+01F8 LATIN CAPITAL LETTER N WITH GRAVE
14130 \DeclareTextCompositeCommand{\v}{PU}{N}{\81\370}% U+01F8
14131 % U+01F9 LATIN SMALL LETTER N WITH GRAVE
14132 \DeclareTextCompositeCommand{\v}{PU}{n}{\81\371}% U+01F9
14133 % U+01FC LATIN CAPITAL LETTER AE WITH ACUTE; AEacute
14134 \DeclareTextCompositeCommand{\v}{PU}{\AE}{\81\374}% U+01FC
14135 % U+01FD LATIN SMALL LETTER AE WITH ACUTE; aeacute
14136 \DeclareTextCompositeCommand{\v}{PU}{\ae}{\81\375}% U+01FD
14137 % U+01FE LATIN CAPITAL LETTER O WITH STROKE AND ACUTE; *Oslashaa-
    cute, Ostrokeacut
14138 \DeclareTextCompositeCommand{\v}{PU}{\O}{\81\376}% U+01FE
14139 % U+01FF LATIN SMALL LETTER O WITH STROKE AND ACUTE; *oslashaa-
    cute, ostrokeacute
14140 \DeclareTextCompositeCommand{\v}{PU}{\o}{\81\377}% U+01FF
14141 % U+0200 LATIN CAPITAL LETTER A WITH DOUBLE GRAVE; Adblgrave
14142 \DeclareTextCompositeCommand{\G}{PU}{A}{\82\000}% U+0200
14143 % U+0201 LATIN SMALL LETTER A WITH DOUBLE GRAVE; adblgrave
14144 \DeclareTextCompositeCommand{\G}{PU}{a}{\82\001}% U+0201
14145 % U+0204 LATIN CAPITAL LETTER E WITH DOUBLE GRAVE; Edblgrave
14146 \DeclareTextCompositeCommand{\G}{PU}{E}{\82\004}% U+0204
14147 % U+0205 LATIN SMALL LETTER E WITH DOUBLE GRAVE; edblgrave
14148 \DeclareTextCompositeCommand{\G}{PU}{e}{\82\005}% U+0205
14149 % U+0208 LATIN CAPITAL LETTER I WITH DOUBLE GRAVE; Idblgrave
14150 \DeclareTextCompositeCommand{\G}{PU}{I}{\82\010}% U+0208
14151 % U+0209 LATIN SMALL LETTER I WITH DOUBLE GRAVE; idblgrave
14152 \DeclareTextCompositeCommand{\G}{PU}{i}{\82\011}% U+0209
14153 \DeclareTextCompositeCommand{\G}{PU}{i}{\82\011}% U+0209
14154 % U+020C LATIN CAPITAL LETTER O WITH DOUBLE GRAVE; Odblgrave
14155 \DeclareTextCompositeCommand{\G}{PU}{O}{\82\014}% U+020C
14156 % U+020D LATIN SMALL LETTER O WITH DOUBLE GRAVE; odblgrave
14157 \DeclareTextCompositeCommand{\G}{PU}{o}{\82\015}% U+020D
14158 % U+0210 LATIN CAPITAL LETTER R WITH DOUBLE GRAVE; Rdblgrave
14159 \DeclareTextCompositeCommand{\G}{PU}{R}{\82\020}% U+0210
14160 % U+0211 LATIN SMALL LETTER R WITH DOUBLE GRAVE; rdblgrave
14161 \DeclareTextCompositeCommand{\G}{PU}{r}{\82\021}% U+0211
14162 % U+0214 LATIN CAPITAL LETTER U WITH DOUBLE GRAVE; Udblgrave
14163 \DeclareTextCompositeCommand{\G}{PU}{U}{\82\024}% U+0214
14164 % U+0215 LATIN SMALL LETTER U WITH DOUBLE GRAVE; udblgrave

```

```

14165 \DeclareTextCompositeCommand{\G}{PU}{u}{\82\025}% U+0215
14166 % U+021E LATIN CAPITAL LETTER H WITH CARON
14167 \DeclareTextCompositeCommand{\v}{PU}{H}{\82\036}% U+021E
14168 % U+021F LATIN SMALL LETTER H WITH CARON
14169 \DeclareTextCompositeCommand{\v}{PU}{h}{\82\037}% U+021F
14170 % U+0226 LATIN CAPITAL LETTER A WITH DOT ABOVE
14171 \DeclareTextCompositeCommand{\.}{PU}{A}{\82\046}% U+0226
14172 % U+0227 LATIN SMALL LETTER A WITH DOT ABOVE
14173 \DeclareTextCompositeCommand{\.}{PU}{a}{\82\047}% U+0227
14174 % U+0228 LATIN CAPITAL LETTER E WITH CEDILLA
14175 \DeclareTextCompositeCommand{\c}{PU}{E}{\82\050}% U+0228
14176 % U+0229 LATIN SMALL LETTER E WITH CEDILLA
14177 \DeclareTextCompositeCommand{\c}{PU}{e}{\82\051}% U+0229
14178 % U+022E LATIN CAPITAL LETTER O WITH DOT ABOVE
14179 \DeclareTextCompositeCommand{\.}{PU}{O}{\82\056}% U+022E
14180 % U+022F LATIN SMALL LETTER O WITH DOT ABOVE
14181 \DeclareTextCompositeCommand{\=}{PU}{Y}{\82\062}% U+0232
14182 % U+0232 LATIN CAPITAL LETTER Y WITH MACRON
14183 \DeclareTextCompositeCommand{\=}{PU}{y}{\82\063}% U+0233
14184 % U+0233 LATIN SMALL LETTER Y WITH MACRON
14185 \DeclareTextCompositeCommand{\=}{PU}{y}{\82\063}% U+0233
14186 % U+0237 LATIN SMALL LETTER DOTLESS J
14187 \DeclareTextCommand{\j}{PU}{\82\067}% U+0237

```

50.2.6 Spacing Modifier Letters: U+02B0 to U+02FF

```

14188 % U+02C7 CARON; caron
14189 \DeclareTextCommand{\textasciicaron}{PU}{\82\307}% U+02C7
14190 % U+02D8 BREVE; breve
14191 \DeclareTextCommand{\textasciibreve}{PU}{\82\330}% U+02D8
14192 % U+02D9 DOT ABOVE; dotaccent
14193 \DeclareTextCommand{\textdotaccent}{PU}{\82\331}% U+02D9
14194 % U+02DA RING ABOVE; ring
14195 \DeclareTextCommand{\textring}{PU}{\82\332}% U+02DA
14196 % U+02DB OGONEK; ogonek
14197 \DeclareTextCommand{\textogonek}{PU}{\82\333}% U+02DB
14198 % U+02DC SMALL TILDE; ilde, *tilde
14199 \DeclareTextCommand{\texttilde}{PU}{\82\334}% U+02DC
14200 % U+02DD DOUBLE ACUTE ACCENT; hungarumlaut
14201 \DeclareTextCommand{\texthungarumlaut}{PU}{\82\335}% U+02DD
14202 \DeclareTextCommand{\textacutedbl}{PU}{\texthungarumlaut}% U+02DD
14203 % U+02F5 MODIFIER LETTER MIDDLE DOUBLE GRAVE ACCENT
14204 \DeclareTextCommand{\textgravedbl}{PU}{\82\365}% U+02F5
14205 % U+02F7 MODIFIER LETTER LOW TILDE
14206 \DeclareTextCommand{\texttildelow}{PU}{\82\367}% U+02F7

```

50.2.7 Combining Diacritical Marks: U+0300 to U+036F

```

14207 % U+030F COMBINING DOUBLE GRAVE ACCENT; dblgravecmb
14208 \DeclareTextCommand{\textdoublegrave}{PU}{\83\017}% U+030F
14209 % U+0311 COMBINING INVERTED BREVE; breveinvertedcmb
14210 \DeclareTextCommand{\textnewtie}{PU}{\83\021}% U+0311
14211 % U+0323 COMBINING DOT BELOW; dotbelowcmb, *dotbelowcomb
14212 \DeclareTextCommand{\textdotbelow}{PU}{\83\043}% U+0323
14213 % U+0331 COMBINING MACRON BELOW; macronbelowcmb
14214 \DeclareTextCommand{\textmacronbelow}{PU}{\83\061}% U+0331
14215 % U+0361 COMBINING DOUBLE INVERTED BREVE; breveinverteddoublecmb
14216 \DeclareTextCommand{\texttie}{PU}{\83\141}% U+0361

```

50.2.8 Greek and Coptic: U+0370 to U+03FF

14217 % U+0374 GREEK NUMERAL SIGN; numeralsigngreek
14218 \DeclareTextCommand{\textnumeralsigngreek}{PU}{\83\164}% U+0374
14219 % U+0375 GREEK LOWER NUMERAL SIGN; numeralsignlowergreek
14220 \DeclareTextCommand{\textnumeralsignlowergreek}{PU}{\83\165}% U+0375
14221 % U+0386 GREEK CAPITAL LETTER ALPHA WITH TONOS; Alphatonos
14222 \DeclareTextCompositeCommand{\textAlpha}{PU}{\textAlpha}{\83\206}% U+0386
14223 % U+0388 GREEK CAPITAL LETTER EPSILON WITH TONOS; Epsilontonos
14224 \DeclareTextCompositeCommand{\textEpsilon}{PU}{\textEpsilon}{\83\210}% U+0388
14225 % U+0389 GREEK CAPITAL LETTER ETA WITH TONOS; Etatonos
14226 \DeclareTextCompositeCommand{\textEta}{PU}{\textEta}{\83\211}% U+0389
14227 % U+038A GREEK CAPITAL LETTER IOTA WITH TONOS; Iotatonos
14228 \DeclareTextCompositeCommand{\textIota}{PU}{\textIota}{\83\212}% U+038A
14229 % U+038C GREEK CAPITAL LETTER OMICRON WITH TONOS; Omicrontonos
14230 \DeclareTextCompositeCommand{\textOmicron}{PU}{\textOmicron}{\83\214}% U+038C
14231 % U+038E GREEK CAPITAL LETTER UPSILON WITH TONOS; Upsilon tonos
14232 \DeclareTextCompositeCommand{\textUpsilon}{PU}{\textUpsilon}{\83\216}% U+038E
14233 % U+038F GREEK CAPITAL LETTER OMEGA WITH TONOS; Omegatonos
14234 \DeclareTextCompositeCommand{\textOmega}{PU}{\textOmega}{\83\217}% U+038F
14235 % U+0390 GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS; iota dieresis tonos
14236 \DeclareTextCompositeCommand{\textIotadiereses}{PU}{\textIotadiereses}{\83\220}% U+0390
14237 % U+0391 GREEK CAPITAL LETTER ALPHA; Alpha
14238 \DeclareTextCommand{\textAlpha}{PU}{\83\221}% U+0391
14239 % U+0392 GREEK CAPITAL LETTER BETA; Beta
14240 \DeclareTextCommand{\textBeta}{PU}{\83\222}% U+0392
14241 % U+0393 GREEK CAPITAL LETTER GAMMA; Gamma
14242 \DeclareTextCommand{\textGamma}{PU}{\83\223}% U+0393
14243 % U+0394 GREEK CAPITAL LETTER DELTA; Deltagreek, *Delta
14244 \DeclareTextCommand{\textDelta}{PU}{\83\224}% U+0394
14245 % U+0395 GREEK CAPITAL LETTER EPSILON; Epsilon
14246 \DeclareTextCommand{\textEpsilon}{PU}{\83\225}% U+0395
14247 % U+0396 GREEK CAPITAL LETTER ZETA; Zeta
14248 \DeclareTextCommand{\textZeta}{PU}{\83\226}% U+0396
14249 % U+0397 GREEK CAPITAL LETTER ETA; Eta
14250 \DeclareTextCommand{\textEta}{PU}{\83\227}% U+0397
14251 % U+0398 GREEK CAPITAL LETTER THETA; Theta
14252 \DeclareTextCommand{\textTheta}{PU}{\83\230}% U+0398
14253 % U+0399 GREEK CAPITAL LETTER IOTA; Iota
14254 \DeclareTextCommand{\textIota}{PU}{\83\231}% U+0399
14255 % U+039A GREEK CAPITAL LETTER KAPPA; Kappa
14256 \DeclareTextCommand{\textKappa}{PU}{\83\232}% U+039A
14257 % U+039B GREEK CAPITAL LETTER LAMDA; Lambda
14258 \DeclareTextCommand{\textLambda}{PU}{\83\233}% U+039B
14259 % U+039C GREEK CAPITAL LETTER MU; Mu
14260 \DeclareTextCommand{\textMu}{PU}{\83\234}% U+039C
14261 % U+039D GREEK CAPITAL LETTER NU; Nu
14262 \DeclareTextCommand{\textNu}{PU}{\83\235}% U+039D
14263 % U+039E GREEK CAPITAL LETTER XI; Xi
14264 \DeclareTextCommand{\textXi}{PU}{\83\236}% U+039E
14265 % U+039F GREEK CAPITAL LETTER OMICRON; Omicron
14266 \DeclareTextCommand{\textOmicron}{PU}{\83\237}% U+039F
14267 % U+03A0 GREEK CAPITAL LETTER PI; Pi
14268 \DeclareTextCommand{\textPi}{PU}{\83\240}% U+03A0
14269 % U+03A1 GREEK CAPITAL LETTER RHO; Rho
14270 \DeclareTextCommand{\textRho}{PU}{\83\241}% U+03A1

```

14271 % U+03A3 GREEK CAPITAL LETTER SIGMA; Sigma
14272 \DeclareTextCommand{\textSigma}{\PU}{\\"83\243}% U+03A3
14273 % U+03A4 GREEK CAPITAL LETTER TAU; Tau
14274 \DeclareTextCommand{\textTau}{\PU}{\\"83\244}% U+03A4
14275 % U+03A5 GREEK CAPITAL LETTER UPSILON; Upsilon
14276 \DeclareTextCommand{\textUpsilon}{\PU}{\\"83\245}% U+03A5
14277 % U+03A6 GREEK CAPITAL LETTER PHI; Phi
14278 \DeclareTextCommand{\textPhi}{\PU}{\\"83\246}% U+03A6
14279 % U+03A7 GREEK CAPITAL LETTER CHI; Chi
14280 \DeclareTextCommand{\textChi}{\PU}{\\"83\247}% U+03A7
14281 % U+03A8 GREEK CAPITAL LETTER PSI; Psi
14282 \DeclareTextCommand{\textPsi}{\PU}{\\"83\250}% U+03A8
14283 % U+03A9 GREEK CAPITAL LETTER OMEGA; Omegagreek, *Omega
14284 \DeclareTextCommand{\textOmega}{\PU}{\\"83\251}% U+03A9
14285 % U+03AA GREEK CAPITAL LETTER IOTA WITH DIALYTIKA; Iotadieresis
14286 \DeclareTextCommand{\textIota}{\PU}{\\"83\252}% U+03AA
14287 \DeclareTextCompositeCommand{"}{\PU}{\textIota}{\\"83\252}% U+03AA
14288 % U+03AB GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA; Up-
    silondieresis
14289 \DeclareTextCompositeCommand{"}{\PU}{\textUpsilon}{\\"83\253}% U+03AB
14290 % U+03AC GREEK SMALL LETTER ALPHA WITH TONOS; alphatonos
14291 \DeclareTextCompositeCommand{'}{\PU}{\textalpha}{\\"83\254}% U+03AC
14292 % U+03AD GREEK SMALL LETTER EPSILON WITH TONOS; epsilonontonos
14293 \DeclareTextCompositeCommand{'}{\PU}{\textepsilon}{\\"83\255}% U+03AD
14294 % U+03AE GREEK SMALL LETTER ETA WITH TONOS; etatonos
14295 \DeclareTextCompositeCommand{'}{\PU}{\texteta}{\\"83\256}% U+03AE
14296 % U+03AF GREEK SMALL LETTER IOTA WITH TONOS; iotatonos
14297 \DeclareTextCompositeCommand{'}{\PU}{\textiota}{\\"83\257}% U+03AF
14298 % U+03B0 GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS; up-
    silondieresisto
14299 \DeclareTextCompositeCommand{"}{\PU}{\textupsilonacute}{\\"83\260}% U+03B0
14300 % U+03B1 GREEK SMALL LETTER ALPHA; alpha
14301 \DeclareTextCommand{\textalpha}{\PU}{\\"83\261}% U+03B1
14302 % U+03B2 GREEK SMALL LETTER BETA; beta
14303 \DeclareTextCommand{\textbeta}{\PU}{\\"83\262}% U+03B2
14304 % U+03B3 GREEK SMALL LETTER GAMMA; gamma
14305 \DeclareTextCommand{\textgamma}{\PU}{\\"83\263}% U+03B3
14306 % U+03B4 GREEK SMALL LETTER DELTA; delta
14307 \DeclareTextCommand{\textdelta}{\PU}{\\"83\264}% U+03B4
14308 % U+03B5 GREEK SMALL LETTER EPSILON; epsilon
14309 \DeclareTextCommand{\textepsilon}{\PU}{\\"83\265}% U+03B5
14310 % U+03B6 GREEK SMALL LETTER ZETA; zeta
14311 \DeclareTextCommand{\textzeta}{\PU}{\\"83\266}% U+03B6
14312 % U+03B7 GREEK SMALL LETTER ETA; eta
14313 \DeclareTextCommand{\texteta}{\PU}{\\"83\267}% U+03B7
14314 % U+03B8 GREEK SMALL LETTER THETA; theta
14315 \DeclareTextCommand{\texttheta}{\PU}{\\"83\270}% U+03B8
14316 % U+03B9 GREEK SMALL LETTER IOTA; iota
14317 \DeclareTextCommand{\textiota}{\PU}{\\"83\271}% U+03B9
14318 % U+03BA GREEK SMALL LETTER KAPPA; kappa
14319 \DeclareTextCommand{\textkappa}{\PU}{\\"83\272}% U+03BA
14320 % U+03BB GREEK SMALL LETTER LAMDA; lambda
14321 \DeclareTextCommand{\textlambda}{\PU}{\\"83\273}% U+03BB
14322 % U+03BC GREEK SMALL LETTER MU; mugreek, *mu
14323 \DeclareTextCommand{\textmu}{\PU}{\\"83\274}% U+03BC
14324 % U+03BD GREEK SMALL LETTER NU; nu
14325 \DeclareTextCommand{\textnu}{\PU}{\\"83\275}% U+03BD

```

```

14326 % U+03BE GREEK SMALL LETTER XI; xi
14327 \DeclareTextCommand{\textxi}{\PU}{\83\276}% U+03BE
14328 % U+03BF GREEK SMALL LETTER OMICRON; omicron
14329 \DeclareTextCommand{\textomicron}{\PU}{\83\277}% U+03BF
14330 % U+03C0 GREEK SMALL LETTER PI; pi
14331 \DeclareTextCommand{\textpi}{\PU}{\83\300}% U+03C0
14332 % U+03C1 GREEK SMALL LETTER RHO; rho
14333 \DeclareTextCommand{\textrho}{\PU}{\83\301}% U+03C1
14334 % U+03C2 GREEK SMALL LETTER FINAL SIGMA; *sigma1, sigmafinal
14335 \DeclareTextCommand{\textvarsigma}{\PU}{\83\302}% U+03C2
14336 % U+03C3 GREEK SMALL LETTER SIGMA; sigma
14337 \DeclareTextCommand{\textsigma}{\PU}{\83\303}% U+03C3
14338 % U+03C4 GREEK SMALL LETTER TAU; tau
14339 \DeclareTextCommand{\texttau}{\PU}{\83\304}% U+03C4
14340 % U+03C5 GREEK SMALL LETTER UPSILON; upsilon
14341 \DeclareTextCommand{\textupsilon}{\PU}{\83\305}% U+03C5
14342 % U+03C6 GREEK SMALL LETTER PHI; phi
14343 \DeclareTextCommand{\textphi}{\PU}{\83\306}% U+03C6
14344 % U+03C7 GREEK SMALL LETTER CHI; chi
14345 \DeclareTextCommand{\textchi}{\PU}{\83\307}% U+03C7
14346 % U+03C8 GREEK SMALL LETTER PSI; psi
14347 \DeclareTextCommand{\textpsi}{\PU}{\83\310}% U+03C8
14348 % U+03C9 GREEK SMALL LETTER OMEGA; omega
14349 \DeclareTextCommand{\textomega}{\PU}{\83\311}% U+03C9
14350 % U+03CA GREEK SMALL LETTER IOTA WITH DIALYTIKA; iota dieresis
14351 \DeclareTextCompositeCommand{"}{\PU}{\textiota}{\83\312}% U+03CA
14352 % U+03CB GREEK SMALL LETTER UPSILON WITH DIALYTIKA; up-
    silondieresis
14353 \DeclareTextCompositeCommand{"}{\PU}{\textupsilon}{\83\313}% U+03CB
14354 % U+03CC GREEK SMALL LETTER OMICRON WITH TONOS; omicrontonos
14355 \DeclareTextCompositeCommand{'}{\PU}{\textomicron}{\83\314}% U+03CC
14356 % U+03CD GREEK SMALL LETTER UPSILON WITH TONOS; upsilon tonos
14357 \DeclareTextCommand{\textupsilonacute}{\PU}{\83\315}% U+03CD
14358 \DeclareTextCompositeCommand{'}{\PU}{\textupsilon}{\83\315}% U+03CD
14359 % U+03CE GREEK SMALL LETTER OMEGA WITH TONOS; omegatonos
14360 \DeclareTextCompositeCommand{'}{\PU}{\textomega}{\83\316}% U+03CE
14361 % U+03DA GREEK LETTER STIGMA; Stigmagreek
14362 \DeclareTextCommand{\textStigmagreek}{\PU}{\83\332}% U+03DA
14363 % U+03DB GREEK SMALL LETTER STIGMA
14364 \DeclareTextCommand{\textstigmagreek}{\PU}{\83\333}% U+03DB
14365 % U+03DC GREEK LETTER DIGAMMA; Digammagreek
14366 \DeclareTextCommand{\textDigammagreek}{\PU}{\83\334}% U+03DC
14367 % U+03DD GREEK SMALL LETTER DIGAMMA
14368 \DeclareTextCommand{\textdigammagreek}{\PU}{\83\335}% U+03DD
14369 % U+03DE GREEK LETTER KOPPA; Koppagreek
14370 \DeclareTextCommand{\textKoppagreek}{\PU}{\83\336}% U+03DE
14371 % U+03DF GREEK SMALL LETTER KOPPA
14372 \DeclareTextCommand{\textkoppagreek}{\PU}{\83\337}% U+03DF
14373 % U+03E0 GREEK LETTER SAMPI; Sampigreek
14374 \DeclareTextCommand{\textSampigreek}{\PU}{\83\340}% U+03E0
14375 % U+03E1 GREEK SMALL LETTER SAMPI
14376 \DeclareTextCommand{\textsampigreek}{\PU}{\83\341}% U+03E1

```

50.2.9 Cyrillic: U+0400 to U+04FF

Thanks to Vladimir Volovich (vvv@vvv.vsu.ru) for the help with the Cyrillic glyph names.

```
14377 % U+0400 CYRILLIC CAPITAL LETTER IE WITH GRAVE
```

```

14378 \DeclareTextCompositeCommand{\'}{\PU}{\CYRE}{\84\000}% U+0400
14379 % U+0401 CYRILLIC CAPITAL LETTER IO; Iocyrillic, *afii10023
14380 \DeclareTextCommand{\CYRYO}{\PU}{\84\001}% U+0401
14381 \DeclareTextCompositeCommand{\"}{\PU}{\CYRE}{\84\001}% ????
14382 % U+0402 CYRILLIC CAPITAL LETTER DJE; Djecyrillic, *afii10051
14383 \DeclareTextCommand{\CYRDJE}{\PU}{\84\002}% U+0402
14384 % U+0403 CYRILLIC CAPITAL LETTER GJE; Gjecyrillic, *afii10052
14385 \DeclareTextCompositeCommand{\'}{\PU}{\CYRG}{\84\003}% U+0403
14386 % U+0404 CYRILLIC CAPITAL LETTER UKRAINIAN IE; Ecyrillic, *afii10053
14387 \DeclareTextCommand{\CYRIE}{\PU}{\84\004}% U+0404
14388 % U+0405 CYRILLIC CAPITAL LETTER DZE; Dzecyrillic, *afii10054
14389 \DeclareTextCommand{\CYRDZE}{\PU}{\84\005}% U+0405
14390 % U+0406 CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I; Icyrillic, *afii10055
14391 \DeclareTextCommand{\CYRII}{\PU}{\84\006}% U+0406
14392 % U+0407 CYRILLIC CAPITAL LETTER YI; Yicyrillic, *afii10056
14393 \DeclareTextCommand{\CYRYI}{\PU}{\84\007}% U+0407
14394 \DeclareTextCompositeCommand{\"}{\PU}{\CYRII}{\84\007}% U+0407
14395 % U+0408 CYRILLIC CAPITAL LETTER JE; Jecyrillic, *afii10057
14396 \DeclareTextCommand{\CYRJE}{\PU}{\84\010}% U+0408
14397 % U+0409 CYRILLIC CAPITAL LETTER LJE; Ljecyrillic, *afii10058
14398 \DeclareTextCommand{\CYRLJE}{\PU}{\84\011}% U+0409
14399 % U+040A CYRILLIC CAPITAL LETTER NJE; Njecyrillic, *afii10059
14400 \DeclareTextCommand{\CYRNJE}{\PU}{\84\012}% U+040A
14401 % U+040B CYRILLIC CAPITAL LETTER TSHE; Tshecyrillic, *afii10060
14402 \DeclareTextCommand{\CYRTSHE}{\PU}{\84\013}% U+040B
14403 % U+040C CYRILLIC CAPITAL LETTER KJE; Kjecyrillic, *afii10061
14404 \DeclareTextCompositeCommand{\'}{\PU}{\CYRK}{\84\014}% U+040C
14405 % U+040D CYRILLIC CAPITAL LETTER I WITH GRAVE
14406 \DeclareTextCompositeCommand{\'}{\PU}{\CYRI}{\84\015}% U+040D
14407 % U+040E CYRILLIC CAPITAL LETTER SHORT U; Ushortcyrillic, *afii10062
14408 \DeclareTextCommand{\CYRUSHRT}{\PU}{\84\016}% U+040E
14409 \DeclareTextCompositeCommand{\U}{\PU}{\CYRU}{\84\016}% U+040E
14410 % U+040F CYRILLIC CAPITAL LETTER DZHE; Dzhecyrillic, *afii10145
14411 \DeclareTextCommand{\CYRDZHE}{\PU}{\84\017}% U+040F
14412 % U+0410 CYRILLIC CAPITAL LETTER A; Acyrillic, *afii10017
14413 \DeclareTextCommand{\CYRA}{\PU}{\84\020}% U+0410
14414 % U+0411 CYRILLIC CAPITAL LETTER BE; Becyrillic, *afii10018
14415 \DeclareTextCommand{\CYRB}{\PU}{\84\021}% U+0411
14416 % U+0412 CYRILLIC CAPITAL LETTER VE; Vecyrillic, *afii10019
14417 \DeclareTextCommand{\CYRV}{\PU}{\84\022}% U+0412
14418 % U+0413 CYRILLIC CAPITAL LETTER GHE; Gecyrillic, *afii10020
14419 \DeclareTextCommand{\CYRG}{\PU}{\84\023}% U+0413
14420 % U+0414 CYRILLIC CAPITAL LETTER DE; Decyrillic, *afii10021
14421 \DeclareTextCommand{\CYRD}{\PU}{\84\024}% U+0414
14422 % U+0415 CYRILLIC CAPITAL LETTER IE; Iecyrillic, *afii10022
14423 \DeclareTextCommand{\CYRE}{\PU}{\84\025}% U+0415
14424 % U+0416 CYRILLIC CAPITAL LETTER ZHE; Zhecyrillic, *afii10024
14425 \DeclareTextCommand{\CYRZH}{\PU}{\84\026}% U+0416
14426 % U+0417 CYRILLIC CAPITAL LETTER ZE; Zecyrillic, *afii10025
14427 \DeclareTextCommand{\CYRZ}{\PU}{\84\027}% U+0417
14428 % U+0418 CYRILLIC CAPITAL LETTER I; Iicyrillic, *afii10026
14429 \DeclareTextCommand{\CYRI}{\PU}{\84\030}% U+0418
14430 % U+0419 CYRILLIC CAPITAL LETTER SHORT I; Iishortcyrillic, *afii10027
14431 \DeclareTextCommand{\CYRISHRT}{\PU}{\84\031}% U+0419
14432 \DeclareTextCompositeCommand{\U}{\PU}{\CYRI}{\84\031}% U+0419
14433 % U+041A CYRILLIC CAPITAL LETTER KA; Kacyrillic, *afii10028

```

```

14434 \DeclareTextCommand{\CYRK}{PU}{\84\032}% U+041A
14435 % U+041B CYRILLIC CAPITAL LETTER EL; Elcyrillic, *afii10029
14436 \DeclareTextCommand{\CYRL}{PU}{\84\033}% U+041B
14437 % U+041C CYRILLIC CAPITAL LETTER EM; Emcyrillic, *afii10030
14438 \DeclareTextCommand{\CYRM}{PU}{\84\034}% U+041C
14439 % U+041D CYRILLIC CAPITAL LETTER EN; Encyrillic, *afii10031
14440 \DeclareTextCommand{\CYRN}{PU}{\84\035}% U+041D
14441 % U+041E CYRILLIC CAPITAL LETTER O; Ocyrilllic, *afii10032
14442 \DeclareTextCommand{\CYRO}{PU}{\84\036}% U+041E
14443 % U+041F CYRILLIC CAPITAL LETTER PE; Pecyrillic, *afii10033
14444 \DeclareTextCommand{\CYRP}{PU}{\84\037}% U+041F
14445 % U+0420 CYRILLIC CAPITAL LETTER ER; Ercyrillic, *afii10034
14446 \DeclareTextCommand{\CYRR}{PU}{\84\040}% U+0420
14447 % U+0421 CYRILLIC CAPITAL LETTER ES; Escyrillic, *afii10035
14448 \DeclareTextCommand{\CYRS}{PU}{\84\041}% U+0421
14449 % U+0422 CYRILLIC CAPITAL LETTER TE; Tecyrillic, *afii10036
14450 \DeclareTextCommand{\CYRT}{PU}{\84\042}% U+0422
14451 % U+0423 CYRILLIC CAPITAL LETTER U; Ucyrilllic, *afii10037
14452 \DeclareTextCommand{\CYRU}{PU}{\84\043}% U+0423
14453 % U+0424 CYRILLIC CAPITAL LETTER EF; Efcyrilllic, *afii10038
14454 \DeclareTextCommand{\CYRF}{PU}{\84\044}% U+0424
14455 % U+0425 CYRILLIC CAPITAL LETTER HA; Khacyrilllic, *afii10039
14456 \DeclareTextCommand{\CYRH}{PU}{\84\045}% U+0425
14457 % U+0426 CYRILLIC CAPITAL LETTER TSE; Tsecyrillic, *afii10040
14458 \DeclareTextCommand{\CYRC}{PU}{\84\046}% U+0426
14459 % U+0427 CYRILLIC CAPITAL LETTER CHE; Checyrillic, *afii10041
14460 \DeclareTextCommand{\CYRCH}{PU}{\84\047}% U+0427
14461 % U+0428 CYRILLIC CAPITAL LETTER SHA; Shacyrilllic, *afii10042
14462 \DeclareTextCommand{\CYRSH}{PU}{\84\050}% U+0428
14463 % U+0429 CYRILLIC CAPITAL LETTER SHCHA; Shchacyrilllic, *afii10043
14464 \DeclareTextCommand{\CYRSHCH}{PU}{\84\051}% U+0429
14465 % U+042A CYRILLIC CAPITAL LETTER HARD SIGN; Hardsigncyrilllic, *afii10044
14466 \DeclareTextCommand{\CYRHRDSN}{PU}{\84\052}% U+042A
14467 % U+042B CYRILLIC CAPITAL LETTER YERU; Yericyrillic, *afii10045
14468 \DeclareTextCommand{\CYRERY}{PU}{\84\053}% U+042B
14469 % U+042C CYRILLIC CAPITAL LETTER SOFT SIGN; Softsigncyrilllic, *afii10046
14470 \DeclareTextCommand{\CYRSFTSN}{PU}{\84\054}% U+042C
14471 % U+042D CYRILLIC CAPITAL LETTER E; Ereversedcyrillic, *afii10047
14472 \DeclareTextCommand{\CYREREV}{PU}{\84\055}% U+042D
14473 % U+042E CYRILLIC CAPITAL LETTER YU; IUCyrillic, *afii10048
14474 \DeclareTextCommand{\CYRYU}{PU}{\84\056}% U+042E
14475 % U+042F CYRILLIC CAPITAL LETTER YA; IAcyrilllic, *afii10049
14476 \DeclareTextCommand{\CYRYA}{PU}{\84\057}% U+042F
14477 % U+0430 CYRILLIC SMALL LETTER A; acyrillic, *afii10065
14478 \DeclareTextCommand{\cyra}{PU}{\84\060}% U+0430
14479 % U+0431 CYRILLIC SMALL LETTER BE; *afii10066, beczyrilllic
14480 \DeclareTextCommand{\cyrb}{PU}{\84\061}% U+0431
14481 % U+0432 CYRILLIC SMALL LETTER VE; *afii10067, vecyrillic
14482 \DeclareTextCommand{\cyrv}{PU}{\84\062}% U+0432
14483 % U+0433 CYRILLIC SMALL LETTER GHE; *afii10068, gecyrilllic
14484 \DeclareTextCommand{\cyrg}{PU}{\84\063}% U+0433
14485 % U+0434 CYRILLIC SMALL LETTER DE; *afii10069, decyrillic
14486 \DeclareTextCommand{\cyrd}{PU}{\84\064}% U+0434
14487 % U+0435 CYRILLIC SMALL LETTER IE; *afii10070, iecyrillic
14488 \DeclareTextCommand{\cyre}{PU}{\84\065}% U+0435
14489 % U+0436 CYRILLIC SMALL LETTER ZHE; *afii10072, zhecyrilllic
14490 \DeclareTextCommand{\cyrzh}{PU}{\84\066}% U+0436

```

14491 % U+0437 CYRILLIC SMALL LETTER ZE; *afii10073, zecyrillic
14492 \DeclareTextCommand{\cyrz}{\PU}{\84\067}% U+0437
14493 % U+0438 CYRILLIC SMALL LETTER I; *afii10074, iicyrillic
14494 \DeclareTextCommand{\cyri}{\PU}{\84\070}% U+0438
14495 % U+0439 CYRILLIC SMALL LETTER SHORT I; *afii10075, iishortcyrillic
14496 \DeclareTextCommand{\cyrishrt}{\PU}{\84\071}% U+0439
14497 \DeclareTextCompositeCommand{\U}{\PU}{\cyri}{\84\071}% U+0439
14498 % U+043A CYRILLIC SMALL LETTER KA; *afii10076, kacyrillic
14499 \DeclareTextCommand{\cyrk}{\PU}{\84\072}% U+043A
14500 % U+043B CYRILLIC SMALL LETTER EL; *afii10077, elcyrillic
14501 \DeclareTextCommand{\cyrly}{\PU}{\84\073}% U+043B
14502 % U+043C CYRILLIC SMALL LETTER EM; *afii10078, emcyrillic
14503 \DeclareTextCommand{\cyrm}{\PU}{\84\074}% U+043C
14504 % U+043D CYRILLIC SMALL LETTER EN; *afii10079, encyrillic
14505 \DeclareTextCommand{\cyrn}{\PU}{\84\075}% U+043D
14506 % U+043E CYRILLIC SMALL LETTER O; *afii10080, ocyrilllic
14507 \DeclareTextCommand{\cyro}{\PU}{\84\076}% U+043E
14508 % U+043F CYRILLIC SMALL LETTER PE; *afii10081, pecyrillic
14509 \DeclareTextCommand{\cyp}{\PU}{\84\077}% U+043F
14510 % U+0440 CYRILLIC SMALL LETTER ER; *afii10082, ercyrillic
14511 \DeclareTextCommand{\cyrr}{\PU}{\84\100}% U+0440
14512 % U+0441 CYRILLIC SMALL LETTER ES; *afii10083, escyrillic
14513 \DeclareTextCommand{\crys}{\PU}{\84\101}% U+0441
14514 % U+0442 CYRILLIC SMALL LETTER TE; *afii10084, tecyrillic
14515 \DeclareTextCommand{\cyrt}{\PU}{\84\102}% U+0442
14516 % U+0443 CYRILLIC SMALL LETTER U; *afii10085, ucyrilllic
14517 \DeclareTextCommand{\cyru}{\PU}{\84\103}% U+0443
14518 % U+0444 CYRILLIC SMALL LETTER EF; *afii10086, efccyrillic
14519 \DeclareTextCommand{\cyrf}{\PU}{\84\104}% U+0444
14520 % U+0445 CYRILLIC SMALL LETTER HA; *afii10087, khacyrillic
14521 \DeclareTextCommand{\cyrh}{\PU}{\84\105}% U+0445
14522 % U+0446 CYRILLIC SMALL LETTER TSE; *afii10088, tsecyrillic
14523 \DeclareTextCommand{\cyc}{\PU}{\84\106}% U+0446
14524 % U+0447 CYRILLIC SMALL LETTER CHE; *afii10089, checyrillic
14525 \DeclareTextCommand{\cyrch}{\PU}{\84\107}% U+0447
14526 % U+0448 CYRILLIC SMALL LETTER SHA; *afii10090, shacyrilllic
14527 \DeclareTextCommand{\cyrsh}{\PU}{\84\110}% U+0448
14528 % U+0449 CYRILLIC SMALL LETTER SHCHA; *afii10091, shchacyrilllic
14529 \DeclareTextCommand{\cyrshch}{\PU}{\84\111}% U+0449
14530 % U+044A CYRILLIC SMALL LETTER HARD SIGN; *afii10092, hardsigncyrillic
14531 \DeclareTextCommand{\cyrhrdsn}{\PU}{\84\112}% U+044A
14532 % U+044B CYRILLIC SMALL LETTER YERU; *afii10093, yericyrillic
14533 \DeclareTextCommand{\cyrery}{\PU}{\84\113}% U+044B
14534 % U+044C CYRILLIC SMALL LETTER SOFT SIGN; *afii10094, softsigncyrillic
14535 \DeclareTextCommand{\cystsftsn}{\PU}{\84\114}% U+044C
14536 % U+044D CYRILLIC SMALL LETTER E; *afii10095, erversedcyrillic
14537 \DeclareTextCommand{\cyrerev}{\PU}{\84\115}% U+044D
14538 % U+044E CYRILLIC SMALL LETTER YU; *afii10096, iucyrillic
14539 \DeclareTextCommand{\cyryu}{\PU}{\84\116}% U+044E
14540 % U+044F CYRILLIC SMALL LETTER YA; *afii10097, iacyrilllic
14541 \DeclareTextCommand{\cyrya}{\PU}{\84\117}% U+044F
14542 % U+0450 CYRILLIC SMALL LETTER IE WITH GRAVE
14543 \DeclareTextCompositeCommand{\'}{\PU}{\cyre}{\84\120}% U+0450
14544 % U+0451 CYRILLIC SMALL LETTER IO; *afii10071, iocyrillic
14545 \DeclareTextCommand{\cyryo}{\PU}{\84\121}% U+0451
14546 \DeclareTextCompositeCommand{\"}{\PU}{\cyre}{\84\121}% U+0451
14547 % U+0452 CYRILLIC SMALL LETTER DJE; *afii10099, djecyrillic

```

14548 \DeclareTextCommand{\cyrdje}{PU}{\84\122}% U+0452
14549 % U+0453 CYRILLIC SMALL LETTER GJE; *afii10100, gjecyrillic
14550 \DeclareTextCompositeCommand{\'}{PU}{\cyrq}{\84\123}% U+0453
14551 % U+0454 CYRILLIC SMALL LETTER UKRAINIAN IE; *afii10101, ecyrillic
14552 \DeclareTextCommand{\cylie}{PU}{\84\124}% U+0454
14553 % U+0455 CYRILLIC SMALL LETTER DZE; *afii10102, dzecyrillic
14554 \DeclareTextCommand{\cyrdze}{PU}{\84\125}% U+0455
14555 % U+0456 CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I; *afii10103, icyrillic
14556 \DeclareTextCommand{\cyii}{PU}{\84\126}% U+0456
14557 % U+0457 CYRILLIC SMALL LETTER YI; *afii10104, yicyrillic
14558 \DeclareTextCommand{\cyyi}{PU}{\84\127}% U+0457
14559 \DeclareTextCompositeCommand{\"}{PU}{\cyyi}{\84\127}% U+0457
14560 % U+0458 CYRILLIC SMALL LETTER JE; *afii10105, jecyrillic
14561 \DeclareTextCommand{\cyrje}{PU}{\84\130}% U+0458
14562 % U+0459 CYRILLIC SMALL LETTER LJE; *afii10106, ljecyrillic
14563 \DeclareTextCommand{\cylje}{PU}{\84\131}% U+0459
14564 % U+045A CYRILLIC SMALL LETTER NJE; *afii10107, njecyrillic
14565 \DeclareTextCommand{\cyrnje}{PU}{\84\132}% U+045A
14566 % U+045B CYRILLIC SMALL LETTER TSHE; *afii10108, tshecyrillic
14567 \DeclareTextCommand{\cyrtshe}{PU}{\84\133}% U+045B
14568 % U+045C CYRILLIC SMALL LETTER KJE; *afii10109, kjecyrillic
14569 \DeclareTextCompositeCommand{\'}{PU}{\cyrk}{\84\134}% U+045C
14570 % U+045D CYRILLIC SMALL LETTER I WITH GRAVE
14571 \DeclareTextCompositeCommand{\'}{PU}{\cyyi}{\84\135}% U+045D
14572 % U+045E CYRILLIC SMALL LETTER SHORT U; *afii10110, ushortcyrillic
14573 \DeclareTextCommand{\cyrushrt}{PU}{\84\136}% U+045E
14574 \DeclareTextCompositeCommand{\U}{PU}{\curu}{\84\136}% U+045E
14575 % U+045F CYRILLIC SMALL LETTER DZHE; *afii10193, dzhecyrillic
14576 \DeclareTextCommand{\cyrdzhe}{PU}{\84\137}% U+045F
14577 % U+0460 CYRILLIC CAPITAL LETTER OMEGA; Omegacyrillic
14578 \DeclareTextCommand{\CYROMEGA}{PU}{\84\140}% U+0460
14579 % U+0461 CYRILLIC SMALL LETTER OMEGA; omegacyrillic
14580 \DeclareTextCommand{\cyromega}{PU}{\84\141}% U+0461
14581 % U+0462 CYRILLIC CAPITAL LETTER YAT; Yatcyrillic, *afii10146
14582 \DeclareTextCommand{\CYRYAT}{PU}{\84\142}% U+0462
14583 % U+0463 CYRILLIC SMALL LETTER YAT; *afii10194, yatcyrillic
14584 \DeclareTextCommand{\cyyat}{PU}{\84\143}% U+0463
14585 % U+0464 CYRILLIC CAPITAL LETTER IOTIFIED E; Eiotifiedcyrillic
14586 \DeclareTextCommand{\CYRIOTE}{PU}{\84\144}% U+0464
14587 % U+0465 CYRILLIC SMALL LETTER IOTIFIED E; eiotifiedcyrillic
14588 \DeclareTextCommand{\cyyote}{PU}{\84\145}% U+0465
14589 % U+0466 CYRILLIC CAPITAL LETTER LITTLE YUS; Yuslittlecyrillic
14590 \DeclareTextCommand{\CYRLYUS}{PU}{\84\146}% U+0466
14591 % U+0467 CYRILLIC SMALL LETTER LITTLE YUS; yuslittlecyrillic
14592 \DeclareTextCommand{\cyylyus}{PU}{\84\147}% U+0467
14593 % U+0468 CYRILLIC CAPITAL LETTER IOTIFIED LITTLE YUS; Yuslittleiotifiedcyrillic
14594 \DeclareTextCommand{\CYRIOTLYUS}{PU}{\84\150}% U+0468
14595 % U+0469 CYRILLIC SMALL LETTER IOTIFIED LITTLE YUS; yuslittleiotifiedcyrillic
14596 \DeclareTextCommand{\cyyotlyus}{PU}{\84\151}% U+0469
14597 % U+046A CYRILLIC CAPITAL LETTER BIG YUS; Yusbigcyrillic
14598 \DeclareTextCommand{\CYRBYUS}{PU}{\84\152}% U+046A
14599 % U+046B CYRILLIC SMALL LETTER BIG YUS; yusbigcyrillic
14600 \DeclareTextCommand{\cyybyus}{PU}{\84\153}% U+046B

```

14601 % U+046C CYRILLIC CAPITAL LETTER IOTIFIED BIG YUS; Yusbigiotified-cyrillic
 14602 \DeclareTextCommand{\CYRIOTBYUS}{PU}{\84\154}% U+046C
 14603 % U+046D CYRILLIC SMALL LETTER IOTIFIED BIG YUS; yusbiginotifiedcyrillic
 14604 \DeclareTextCommand{\cyriotbyus}{PU}{\84\155}% U+046D
 14605 % U+046E CYRILLIC CAPITAL LETTER KSI; Ksicyrillic
 14606 \DeclareTextCommand{\CYRKSI}{PU}{\84\156}% U+046E
 14607 % U+046F CYRILLIC SMALL LETTER KSI; ksicyrillic
 14608 \DeclareTextCommand{\cyrksi}{PU}{\84\157}% U+046F
 14609 % U+0470 CYRILLIC CAPITAL LETTER PSI; Psicyrillic
 14610 \DeclareTextCommand{\CYRPSI}{PU}{\84\160}% U+0470
 14611 % U+0471 CYRILLIC SMALL LETTER PSI; psicyrillic
 14612 \DeclareTextCommand{\cyrpsi}{PU}{\84\161}% U+0471
 14613 % U+0472 CYRILLIC CAPITAL LETTER FITA; Fitacyrillic, *afii10147
 14614 \DeclareTextCommand{\CYRFITA}{PU}{\84\162}% U+0472
 14615 % U+0473 CYRILLIC SMALL LETTER FITA; *afii10195, fitacyrillic
 14616 \DeclareTextCommand{\cyrfita}{PU}{\84\163}% U+0473
 14617 % U+0474 CYRILLIC CAPITAL LETTER IZHITSA; Izhitsacyrillic, *afii10148
 14618 \DeclareTextCommand{\CYRIZH}{PU}{\84\164}% U+0474
 14619 % U+0475 CYRILLIC SMALL LETTER IZHITSA; *afii10196, izhitsacyrillic
 14620 \DeclareTextCommand{\cyrizh}{PU}{\84\165}% U+0475
 14621 % U+0476 CYRILLIC CAPITAL LETTER IZHITSA WITH DOUBLE GRAVE ACCENT; Izhitsadblgravecyrillic
 14622 \DeclareTextCompositeCommand{\C}{PU}{\CYRIZH}{\84\166}% U+0476
 14623 % U+0477 CYRILLIC SMALL LETTER IZHITSA WITH DOUBLE GRAVE ACCENT; izhitsadblgravecyrillic
 14624 \DeclareTextCompositeCommand{\C}{PU}{\cyrizh}{\84\167}% U+0477
 14625 % U+0478 CYRILLIC CAPITAL LETTER UK; Ukcyrillic
 14626 \DeclareTextCommand{\CYRUK}{PU}{\84\170}% U+0478
 14627 % U+0479 CYRILLIC SMALL LETTER UK; ukcyrillic
 14628 \DeclareTextCommand{\cyruk}{PU}{\84\171}% U+0479
 14629 % U+047A CYRILLIC CAPITAL LETTER ROUND OMEGA; Omegaroundcyrillic
 14630 \DeclareTextCommand{\CYROMEGARND}{PU}{\84\172}% U+047A
 14631 % U+047B CYRILLIC SMALL LETTER ROUND OMEGA; omegaroundcyrillic
 14632 \DeclareTextCommand{\cyromegarnd}{PU}{\84\173}% U+047B
 14633 % U+047C CYRILLIC CAPITAL LETTER OMEGA WITH TITLO; Omegatitlocyrillic
 14634 \DeclareTextCommand{\CYROMEGATITLO}{PU}{\84\174}% U+047C
 14635 % U+047D CYRILLIC SMALL LETTER OMEGA WITH TITLO; omegatitlocyrillic
 14636 \DeclareTextCommand{\cymegatitlo}{PU}{\84\175}% U+047D
 14637 % U+047E CYRILLIC CAPITAL LETTER OT; Otcyrillic
 14638 \DeclareTextCommand{\CYROT}{PU}{\84\176}% U+047E
 14639 % U+047F CYRILLIC SMALL LETTER OT; otcyrillic
 14640 \DeclareTextCommand{\cyrot}{PU}{\84\177}% U+047F
 14641 % U+0480 CYRILLIC CAPITAL LETTER KOPPA; Koppacyrillic
 14642 \DeclareTextCommand{\CYRKOPPA}{PU}{\84\200}% U+0480
 14643 % U+0481 CYRILLIC SMALL LETTER KOPPA; koppacyrillic
 14644 \DeclareTextCommand{\cyrkoppa}{PU}{\84\201}% U+0481
 14645 % U+0482 CYRILLIC THOUSANDS SIGN; thousandcyrillic
 14646 \DeclareTextCommand{\cyrthousands}{PU}{\84\202}% U+0482
 \84\203: U+0483 COMBINING CYRILLIC TITLO; titlocyrilliccmb
 \84\204: U+0484 COMBINING CYRILLIC PALATALIZATION; palatalizationcyrilliccmb
 \84\205: U+0485 COMBINING CYRILLIC DASIA PNEUMATA; dasiapneumata-

cyrilliccmb
 \84\206: U+0486 COMBINING CYRILLIC PSILI PNEUMATA; psilipneumatacyrilliccmb
 \84\207: U+0487 COMBINING CYRILLIC POKRYTIE
 \84\210: U+0488 COMBINING CYRILLIC HUNDRED THOUSANDS SIGN
 \84\211: U+0489 COMBINING CYRILLIC MILLIONS SIGN
 14647 % U+048A CYRILLIC CAPITAL LETTER SHORT I WITH TAIL
 14648 \DeclareTextCommand{\CYRISHRTDSC}{PU}{\84\212}% U+048A
 14649 % U+048B CYRILLIC SMALL LETTER SHORT I WITH TAIL
 14650 \DeclareTextCommand{\cyrishrtdsc}{PU}{\84\213}% U+048B
 14651 % U+048C CYRILLIC CAPITAL LETTER SEMISOFT SIGN
 14652 \DeclareTextCommand{\CYRSEMISFTSN}{PU}{\84\214}% U+048C
 14653 % U+048D CYRILLIC SMALL LETTER SEMISOFT SIGN
 14654 \DeclareTextCommand{\cyrsemisftsn}{PU}{\84\215}% U+048D
 14655 % U+048E CYRILLIC CAPITAL LETTER ER WITH TICK
 14656 \DeclareTextCommand{\CYRRTICK}{PU}{\84\216}% U+048E
 14657 % U+048F CYRILLIC SMALL LETTER ER WITH TICK
 14658 \DeclareTextCommand{\cyrrtick}{PU}{\84\217}% U+048F
 14659 % U+0490 CYRILLIC CAPITAL LETTER GHE WITH UPTURN; Gheupturn-cyrillic, *afii10050
 14660 \DeclareTextCommand{\CYRGUP}{PU}{\84\220}% U+0490
 14661 % U+0491 CYRILLIC SMALL LETTER GHE WITH UPTURN; *afii10098, ghe-upturncyrillic
 14662 \DeclareTextCommand{\cyrgup}{PU}{\84\221}% U+0491
 14663 % U+0492 CYRILLIC CAPITAL LETTER GHE WITH STROKE; Ghestroke-cyrillic
 14664 \DeclareTextCommand{\CYRGHCRS}{PU}{\84\222}% U+0492
 14665 % U+0493 CYRILLIC SMALL LETTER GHE WITH STROKE; ghstrokecyrillic
 14666 \DeclareTextCommand{\cyrghcrs}{PU}{\84\223}% U+0493
 14667 % U+0494 CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK; Ghemid-dlehookcyrillic
 14668 \DeclareTextCommand{\CYRGHK}{PU}{\84\224}% U+0494
 14669 % U+0495 CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK; ghemid-dlehookcyrillic
 14670 \DeclareTextCommand{\cyrghk}{PU}{\84\225}% U+0495
 14671 % U+0496 CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER; Zhedescender-cyrillic
 14672 \DeclareTextCommand{\CYRZHDSC}{PU}{\84\226}% U+0496
 14673 % U+0497 CYRILLIC SMALL LETTER ZHE WITH DESCENDER; zhedescender-cyrillic
 14674 \DeclareTextCommand{\cyrzhdsc}{PU}{\84\227}% U+0497
 14675 % U+0498 CYRILLIC CAPITAL LETTER ZE WITH DESCENDER; Zedescender-cyrillic
 14676 \DeclareTextCommand{\CYRZDSC}{PU}{\84\230}% U+0498
 14677 \DeclareTextCompositeCommand{\c}{PU}{\CYRZ}{\84\230}% U+0498
 14678 % U+0499 CYRILLIC SMALL LETTER ZE WITH DESCENDER; zedescender-cyrillic
 14679 \DeclareTextCommand{\cyrzdsc}{PU}{\84\231}% U+0499
 14680 \DeclareTextCompositeCommand{\c}{PU}{\cyrz}{\84\231}% U+0499
 14681 % U+049A CYRILLIC CAPITAL LETTER KA WITH DESCENDER; Kadescender-cyrillic
 14682 \DeclareTextCommand{\CYRKDSC}{PU}{\84\232}% U+049A
 14683 % U+049B CYRILLIC SMALL LETTER KA WITH DESCENDER; kdescender-cyrillic
 14684 \DeclareTextCommand{\cyrkdsc}{PU}{\84\233}% U+049B
 14685 % U+049C CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE; Kaverticalstrokecyrillic

```

14686 \DeclareTextCommand{\CYRKVCRS}{PU}{\84\234}% U+049C
14687 % U+049D CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE; kaver-
    ticalstrokecyrillic
14688 \DeclareTextCommand{\cyrkvcrs}{PU}{\84\235}% U+049D
14689 % U+049E CYRILLIC CAPITAL LETTER KA WITH STROKE; Kastrokecyrillic
14690 \DeclareTextCommand{\CYRKHCRS}{PU}{\84\236}% U+049E
14691 % U+049F CYRILLIC SMALL LETTER KA WITH STROKE; kastrokecyrillic
14692 \DeclareTextCommand{\cyrkhcrs}{PU}{\84\237}% U+049F
14693 % U+04A0 CYRILLIC CAPITAL LETTER BASHKIR KA; Kabashkircyrillic
14694 \DeclareTextCommand{\CYRKBEAK}{PU}{\84\240}% U+04A0
14695 % U+04A1 CYRILLIC SMALL LETTER BASHKIR KA; kabashkircyrillic
14696 \DeclareTextCommand{\cyrkbeak}{PU}{\84\241}% U+04A1
14697 % U+04A2 CYRILLIC CAPITAL LETTER EN WITH DESCENDER; Endescen-
    dercyrillic
14698 \DeclareTextCommand{\CYRNDSC}{PU}{\84\242}% U+04A2
14699 % U+04A3 CYRILLIC SMALL LETTER EN WITH DESCENDER; endescender-
    cyrillic
14700 \DeclareTextCommand{\cyrndsc}{PU}{\84\243}% U+04A3
14701 % U+04A4 CYRILLIC CAPITAL LIGATURE EN GHE; Enghecyrillic
14702 \DeclareTextCommand{\CYRNNG}{PU}{\84\244}% U+04A4
14703 % U+04A5 CYRILLIC SMALL LIGATURE EN GHE; enghecyrillic
14704 \DeclareTextCommand{\cyrnng}{PU}{\84\245}% U+04A5
14705 % U+04A6 CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK; Pemid-
    dlehookcyrillic
14706 \DeclareTextCommand{\CYRPHK}{PU}{\84\246}% U+04A6
14707 % U+04A7 CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK; pemiddle-
    hookcyrillic
14708 \DeclareTextCommand{\cyrphk}{PU}{\84\247}% U+04A7
14709 % U+04A8 CYRILLIC CAPITAL LETTER ABKHASIAN HA; Haabkhasiancyril-
    lic
14710 \DeclareTextCommand{\CYRABHHA}{PU}{\84\250}% U+04A8
14711 % U+04A9 CYRILLIC SMALL LETTER ABKHASIAN HA; haabkhasiancyrillic
14712 \DeclareTextCommand{\cyrabhha}{PU}{\84\251}% U+04A9
14713 % U+04AA CYRILLIC CAPITAL LETTER ES WITH DESCENDER; Esdescen-
    dercyrillic
14714 \DeclareTextCommand{\CYRSDSC}{PU}{\84\252}% U+04AA
14715 \DeclareTextCompositeCommand{\CYRSDSC}{PU}{\CYRS}{\84\252}% U+04AA
14716 % U+04AB CYRILLIC SMALL LETTER ES WITH DESCENDER; esdescender-
    cyrillic
14717 \DeclareTextCommand{\cyrsdsc}{PU}{\84\253}% U+04AB
14718 \DeclareTextCompositeCommand{\k}{PU}{\crys}{\84\253}% U+04AB
14719 % U+04AC CYRILLIC CAPITAL LETTER TE WITH DESCENDER; Tedescen-
    dercyrillic
14720 \DeclareTextCommand{\CYRTDSC}{PU}{\84\254}% U+04AC
14721 % U+04AD CYRILLIC SMALL LETTER TE WITH DESCENDER; tedescender-
    cyrillic
14722 \DeclareTextCommand{\cyrtdsc}{PU}{\84\255}% U+04AD
14723 % U+04AE CYRILLIC CAPITAL LETTER STRAIGHT U; Ustraightcyrillic
14724 \DeclareTextCommand{\CYRY}{PU}{\84\256}% U+04AE
14725 % U+04AF CYRILLIC SMALL LETTER STRAIGHT U; ustraightcyrillic
14726 \DeclareTextCommand{\ciry}{PU}{\84\257}% U+04AF
14727 % U+04B0 CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE; Us-
    straightstrokecyrillic
14728 \DeclareTextCommand{\CYRYHCRS}{PU}{\84\260}% U+04B0
14729 % U+04B1 CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE; us-
    straightstrokecyrillic
14730 \DeclareTextCommand{\ciryhcrs}{PU}{\84\261}% U+04B1

```

14731 % U+04B2 CYRILLIC CAPITAL LETTER HA WITH DESCENDER; Hadescendercyrillic
 14732 \DeclareTextCommand{\CYRHDS}{PU}{\84\262}% U+04B2
 14733 % U+04B3 CYRILLIC SMALL LETTER HA WITH DESCENDER; hadescendercyrillic
 14734 \DeclareTextCommand{\cyrhds}{PU}{\84\263}% U+04B3
 14735 % U+04B4 CYRILLIC CAPITAL LIGATURE TE TSE; Tetsecyrillic
 14736 \DeclareTextCommand{\CYRTETSE}{PU}{\84\264}% U+04B4
 14737 % U+04B5 CYRILLIC SMALL LIGATURE TE TSE; tetsecyrillic
 14738 \DeclareTextCommand{\cyrtetse}{PU}{\84\265}% U+04B5
 14739 % U+04B6 CYRILLIC CAPITAL LETTER CHE WITH DESCENDER; Chedescendercyrillic
 14740 \DeclareTextCommand{\CYRCHRDSC}{PU}{\84\266}% U+04B6
 14741 % U+04B7 CYRILLIC SMALL LETTER CHE WITH DESCENDER; chedescendercyrillic
 14742 \DeclareTextCommand{\cyrchrdsc}{PU}{\84\267}% U+04B7
 14743 % U+04B8 CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE; Cheverticalstrokecyrillic
 14744 \DeclareTextCommand{\CYRCHVCRS}{PU}{\84\270}% U+04B8
 14745 % U+04B9 CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE; cheverticalstrokecyrillic
 14746 \DeclareTextCommand{\cyrchvcrs}{PU}{\84\271}% U+04B9
 14747 % U+04BA CYRILLIC CAPITAL LETTER SHHA; Shhacyrillic
 14748 \DeclareTextCommand{\CYRSHHA}{PU}{\84\272}% U+04BA
 14749 % U+04BB CYRILLIC SMALL LETTER SHHA; shhacyrillic
 14750 \DeclareTextCommand{\cyrshha}{PU}{\84\273}% U+04BB
 14751 % U+04BC CYRILLIC CAPITAL LETTER ABKHASIAN CHE; Cheabkhasiancyrillic
 14752 \DeclareTextCommand{\CYRABHCH}{PU}{\84\274}% U+04BC
 14753 % U+04BD CYRILLIC SMALL LETTER ABKHASIAN CHE; cheabkhasiancyrillic
 14754 \DeclareTextCommand{\cyrabhch}{PU}{\84\275}% U+04BD
 14755 % U+04BE CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCENDER; Chedescenderabkhasiancyrillic
 14756 \DeclareTextCommand{\CYRABHDSC}{PU}{\84\276}% U+04BE
 14757 \DeclareTextCompositeCommand{\k}{PU}{\CYRABHCH}{\84\276}% U+04BE
 14758 % U+04BF CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCENDER; chedescenderabkhasiancyrillic
 14759 \DeclareTextCommand{\cyrabhchdsc}{PU}{\84\277}% U+04BF
 14760 \DeclareTextCompositeCommand{\k}{PU}{\cyrabhch}{\84\277}% U+04BF
 14761 % U+04C0 CYRILLIC LETTER PALOCHKA; palochkacyrillic
 14762 \DeclareTextCommand{\CYRpalochnka}{PU}{\84\300}% U+04C0
 14763 % U+04C1 CYRILLIC CAPITAL LETTER ZHE WITH BREVE; Zhebrevecyrillic
 14764 \DeclareTextCompositeCommand{\U}{PU}{\CYRZH}{\84\301}% U+04C1
 14765 % U+04C2 CYRILLIC SMALL LETTER ZHE WITH BREVE; zhebrevecyrillic
 14766 \DeclareTextCompositeCommand{\U}{PU}{\cyrzh}{\84\302}% U+04C2
 14767 % U+04C3 CYRILLIC CAPITAL LETTER KA WITH HOOK; Kahookcyrillic
 14768 \DeclareTextCommand{\CYRKHK}{PU}{\84\303}% U+04C3
 14769 % U+04C4 CYRILLIC SMALL LETTER KA WITH HOOK; kahookcyrillic
 14770 \DeclareTextCommand{\cyrkhk}{PU}{\84\304}% U+04C4
 14771 % U+04C5 CYRILLIC CAPITAL LETTER EL WITH TAIL
 14772 \DeclareTextCommand{\CYRLDSC}{PU}{\84\305}% U+04C5
 14773 % U+04C6 CYRILLIC SMALL LETTER EL WITH TAIL
 14774 \DeclareTextCommand{\cyrldsc}{PU}{\84\306}% U+04C6
 14775 % U+04C7 CYRILLIC CAPITAL LETTER EN WITH HOOK; Enhookcyrillic
 14776 \DeclareTextCommand{\CYRNHK}{PU}{\84\307}% U+04C7
 14777 % U+04C8 CYRILLIC SMALL LETTER EN WITH HOOK; enhookcyrillic

```

14778 \DeclareTextCommand{\cyrnhk}{PU}{\84\310}% U+04C8
14779 % U+04CB CYRILLIC CAPITAL LETTER KHAKASSIAN CHE; Chekhakassian-
      cyrillic
14780 \DeclareTextCommand{\CYRCHLDSC}{PU}{\84\313}% U+04CB
14781 % U+04CC CYRILLIC SMALL LETTER KHAKASSIAN CHE; chehkassian-
      cyrillic
14782 \DeclareTextCommand{\cyrchldsc}{PU}{\84\314}% U+04CC
14783 % U+04CD CYRILLIC CAPITAL LETTER EM WITH TAIL
14784 \DeclareTextCommand{\CYRMDSC}{PU}{\84\315}% U+04CD
14785 % U+04CE CYRILLIC SMALL LETTER EM WITH TAIL
14786 \DeclareTextCommand{\cyrmdsc}{PU}{\84\316}% U+04CE
\84\317: U+04CF CYRILLIC SMALL LETTER PALOCHKA
14787 % U+04D0 CYRILLIC CAPITAL LETTER A WITH BREVE; Abrevecyrillic
14788 \DeclareTextCompositeCommand{\U}{PU}{\CYRA}{\84\320}% U+04D0
14789 % U+04D1 CYRILLIC SMALL LETTER A WITH BREVE; abrevecyrillic
14790 \DeclareTextCompositeCommand{\U}{PU}{\cyra}{\84\321}% U+04D1
14791 % U+04D2 CYRILLIC CAPITAL LETTER A WITH DIAERESIS; Adieresiscyril-
      lic
14792 \DeclareTextCompositeCommand{"}{PU}{\CYRA}{\84\322}% U+04D2
14793 % U+04D3 CYRILLIC SMALL LETTER A WITH DIAERESIS; adieresiscyrillic
14794 \DeclareTextCompositeCommand{"}{PU}{\cyra}{\84\323}% U+04D3
14795 % U+04D4 CYRILLIC CAPITAL LIGATURE A IE; Aiecyrilllic
14796 \DeclareTextCommand{\CYRAE}{PU}{\84\324}% U+04D4
14797 % U+04D5 CYRILLIC SMALL LIGATURE A IE; aiecyrilllic
14798 \DeclareTextCommand{\cyrae}{PU}{\84\325}% U+04D5
14799 % U+04D6 CYRILLIC CAPITAL LETTER IE WITH BREVE; Iebrevecyrillic
14800 \DeclareTextCompositeCommand{\U}{PU}{\CYRE}{\84\326}% U+04D6
14801 % U+04D7 CYRILLIC SMALL LETTER IE WITH BREVE; iebrevecyrillic
14802 \DeclareTextCompositeCommand{\U}{PU}{\cyre}{\84\327}% U+04D7
14803 % U+04D8 CYRILLIC CAPITAL LETTER SCHWA; Schwacyrilllic
14804 \DeclareTextCommand{\CYRSCHWA}{PU}{\84\330}% U+04D8
14805 % U+04D9 CYRILLIC SMALL LETTER SCHWA; *afii10846, schwacyrilllic
14806 \DeclareTextCommand{\cryscha}{PU}{\84\331}% U+04D9
14807 % U+04DA CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS; Schwadiere-
      siscyrilllic
14808 \DeclareTextCompositeCommand{"}{PU}{\CYRSCHWA}{\84\332}% U+04DA
14809 % U+04DB CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS; schwadiere-
      siscyrilllic
14810 \DeclareTextCompositeCommand{"}{PU}{\cryscha}{\84\333}% U+04DB
14811 % U+04DC CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS; Zhediere-
      siscyrilllic
14812 \DeclareTextCompositeCommand{"}{PU}{\CYRZH}{\84\334}% U+04DC
14813 % U+04DD CYRILLIC SMALL LETTER ZHE WITH DIAERESIS; zhedieres-
      cyrillic
14814 \DeclareTextCompositeCommand{"}{PU}{\cyrzh}{\84\335}% U+04DD
14815 % U+04DE CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS; Zedieres-
      cyrillic
14816 \DeclareTextCompositeCommand{"}{PU}{\CYRZ}{\84\336}% U+04DE
14817 % U+04DF CYRILLIC SMALL LETTER ZE WITH DIAERESIS; zedieresiscyrilllic
14818 \DeclareTextCompositeCommand{"}{PU}{\cyrz}{\84\337}% U+04DF
14819 % U+04E0 CYRILLIC CAPITAL LETTER ABKHASIAN DZE; Dzeabkhasian-
      cyrillic
14820 \DeclareTextCommand{\CYRABHDZE}{PU}{\84\340}% U+04E0
14821 % U+04E1 CYRILLIC SMALL LETTER ABKHASIAN DZE; dzeabkhasiancyrilllic
14822 \DeclareTextCommand{\cyrabhdze}{PU}{\84\341}% U+04E1
14823 % U+04E2 CYRILLIC CAPITAL LETTER I WITH MACRON; Imacroncyrilllic
14824 \DeclareTextCompositeCommand{=}{PU}{\CYRI}{\84\342}% U+04E2

```

14825 % U+04E3 CYRILLIC SMALL LETTER I WITH MACRON; imacroncyrillic
 14826 \DeclareTextCompositeCommand{\=}{\PU}{\cyri}{\84\343}% U+04E3
 14827 % U+04E4 CYRILLIC CAPITAL LETTER I WITH DIAERESIS; Idieresiscyrillic
 14828 \DeclareTextCompositeCommand{\"}{\PU}{\CYRI}{\84\344}% U+04E4
 14829 % U+04E5 CYRILLIC SMALL LETTER I WITH DIAERESIS; idieresiscyrillic
 14830 \DeclareTextCompositeCommand{\"}{\PU}{\cyri}{\84\345}% U+04E5
 14831 % U+04E6 CYRILLIC CAPITAL LETTER O WITH DIAERESIS; Odieresiscyrillic
 14832 \DeclareTextCompositeCommand{\"}{\PU}{\CYRO}{\84\346}% U+04E6
 14833 % U+04E7 CYRILLIC SMALL LETTER O WITH DIAERESIS; odieresiscyrillic
 14834 \DeclareTextCompositeCommand{\"}{\PU}{\cyro}{\84\347}% U+04E7
 14835 % U+04E8 CYRILLIC CAPITAL LETTER BARRED O; Obarredcyrillic
 14836 \DeclareTextCommand{\CYROTLD}{\PU}{\84\350}% U+04E8
 14837 % U+04E9 CYRILLIC SMALL LETTER BARRED O; obarredcyrillic
 14838 \DeclareTextCommand{\cyrotld}{\PU}{\84\351}% U+04E9
 14839 % U+04EA CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS; Obarreddieresiscyrillic
 14840 \DeclareTextCompositeCommand{\"}{\PU}{\CYROTLD}{\84\352}% U+04EA
 14841 % U+04EB CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS; obarred-dieresiscyrillic
 14842 \DeclareTextCompositeCommand{\"}{\PU}{\cyrotld}{\84\353}% U+04EB
 14843 % U+04EC CYRILLIC CAPITAL LETTER E WITH DIAERESIS
 14844 \DeclareTextCompositeCommand{\"}{\PU}{\CYREREV}{\84\354}% U+04EC
 14845 % U+04ED CYRILLIC SMALL LETTER E WITH DIAERESIS
 14846 \DeclareTextCompositeCommand{\\"}{\PU}{\cyreref}{\84\355}% U+04ED
 14847 % U+04EE CYRILLIC CAPITAL LETTER U WITH MACRON; Umacroncyrillic
 14848 \DeclareTextCompositeCommand{\=}{\PU}{\CYRU}{\84\356}% U+04EE
 14849 % U+04EF CYRILLIC SMALL LETTER U WITH MACRON; umacroncyrillic
 14850 \DeclareTextCompositeCommand{\=}{\PU}{\cyru}{\84\357}% U+04EF
 14851 % U+04F0 CYRILLIC CAPITAL LETTER U WITH DIAERESIS; Udieresiscyrillic
 14852 \DeclareTextCompositeCommand{\\"}{\PU}{\CYRU}{\84\360}% U+04F0
 14853 % U+04F1 CYRILLIC SMALL LETTER U WITH DIAERESIS; udieresiscyrillic
 14854 \DeclareTextCompositeCommand{\\"}{\PU}{\cyru}{\84\361}% U+04F1
 14855 % U+04F2 CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE; Uhungan-garumlautcyrillic
 14856 \DeclareTextCompositeCommand{\H}{\PU}{\CYRU}{\84\362}% U+04F2
 14857 % U+04F3 CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE; uhungan-garumlautcyrillic
 14858 \DeclareTextCompositeCommand{\H}{\PU}{\cyru}{\84\363}% U+04F3
 14859 % U+04F4 CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS; Chediere-siscyrillic
 14860 \DeclareTextCompositeCommand{\\"}{\PU}{\CYRCH}{\84\364}% U+04F4
 14861 % U+04F5 CYRILLIC SMALL LETTER CHE WITH DIAERESIS; chedieres-cyrillic
 14862 \DeclareTextCompositeCommand{\\"}{\PU}{\cyrch}{\84\365}% U+04F5
 14863 % U+04F6 CYRILLIC CAPITAL LETTER GHE WITH DESCENDER
 14864 \DeclareTextCommand{\CYRGDSC}{\PU}{\84\366}% U+04F6
 14865 % U+04F7 CYRILLIC SMALL LETTER GHE WITH DESCENDER
 14866 \DeclareTextCommand{\cyrgdsc}{\PU}{\84\367}% U+04F7
 14867 % U+04F8 CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS; Yerudiere-siscyrillic
 14868 \DeclareTextCompositeCommand{\\"}{\PU}{\CYRERY}{\84\370}% U+04F8
 14869 % U+04F9 CYRILLIC SMALL LETTER YERU WITH DIAERESIS; yerudiere-siscyrillic
 14870 \DeclareTextCompositeCommand{\\"}{\PU}{\cyrery}{\84\371}% U+04F9
 \84\372: U+04FA CYRILLIC CAPITAL LETTER GHE WITH STROKE AND HOOK
 \84\373: U+04FB CYRILLIC SMALL LETTER GHE WITH STROKE AND HOOK

14871 % U+04FC CYRILLIC CAPITAL LETTER HA WITH HOOK
14872 \DeclareTextCommand{\CYRHHK}{PU}{\84\374} % U+04FC
14873 % U+04FD CYRILLIC SMALL LETTER HA WITH HOOK
14874 \DeclareTextCommand{\cyrhhk}{PU}{\84\375} % U+04FD
\84\376: U+04FE CYRILLIC CAPITAL LETTER HA WITH STROKE
\84\377: U+04FF CYRILLIC SMALL LETTER HA WITH STROKE

50.2.10 Thai: U+0E00 to U+0E7F

14875 % U+0E3F THAI CURRENCY SYMBOL BAHT; bahthai
14876 \DeclareTextCommand{\textbaht}{PU}{\9016\077} % U+0E3F

50.2.11 Latin Extended Additional: U+1E00 to U+1EFF

14877 % U+1E02 LATIN CAPITAL LETTER B WITH DOT ABOVE; Bdotaccent
14878 \DeclareTextCompositeCommand{.}{PU}{B}{\9036\002} % U+1E02
14879 % U+1E03 LATIN SMALL LETTER B WITH DOT ABOVE; bdotaccent
14880 \DeclareTextCompositeCommand{.}{PU}{b}{\9036\003} % U+1E03
14881 % U+1E06 LATIN CAPITAL LETTER B WITH LINE BELOW; Blinebelow
14882 \DeclareTextCompositeCommand{b}{PU}{B}{\9036\006} % U+1E06
14883 % U+1E07 LATIN SMALL LETTER B WITH LINE BELOW; blinebelow
14884 \DeclareTextCompositeCommand{b}{PU}{b}{\9036\007} % U+1E07
14885 % U+1E0A LATIN CAPITAL LETTER D WITH DOT ABOVE; Ddotaccent
14886 \DeclareTextCompositeCommand{.}{PU}{D}{\9036\012} % U+1E0A
14887 % U+1E0B LATIN SMALL LETTER D WITH DOT ABOVE; ddotaccent
14888 \DeclareTextCompositeCommand{.}{PU}{d}{\9036\013} % U+1E0B
14889 % U+1E0E LATIN CAPITAL LETTER D WITH LINE BELOW; Dlinebelow
14890 \DeclareTextCompositeCommand{b}{PU}{D}{\9036\016} % U+1E0E
14891 % U+1E0F LATIN SMALL LETTER D WITH LINE BELOW; dlinebelow
14892 \DeclareTextCompositeCommand{b}{PU}{d}{\9036\017} % U+1E0F
14893 % U+1E10 LATIN CAPITAL LETTER D WITH CEDILLA; Dcedilla
14894 \DeclareTextCompositeCommand{c}{PU}{D}{\9036\020} % U+1E10
14895 % U+1E11 LATIN SMALL LETTER D WITH CEDILLA; dcedilla
14896 \DeclareTextCompositeCommand{c}{PU}{d}{\9036\021} % U+1E11
14897 % U+1E1E LATIN CAPITAL LETTER F WITH DOT ABOVE; Fdotaccent
14898 \DeclareTextCompositeCommand{.}{PU}{F}{\9036\036} % U+1E1E
14899 % U+1E1F LATIN SMALL LETTER F WITH DOT ABOVE; fdotaccent
14900 \DeclareTextCompositeCommand{.}{PU}{f}{\9036\037} % U+1E1F
14901 % U+1E20 LATIN CAPITAL LETTER G WITH MACRON; Gmacron
14902 \DeclareTextCompositeCommand{=}{PU}{G}{\9036\040} % U+1E20
14903 % U+1E21 LATIN SMALL LETTER G WITH MACRON; gmacron
14904 \DeclareTextCompositeCommand{=}{PU}{g}{\9036\041} % U+1E21
14905 % U+1E22 LATIN CAPITAL LETTER H WITH DOT ABOVE; Hdotaccent
14906 \DeclareTextCompositeCommand{.}{PU}{H}{\9036\042} % U+1E22
14907 % U+1E23 LATIN SMALL LETTER H WITH DOT ABOVE; hdotaccent
14908 \DeclareTextCompositeCommand{.}{PU}{h}{\9036\043} % U+1E23
14909 % U+1E26 LATIN CAPITAL LETTER H WITH DIAERESIS; Hdieresis
14910 \DeclareTextCompositeCommand{"}{PU}{H}{\9036\046} % U+1E26
14911 % U+1E27 LATIN SMALL LETTER H WITH DIAERESIS; hdieresis
14912 \DeclareTextCompositeCommand{"}{PU}{h}{\9036\047} % U+1E27
14913 % U+1E28 LATIN CAPITAL LETTER H WITH CEDILLA; Hcedilla
14914 \DeclareTextCompositeCommand{c}{PU}{H}{\9036\050} % U+1E28
14915 % U+1E29 LATIN SMALL LETTER H WITH CEDILLA; hcedilla
14916 \DeclareTextCompositeCommand{c}{PU}{h}{\9036\051} % U+1E29
14917 % U+1E30 LATIN CAPITAL LETTER K WITH ACUTE; Kacute
14918 \DeclareTextCompositeCommand{'}{PU}{K}{\9036\060} % U+1E30
14919 % U+1E31 LATIN SMALL LETTER K WITH ACUTE; kacute
14920 \DeclareTextCompositeCommand{'}{PU}{k}{\9036\061} % U+1E31

14921 % U+1E34 LATIN CAPITAL LETTER K WITH LINE BELOW; Klinebelow
 14922 \DeclareTextCompositeCommand{\b}{PU}{K}{\9036\064}% U+1E34
 14923 % U+1E35 LATIN SMALL LETTER K WITH LINE BELOW; klinebelow
 14924 \DeclareTextCompositeCommand{\b}{PU}{k}{\9036\065}% U+1E35
 14925 % U+1E3A LATIN CAPITAL LETTER L WITH LINE BELOW; Llinebelow
 14926 \DeclareTextCompositeCommand{\b}{PU}{L}{\9036\072}% U+1E3A
 14927 % U+1E3B LATIN SMALL LETTER L WITH LINE BELOW; llinebelow
 14928 \DeclareTextCompositeCommand{\b}{PU}{l}{\9036\073}% U+1E3B
 14929 % U+1E3E LATIN CAPITAL LETTER M WITH ACUTE; Macute
 14930 \DeclareTextCompositeCommand{\v}{PU}{M}{\9036\076}% U+1E3E
 14931 % U+1E3F LATIN SMALL LETTER M WITH ACUTE; macute
 14932 \DeclareTextCompositeCommand{\v}{PU}{m}{\9036\077}% U+1E3F
 14933 % U+1E40 LATIN CAPITAL LETTER M WITH DOT ABOVE; Mdotaccent
 14934 \DeclareTextCompositeCommand{\v}{PU}{M}{\9036\100}% U+1E40
 14935 % U+1E41 LATIN SMALL LETTER M WITH DOT ABOVE; mdotaccent
 14936 \DeclareTextCompositeCommand{\v}{PU}{m}{\9036\101}% U+1E41
 14937 % U+1E44 LATIN CAPITAL LETTER N WITH DOT ABOVE; Ndotaccent
 14938 \DeclareTextCompositeCommand{\v}{PU}{N}{\9036\104}% U+1E44
 14939 % U+1E45 LATIN SMALL LETTER N WITH DOT ABOVE; ndotaccent
 14940 \DeclareTextCompositeCommand{\v}{PU}{n}{\9036\105}% U+1E45
 14941 % U+1E48 LATIN CAPITAL LETTER N WITH LINE BELOW; Nlinebelow
 14942 \DeclareTextCompositeCommand{\b}{PU}{N}{\9036\110}% U+1E48
 14943 % U+1E49 LATIN SMALL LETTER N WITH LINE BELOW; nlinebelow
 14944 \DeclareTextCompositeCommand{\b}{PU}{n}{\9036\111}% U+1E49
 14945 % U+1E54 LATIN CAPITAL LETTER P WITH ACUTE; Pacute
 14946 \DeclareTextCompositeCommand{\v}{PU}{P}{\9036\124}% U+1E54
 14947 % U+1E55 LATIN SMALL LETTER P WITH ACUTE; pacute
 14948 \DeclareTextCompositeCommand{\v}{PU}{p}{\9036\125}% U+1E55
 14949 % U+1E56 LATIN CAPITAL LETTER P WITH DOT ABOVE; Pdotaccent
 14950 \DeclareTextCompositeCommand{\v}{PU}{P}{\9036\126}% U+1E56
 14951 % U+1E57 LATIN SMALL LETTER P WITH DOT ABOVE; pdotaccent
 14952 \DeclareTextCompositeCommand{\v}{PU}{p}{\9036\127}% U+1E57
 14953 % U+1E58 LATIN CAPITAL LETTER R WITH DOT ABOVE; Rdotaccent
 14954 \DeclareTextCompositeCommand{\v}{PU}{R}{\9036\130}% U+1E58
 14955 % U+1E59 LATIN SMALL LETTER R WITH DOT ABOVE; rdotaccent
 14956 \DeclareTextCompositeCommand{\v}{PU}{r}{\9036\131}% U+1E59
 14957 % U+1E5E LATIN CAPITAL LETTER R WITH LINE BELOW; Rlinebelow
 14958 \DeclareTextCompositeCommand{\b}{PU}{R}{\9036\136}% U+1E5E
 14959 % U+1E5F LATIN SMALL LETTER R WITH LINE BELOW; rlinebelow
 14960 \DeclareTextCompositeCommand{\b}{PU}{r}{\9036\137}% U+1E5F
 14961 % U+1E60 LATIN CAPITAL LETTER S WITH DOT ABOVE; Sdotaccent
 14962 \DeclareTextCompositeCommand{\v}{PU}{S}{\9036\140}% U+1E60
 14963 % U+1E61 LATIN SMALL LETTER S WITH DOT ABOVE; sdotaccent
 14964 \DeclareTextCompositeCommand{\v}{PU}{s}{\9036\141}% U+1E61
 14965 % U+1E6E LATIN CAPITAL LETTER T WITH LINE BELOW; Tlinebelow
 14966 \DeclareTextCompositeCommand{\b}{PU}{T}{\9036\156}% U+1E6E
 14967 % U+1E6F LATIN SMALL LETTER T WITH LINE BELOW; tlinebelow
 14968 \DeclareTextCompositeCommand{\b}{PU}{t}{\9036\157}% U+1E6F
 14969 % U+1E7C LATIN CAPITAL LETTER V WITH TILDE; Vtilde
 14970 \DeclareTextCompositeCommand{\v}{PU}{V}{\9036\174}% U+1E7C
 14971 % U+1E7D LATIN SMALL LETTER V WITH TILDE; vtilde
 14972 \DeclareTextCompositeCommand{\v}{PU}{v}{\9036\175}% U+1E7D
 14973 % U+1E80 LATIN CAPITAL LETTER W WITH GRAVE; Wgrave
 14974 \DeclareTextCompositeCommand{\v}{PU}{W}{\9036\200}% U+1E80
 14975 % U+1E81 LATIN SMALL LETTER W WITH GRAVE; wgrave
 14976 \DeclareTextCompositeCommand{\v}{PU}{w}{\9036\201}% U+1E81
 14977 % U+1E82 LATIN CAPITAL LETTER W WITH ACUTE; Wacute

```

14978 \DeclareTextCompositeCommand{\'}{\PU}{W}{\9036\202}% U+1E82
14979 % U+1E83 LATIN SMALL LETTER W WITH ACUTE; wacute
14980 \DeclareTextCompositeCommand{\'}{\PU}{w}{\9036\203}% U+1E83
14981 % U+1E84 LATIN CAPITAL LETTER W WITH DIAERESIS; Wdieresis
14982 \DeclareTextCompositeCommand{\\"}{\PU}{W}{\9036\204}% U+1E84
14983 % U+1E85 LATIN SMALL LETTER W WITH DIAERESIS; wdieresis
14984 \DeclareTextCompositeCommand{\\"}{\PU}{w}{\9036\205}% U+1E85
14985 % U+1E86 LATIN CAPITAL LETTER W WITH DOT ABOVE; Wdotaccent
14986 \DeclareTextCompositeCommand{\.\.}{\PU}{W}{\9036\206}% U+1E86
14987 % U+1E87 LATIN SMALL LETTER W WITH DOT ABOVE; wdotaccent
14988 \DeclareTextCompositeCommand{\.\.}{\PU}{w}{\9036\207}% U+1E87
14989 % U+1E8A LATIN CAPITAL LETTER X WITH DOT ABOVE; Xdotaccent
14990 \DeclareTextCompositeCommand{\.\.}{\PU}{X}{\9036\212}% U+1E8A
14991 % U+1E8B LATIN SMALL LETTER X WITH DOT ABOVE; xdotaccent
14992 \DeclareTextCompositeCommand{\.\.}{\PU}{x}{\9036\213}% U+1E8B
14993 % U+1E8C LATIN CAPITAL LETTER X WITH DIAERESIS; Xdieresis
14994 \DeclareTextCompositeCommand{\\"}{\PU}{X}{\9036\214}% U+1E8C
14995 % U+1E8D LATIN SMALL LETTER X WITH DIAERESIS; xdieresis
14996 \DeclareTextCompositeCommand{\\"}{\PU}{x}{\9036\215}% U+1E8D
14997 % U+1E8E LATIN CAPITAL LETTER Y WITH DOT ABOVE; Ydotaccent
14998 \DeclareTextCompositeCommand{\.\.}{\PU}{Y}{\9036\216}% U+1E8E
14999 % U+1E8F LATIN SMALL LETTER Y WITH DOT ABOVE; ydotaccent
15000 \DeclareTextCompositeCommand{\.\.}{\PU}{y}{\9036\217}% U+1E8F
15001 % U+1E90 LATIN CAPITAL LETTER Z WITH CIRCUMFLEX; Zcircumflex
15002 \DeclareTextCompositeCommand{\^}{\PU}{Z}{\9036\220}% U+1E90
15003 % U+1E91 LATIN SMALL LETTER Z WITH CIRCUMFLEX; zcircumflex
15004 \DeclareTextCompositeCommand{\^}{\PU}{z}{\9036\221}% U+1E91
15005 % U+1E94 LATIN CAPITAL LETTER Z WITH LINE BELOW; Zlinebelow
15006 \DeclareTextCompositeCommand{\b}{\PU}{Z}{\9036\224}% U+1E94
15007 % U+1E95 LATIN SMALL LETTER Z WITH LINE BELOW; zlinebelow
15008 \DeclareTextCompositeCommand{\b}{\PU}{z}{\9036\225}% U+1E95
15009 % U+1E96 LATIN SMALL LETTER H WITH LINE BELOW; hlinebelow
15010 \DeclareTextCompositeCommand{\b}{\PU}{h}{\9036\226}% U+1E96
15011 % U+1E97 LATIN SMALL LETTER T WITH DIAERESIS; tdieresis
15012 \DeclareTextCompositeCommand{\\"}{\PU}{t}{\9036\227}% U+1E97
15013 % U+1E98 LATIN SMALL LETTER W WITH RING ABOVE; wring
15014 \DeclareTextCompositeCommand{\r}{\PU}{w}{\9036\230}% U+1E98
15015 % U+1E99 LATIN SMALL LETTER Y WITH RING ABOVE; yring
15016 \DeclareTextCompositeCommand{\r}{\PU}{y}{\9036\231}% U+1E99
15017 % U+1E9B LATIN SMALL LETTER LONG S WITH DOT ABOVE; slongdotacent
15018 \DeclareTextCompositeCommand{\.\.}{\PU}{\textlongs}{\9036\233}% U+1E9B
15019 % U+1EBC LATIN CAPITAL LETTER E WITH TILDE; Etilde
15020 \DeclareTextCompositeCommand{\~}{\PU}{E}{\9036\274}% U+1EBC
15021 % U+1EBD LATIN SMALL LETTER E WITH TILDE; etilde
15022 \DeclareTextCompositeCommand{\~}{\PU}{e}{\9036\275}% U+1EBD
15023 % U+1EF2 LATIN CAPITAL LETTER Y WITH GRAVE; Ygrave
15024 \DeclareTextCompositeCommand{\'}{\PU}{Y}{\9036\362}% U+1EF2
15025 % U+1EF3 LATIN SMALL LETTER Y WITH GRAVE; ygrave
15026 \DeclareTextCompositeCommand{\'}{\PU}{y}{\9036\363}% U+1EF3
15027 % U+1EF8 LATIN CAPITAL LETTER Y WITH TILDE; Ytilde
15028 \DeclareTextCompositeCommand{\~}{\PU}{Y}{\9036\370}% U+1EF8
15029 % U+1EF9 LATIN SMALL LETTER Y WITH TILDE; ytilde
15030 \DeclareTextCompositeCommand{\~}{\PU}{y}{\9036\371}% U+1EF9

```

50.2.12 General Punctuation: U+2000 to U+206F

15031 % U+200C ZERO WIDTH NON-JOINER; *afii61664, zerowidthnonjoiner

```

15032 \DeclareTextCommand{\textcompwordmark}{PU}{\9040\014}% U+200C
15033 % U+2013 EN DASH; endash
15034 \DeclareTextCommand{\textendash}{PU}{\9040\023}% U+2013
15035 % U+2014 EM DASH; emdash
15036 \DeclareTextCommand{\textemdash}{PU}{\9040\024}% U+2014
15037 % U+2016 DOUBLE VERTICAL LINE; dblverticalbar
15038 \DeclareTextCommand{\textbardbl}{PU}{\9040\026}% U+2016
15039 % U+2018 LEFT SINGLE QUOTATION MARK; quoteleft
15040 \DeclareTextCommand{\textquotleft}{PU}{\9040\030}% U+2018
15041 % U+2019 RIGHT SINGLE QUOTATION MARK; quotright
15042 \DeclareTextCommand{\textquotright}{PU}{\9040\031}% U+2019
15043 % U+201A SINGLE LOW-9 QUOTATION MARK; quotesinglbase
15044 \DeclareTextCommand{\textquotesinglbase}{PU}{\9040\032}% U+201A
15045 % U+201C LEFT DOUBLE QUOTATION MARK; quotedblleft
15046 \DeclareTextCommand{\textquotedblleft}{PU}{\9040\034}% U+201C
15047 % U+201D RIGHT DOUBLE QUOTATION MARK; quotedblrigh
15048 \DeclareTextCommand{\textquotedblrigh}{PU}{\9040\035}% U+201D
15049 % U+201E DOUBLE LOW-9 QUOTATION MARK; quotedblbase
15050 \DeclareTextCommand{\textquotedblbase}{PU}{\9040\036}% U+201E
15051 % U+2020 DAGGER; dagger
15052 \DeclareTextCommand{\textdagger}{PU}{\9040\040}% U+2020
15053 % U+2021 DOUBLE DAGGER; daggerdbl
15054 \DeclareTextCommand{\textdaggerdbl}{PU}{\9040\041}% U+2021
15055 % U+2022 BULLET; bullet
15056 \DeclareTextCommand{\textbullet}{PU}{\9040\042}% U+2022
15057 % U+2026 HORIZONTAL ELLIPSIS; ellipsis
15058 \DeclareTextCommand{\textellipsis}{PU}{\9040\046}% U+2026
15059 % U+2030 PER MILLE SIGN; perthousand
15060 \DeclareTextCommand{\textperthousand}{PU}{\9040\060}% U+2030
15061 % U+2031 PER TEN THOUSAND SIGN
15062 \DeclareTextCommand{\textpertenthousand}{PU}{\9040\061}% U+2031
15063 % U+2039 SINGLE LEFT-POINTING ANGLE QUOTATION MARK; guils-
    inglleft
15064 \DeclareTextCommand{\guilsinglleft}{PU}{\9040\071}% U+2039
15065 % U+203A SINGLE RIGHT-POINTING ANGLE QUOTATION MARK; guils-
    inglright
15066 \DeclareTextCommand{\guilsinglright}{PU}{\9040\072}% U+203A
15067 % U+203B REFERENCE MARK; referencemark
15068 \DeclareTextCommand{\textreferencemark}{PU}{\9040\073}% U+203B
15069 % U+203D INTERROBANG
15070 \DeclareTextCommand{\textinterrobang}{PU}{\9040\075}% U+203D
15071 % U+2044 FRACTION SLASH; fraction
15072 \DeclareTextCommand{\textfractionsolidus}{PU}{\9040\104}% U+2044
15073 % U+2045 LEFT SQUARE BRACKET WITH QUILL
15074 \DeclareTextCommand{\textlquill}{PU}{\9040\105}% U+2045
15075 % U+2046 RIGHT SQUARE BRACKET WITH QUILL
15076 \DeclareTextCommand{\textrquill}{PU}{\9040\106}% U+2046
15077 % U+2052 COMMERCIAL MINUS SIGN
15078 \DeclareTextCommand{\textdiscount}{PU}{\9040\122}% U+2052

```

50.2.13 Superscripts and Subscripts: U+2070 to U+209F

```

15079 % U+2070 SUPERSCRIPT ZERO; zerosuperior
15080 \DeclareTextCommand{\textzerosuperior}{PU}{\9040\160}% U+2070
15081 % U+2074 SUPERSCRIPT FOUR; foursuperior
15082 \DeclareTextCommand{\textfoursuperior}{PU}{\9040\164}% U+2074
15083 % U+2075 SUPERSCRIPT FIVE; fivesuperior
15084 \DeclareTextCommand{\textfivesuperior}{PU}{\9040\165}% U+2075

```

```

15085 % U+2076 SUPERSCRIPT SIX; sixsuperior
15086 \DeclareTextCommand{\textsixsuperior}{\PU}{\9040\166}% U+2076
15087 % U+2077 SUPERSCRIPT SEVEN; sevensuperior
15088 \DeclareTextCommand{\textsevensuperior}{\PU}{\9040\167}% U+2077
15089 % U+2078 SUPERSCRIPT EIGHT; eightsuperior
15090 \DeclareTextCommand{\texteightsuperior}{\PU}{\9040\170}% U+2078
15091 % U+2079 SUPERSCRIPT NINE; ninesuperior
15092 \DeclareTextCommand{\textninesuperior}{\PU}{\9040\171}% U+2079
15093 % U+207A SUPERSCRIPT PLUS SIGN; plussuperior
15094 \DeclareTextCommand{\textplussuperior}{\PU}{\9040\172}% U+207A
15095 % U+207B SUPERSCRIPT MINUS
15096 \DeclareTextCommand{\textminussuperior}{\PU}{\9040\173}
15097 % U+207C SUPERSCRIPT EQUALS SIGN; equalsuperior
15098 \DeclareTextCommand{\textequalsuperior}{\PU}{\9040\174}
15099 % U+207D SUPERSCRIPT LEFT PARENTHESIS; parenleftsuperior
15100 \DeclareTextCommand{\textparenleftsuperior}{\PU}{\9040\175}
15101 % U+207E SUPERSCRIPT RIGHT PARENTHESIS; parenrightsuperior
15102 \DeclareTextCommand{\textparenrightsuperior}{\PU}{\9040\176}
15103 % U+207F SUPERSCRIPT LATIN SMALL LETTER N; nsuperior
15104 \DeclareTextCommand{\textnsuperior}{\PU}{\9040\177}
15105 % U+2080 SUBSCRIPT ZERO; zeroinferior
15106 \DeclareTextCommand{\textzeroinferior}{\PU}{\9040\200}% U+2080
15107 % U+2081 SUBSCRIPT ONE; oneinferior
15108 \DeclareTextCommand{\textoneinferior}{\PU}{\9040\201}% U+2081
15109 % U+2082 SUBSCRIPT TWO; twoinferior
15110 \DeclareTextCommand{\texttwoinferior}{\PU}{\9040\202}% U+2082
15111 % U+2083 SUBSCRIPT THREE; threeinferior
15112 \DeclareTextCommand{\textthreeinferior}{\PU}{\9040\203}% U+2083
15113 % U+2084 SUBSCRIPT FOUR; fourinferior
15114 \DeclareTextCommand{\textfourinferior}{\PU}{\9040\204}% U+2084
15115 % U+2085 SUBSCRIPT FIVE; fiveinferior
15116 \DeclareTextCommand{\textfiveinferior}{\PU}{\9040\205}% U+2085
15117 % U+2086 SUBSCRIPT SIX; sixinferior
15118 \DeclareTextCommand{\textsixinferior}{\PU}{\9040\206}% U+2086
15119 % U+2087 SUBSCRIPT SEVEN; seveninferior
15120 \DeclareTextCommand{\textseveninferior}{\PU}{\9040\207}% U+2087
15121 % U+2088 SUBSCRIPT EIGHT; eightinferior
15122 \DeclareTextCommand{\texteightinferior}{\PU}{\9040\210}% U+2088
15123 % U+2089 SUBSCRIPT NINE; nineinferior
15124 \DeclareTextCommand{\textnineinferior}{\PU}{\9040\211}% U+2089
15125 % U+208D SUBSCRIPT LEFT PARENTHESIS; parenleftinferior
15126 \DeclareTextCommand{\textparenleftinferior}{\PU}{\9040\215}% U+208D
15127 % U+208E SUBSCRIPT RIGHT PARENTHESIS; parenrightinferior
15128 \DeclareTextCommand{\textparenrightinferior}{\PU}{\9040\216}% U+208E

```

50.2.14 Currency Symbols: U+20A0 to U+20CF

```

15129 % U+20A1 COLON SIGN; *colonmonetary, colonsign
15130 \DeclareTextCommand{\textcolonmonetary}{\PU}{\9040\241}% U+20A1
15131 % U+20A4 LIRA SIGN; afi08941, *lira
15132 \DeclareTextCommand{\textlira}{\PU}{\9040\244}% U+20A4
15133 % U+20A6 NAIRA SIGN
15134 \DeclareTextCommand{\textnaira}{\PU}{\9040\246}% U+20A6
15135 % U+20A7 PESETA SIGN; peseta
15136 \DeclareTextCommand{\textpeseta}{\PU}{\9040\247}% U+20A7
15137 % U+20A9 WON SIGN; won
15138 \DeclareTextCommand{\textwon}{\PU}{\9040\251}% U+20A9
15139 % U+20AB DONG SIGN; dong

```

```

15140 \DeclareTextCommand{\textdong}{PU}{\9040\253}% U+20AB
15141 % U+20AC EURO SIGN; *Euro, euro
15142 \DeclareTextCommand{\texteuro}{PU}{\9040\254}% U+20AC
15143 % U+20B1 PESO SIGN
15144 \DeclareTextCommand{\textpeso}{PU}{\9040\261}% U+20B1
15145 % U+20B2 GUARANI SIGN
15146 \DeclareTextCommand{\textguarani}{PU}{\9040\262}% U+20B2

```

50.2.15 Letterlike Symbols: U+2100 to U+214F

```

15147 % U+2103 DEGREE CELSIUS; centigrade
15148 \DeclareTextCommand{\textcelsius}{PU}{\9041\003}% U+2103
15149 % U+2116 NUMERO SIGN; *afii61352, numero
15150 \DeclareTextCommand{\textnumero}{PU}{\9041\026}% U+2116
15151 % U+2117 SOUND RECORDING COPYRIGHT
15152 \DeclareTextCommand{\textcircledP}{PU}{\9041\027}% U+2117
15153 % U+211E PRESCRIPTION TAKE; prescription
15154 \DeclareTextCommand{\textrecipe}{PU}{\9041\036}% U+211E
15155 % U+2120 SERVICE MARK
15156 \DeclareTextCommand{\textservicemark}{PU}{\9041\040}% U+2120
15157 % U+2122 TRADE MARK SIGN; trademark
15158 \DeclareTextCommand{\texttrademark}{PU}{\9041\042}% U+2122
15159 % U+2126 OHM SIGN; Ohm, Omega
15160 \DeclareTextCommand{\textohm}{PU}{\9041\046}% U+2126
15161 % U+2127 INVERTED OHM SIGN
15162 \DeclareTextCommand{\textmho}{PU}{\9041\047}% U+2127
15163 % U+212B ANGSTROM SIGN; angstrom
15164 \DeclareTextCommand{\textangstrom}{PU}{\9041\053}% U+212B
15165 % U+212E ESTIMATED SYMBOL; estimated
15166 \DeclareTextCommand{\textestimated}{PU}{\9041\056}% U+212E
15167 % U+2135 ALEF SYMBOL; aleph
15168 \DeclareTextCommand{\textaleph}{PU}{\9041\065}% U+2135

```

50.2.16 Arrows: U+2190 to U+21FF

```

15169 % U+2190 LEFTWARDS ARROW; arrowleft
15170 \DeclareTextCommand{\textleftarrow}{PU}{\9041\220}% U+2190
15171 % U+2191 UPWARDS ARROW; arrowup
15172 \DeclareTextCommand{\textuparrow}{PU}{\9041\221}% U+2191
15173 % U+2192 RIGHTWARDS ARROW; arrowright
15174 \DeclareTextCommand{\textrightarrow}{PU}{\9041\222}% U+2192
15175 % U+2193 DOWNTWARDS ARROW; arrowdown
15176 \DeclareTextCommand{\textdownarrow}{PU}{\9041\223}% U+2193

```

50.2.17 Mathematical Operators: U+2200 to U+22FF

```

15177 % U+2212 MINUS SIGN; minus
15178 \DeclareTextCommand{\textminus}{PU}{\9042\022}% U+2212
15179 % U+221A SQUARE ROOT; radical
15180 \DeclareTextCommand{\textsurd}{PU}{\9042\032}% U+221A

```

50.2.18 Miscellaneous Technical: U+2300 to U+23FF

```

15181 % U+2329 LEFT-POINTING ANGLE BRACKET; angleleft
15182 \DeclareTextCommand{\textlangle}{PU}{\9043\051}% U+2329
15183 % U+232A RIGHT-POINTING ANGLE BRACKET; angleright
15184 \DeclareTextCommand{\textrangle}{PU}{\9043\052}% U+232A

```

50.2.19 Control Pictures: U+2400 to U+243F

```

15185 % U+2422 BLANK SYMBOL
15186 \DeclareTextCommand{\textblank}{PU}{\9044\042}% U+2422

```

15187 % U+2423 OPEN BOX; blank
15188 \DeclareTextCommand{\textvisiblespace}{PU}{\9044\043}% U+2423

50.2.20 Enclosed Alphanumerics: U+2460 to U+24FF

15189 % U+2460 CIRCLED DIGIT ONE; onecircle
15190 \DeclareTextCompositeCommand{\textcircled}{PU}{1}{\9044\140}% U+2460
15191 % U+2461 CIRCLED DIGIT TWO; twocircle
15192 \DeclareTextCompositeCommand{\textcircled}{PU}{2}{\9044\141}% U+2461
15193 % U+2462 CIRCLED DIGIT THREE; threecircle
15194 \DeclareTextCompositeCommand{\textcircled}{PU}{3}{\9044\142}% U+2462
15195 % U+2463 CIRCLED DIGIT FOUR; fourcircle
15196 \DeclareTextCompositeCommand{\textcircled}{PU}{4}{\9044\143}% U+2463
15197 % U+2464 CIRCLED DIGIT FIVE; fivecircle
15198 \DeclareTextCompositeCommand{\textcircled}{PU}{5}{\9044\144}% U+2464
15199 % U+2465 CIRCLED DIGIT SIX; sixcircle
15200 \DeclareTextCompositeCommand{\textcircled}{PU}{6}{\9044\145}% U+2465
15201 % U+2466 CIRCLED DIGIT SEVEN; sevencircle
15202 \DeclareTextCompositeCommand{\textcircled}{PU}{7}{\9044\146}% U+2466
15203 % U+2467 CIRCLED DIGIT EIGHT; eightcircle
15204 \DeclareTextCompositeCommand{\textcircled}{PU}{8}{\9044\147}% U+2467
15205 % U+2468 CIRCLED DIGIT NINE; ninecircle
15206 \DeclareTextCompositeCommand{\textcircled}{PU}{9}{\9044\150}% U+2468
15207 % U+2469 CIRCLED NUMBER TEN; tencircle
15208 \DeclareTextCompositeCommand{\textcircled}{PU}{10}{\9044\151}% U+2469
15209 % U+246A CIRCLED NUMBER ELEVEN; elevencircle
15210 \DeclareTextCompositeCommand{\textcircled}{PU}{11}{\9044\152}% U+246A
15211 % U+246B CIRCLED NUMBER TWELVE; twelvecircle
15212 \DeclareTextCompositeCommand{\textcircled}{PU}{12}{\9044\153}% U+246B
15213 % U+246C CIRCLED NUMBER THIRTEEN; thirteencircle
15214 \DeclareTextCompositeCommand{\textcircled}{PU}{13}{\9044\154}% U+246C
15215 % U+246D CIRCLED NUMBER FOURTEEN; fourteencircle
15216 \DeclareTextCompositeCommand{\textcircled}{PU}{14}{\9044\155}% U+246D
15217 % U+246E CIRCLED NUMBER FIFTEEN; fifteencircle
15218 \DeclareTextCompositeCommand{\textcircled}{PU}{15}{\9044\156}% U+246E
15219 % U+246F CIRCLED NUMBER SIXTEEN; sixteencircle
15220 \DeclareTextCompositeCommand{\textcircled}{PU}{16}{\9044\157}% U+246F
15221 % U+2470 CIRCLED NUMBER SEVENTEEN; seventeencircle
15222 \DeclareTextCompositeCommand{\textcircled}{PU}{17}{\9044\160}% U+2470
15223 % U+2471 CIRCLED NUMBER EIGHTEEN; eighteencircle
15224 \DeclareTextCompositeCommand{\textcircled}{PU}{18}{\9044\161}% U+2471
15225 % U+2472 CIRCLED NUMBER NINETEEN; nineteencircle
15226 \DeclareTextCompositeCommand{\textcircled}{PU}{19}{\9044\162}% U+2472
15227 % U+2473 CIRCLED NUMBER TWENTY; twentycircle
15228 \DeclareTextCompositeCommand{\textcircled}{PU}{20}{\9044\163}% U+2473
15229 % U+24B6 CIRCLED LATIN CAPITAL LETTER A; Acircle
15230 \DeclareTextCompositeCommand{\textcircled}{PU}{A}{\9044\266}% U+24B6
15231 % U+24B7 CIRCLED LATIN CAPITAL LETTER B; Bcircle
15232 \DeclareTextCompositeCommand{\textcircled}{PU}{B}{\9044\267}% U+24B7
15233 % U+24B8 CIRCLED LATIN CAPITAL LETTER C; Ccircle
15234 \DeclareTextCompositeCommand{\textcircled}{PU}{C}{\9044\270}% U+24B8
15235 % U+24B9 CIRCLED LATIN CAPITAL LETTER D; Dcircle
15236 \DeclareTextCompositeCommand{\textcircled}{PU}{D}{\9044\271}% U+24B9
15237 % U+24BA CIRCLED LATIN CAPITAL LETTER E; Ecircle
15238 \DeclareTextCompositeCommand{\textcircled}{PU}{E}{\9044\272}% U+24BA
15239 % U+24BB CIRCLED LATIN CAPITAL LETTER F; Fcircle
15240 \DeclareTextCompositeCommand{\textcircled}{PU}{F}{\9044\273}% U+24BB
15241 % U+24BC CIRCLED LATIN CAPITAL LETTER G; Gcircle

```
15242 \DeclareTextCompositeCommand{\textcircled}{PU}{G}{\9044\274}% U+24BC
15243 % U+24BD CIRCLED LATIN CAPITAL LETTER H; Hcircle
15244 \DeclareTextCompositeCommand{\textcircled}{PU}{H}{\9044\275}% U+24BD
15245 % U+24BE CIRCLED LATIN CAPITAL LETTER I; Icircle
15246 \DeclareTextCompositeCommand{\textcircled}{PU}{I}{\9044\276}% U+24BE
15247 % U+24BF CIRCLED LATIN CAPITAL LETTER J; Jcircle
15248 \DeclareTextCompositeCommand{\textcircled}{PU}{J}{\9044\277}% U+24BF
15249 % U+24C0 CIRCLED LATIN CAPITAL LETTER K; Kcircle
15250 \DeclareTextCompositeCommand{\textcircled}{PU}{K}{\9044\300}% U+24C0
15251 % U+24C1 CIRCLED LATIN CAPITAL LETTER L; Lcircle
15252 \DeclareTextCompositeCommand{\textcircled}{PU}{L}{\9044\301}% U+24C1
15253 % U+24C2 CIRCLED LATIN CAPITAL LETTER M; Mcircle
15254 \DeclareTextCompositeCommand{\textcircled}{PU}{M}{\9044\302}% U+24C2
15255 % U+24C3 CIRCLED LATIN CAPITAL LETTER N; Ncircle
15256 \DeclareTextCompositeCommand{\textcircled}{PU}{N}{\9044\303}% U+24C3
15257 % U+24C4 CIRCLED LATIN CAPITAL LETTER O; Ocircle
15258 \DeclareTextCompositeCommand{\textcircled}{PU}{O}{\9044\304}% U+24C4
15259 % U+24C5 CIRCLED LATIN CAPITAL LETTER P; Pcircle
15260 \DeclareTextCompositeCommand{\textcircled}{PU}{P}{\9044\305}% U+24C5
15261 % U+24C6 CIRCLED LATIN CAPITAL LETTER Q; Qcircle
15262 \DeclareTextCompositeCommand{\textcircled}{PU}{Q}{\9044\306}% U+24C6
15263 % U+24C7 CIRCLED LATIN CAPITAL LETTER R; Rcircle
15264 \DeclareTextCompositeCommand{\textcircled}{PU}{R}{\9044\307}% U+24C7
15265 % U+24C8 CIRCLED LATIN CAPITAL LETTER S; Scircle
15266 \DeclareTextCompositeCommand{\textcircled}{PU}{S}{\9044\310}% U+24C8
15267 % U+24C9 CIRCLED LATIN CAPITAL LETTER T; Tcircle
15268 \DeclareTextCompositeCommand{\textcircled}{PU}{T}{\9044\311}% U+24C9
15269 % U+24CA CIRCLED LATIN CAPITAL LETTER U; Ucircle
15270 \DeclareTextCompositeCommand{\textcircled}{PU}{U}{\9044\312}% U+24CA
15271 % U+24CB CIRCLED LATIN CAPITAL LETTER V; Vcircle
15272 \DeclareTextCompositeCommand{\textcircled}{PU}{V}{\9044\313}% U+24CB
15273 % U+24CC CIRCLED LATIN CAPITAL LETTER W; Wcircle
15274 \DeclareTextCompositeCommand{\textcircled}{PU}{W}{\9044\314}% U+24CC
15275 % U+24CD CIRCLED LATIN CAPITAL LETTER X; Xcircle
15276 \DeclareTextCompositeCommand{\textcircled}{PU}{X}{\9044\315}% U+24CD
15277 % U+24CE CIRCLED LATIN CAPITAL LETTER Y; Ycircle
15278 \DeclareTextCompositeCommand{\textcircled}{PU}{Y}{\9044\316}% U+24CE
15279 % U+24CF CIRCLED LATIN CAPITAL LETTER Z; Zcircle
15280 \DeclareTextCompositeCommand{\textcircled}{PU}{Z}{\9044\317}% U+24CF
15281 % U+24D0 CIRCLED LATIN SMALL LETTER A; acircle
15282 \DeclareTextCompositeCommand{\textcircled}{PU}{a}{\9044\320}% U+24D0
15283 % U+24D1 CIRCLED LATIN SMALL LETTER B; bcircle
15284 \DeclareTextCompositeCommand{\textcircled}{PU}{b}{\9044\321}% U+24D1
15285 % U+24D2 CIRCLED LATIN SMALL LETTER C; ccircle
15286 \DeclareTextCompositeCommand{\textcircled}{PU}{c}{\9044\322}% U+24D2
15287 % U+24D3 CIRCLED LATIN SMALL LETTER D; dcircle
15288 \DeclareTextCompositeCommand{\textcircled}{PU}{d}{\9044\323}% U+24D3
15289 % U+24D4 CIRCLED LATIN SMALL LETTER E; ecircle
15290 \DeclareTextCompositeCommand{\textcircled}{PU}{e}{\9044\324}% U+24D4
15291 % U+24D5 CIRCLED LATIN SMALL LETTER F; fcircle
15292 \DeclareTextCompositeCommand{\textcircled}{PU}{f}{\9044\325}% U+24D5
15293 % U+24D6 CIRCLED LATIN SMALL LETTER G; gcircle
15294 \DeclareTextCompositeCommand{\textcircled}{PU}{g}{\9044\326}% U+24D6
15295 % U+24D7 CIRCLED LATIN SMALL LETTER H; hcircle
15296 \DeclareTextCompositeCommand{\textcircled}{PU}{h}{\9044\327}% U+24D7
15297 % U+24D8 CIRCLED LATIN SMALL LETTER I; icircle
15298 \DeclareTextCompositeCommand{\textcircled}{PU}{i}{\9044\330}% U+24D8
```

```

15299 % U+24D9 CIRCLED LATIN SMALL LETTER J; jcircle
15300 \DeclareTextCompositeCommand{\textcircled}{PU}{j}{\9044\331}% U+24D9
15301 % U+24DA CIRCLED LATIN SMALL LETTER K; kcircle
15302 \DeclareTextCompositeCommand{\textcircled}{PU}{k}{\9044\332}% U+24DA
15303 % U+24DB CIRCLED LATIN SMALL LETTER L; lcircle
15304 \DeclareTextCompositeCommand{\textcircled}{PU}{l}{\9044\333}% U+24DB
15305 % U+24DC CIRCLED LATIN SMALL LETTER M; mcircle
15306 \DeclareTextCompositeCommand{\textcircled}{PU}{m}{\9044\334}% U+24DC
15307 % U+24DD CIRCLED LATIN SMALL LETTER N; ncircle
15308 \DeclareTextCompositeCommand{\textcircled}{PU}{n}{\9044\335}% U+24DD
15309 % U+24DE CIRCLED LATIN SMALL LETTER O; ocircle
15310 \DeclareTextCompositeCommand{\textcircled}{PU}{o}{\9044\336}% U+24DE
15311 % U+24DF CIRCLED LATIN SMALL LETTER P; pcircle
15312 \DeclareTextCompositeCommand{\textcircled}{PU}{p}{\9044\337}% U+24DF
15313 % U+24E0 CIRCLED LATIN SMALL LETTER Q; qcircle
15314 \DeclareTextCompositeCommand{\textcircled}{PU}{q}{\9044\340}% U+24E0
15315 % U+24E1 CIRCLED LATIN SMALL LETTER R; rcircle
15316 \DeclareTextCompositeCommand{\textcircled}{PU}{r}{\9044\341}% U+24E1
15317 % U+24E2 CIRCLED LATIN SMALL LETTER S; scircle
15318 \DeclareTextCompositeCommand{\textcircled}{PU}{s}{\9044\342}% U+24E2
15319 % U+24E3 CIRCLED LATIN SMALL LETTER T; tcircle
15320 \DeclareTextCompositeCommand{\textcircled}{PU}{t}{\9044\343}% U+24E3
15321 % U+24E4 CIRCLED LATIN SMALL LETTER U; ucircle
15322 \DeclareTextCompositeCommand{\textcircled}{PU}{u}{\9044\344}% U+24E4
15323 % U+24E5 CIRCLED LATIN SMALL LETTER V; vcircle
15324 \DeclareTextCompositeCommand{\textcircled}{PU}{v}{\9044\345}% U+24E5
15325 % U+24E6 CIRCLED LATIN SMALL LETTER W; wcircle
15326 \DeclareTextCompositeCommand{\textcircled}{PU}{w}{\9044\346}% U+24E6
15327 % U+24E7 CIRCLED LATIN SMALL LETTER X; xcircle
15328 \DeclareTextCompositeCommand{\textcircled}{PU}{x}{\9044\347}% U+24E7
15329 % U+24E8 CIRCLED LATIN SMALL LETTER Y; ycircle
15330 \DeclareTextCompositeCommand{\textcircled}{PU}{y}{\9044\350}% U+24E8
15331 % U+24E9 CIRCLED LATIN SMALL LETTER Z; zcircle
15332 \DeclareTextCompositeCommand{\textcircled}{PU}{z}{\9044\351}% U+24E9
15333 % U+24EA CIRCLED DIGIT ZERO
15334 \DeclareTextCompositeCommand{\textcircled}{PU}{0}{\9044\352}% U+24EA

```

50.2.21 Box Drawing: U+2500 to U+257F

```

15335 % U+25E6 WHITE BULLET; *openbullet, whitebullet
15336 \DeclareTextCommand{\textopenbullet}{PU}{\9045\346}% U+25E6
15337 % U+25EF LARGE CIRCLE; largecircle
15338 \DeclareTextCommand{\textbigcircle}{PU}{\9045\357}% U+25EF

```

50.2.22 Miscellaneous Symbols: U+2600 to U+26FF

```

15339 % U+266A EIGHTH NOTE; musicalnote
15340 \DeclareTextCommand{\textmusicalnote}{PU}{\9046\152}% U+266A
15341 % U+26AD MARRIAGE SYMBOL
15342 \DeclareTextCommand{\textmarried}{PU}{\9046\255}% U+26AD
15343 % U+26AE DIVORCE SYMBOL
15344 \DeclareTextCommand{\textdivorced}{PU}{\9046\256}% U+26AE

```

50.2.23 Miscellaneous Mathematical Symbols-A: U+27C0 to U+27EF

```

15345 % U+27E6 MATHEMATICAL LEFT WHITE SQUARE BRACKET
15346 \DeclareTextCommand{\textlbrackdbl}{PU}{\9047\346}% U+27E6
15347 % U+27E7 MATHEMATICAL RIGHT WHITE SQUARE BRACKET
15348 \DeclareTextCommand{\textrbrackdbl}{PU}{\9047\347}% U+27E7

```

50.2.24 Alphabetic Presentation Forms: U+FB00 to U+FB4F

```
15349 % U+FB01 LATIN SMALL LIGATURE FI; fi  
15350 \DeclareTextCommand{\textfi}{\PU}{\9373\001}% U+FB01  
15351 % U+FB02 LATIN SMALL LIGATURE FL; fl  
15352 \DeclareTextCommand{\textfl}{\PU}{\9373\002}% U+FB02
```

50.2.25 Miscellaneous

```
15353 \DeclareTextCommand{\SS}{\PU}{SS}
```

50.2.26 Aliases

Aliases (german.sty)

```
15354 \DeclareTextCommand{\textglqq}{\PU}{\quotedblbase}  
15355 \DeclareTextCommand{\textgrqq}{\PU}{\textquotedblleft}  
15356 \DeclareTextCommand{\textglq}{\PU}{\quotesinglbase}  
15357 \DeclareTextCommand{\textgrq}{\PU}{\textquotelleft}  
15358 \DeclareTextCommand{\textflqq}{\PU}{\guillemotleft}  
15359 \DeclareTextCommand{\textfrqq}{\PU}{\guillemotright}  
15360 \DeclareTextCommand{\textflq}{\PU}{\guilsinglleft}  
15361 \DeclareTextCommand{\textfrq}{\PU}{\guilsinglright}
```

Aliases (math names)

```
15362 \DeclareTextCommand{\textneg}{\PU}{\textlogicalnot}  
15363 \DeclareTextCommand{\texttimes}{\PU}{\textmultiply}  
15364 \DeclareTextCommand{\textdiv}{\PU}{\textdivide}  
15365 \DeclareTextCommand{\textpm}{\PU}{\textplusminus}  
15366 \DeclareTextCommand{\textcdot}{\PU}{\textperiodcentered}  
15367 
```

50.3 PU encoding, additions for VnTeX

This file is provided by Han The Thanh.

```
15368 {*puvnenc}  
15369 \DeclareTextCommand{\abreve}{\PU}{\81\003}  
15370 \DeclareTextCommand{\acircumflex}{\PU}{\80\342}  
15371 \DeclareTextCommand{\dj}{\PU}{\81\021}  
15372 \DeclareTextCommand{\ecircumflex}{\PU}{\80\352}  
15373 \DeclareTextCommand{\ocircumflex}{\PU}{\80\364}  
15374 \DeclareTextCommand{\ohorn}{\PU}{\81\241}  
15375 \DeclareTextCommand{\uhorn}{\PU}{\81\260}  
15376 \DeclareTextCommand{\ABREVE}{\PU}{\81\002}  
15377 \DeclareTextCommand{\ACIRCUMFLEX}{\PU}{\80\302}  
15378 \DeclareTextCommand{\DJ}{\PU}{\81\020}  
15379 \DeclareTextCommand{\ECIRCUMFLEX}{\PU}{\80\312}  
15380 \DeclareTextCommand{\OCIRCUMFLEX}{\PU}{\80\324}  
15381 \DeclareTextCommand{\OHORN}{\PU}{\81\240}  
15382 \DeclareTextCommand{\UHORN}{\PU}{\81\257}  
15383 \DeclareTextCompositeCommand{\'}{\PU}{a}{\80\341}  
15384 \DeclareTextCompositeCommand{\d}{\PU}{a}{\9036\241}  
15385 \DeclareTextCompositeCommand{\'}{\PU}{a}{\80\340}  
15386 \DeclareTextCompositeCommand{\h}{\PU}{a}{\9036\243}  
15387 \DeclareTextCompositeCommand{\~}{\PU}{a}{\80\343}  
15388 \DeclareTextCompositeCommand{\'}{\PU}{\abreve}{\9036\257}  
15389 \DeclareTextCompositeCommand{\d}{\PU}{\abreve}{\9036\267}  
15390 \DeclareTextCompositeCommand{\'}{\PU}{\abreve}{\9036\261}  
15391 \DeclareTextCompositeCommand{\h}{\PU}{\abreve}{\9036\263}
```

```

15392 \DeclareTextCompositeCommand{\~}{PU}{\abreve}{\9036\265}
15393 \DeclareTextCompositeCommand{\'}{PU}{\acircumflex}{\9036\245}
15394 \DeclareTextCompositeCommand{\d}{PU}{\acircumflex}{\9036\255}
15395 \DeclareTextCompositeCommand{\'}{PU}{\acircumflex}{\9036\247}
15396 \DeclareTextCompositeCommand{\h}{PU}{\acircumflex}{\9036\251}
15397 \DeclareTextCompositeCommand{\~}{PU}{\acircumflex}{\9036\253}
15398 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\351}
15399 \DeclareTextCompositeCommand{\d}{PU}{e}{\9036\271}
15400 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\350}
15401 \DeclareTextCompositeCommand{\h}{PU}{e}{\9036\273}
15402 \DeclareTextCompositeCommand{\~}{PU}{e}{\9036\275}
15403 \DeclareTextCompositeCommand{\'}{PU}{\ecircumflex}{\9036\277}
15404 \DeclareTextCompositeCommand{\d}{PU}{\ecircumflex}{\9036\307}
15405 \DeclareTextCompositeCommand{\'}{PU}{\ecircumflex}{\9036\301}
15406 \DeclareTextCompositeCommand{\h}{PU}{\ecircumflex}{\9036\303}
15407 \DeclareTextCompositeCommand{\~}{PU}{\ecircumflex}{\9036\305}
15408 \DeclareTextCompositeCommand{\'}{PU}{i}{\80\355}
15409 \DeclareTextCompositeCommand{\d}{PU}{i}{\9036\313}
15410 \DeclareTextCompositeCommand{\'}{PU}{i}{\80\354}
15411 \DeclareTextCompositeCommand{\h}{PU}{i}{\9036\311}
15412 \DeclareTextCompositeCommand{\~}{PU}{i}{\81\051}
15413 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\363}
15414 \DeclareTextCompositeCommand{\d}{PU}{o}{\9036\315}
15415 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\362}
15416 \DeclareTextCompositeCommand{\h}{PU}{o}{\9036\317}
15417 \DeclareTextCompositeCommand{\~}{PU}{o}{\80\365}
15418 \DeclareTextCompositeCommand{\'}{PU}{\ocircumflex}{\9036\321}
15419 \DeclareTextCompositeCommand{\d}{PU}{\ocircumflex}{\9036\331}
15420 \DeclareTextCompositeCommand{\'}{PU}{\ocircumflex}{\9036\323}
15421 \DeclareTextCompositeCommand{\h}{PU}{\ocircumflex}{\9036\325}
15422 \DeclareTextCompositeCommand{\~}{PU}{\ocircumflex}{\9036\327}
15423 \DeclareTextCompositeCommand{\'}{PU}{\ohorn}{\9036\333}
15424 \DeclareTextCompositeCommand{\d}{PU}{\ohorn}{\9036\343}
15425 \DeclareTextCompositeCommand{\'}{PU}{\ohorn}{\9036\335}
15426 \DeclareTextCompositeCommand{\h}{PU}{\ohorn}{\9036\337}
15427 \DeclareTextCompositeCommand{\~}{PU}{\ohorn}{\9036\341}
15428 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\372}
15429 \DeclareTextCompositeCommand{\d}{PU}{u}{\9036\345}
15430 \DeclareTextCompositeCommand{\'}{PU}{u}{\80\371}
15431 \DeclareTextCompositeCommand{\h}{PU}{u}{\9036\347}
15432 \DeclareTextCompositeCommand{\~}{PU}{u}{\81\151}
15433 \DeclareTextCompositeCommand{\'}{PU}{\uhorn}{\9036\351}
15434 \DeclareTextCompositeCommand{\d}{PU}{\uhorn}{\9036\361}
15435 \DeclareTextCompositeCommand{\'}{PU}{\uhorn}{\9036\353}
15436 \DeclareTextCompositeCommand{\h}{PU}{\uhorn}{\9036\355}
15437 \DeclareTextCompositeCommand{\~}{PU}{\uhorn}{\9036\357}
15438 \DeclareTextCompositeCommand{\'}{PU}{y}{\80\375}
15439 \DeclareTextCompositeCommand{\d}{PU}{y}{\9036\365}
15440 \DeclareTextCompositeCommand{\'}{PU}{y}{\9036\363}
15441 \DeclareTextCompositeCommand{\h}{PU}{y}{\9036\367}
15442 \DeclareTextCompositeCommand{\~}{PU}{y}{\9036\371}
15443 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\301}
15444 \DeclareTextCompositeCommand{\d}{PU}{A}{\9036\240}
15445 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\300}
15446 \DeclareTextCompositeCommand{\h}{PU}{A}{\9036\242}
15447 \DeclareTextCompositeCommand{\~}{PU}{A}{\80\303}
15448 \DeclareTextCompositeCommand{\'}{PU}{\ABREVE}{\9036\256}

```

```

15449 \DeclareTextCompositeCommand{\d}{PU}{\ABREVE}{\9036\266}
15450 \DeclareTextCompositeCommand{\'}{PU}{\ABREVE}{\9036\260}
15451 \DeclareTextCompositeCommand{\h}{PU}{\ABREVE}{\9036\262}
15452 \DeclareTextCompositeCommand{\~}{PU}{\ABREVE}{\9036\264}
15453 \DeclareTextCompositeCommand{\'}{PU}{\ACIRCUMFLEX}{\9036\244}
15454 \DeclareTextCompositeCommand{\d}{PU}{\ACIRCUMFLEX}{\9036\254}
15455 \DeclareTextCompositeCommand{\'}{PU}{\ACIRCUMFLEX}{\9036\246}
15456 \DeclareTextCompositeCommand{\h}{PU}{\ACIRCUMFLEX}{\9036\250}
15457 \DeclareTextCompositeCommand{\~}{PU}{\ACIRCUMFLEX}{\9036\252}
15458 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\311}
15459 \DeclareTextCompositeCommand{\d}{PU}{E}{\9036\270}
15460 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\310}
15461 \DeclareTextCompositeCommand{\h}{PU}{E}{\9036\272}
15462 \DeclareTextCompositeCommand{\~}{PU}{E}{\9036\274}
15463 \DeclareTextCompositeCommand{\'}{PU}{\ECIRCUMFLEX}{\9036\276}
15464 \DeclareTextCompositeCommand{\d}{PU}{\ECIRCUMFLEX}{\9036\306}
15465 \DeclareTextCompositeCommand{\'}{PU}{\ECIRCUMFLEX}{\9036\300}
15466 \DeclareTextCompositeCommand{\h}{PU}{\ECIRCUMFLEX}{\9036\302}
15467 \DeclareTextCompositeCommand{\~}{PU}{\ECIRCUMFLEX}{\9036\304}
15468 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\315}
15469 \DeclareTextCompositeCommand{\d}{PU}{I}{\9036\312}
15470 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\314}
15471 \DeclareTextCompositeCommand{\h}{PU}{I}{\9036\310}
15472 \DeclareTextCompositeCommand{\~}{PU}{I}{\81\050}
15473 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\323}
15474 \DeclareTextCompositeCommand{\d}{PU}{O}{\9036\314}
15475 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\322}
15476 \DeclareTextCompositeCommand{\h}{PU}{O}{\9036\316}
15477 \DeclareTextCompositeCommand{\~}{PU}{O}{\80\325}
15478 \DeclareTextCompositeCommand{\'}{PU}{\OCIRCUMFLEX}{\9036\320}
15479 \DeclareTextCompositeCommand{\d}{PU}{\OCIRCUMFLEX}{\9036\330}
15480 \DeclareTextCompositeCommand{\'}{PU}{\OCIRCUMFLEX}{\9036\322}
15481 \DeclareTextCompositeCommand{\h}{PU}{\OCIRCUMFLEX}{\9036\324}
15482 \DeclareTextCompositeCommand{\~}{PU}{\OCIRCUMFLEX}{\9036\326}
15483 \DeclareTextCompositeCommand{\'}{PU}{\OHORN}{\9036\332}
15484 \DeclareTextCompositeCommand{\d}{PU}{\OHORN}{\9036\342}
15485 \DeclareTextCompositeCommand{\'}{PU}{\OHORN}{\9036\334}
15486 \DeclareTextCompositeCommand{\h}{PU}{\OHORN}{\9036\336}
15487 \DeclareTextCompositeCommand{\~}{PU}{\OHORN}{\9036\340}
15488 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\332}
15489 \DeclareTextCompositeCommand{\d}{PU}{U}{\9036\344}
15490 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\331}
15491 \DeclareTextCompositeCommand{\h}{PU}{U}{\9036\346}
15492 \DeclareTextCompositeCommand{\~}{PU}{U}{\81\150}
15493 \DeclareTextCompositeCommand{\'}{PU}{\UHORN}{\9036\350}
15494 \DeclareTextCompositeCommand{\d}{PU}{\UHORN}{\9036\360}
15495 \DeclareTextCompositeCommand{\'}{PU}{\UHORN}{\9036\352}
15496 \DeclareTextCompositeCommand{\h}{PU}{\UHORN}{\9036\354}
15497 \DeclareTextCompositeCommand{\~}{PU}{\UHORN}{\9036\356}
15498 \DeclareTextCompositeCommand{\'}{PU}{Y}{\80\335}
15499 \DeclareTextCompositeCommand{\d}{PU}{Y}{\9036\364}
15500 \DeclareTextCompositeCommand{\'}{PU}{Y}{\9036\362}
15501 \DeclareTextCompositeCommand{\h}{PU}{Y}{\9036\366}
15502 \DeclareTextCompositeCommand{\~}{PU}{Y}{\9036\370}
15503 </puvnenc>

```

50.4 PU encoding, additions for Arabi

This file is provided and maintained by Youssef Jabri.

```
15504 {*puarenc}
15505 \DeclareTextCommand{\hamza}{PU}{\86\041}%
15506 \DeclareTextCommand{\alefmadda}{PU}{\86\042}%
15507 \DeclareTextCommand{\alefhamza}{PU}{\86\043}%
15508 \DeclareTextCommand{\wawhamza}{PU}{\86\044}%
15509 \DeclareTextCommand{\aleflowerhamza}{PU}{\86\045}%
15510 \DeclareTextCommand{\yahamza}{PU}{\86\046}%
15511 \DeclareTextCommand{\alef}{PU}{\86\047}%
15512 \DeclareTextCommand{\baa}{PU}{\86\050}%
15513 \DeclareTextCommand{\T}{PU}{\86\051}%
15514 \DeclareTextCommand{\taa}{PU}{\86\052}%
15515 \DeclareTextCommand{\thaa}{PU}{\86\053}%
15516 \DeclareTextCommand{\jeem}{PU}{\86\054}%
15517 \DeclareTextCommand{\Haa}{PU}{\86\055}%
15518 \DeclareTextCommand{\kha}{PU}{\86\056}%
15519 \DeclareTextCommand{\dal}{PU}{\86\057}%
15520 \DeclareTextCommand{\dhal}{PU}{\86\060}%
15521 \DeclareTextCommand{\ra}{PU}{\86\061}%
15522 \DeclareTextCommand{\zay}{PU}{\86\062}%
15523 \DeclareTextCommand{\seen}{PU}{\86\063}%
15524 \DeclareTextCommand{\sheen}{PU}{\86\064}%
15525 \DeclareTextCommand{\sad}{PU}{\86\065}%
15526 \DeclareTextCommand{\dad}{PU}{\86\066}%
15527 \DeclareTextCommand{\Ta}{PU}{\86\067}%
15528 \DeclareTextCommand{\za}{PU}{\86\070}%
15529 \DeclareTextCommand{\ayn}{PU}{\86\071}%
15530 \DeclareTextCommand{\ghayn}{PU}{\86\072}%
15531 \DeclareTextCommand{\tatweel}{PU}{\86\100}%
15532 \DeclareTextCommand{\fa}{PU}{\86\101}%
15533 \DeclareTextCommand{\qaf}{PU}{\86\102}%
15534 \DeclareTextCommand{\kaf}{PU}{\86\103}%
15535 \DeclareTextCommand{\lam}{PU}{\86\104}%
15536 \DeclareTextCommand{\meem}{PU}{\86\105}%
15537 \DeclareTextCommand{\nun}{PU}{\86\106}%
15538 \DeclareTextCommand{\ha}{PU}{\86\107}%
15539 \DeclareTextCommand{\waw}{PU}{\86\110}%
15540 \DeclareTextCommand{\alefmaqsura}{PU}{\86\111}%
15541 \DeclareTextCommand{\ya}{PU}{\86\112}%
15542 \DeclareTextCommand{\nasb}{PU}{\86\113}%
15543 \DeclareTextCommand{\raff}{PU}{\86\114}%
15544 \DeclareTextCommand{\jarr}{PU}{\86\115}%
15545 \DeclareTextCommand{\fatha}{PU}{\86\116}
```

```

15546 \DeclareTextCommand{\damma}{\PU}{\86\117}% 064F;afii57455;ARABIC DAMMA
15547 \DeclareTextCommand{\kasra}{\PU}{\86\120}% 0650;afii57456;ARABIC KASRA
15548 \DeclareTextCommand{\shadda}{\PU}{\86\121}% 0651;afii57457;ARABIC SHADDA
15549 \DeclareTextCommand{\sukun}{\PU}{\86\122}% 0652;afii57458;ARABIC SUKUN

Farsi

15550 \DeclareTextCommand{\peh}{\PU}{\86\176}% 067E;afii57506;ARABIC LETTER PEH
15551 \DeclareTextCommand{\tcheh}{\PU}{\86\206}% 0686;afii57507;ARABIC LETTER TCHEH
15552 \DeclareTextCommand{\jeh}{\PU}{\86\230}% 0698;afii57508;ARABIC LETTER JEH
15553 \DeclareTextCommand{\farsikaf}{\PU}{\86\251}% 06A9???:afii?????:FARSI LETTER KAF
15554 \DeclareTextCommand{\gaf}{\PU}{\86\257}% 06AF;afii57509;ARABIC LETTER GAF
15555 \DeclareTextCommand{\farsiya}{\PU}{\86\314}% 06CC;afii?????:FARSI LETTER YEH
15556 \DeclareTextCommand{\ZWNJ}{\PU}{\9040\014}% 200C;ZWNJ%
15557 \DeclareTextCommand{\noboundary}{\PU}{\86\325}% 200D;ZWJ
15558 //puarenc

```

51 End of file hycheck.tex

```

15559 /*check*/
15560 \typeout{ }
15561 \begin{document}
15562 \end{document}
15563 //check

```

52 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\!	195, 220
\"	202, 227, 2841, 12752, 13101, 13113, 13125, 13248, 13334, 13348, 13356, 13371, 13383, 13399, 13413, 13424, 13425, 13439, 13451, 13457, 13508, 13536, 13555, 13576, 13703, 13717, 13725, 13739, 13751, 13767, 13781, 13792, 13793, 13807, 13819, 13825, 14072, 14287, 14289, 14299, 14351, 14353, 14381, 14394, 14546, 14559, 14792, 14794, 14808, 14810, 14812, 14814, 14816, 14818, 14828, 14830, 14832, 14834, 14840, 14842, 14844, 14846, 14852, 14854, 14860, 14862, 14868, 14870, 14910, 14912, 14982, 14984, 14994, 14996, 15012
\#	408, 1939, 1940, 4066, 4077, 4079, 4095, 4127, 4165, 7632, 7634, 8386, 8395, 8423, 9148, 10641, 10652, 10681, 10912, 10921, 10951
\\$	184, 209, 409, 4068, 4164
\%	410, 1914, 1915, 4065, 4074, 4076, 4128, 7634
\&	185, 210, 411, 4069, 4080, 4082, 10691
\'	203, 228, 2781, 2795, 2836, 2838, 2839, 2840, 2841, 2846, 2847, 2849, 2854, 2860, 2864, 2865, 2868, 2911, 2912, 2917, 2918, 2919, 2920, 2921, 2922, 2923, 2924, 2926, 2930, 2943, 12750, 13098, 13110, 13122, 13328, 13344, 13352, 13365, 13379, 13385, 13393, 13409, 13418, 13419, 13433, 13447, 13453, 13476, 13478, 13479, 13480, 13483, 13485, 13486, 13487, 13495, 13533, 13552, 13573, 13697, 13713, 13721, 13733, 13747, 13753, 13761, 13777, 13786, 13787, 13801, 13815, 13821, 13839, 13841, 13946, 13948, 13966, 13968, 14000, 14002, 14012, 14014, 14074, 14076, 14126, 14128, 14134, 14136, 14138, 14140,
\@	14222, 14224, 14226, 14228, 14230, 14232, 14234, 14236, 14291, 14293, 14295, 14297, 14355, 14358, 14360, 14385, 14404, 14550, 14569, 14918, 14920, 14930, 14932, 14946, 14948, 14978, 14980, 15383, 15388, 15393, 15398, 15403, 15408, 15413, 15418, 15423, 15428, 15433, 15438, 15443, 15448, 15453, 15458, 15463, 15468, 15473, 15478, 15483, 15488, 15493, 15498
\@	\@C@Menu 11465, 11473 \@C@PasswordField 11414, 11420 \@C@Radio 11240, 11261, 11463, 11487, 11721, 11742, 12062, 12083 \@C@TextField 11416, 11431 \@C@commahyperpage 7141, 7142 \@C@hyperref 4199, 4200 \@C@latextohtmlX 2674, 4386 \@C@wrindex 7069, 7070 \@C@writetorep 12645, 12651 \@Alph 5840, 5841, 5844, 5845 \@Alph@bul 5844 \@BIBLABEL 6563, 6569, 6575 \@BOOKMARK 12733, 12735 \@CITE 6640, 6648 \@CITEX 6642 \@CheckBox 5072, 9213, 11354, 11384, 11518, 11854, 12223 \@ChoiceMenu 5069, 9216, 11192, 11387, 11453, 11672, 12013 \@Form 4844, 9203, 10979, 11376, 11397, 11596, 11937 \@Gauge 5078, 9207, 11161, 11378, 11402, 11539, 11934 \@Localurlfalse 9156 \@Localurltrue 9153 \@M 980, 2201, 4153, 6191 \@MM 6325 \@PushButton 5075, 9219, 11284, 11390, 11499, 11776, 12134 \@Refstar 7441, 7448 \@Reset 5084, 9222, 11330, 11393, 11515, 11829, 12193 \@Roman 483 \@SCTR 7188, 7240 \@SetMaxRnhefLabel 6637 \@Submit 5081, 9225, 11312, 11394, 11512, 11806, 12169 \@TextField 5066, 9210, 11164, 11381, 11405, 11643, 11976 \@addchap 13057 \@addtoreset 6963, 6964, 6978, 7185 \@afterheading 13075 \@alph 5847, 5848 \@alph@bul 5847 \@anchorcolor 8355, 8443, 9270, 10609, 10882 \@arabic 950, 955, 959, 5841, 5845, 5848

\@auxout . 2156, 4244, 5294, 5296,
 5909, 5937, 6583, 6598, 6614,
 6624, 6654, 6677, 6703, 6709,
 6733
\@backslashchar 701, 704, 707,
 1200, 1834, 1838, 1841, 1961,
 1978, 1984, 1988, 1996, 4090,
 7647, 7657
\@baseurl 3137, 3139, 4338, 8078, 8081,
 8340, 8342, 8593, 8595, 9061,
 9071, 9121, 9123, 9635, 9637,
 10000, 10014, 10594, 10596,
 10788, 10802, 10868, 10870
\@begintheorem 6159, 6165
\@bibitem 6590, 6621
\@biblabel 6563, 6610
\@bookmarkopenstatus 3904,
 3921, 12703
\@bookmarksopenlevel 3100, 3102,
 3907
\@bsphack 2149, 4237, 6707
\@capstartfalse 6457
\@caption 6422, 6434, 6477, 6513,
 6515
\@capttype 2158, 6417, 6421, 6425,
 6432, 6439, 6481, 6506, 6510,
 6513
\@car 1445, 1461, 1479, 1499, 3079,
 4462, 8030, 8041
\@cdr 8031, 8042
\@chapter 12978, 12979
\@cite 6640, 6671, 6768, 6774
\@cite@opt . 6769, 6775, 6779, 6789
\@citea 6643, 6650, 6651, 6670,
 6673, 6674
\@citeb 6649, 6652, 6654, 6656,
 6660, 6663, 6672, 6675, 6677,
 6679, 6683, 6686
\@citebordercolor 3561
\@citedata@opt . 6770, 6776, 6778
\@citedatax 6785, 6790
\@citedatax@opt 6782, 6788
\@citeseppen 6767, 6773
\@citex 6669
\@clubpenalty 6193
\@commahyperpage 7136, 7141
\@currDisplay 4898, 11204, 11266,
 11482, 11496, 11684, 11747,
 12025, 12091
\@currValue 4900, 4902, 11271,
 11482, 11493, 11754, 12106,
 12525
\@currentHlabel 5852, 5854, 5863,
 6001, 6012, 6248, 6259, 6262,
 6264, 6309, 6338
\@currentHref 2164, 5174, 5811,
 5862, 5867, 5949, 5952, 5954,
 5964, 6002, 6013, 6015, 6054,
 6065, 6069, 6076, 6100, 6185,
 6249, 6260, 6263, 6265, 6310,
 6339, 6437, 6463, 6467, 6482,
 6484, 6712, 6838, 6861, 6874,
 6881, 6932, 6933, 6957, 6959,
 12634, 12635, 12953, 12958,
 12970, 12972, 12982, 12984,
 13013, 13015, 13028, 13033,
 13067, 13069
\@currentlabel 6328, 6705, 6712,
 6938, 6945, 7194, 7246
\@currentlabelname 2154, 6250,
 6311, 6340, 6442
\@currentlabstr 2153, 2161
\@curropt 11201, 11202, 11263,
 11264, 11471, 11478, 11479,
 11481, 11488, 11489, 11491,
 11681, 11682, 11744, 11745,
 12022, 12023, 12088, 12089
\@dblarg 2254, 6432, 6513
\@definecounter 6917, 6918
\@ehc 2480, 3674, 4302,
 4556, 4680, 4875, 5021, 5057,
 11294, 11342, 11787, 11841,
 12145, 12205
\@ehd 63, 6418, 6507
\@endForm 4845, 9206, 11160,
 11377, 11401, 11642, 11962
\@endparenv 6155
\@eqnncr 6084
\@eqnstarfalse 6060, 6087
\@eqnstartrue 6084
\@eqnswtrue 6030, 6039
\@esphack . 2170, 4248, 6717, 7081
\@extra@b@citeb 6548, 6551, 6568,
 6573, 6593, 6641, 6663, 6679,
 6686
\@extra@binfo 6547, 6550, 6554
\@fifthoffive 3634, 4019, 4231, 7395,
 7510
\@filebordercolor 3559, 7947, 7949,
 8917, 8919, 9349, 9351, 10318
\@filecolor 3129, 7967, 8541, 8553,
 8929, 9355
\@firstoffive 4015, 4024, 7434, 7515
\@firstofone 433, 434, 435,
 436, 437, 438, 439, 440, 441,
 442, 443, 473, 661, 816, 827,
 1060, 1064, 1068, 1366, 3481,
 3906, 4810, 4816, 4984, 5727,
 5838, 5851, 5896, 6430, 6511,
 6652, 6675, 6801, 7024, 8250,
 11569, 12308, 12325, 12343
\@firstoftwo 492, 771, 942, 1573,
 5264, 13022
\@footnotemark 6201, 6255, 6348,
 6360, 6362, 6374, 6375, 6405,
 6407
\@footnotetext 6200, 6207, 6236,
 6361, 6363, 6377, 6378, 6398
\@for 3156, 4452, 6649, 6672, 11201,
 11263, 11471, 11478, 11488,
 11681, 11744, 12022, 12088
\@fourthoffive 4018, 4232, 7505,
 7512
\@gobble 49, 56, 117,
 426, 427, 428, 429, 466, 467,
 468, 469, 495, 496, 497, 506,
 508, 665, 778, 814, 825, 966,
 970, 973, 1303, 1364, 1383,
 1396, 1400, 1462, 1525, 1526,
 1533, 1538, 1552, 1557, 2191,
 2423, 2435, 3469, 3622, 3624,
 3676, 4056, 4795, 4974, 5228,
 5232, 5250, 5252, 5268, 5269,
 5270, 5272, 5273, 5275, 5706,
 5721, 5725, 6148, 6419, 6508,
 6837, 7570, 8252, 9515, 9518,
 11597, 11938, 12691, 12692,
 12693, 12845
\@gobblefour 432, 531, 1096, 1097,
 1098, 3288, 7309
\@gobbleopt 5275, 5277
\@gobbletwo 430,
 499, 524, 532, 533, 678, 1095,
 1480, 1557, 1561, 2308, 3286,
 3287, 3626, 4741, 5254, 5263,
 5271, 5275, 7493, 12968
\@harvarditem 6722, 6724
\@hyper@anchor 4347, 4348
\@hyper@itemfalse 5757, 5773,
 5787
\@hyper@itemtrue 5758
\@hyper@launch 4308, 4317, 7971,
 9413, 10330
\@hyper@linkfile 4289, 4292, 4296,
 4328
\@hyper@readexternallink 4283,
 4287
\@hyperdef 4207, 4208
\@hyperpage 7133, 7134
\@hyperref 4188, 4199
\@ifclasslater 13081, 13086
\@ifclassloaded 2141, 5881,
 5918, 6632, 7169, 7173, 8255,
 13080, 13085
\@ifnextchar 12, 88, 103, 123,
 525, 4158, 4188, 4207, 4256,
 4844, 5066, 5069, 5072, 5075,
 5078, 5081, 5084, 5275, 5339,

5348, 6364, 6382, 6722, 6780,
 10025, 10256, 10270, 12733,
 12736
`\@ifpackagelater` . 836, 2172, 5872,
 6988
`\@ifpackageloaded` . 362, 731, 835,
 2144, 2532, 3056, 3060, 3613,
 3756, 5795, 5871, 5884, 5946,
 5980, 5984, 5992, 6026, 6140,
 6197, 6272, 6317, 6478, 6692,
 6765, 6929, 6987, 7029, 7030,
 7031, 7178, 7440, 7583, 7587,
 10860
`\@ifpackagewith` 3614, 6953
`\@ifstar` 66, 4040, 4042, 5209, 5213,
 5281, 5285, 7448, 7474, 7493
`\@ifundefined` 34, 243, 474, 516, 591,
 626, 742, 743, 744, 750, 758,
 774, 777, 848, 854, 860, 865,
 870, 877, 883, 889, 894, 900,
 905, 915, 921, 927, 933, 1415,
 1509, 1510, 2145, 2178, 2285,
 2397, 2462, 2545, 3001, 3009,
 3016, 3029, 3077, 3584, 3691,
 3692, 3693, 4551, 4870, 5376,
 5659, 5737, 5799, 5804, 5825,
 5839, 5986, 5995, 6049, 6071,
 6089, 6095, 6132, 6423, 6441,
 6546, 6557, 6640, 6656, 6679,
 6926, 6968, 6976, 6977, 6990,
 6991, 6998, 7482, 7483, 7527,
 7528, 7530, 7531, 7687, 7885,
 7895, 8280, 9097, 9236, 9293,
 9380, 9703, 9704, 9747, 9781,
 9869, 10046, 10424, 11597,
 11938, 12317, 12699, 12977,
 12988
`\@indexfile` 7073, 7088, 7096, 7100,
 7105
`\@inlabelfalse` 6175
`\@inmathwarn` 402, 403
`\@inpenc@undefined@` 2016
`\@labels` 6188
`\@latex@` 5370, 5371
`\@latex@error` . 2615, 2633, 2643,
 2650, 6418, 6507
`\@latex@warning` 4226, 6659, 6682,
 7370, 7390, 7407, 7521
`\@lbibitem` 6564, 6609
`\@linkbordercolor` 3556, 7903, 9260
`\@linkcolor` 10047
`\@linkdim` 329,
 8401, 8402, 8407, 8408, 8409,
 8474, 8475, 8484, 8485, 8486,
 8503, 8504, 8513, 8514, 8515,
 8533, 8534, 8543, 8544, 8545,
 10659, 10660, 10665, 10666,

10667, 10927, 10928, 10937,
 10938, 10939
`\@listctr` 6599, 6625
`\@m` 963, 6651, 6674, 9562
`\@mainaux` 5292, 5293, 5689, 5697,
 11565, 11589
`\@makecaption` . 6458, 6460, 6526
`\@makefnmark` 6267, 6410
`\@makefntext` 6329
`\@makeother` . 166, 167, 179, 180,
 182, 183, 188, 189, 190, 191,
 192, 193, 194, 195, 196, 197,
 198, 199, 200, 201, 202, 203,
 4080, 7619, 12822
`\@makeschapterhead` 13072, 13074
`\@menubordercolor` . 3558, 8310,
 8312, 8972, 8974, 9447, 9449
`\@menucolor` 8323, 8978, 9453
`\@minipagefalse` 6171
`\@mkboth` 499, 7291, 12968, 13060,
 13062
`\@mpfn` 6204, 6383, 6395
`\@mpfootnotetext` 6207, 6220, 6221
`\@mycount` 12798, 12808
`\@namedef` 2555, 2556, 2557, 2558,
 2559, 2560, 2561, 2562, 4562,
 4563, 4564, 4565, 4886, 4887,
 5882, 6083, 6086, 6697, 6698,
 6699, 6700
`\@nameuse` . 2158, 2552, 4568, 4878
`\@ne` . 949, 2499, 2594, 8854, 8859,
 9614, 10449, 11971
`\@newctr` 6922, 6923
`\@newl@bel` 5333, 6550
`\@newlistfalse` 6172
`\@nil` 348, 352, 357, 361, 376,
 1358, 1361, 1369, 1445, 1463,
 1481, 1497, 1499, 1502, 1505,
 1508, 2025, 2027, 2043, 2045,
 3079, 4112, 4116, 4121, 4462,
 4965, 4968, 4987, 5358, 5361,
 5368, 5370, 5371, 5456, 5503,
 5504, 5506, 5529, 5546, 5594,
 5596, 5996, 6006, 6008, 6021,
 7120, 7122, 7129, 7152, 7155,
 7165, 7374, 7377, 7529, 7560,
 7643, 7649, 7653, 7659, 8030,
 8031, 8041, 8042, 9480, 9482,
 12315, 12328, 12334
`\@nobreakfalse` 5330, 6191
`\@nocnterr` 6977, 6991
`\@nocounterr` 6976, 6990
`\@noparitemfalse` 6173
`\@number` 5838, 5896, 6801
`\@nx` 6980, 6994, 6997, 6999
`\@onelevel@sanitize` . 2301, 2305,
 2514, 3078, 3651, 3681, 4552,

4788, 4871, 5556, 5558, 6867,
 7420, 8711
`\@oparg` 6159, 6165
`\@outlinefile` . 12701, 12741, 12831,
 12833, 12835, 12900, 12902,
 12904
`\@pagerefstar` 4042, 7436, 7464
`\@pagesetref` 7386
`\@parboxrestore` . 6327, 6450, 6521
`\@parcount` 12800, 12808
`\@part` 12997, 13004
`\@pdfauthor` 3304, 3564, 8137,
 8575, 9008, 9676, 9926, 10719
`\@pdfborder`
 2678, 3182, 3185, 3187, 3987,
 7834, 8729, 9258, 9795, 9887,
 10248, 10260, 10275, 10296,
 10315, 10340, 10368, 10455,
 10543, 10696
`\@pdfborderstyle`
 3183, 3189, 3191, 3988,
 7835, 8730, 9259, 9796, 9888,
 10249, 10261, 10276, 10297,
 10316, 10341, 10369, 10456,
 10544, 10697
`\@pdfcreationdate`
 3321, 3567, 8141, 8143, 8567,
 8569, 9000, 9002, 9901, 9903,
 10711, 10713
`\@pdfcreator` 3316, 3566, 8140,
 8566, 8999, 9679, 9925, 10710
`\@pdfdirection` . 8101, 8631, 9041,
 9647, 9980, 10768
`\@pdfduplex` 8107, 8637, 9047,
 9653, 9986, 10774
`\@pdfhighlight` . 3175, 3562, 7854,
 7856, 7914, 7943, 7945, 7979,
 7981, 8306, 8308, 9794, 9886,
 10247, 10295, 10314, 10339
`\@pdfhighlight` 7912
`\@pdfkeywords` . 3340, 3570, 8153,
 8564, 9013, 9684, 9927, 10708
`\@pdflang` 3548, 3576, 8127,
 8129, 8659, 8661, 9081, 9083,
 10010, 10012, 10798, 10800
`\@pdfm@dest` 8673, 8732, 8736
`\@pdfm@mark` 5677, 8672,
 8724, 8744, 8758, 8760, 8774,
 8776, 8781, 8782, 8812, 8836,
 8838, 8843, 8861, 8883, 8911,
 8938, 8962, 8995, 9062, 9089,
 11941, 11942, 11943, 11960,
 12003, 12009, 12097, 12111,
 12126, 12132, 12158, 12165,
 12184, 12190, 12213, 12219,
 12242, 12248, 12253, 12285,
 12293, 12873

\@pdfmoddate . 3327, 3568, 8145,
 8147, 8571, 8573, 9004, 9006,
 9905, 9909, 10715, 10717
 \@pdfnonfullscreenpagemode
 8100, 8630, 9040, 9646, 9979,
 10767
 \@pdfnumcopies 8116, 8118, 8646,
 8648, 9056, 9058, 9662, 9664,
 9995, 9997, 10783, 10785
 \@pdfpageduration 3145, 8196,
 8200, 8205, 9571, 9573, 9576,
 9831, 9833, 9841
 \@pdfpagelayout 8126, 8658, 9080,
 9667, 9669, 10009, 10797
 \@pdfpagemode 3744, 3745, 3917,
 3918, 3927, 3928, 8080, 8614,
 9075, 9634, 9963, 10751
 \@pdfpagescrop 3502, 3572, 8065,
 8069, 8597, 8598, 8619, 8621,
 9087, 9089, 9623, 9625, 9968,
 9970, 10756, 10758
 \@pdfpagetransition 3143, 8172,
 8176, 8181, 9460, 9462, 9464,
 9814, 9816, 9824
 \@pdfpicktraybypdfsize
 8108, 8110, 8638, 8640, 9048,
 9050, 9654, 9656, 9987, 9989,
 10775, 10777
 \@pdfprintarea . 8104, 8634, 9044,
 9650, 9983, 10771
 \@pdfprintclip . 8105, 8635, 9045,
 9651, 9984, 10772
 \@pdfprintpagerange . 3256, 3575,
 8112, 8114, 8642, 8644, 9052,
 9054, 9658, 9660, 9991, 9993,
 10779, 10781
 \@pdfprintscaling 8106, 8636, 9046,
 9652, 9985, 10773
 \@pdfproducer . 3310, 3565, 8006,
 8149, 8151, 8557, 8558, 8576,
 8578, 8984, 8985, 8989, 9009,
 9011, 9591, 9592, 9596, 9599,
 9600, 9680, 9682, 9912, 9916,
 10365, 10366, 10448, 10450,
 10452, 10540, 10541, 10701,
 10702, 10720, 10722
 \@pdfstartpage 3490, 3492, 3574,
 8086, 8090, 8601, 8606, 9064,
 9068, 9627, 9631, 9950, 9955,
 10738, 10743
 \@pdfstartview 3497, 3499, 3573,
 7960, 8088, 8090, 8603, 8607,
 8924, 9066, 9068, 9629, 9952,
 9956, 10324, 10740, 10744
 \@pdfsubject 3334, 3569, 8139,
 8580, 8998, 9678, 9924, 10724
 \@pdftempa 4294, 4295, 4298
 4285, 4295
 \@pdftempwordfile 4286, 4298
 \@pdftitle 3298, 3563, 8138, 8565,
 8997, 9677, 9923, 10709
 \@pdftrapped 3345, 3348, 3351,
 3360, 3369, 3571, 8154, 8156,
 9014, 9016, 9928
 \@pdfview 3471,
 7822, 7827, 8679, 8683, 8687,
 8691, 8695, 8699, 8700, 8703,
 8704, 8707, 8711, 8713, 8728,
 9257, 9267, 9279, 9741, 9761,
 10370, 10457, 10545, 10810
 \@pdfviewarea . 8102, 8632, 9042,
 9648, 9981, 10769
 \@pdfviewclip . 8103, 8633, 9043,
 9649, 9982, 10770
 \@pdfviewparams
 3473, 3475, 9741, 9761,
 10371, 10458, 10546, 10811
 \@percentchar . 4075, 4076, 4128,
 12705
 \@processme . 4894, 4895, 8178,
 8184, 8202, 8208, 8224, 8230,
 10028, 10029, 10098, 10099,
 10102, 10103
 \@protected@testopt 528
 \@protected@testopt@xargs . 529
 \@refstar 4040, 7433
 \@runbordercolor 3560, 7983, 7985,
 9431, 9433, 10343
 \@runcolor 8002, 9437
 \@safe@activesfalse 481, 4021
 \@safe@activesttrue 480, 4020
 \@schapter 12965, 12966
 \@secondoffive 3635, 4016, 4029,
 7396, 7397, 7437
 \@secondoftwo 470, 498, 769, 945,
 1571, 3634, 3635, 13024
 \@sect 13019, 13020
 \@seqncr 6084
 \@serial@counter 12748, 12796,
 12798, 12799
 \@seteqlabel 6954, 6955
 \@setminipage 6452, 6523
 \@setref 4024, 4029, 7365, 7366,
 7403
 \@sharp 5996, 6003
 \@skiphyperreffalse 5774, 6579,
 6591
 \@skiphyperreftrue 6565, 6591
 \@spart 13010, 13011
 \@ssect 12950, 12951
 \@startlos 7303, 7310, 7359
 \@starttoc 5318
 \@tempa 6158, 6164, 6168, 6274,
 6278, 6281, 6297
 6112, 6116
 \@tempb 8400, 8401, 8407, 8471,
 8474, 8477, 8478, 8484, 8489,
 8490, 8501, 8503, 8506, 8507,
 8513, 8518, 8519, 8531, 8533,
 8536, 8537, 8543, 8548, 8549,
 10658, 10659, 10665, 10926,
 10927, 10937
 \@tempcnda . 12657, 12658, 12659,
 12660, 12661, 12663, 12666,
 12667, 12668, 12674, 12676,
 12678, 12717, 12718, 12719,
 12722, 12723, 12724, 12725,
 12726, 12923, 12924, 12925
 \@tempdima
 2204, 5106, 5107, 5108, 5109,
 5110, 5111, 5112, 5113, 7815,
 11200, 11205, 11207, 11244,
 11245, 11246, 11250, 11251,
 11252, 11253, 11680, 11685,
 11687, 11725, 11726, 11727,
 11731, 11732, 11733, 11734,
 12021, 12026, 12028, 12066,
 12067, 12068, 12072, 12073,
 12074, 12075
 \@tempdimb 11204, 11205, 11684,
 11685, 12025, 12026
 \@tempswafalse 6784
 \@tempswatrue 6754, 6757, 6760,
 6781
 \@temptokena . 2948, 2953, 2956,
 2958
 \@tfor 6113
 \@the@H@page 6803, 6805
 \@thefnmark 6205, 6216, 6286,
 6287, 6328, 6346, 6353, 6384,
 6396, 6403
 \@thirdoffive 4017
 \@thm 6141
 \@topnewpage 13072
 \@topsep 6154
 \@topsepadd 6155
 \@typeset@protect 12936
 \@undefined 534, 5265, 5297, 5317,
 5518, 5536, 5575, 6417, 6480,
 6492, 6497, 6506, 7428, 7813,
 8010, 8019, 9230, 9602, 9616
 \@undottedtocline 7355
 \@unprocessedoptions 3866
 \@urlbordercolor 3557, 7916, 7918,
 8944, 8946, 9368, 9370, 10298
 \@urlcolor 7931, 8406,
 8415, 8511, 8523, 8954, 9374,
 10664, 10673, 10936, 10944
 \@urlype 8375,
 8380, 9126, 9152, 9287, 9301,
 10629, 10634, 10901, 10906

\@vpageref	7458	14970, 14972, 15020, 15022,	14347, 14349, 14351, 14353,
\@whilenum	1112	15028, 15030, 15387, 15392,	14355, 14357, 14358, 14360,
\@wrindex	7037, 7038, 7069	15397, 15402, 15407, 15412,	14362, 14364, 14366, 14368,
\@writefile	6710	15417, 15422, 15427, 15432,	14370, 14372, 14374, 14376,
\@x@sf	6257, 6269, 6409, 6411	15437, 15442, 15447, 15452,	14762, 14764, 14766, 14768,
\@xfootnote	6382	15457, 15462, 15467, 15472,	14770, 14772, 14774, 14776,
\@xfootnotemark	6213, 6400	15477, 15482, 15487, 15492,	14778, 14780, 14782, 14784,
\@xfootnotenext	6202, 6393	15497, 15502	14786, 14788, 14790, 14792,
\@xp	6944, 6979, 6980, 6993, 6994,		14794, 14796, 14798, 14800,
	6996, 6997		14802, 14804, 14806, 14808,
\[.	192, 217		14810, 14812, 14814, 14816,
\{	405		14818, 14820, 14822, 14824,
\}	406		14826, 14828, 14830, 14832,
\]	193, 218		14834, 14836, 14838, 14840,
\^	186, 211, 1954,		14842, 14844, 14846, 14848,
	1955, 2859, 4063, 4064, 4072,		14850, 14852, 14854, 14856,
	13099, 13111, 13123, 13330,		14858, 14860, 14862, 14864,
	13346, 13354, 13367, 13381,		14866, 14868, 14870, 14872,
	13395, 13411, 13421, 13422,		14874, 15024, 15026, 15028,
	13435, 13449, 13497, 13534,		15030, 15250, 15252, 15254,
	13553, 13574, 13699, 13715,		15256, 15258, 15260, 15262,
	13723, 13735, 13749, 13763,		15264, 15266, 15268, 15270,
	13779, 13789, 13790, 13803,		15272, 15274, 15276, 15278,
	13817, 13843, 13845, 13883,		15280, 15282, 15284, 15286,
	13885, 13899, 13901, 13935,		15288, 15290, 15292, 15294,
	13937, 13938, 14016, 14018,		15296, 15298, 15300, 15302,
	14064, 14066, 14068, 14070,		15304, 15306, 15308, 15310,
	15002, 15004		15312, 15314, 15316, 15318,
_	187, 212, 413, 4067, 4084, 4085		15320, 15322, 15324, 15326,
\`	166, 172, 179, 182,		15328, 15330, 15332, 15334,
	2795, 2929, 2932, 2934, 2942,		15336, 15338, 15346, 15348,
	13097, 13109, 13121, 13326,		15370, 15372, 15373, 15377,
	13342, 13350, 13363, 13377,		15379, 15380, 15383, 15385,
	13391, 13407, 13415, 13416,		15387, 15398, 15400, 15404,
	13431, 13445, 13493, 13532,		15405, 15406, 15407, 15408,
	13551, 13572, 13695, 13711,		15409, 15410, 15411, 15413,
	13719, 13731, 13745, 13759,		15414, 15415, 15416, 15417,
	13775, 13783, 13784, 13799,		15418, 15419, 15420, 15421,
	13813, 14130, 14132, 14378,		15422, 15423, 15424, 15425,
	14406, 14543, 14571, 14974,		15426, 15427, 15428, 15429,
	14976, 15024, 15026, 15385,		15430, 15431, 15433, 15434,
	15390, 15395, 15400, 15405,		15435, 15436, 15437, 15438,
	15410, 15415, 15420, 15425,		15439, 15440, 15441, 15442,
	15430, 15435, 15440, 15445,		15443, 15445, 15447, 15458,
	15450, 15455, 15460, 15465,		15460, 15464, 15465, 15466,
	15470, 15475, 15480, 15485,		15467, 15468, 15469, 15470,
	15490, 15495, 15500		15471, 15473, 15474, 15475,
\ 	188, 213, 1780, 1896, 2741, 3599,		15476, 15477, 15478, 15479,
	7033, 7618, 7628		15479, 15480, 15481, 15482,
\~	412, 1114, 2004, 2853,		15483, 15484, 15485, 15486,
	2861, 2862, 2863, 3695, 4088,		15487, 15488, 15489, 15490,
	13100, 13112, 13124, 13332,		15491, 15493, 15494, 15495,
	13361, 13369, 13397, 13429,		15496, 15497, 15498, 15499,
	13437, 13499, 13535, 13554,		15500, 15501, 15502, 15555,
	13575, 13701, 13729, 13737,		15557
	13765, 13797, 13805, 13907,		\9
	13909, 13910, 14040, 14042,		393, 1178, 1181, 1212,

14882, 14884, 14886, 14888,
 14890, 14892, 14894, 14896,
 14898, 14900, 14902, 14904,
 14906, 14908, 14910, 14912,
 14914, 14916, 14918, 14920,
 14922, 14924, 14926, 14928,
 14930, 14932, 14934, 14936,
 14938, 14940, 14942, 14944,
 14946, 14948, 14950, 14952,
 14954, 14956, 14958, 14960,
 14962, 14964, 14966, 14968,
 14970, 14972, 14974, 14976,
 14978, 14980, 14982, 14984,
 14986, 14988, 14990, 14992,
 14994, 14996, 14998, 15000,
 15002, 15004, 15006, 15008,
 15010, 15012, 15014, 15016,
 15018, 15020, 15022, 15024,
 15026, 15028, 15030, 15032,
 15034, 15036, 15038, 15040,
 15042, 15044, 15046, 15048,
 15050, 15052, 15054, 15056,
 15058, 15060, 15062, 15064,
 15066, 15068, 15070, 15072,
 15074, 15076, 15078, 15080,
 15082, 15084, 15086, 15088,
 15090, 15092, 15094, 15096,
 15098, 15100, 15102, 15104,
 15106, 15108, 15110, 15112,
 15114, 15116, 15118, 15120,
 15122, 15124, 15126, 15128,
 15130, 15132, 15134, 15136,
 15138, 15140, 15142, 15144,
 15146, 15148, 15150, 15152,
 15154, 15156, 15158, 15160,
 15162, 15164, 15166, 15168,
 15170, 15172, 15174, 15176,
 15178, 15180, 15182, 15184,
 15186, 15188, 15190, 15192,
 15194, 15196, 15198, 15200,
 15202, 15204, 15206, 15208,
 15210, 15212, 15214, 15216,
 15218, 15220, 15222, 15224,
 15226, 15228, 15230, 15232,
 15234, 15236, 15238, 15240,
 15242, 15244, 15246, 15248,
 15250, 15252, 15254, 15256,
 15258, 15260, 15262, 15264,
 15266, 15268, 15270, 15272,
 15274, 15276, 15278, 15280,
 15282, 15284, 15286, 15288,
 15290, 15292, 15294, 15296,
 15298, 15300, 15302, 15304,
 15306, 15308, 15310, 15312,
 15314, 15316, 15318, 15320,
 15322, 15324, 15326, 15328,
 15330, 15332, 15334, 15336,
 15338, 15340, 15342, 15344,
 15346, 15348, 15350, 15352,
 15384, 15386, 15388, 15389,
 15390, 15391, 15392, 15393,
 15394, 15395, 15396, 15397,
 15399, 15401, 15402, 15403,
 15404, 15405, 15406, 15407,
 15409, 15411, 15414, 15416,
 15418, 15419, 15420, 15421,
 15422, 15423, 15424, 15425,
 15426, 15427, 15429, 15431,
 15433, 15434, 15435, 15436,
 15437, 15439, 15440, 15441,
 15442, 15444, 15446, 15448,
 15449, 15450, 15451, 15452,
 15453, 15454, 15455, 15456,
 15457, 15459, 15461, 15462,
 15463, 15464, 15465, 15466,
 15467, 15469, 15471, 15474,
 15476, 15478, 15479, 15480,
 15481, 15482, 15483, 15484,
 15485, 15486, 15487, 15489,
 15491, 15493, 15494, 15495,
 15496, 15497, 15499, 15500,
 15501, 15502, 15556

A
 \ABREVE . . 15376, 15448, 15449,
 15450, 15451, 15452
 \abreve 15369, 15388, 15389, 15390,
 15391, 15392
 \AccFancyVerbLineautorefname .
 2903
 \Accfootnoteautorefname . . 2883
 \Acctheoremautorefname . . 2907
 \ACIRCUMFLEX . 15377, 15453,
 15454, 15455, 15456, 15457
 \acircumflex . . 2934, 15370, 15393,
 15394, 15395, 15396, 15397
 \Acrobatmenu . 2193, 3631, 5262,
 8301, 8959, 9440, 10242
 \active . . 1092, 1099, 4064, 4065,
 4066, 4067, 4068, 4069, 4072,
 4074, 4077, 4085, 12821
 \add@accent 404
 \addcontentsline 6446, 6517, 6835,
 6840, 6911, 13077

\addtocontents 6880, 6912, 7186,
 7238, 13064, 13065
 \addtocounter 5893, 5916, 5925,
 5936, 5940, 6134, 8863
 \addvspace 13064, 13065
 \advance 327, 328,
 1113, 4412, 4740, 4786, 5107,
 5108, 5111, 5112, 5473, 8055,
 8408, 8485, 8514, 8544, 9598,
 10666, 10938, 11207, 11251,
 11252, 11687, 11732, 11733,
 11971, 12028, 12073, 12074,
 12658, 12660, 12661, 12667,
 12676, 12725, 12924
 \AE 13338, 13707, 14134
 \ae 13403, 13771, 14136
 \afterassignment 1669, 1675, 1681
 \AfterBeginDocument 243, 2572,
 2626, 3735, 3835, 4045, 5176,
 5289, 5695, 10548, 10586
 \aftergroup 6332
 \alef 15511
 \alefhamza 15507
 \aleflowerhamza 15509
 \alefmadda 15506
 \alefmaqsura 15540
 \Alph 5522, 5826, 5827
 \alph 5523, 6105, 6136
 \AMSautorefname 7592
 \anchor@spot 4352, 4365, 4372,
 4378, 7873, 8355, 8443, 9198,
 9270, 9738, 10609, 10882
 \appendix 5823, 5824
 \appendixautorefname 2751, 2769,
 2787, 2805, 2823, 2841, 2859,
 2891, 2892, 2917, 2935, 7602
 \arabic 5519, 5732, 5735, 5738,
 5739, 5740, 5742, 5743, 5744,
 5745, 5747, 5748, 5749, 5750,
 5751, 5752, 5755, 5765, 5766,
 5805, 5900, 6920, 6926, 6975,
 6989, 7174, 7179, 7181
 \AtBeginDocument 244, 846, 2471,
 2531, 2674, 3027, 3582, 3620,
 3741, 3971, 5880, 6693, 7439,
 7586, 7782, 8248, 8822, 9252,
 11562, 11563
 \AtBeginShipout 5402, 8334, 8809
 \AtBeginShipoutBox . . 5406, 5409,
 8329, 8330, 8810, 8811
 \AtBeginShipoutFirst 5413, 9094,
 10421, 10536
 \AtEndDocument 5309
 \AtEndOfPackage 740, 2142, 3000,
 3008, 3015, 3723, 3749, 3755,
 3900, 3923
 \AtVeryEndDocument 5615, 11605

\author	5338, 5348	\ChoiceBox	4790
\autpageref	3743, 7473	\ChoiceMenu	5068
\autoref	503, 3742, 7492, 10959	\citation	6654, 6677, 6703
\ayn	15529	\citeauthoryear	6769, 6775
B			
\b	732, 736, 742, 13107, 13119, 13131, 13523, 13546, 13565, 14882, 14884, 14890, 14892, 14922, 14924, 14926, 14928, 14942, 14944, 14958, 14960, 14966, 14968, 15006, 15008, 15010	\citeN	6766
\baa	15512	\CJK@char	1095
\back@none	2686, 2696, 2709	\CJK@charx	1096
\back@page	2688, 2701	\CJK@CJK	1084
\back@section	2687, 2693, 2699, 2705	\CJK@eight	1259, 1262, 1376
\back@slide	2689, 2698	\CJK@five	1259, 1261, 1376
\backcite	6711	\CJK@four	1258, 1261, 1375
\backref	6742, 10963	\CJK@hundred	1325
\baselineskip	2196, 5120, 5121, 5122, 5123, 5124, 5125, 8462, 9757, 9780, 10404	\CJK@hundredmillion	1288
\bbl@cite@choice	6558	\CJK@ignorespaces	1094
\BeforeTeXIVht	2568	\CJK@kern	1082
\begin	10968, 15561	\CJK@minus	1250
\belowpdfbookmark	12721	\CJK@nine	1259, 1263, 1376
\bfseries	448, 6657, 6680, 7369, 7389, 7406, 7520	\CJK@null	1352
\bgroup	522, 4158, 6319, 6331, 9198, 9771, 11409, 11501, 11522	\CJK@one	1258, 1260, 1375
\bibcite	6549, 6555, 6559, 6584, 6599, 6615, 6625	\CJK@punctchar	1097
\bitsetGetDec	4464, 4597, 4615, 4629, 4642, 4658, 4690, 4715	\CJK@punctcharx	1098
\bitsetGetHex	4465	\CJK@seven	1259, 1262, 1376
\bitsetGetSetBitList	4453	\CJK@six	1259, 1262, 1376
\bitsetIsEmpty	4594, 4612, 4626, 4639, 4655, 4687, 4712	\CJK@ten	1260, 1261, 1262, 1263, 1340
\bitsetReset	4567, 4601, 4620, 4634, 4647, 4663, 4695	\CJK@tenthsousand	1273, 1294
\bitsetSetValue	4433, 4443	\CJK@thousand	1310
\BOOKMARK	12702, 12732	\CJK@three	1258, 1261, 1375
\box	5114, 5409, 7801, 8841, 10081	\CJK@two	1258, 1260, 1375
\bullet	7321, 7329, 7339, 7347	\CJK@zero	1258, 1276, 1293, 1297, 1313, 1328, 1350
C			
\C	13517, 14622, 14624	\CJKdigits	1171
\c	733, 737, 743, 2853, 2861, 2862, 2863, 5361, 5368, 13105, 13117, 13129, 13340, 13405, 13525, 13540, 13559, 13570, 13709, 13773, 13895, 13897, 13940, 13942, 13950, 13952, 13970, 13972, 14004, 14006, 14020, 14022, 14028,	\CJKkern	1083
\chardef	2387, 2388, 2389, 2390, 2594, 2596	\CJKnumber	1170
\check@bm@number	12858, 12866, 12915, 12923	\close@pdflink	7868, 7892, 7901, 7932, 7968, 8003, 8324
\chapterautorefname	2752, 2770, 2788, 2806, 2824, 2842, 2860, 2889, 2918, 2936, 7603	\closeout	5292, 12741
\chapternumberline	12689, 12693	\clubpenalty	6191, 6193
\char	11632, 12754, 12791	\codeof	6733
\chardef	2387, 2388, 2389, 2390, 2594, 2596	\color@endbox	7794, 8400, 8471, 8501, 8531, 8834, 10658, 10926
\check@bm@number	12858, 12866, 12915, 12923	\color@hbox	7787, 8400, 8471, 8501, 8531, 8827, 10658, 10926
\CheckBox	5071	\columnwidth	6326
\CheckCommand	6273	\comma@entry	4781, 4788, 4790
\checkcommand	42, 5935, 6393, 6400, 6407, 6505, 6515, 6609, 6621, 6911, 6914, 6975, 7403	\comma@parse	4780
\checklateX	4, 6392, 6504, 6608, 6910, 7402	\contentsline	5298, 5299, 5310, 6881, 6885, 6912, 6914
\checkpackage	9, 5934, 6974	\copy	6008, 6017, 7797, 8330, 8811, 8837
\count@	697, 699, 700, 703, 706, 709, 712, 1111, 1112, 1113, 1114, 1670, 3086, 3087, 3092, 3093, 4411, 4412, 4427, 4723, 4738, 4740, 4764, 4786, 4802, 8050, 8051, 8052,	\count@	697, 699, 700, 703, 706, 709, 712, 1111, 1112, 1113, 1114, 1670, 3086, 3087, 3092, 3093, 4411, 4412, 4427, 4723, 4738, 4740, 4764, 4786, 4802, 8050, 8051, 8052,

\8053, 8054, 8055, 8058, 9594,	\cyreref	14846	\CYRKDSC	14682
9595, 9596, 9597, 9598, 9601	\CYREREV	14472, 14844	\cyrkdesc	14684
\CurrentBorderColor . 7858, 7860,	\cyrerev	14537	\CYRKHCRS	14690
7886, 7888, 7896, 7898, 7903,	\CYRERY	14468, 14868	\cyrkhcrs	14692
9260, 9294, 9296, 9307, 9309,	\cyryry . 2871, 2873, 14533, 14870		\CYRKHK	14768
9328, 9330, 9381, 9383, 9400,	\CYRF	14454	\cyrkhk	14770
9402	\cyrf	14519	\CYRKOPPA	14642
\currentpdfbookmark	\CYRFITA	14614	\cyrkoppa	14644
\curu	\cyrfita	14616	\CYRKSI	14606
\cyr . 482, 2871, 2873, 2876, 2879,	\CYRG	14385, 14419	\cyrksi	14608
2882, 2883, 2884, 2885, 2886,	\cyrg	2889, 14484, 14550	\CYRKVCRS	14686
2887, 2888, 2889, 2890, 2891,	\CYRGDSC	14864	\cyrkvcrs	14688
2893, 2895, 2896, 2897, 2898,	\cyrgdsc	14866	\CYRL	14436
2899, 2900, 2901, 2902, 2903,	\CYRGHCRS	14664	\cyrl . 2887, 2889, 2891, 2893, 14501	
2904, 2905, 2906, 2907, 2908	\cyrghcrs	14666	\CYRLDSC	14772
\CYRA	\CYRGHK	14668	\cyrldesc	14774
\cyra	\cyrghk	14670	\CYRLJE	14398
2873, 2880, 2882, 2887,	\CYRGUP	14660	\cyrlje	14563
2890, 2895, 2896, 2902, 2906,	\cyrgup	14662	\CYRLYUS	14590
14478, 14790, 14794	\CYRH	14456	\cyrlyus	14592
\CYRABHCH	\cyrh	14521	\CYRM	14438
\cyrabhch	\CYRHDSC	14732	\cyrm . 2876, 2880, 2906, 2907, 14503	
\CYRABHCHDSC	\cyrhdsc	14734	\CYRMDSC	14784
\cyrabhchdsc	\CYRHHK	14872	\cyrmdesc	14786
\CYRABHDZE	\cyrhhk	14874	\CYRN	14440
\cyrabhdze	\CYRHRDSN	14466	\cyrn . 2873, 2879, 2880, 2882, 2883,	
\CYRABHHA	\cyrhrdsn	14531	2885, 2893, 2899, 2900, 14505	
\cyrabhha	\CYRI . 14406, 14429, 14432, 14824,		\CYRNDSC	14698
\CYRAE	14828		\cyrndsc	14700
\cyrae	\cyri	2873,	\CYRNG	14702
\CYRB	2876, 2880, 2886, 2891, 2893,		\cyrng	14704
\cyrb	14494, 14497, 14571, 14826,		\CYRNHK	14776
\CYRBYUS	14830		\cyrnhk	14778
\cyrbyus	\CYRIE	14387	\CYRNJE	14400
\CYRC	\cylie	14552	\cyrnje	14565
\cyrc	\CYRII	14391, 14394	\CYRO	14442, 14832
\CYRCH	\cyrrii	14556, 14559	\cyro . 2876, 2879, 2882, 2883, 2893,	
\cyrch	\CYRIOTBYUS	14602	2902, 2903, 2905, 2906, 2907,	
2879, 2880, 2888, 14525,	\cyriotbyus	14604	14507, 14834	
14862	\CYRIOTE	14586	\CYROMEGA	14578
\CYRCHLDSC	\cypriote	14588	\cyromega	14580
\cyrchldsc	\CYRIOTLYUS	14594	\CYROMEGARND	14630
\CYRCHRDSC	\cyriotlyus	14596	\cyromegarnd	14632
\cyrchrdsc	\CYRISHRT	14431	\CYROMEGATITLO	14634
\CYRCHVCRS	\cyrishrt	14496	\cyromegatitlo	14636
\cyrchvcrs	\CYRISHRTDSC	14648	\CYROT	14638
\CYRD	\cyrishrtdesc	14650	\cyrot	14640
\cyrd . 2876, 2879, 2890, 2895, 2896,	\CYRIZH	14618, 14622	\CYROTLD	14836, 14840
14486	\cyrizh	14620, 14624	\cyrotld	14838, 14842
\CYRDJE	\CYRJE	14396	\CYRP	14444
\cyrdje	\cyrje	14561	\cyrp . 2876, 2879, 2880, 2884, 2885,	
\CYRDZE	\CYRK	14404, 14434	2891, 2893, 2897, 2898, 2899,	
\cyrdze	\cyrk	2882, 2883, 2885,	2900, 14509	
\CYRDZHE	2899, 2900, 2902, 2903, 2904,		\CYRpochka	14762
\cyrdzhe	14499, 14569		\CYRPHK	14706
\CYRE . 14378, 14381, 14423, 14800	\CYRKBEAK	14694	\cyrphk	14708
\cyre	\cyrkbeak	14696	\CYRPSI	14610

\cyrpsi 14612
 \CYRR 14446
 \cyrr 2871, 2873, 2876, 2879, 2880, 2886, 2890, 2891, 2893, 2895, 2896, 2901, 2902, 2903, 2904, 2905, 2906, 2907, 14511
 \CYRRTICK 14656
 \cyrrtick 14658
 \CYRS 14448, 14715
 \cyrs 2876, 2879, 2882, 2883, 2886, 2901, 2902, 2903, 2904, 2908, 14513, 14718
 \CYRSCHWA 14804, 14808
 \cyrschwa 14806, 14810
 \CYRSDSC 14714, 14715
 \cyrsdsc 14717
 \CYRSEMISFTSN 14652
 \cyrsemisftsn 14654
 \CYRSFTSN 14470
 \cyrftsfn 14535
 \CYRSH 14462
 \cyrsh 14527
 \CYRSHCH 14464
 \cyrshch 14529
 \CYRSHHA 14748
 \cyrshha 14750
 \CYRT 14450
 \cyrt 2876, 2879, 2885, 2887, 2899, 2900, 2901, 2902, 2903, 2904, 2905, 2906, 2907, 14515
 \CYRTDSC 14720
 \cyrdsc 14722
 \CYRTETSE 14736
 \cyrtetse 14738
 \cyrthousands 14646
 \CYRTSHE 14402
 \cyrtshe 14567
 \CYRU 14409, 14452, 14848, 14852, 14856
 \cyrus 2883, 2885, 2899, 2900, 2903, 2907, 14517, 14850, 14854, 14858
 \CYRUK 14626
 \cyruk 14628
 \CYRUSHRT 14408
 \cyrushrt 14573
 \CYRV 14417
 \cyrv 2871, 2873, 14482
 \CYRY 14724
 \cypy 14726
 \CYRYA 14476
 \carya 14541
 \CYRYAT 14582
 \caryat 14584
 \CYRYHCRS 14728
 \caryhcrs 14730
 \CYRYI 14393
 \cyyri 14558
 \CYRYO 14380
 \cyyro 14545
 \CYRYU 14474
 \cyyru 14539
 \CYRZ 14427, 14677, 14816
 \cyyrz 2890, 2895, 2896, 14492, 14680, 14818
 \CYRZDSC 14676
 \cyyrzdc 14679
 \CYRZH 14425, 14764, 14812
 \cyyrzh 2873, 2893, 14490, 14766, 14814
 \CYRZHDSC 14672
 \cyyrzhdsc 14674

D

\d 734, 738, 744, 2931, 2935, 2937, 2938, 2939, 2940, 2941, 2943, 13108, 13120, 13132, 13521, 13547, 13566, 15384, 15389, 15394, 15399, 15404, 15409, 15414, 15419, 15424, 15429, 15434, 15439, 15444, 15449, 15454, 15459, 15464, 15469, 15474, 15479, 15484, 15489, 15494, 15499
 \dad 15526
 \dal 15519
 \damma 15546
 \declare@shorthand 850, 851, 856, 857, 862, 872, 873, 874, 879, 880, 885, 886, 891, 896, 897, 902, 907, 908, 909, 910, 911, 912, 917, 918, 923, 924, 929, 930
 \DeclareFontEncoding ... 13096, 13491
 \DeclareFontFamily 754, 762, 2466
 \DeclareFontShape 755, 763, 2467
 \DeclareFontSubstitution ... 756, 764, 2468
 \DeclareLocalOptions ... 3610
 \DeclareRobustCommand . 4040, 4041, 4157, 4174, 4176, 4178, 4187, 5065, 5068, 5071, 5074, 5077, 5080, 5083, 5208, 5212, 5280, 5284, 7447, 7473, 7492, 12940
 \DeclareTextAccent 13097, 13098, 13099, 13100, 13101, 13102, 13103, 13104, 13105, 13106, 13107, 13108
 \DefaultHeightofCheckBox . 5120, 11359, 11859, 12228
 \DefaultHeightofChoiceMenu ... 5122, 11197, 11677, 12018
 \DefaultHeightofReset ... 5118, 11333, 11832, 12196
 \DefaultHeightofSubmit ... 5116, 11315, 11809, 12172
 \DefaultHeightofText 5124, 11173, 11652, 11985
 \DefaultHeightofTextMultiline ... 5125, 11171, 11650, 11983
 \DefaultOptionsofCheckBox 5130, 11362, 11862, 12231
 \DefaultOptionsofComboBox 5133
 \DefaultOptionsofListBox . 5132
 \DefaultOptionsofPopdownBox . 5134
 \DefaultOptionsofPushButton ... 5129, 11289, 11781, 12139
 \DefaultOptionsofRadio ... 5135
 \DefaultOptionsofReset ... 5128, 11336, 11835, 12199
 \DefaultOptionsofSubmit ... 5127, 11318, 11812, 12175
 \DefaultOptionsofText ... 5131, 11179, 11658, 11991
 \DefaultWidthofCheckBox . 5121, 11358, 11858, 12227
 \DefaultWidthofChoiceMenu ... 5123, 11196, 11676, 12017
 \DefaultWidthofReset ... 5119, 11332, 11831, 12195
 \DefaultWidthofSubmit ... 5117, 11314, 11808, 12171
 \DefaultWidthofText 5126, 11168, 11647, 11980
 \define@key 2286, 2288, 2331, 2346, 2349, 2352, 2360, 2363, 2373, 2376, 2379, 2396, 2408, 2410, 2413, 2416, 2433, 2437, 2440, 2443, 2446, 2449, 2452, 2487, 2544, 2564, 2565, 2579, 2582, 2585, 2588, 2591, 2599, 2602, 2605, 2608, 2612, 2640, 2656, 2667, 2670, 2673, 2676, 2680, 2683, 2690, 2719, 2738, 2741, 2967, 2998, 3006, 3014, 3021, 3024, 3039, 3064, 3067, 3071, 3099, 3104, 3108, 3111, 3118, 3130, 3138, 3141, 3144, 3146, 3149, 3158, 3168, 3175, 3182, 3183, 3255, 3264, 3294, 3300, 3306, 3312, 3318, 3324, 3330, 3336, 3342, 3375, 3382, 3416, 3467, 3468, 3488, 3495, 3502, 3503, 3506, 3509, 3512, 3515, 3518, 3521, 3524, 3547, 3550, 3553, 4405, 4493, 4549, 4851, 4856, 4868, 4905, 4908, 4911, 4914, 4917,

\textcolor{red}{4920}, \textcolor{red}{4923}, \textcolor{red}{4927}, \textcolor{red}{4930}, \textcolor{red}{4933},	6324, 8401, 8474, 8503, 8533,
\textcolor{red}{4936}, \textcolor{red}{4939}, \textcolor{red}{4942}, \textcolor{red}{4945}, \textcolor{red}{4948},	10073, 10076, 10659, 10927,
\textcolor{red}{4951}, \textcolor{red}{4954}, \textcolor{red}{4957}, \textcolor{red}{4960}, \textcolor{red}{4990},	11966
\textcolor{red}{4993}, \textcolor{red}{4996}, \textcolor{red}{4999}, \textcolor{red}{5018}, \textcolor{red}{5024},	\textcolor{red}{dth@counter} 6156, 6157, 6182
\textcolor{red}{5038}, \textcolor{red}{5054}, \textcolor{red}{5060}, \textcolor{red}{5628}, \textcolor{red}{5639},	\textcolor{red}{dth@everypar} 6170
\textcolor{red}{10109}, \textcolor{red}{10111}, \textcolor{red}{10114}, \textcolor{red}{10116},	\textcolor{red}{dvipdfm@setdim} 11963, 12005,
\textcolor{red}{10118}, \textcolor{red}{10127}, \textcolor{red}{10135}, \textcolor{red}{10142},	12103, 12128, 12160, 12186,
\textcolor{red}{10144}, \textcolor{red}{10146}, \textcolor{red}{10148}, \textcolor{red}{10150},	12215, 12244
\textcolor{red}{10152}, \textcolor{red}{10161}, \textcolor{red}{10171}, \textcolor{red}{10173},	
\textcolor{red}{10175}, \textcolor{red}{10176}, \textcolor{red}{10182}, \textcolor{red}{10191},	
\textcolor{red}{10193}, \textcolor{red}{10195}, \textcolor{red}{10197}, \textcolor{red}{10199},	
\textcolor{red}{10201}, \textcolor{red}{10203}, \textcolor{red}{10205}, \textcolor{red}{10207},	
\textcolor{red}{10209}, \textcolor{red}{10211}, \textcolor{red}{10213}, \textcolor{red}{10215},	
\textcolor{red}{10217}, \textcolor{red}{10219}, \textcolor{red}{10221}, \textcolor{red}{10222},	
\textcolor{red}{10223}, \textcolor{red}{10224}, \textcolor{red}{10225}, \textcolor{red}{10226},	
\textcolor{red}{10227}, \textcolor{red}{10228}, \textcolor{red}{10229}, \textcolor{red}{10230},	
\textcolor{red}{10231}, \textcolor{red}{10232}	
\textcolor{red}{\df@tag} 6936, 6942	
\textcolor{red}{\DH} 13358, 13727	
\textcolor{red}{\dh} 13427, 13795	
\textcolor{red}{\dhal} 15520	
\textcolor{red}{\dimen@} 368, 369, 373, 1676, 1744,	
1745, 1748, 1750, 3585, 3586,	
3588, 3595, 3596, 9561, 9562,	
9564, 10072, 10084, 10087	
\textcolor{red}{\dimexpr} 380, 2022, 2024, 2032,	
2037, 2040, 2042, 2056, 2058,	
2061, 2062, 2069, 2072, 2075,	
2076, 2077, 2078, 2088, 2093,	
2101, 2105, 2110, 2120, 2123,	
2128, 2131, 2136, 2137	
\textcolor{red}{\ding} 4965, 4968	
\textcolor{red}{\DingObject} 11754	
\textcolor{red}{\discretionary} 524	
\textcolor{red}{\divide} 8051, 9595	
\textcolor{red}{\DJ} 2943, 13359, 13859, 15378	
\textcolor{red}{\dj} 2940, 2941, 13861, 15371	
\textcolor{red}{\do} 1112, 2303, 2308, 2313,	
3156, 3177, 3178, 3179, 3180,	
3195, 3196, 3197, 3198, 3199,	
3200, 3203, 3204, 3205, 3206,	
3207, 3208, 3211, 3212, 3215,	
3216, 3217, 3218, 3219, 3222,	
3223, 3224, 3225, 3226, 3229,	
3230, 3231, 3232, 3233, 3236,	
3237, 3238, 3239, 3240, 3243,	
3244, 3247, 3248, 3249, 3252,	
3253, 3259, 3260, 3261, 3262,	
3540, 3541, 3542, 3543, 3544,	
3545, 4453, 6116, 6649, 6672,	
11201, 11263, 11471, 11478,	
11488, 11681, 11744, 12022,	
12088, 12820	
\textcolor{red}{\documentclass} 2	
\textcolor{red}{\dospecials} 12825	
\textcolor{red}{\dots} 416	
\textcolor{red}{\dp} 5110, 5113,	
	6324, 8401, 8474, 8503, 8533,
	10073, 10076, 10659, 10927,
	11966
	\textcolor{red}{\eTeXversion} 8010, 8012, 8014
	\textcolor{red}{\evensidemargin} 6822
	\textcolor{red}{\everypar} 6193
	\textcolor{red}{\ExecuteOptions} 3601, 3602, 3606
	\textcolor{red}{\ext@figure} 7171
	\textcolor{red}{\ext@table} 7170
	\textcolor{red}{\extra@b@citeb} 6656
	\textcolor{red}{\extrasvietnam} 3007
	\textcolor{red}{\extrasvietnamese} 2999
	F
	\textcolor{red}{\fa} 15532
	\textcolor{red}{\FancyVerbLineautorefname} 2758,
	2776, 2794, 2812, 2830, 2848,
	2866, 2901, 2904, 2924, 2942,
	7609
	\textcolor{red}{\farsikaf} 15553
	\textcolor{red}{\farsiya} 15555
	\textcolor{red}{\fatha} 15545
	\textcolor{red}{\fbox} 11636, 11639
	\textcolor{red}{\Field@addtoks} 4893, 4915, 4918,
	5039, 5062
	\textcolor{red}{\Field@boolkey} 4406, 4494, 4888,
	4909, 4912
	\textcolor{red}{\Field@toks} 4891, 4892, 4894,
	11177, 11208, 11287, 11313,
	11331, 11360, 11410, 11427,
	11438, 11449, 11459, 11476,
	11494, 11502, 11507, 11523,
	11532, 11656, 11688, 11779,
	11807, 11830, 11860, 11989,
	12029, 12137, 12170, 12194,
	12229
	\textcolor{red}{\Field@Width} 4830, 4925
	\textcolor{red}{\figureautorefname} 2748, 2766,
	2784, 2802, 2820, 2838, 2856,
	2886, 2914, 2932, 7599
	\textcolor{red}{\filename@area} 4334
	\textcolor{red}{\filename@base} 4334
	\textcolor{red}{\filename@ext} 4331, 4332, 4334,
	4335
	\textcolor{red}{\filename@parse} 4330
	\textcolor{red}{\find@pdflink} 7837, 7890, 7900
	\textcolor{red}{\Fld@additionalactions} 12416,
	12459, 12463
	\textcolor{red}{\Fld@@DingDef} 4965, 4968, 4987
	\textcolor{red}{\Fld@additionalactions} 12416,
	12498, 12530, 12564
	\textcolor{red}{\Fld@align} 4834, 4952, 12366,
	12473, 12538
	\textcolor{red}{\Fld@annotflags} 4613, 4615, 12362,
	12392, 12469, 12502, 12534,
	12569, 12603
	\textcolor{red}{\Fld@bcolor} 4836, 4994, 12377,
	12379, 12489, 12491, 12517,
	12519, 12542, 12554, 12556
	\textcolor{red}{\fld@bcolor} 12477

\Fld@bordercolor 4837, 4997,
 12373, 12375, 12399, 12407,
 12409, 12476, 12485, 12487,
 12513, 12515, 12541, 12550,
 12552, 12576, 12584, 12586,
 12610, 12618, 12620
\Fld@bordersep 4838, 4946
\Fld@borderstyle 4840, 4943,
 12367, 12397, 12474, 12507,
 12539, 12574, 12626
\Fld@borderwidth 4839, 4940,
 5104, 5107, 5108, 5111, 5112,
 11251, 11252, 11732, 11733,
 12073, 12074, 12367, 12397,
 12474, 12507, 12539, 12574,
 12626
\Fld@calculate@code 5005, 12429,
 12431
\Fld@cbsymbol 4841, 4958, 12381
\Fld@charsize 4831, 4832, 4937,
 11250, 11731, 12072, 12383,
 12495, 12523, 12560, 12608
\Fld@checkedfalse 4827
\Fld@checkequals 4897, 11202,
 11264, 11479, 11489, 11682,
 11745, 12023, 12089
\Fld@choices 4720, 4728, 4730,
 4734, 4743, 4751, 4756, 4804,
 4806, 4814, 4815, 12497
\Fld@color 4835, 5000, 12384,
 12496, 12524, 12561
\Fld@default
 4745, 4748, 4750, 4949,
 11166, 11183, 11194, 11235,
 11356, 11408, 11426, 11440,
 11448, 11455, 11481, 11491,
 11521, 11531, 11645, 11663,
 11674, 11716, 11856, 11978,
 11996, 12015, 12057, 12225,
 12525, 12526, 12562
\Fld@DingDef 4958, 4961, 4963
\Fld@disabledfalse 4828
\Fld@export 4558, 4561, 4568, 4860
\Fld@findlength 11458, 11469
\Fld@flags
 4627, 4629, 4640, 4642, 4656,
 4658, 4688, 4690, 4713, 4715,
 12365, 12395, 12472, 12505,
 12537, 12572, 12606
\Fld@format@code 5003, 12421,
 12423
\Fld@getmethodfalse 4879
\Fld@getmethodtrue 4881
\Fld@height 4934, 11169, 11186,
 11197, 11253, 11268, 11280,
 11315, 11333, 11359, 11368,
 11648, 11667, 11677, 11734,
 11759, 11772, 11809, 11832,
 11859, 11870, 11981, 11998,
 12018, 12075, 12086, 12121,
 12172, 12196, 12228, 12237
\Fld@hiddenfalse 4516
\Fld@hiddentrue 4517
\Fld@invisiblefalse 4512
\Fld@invisibletrue 4513
\Fld@keystroke@code 5006, 12417,
 12419
\Fld@listcount 11262, 11265,
 11276, 11743, 11746, 11760,
 11766, 12084, 12090, 12094,
 12099, 12110, 12117
\Fld@loc 4906
\Fld@maxlen 4833, 4928, 12565
\Fld@menulength 4829, 4931,
 11199, 11203, 11250, 11470,
 11471, 11474, 11679, 11683,
 11731, 12020, 12024, 12072
\Fld@name 4921, 11165, 11193,
 11285, 11355, 11407, 11412,
 11423, 11424, 11435, 11436,
 11445, 11446, 11454, 11475,
 11492, 11500, 11505, 11520,
 11529, 11644, 11673, 11777,
 11855, 11977, 12014, 12135,
 12224, 12356, 12358, 12363,
 12393, 12470, 12503, 12535,
 12570, 12604
\Fld@norotatefalse 4529
\Fld@norotatetrue 4528
\Fld@noviewfalse 4532
\Fld@noviewtrue 4533
\Fld@nozoomfalse 4525
\Fld@nozoomtrue 4524
\Fld@onblur@code 5008, 12437,
 12439
\Fld@onclick@code 5002, 5061,
 12413
\Fld@onenter@code 5011, 12449,
 12451
\Fld@onexit@code 5012, 12453,
 12455
\Fld@onfocus@code 5007, 12433,
 12435
\Fld@onmousedown@code 5009,
 12441, 12443
\Fld@onmouseup@code 5010,
 12445, 12447
\Fld@printfalse 4521
\Fld@printtrue 4520
\Fld@radiosymbol 4842, 4961,
 12521
\Fld@rotation 4843, 4991, 12369,
 12371, 12398, 12403, 12405,
 12475, 12481, 12483, 12509,
 12511, 12540, 12546, 12548,
 12575, 12580, 12582, 12609,
 12614, 12616
\Fld@submitflags 4595, 4597,
 12596
\Fld@temp 4964, 4966, 4969, 4970,
 4979, 4980
\Fld@validate@code 5004, 12425,
 12427
\Fld@value 4746, 4753, 4755, 4955,
 11167, 11183, 11195, 11234,
 11235, 11646, 11663, 11675,
 11715, 11716, 11979, 11996,
 12016, 12056, 12057, 12563
\Fld@width 4924, 11168, 11182,
 11186, 11196, 11233, 11244,
 11246, 11268, 11280, 11301,
 11314, 11322, 11332, 11346,
 11358, 11365, 11368, 11647,
 11662, 11667, 11676, 11714,
 11725, 11727, 11759, 11772,
 11794, 11808, 11816, 11831,
 11845, 11858, 11866, 11870,
 11980, 11995, 11998, 12017,
 12055, 12066, 12068, 12086,
 12121, 12153, 12171, 12179,
 12195, 12209, 12227, 12235,
 12237
\float@caption 6426, 6486
\float@makebox 6488, 6489
\floatingpenalty 6325
\floq 490
\floqq 488
\fmtname 7
\fmtversion 7
\fontencoding 394, 398, 426, 11628
\fontfamily 427, 11627
\fontseries 428, 6149, 11629
\fontshape 429, 4003, 11630
\fontsize 430
\footins 6319
\footnote 4382
\footnoteautorefname 2746, 2764,
 2782, 2800, 2818, 2836, 2854,
 2875, 2878, 2912, 2930, 7593,
 7597
\footnotesep 6323, 6330
\footnotesize 459, 6321
\footnotetext 6276
\footref 6350, 6351
\Form 4844
\Form@action 4854, 11399, 12594
\Form@boolkey 4848
\Form@htmlfalse 4847, 4865
\Form@htmtrue 4859
\Form@method 4877, 4885, 11399
\frq 491

\frqq 489
 \futurelet 543, 1400
 \FV@SetLineNo 5874
 \FV@StepLineNo 5873, 5875, 5876

G

\G 13516, 13542, 13561, 14142, 14144, 14146, 14148, 14150, 14152, 14153, 14155, 14157, 14159, 14161, 14163, 14165
 \g@addto@macro 5416, 5567, 6558, 6832, 8241, 9585, 9858, 10373, 10459, 10521, 10816, 10980
 \G@refundefinedtrue 4225, 6658, 6681, 7368, 7388, 7405, 7519
 \gaf 15554
 \Gauge 5077
 \GenericError 531, 3288
 \GenericInfo 533, 3286
 \GenericWarning 532, 3287
 \getpagerefnumber 5989
 \getrefbykeydefault 5944, 5945
 \gexmode 9616, 9617, 9705
 \ghayn 15530
 \Gin@setfile 7013, 7014
 \glossary 497
 \glq 486
 \glqq 484
 \greek@Alpha 5840
 \Greeknumeral 938
 \greeknumeral 937
 \grq 487
 \grqq 485
 \guill@spacing 867
 \guillemotleft 907, 13285, 13465, 13653, 15358
 \guillemotright 908, 13316, 13466, 13685, 15359
 \guilsinglleft 13216, 13467, 15064, 15360
 \guilsinglright 13218, 13468, 15066, 15361

H

\H 13512, 13544, 13563, 13577, 13992, 13994, 14056, 14058, 14856, 14858
 \h 2933, 15386, 15391, 15396, 15401, 15406, 15411, 15416, 15421, 15426, 15431, 15436, 15441, 15446, 15451, 15456, 15461, 15466, 15471, 15476, 15481, 15486, 15491, 15496, 15501
 \H@footnotemark 6201, 6218, 6355, 6362, 6374, 6385
 \H@footnotetext 6200, 6210, 6237, 6302, 6363, 6377, 6385
 \H@mpfootnotetext 6208, 6220, 6222
 \H@definecounter 6917, 6919
 \H@endeqnarray 6062, 6081
 \H@endequation 6025, 6057
 \H@endsubeqnarray 6091, 6103
 \H@eqnarray 6061, 6066
 \H@equation 6024, 6048
 \H@item 5753, 5759, 6566, 6591
 \H@newctr 6922, 6924
 \H@old@part 12997, 13008
 \H@old@schapter 12965, 12975
 \H@old@sect 13019, 13031, 13040
 \H@old@spart 13010, 13017
 \H@old@ssect 12950, 12956
 \H@refstepcounter 5768, 5778, 5875, 5999, 6047, 6162, 6421, 7184, 7237
 \H@seteqlabel 6954, 6956
 \H@subeqnarray 6090, 6094
 \ha 15538
 \Haa 15517
 \halign 506
 \hamza 15505
 \HAR@checkcitations 6746
 \HAR@citetoaux 6702
 \HAR@tempa 6747, 6748, 6749, 6750, 6751, 6752
 \harvardcite 6696, 6733
 \harvarditem 6721
 \hbox 1668, 1674, 1680, 2208, 3085, 3091, 4925, 5098, 5099, 5100, 5101, 6686, 6817, 8329, 8402, 8409, 8475, 8486, 8504, 8515, 8534, 8545, 8810, 9771, 10076, 10087, 10660, 10667, 10928, 10939, 11547, 11997, 12085, 12120, 12151, 12180, 12210, 12236, 12942
 \hc@currentHref 6437
 \HCode 11399, 11401, 11412, 11421, 11433, 11441, 11443, 11474, 11480, 11485, 11490, 11504, 11509, 11513, 11516, 11525
 \headerps@out 5662, 10363, 10374, 10446, 10460, 10513, 10522, 10535, 10549, 10588, 10699, 10817, 10981
 \hfill 5098, 5099, 5100, 5101, 6577, 6610
 \Hfootnoteautorefname 7593
 \hyperref 4387
 \hoffset 6818
 \phantom 469
 \href 498, 4157, 4381, 4382, 5270
 \href@ 4158, 4161, 4166
 \href@split 4166, 4167
 \hspace 494, 6736, 6737
 \hskip 1679, 1757, 2244, 2245, 4154, 5104, 11547
 \hss 6826, 12947
 \ht 5106, 5109, 8407, 8478, 8484, 8490, 8507, 8513, 8519, 8537, 8543, 8549, 10072, 10665, 10937, 11964
 \htmladdimg 4380
 \htmladdnormallink 4381
 \htmladdnormallinkfoot 4382
 \htmlref 4383
 \Huge 456
 \huge 460
 \Hurl 4173, 4175, 4177
 \hv@pdf@char 12749, 12814, 12815, 12816, 12817
 \hvtex@buffer 9480, 9484, 9492, 9495, 9504, 9508, 9524
 \hvtex@gettoken 9479, 9493, 9497, 9506, 9510
 \hvtex@gettoken@ 9480, 9482
 \hvtex@par@dimension 9475, 9516
 \hvtex@par@direction 9476, 9519
 \hvtex@par@duration 9477, 9511
 \hvtex@par@motion 9478, 9513
 \hvtex@param@dimension 9488, 9517, 9535, 9538
 \hvtex@param@direction 9489, 9520, 9546, 9554
 \hvtex@param@duration 9490, 9512, 9559, 9561
 \hvtex@param@motion 9491, 9514, 9535, 9542
 \hvtex@parse@trans 9464, 9486
 \hvtex@produce@trans 9525, 9531
 \hvtex@token 9483, 9494, 9500, 9507, 9512, 9515, 9518, 9520
 \hvtex@trans@code 9468, 9469, 9470, 9471, 9472, 9473, 9474, 9487, 9533, 9534, 9536, 9538, 9540, 9542, 9544, 9546, 9548, 9549, 9550, 9551, 9552, 9554
 \hvtex@trans@effect@Blinds 9468
 \hvtex@trans@effect@Box 9469
 \hvtex@trans@effect@Dissolve 9470
 \hvtex@trans@effect@Glitter 9471
 \hvtex@trans@effect@R 9474
 \hvtex@trans@effect@Split 9472
 \hvtex@trans@effect@Wipe 9473
 \hvtex@trans@par 9507, 9511, 9513, 9516, 9519
 \hvtex@trans@params 9501, 9503, 9527
 \Hy@boolkey 2254, 2255

\Hy@DefNameKey . . . 2328, 2330
\Hy@Escapeform . . . 12315, 12328,
 12334
\Hy@SectionAnchor 12937, 12940
\Hy@temp 3115, 3117, 5014, 5016
\Hy@abspage . . . 5436, 5501, 5611,
 5688
\Hy@Acrobatmenu . . . 3647, 3688,
 8302, 8960, 9441, 10243
\Hy@activeanchorfalse 4060, 7881,
 8357, 8372, 8444, 8454, 8739,
 9183, 9200, 9271, 9284, 9764,
 10611, 10626, 10884, 10898
\Hy@activeanchortrue . . . 7877,
 8354, 8368, 8442, 8451, 8735,
 9179, 9197, 9269, 9281, 9754,
 10608, 10622, 10881, 10894
\Hy@ActiveCarriageReturn 4096,
 4099
\Hy@AllowHyphens . . . 4150, 9752,
 9775, 10068
\Hy@AnchorName . . . 4210, 4212,
 4215, 4217, 4239, 4241, 4245,
 4250, 4252
\Hy@appendixstring . . . 5821, 5828
\Hy@author 5350, 5354
\Hy@babelnormalise . . . 4188, 4190
\Hy@backout . . . 4056, 5228, 5232,
 6532
\Hy@backreffalse 291, 2710, 2732,
 3747
\Hy@backreftrue 2703, 2707, 2729
\Hy@BeginAnnot 8852, 8868, 8908,
 8936, 8961
\Hy@bibcite 6555, 6559
\Hy@bookmarksdepth 3070, 3075,
 3087, 3093, 12643
\Hy@bookmarksnumberedfalse . .
 292
\Hy@bookmarksopenfalse . . . 293
\Hy@bookmarkstrue 294
\Hy@bookmarkstype . . . 3105, 3107,
 6848, 12654
\Hy@boolkey . . . 2254, 2347, 2350,
 2353, 2374, 2377, 2380, 2411,
 2414, 2417, 2434, 2438, 2441,
 2444, 2447, 2450, 2453, 2681,
 2684, 2739, 3022, 3025, 3040,
 3065, 3068, 3109, 3112, 3150,
 3265, 3504, 3507, 3510, 3513,
 3516, 3519, 3522, 3530, 3551,
 3554, 5629
\Hy@BorderArrayPatch . . . 10122,
 10125, 10372, 10815
\Hy@breaklinks@unsupported . .
 2422, 9733
\Hy@breaklinksfalse 295
\Hy@breaklinksunhbox . . . 10063,
 10079
\Hy@CatcodeWrapper 3932, 3991,
 4035, 4048
\Hy@centerwindowfalse 296
\Hy@chapapp . . . 5822, 5828, 5835,
 12970, 12982, 13067
\Hy@chapterstring . . . 5817, 5819,
 5822, 5834
\Hy@CheckOptionValue . . . 2298,
 2335
\Hy@CJKbookmarksfalse 297
\Hy@cjkpu 1105, 1107, 1128
\Hy@colorlink
 3995, 4003, 4007, 7783,
 7863, 7931, 7967, 8002, 8323,
 8355, 8378, 8406, 8415, 8443,
 8459, 8481, 8493, 8511, 8523,
 8541, 8553, 8823, 8899, 8929,
 8954, 8978, 9270, 9292, 9355,
 9374, 9407, 9437, 9453, 9773,
 10047, 10049, 10609, 10632,
 10664, 10673, 10882, 10904,
 10936, 10944
\Hy@ColorList 3155, 3156
\Hy@CounterExists . . . 5718, 5731,
 5734
\Hy@currentbookmarklevel 12649,
 12659, 12660, 12666, 12673,
 12714, 12717, 12722, 12726
\Hy@defaultdriver 3824, 3848, 3854
\Hy@DefFormAction . . . 4852, 4854
\Hy@DefNameKey . . . 2327, 3176,
 3194, 3202, 3210, 3214, 3221,
 3228, 3235, 3242, 3246, 3251,
 3258, 3539
\Hy@DEST 10064, 10089
\Hy@DestName 7827, 7831
\Hy@DisableOption . . . 2284, 3640,
 3641, 3642, 3644, 3728, 3754,
 3883, 3884, 3885, 3886, 3887,
 3888, 3889, 3890, 3891, 3892,
 3893, 3894, 3895, 3896, 3897,
 3898, 3899, 3901, 3931, 3984,
 4012, 4013, 4058, 4059, 5180,
 5181, 5182, 5183, 5184, 5185,
 5186, 5187, 5188, 5189, 5190,
 5191, 5192, 5193, 5194, 5195,
 5196, 5197, 5198, 5199, 5200,
 5201, 5202, 5203, 5374, 5569,
 6389, 7018, 7116, 7117, 7709,
 7810, 8160, 8161, 8162, 8163,
 8164, 8165, 8166, 8167, 8168,
 8169, 8297, 8581, 8582, 8583,
 8584, 8585, 8586, 8587, 8588,
 8589, 8590, 8850, 9021, 9022,
 9023, 9024, 9025, 9026, 9027,
 9028, 9029, 9030, 9112, 9254,
 9685, 9686, 9687, 9688, 9689,
 9690, 9691, 9692, 9693, 9694,
 9937, 9938, 9939, 9940, 9941,
 9942, 9943, 9944, 9945, 9946,
 10439, 10725, 10726, 10727,
 10728, 10729, 10730, 10731,
 10732, 10733, 10734
\Hy@displaydoctitlefalse 325
\Hy@DistillerDestFix . . . 6794, 9698,
 9700
\Hy@draftfalse 257
\Hy@drafttrue 258
\Hy@driver 330, 2427, 2569, 2580,
 2583, 2586, 2589, 2600, 2603,
 2606, 2609, 2620, 2623, 2648,
 2657, 2668, 2671, 2677, 3757,
 3760, 3764, 3767, 3771, 3774,
 3776, 3780, 3784, 3788, 3791,
 3795, 3799, 3803, 3806, 3810,
 3813, 3815, 3819, 3823, 3826,
 3829, 3832, 3843, 3846, 3848,
 3854, 3856, 3861, 3863, 3865
\Hy@DvipdfmxOutlineOpenture
 3873, 3880
\Hy@EndAnnot 8858, 8902, 8932,
 8957, 8981
\Hy@endcolorlink 3999, 4004,
 4008, 7792, 7869, 8355, 8392,
 8410, 8417, 8443, 8467, 8482,
 8494, 8511, 8523, 8541, 8553,
 8832, 8860, 9270, 9338, 9355,
 9374, 9407, 9437, 9453, 9800,
 10056, 10609, 10648, 10668,
 10675, 10882, 10918, 10936,
 10944
\Hy@EndWrap 3933, 3935, 3936,
 3969
\Hy@escapeform . . . 11185, 11267,
 11279, 11304, 11323, 11347,
 11367, 11665, 11749, 11770,
 11797, 11818, 11846, 11868,
 12002, 12093, 12124, 12157,
 12182, 12211, 12241, 12309,
 12339, 12346
\Hy@escapeformfalse 298
\Hy@escapestring . . . 12306, 12381,
 12413, 12419, 12423, 12427,
 12431, 12435, 12439, 12443,
 12447, 12451, 12455, 12562,
 12563, 12594
\Hy@EveryPageAnchor 6793, 6833
\Hy@EveryPageBoxHook . . . 5400,
 5404, 5408, 6832, 9585, 9858
\Hy@EveryPageHook . . . 5399, 5403,
 5567, 8241

\Hy@ExchangeLeftParenthesis 7643, 7649
\Hy@ExchangeRightParenthesis 7653, 7659
\Hy@false 2190, 2265, 2695, 2731
\Hy@figuresfalse 299
\Hy@finalfalse 258
\Hy@finaltrue 257
\Hy@FirstPage 3658
\Hy@FirstPageHook
 5401, 5414, 5416, 5660, 5661,
 10373, 10459, 10521, 10816,
 10980
\Hy@fitwindowfalse 300
\Hy@FixNotFirstPage 8327, 8328,
 8334
\Hy@float@caption 6427, 6477,
 6479
\Hy@float@currentHref 6480, 6482,
 6484, 6492, 6495, 6497
\Hy@footnote@currentHlabel
 6248, 6262, 6294, 6338
\Hy@footnote@currentHref 5175,
 6225, 6230, 6240, 6245, 6249,
 6263, 6266, 6293, 6335, 6339
\Hy@FormObjects 11599, 11876,
 11930, 11940, 12252, 12302
\Hy@Gin@setfile 7013, 7015
\Hy@GlobalStepCount
 328, 5501, 5866,
 5948, 6808, 6931, 7226, 7277,
 12633, 12952, 12969, 12981,
 13012, 13027, 13066
\Hy@gtemp 655, 656, 4750, 4751,
 4755, 4756, 4767, 4781, 7667,
 7669, 12356, 12358
\Hy@href 4158, 4160
\Hy@hyperfootnotesfalse 6197
\Hy@hyperfootnotestrue 301
\Hy@hyperindextrue 302
\Hy@hypertexnamesfalse 2146
\Hy@hypertexnamestrue 303
\Hy@implicittrue 304
\Hy@Info 242, 2273, 3698, 3700,
 3703, 3705, 3708, 3710, 3713,
 3715, 3718, 3720, 3916, 3922,
 4000, 4005, 4009, 4138, 4146,
 4460, 5137, 5139, 5142, 5144,
 5147, 5149, 5152, 5154, 5157,
 5159, 5162, 5164, 5167, 5169,
 6633, 6694, 6853, 6870
\Hy@LastPage 3661
\Hy@level 12655, 12657, 12668,
 12673, 12674, 12675, 12703
\Hy@levelcheck 12656, 12671
\Hy@linkcounter
 332, 334, 5866, 5867, 5948,
 5949, 6931, 6932, 6957, 7226,
 7227, 7231, 7277, 7278, 7282,
 12633, 12634, 12952, 12953,
 12969, 12970, 12981, 12982,
 13012, 13013, 13027, 13028,
 13066, 13067
\Hy@linkfileprefix 3140, 4319, 4340,
 8395, 9148, 10652, 10921
\Hy@linktoc 2382, 2384, 2392,
 2394, 2404, 6889
\Hy@linktoc@all 2390
\Hy@linktoc@none 2387
\Hy@linktoc@page 2382, 2389,
 2392
\Hy@linktoc@section 2384, 2388,
 2394
\Hy@linktoc@pagefalse 305
\Hy@LT@currentHlabel 6001, 6012
\Hy@LT@currentHref 6002, 6013
\Hy@LT@footnotetext 6291, 6301
\Hy@make@anchor 6930, 6937,
 6943
\Hy@make@df@tag@@ 6935, 6950
\Hy@make@df@tag@@@ 6941, 6951
\Hy@maketitle@end 6366, 6371,
 6373
\Hy@maketitle@optarg 6364, 6369
\Hy@MaybeStopNow 2611, 2616,
 2634, 2644, 2651, 3607
\Hy@menubartrue 306
\Hy@naturalnamesfalse 307
\Hy@nestingfalse 308
\Hy@newline@author 5393
\Hy@newline@title 5392
\Hy@newwindowfalse 310
\Hy@newwindowsetfalse 309, 3527
\Hy@newwindowsettrue 3529
\Hy@next 5517, 5527, 5532, 12980,
 12990, 12993
\Hy@nextfalse 3690, 7028
\Hy@NextPage 3652
\Hy@nexttrue 3691, 3692, 3693,
 7029, 7030, 7031
\Hy@number 3480, 3484, 3492
\Hy@numberline 12650, 12687,
 12688, 12689
\Hy@ObsoletePaperOption 2356,
 2364
\Hy@ocgcolor 7786, 7800, 8826,
 8840
\Hy@ocgcolorlinksfalse 3979
\Hy@org@chapter 12978, 12994
\Hy@OutlineName 12857, 12911
\Hy@OutlineRerunCheck 12738,
 12832, 12901
\Hy@pageanchortrue 311
\Hy@pagecounter 333, 335, 5906,
 6808, 6810
\Hy@pageheight 3596, 10461,
 10550
\Hy@pagelabelfalse 5423
\Hy@pagelabeltrue 312
\Hy@param 5833, 5834, 5835, 5863,
 5867
\Hy@pdffalse 326
\Hy@pdfencoding@pdfdoc 2526
\Hy@pdfmarkerrorfalse 10027
\Hy@pdfmarkerrortrue 10155,
 10164
\Hy@pdfminorversion 7676, 7682,
 7685, 7693, 7698, 7700, 7703,
 7707
\Hy@pdfpagehiddenfalse 313
\Hy@pdfstringdef 654, 4725, 4733
\Hy@pdfstringfalse 314, 5205
\Hy@pdfstringtrue 510, 5177
\Hy@pdfversion 2552, 2563, 4727,
 7698, 7700, 7704, 7707, 12350
\Hy@plainpagesfalse 315
\Hy@PrevPage 3655
\Hy@ps@CCR 10503, 10510, 10515,
 10516, 10533, 10554, 10555,
 10556, 10562, 10569, 10576,
 10583
\Hy@pstringB
 8078, 8083, 9061, 9073,
 10000, 10016, 10788, 10804
\Hy@pstringD 7938, 7962, 8910,
 8924, 10308, 10324
\Hy@pstringdef
 7613, 7826, 7847, 7906,
 7937, 7938, 7973, 7974, 8078,
 8677, 8877, 8909, 8910, 8937,
 9061, 9291, 9360, 9414, 9415,
 10000, 10153, 10162, 10289,
 10307, 10308, 10332, 10333,
 10788, 12332, 12856, 12872
\Hy@pstringDest
 7826, 7827, 8677, 8724,
 10153, 10154, 10158, 10162,
 10163, 10167
\Hy@pstringF
 7937, 7956, 7973, 7992, 7997,
 8909, 8923, 9414, 9421, 9425,
 10307, 10323, 10332, 10348,
 10351
\Hy@pstringName 12856, 12857,
 12872, 12886
\Hy@pstringP 7974, 7997, 9415,
 9425, 10333, 10351
\Hy@pstringURI 7906, 7927, 8937,
 8950, 9291, 9303, 9360, 9364,
 10289, 10299

\Hy@Catalog 5563, 5571, 5677
\Hy@raisedlink 2197, 5810,
5951, 5972, 5973, 5974, 5977,
6014, 6054, 6057, 6184, 6228,
6243, 6306, 6333, 6465, 6543,
6567, 6572, 6592, 6933, 6958,
10361, 10444, 10695, 10859,
12635, 12944, 12971, 12983,
13014, 13068
\Hy@raiseinlinksfalse 316, 6695
\Hy@RemoveDurPageAttr . 8199,
8212
\Hy@RemoveHidPageAttr . 8222,
8234
\Hy@RemovePercentCr 4112,
4116, 4121
\Hy@RemoveTransPageAttr 8174,
8188
\Hy@reserved@a 4255, 6064, 6093,
11406, 11456, 11519
\Hy@RestoreCatcodes 205, 3603,
3867
\Hy@RestoreLastskip
. 2212, 7828, 8358,
8373, 8445, 8455, 8726, 9184,
9201, 9272, 9285, 9745, 9765,
10612, 10627, 10885, 10899
\Hy@ReturnAfterElseFi 336, 4100
\Hy@ReturnAfterElseFiFiEnd .
. 340, 1642
\Hy@ReturnAfterFi 336, 356, 1820,
4104, 4120, 7128, 7164, 7648,
7658, 12333
\Hy@ReturnAfterFiFiEnd 339,
1634, 1648, 1726, 1733
\Hy@ReturnEnd 338, 339, 340,
1654, 1738
\Hy@safe@activesfalse 341, 4025,
4030, 4269, 7508
\Hy@safe@activestrue . 341, 4023,
4028, 4092, 4129, 4137, 4145,
4192, 4261, 7418, 7497
\Hy@saved@currentHlabel . 6259,
6264
\Hy@saved@currentHref 6260,
6265
\Hy@saved@footnotemark . 6360,
6375
\Hy@saved@footnotetext 6361,
6378
\Hy@saved@hook 5378, 5388
\Hy@SaveLastskip
. 2212, 7824, 8346,
8361, 8436, 8448, 8674, 9171,
9187, 9262, 9275, 9735, 9749,
10601, 10615, 10874, 10888
\Hy@scanauthor 5348, 5353
\Hy@scanoptauthor 5348, 5349
\Hy@scanopttitle 5339, 5340
\Hy@scantitle 5339, 5344
\Hy@secnum@part . 13000, 13002,
13005
\Hy@sectionAnchorHref 508,
12935, 12958, 13033
\Hy@sectionHShift 12934, 12943,
12954, 13029
\Hy@seminarslidesfalse 7176
\Hy@seminarslidestrue 7174
\Hy@setbreaklinks 2419, 2423,
2435, 7675, 8670
\Hy@SetCatcodes 181, 231, 3605
\Hy@SetNewWindow
3533, 7958, 7994, 8925, 9422,
10322, 10347
\Hy@setouterhbox . 10062, 10068
\Hy@setpagesizetrue 317
\Hy@setpdfborder 3184, 7853,
7911, 7942, 7978, 8305, 8888,
8916, 8943, 8971, 9306, 9327,
9348, 9367, 9399, 9430, 9446
\Hy@setpdfversiontrue 2551
\Hy@setref@link 7374, 7377
\Hy@slidetitle . 7203, 7205, 7212,
7220, 7230, 7254, 7256, 7263,
7271, 7281
\Hy@StartlinkName . 7851, 7865
\Hy@StepCount 327, 5478, 11203,
11265, 11471, 11683, 11746,
12024, 12090, 12718, 12723,
12799
\Hy@temp 538, 545,
658, 730, 834, 837, 845, 846,
2362, 2367, 2368, 2369, 2370,
2371, 2372, 3114, 3123, 3124,
3125, 3126, 3127, 3128, 3129,
3156, 3157, 3158, 3161, 3163,
3166, 3343, 3344, 3347, 3350,
3353, 3378, 3386, 3387, 3388,
3389, 3390, 3391, 3392, 3393,
3394, 3525, 3526, 3679, 3683,
3684, 3685, 3686, 3762, 3764,
3769, 3771, 3774, 3786, 3788,
3793, 3795, 3801, 3803, 3808,
3810, 3813, 3855, 3856, 4450,
4454, 4455, 4466, 4550, 4551,
4552, 4554, 4558, 4869, 4870,
4871, 4873, 4877, 4878, 5013,
5029, 5030, 5031, 5032, 5033,
5034, 5035, 5036, 5037, 5042,
5043, 5044, 5045, 5046, 5047,
5048, 5049, 5050, 5051, 5052,
5458, 5461, 5470, 5472, 5476,
5480, 5524, 5526, 5900, 5903,
5906, 5912, 6027, 6033, 6344,
6350, 7125, 7126, 8093, 8122,
8124, 8600, 8605, 8611, 8615,
8618, 8623, 8654, 8656, 9033,
9076, 9078, 9900, 9903, 9907,
9908, 9914, 9915, 9921, 9949,
9954, 9960, 9964, 9967, 9972,
10005, 10007, 10119, 10120,
10128, 10129, 10233, 10234,
10737, 10742, 10748, 10752,
10755, 10760, 10793, 10795,
12314, 12315, 12854, 12860,
12868, 12883
\Hy@temp@A 569, 570, 1626, 1628,
1639, 1641, 1646, 1647, 1650,
3379, 3381, 7047, 7048, 7049,
7056, 7084, 7085, 7086, 7095
\Hy@temp@B 1627, 1628
\Hy@tempa 2256, 2258,
2260, 2261, 2263, 2265, 2267,
2270, 2273, 2274, 2691, 2692,
2693, 2695, 2696, 2698, 2699,
2701, 2705, 2709, 2720, 2722,
2724, 2725, 2727, 2731, 4098,
4099, 4110, 4114, 4193, 4197,
4260, 4263, 4272, 4274, 4857,
4858, 5507, 5509, 5547, 5549,
5688, 5690, 6111, 6113, 6114,
6117, 6118, 6119, 6422, 6427,
6432, 6847, 6848, 6866, 6867,
6873, 7190, 7191, 7242, 7243,
8379, 8380, 9152, 9300, 9301,
10633, 10634, 10905, 10906,
12653, 12654, 12677, 12679,
12696, 12704, 13056, 13082,
13087, 13090, 13093
\Hy@tempb 5508, 5509, 5548, 5549,
12678, 12679, 12704
\Hy@tempcolor 9782, 9784, 9797,
9870, 9872, 9884
\Hy@TempPageAnchor 6798,
6805, 6809, 6825
\Hy@testname . 7839, 7840, 7845,
7847, 7848, 7862, 8869, 8870,
8875, 8877, 8879, 8895, 9314,
9315, 9320, 9324, 9386, 9387,
9392, 9396, 9875, 9876, 9881,
9892
\Hy@texhtfalse 318
\Hy@texhtrue 2566, 3758
\Hy@title 5341, 5345
\Hy@toclevel 6858, 6862, 6875
\Hy@toolbartrue 319
\Hy@true . 2189, 2261, 2263, 2725,
2727
\Hy@typexmlfalse 320
\Hy@undefinedname . 7836, 7843,
7845, 8865, 8873, 8875, 9288,

9318, 9320, 9390, 9392, 9866,
 9879, 9881
 \Hy@unicodelfalse 321, 635, 644,
 2482, 2483, 2491, 3320, 3326,
 5902, 6802, 12352
 \Hy@unicodetrue 2483, 5622, 5636
 \Hy@useHidKeyfalse 3148
 \Hy@useHidKeytrue 3152
 \Hy@UseMaketitleInfos 5394,
 8134, 8562, 8993, 9674, 9898,
 10706
 \Hy@UseMaketitleString 5375,
 5395, 5396
 \Hy@UseNameKey
 2340, 8100, 8101, 8102,
 8103, 8104, 8105, 8106, 8107,
 8126, 8630, 8631, 8632, 8633,
 8634, 8635, 8636, 8637, 8658,
 9040, 9041, 9042, 9043, 9044,
 9045, 9046, 9047, 9080, 9646,
 9647, 9648, 9649, 9650, 9651,
 9652, 9653, 9979, 9980, 9981,
 9982, 9983, 9984, 9985, 9986,
 10009, 10767, 10768, 10769,
 10770, 10771, 10772, 10773,
 10774, 10797
 \Hy@usetitlefalse 322
 \Hy@varioreref@undefined 5983,
 5987, 7503
 \Hy@VerboseAnchor
 4142, 7825, 8347,
 8362, 8437, 8449, 8675, 9172,
 9188, 9263, 9276, 9736, 9750,
 10602, 10616, 10875, 10889
 \Hy@verbosefalse 323
 \Hy@VerboseLinkStart
 4134, 7884, 7894, 8377,
 8422, 8458, 8470, 8867, 9128,
 9151, 9290, 9379, 9768, 9868,
 10631, 10680, 10903, 10950
 \Hy@vt@PutCatalog 5594, 5596
 \Hy@VTeXversion 5574, 5586,
 9344, 9457, 9593, 12751
 \Hy@Warning 240, 363, 1566,
 2278, 2293, 2318, 2398, 2510,
 2515, 3031, 3083, 3355, 3402,
 3410, 3975, 4275, 4507, 5632,
 6839, 7484, 7533, 7841, 8708,
 8712, 8871, 9316, 9388, 9877,
 10156, 10165, 12662, 12680
 \Hy@WarningNoLine 241, 2357,
 2425, 2536, 3134, 3172, 3271,
 3371, 3589, 3638, 3766, 3775,
 3790, 3805, 3814, 4350, 5322,
 5424, 5588, 5702, 5887, 6849,
 7005, 10035
 \Hy@WarningPageBorderColor . .
 3169, 3171, 3173
 \Hy@WarningPageColor 3131,
 3133, 3135
 \Hy@WarnOptionDisabled 2290,
 2292
 \Hy@WarnOptionValue 2271,
 2277, 2712, 2734
 \Hy@windowuitrue 324
 \Hy@writebookmark 2194, 6859,
 7210, 7218, 7228, 7261, 7269,
 7279, 12639, 12729
 \HyC@cmd 87, 109, 122
 \HyC@check 68, 71, 74
 \HyC@checkcommand 50, 57, 59
 \HyC@checkFailed 146, 157
 \HyC@checkItem 132, 133, 134,
 135, 138
 \HyC@checklong 45, 53
 \HyC@checkOk 144, 154
 \HyC@checkPackage 12, 16, 18
 \HyC@cmd 62, 75, 87, 95, 118, 131
 \HyC@date 11, 15, 23, 29, 31
 \HyC@DeclareRobustCommand
 114
 \HyC@def 125
 \HyC@defcmd 47, 54, 93
 \HyC@doCheck 99, 130
 \HyC@edef 125
 \HyC@getDate 12, 14
 \HyC@meaning 152, 160
 \HyC@nc@default 103, 105
 \HyC@nc@noopt 88, 91, 103, 112,
 123, 127
 \HyC@nc@opt 88, 101, 123
 \HyC@newcommand 86
 \HyC@next 48, 55, 60, 83
 \HyC@noValue 80, 81, 82, 85, 139
 \HyC@optcmd 107, 111
 \HyC@org@cmd 76
 \HyC@org@optcmd 80, 111
 \HyC@org@robustcmd 81, 120
 \HyC@org@robustoptcmd 82
 \HyC@package 10, 22, 28, 34, 37, 38
 \HyC@param 78, 96, 102
 \HyC@robustcmd 115, 120, 121,
 122
 \HyC@star 67, 70, 94
 \HyC@string 131, 152, 155, 158
 \HyC@Toks 79, 90, 96, 106, 126
 \HyCal@do 357, 361
 \HyCal@scan 348, 352, 376
 \HyColor@FieldBColor 4994, 4997
 \HyColor@FieldColor 5000
 \HyColor@HyperrefBorderColor
 3159
 \HyColor@HyperrefColor 3119

\HyField@PrintFlags . 4447, 4593, 4611, 4625, 4638, 4654, 4686, 4711
 \HyField@SetFlag . . . 4439, 4579, 4585, 4590, 4624, 4652
 \HyField@SetKeys . . . 4822, 11178, 11210, 11213, 11232, 11288, 11317, 11335, 11361, 11657, 11690, 11693, 11712, 11780, 11811, 11834, 11861, 11990, 12031, 12034, 12053, 12138, 12174, 12198, 12230
 \HyField@TheAnnotCount 11973, 12004, 12009, 12100, 12112, 12127, 12132, 12159, 12165, 12185, 12190, 12214, 12219, 12243, 12248
 \HyField@UseFlag . . . 4429, 4570, 4571, 4572, 4573, 4574, 4575, 4576, 4577, 4580, 4581, 4582, 4583, 4586, 4587, 4588, 4591, 4602, 4603, 4604, 4605, 4606, 4607, 4608, 4609, 4610, 4621, 4622, 4623, 4635, 4636, 4637, 4648, 4649, 4650, 4651, 4653, 4664, 4665, 4666, 4667, 4668, 4669, 4670, 4671, 4682, 4685, 4696, 4697, 4698, 4699, 4701, 4703, 4704, 4707, 4710
 \HyInd@C@wrindex . 7043, 7046, 7077, 7083
 \HyInd@hyperpage . 7123, 7133
 \HyInd@wrindex . . . 7038, 7039
 \HyInd@EncapChar . . . 2742, 3599, 7033
 \HyInd@hyperpage . . . 7120, 7122, 7129
 \HyInd@org@wrindex . . . 7037, 7041, 7051, 7057, 7059, 7062
 \HyInd@pagelink 7138, 7144, 7146, 7149
 \HyInd@ParenLeft . . . 7020, 7048, 7085
 \HyInd@ParenRight . . . 7021, 7049, 7056, 7086, 7095
 \HyInd@removespaces 7152, 7155, 7165
 \HyInfo@AddonHandler . . . 3397, 3400
 \HyInfo@AddonList . . . 3424, 3425, 3459, 3466
 \HyInfo@Addons 3445, 3461, 8158, 9018, 9930, 9934
 \HyInfo@AddonUnsupportedtrue . . . 8560, 9672, 10704
 \HyInfo@do 3399, 3426, 3449
 \HyInfo@GenerateAddons . . . 3443, 8135, 8994, 9899
 \HyInfo@Key 3407, 3408, 3416, 3421, 3426, 3429, 3436, 3450, 3454
 \HyInfo@KeyEscaped . . . 3406, 3407
 \HyInfo@trapped@false 3347, 3366
 \HyInfo@trapped@true 3344, 3365
 \HyInfo@trapped@unknown 3350, 3367
 \HyInfo@TrappedUnsupported 3368, 3372, 8563, 9675, 10707
 \HyInfo@Value 3420, 3422
 \HyLang@addto 2946, 2968, 2999, 3007
 \HyLang@afrikaans 2744
 \HyLang@DeclareLang 2960, 2975, 2976, 2977, 2978, 2979, 2980, 2981, 2982, 2983, 2984, 2985, 2986, 2987, 2988, 2989, 2990, 2991, 2992, 2993, 2994, 2995, 2996, 2997
 \HyLang@english 2762
 \HyLang@french 2780
 \HyLang@german 2798
 \HyLang@italian 2816
 \HyLang@magyar 2834
 \HyLang@portuges 2852
 \HyLang@russian 2870
 \HyLang@spanish 2910
 \HyLang@vietnamese 2928, 2999, 3007
 \HyLinguex@OrgB 732, 736
 \HyLinguex@OrgC 733, 737
 \HyLinguex@OrgD 734, 738
 \HyLinguex@Restore 735, 748, 752, 760, 2464
 \HyOrg@addtoretset . . . 6963, 6965, 6992
 \HyOrg@appendix 5823, 5829
 \HyOrg@author 5338, 5351, 5355
 \HyOrg@float@makebox 6488, 6490
 \HyOrg@hyperpage 7023, 7025, 7026
 \HyOrg@languageshorthands 804, 819, 830, 840
 \HyOrg@make@df@tag@@ . . . 6948
 \HyOrg@make@df@tag@@@ . . . 6949
 \HyOrg@maketitle 6358, 6365, 6370
 \HyOrg@subequations 6128, 6135
 \HyOrg@title 5337, 5342, 5346
 \HyOrg@url 4172
 \hyper@anchor 3622, 4182, 4184, 4215, 4217, 4250, 4252, 4347, 5217, 5233, 5250, 6224, 6229, 6239, 6244, 6304, 6307, 6334, 6463, 6466, 6494, 6798, 6805, 6810, 7209, 7217, 7227, 7260, 7268, 7278
 \hyper@link 4132, 4168, 4205, 4229, 4231, 4255, 6551, 6697, 6698, 6699, 6747, 6749, 6751, 7379, 7394, 7493
 \hyper@@normalise 4101, 4105, 4109
 \hyper@anchor 4374, 5220, 5235, 5297, 7872, 8345, 8435, 8731, 9186, 9261, 9734, 10600, 10873
 \hyper@anchorend 3625, 5204, 5222, 5237, 5253, 5811, 5953, 6015, 6057, 6076, 6100, 6185, 6545, 6570, 6573, 6593, 6726, 6933, 6959, 7879, 8370, 8453, 8738, 9181, 9283, 9756, 10624, 10896, 12635, 12730, 12945, 12972, 12984, 13015, 13069
 \hyper@anchorstart 3624, 5204, 5221, 5236, 5252, 5811, 5952, 6015, 6054, 6076, 6100, 6185, 6543, 6568, 6573, 6593, 6726, 6933, 6959, 7875, 8360, 8447, 8734, 9170, 9274, 9748, 10614, 10887, 12635, 12730, 12945, 12972, 12984, 13015, 13069
 \hyper@chars 4126, 7907, 8350, 8364, 8384, 8403, 8413, 8427, 8499, 8529, 9137, 9158, 9174, 9191, 9266, 9278, 9361, 10290, 10618, 10638, 10661, 10671, 10685, 10891, 10910, 10930, 10942, 10955
 \hyper@currentanchor 9753, 9762, 9776, 9793
 \hyper@currentlinktype 9777, 9781, 9785
 \hyper@hash 4078, 4079, 4127, 4311, 4323, 4340, 4343, 5171, 9131
 \hyper@image 4178, 4179, 8425, 9410, 9863, 10683, 10953
 \hyper@last 5313, 5317
 \hyper@link 3623, 4264, 5218, 5219, 5234, 5245, 5251, 7893, 8421, 8469, 8903, 9127, 9378, 9867, 10679, 10949
 \hyper@link@ 3630, 4256, 4258, 5216, 5227, 5231, 5242, 5258
 \hyper@linkend 3627, 5224, 5239,

5255, 6268, 6537, 6540, 6893,
 6897, 6901, 6903, 7892, 8390,
 8466, 8902, 8904, 9163, 9336,
 9779, 10646, 10916
`\hyper@linkfile` 3629,
 4336, 5226, 5241, 5257, 7935,
 8394, 8527, 8906, 9147, 9340,
 10305, 10650, 10920
`\hyper@linkstart` 3626, 5223, 5238,
 5254, 6266, 6533, 6540, 6893,
 6897, 6901, 6903, 7883, 8376,
 8457, 8866, 8904, 9150, 9289,
 9767, 10630, 10902
`\hyper@linkurl`
 3628, 4177, 4311, 4318, 4339,
 4343, 5225, 5240, 5256, 7904,
 8395, 8397, 8423, 8497, 8934,
 9135, 9148, 9358, 9411, 9864,
 10287, 10651, 10655, 10681,
 10921, 10923, 10951
`\hyper@livelink` 5218, 5245
`\hyper@makecurrent` . 5807, 5831,
 6000, 6053, 6075, 6099, 6163,
 6261, 6439, 6481
`\hyper@n@rmalise` ... 4093, 4097
`\hyper@nat@current` 6534
`\hyper@natanchorend` 6545
`\hyper@natanchorstart` 6542
`\hyper@natlinkbreak` 6539
`\hyper@natlinkend` 6536
`\hyper@natlinkstart` 6531
`\hyper@normalise` ... 3601, 3606,
 4070, 4158, 4161, 4174, 4176,
 4178, 4199, 4852
`\hyper@pageduration` . 8195, 8243,
 9570, 9587, 9830, 9860
`\hyper@pagehidden` .. 8219, 8244,
 9580, 9588, 9847, 9861
`\hyper@pagetransition` 8171, 8242,
 9459, 9586, 9813, 9859
`\hyper@quote` . 5173, 8352, 8366,
 8381, 8386, 8404, 8414, 8428,
 9131, 9141, 9154, 9177, 9195,
 10606, 10620, 10635, 10641,
 10662, 10672, 10686, 10879,
 10892, 10907, 10912, 10932,
 10943, 10956
`\hyper@readexternallink` .. 4266,
 4282
`\hyper@refstepcounter` 5786, 5789,
 5796
`\hyper@tilde` 4087, 4088, 4089, 5172
`\hyperbaseurl` .. 3137, 3138, 5269
`\hypercalc{bp}` 343, 343
`\hypercalc{bpdef}` .. 345, 382, 3499
`\hyperdef` 4207, 5271
`\HyperDestNameFilter`
 3581, 4146, 7826, 7848,
 8352, 8366, 8386, 8423, 8677,
 8878, 9131, 9141, 9159, 9177,
 9195, 9267, 9279, 9323, 9395,
 10153, 10162, 10606, 10620,
 10641, 10681, 10879, 10892,
 10912, 10951, 12808, 12856,
 12872
`\hypergetpageref` 5945
`\hypergetref` 5944
`\hyperimage` ... 4178, 4380, 7015
`\hyperindexformat` 7022
`\hyperlink` 4131, 5272, 7161, 7299,
 7307, 7322, 7330, 7340, 7348,
 7355
`\hyperlinkfileprefix` .. 3140, 3141,
 3142, 10865
`\hyperpage` 5278, 7023, 7024, 7026,
 7119
`\HyperRaiseLinkDefault` .. 2196,
 2205
`\HyperRaiseLinkHook` 2195, 2206
`\HyperRaiseLinkLength` ... 2204,
 2205, 2208
`\hyperref` . 4187, 4387, 4388, 5274,
 7451, 7455, 7465, 7479
`\hypersetup` 2503, 2984, 3383, 3600,
 3602, 5268
`\hypertarget` 4180, 5273
`\HyPL@@CheckThePage` . 5528,
 5546
`\HyPL@@CheckThePage` .. 5504,
 5506
`\HyPL@Alph` 5444
`\HyPL@alph` 5445
`\HyPL@arabic` 5441
`\HyPL@CheckThePage` 5456, 5503
`\HyPL@Entry` . 5690, 5698, 5706,
 5708
`\HyPL@EveryPage` ... 5446, 5567
`\HyPL@Format` 5519, 5520, 5521,
 5522, 5523, 5535
`\HyPL@found` . 5518, 5525, 5529,
 5536, 5546, 5548
`\HyPL@Labels` . 5435, 5558, 5559,
 5561, 5563, 5608, 5609, 5701,
 5709, 5710
`\HyPL@LastNumber` . 5439, 5474,
 5497
`\HyPL@LastPrefix` ... 5440, 5468,
 5499
`\HyPL@LastType` 5438, 5459, 5498
`\HyPL@page` .. 5449, 5451, 5456,
 5464
`\HyPL@Prefix` . 5464, 5466, 5468,
 5482, 5485, 5487, 5499, 5513,
 5551
`\HyPL@Roman` 5442
`\HyPL@roman` 5443
`\HyPL@SetPageLabels` 5557, 5616,
 5704
`\HyPL@StorePageLabel` ... 5482,
 5484, 5554, 5606, 5685
`\HyPL@thisLabel` 5432, 5434, 5448,
 5451, 5452
`\HyPL@Type` .. 5454, 5459, 5463,
 5481, 5489, 5498, 5512, 5550
`\HyPL@Useless` 5555, 5561
`\HyPsd@@@autoref` .. 1487, 1489,
 1492
`\HyPsd@@@CJKdigits` 1358, 1361,
 1369
`\HyPsd@@@nameref` .. 1469, 1471,
 1474
`\HyPsd@@@pageref` .. 1451, 1453,
 1456
`\HyPsd@@@ref` .. 1435, 1437, 1440
`\HyPsd@@@UTFviii@four` .. 2071,
 2074
`\HyPsd@@AppendItalcorr` . 1656
`\HyPsd@@autoref` ... 1484, 1485
`\HyPsd@@autorefname` 1505, 1508
`\HyPsd@@CJKdigits` . 1350, 1352,
 1355
`\HyPsd@@CJKhoo@bookmarks`
 1086
`\HyPsd@@CJNumber` 1251, 1253,
 1256, 1309, 1324, 1337, 1339,
 1343
`\HyPsd@@ConvertToUnicode` ...
 1950
`\HyPsd@@GetNextTwoTokens` ...
 1948
`\HyPsd@@GlyphProcessWarning`
 1826, 1829
`\HyPsd@@GreekNum` .. 953, 962,
 1061, 1065, 1069
`\HyPsd@@hspace` 1406, 1407
`\HyPsd@@LetCommand` .. 1529,
 1550
`\HyPsd@@nameref` ... 1466, 1467
`\HyPsd@@pageref` ... 1448, 1449
`\HyPsd@@ProtectSpacesFi` . 1578,
 1582, 1600, 1606, 1611
`\HyPsd@@ref` 1432, 1433
`\HyPsd@@RemoveBraces` ... 1624
`\HyPsd@@RemoveBracesFi` 1621,
 1624
`\HyPsd@@RemoveCmdPrefix` ...
 1783, 1786

\HyPsd@ReplaceFi . 1853, 1859,
1864
\HyPsd@UTFviii@four . . . 2055,
2060
\HyPsd@add@accent . . . 404, 1395
\HyPsd@AfterCountRemove 1669,
1740
\HyPsd@AfterDimenRemove . . .
. 1675, 1743
\HyPsd@AfterSkipRemove . 1681,
1755
\HyPsd@AMSclassfix . 493, 1416,
1418
\HyPsd@AppendItalcorr . 1640,
1647, 1656
\HyPsd@autoref 503, 1484
\HyPsd@autorefname . 1496, 1502
\HyPsd@babel@danish 849
\HyPsd@babel@dutch 855
\HyPsd@babel@finnish 861
\HyPsd@babel@frenchb 866
\HyPsd@babel@german 871
\HyPsd@babel@macedonian 878
\HyPsd@babel@ngerman 884
\HyPsd@babel@portuges 890
\HyPsd@babel@russian 895
\HyPsd@babel@slovene 901
\HyPsd@babel@spanish 906
\HyPsd@babel@swedish 916
\HyPsd@babel@ukrainian 922
\HyPsd@babel@usorbian 928
\HyPsd@BabelPatch 479, 803, 839
\HyPsd@CatcodeWarning . 1685,
1702, 1705, 1708, 1711, 1767
\HyPsd@Char 1952
\HyPsd@CharOctByte 1972, 1974,
1977, 1986, 1991
\HyPsd@CharSurrogate 1966,
1983
\HyPsd@CharTwoByte 1964, 1971
\HyPsd@CheckCatcodes 556, 1662
\HyPsd@CJK@Unicode 1169, 1173
\HyPsd@CJKActiveChars . 1109,
1124
\HyPsd@CJKdigit 1362, 1372
\HyPsd@CJKdigits 1171, 1348
\HyPsd@CJKhook 509, 1080, 1091
\HyPsd@CJKhook@bookmarks .
. 1120
\HyPsd@CJKhook@unicode 1088,
1168
\HyPsd@CJKnumber . 1170, 1248
\HyPsd@CJKnumberFour . 1266,
1270, 1274, 1287, 1291, 1295,
1301
\HyPsd@CJKnumberLarge . 1279,
1286
\HyPsd@CJKnumberThree 1307,
1311, 1317
\HyPsd@CJKnumberTwo . . . 1322,
1326, 1332
\HyPsd@ConvertToUnicode . 624,
1898
\HyPsd@DecimalToOctal . . . 1101,
1132, 1176, 1185
\HyPsd@DecimalToOctalFirst . . .
. 1175, 1211
\HyPsd@DefCommand . 539, 540,
541, 542, 1518
\HyPsd@DisableCommands . 783,
785
\HyPsd@DoConvert 1900, 1910
\HyPsd@DoEscape 1924
\HyPsd@doxspace 596, 1871
\HyPsd@empty 581, 583, 587, 588,
590, 598, 605
\HyPsd@End 556, 560, 1579, 1582,
1585, 1588, 1591, 1604, 1614,
1621, 1624, 1662, 1670, 1676,
1682, 1727, 1734, 1740, 1743,
1755
\HyPsd@EndWithElse 1385, 1394
\HyPsd@fi . 1596, 1602, 1606, 1612
\HyPsd@GetNextTwoTokens 1948
\HyPsd@GetOneBye 1943
\HyPsd@GetTwoBytes 1939
\HyPsd@GLYPHERR 561, 1382,
1396, 1403
\HyPsd@GlyphProcess 563, 1814,
1827
\HyPsd@GlyphProcessWarning .
. 1821, 1825
\HyPsd@GobbleFiFi . 1387, 1393
\HyPsd@GreekNum 942, 945, 947
\HyPsd@Greeknumeral . 938, 944
\HyPsd@greeknumeral . 937, 941
\HyPsd@GreekNumI . 965, 991,
1034, 1060
\HyPsd@GreekNumII . 969, 1013,
1057, 1064
\HyPsd@GreekNumIII 972, 1036,
1068
\HyPsd@GreekNumIV . 981, 1059
\HyPsd@GreekNumV . 984, 1063
\HyPsd@GreekNumVI . 986, 1067
\HyPsd@GreekPatch 477, 934, 936
\HyPsd@HighA 1179, 1188
\HyPsd@HighB 1189, 1194
\HyPsd@HighC 1195, 1198
\HyPsd@HighD 1191, 1203
\HyPsd@hspace 494, 1406
\HyPsd@hspacetest 1409, 1411,
1414
\HyPsd@ifnextchar 525, 526, 527,
1555
\HyPsd@ignorespaces 507, 794
\HyPsd@InitUnicode 757
\HyPsd@inmathwarn 403, 1379
\HyPsd@ITALCORR . 517, 521,
1403
\HyPsd@langshort@system 810,
813
\HyPsd@LanguageShorthands .
. 805, 811, 823
\HyPsd@LetCommand . 543, 544,
1518
\HyPsd@LetUnexpandableSpace
. 512, 513, 514, 515, 1399,
1402
\HyPsd@LoadStringEnc 2507,
2527, 2529, 2533, 2535, 5627
\HyPsd@LoadUnicode 2456, 2461,
2469, 2472, 2474, 2481, 5621
\HyPsd@nameref 502, 1466
\HyPsd@pageref 501, 1448
\HyPsd@pdfencoding . 625, 2455,
2458, 2490, 2502, 2505, 2506,
2511, 2526, 5623, 5625, 5642,
5645
\HyPsd@pdfencoding@auto . 625,
2496, 2506, 2523, 5625, 5644
\HyPsd@pdfencoding@pdfdoc .
. 2489, 2511, 2524
\HyPsd@pdfencoding@unicode .
. 2493, 2525, 5623, 5641
\HyPsd@PrerenderUnicode 3281,
3297, 3303, 3309, 3315, 3333,
3339, 3419
\HyPsd@protected@testopt . 528,
529, 1559
\HyPsd@ProtectSpaces 549, 1576,
1597, 1646
\HyPsd@ref 500, 1432
\HyPsd@RemoveBraces 551, 1618,
1635, 1643, 1649
\HyPsd@RemoveCmdPrefix 1776,
1782
\HyPsd@RemoveMask 559, 1585,
1591, 1604, 1614
\HyPsd@RemoveSpaceWarning .
. 1750, 1762, 1788
\HyPsd@ReplaceSpaceWarning .
. 1745, 1757, 1801
\HyPsd@Rest 1663, 1723, 1731,
1734, 1741, 1746, 1752, 1758,
1764
\HyPsd@SPACEOPTI . 553, 568,
569, 571, 573, 575, 576, 615,
617, 1698, 1882
\HyPsd@spaceopti 617, 1845

\HyPsd@SpanishPatch . 478, 1071
 \HyPsd@String 550, 552, 555, 557, 562, 564, 1629, 1630, 1640, 1692, 1693, 1697, 1698, 1713, 1714, 1744, 1756, 1815, 1816
 \HyPsd@StringSubst .. 565, 567, 573, 579, 582, 585, 588, 607, 610, 612, 1868
 \HyPsd@Subst . 561, 570, 574, 580, 586, 590, 594, 599, 600, 601, 602, 603, 604, 608, 611, 1852, 1869
 \HyPsd@temp 628, 630, 631, 633, 634, 640, 642, 643, 2488, 2489, 2490, 2493, 2496, 2502, 2514, 2518, 5640, 5641, 5642, 5644, 5645, 5650
 \HyPsd@ToBigChar 683, 684, 693
 \HyPsd@ToBigChars ... 637, 675
 \HyPsd@tocsection .. 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1427
 \HyPsd@UnescapedString .. 630, 677, 678, 684
 \HyPsd@UnexpandableSpace ... 1402, 1587, 1611, 1746, 1758
 \HyPsd@unichar 2013, 2080, 2086, 2091
 \HyPsd@unichar@first@byte 2099, 2119
 \HyPsd@unichar@octtwo .. 2121, 2129, 2135
 \HyPsd@unichar@second@byte .. 2107, 2127
 \HyPsd@UnicodeReplacementCharacter 2083, 2118
 \HyPsd@UTFviii . 395, 2001, 2006
 \HyPsd@UTFviii@@three .. 2036, 2045
 \HyPsd@UTFviii@two 2021, 2027
 \HyPsd@UTFviii@ccxliv@def 2011, 2017
 \HyPsd@UTFviii@ccxliv@undef .. 2010, 2016
 \HyPsd@UTFviii@four 2009, 2054
 \HyPsd@UTFviii@three 2008, 2035
 \HyPsd@UTFviii@two 2007, 2020
 \HyPsd@Warning 1563, 1768, 1789, 1802, 1831, 1837
 \HyPsd@XeTeXBigCharsfalse 650, 664, 669
 \HyPsd@XeTeXBigCharstrue ... 663, 672, 3296, 3302, 3308, 3314, 3332, 3338, 3418, 12355, 12695
 \HyPsd@XSPACE 519, 595, 1403
 \HyPsd@xspace ... 593, 595, 596
 \HyRef@StarSetRef . 7422, 7427
 \HyRef@autpageref . 7476, 7478
 \HyRef@autpagerefname . 7475, 7479, 7481
 \HyRef@autoref 7493, 7495
 \HyRef@autosetref ... 7498, 7501
 \HyRef@CaseStar 7562, 7568
 \HyRef@currentHtag .. 7514, 7532, 7535, 7541, 7548, 7554, 7569
 \HyRef@MakeUppercaseFirstOfFive 7442, 7444
 \HyRef@name .. 7530, 7531, 7536, 7543, 7561, 7562, 7563, 7565
 \HyRef@Ref 7448, 7450
 \HyRef>ShowKeysInit 7571, 7584, 7588
 \HyRef>ShowKeysRef 7502, 7570
 \HyRef@StarSetRef .. 7416, 7434, 7437, 7442
 \HyRef@StripStar ... 7529, 7560
 \HyRef@testreftype .. 7507, 7526
 \HyRef@thisref 7504, 7507
 \HyTmp@found . 4772, 4782, 4785
 \HyTmp@key 4766, 4767
 \HyTmp@optitem .. 4722, 4738, 4765, 4770, 4776, 4797, 4808
 \HyTmp@optlist 4721, 4736, 4737, 4768, 4769, 4774, 4775, 4783, 4784, 4804, 4806, 4813, 4816
 \HyWarning 5647
 \HyTeX@CheckUnicode . 3267, 3278, 3295, 3301, 3307, 3313, 3331, 3337, 3417, 5655

I

\i 13253, 13416, 13419, 13422, 13425, 13622, 13784, 13787, 13790, 13793, 13910, 13915, 13920, 13925, 13929, 14096, 14152
 \if .. 1428, 2183, 5472, 5480, 6117, 6118, 9533, 9536, 9540, 9544, 9548, 9550, 9552, 12459
 \if@eqnstar 6059, 6067
 \if@filesw 2151, 4243, 5290, 5326, 5686, 5696, 5894, 6580, 6595, 6611, 6623, 6653, 6676, 6703, 6708, 6727, 7071, 11564, 11588, 12697, 12830, 12899
 \if@hyper@item 5771, 5784
 \if@inlabel 6174
 \if@Localurl 9118, 9164
 \if@mid@expandable 492
 \if@minipage 6451, 6522
 \if@nmbrlist 5758
 \if@nobreak 6190
 \if@skiphyperref 5772, 5782
 \if@twocolumn 13071
 \if@twoside 13059
 \ifcase 998, 1020, 1043, 1133, 1182, 1204, 1207, 1213, 1257, 1373, 2049, 2493, 3080, 4568, 4673, 4802, 4878, 6889, 7048, 7085, 7314, 7503, 9606, 12398, 12475, 12540, 12575, 12609, 12755
 \ifcat 1664, 1691, 1696, 1701, 1704, 1707, 1710, 4358, 4360
 \ifdim 1414, 1744, 1748, 1756, 1760, 2215, 2234, 3586, 3871, 8261, 8265, 8270, 8274, 8281, 8284, 8288, 8291, 9098, 9099, 9104, 9105, 9237, 9240, 9244, 9247, 10073, 10084, 10425, 10426, 10431, 10432, 11205, 11244, 11245, 11685, 11725, 11726, 12026, 12066, 12067
 \ifetex@unexpanded 1570
 \iffalse 670
 \IfFileExists 5321, 10966
 \ifFld@checked 4825, 11526, 12386
 \ifFld@comb 4672
 \ifFld@combo .. 4700, 4705, 11219, 11248, 11699, 11729, 12040, 12070
 \ifFld@disabled 4826, 11527
 \ifFld@edit 4706
 \ifFld@fileselect 4675
 \ifFld@hidden 11182, 11233, 11301, 11322, 11346, 11365, 11425, 11437, 11447, 11530, 11662, 11714, 11794, 11816, 11845, 11866, 11995, 12055, 12153, 12179, 12209, 12235
 \ifFld@multiline ... 4673, 11170, 11432, 11649, 11982
 \ifFld@multiselect 4744
 \ifFld@password ... 4674, 11413
 \ifFld@popdown ... 4492, 11220, 11700, 12041
 \ifFld@radio . 11216, 11238, 11462, 11696, 11719, 12037, 12060
 \ifFld@readonly ... 11434, 11444, 11528
 \ifForm@html 4846
 \ifhmode .. 2233, 2242, 4152, 6142, 6257, 6269, 6409, 6411
 \ifHy@activeanchor ... 247, 4371
 \ifHy@backref .. 248, 3717, 4053, 5151, 6704, 6740
 \ifHy@bookmarks ... 249, 3915
 \ifHy@bookmarksnumbered .. 250, 7202, 7253, 12686

\ifHy@bookmarksopen . 251, 3905
\ifHy@breaklinks . 252, 2424, 9769,
9801, 10067, 10078
\ifHy@centerwindow . 253, 8098,
8628, 9038, 9644, 9977, 10765
\ifHy@CJKbookmarks . 254, 1085
\ifHy@colorlinks . 255, 3986, 5156,
10587
\ifHy@displaydoctitle . 289, 8099,
8629, 9039, 9645, 9978, 10766
\ifHy@draft 256, 3621
\ifHy@DvipdfmxOutlineOpen
3869, 12874
\ifHy@escapeform 259, 12310,
12340
\ifHy@figures . 260, 3697, 5136, 7012
\ifHy@fitwindow . 261, 8097, 8627,
9037, 9643, 9976, 10764
\ifHy@frenchlinks 262, 4002
\ifHy@hyperfootnotes 263, 6198
\ifHy@hyperindex . 264, 3707, 5146,
7019
\ifHy@hypertexnames 265, 5837,
5898, 6796, 7207, 7258
\ifHy@implicit 266, 3729, 12928
\ifHy@linktocpage . 267, 2381, 2391
\ifHy@menubar 268, 8095, 8625,
9035, 9641, 9974, 10762
\ifHy@naturalnames 269, 5850,
7208, 7259
\ifHy@nesting 270, 3702, 4181,
4214, 4249, 4356, 5141, 6223,
6238, 6303, 6462
\ifHy@newwindow . 272, 3536, 9344
\ifHy@newwindowset 271, 3534
\ifHy@next 847, 3694, 7036
\ifHy@ocgcolorlinks 273, 3030,
3972, 3982, 5161, 7692, 7710,
7785, 7793, 8742, 8825, 8833
\ifHy@pageanchor . 274, 5885, 5897,
5912, 6795
\ifHy@pagelabels 275, 5420, 5606,
5684
\ifHy@pdfa 290, 3645, 3974, 4299,
4505, 5017, 5053, 5166, 7852,
7923, 7954, 7990, 8317, 8887,
8915, 8942, 8966, 9305, 9326,
9347, 9366, 9398, 9429, 9445,
10177, 11141, 11291, 11339,
11616, 11784, 11838, 11954,
12142, 12202, 12388, 12461,
12599
\ifHy@pdfmarkerror . 10024, 10032
\ifHy@pdfpagehidden 276, 3151,
8223, 9582, 9853
\ifHy@pdfstring 277, 768, 5776
\ifHy@plainpages 278, 3712, 5899,
6797
\ifHy@psize 279
\ifHy@raiselinks 280, 8399, 8473,
8502, 8532, 10657, 10925
\ifHy@seminarslides 281
\ifHy@setpagesize 282, 8249, 9095,
9234, 10422
\ifHy@setpdfversion 2543, 7697
\ifHy@texht 283, 4014, 4046, 5204,
7362
\ifHy@toolbar 284, 8094, 8624,
9034, 9640, 9973, 10761
\ifHy@typexml 246, 3722, 3989,
4033, 5291, 12834, 12903
\ifHy@unicode 285, 391, 566,
578, 606, 614, 623, 948, 1104,
1770, 1791, 1804, 1833, 1839,
2081, 2454, 2504, 3269, 5630,
12351
\ifHy@useHidKey 3147, 8220, 9581,
9848
\ifHy@usetitle 286, 5336
\ifHy@verbose 287, 4135, 4143,
4448, 6864
\ifHy@windowui 288, 8096, 8626,
9036, 9642, 9975, 10763
\ifHyInfo@AddonUnsupported
3395, 3409, 3444
\ifHyPsd@XeTeXBigChars 668,
670, 673, 676
\ifmeasuring@ 5795, 5808
\ifnum 700, 703, 706,
709, 712, 824, 949, 952, 963,
964, 968, 976, 980, 983, 993,
1015, 1038, 1174, 1249, 1265,
1269, 1289, 1302, 1305, 1318,
1320, 1333, 1335, 1341, 1960,
1963, 2039, 2082, 2085, 2097,
2619, 2622, 2647, 3081, 3082,
3879, 3906, 4727, 4798, 4809,
5455, 5474, 5490, 5586, 7316,
7354, 7693, 7698, 8014, 8021,
8027, 8035, 8854, 8859, 9344,
9457, 9593, 9601, 9603, 9604,
9614, 9617, 9703, 9705, 9810,
10449, 11600, 11760, 12094,
12099, 12110, 12350, 12369,
12398, 12403, 12475, 12481,
12509, 12540, 12546, 12565,
12575, 12580, 12609, 12614,
12643, 12659, 12751, 12821,
12876, 12987, 13005, 13021
\ifodd 2063, 2068, 6819
\ifpdf 2659, 3763, 3825
\ifpdfstringunicode 396, 399
\ifportrait 8260
\ifthenelse 6730
\iftrue 673, 1577, 1599, 1863, 12989
\ifvmode 2198, 2214, 2223
\ifvoid 6008, 6017, 6178
\ifvtexhtml 3802, 3831
\ifvtexpdf 3842
\ifvtxps 3845
\ifxetex 629, 660, 2661, 3268, 3787,
3828, 3870
\ignorespaces 507, 5981, 6137,
6341, 6447, 6458, 6461, 6518,
6526, 6588, 6603, 6619, 6628,
6738, 7187, 7239
\IJ 13249, 13931
\ij 13458, 13933
\immediate 5292, 5293,
5294, 5296, 5328, 5599, 5689,
5697, 5909, 5937, 6583, 6598,
6614, 6624, 6654, 6677, 6703,
6733, 7711, 7726, 7741, 9708,
10446, 11543, 11565, 11606,
12741, 12807, 12833, 12835,
12902, 12904
\incr@eqnum 6028, 6041
\index 496
\indexentry 7074, 7089, 7097, 7101,
7106
\input 751, 759,
2463, 3002, 3010, 3017, 3865,
10364, 10447, 10538, 10700
\InputIfFileExists 3604, 12826,
12849, 12894, 12896
\inputlineno 4363
\insert 6319
\IntCalcAdd 1989
\IntCalcDec 1196
\IntCalcDiv 1190, 1199, 1204, 1271,
1280, 1292, 1309, 1324, 1339,
1973, 1979, 1985
\intcalcDiv 1180, 1980, 1987, 1990
\IntCalcMod 1192, 1201, 1207,
1275, 1281, 1296, 1312, 1327,
1341, 1343, 1975, 1980, 1981,
1987, 1990, 1992
\intcalcMod 1182
\intcalcSub 1967
\interfootnotelinepenalty 6322
\interlinepenalty 6322
\item 5753, 5756, 6610, 6622, 6725
\Itemautorefname 7594
\itemautorefname 2747, 2765,
2783, 2801, 2819, 2837, 2855,
2884, 2885, 2913, 2931, 7594,
7595, 7598
\itemindent 6179
\itshape 450

J	
\j	13938, 14123, 14187
\jarr	15544
\jeem	15516
\jeh	15552
\jobname	5293, 5321, 5328, 10966, 12740, 12826, 12833, 12849, 12894, 12896, 12902
K	
\k	13133, 13475, 13477, 13482, 13484, 13527, 13545, 13564, 13571, 13835, 13837, 13875, 13877, 13922, 13924, 13925, 14060, 14062, 14119, 14121, 14718, 14757, 14760
\kaf	15534
\kasra	15547
\keepPDF@SetupDoc	10591, 10598
\kern	1673, 1745, 1750, 1762, 6179, 6814, 6815, 6816, 6818, 6819, 6824, 12943
\kernel@ifnextchar	526
\kha	15518
\KV@Hyp@draft	2355
\KV@Hyp@nolinks	2355
\kv@key	3403, 3406, 3413, 4725, 4728, 4730, 4734, 4738
\kv@parse	4724
\kv@parse@normalized	3428, 3435
\kv@processor@default	3431, 3438
\kv@set@family@handler	3396
\kv@value	3401, 4726, 4733, 4734
\kvsetkeys	3376
L	
\L	13242, 13962
\l	13255, 13964
\l@slide	7187, 7297, 7302, 7306, 7313
\l@subslide	7239, 7302, 7309, 7353
\label	495, 6837
\label@@hyperref	4221, 4223
\label@hyperdef	4207, 4235
\label@hyperref	4188, 4220, 4384
\labelsep	6737
\labelwidth	6736
\lam	15535
\language@group	475
\languageshorthands	804, 805, 840
\LARGE	457
\Large	458
\large	461, 7319, 7327, 7337, 7345
\lastbox	6177
\lastpage@putlabel	5880
\lastskip	2215, 2219, 2226, 2234, 2238, 2245
\LaTeX	420, 421, 10972, 10973
\LaTeXe	421, 10973
\LayoutCheckField	5092, 11366, 11867, 12240
\LayoutChoiceField	5089, 11237, 11718, 12059
\LayoutPushButtonField	5095, 11295, 11302, 11788, 11795, 12146, 12155
\LayoutTextField	5086, 11184, 11664, 12001
\lccode	699, 1114, 2004, 4977, 7033, 7034
\ldots	415
\leavevmode	504, 2193, 3631, 3648, 3688, 4304, 5262, 6256, 6408, 6644, 7454, 7462, 7838, 7908, 7939, 7975, 8398, 8472, 8500, 8530, 8907, 8935, 9129, 9138, 9192, 9341, 9362, 9385, 9416, 9771, 10066, 10291, 10309, 10334, 10656, 10924, 11296, 11303, 11338, 11748, 11769, 11789, 11796, 11817, 11837, 12092, 12123, 12147, 12156, 12181, 12201, 12941
\LetLtxMacro	5207, 5211, 5279, 5283
\limits	4118
\listofslides	7288
\listslidename	7287, 7290, 7292, 7294
\literalps@out	2191, 9697, 9702, 9751, 9757, 9774, 9780, 10042, 10053, 10074, 10076, 10085, 10087, 10362, 10445, 10508, 10698
\lower	8402, 8475, 8504, 8534, 10076, 10660, 10928
\lowercase	719, 1115, 2005, 2257, 2691, 2721, 3343, 3379, 4397, 4398, 4401, 4406, 4430, 4440, 4494, 4550, 4869, 4909, 4912, 4978, 7035, 9809
\lslide@flag	7314, 7317, 7335, 7354, 7358
\LT@array	5994
\LT@firsthead	6008, 6017
\LT@p@ftn	6275, 6278, 6282, 6296
\LT@p@ftntext	6273, 6280
\LT@start	6010, 6021
\ltx@ifpackageloaded	1081
\luatexrevision	8058
\luatexversion	8050, 8055
M	
\m@ne	4412, 5925, 6109, 8863, 12896, 12987, 13002
\make@df@tag@@	6948, 6950
\make@df@tag@cc@	6949, 6951
\make@stripped@name	5800, 6050, 6072, 6096, 6107
\makeatletter	3, 782, 5320
\MakeButtonField	5102, 11297, 11305, 11324, 11343, 11348, 11790, 11799, 11824, 11842, 11848, 12148, 12151, 12180, 12206, 12210
\MakeCheckField	5099, 11368, 11870, 12237
\MakeChoiceField	5101, 11280, 11772, 12121
\MakeFieldObject	11542, 11625, 11635, 11638
\MakeLowercase	472
\MakeLowercaseUnsupportedInPdfStrings	472
\MakeRadioField	5098, 11268, 11759, 12086
\makeslideheading	7197
\makeslidesubheading	7249
\maketag@@@	6937
\MakeTextField	5100, 11186, 11667, 11998
\maketitle	6358, 6359
\MakeUppercase	471, 7292, 7294, 7445
\MakeUppercaseUnsupportedInPdfStrings	471
\MathB@Suppress	9139, 9143
\mathdisplay	6031, 6040
\mathdisplay@push	6029, 6038
\mathversion	466
\maxdimen	3102, 11547
\MaybeStopEarly	331, 2570, 2624, 3733, 3833, 5717
\mbox	505, 6657, 6680, 7795, 8835
\mddefault	6149
\mdseries	449
\meaning	62, 153, 159, 2154, 5360, 5863, 6114, 12860, 12868, 12883
\measuring@false	5795
\mediaheight	9230, 9232, 9238, 9245
\mediawidth	9241, 9248
\meem	15536
\message	7315
\MessageBreak	364, 1776, 1797, 1810, 1833, 1838, 1840, 2279, 2280, 2294, 2316, 2319, 2321, 2399, 2400, 2426, 2427, 2476, 2477, 2478, 2516, 2517, 2537, 2547, 2713, 3032, 3272, 3356, 3411, 3412, 3591,

3767, 3768, 3776, 3777, 3791,
 3792, 3806, 3807, 3815, 3816,
 3976, 4451, 4456, 4465, 4508,
 4554, 4678, 4791, 4873, 5425,
 5633, 5649, 5888, 6841, 6871,
 6872, 6873, 6874, 6875, 7007,
 7842, 8872, 9317, 9389, 9878,
 11555, 11557, 12664, 12682,
 12743
 \MF 424, 10975
 \MP 425, 10976
 \multiply 8054, 9562, 9597

N

\n 710
 \name@of@eq 5769, 5798
 \name@of@slide 5770, 5780
 \nameref 502
 \nasb 15542
 \netscape 8434
 \new@ifnextchar 527
 \new@pdflink 7823, 7873, 7876
 \new@refstepcounter 6023, 6055
 \newblock 6741
 \newcommand 4, 9, 42, 2192, 5266,
 5732, 5735, 5738, 5739, 5740,
 5742, 5743, 5744, 5745, 5747,
 5748, 5749, 5750, 5751, 5752,
 5761, 5762, 5763, 5764, 5765,
 5766, 6105, 6975, 7174, 7179,
 7180, 12713, 12716, 12721
 \newcount 332, 333, 4829, 5436,
 11276, 11766, 11968, 12117,
 12748
 \newcounter 5754, 6199, 8741,
 12712
 \newdimen 329, 4830, 4831
 \newif 246, 247, 248, 249,
 250, 251, 252, 253, 254, 255,
 256, 259, 260, 261, 262, 263,
 264, 265, 266, 267, 268, 269,
 270, 271, 272, 273, 274, 275,
 276, 277, 278, 279, 280, 281,
 282, 283, 284, 285, 286, 287,
 288, 289, 290, 668, 847, 2543,
 3147, 3395, 3869, 4404, 4492,
 4825, 4826, 4846, 5771, 5772,
 5795, 6059, 9118, 10024
 \newlabel 2157, 4245, 5303, 5304,
 5311, 5333, 5910, 5938
 \newlabelxx 5305, 5306
 \newlength 12934
 \newline 418, 5381
 \newname 5801, 6051, 6073, 6097,
 6110, 6119
 \newsavebox 8671, 10061
 \newtie 13135, 13136, 13519, 13549,
 13568, 13584

\newtoks 90, 4891, 9896, 10094,
 10095
 \newwrite 5327, 12831, 12900
 \next 6731, 6732, 6733, 9525, 9527,
 9529
 \nfss@text 7369, 7389, 7406, 7520
 \NG 13980
 \ng 13982
 \noboundary 15557
 \nobreak 2216, 2224, 2235, 2243,
 6257, 6409
 \nobreakspace 515, 7457, 7486,
 7489
 \noexpand 22, 93, 95, 108, 116,
 169, 171, 172, 173, 176, 206,
 688, 792, 1128, 1524, 1541,
 1664, 2018, 2222, 2223, 2224,
 2227, 2241, 2242, 2243, 2246,
 2963, 2965, 2967, 2968, 2984,
 3158, 3159, 3161, 3461, 4112,
 4195, 4275, 4358, 4360, 4460,
 5528, 5529, 5538, 5540, 5543,
 5662, 5922, 5923, 5925, 5951,
 5952, 5953, 5954, 5955, 5963,
 5964, 5965, 6113, 6276, 6284,
 6285, 6286, 6287, 6288, 6290,
 6418, 6507, 6582, 6597, 6613,
 6967, 6969, 7422, 7423, 7536,
 7537, 7542, 7544, 7549, 7550,
 7555, 7556, 8057, 8612, 9961,
 10028, 10505, 10749, 11212,
 11213, 11214, 11215, 11692,
 11693, 11694, 11695, 12033,
 12034, 12035, 12036, 12312
 \nofrenchguillemets 534, 536
 \NoHy@OrgPageRef 5211, 5213,
 5283, 5285
 \NoHy@OrgRef 5207, 5209, 5279,
 5281
 \NoHyper 5215
 \nohyperpage 5261, 7118, 7120,
 7122
 \nolinkurl 4174
 \nolinkurl@ 4174, 4175
 \NomFancyVerbLineautorefname
 2902
 \Nomfootnoteautorefname 2882
 \Nomtheoremautorefname 2906
 \nonumber 6084, 6087
 \normalfont 444, 6145
 \normalsize 462, 6454, 6525
 \NR@getttitle 6444
 \null 6722, 6730, 7411, 7516
 \number 966,
 970, 973, 981, 984, 986, 1251,
 1253, 1280, 1281, 1964, 2022,
 2023, 2024, 2025, 2029, 2030,

O

\O 13375, 13743, 14138
 \o 13443, 13811, 14140
 \obeylines 10504
 \OBJ@acroform 11622, 11623
 \OBJ@Helv 11603, 11612, 11929
 \OBJ@OCG@print 7740, 7743,
 7751, 7777, 8759, 8761, 8774,
 8778, 8787, 8816
 \OBJ@OCG@view 7725, 7743,
 7776, 8743, 8745, 8758, 8778,
 8815
 \OBJ@OCGs 7746, 7749, 7755,
 7760, 7765, 8775, 8777, 8781,
 8785, 8791, 8796, 8801
 \OBJ@pdfdocencoding 11601,
 11910, 11926
 \OBJ@ZaDb 11602, 11611, 11919
 \OCIRCUMFLEX 15380, 15478,
 15479, 15480, 15481, 15482
 \ocircumflex 15373, 15418, 15419,
 15420, 15421, 15422
 \oddsidemargin 6820
 \OE 13244, 13996
 \oe 13257, 13998
 \offinterlineskip 5407
 \OHORN 15381, 15483, 15484,
 15485, 15486, 15487
 \ohorn 2929, 2936, 15374, 15423,
 15424, 15425, 15426, 15427
 \oldb 742
 \oldc 743
 \oldcontentsline 5298, 5301, 5310
 \oldd 744

\oldnewlabel 5303, 5308, 5311
 \OMEGA 10971
 \on@line 6868, 6869
 \openout 5293, 5328, 12833, 12902
 \OpMode 2619, 2622, 2633, 2647,
 2650, 9614, 9705, 10449
 \or 1000,
 1001, 1002, 1003, 1004, 1005,
 1006, 1007, 1008, 1022, 1023,
 1024, 1025, 1026, 1027, 1028,
 1029, 1030, 1045, 1046, 1047,
 1048, 1049, 1050, 1051, 1052,
 1053, 1134, 1135, 1136, 1137,
 1138, 1139, 1140, 1141, 1142,
 1143, 1144, 1145, 1146, 1147,
 1148, 1149, 1150, 1151, 1152,
 1153, 1154, 1155, 1156, 1157,
 1158, 1159, 1160, 1161, 1162,
 1163, 1164, 1165, 1183, 1205,
 1208, 1214, 1215, 1216, 1217,
 1218, 1219, 1220, 1221, 1222,
 1223, 1224, 1225, 1226, 1227,
 1228, 1229, 1230, 1231, 1232,
 1233, 1234, 1235, 1236, 1237,
 1238, 1239, 1240, 1241, 1242,
 1243, 1244, 1245, 1258, 1259,
 1260, 1261, 1262, 1374, 1375,
 1376, 4578, 4584, 4589, 4803,
 6891, 6895, 7334, 7343, 9607,
 12756, 12757, 12758, 12759,
 12760, 12761, 12762, 12763,
 12764, 12765, 12766, 12767,
 12768, 12769, 12770, 12771,
 12772, 12773, 12774, 12775,
 12776, 12777, 12778, 12779,
 12780, 12781, 12782, 12783,
 12784, 12785, 12786, 12787

P

\P 414
 \p@ 2088, 2093, 4832, 4838, 6151,
 8408, 8485, 8514, 8544, 9561,
 10666, 10938, 11207, 11687,
 12028, 13064, 13065
 \p@equation 6944
 \PackageError 61, 2475, 3672, 4300,
 4553, 4677, 4872, 5019, 5055,
 11292, 11340, 11785, 11839,
 12143, 12203
 \PackageInfo 242, 7688, 7702,
 11553
 \PackageWarning 240, 2546, 4789
 \PackageWarningNoLine 241
 \pageautorefname 2760, 2778,
 2796, 2814, 2832, 2850, 2868,
 2908, 2926, 2944, 7489, 7611
 \pagename 7486

\pageref 501, 3743, 4041, 5211,
 5212, 5283, 5284, 5888, 7475,
 7479
 \paperheight 3584, 8265,
 8267, 8270, 8272, 8284, 8285,
 9099, 9100, 9237, 9238, 9240,
 10426, 10427
 \paperwidth 8261, 8263, 8274,
 8276, 8281, 8282, 9098, 9100,
 9241, 10425, 10427
 \par 6143, 6446, 6474, 6516, 6526,
 6724, 6744
 \paragraphautorefname 2756,
 2774, 2792, 2810, 2828, 2846,
 2864, 2897, 2899, 2922, 2940,
 7607
 \partautorefname 2750, 2768, 2786,
 2804, 2822, 2840, 2858, 2888,
 2916, 2934, 7601
 \partnumberline 12688, 12692
 \PassOptionsToPackage 2663,
 2702, 2706, 2728, 3615, 3858
 \pdf@addtoks 10097, 10116, 10122,
 10131, 10138, 10142, 10144,
 10146, 10148, 10150, 10158,
 10167, 10171, 10173, 10175,
 10178, 10187, 10191, 10193,
 10195, 10197, 10199, 10201,
 10203, 10205, 10207, 10209,
 10211, 10213, 10215, 10217,
 10219, 10221, 10222, 10223,
 10224, 10225, 10226, 10227,
 10228, 10229, 10230, 10231,
 10236
 \pdf@addtoksx 10091, 10101, 10114
 \pdf@box 10061, 10068, 10070,
 10072, 10073, 10076, 10083
 \pdf@defaulttoks 10028, 10095,
 10096, 10106
 \pdf@docset 9896
 \pdf@endanchor 7830, 7873, 7880
 \pdf@escapestring 7667
 \PDF@FinishDoc 2573, 2574, 2627,
 2628, 3578, 3633, 3736, 3737,
 3836, 3837, 5260, 5417, 5418,
 8133, 8338, 8561, 8992, 9119,
 9673, 9897, 10705, 10866
 \pdf@linktype 10046, 10050, 10111,
 10112
 \pdf@rect 10038, 10052, 10065
 \PDF@SetupDoc 3577, 3632,
 5178, 5179, 5259, 8064, 8339,
 8592, 9032, 9120, 9622, 9948,
 10593, 10736, 10867
 \PDF@SetupDox 8064
 \pdf@strcmp 824

\pdf@toks 10028, 10043, 10054,
 10094, 10098, 10102
 \pdf@type 10030, 10034, 10043,
 10054, 10089, 10109
 \pdfannotlink 7814
 \pdfbookmark 2192, 5265, 5266,
 12714, 12719, 12724, 12728
 \pdfcatalog 5571, 7747, 8079, 8121,
 11623
 \PDFdefaults 10105
 \pdfdest 7832
 \pdfendlink 7870, 11667, 11759,
 11773, 11800, 11825, 11849,
 11871
 \pdfescapestring 12341
 \pdfform 7816
 \PDFForm@Check 11367, 11369,
 11868, 11869, 12241, 12245,
 12360
 \PDFForm@List 11279, 11281,
 11770, 11771, 12124, 12129,
 12467
 \PDFForm@Name 11660, 11713,
 11783, 11864, 11993, 12054,
 12141, 12233, 12348
 \PDFForm@Push 11304, 11306,
 11797, 11798, 12157, 12161,
 12388
 \PDFForm@Radio 11267, 11271,
 11749, 11751, 12093, 12105,
 12500
 \PDFForm@Reset 11347, 11349,
 11846, 11847, 12211, 12216,
 12599
 \PDFForm@Submit 11323, 11326,
 11818, 11820, 12182, 12187,
 12567
 \PDFForm@Text 11185, 11187,
 11665, 11666, 12002, 12005,
 12532
 \pdfhorigin 8257
 \pdfinfo 8136
 \pdflastform 7817
 \pdflastlink 11583
 \pdflastobj 7725, 7740, 7746, 11622,
 11910, 11919, 11929
 \pdflastxform 7817, 11545, 11547
 \pdflinkmargin 7812, 7815, 7820
 \pdfliteral 7796, 7798, 7803
 \pdfm@box 8671, 11964, 11965,
 11966, 11997, 12008, 12085,
 12109, 12120, 12131, 12151,
 12164, 12180, 12189, 12210,
 12218, 12236, 12247
 \pdfmark
 5680, 8612, 8621, 8651, 9738,
 9758, 9788, 9820, 9837, 9849,

9883, 9920, 9932, 9961, 9970,
 10001, 10025, 10244, 10258,
 10273, 10285, 10292, 10310,
 10335, 10749, 10758, 10789,
 11186, 11268, 11280, 11305,
 11324, 11348, 11368, 12864
`\pdfmark@` 10025, 10026
`\pdfminorversion` 7685
`\PDFNextPage` 10256
`\PDFNextPage@` .. 10256, 10257
`\pdfobj` . 7711, 7726, 7741, 11606,
 11877, 11911, 11920
`\PDFOpen` 10284
`\pdfoptionpdfminorversion` 7682
`\pdfoutline` 12912
`\pdfpageattr` .. 8175, 8179, 8180,
 8190, 8199, 8203, 8204, 8214,
 8222, 8225, 8226, 8236
`\pdfpageheight` 8267, 8276, 8285,
 8292
`\pdfpageresources` 7774
`\pdfpagesattr` .. 8068, 8070, 8072
`\pdfpagewidth` . 8263, 8272, 8282,
 8289
`\PDFPreviousPage` 10269
`\PDFPreviousPage@` 10270, 10272
`\pdfrefform` 7818
`\pdfrefobj` .. 11601, 11602, 11603
`\pdfrefxform` 7818, 11547
`\pdfstartlink` 7813, 7814,
 7866, 7909, 7940, 7976, 8303,
 11666, 11750, 11771, 11798,
 11819, 11847, 11869
`\pdfstringdef` 384, 655, 3298, 3304,
 3310, 3316, 3321, 3327, 3334,
 3340, 3420, 4750, 4755, 4781,
 5384, 5464, 5466, 5903, 6803,
 12356, 12696
`\pdfstringdefDisableCommands` .
 ... 741, 780, 5263, 5379
`\pdfstringdefPostHook` .. 651, 774
`\pdfstringdefPreHook` .. 511, 774,
 786, 788, 5378, 5388
`\pdfstringdefWarn` .. 417, 418, 506,
 791, 1532, 1537, 1556, 1560
`\pdftexrevision` .. 8024, 8032, 8043
`\pdftexversion` .. 8019, 8021, 8024,
 8027, 8030, 8031, 8035, 8041,
 8042, 11600
`\pdfvorigin` 8258
`\pdfxform` 7816, 11543
`\peh` 15550
`\penalty` .. 1667, 2201, 4153, 6651,
 6674
`\phantom` 467
`\phantomsection` 3579, 5267, 6843,
 12632, 12684, 13006
`\Preamble` 10967
`\PrerenderUnicode` 3289
`\process@me` .. 5358, 5370, 5371,
 8067, 8076
`\ProcessKeyvalOptions` ... 3619
`\protect` 1665, 4225, 6447,
 6518, 6582, 6597, 6613, 6729,
 6736, 6737, 6881, 6912, 7187,
 7239, 7368, 7388, 7394, 7405,
 7519, 8349, 8439, 9190, 9265,
 10604, 10877, 12702, 12936,
 13064, 13065
`\protected@edef` 4260, 5524, 6111,
 6131, 7839, 8869, 9314, 9386,
 9875
`\protected@write` 2156, 4244, 6709,
 7073, 7088, 7096, 7100, 7105,
 12701
`\protected@xdef` . 6285, 6287, 6384
`\providemode`
 2173, 2174, 2678, 3057,
 3058, 3061, 3062, 3824, 4020,
 4021, 4126, 4179, 5554, 5573,
 5698, 6547, 6548, 6563, 6641,
 7170, 7171, 7287, 7592, 7593,
 7594, 7595, 7596, 7597, 7598,
 7599, 7600, 7601, 7602, 7603,
 7604, 7605, 7606, 7607, 7608,
 7609, 7610, 7611, 7674, 7822,
 7834, 7835, 8337, 8433, 8434,
 8669, 8728, 8729, 8730, 9116,
 9235, 9257, 9258, 9259, 9698,
 10062, 10063, 10360, 10368,
 10369, 10370, 10371, 10443,
 10455, 10456, 10457, 10458,
 10502, 10543, 10544, 10545,
 10546, 10694, 10696, 10697,
 10810, 10811, 10858, 11566
`\PushButton` 5074
`\put@me@back` .. 4353, 4366, 4376

Q

`\qaf` 15533
`\quotedblbase` 13224, 13461, 15050,
 15354
`\quoting\base` .. 13234, 13463,
 15044, 15356

R

`\r` .. 713, 13102, 13114, 13126, 13336,
 13401, 13510, 13537, 13556,
 13578, 13705, 13769, 14052,
 14054, 15014, 15016
`\ra` 15521
`\raff` 15543
`\raise` 2208, 8409, 8486, 8515, 8545,
 10087, 10667, 10939

`\ReadBookmarks` 3618, 3636, 3750,
 3924, 4049, 12812, 12842
`\real@setref` 7365, 7431
`\realfootnote` 6381
`\Ref` 7447, 7451, 7456
`\ref` .. 500, 3742, 4040, 4392, 5207,
 5208, 5279, 5280, 6346, 6353,
 7466, 10959
`\ref@one` 4201, 4202
`\rEfLiNK` 10960, 10961
`\refstepcounter` 5768, 5775, 5976,
 5996, 6023, 6047, 6055, 6510
`\rem@ptetc` 9810, 9812
`\renewcommand` 2148, 6489, 6989,
 12728
`\RequirePackage` 22, 232,
 233, 234, 235, 236, 237, 238,
 239, 807, 1078, 1079, 1569,
 2142, 2528, 3608, 3724, 3725,
 3992, 4036, 4054, 4171, 4395,
 5249, 5398, 5614, 7614, 9117,
 10863, 12738
`\RerunFileCheck` 12740
`\Reset` 5083
`\reset@font` 6657, 6680, 7369, 7389,
 7406, 7520
`\revtex@checking` 6634
`\Rightarrow` 7321
`\rlap` 7797, 8837
`\rm` 455
`\rmfamily` 445
`\Roman` 5520
`\roman` 5521
`\romannumeral` 798, 799
`\rule` 6330

S

`\sad` 15525
`\sbox` .. 3285, 5103, 10062, 10070,
 11542
`\scr@LT@array` 5995
`\scriptsize` 463
`\scriptstyle` 6647
`\scrollmode` 1584, 1609, 1619, 1632,
 1724, 1856
`\scshape` 451
`\section` 7289
`\sectionautorefname` .. 2753, 2771,
 2789, 2807, 2825, 2843, 2861,
 2890, 2919, 2937, 7604
`\seen` 15523
`\selectfont` .. 431, 4003, 11631
`\setbox` 1668,
 1674, 1680, 3085, 3091, 4925,
 5406, 6177, 7787, 8329, 8400,
 8471, 8501, 8531, 8810, 8827,
 10658, 10926, 11997, 12085,

12120, 12151, 12180, 12210,
 12236
 \setkeys 2567, 2658, 3275, 3600,
 3646, 3857, 3973, 4823, 7694,
 10031, 11158, 11398, 11411,
 11460, 11503, 11524, 11598,
 11939
 \setlength 368, 369, 2205,
 8257, 8258, 8263, 8267, 8272,
 8276, 8282, 8285, 8289, 8292,
 9238, 9241, 9245, 9248, 9561,
 12954, 13029
 \setpdfinkmargin 3468, 3469, 7812
 \settowidth 11204, 11684, 12025
 \SetupKeyvalOptions 3609
 \sffamily 446
 \shadda 15548
 \sheen 15524
 \shortciteN 6772
 SK@ 7578
 SK@ref 7578
 SK@ref 7575
 $\skip@$ 1682, 1756, 1757, 1760, 1762,
 2219, 2225, 2238, 2244
 $\slide@cline$ 7307, 7320, 7328, 7338,
 7346
 $\Slide@contents$ 7312
 $\slide@contents$ 7305
 $\slide@heading$ 7183
 $\slide@subheading$ 7236
 $\slide@undottedcline$ 7298
 \slidenumberline 7299, 7307, 7321,
 7329, 7339, 7347
 SliTeX 423
 slshape 452
 small 464
 smash 2202
 \spacefactor 6257, 6269, 6409, 6411
 $\special@paper$ 3580
 $\SpecialDvipdfmxOutlineOpen$
 2594, 2596, 3879
 \splitmaxdepth 6324
 \splittopskip 6323
 SS 13459, 15353
 ss 2800, 13389, 13474, 13757
 st@rredfalse 6030, 6039
 \stepcounter 5785, 5923, 6130,
 6258, 6383, 8853, 12698
 \stockheight 3584, 8291,
 8292, 9105, 9106, 9244, 9245,
 10432, 10433
 \stockwidth 8288, 8289, 9104, 9106,
 9247, 9248, 10431, 10433
 $\stop@hyper$ 5230
 $\StringEncodingConvertTest$ 631,
 640
 $\strip@period$ 2161
 $\strip@prefix$ 62, 2154, 5360, 5863,
 6114, 12860, 12868, 12883
 $\strip@pt$ 373, 380, 3596,
 8263, 8267, 8272, 8276, 9564,
 12383, 12495, 12523, 12560,
 12608
 $\strip@pt@and@otherjunk$. 9757,
 9780, 9812
 \strutbox 6324
 $\sub@label$ 2148
 \subeqnarray 6090, 6092
 \subequations 6128, 6129
 $\subfig@oldlabel$ 2150
 \Submit 5080
 \SubmitObject 11821
 \SubmitPObject 11821
 \subparagraphautorefname 2757,
 2775, 2793, 2811, 2829, 2847,
 2865, 2898, 2900, 2923, 2941,
 7608
 \subpdfbookmark 12716
 \subsection 10690
 \subsectionautorefname 2754,
 2772, 2790, 2808, 2826, 2844,
 2862, 2895, 2920, 2938, 7605
 $\subsubsectionautorefname$ 2755,
 2773, 2791, 2809, 2827, 2845,
 2863, 2896, 2921, 2939, 7606
 \sukun 15549
 \surd 7329

T

T 15513
 t 13134, 13529, 13548, 13567,
 13583
 T@pageref 4027, 4042, 7464
 T@ref 4022, 4040
 T@temp 6635, 6638
 Ta 15527
 taa 15514
 tableautorefname 2749, 2767,
 2785, 2803, 2821, 2839, 2857,
 2887, 2915, 2933, 7600
 tagform@ 6943
 tatweel 15531
 tcgeh 15551
 temp@online 6868, 6871
 TeX 419, 420, 422, 423, 10970,
 10972, 10974
 texorpdfstring 767, 5264
 textacute 13098, 13110, 13122,
 13302, 13533, 13552, 13670
 textacutedbl 14202
 textaleph 15168
 textAlpha 1000, 14222, 14238
 textalpha 1000, 14291, 14301
 timestamps 411, 13169, 13600
 textangstrom 15164
 textasciacute 13671
 textasciibreve 13145, 13541,
 13560, 14191
 textasciicaron 13103, 13115,
 13127, 13147, 13538, 13557,
 14189
 textasciicircum 13099, 13111,
 13123, 13183, 13534, 13553,
 13616
 textasciidieresis 13101, 13113,
 13125, 13279, 13536, 13555,
 13647
 textasciigrave 13097, 13109, 13121,
 13188, 13532, 13551, 13620
 textasciimacron 13106, 13118,
 13130, 13292, 13543, 13562,
 13660
 textasciitilde 412, 4089, 13198,
 13631
 $\text{textasteriskcentered}$ 13608
 textbackslash 407, 565, 13181,
 13614
 textbaht 14876
 textbar 13194, 13627
 textbardbl 15038
 textBeta 1001, 14240
 textbeta 1001, 13474, 14303
 textbf 438
 textbigcircle 13550, 13569, 15338
 textblank 15186
 textbraceleft 405, 13192, 13625
 textbraceright 406, 13196, 13629
 textbrokenbar 13275, 13643
 textbullet 13200, 15056
 textcdot 13473, 15366
 textcedilla 13105, 13117, 13129,
 13310, 13540, 13559, 13679
 textcelsius 13460, 15148
 textcent 13267, 13635
 textChi 1050, 14280
 textchi 1050, 14345
 textcircled 13531, 13550, 13569,
 15190, 15192, 15194, 15196,
 15198, 15200, 15202, 15204,
 15206, 15208, 15210, 15212,
 15214, 15216, 15218, 15220,
 15222, 15224, 15226, 15228,
 15230, 15232, 15234, 15236,
 15238, 15240, 15242, 15244,
 15246, 15248, 15250, 15252,
 15254, 15256, 15258, 15260,
 15262, 15264, 15266, 15268,
 15270, 15272, 15274, 15276,
 15278, 15280, 15282, 15284,
 15286, 15288, 15290, 15292,
 15294, 15296, 15298, 15300,

\textcircledP	15152	\textfourinferior	15114	\textmultiply	13373, 13470, 13741, 15363
\textcircumflex	13149	\textfoursuperior	15082	\textmusicalnote	15340
\textcolonmonetary	15130	\textfractionsolidus	13214, 15072	\textnaira	15134
\textcolor {470, 11597, 11636, 11639, 11938}		\textfrq	491, 13468, 15361	\textnastrophe	13978
\textcompwordmark	15032	\textfrqq	489, 13466, 15359	\textneg	13469, 15362
\textcopyright	13281, 13649	\textGamma	1002, 14242	\textnewtie	13549, 13568, 14210
\textCR	13143, 13590	\textgamma	1002, 14305	\textnineinferior	15124
\textcurrency	13271, 13639	\textglq	486, 13463, 15356	\textninesuperior	15092
\textdagger	13202, 15052	\textglqq	484, 13461, 15354	\textnormal	434
\textdaggerdbl	13204, 15054	\textgravedbl		\textnsuperior	15104
\textdegree . 13294, 13460, 13662		\textgreater	13179, 13612	\textNu	1026, 14262
\textDelta	1003, 14244	\textgrq	487, 13464, 15357	\textnu	1026, 14325
\textdelta	1003, 14307	\textgrqq	485, 13462, 15355	\textnumbersign	408, 13163, 13594
\textDigammagreek	14366	\textGslash	14107	\textnumeralsigngreek	977, 14218
\textdigammagreek	14368	\textgslash	14109	\textnumeralsignlowergreek	994, 1016, 1039, 14220
\textdiscount	15078	\textguarani	15146	\textnumero	15150
\textdiv	13471, 15364	\textHslash	13903	\texttogenek	13155, 13545, 13564, 14197
\textdivide .. 13441, 13471, 13809, 15364		\texthslash	13905	\texttohm	15160
\textdivorced	15344	\textHT	13139, 13586	\textOmega .. 1052, 14234, 14284	
\textdollar .. 409, 13165, 13596		\texthungarumlaut	13153, 13544, 13563, 14201, 14202	\textomega .. 1052, 14349, 14360	
\textdong	15140	\textinterrobang	15070	\textOmicron .. 1028, 14230, 14266	
\textdotaccent 13104, 13116, 13128, 13151, 13539, 13558, 14193		\textIota .. 1022, 14228, 14254, 14287		\textomicron .. 1028, 14329, 14355	
\textdotbelow 13108, 13120, 13132, 13175, 13547, 13566, 14212		\textiotatilde .. 1022, 14297, 14317, 14351		\textonehalf	13320, 13689
\textdoublegrave .. 13542, 13561, 14208		\textIotadieresis .. 14236, 14286		\textoneinferior	15108
\textdownarrow	15176	\textit	440	\textonequarter .. 13318, 13687	
\texteightinferior	15122	\textKappa	1023, 14256	\textonesuperior .. 13312, 13681	
\textightsuperior	15090	\textkappa	1023, 14319	\textopenbullet	15336
\textellipsis 415, 416, 13206, 15058		\textKoppagreek .. 1030, 14370		\textordfeminine .. 13283, 13651	
\textemdash .. 599, 13208, 15036		\textkoppagreek .. 1030, 14372		\textordmasculine .. 13314, 13683	
\textendash .. 600, 13210, 15034		\textkra	13944	\textparagraph .. 414, 13306, 13675	
\textEpsilon .. 1004, 14224, 14246		\textLambda .. 1024, 14258		\textparenleft .. 607, 608, 13171, 13604	
\textepsilon .. 1004, 14293, 14309		\textlambda .. 1024, 14321		\textparenleftinferior .. 15126	
\textequalsuperior	15098	\textlangle	15182	\textparenleftsuperior .. 15100	
\textestimated	15166	\textlatin	473, 5851	\textparenright .. 13173, 13606	
\textEta .. 1007, 14226, 14250		\textlbrackdbl	15346	\textparenrightinferior .. 15128	
\texteta .. 1007, 14295, 14313		\textleftarrow	15170	\textparenrightsuperior .. 15102	
\texteuro	13263, 15142	\textless	13177, 13610	\textpercent .. 410, 13167, 13598	
\textexclamdown .. 603, 911, 13265, 13633		\textLF	13141, 13588	\textperiodcentered .. 13308, 13473, 13677, 15366	
\textfi	601, 13238, 15350	\textlira	15132	\textpertenthousand .. 15062	
\TextField	5065	\textlnot	13288, 13656	\textperthousand .. 13222, 15060	
\textfiveinferior	15116	\textlogicalnot	13287, 13469, 13655, 15362	\textpeseta	15136
\textfivesuperior	15084	\textmarried	15342	\textpeso	15144
\textfl	602, 13240, 15352	\textmd	439	\textPhi	1049, 14278
\textflorin	13212, 14088	\textmho	15162	\textphi	1049, 14343
\textflq	490, 13467, 15360	\textminus	13220, 15178	\textPi	1029, 14268
\textflqq	488, 13465, 15358	\textminussuperior	15096	\textpi	1029, 14331
		\textMu	1025, 14260	\textplusminus .. 13296, 13472, 13664, 15365	
		\textmu	1025, 13304, 13673	\textplussuperior .. 15094	
		\textugreek	14323	\textpm .. 13472, 15365	
				\textPsi	1051, 14282
				\textpsi	1051, 14347

\textquestiondown 604, 912,
13324, 13693
\textquotedbl 13161, 13592
\textquotedblleft 13226, 13462,
15046, 15355
\textquotedblright 13228, 15048
\textquoterightleft 13230, 13464, 15040,
15357
\textquoteright 13232, 15042
\textquotesingle 13602
\texttriangle 15184
\textrbrackdbl 15348
\textrecip 15154
\textreferencemark 15068
\textregistered 13290, 13658
\textRho 1045, 14270
\textrho 1045, 14333
\textrightarrow 15174
\textstring 13102, 13114, 13126,
13157, 13537, 13556, 14195
\textrm 435
\textrquill 15076
\textSampigreek 1053, 14374
\textssampigreek 1053, 14376
\textsc 441
\textsection 13277, 13645
\textservicemark 15156
\textseveninferior 15120
\textsevensuperior 15088
\textsf 436, 11636, 11639
\textSigma 1046, 14272
\textsigma 1046, 14337
\textsixinferior 15118
\textsixsuperior 15086
\textsl 442
\textsterling 13269, 13637
\textStigmagreek 1005, 14362
\textstigmagreek 1005, 14364
\textsurd 15180
\TextSymbolUnavailable 13133,
13134, 13136
\textTau 1047, 14274
\texttau 1047, 14339
\textTheta 1008, 14252
\texttheta 1008, 14315
\textthreeinferior 15112
\textthreequarters 13322, 13691
\textthreesuperior 13300, 13668
\texttie 13548, 13567, 14216
\texttilde 3695, 13100, 13112,
13124, 13159, 13535, 13554,
14199
\texttildelow 14206
\texttimes 13470, 15363
\texttrademark 13236, 15158
\textTslash 14036
\textttslash 14038
\textttt 437
\texttwoinferior 15110
\texttwosuperior 13298, 13666
\textunderscore 413, 4083, 4084,
4086, 13185, 13618
\textup 443
\textuparrow 15172
\textUpsilon 1048, 14232, 14276,
14289
\textupsilon 1048, 14341, 14353,
14358
\textupsilonacute 14299, 14357
\textvarsigma 14335
\textvisibleSpace 15188
\textwon 15138
\textXi 1027, 14264
\textxi 1027, 14327
\textyen 13273, 13641
\textzeroinferior 15106
\textzerosuperior 15080
\textZeta 1006, 14248
\textzeta 1006, 14311
\TH 13387, 13755
\th 13455, 13823
\thaa 15515
\thebookmark@seq@number 12705
\theequation 5800, 6050, 6072,
6096, 6132
\thefootnote 6216, 6403
\theHchapter 5742, 5743, 5744,
5745, 5827
\theHenumi 5761
\theHenumii 5762
\theHenumiii 5763
\theHenumiv 5764
\theHequation 5732, 5801, 6051,
6073, 6097, 6105, 6132, 6136
\theHfigure 5739, 5743
\theHHfootnote 5765, 5767
\theHHmpfootnote 5767
\theHItem 5755, 5761, 5762, 5763,
5764
\theHlisting 3061
\theHlstlisting 3057
\theHmpfootnote 5766
\theHparagraph 5749, 5750
\theHparentequation 6131, 6136
\theHpart 5735
\theHsection 5732, 5738, 5745,
5747, 5751, 5752, 5826
\theHslide 7174
\theHslidesection 7179, 7181, 7217,
7221
\theHslidesubsection 7180, 7268,
7272
\theHsubequation 6105
\theHsubparagraph 5750
\theHsubsection 5747, 5748
\theHsubsubsection 5748, 5749
\theHtable 5740, 5744
\theHtheorem 5751
\theHthm 5752
\thelisting 3061
\thelstlisting 3057
\thempfn 6205, 6286, 6288, 6384,
6396
\theoremautorefname 2759, 2777,
2795, 2813, 2831, 2849, 2867,
2905, 2925, 2943, 7610
\thepage 2159, 4227, 5426, 5449,
5903, 5911, 5938, 6660, 6683,
6712, 6803, 6881, 6912, 7074,
7091, 7097, 7101, 7108, 7371,
7391, 7408, 7522
\theslideheading 7200
\theslidesection 7188, 7195, 7203,
7209, 7211, 7213, 7219, 7229
\theslidesubheading 7201, 7252
\theslidesubsection 7240, 7247,
7254, 7260, 7262, 7264, 7270,
7280
\This@name 5779, 5780, 5797, 5798
>thispdfpagelabel 5431
\ThisShouldNotHappen 12319
\thm@headpunct 6150
\thm@headsep 6151
\thm@notefont 6149
\thm@postskip 6155
\thm@preskip 6154
\thm@space@setup 6152
\thm@swap 6148
\thmheadnl 6147
\tiny 465
\title 5337, 5339
\TMP@EnsureCode 3934, 3941,
3942, 3943, 3944, 3945, 3946,
3947, 3948, 3949, 3950, 3951,
3952, 3953, 3954, 3955, 3956,
3957, 3958, 3959, 3960, 3961,
3962, 3963, 3964, 3965, 3966,
3967
\tocappendix 1421
\tocchapter 1420
\toclevel@chapter 3048
\toclevel@figure 3054
\toclevel@listing 3062
\toclevel@lstlisting 3058
\toclevel@paragraph 3052
\toclevel@part 3044, 3046
\toclevel@section 3049
\toclevel@subfigure 2173
\toclevel@subparagraph 3053
\toclevel@subsection 3050
\toclevel@subsubsection 3051

\toclevel@subtable	2174	\uhorn .. 2929, 2936, 15375, 15433, 15434, 15435, 15436, 15437	
\toclevel@table	3055	\UnDef	10960
\tocparagraph	1425	\undefined	2952
\tocpart	1419	\unhbox .. 6188, 10063, 12008, 12131, 12164, 12189, 12218, 12247	
\tocsection	1422	\unhcropy	12109
\tocsubsection	1423	\unichar	2013
\tocsubsubsection	1424	\Unicode	1169
\toks	786, 787, 788, 4264, 4266, 4268, 4272, 4277, 7379, 7380, 7382, 12957, 12962, 13032, 13037	\unrestored@protected@xdef .. 6205, 6216, 6346, 6353, 6396, 6403	
\toks@	171, 208, 347, 350, 353, 371, 372, 681, 688, 720, 721, 1093, 1116, 1119, 1121, 1592, 1593, 2955, 2956, 2958, 3448, 3452, 3453, 3461, 5526, 5528, 5608, 5610, 5660, 5672, 5920, 5924, 5961, 5966, 6944, 6945, 7151, 7156, 7158, 7161, 12956, 12962, 13031, 13037	\unskip .. 6143, 6645, 7454, 7458, 7462, 7467	
\topmargin	6815	\upshape	453, 6149
\trivlist	6146	\Url	4173
\tryhyper@link	4202, 4204	\url	4172, 4176
\ttfamily	447	\url@	4176, 4177
\ttl@b	5972, 5977	\use@file .. 4334, 4336, 4340, 4343	
\ttl@gobblecontents	5981	\usefont	432
\ttl@Hy@PatchSaveWrite ..	5955, 5959	\usepackage	2568
\ttl@Hy@refstepcounter ..	5971	\UTFviii@four@octets .. 2009, 2018	
\ttl@Hy@saveanchor ..	5950, 5974	\UTFviii@three@octets .. . 2008	
\ttl@Hy@SavedCurrentHref	5954,	\UTFviii@two@octets .. . 2007	
5965			
\ttl@Hy@steplink	5947		
\ttl@savewrite	5961, 5963		
\tw@ .	12957, 12962, 13032, 13037		
\typeout	5, 6, 7, 19, 26, 27, 36, 131, 155, 158, 159, 160, 2571, 2625, 3730, 3732, 3734, 3834, 3861, 3863, 4362, 4862, 9204, 9208, 9211, 9214, 9217, 9220, 9223, 9226, 10861, 11162, 11376, 11379, 11382, 11385, 11388, 11391, 11393, 11394, 11403, 11540, 11935, 13058, 15560		
U			
\U ..	13504, 14409, 14432, 14497, 14574, 14764, 14766, 14788, 14790, 14800, 14802		
\u ..	13503, 13541, 13560, 13580, 13831, 13833, 13867, 13869, 13887, 13889, 13917, 13919, 13920, 13988, 13990, 14048, 14050		
\UHORN ..	15382, 15493, 15494, 15495, 15496, 15497		
		V	
\v ..	13103, 13115, 13127, 13246, 13251, 13259, 13261, 13514, 13538, 13557, 13579, 13851, 13853, 13855, 13857, 13879, 13881, 13954, 13956, 13974, 13976, 14008, 14010, 14024, 14026, 14032, 14034, 14082, 14084, 14090, 14092, 14094, 14096, 14097, 14099, 14101, 14103, 14105, 14111, 14113, 14115, 14117, 14123, 14124, 14167, 14169		
		\V@@@footnotetext .. . 6332	
		\V@@footnotetext .. . 6318	
		\value .. 6599, 6625, 6819, 6969, 8854, 8859	
		\vbox .. 5098, 5099, 5100, 5101, 5406, 6813	
		\vfill .. . 5098, 5099, 5100, 5101	
		\voffset	
		\vpageref	
		\vphantom	
		\Vr@f	
		\vr@f	
		\vref@pagenum .. . 5985	
		\vref@space .. . 7454, 7457, 7462	
		\vskip	
		\vss	
		\vtex@trans@special .. 9532, 9534, 9537, 9541, 9545, 9549, 9551, 9553, 9557, 9563, 9564, 9567	
		\VTeXInitMediaSize .. . 9235, 9252	
		W	
\waw	15539		
\wawhamza	15508		
\wd ..	8477, 8489, 8506, 8518, 8536, 8548, 11965		
\write ..	5294, 5296, 5689, 5697, 5909, 5937, 6583, 6598, 6614, 6624, 6654, 6677, 6703, 6733, 11565, 11589, 12835, 12904		
\WriteBookmarks			
		.. . 3637, 3751, 3903, 3925, 12641, 12828, 12850, 12851, 12893, 12897	
\wwwbrowser .. .	8434, 8508, 8520		
		X	
\x .. .	21, 25, 92, 98, 168, 169, 176, 178, 206, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 370, 375, 683, 686, 690, 695, 727, 796, 802, 1519, 1547, 1956, 1958, 2220, 2230, 2239, 2249, 2300, 2301, 2306, 2322, 2962, 2972, 3073, 3074, 3077, 3078, 3079, 3083, 3086, 3092, 3451, 3457, 3460, 3463, 3584, 3585, 3590, 3591, 3650, 3651, 3652, 3655, 3658, 3661, 4262, 4273, 4277, 4280, 4413, 4427, 4452, 4456, 4459, 4469, 5359, 5360, 5365, 5921, 5928, 5962, 5969, 5996, 6006, 6008, 6021, 7158, 7159, 7381, 7384, 7419, 7420, 7421, 7423, 7425, 7773, 7781, 8052, 8053, 8056, 8058, 8061, 8678, 8679, 8680, 8682, 8683, 8684, 8686, 8687, 8688, 8690, 8691, 8692, 8694, 8695, 8696, 8698, 8699, 8700, 8702, 8703, 8704, 8706, 8707, 8709, 8715, 8724, 9702, 9707, 9711, 10184, 10185, 11211, 11231, 11691, 11711, 12032, 12052, 12961, 12963, 13036, 13038		
\XeTeXrevision .. .	3871, 8989		
\XeTeXversion .. .	3871, 8989		
\XR@@dURL .. .	2180, 2181		
\XR@addURL .. .	2180		
\XR@ext .. .			
		2408, 2409, 4332, 4335, 5573, 7674, 8337, 8433, 8669, 9116,	

	10360, 10443, 10502, 10694, 10858	\yahamza 15510	9104, 9105, 9593, 9617
	\XR@URL 2185	Z	10073, 10084, 10425,
	\xspace 517, 519	\z 2304, 2305, 2306	10431, 10432, 11200,
		\z@ 659, 699, 824, 976, 993,	11969, 12021, 12369,
		1015, 1038, 1249, 1289, 1302,	12403, 12475, 12481,
		1318, 1333, 1341, 1414, 1668,	12540, 12546, 12565,
		1674, 1680, 1744, 1748, 1756,	12580, 12609, 12614,
		1760, 2215, 2234, 2494, 2497,	13000
		2596, 3085, 3091, 3586, 3879,	\z@skip
		5576, 5579, 6177, 6178, 6330,	\za
		8261, 8265, 8270, 8274, 8281,	\zay
		8284, 8288, 8291, 9098, 9099,	\ZWNJ
	\ya 15541		