

Section name references in L^AT_EX*

Sebastian Rahtz (deceased)

Heiko Oberdiek (inactive)

The L^AT_EX Project

<https://github.com/latex3/hyperref/issues>

2021-04-02

Documentation overview for hyperref

The documentation for package `hyperref` consists of several files:

[Manual](#) The **USER MANUAL** (also available as HTML).

[ChangeLog](#) This file records the version history.

[Bookmark talk, slides](#) Slides for the talk “PDF information and navigation elements with hyperref, pdfTeX and thumbpdf” at EuroT_EX 1999.

[Bookmark talk, paper](#) The paper version of the talk.

Source code documentation:

[hyperref.dtx](#) This is the source code documentation for hyperref.

[backref.dtx](#) “Back referencing from bibliographical citations”

 [nameref.dtx](#) “Section name references in L^AT_EX” (this file)

Contents

1 Introduction	2
2 History	2
3 Implementation	2
3.1 <code>\label</code> stuff	3
3.2 Changes of section macros	5
3.2.1 Class beamer	7
3.2.2 Theorems	8
3.3 Referencing stuff	9
3.4 Usage and frontend	10
3.5 Package ifthen support	11
3.6 Compatibility with varioref	12
3.7 Support for package listings	14

*This file has version number v2.47, last revised 2021-04-02.

1 Introduction

Cross-referencing to include the *name* of the section, rather than just the number or page. This works by redefining some of the inside \LaTeX macros, so it is vulnerable to future changes.

2 History

Sebastian Rahtz, for Lou Burnard, March 15th 1994;
 SPQR CERN July 1994;
 Last mod. Sept. 3th MG;
 Sept. 19th SPQR;
 April 11th 1995 SPQR (added section formatting hook);
 April 14th 1995 SPQR (compatibility with hyperref);
 June 22 1995 SPQR (removed typeout from Sectionformat);
 September 22 1997 added varioref hacks by Corey Minyard;
 September 28th changes by David Carlisle.
 More recent changes are recorded in ChangeLog.

The versions before 2009/11/27 v2.32 did not expand the title strings (of `\section`, `\caption`, ...). Then the behaviour switched to expanding, because this allows to remove unwanted macros (`\label`, ...). Despite this method is used in package `titleref` and class `memoir`, the first feedbacks let me conclude that this is not robust enough. Therefore I wrote package `getttitlestring` that uses the non-expanding method as default. It also allows me to use this package in package `zref-titleref`. See the package documentation of package `getttitlestring` how to change the method. It also provides a hook to remove additional unwanted macros, not supported by the package. Example:

```
\usepackage{getttitlestring}
\GetTitleStringDisableCommands{%
  \let\mylabel\@gobble
  \renewcommand\myindex[2]{}%
}
```

3 Implementation

```
1 (*package)
2 \RequirePackage{refcount}[2006/02/12]
3 \RequirePackage{getttitlestring}[2009/12/18]
4 \RequirePackage{ltxcmds}[2009/12/12]
```

We redefine `\label` so that it also writes the name of the current section to the `.aux` file; if the name ends in a dot, we zap it. To allow for the `hyperref` package, also write fourth and fifth fields (empty by default; used for cross-ref name, and file).

```
\NR@strip@period
```

```
5 \def\NR@strip@period#1.\ltx@empty#2\@nil{#1}
```

`\strip@period` Macro `\strip@period` was removed in nameref 2012/07/28 v2.41 and reinserted in 2012/07/31 v2.42 for compatibility reasons with package subfig.

```
6 \def\strip@period#1.\relax#2\@@@{#1}

7 \def\NR@sanitize@labelname{%
8   \@onelevel@sanitize\@currentlabelname
9   \edef\@currentlabelname{%
10    \expandafter\NR@strip@period\@currentlabelname
11    \ltx@empty.\ltx@empty\@nil
12   }%
13 }
```

3.1 `\label` stuff

Here is tested, whether package showkeys is loaded. But if option final is used, the macros of showkeys are not defined, so we have to check an additional test.

`\ifNR@showkeys`

```
14 \newif\ifNR@showkeys
15 \NR@showkeysfalse
16 \@ifpackageloaded{showkeys}{%
17   \begingroup
18   \@ifundefined{SK@@label}{%
19     }{%
20     \global\NR@showkeystrue
21   }%
22   \endgroup
23 }{}
```

`\label@hook`

```
24 \providecommand*\label@hook{}
25 \ltx@GlobalAppendToMacro{\label@hook}{%
26   \NR@sanitize@labelname
27 }
```

`\label`

```
28 \def\label#1{%
29   \@bsphack
30   \begingroup
31   \def\label@name{#1}%
32   \label@hook
33   \protected@write\@auxout{}{%
34     \string\newlabel{#1}{%
35       {\@currentlabel}%
36       {\thepage}%
37       {\@currentlabelname}%
38       {\@currentHref}{}}%
39   }%
40   }%
41   \endgroup
42   \@esphack
43 }%
44 \ifNR@showkeys
```

```

45 \def\label#1{%
46   \@bsphack
47   \SK@\SK@\label{#1}%
48   \begingroup
49     \def\label@name{#1}%
50     \label@hook
51     \protected@write\@auxout{}{%
52       \string\newlabel{#1}{%
53         {\currentlabel}%
54         {\thepage}%
55         {\currentlabelname}%
56         {\currentHref}{}}%
57     }%
58   }%
59 \endgroup
60 \@esphack
61 }%
62 \fi

```

`\ltx@label`

```
63 \let\ltx@label\label
```

Needed for the *subeqnarray* package.

`\slabel`

```

64 \@ifundefined{slabel}{}{%
65   \def\slabel#1{%
66     \@bsphack
67     \if@filesw
68       \begingroup
69         \def\label@name{#1}%
70         \label@hook
71         \let\thepage\relax
72         \def\protect{\noexpand\noexpand\noexpand}%
73         \edef\@tempa{%
74           \write\@auxout{%
75             \string\newlabel{#1}{%
76               {\thesubequation}%
77               {\thepage}%
78               {\currentlabelname}%
79               {\currentHref}{}}%
80           }%
81         }%
82       }%
83     \expandafter\endgroup
84     \@tempa
85     \if@nobreak\ifvmode\nobreak\fi\fi
86   \fi
87   \@esphack
88 }%
89 }

```

Overload an AMS L^AT_EX command, which uses `\newlabel`. Sigh!

`\@writetocindent@`

```

90 \def\@writetocindentsof{%
91   \begingroup
92   \@for\@tempa:=-1,0,1,2,3\do{%
93     \immediate\write\@auxout{%
94       \string\newlabel{tocindent\@tempa}{%
95         \csname r@tocindent\@tempa\endcsname}{-}{-}{-}%
96     }%
97   }%
98 }%
99 \endgroup
100 }

```

3.2 Changes of section macros

Add to the underlying section heading macros so that they note the section name for use by label.

If a section heading or the like has a `\label` in it, we need to extract it, or subsequent processing breaks.

`\NR@getttitle`

```

101 \def\NR@getttitle#1{%
102   \GetTitleString{#1}%
103   \let\@currentlabelname\GetTitleStringResult
104 }

```

First the numbered sections. While we are about it, put in a useful section formatting macro.

`\NR@sect`

```

105 \let\NR@sect\@sect
106 \newcounter{section@level}

```

`\@sect`

```

107 \def\@sect#1#2#3#4#5#6[#7]#8{%
108   \setcounter{section@level}{#2}%
109   \NR@getttitle{#7}%
110   \NR@sect{#1}{#2}{#3}{#4}{#5}{#6}[#7]{\Sectionformat{#8}{#2}}%
111 }

```

and now the unnumbered ones

`\NR@ssect`

```

112 \let\NR@ssect\@ssect

```

`\NR@ssect`

```

113 \def\@ssect#1#2#3#4#5{%
114   \NR@getttitle{#5}%
115   \NR@ssect{#1}{#2}{#3}{#4}{\Sectionformat{#5}{#1}}%
116 }

```

Support for class memoir.

```

117 \ltx@ifundefined{ifheadnameref}{%

```

```

118 }{%
119 \ltx@ifundefined{M@sect}{%
120 }{%
121 \let\NRorg@M@sect\M@sect
122 \def\M@sect#1#2#3#4#5#6[#7][#8]{%
123 \ifheadnameref
124 \NR@getttitle{#8}%
125 \else
126 \NR@getttitle{#7}%
127 \fi
128 \NRorg@M@sect{#1}{#2}{#3}{#4}{#5}{#6}[{#7}][{#8}]%
129 }%
130 }%
131 }

```

Parts and chapters are treated differently. sigh. \@part and \@spart are \long because of class memoir.

```

132 \let\NR@part\@part
133 \long\def\@part[#1]#2{%
134 \NR@getttitle{#1}%
135 \NR@part[{#1}]{#2}%
136 }
137 \let\NR@spart\@spart
138 \long\def\@spart#1{%
139 \NR@getttitle{#1}%
140 \NR@spart{#1}%
141 }
142 \let\NR@chapter\@chapter
143 \def\@chapter[#1]#2{%
144 \NR@getttitle{#1}%
145 \NR@chapter[{#1}]{#2}%
146 }
147 \@ifclassloaded{memoir}{%
148 \ltx@ifundefined{ifheadnameref}{%
149 }{%
150 \def\@chapter[#1]#2{%
151 \ltx@ifundefined{ch@pt@c}{%
152 \NR@getttitle{#1}%
153 }{%
154 \ifx\ch@pt@c\ltx@empty
155 \NR@getttitle{#2}%
156 \else
157 \def\NR@temp{#1}%
158 \ifx\NR@temp\ltx@empty
159 \expandafter\NR@getttitle\expandafter{\ch@pt@c}%
160 \else
161 \ifheadnameref
162 \NR@getttitle{#1}%
163 \else
164 \expandafter\NR@getttitle\expandafter{\ch@pt@c}%
165 \fi
166 \fi
167 \fi
168 }%

```

```

169     \NR@chapter [{#1}]{#2}%
170   }%
171 }%
172 }{}
173 \let\NR@schapter\@schapter
174 \def\@schapter#1{%
175   \NR@getttitle{#1}%
176   \NR@schapter{#1}%
177 }

Captions
178 \AtBeginDocument{%
179   \@ifpackageloaded{hyperref}{%
180     \@ifpackagelater{hyperref}{2009/12/05}\@gobble\@firstofone
181   }\@firstofone
182   {%
183     \let\NR@@caption\@caption
184     \long\def\@caption#1[#2]{%
185       \NR@getttitle{#2}%
186       \NR@@caption{#1}[{#2}]%
187     }%
188   }%

189 \@ifpackageloaded{longtable}{%
190   \let\NRorg@LT@caption\LT@caption
191   \def\LT@caption#1[#2]#3{%
192     \NRorg@LT@caption{#1}[{#2}]{#3}%
193     \def\@tempa{#2}%
194     \ifx\@tempa\@empty
195       \else
196         \NR@getttitle{#2}%
197       \fi
198     }%
199   }{}%

Environment 'description'.
200 \ltx@ifundefined{descriptionlabel}{%
201 }{%
202   \let\NRorg@descriptionlabel\descriptionlabel
203   \def\descriptionlabel#1{%
204     \NR@getttitle{#1}%
205     \NRorg@descriptionlabel{#1}%
206   }%
207 }%
208 }

Compatibility for package titlesec.
209 \AtBeginDocument{%
210   \@ifpackageloaded{titlesec}{%
211     \let\NRorg@ttl@sect@i\ttl@sect@i
212     \def\ttl@sect@i#1#2[#3]#4{%
213       \NR@getttitle{#4}%
214       \NRorg@ttl@sect@i{#1}{#2}[{#3}]{#4}%
215     }%
216   }{}%
217 }

```

3.2.1 Class beamer

```

218 \@ifclassloaded{beamer}{%
219   \def\NR@PatchBeamer#1{%
220     \expandafter\let\csname NRorg@beamer@#1\expandafter\endcsname
221       \csname beamer@#1\endcsname
222     \begingroup
223       \edef\x{\endgroup
224         \long\def\expandafter\noexpand\csname beamer@#1\endcsname
225           [###1]{% hash-ok
226             \noexpand\NR@getttitle{###1}%
227             \expandafter\noexpand\csname NRorg@beamer@#1\endcsname
228               [{###1]}%
229           }%
230       }%
231   \x
232 }%
233 \NR@PatchBeamer{section}%
234 \NR@PatchBeamer{subsection}%
235 \NR@PatchBeamer{subsubsection}%

```

Theorem names.

```

236 \addtoeamertemplate{theorem begin}{%
237   \expandafter\NR@getttitle\expandafter{\inserttheoremaddition}%
238 }{}%
239 \@ifdefinable{\NRorg@beamer@descriptionitem}{%
240   \let\NRorg@beamer@descriptionitem\beamer@descriptionitem
241   \renewcommand{\beamer@descriptionitem}[1]{%
242     \NR@getttitle{#1}%
243     \NRorg@beamer@descriptionitem{#1}%
244   }%
245 }%
246 }{}

```

3.2.2 Theorems

```

247 \ltx@ifundefined{@opargbegintheorem}{-}{%
248   \let\NRorg@opargbegintheorem\@opargbegintheorem
249   \def\@opargbegintheorem#1#2#3{%
250     \NR@getttitle{#3}%
251     \NRorg@opargbegintheorem{#1}{#2}{#3}%
252   }%
253 }
254 \AtBeginDocument{%
255   \@ifpackageloaded{amsthm}{%
256     \let\NRorg@begintheorem\@begintheorem
257     \begingroup
258       \edef\x{\macro:\string#1\string#2[\string#3]}%
259       \@onelevel@sanitize\x
260       \def\y#1->#2\@nil{#1}%
261       \edef\z{\expandafter\y\meaning\@begintheorem->\@nil}%
262       \@onelevel@sanitize\z
263     \expandafter\endgroup
264     \ifx\x\z
265       \def\@begintheorem#1#2[#3]{%
266         \NR@getttitle{#3}%

```

```

267     \NRorg@begintheorem{#1}{#2} [{#3}]%
268     }%
269     \fi
270   }{}%
271 }

```

3.3 Referencing stuff

We default the label and hypertext reference to be empty.

```

272 \providecommand*\@currentlabelname{}
273 \providecommand*\@currentHref{}

```

Since the second part of the preserved reference now has five parts (number, page, name, hypertext reference and file), we need extra utility macros:

```

\@firstoffive
274 \long\def\@firstoffive#1#2#3#4#5{#1}

\@secondoffive
275 \long\def\@secondoffive#1#2#3#4#5{#2}

\@thirdoffive
276 \long\def\@thirdoffive#1#2#3#4#5{#3}

\@fourthoffive
277 \long\def\@fourthoffive#1#2#3#4#5{#4}

\@offive
278 \long\def\@fifthoffive#1#2#3#4#5{#5}

```

We have to redefine `\ref` and `\pageref` to know about extra reference elements. Make them robust, and compatible with Babel. The Babel switch is mimicked if not already defined. Some support for package `showkeys` is implemented. If option `notref` of that package is set, `\SK@ref` has the meaning of `\@empty`.

```

\@safe@activestruerue
279 \providecommand*\@safe@activestruerue{}%

\@safe@activesfalse
280 \providecommand*\@safe@activesfalse{}%

\NR@setref
281 \def\NR@setref#1{%
282   \begingroup
283     \@safe@activestruerue
284     \expandafter
285   \endgroup
286   \expandafter\NR@@setref\csname r@#1\endcsname
287 }

\NR@@setref
288 \def\NR@@setref#1{%
289   \ifx\@undefined#1%
290     \let#1\relax

```

```

291 \fi
292 \@setref#1%
293 }

\T@ref
294 \def\T@ref#1{%
295 \NR@setref{#1}\@firstoffive{#1}%
296 }%

\T@pageref
297 \def\T@pageref#1{%
298 \NR@setref{#1}\@secondoffive{#1}%
299 }%

300 \ifNR@showkeys
301 \ifx\SK@ref\@empty
302 \else

\T@ref
303 \def\T@ref#1{%
304 \@safe@activetrue
305 \SK@\SK@@ref{#1}%
306 \@safe@activesfalse
307 \NR@setref{#1}\@firstoffive{#1}%
308 }%

\T@pageref
309 \def\T@pageref#1{%
310 \@safe@activetrue
311 \SK@\SK@@ref{#1}%
312 \@safe@activesfalse
313 \NR@setref{#1}\@secondoffive{#1}%
314 }%

315 \fi
316 \fi

Package hyperref uses its own definitions of \ref and \pageref because it extends
the syntax by the star form. \DeclareRobustCommand is used by hyperref. Pack-
age nameref can be loaded before, after hyperref or after hyperref's definitions in
\AtBeginDocument.

317 \@ifpackageloaded{hyperref}{%
318 }{%

\ref
319 \DeclareRobustCommand{\ref}{\T@ref}%

\pageref
320 \DeclareRobustCommand{\pageref}{\T@pageref}%

321 }

```

3.4 Usage and frontend

Access the (third) name part with `\nameref`;

`\T@nameref`

```
322 \def\T@nameref#1{%
323   \begingroup
324     \let\label@gobble
325     \NR@setref{#1}\@thirdoffive{#1}%
326   \endgroup
327 }%
328 \ifNR@showkeys
329   \ifx\SK@ref@empty
330   \else
331     \def\T@nameref#1{%
332       \@safe@activestrue
333       \SK@\SK@ref{#1}%
334       \@safe@activesfalse
335       \begingroup
336         \let\label@gobble
337         \NR@setref{#1}\@thirdoffive{#1}%
338       \endgroup
339     }%
340   \fi
341 \fi

342 %\@ifclassloaded{memoir}{%
343 % \ltx@ifundefined{@mem@titlerefno link}\ltx@secondoftwo{%
344 % \ltx@ifundefined{@mem@titleref}\ltx@secondoftwo\ltx@firstoftwo
345 % }%
346 %}\ltx@secondoftwo
347 %}{%
348 % \DeclareRobustCommand*{\nameref}{%
349 % \ifstar\@mem@titlerefno link\@mem@titleref
350 % }%
351 %}{%
```

`\nameref`

```
352 \DeclareRobustCommand*{\nameref}{%
353   \ifstar\T@nameref\T@nameref
354 }%
355 }
```

`\Nameref` An extended form which gives title and page number.

```
356 \def\Nameref#1{\nameref{#1}' on page~\pageref{#1}}
```

`\Sectionformat` The default for `\Sectionformat`

```
357 \providecommand\Sectionformat[2]{#1}
```

3.5 Package `ifthen` support

Package `ifthen`'s `\isodd` does not work with `\pageref` because of the extra link and the star form. Therefore we need an expandable variant.

Unfortunately there is no hook in `\ifthenelse` in order to provide expandable versions without link of `\ref` and `\pageref`. As possible target I could only find `\begingroup`:

```

358 \@ifpackageloaded{ifthen}{%
359   \let\NR@Org@ifthenelse\ifthenelse
360   \def\ifthenelse{%
361     \let\begingroup\NR@TE@begingroup
362     \NR@Org@ifthenelse
363   }%
364   \let\NR@Org@begingroup\begingroup
365   \def\NR@TE@begingroup{%
366     \let\begingroup\NR@Org@begingroup
367     \begingroup
368     \def\ref##1{\getrefbykeydefault{##1}{}{??}}%
369     \def\pageref##1{\getrefbykeydefault{##1}{page}{0}}%
370   }%
371 }{}

```

3.6 Compatibility with varioref

[This section was derived by Corey Minyard minyard@acm.org from the `varioref` package] Changed in 2019-09-12 by Frank Mittelbach to adapt to changes in `varioref`

```

372 \AtBeginDocument{%
373   \ifx\csname @vppageref\endcsname\relax
374     \else
375     %FMI

```

Test if we are using the new `varioref` ...

```

376   \ifdefined\vp@gerefstar
377     \let\NR@@vppageref@\vppageref

```

if not then old patching code

```

378   \else
379     \def\NR@@vppageref#1[#2]#3{%
380       \leavevmode\unskip
381       \global\advance\c@vrcnt\@ne
382       \@ifundefined{r@the\c@vrcnt @vr}{%
383         {\@namedef{r@the\c@vrcnt @vr}{??}{?}{-}{-}}{}%
384       \edef\@tempa{%
385         \expandafter\expandafter\expandafter
386         \@secondoffive\csname r@the\c@vrcnt @vr\endcsname
387       }%
388       \@ifundefined{r@the\c@vrcnt @xvr}{%
389         {\@namedef{r@the\c@vrcnt @xvr}{??}{?}{-}{-}}{}%
390       \edef\@tempb{%
391         \expandafter\expandafter\expandafter
392         \@secondoffive\csname r@the\c@vrcnt @xvr\endcsname
393       }%
394       {%
395         \let\@currentlabel\@empty
396         \expandafter\label\expandafter{\the\c@vrcnt @xvr}%
397       }%
398       \ifx\@tempa\@tempb

```

```

399     \else
400         \vref@err{%
401             \noexpand\vref at page boundary %
402             \@tempb-\@tempa\space (may loop)%
403         }%
404     \fi
405     \@ifundefined{r@#3}{\@namedef{r@#3}{??}{??}{-}{-}}{}%
406     \edef\thepagerefnum{%
407         \expandafter\expandafter\expandafter
408         \@secondoffive\csname r@#3\endcsname
409     }%
410     \ifx\vref@space\undefined
411         \space
412     \else
413         \vref@space
414     \fi
415     \ifx\@tempa\thepagerefnum
416         #1%
417     \else
418         #2%
419         \is@pos@number\thepagerefnum{%
420             \is@pos@number\@tempa{%
421                 \@tempcnta\@tempa
422                 \advance\@tempcnta\@ne
423             }{%
424                 \@tempcnta\maxdimen
425             }%
426             \ifnum \thepagerefnum =\@tempcnta
427                 \ifodd\@tempcnta
428                     \if@twoside
429                         \ref@text@face@after
430                     \else
431                         \ref@text@after
432                     \fi
433                 \else
434                     \ref@text@after
435                 \fi
436             \else
437                 \advance\@tempcnta-2 %
438                 \ifnum \thepagerefnum =\@tempcnta
439                     \ifodd\@tempcnta
440                         \ref@text@before
441                     \else
442                         \if@twoside
443                             \ref@text@face@before
444                         \else
445                             \ref@text@before
446                         \fi
447                     \fi
448                 \else
449                     \ref@text@faraway{#3}%
450                 \fi
451             \fi
452         }{%

```

```

453         \reftextfaraway{#3}%
454     }%
455     \fi
456     {%
457         \let\@currentlabel\@empty
458         \expandafter\label\expandafter{\the\c@vrcnt @vr}%
459     }%
460 }%
461 \fi
462 %FM - end mod
463 \def\@vpageref#1[#2]#3{%
464     \begingroup
465     \csname @safe@activestrue\endcsname
466     \edef\x{#3}%
467     \@onelevel@sanitize\x
468     \toks@{%
469         \NR@vpageref{#1}[[#2]]%
470     }%
471     \edef\x{\endgroup
472         \the\toks@{\x}%
473     }%
474     \x
475 }%
476 \DeclareRobustCommand\nameref[1]{%
477     \unskip~\nameref{#1}%
478     \@vpageref[\unskip]{#1}%
479 }%
480 \fi
481 }
482 \@ifundefined{@Refstar}{%
483     \def\T@Ref#1{%
484         \NR@setref{#1}\NR@MakeUppercaseFirstOfFive{#1}%
485     }%
486     \def\NR@MakeUppercaseFirstOfFive#1#2#3#4#5{%
487         \MakeUppercase#1%
488     }%
489 }{}%
490 \AtBeginDocument{%
491     \@ifpackageloaded{varioref}{%
492         \@ifundefined{@Refstar}{%
493             \DeclareRobustCommand*\Ref}[1]{%
494                 \T@Ref{#1}%
495             }%
496         }{}%
497     }{}%
498 }%

```

3.7 Support for package listings

```

499 \AtBeginDocument{%
500     \@ifpackageloaded{listings}{%
501         \let\NR@Org@lst@MakeCaption\lst@MakeCaption
502         \def\lst@MakeCaption{%
503             \ifx\lst@label\@empty

```

```

504     \else
505         \let\@currentlabelname\lst@@caption
506     \fi
507     \NR0rg@lst@MakeCaption
508 }%
509 }{}%
510 }
511 </package>

```

4 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

	Symbols	388, 405, 482, 492	<code>\@vpageref</code> 478
<code>\@@@</code> 6	<code>\@mem@titleref</code> 349		<code>\@writetocidents@</code> . <u>90</u>
<code>\@@vpageref</code> . . 377, 463	<code>\@mem@titlerefnoLink</code> 349	A
<code>\@auxout</code> . . 33, 51, 74, 93	<code>\@namedef</code> . 383, 389, 405		<code>\addtobeamer-template</code>
<code>\@begintheorem</code>	<code>\@ne</code> 381, 422	 236
. 256, 261, 265	<code>\@nil</code> 5, 11, 260, 261		<code>\advance</code> . . 381, 422, 437
<code>\@bspshack</code> 29, 46, 66	<code>\@offive</code> <u>278</u>		<code>\AtBeginDocument</code> . .
<code>\@caption</code> 183, 184	<code>\@onelevel@sanitize</code>	 178, 209,
<code>\@chapter</code> . 142, 143, 150 8, 259, 262, 467		254, 372, 490, 499
<code>\@currenthref</code>	<code>\@opargbegintheorem</code>		B
. 38, 56, 79, 273 248, 249		<code>\beamer@descriptionitem</code>
<code>\@currentlabel</code>	<code>\@part</code> 132, 133	 240, 241
. 35, 53, 395, 457	<code>\@safe@activesfalse</code>		<code>\begingroup</code> 17,
<code>\@currentlabelname</code> 280, 306, 312, 334		30, 48, 68, 91,
. 8, 9, 10, 37,	<code>\@safe@activestruer</code>		222, 257, 282,
55, 78, 103, 272, 505 <u>279,</u>		323, 335, 361,
<code>\@empty</code> 194, 301,	283, 304, 310, 332		364, 366, 367, 464
329, 395, 457, 503	<code>\@schapter</code> 173, 174		C
<code>\@esphack</code> 42, 60, 87	<code>\@secondoffive</code>		<code>\c@vrcnt</code> . . 381, 382,
<code>\@fifthoffive</code> 278 <u>275, 298,</u>		383, 386, 388,
<code>\@firstoffive</code>	313, 386, 392, 408		389, 392, 396, 458
. 274, 295, 307	<code>\@sect</code> 105, <u>107</u>		<code>\ch@pt@c</code> . . 154, 159, 164
<code>\@firstofone</code> . . 180, 181	<code>\@setref</code> 292		<code>\csname</code> 95,
<code>\@for</code> 92	<code>\@spart</code> 137, 138		220, 221, 224,
<code>\@fourthoffive</code> <u>277</u>	<code>\@sssect</code> 112, 113		227, 286, 373,
<code>\@gobble</code> . . 180, 324, 336	<code>\@tempa</code> 73, 84,		386, 392, 408, 465
<code>\@ifclassloaded</code>	92, 94, 95, 193,		D
. 147, 218, 342	194, 384, 398,		<code>\DeclareRobustCommand</code>
<code>\@ifdefinable</code> 239	402, 415, 420, 421	 319, 320,
<code>\@ifpackagelater</code> . . 180	<code>\@tempb</code> 390, 398, 402		348, 352, 476, 493
<code>\@ifpackageloaded</code>	<code>\@tempcnta</code> 421,		<code>\def</code> 5, 6,
. 16, 179,	422, 424, 426,		7, 28, 31, 45, 49,
189, 210, 255,	427, 437, 438, 439		65, 69, 72, 90,
317, 358, 491, 500	<code>\@thirdoffive</code>		101, 107, 113,
<code>\@ifstar</code> 349, 353 <u>276, 325, 337</u>		
<code>\@ifundefined</code>	<code>\@undefined</code> . . 289, 410		
. 18, 64, 382,			

