



# **logicpuzzle.sty**

**v2.2**

**A style file for typesetting logic puzzles**



**May 17, 2013**

Package author:

**Josef Kleber**

1 Supported puzzles	8
1.1 2D-Sudoku	8
1.1.1 Example	8
1.1.2 Options	9
1.2 Battleship	9
1.2.1 Example	10
1.2.2 Options	10
1.3 Bokkusu	11
1.3.1 Example	11
1.3.2 Options	12
1.4 Bridges	13
1.4.1 Example	13
1.4.2 Options	14
1.5 Chaos Sudoku	15
1.5.1 Example	15
1.5.2 Options	16
1.6 Hakyuu	16
1.6.1 Example	17
1.6.2 Options	18
1.7 Hitori	18
1.7.1 Example	19
1.7.2 Options	19
1.8 Kakuro	20
1.8.1 Example	20
1.8.2 Options	21
1.9 Kendoku	21
1.9.1 Example	22
1.9.2 Options	23
1.10 Killer Sudoku	24
1.10.1 Example	24
1.10.2 Options	25
1.11 Laser Beam	26
1.11.1 Example	26
1.11.2 Options	27
1.12 Minesweeper	27
1.12.1 Example	28
1.12.2 Options	28
1.13 Schatzsuche	29
1.13.1 Example	29
1.13.2 Options	30
1.14 Skyline	30
1.14.1 Example	31
1.14.1.1 Variants	31
1.14.1.1.1 Skyline Sudoku	31
1.14.1.1.2 Skyline Sudoku (N*N)	33
1.14.2 Options	34

1.15	Slitherlink . . . . .	35
1.15.1	Example . . . . .	35
1.15.2	Options . . . . .	36
1.16	Star Battle . . . . .	36
1.16.1	Example . . . . .	36
1.16.2	Options . . . . .	37
1.17	Stars and Arrows . . . . .	38
1.17.1	Example . . . . .	38
1.17.2	Options . . . . .	39
1.18	Sudoku . . . . .	39
1.18.1	Example . . . . .	40
1.18.2	Options . . . . .	40
1.18.3	Supporting bash scripts . . . . .	41
1.18.3.1	createlpsudoku . . . . .	41
1.18.3.2	lpsmag . . . . .	41
1.19	Sun and Moon . . . . .	42
1.19.1	Example . . . . .	42
1.19.2	Options . . . . .	43
1.20	Tents and Trees . . . . .	43
1.20.1	Example . . . . .	44
1.20.2	Options . . . . .	44
1.21	Tunnel . . . . .	45
1.21.1	Example . . . . .	45
1.21.2	Options . . . . .	46
2	Roll out your own grid-based logic puzzle	47
3	The code	48
3.1	PGF layers . . . . .	48
3.2	Environments . . . . .	49
3.2.1	Puzzle environments . . . . .	49
3.2.1.1	logicpuzzle . . . . .	49
3.2.1.1.1	Options . . . . .	49
3.2.2	Supporting environments . . . . .	50
3.2.2.1	puzzlebackground . . . . .	50
3.2.2.2	puzzleforeground . . . . .	50
3.3	Commands . . . . .	50
3.3.1	Puzzle specific commands . . . . .	50
3.3.1.1	2D-Sudoku . . . . .	50
3.3.1.1.1	ddsudokucell . . . . .	50
3.3.1.1.2	ddsudokusetup . . . . .	50
3.3.1.2	Battleship . . . . .	50
3.3.1.2.1	placeship . . . . .	50
3.3.1.2.2	placesegment . . . . .	51
3.3.1.2.3	ship . . . . .	51
3.3.1.2.4	placewater . . . . .	51
3.3.1.2.5	placeisland . . . . .	51
3.3.1.2.6	shipH . . . . .	51

3.3.1.2.7	<code>shipV</code>	51
3.3.1.2.8	<code>shipbox</code>	51
3.3.1.2.9	<code>battleshipsetup</code>	51
3.3.1.2.10	<code>classicgame</code>	51
3.3.1.3	<code>Bokkusu</code>	51
3.3.1.3.1	<code>valueH</code>	51
3.3.1.3.2	<code>valueV</code>	52
3.3.1.3.3	<code>sumH</code>	52
3.3.1.3.4	<code>sumV</code>	52
3.3.1.3.5	<code>bokkususetup</code>	52
3.3.1.4	<code>Bridges</code>	52
3.3.1.4.1	<code>bridgesrow</code>	52
3.3.1.4.2	<code>bridgescolumn</code>	52
3.3.1.4.3	<code>bridge</code>	52
3.3.1.4.4	<code>bridgessetup</code>	52
3.3.1.5	<code>Chaos Sudoku</code>	52
3.3.1.5.1	<code>chaossudokucell</code>	52
3.3.1.5.2	<code>chaossudokusetup</code>	52
3.3.1.6	<code>Hakyuu</code>	53
3.3.1.6.1	<code>hakyuucell</code>	53
3.3.1.6.2	<code>hakyuusetup</code>	53
3.3.1.7	<code>Hitori</code>	53
3.3.1.7.1	<code>hitorisetup</code>	53
3.3.1.8	<code>Kakuro</code>	53
3.3.1.8.1	<code>kakurorow</code>	53
3.3.1.8.2	<code>kakurocolumn</code>	53
3.3.1.8.3	<code>KKR</code>	53
3.3.1.8.4	<code>Black</code>	53
3.3.1.8.5	<code>kakurosetup</code>	53
3.3.1.9	<code>Kendoku</code>	53
3.3.1.9.1	<code>kendokucell</code>	53
3.3.1.9.2	<code>kendokusetup</code>	53
3.3.1.10	<code>Killer Sudoku</code>	53
3.3.1.10.1	<code>killersudokucell</code>	53
3.3.1.10.2	<code>killersudokusetup</code>	54
3.3.1.11	<code>Laser Beam</code>	54
3.3.1.11.1	<code>laserH</code>	54
3.3.1.11.2	<code>laserV</code>	54
3.3.1.11.3	<code>mirrorH</code>	54
3.3.1.11.4	<code>mirrorV</code>	54
3.3.1.11.5	<code>placearrow</code>	54
3.3.1.11.6	<code>placecross</code>	54
3.3.1.11.7	<code>placemirror</code>	54
3.3.1.11.8	<code>laser</code>	54
3.3.1.11.9	<code>laserbeamsetup</code>	54
3.3.1.12	<code>Minesweeper</code>	55
3.3.1.12.1	<code>Mine</code>	55

3.3.1.12.2	<code>minesweepersetup</code>	55
3.3.1.13	<code>Schatzsuche</code>	55
3.3.1.13.1	<code>Diamond</code>	55
3.3.1.13.2	<code>schatzsuchesetup</code>	55
3.3.1.14	<code>Skyline</code>	55
3.3.1.14.1	<code>skylineT</code>	55
3.3.1.14.2	<code>skylineB</code>	55
3.3.1.14.3	<code>skylineL</code>	55
3.3.1.14.4	<code>skylineR</code>	55
3.3.1.14.5	<code>skylinecell</code>	55
3.3.1.14.6	<code>skylinesetup</code>	55
3.3.1.15	<code>Slitherlink</code>	55
3.3.1.15.1	<code>slitherlinkcell</code>	55
3.3.1.15.2	<code>slitherlinksetup</code>	56
3.3.1.16	<code>Star Battle</code>	56
3.3.1.16.1	<code>starbattlecell</code>	56
3.3.1.16.2	<code>starbattlesetup</code>	56
3.3.1.17	<code>Stars and Arrows</code>	56
3.3.1.17.1	<code>starsH</code>	56
3.3.1.17.2	<code>starsV</code>	56
3.3.1.17.3	<code>Star</code>	56
3.3.1.17.4	<code>Arrows</code>	56
3.3.1.17.5	<code>starsandarrowssetup</code>	56
3.3.1.18	<code>Sudoku</code>	56
3.3.1.18.1	<code>lpsudokucell</code>	56
3.3.1.18.2	<code>lpsudokusetup</code>	56
3.3.1.19	<code>Sun and Moon</code>	57
3.3.1.19.1	<code>Star</code>	57
3.3.1.19.2	<code>Cloud</code>	57
3.3.1.19.3	<code>Howl at the Moon</code>	57
3.3.1.19.4	<code>sunandmoonssetup</code>	57
3.3.1.20	<code>Tents and Trees</code>	57
3.3.1.20.1	<code>tentH</code>	57
3.3.1.20.2	<code>tentV</code>	57
3.3.1.20.3	<code>Tree</code>	57
3.3.1.20.4	<code>Tent</code>	57
3.3.1.20.5	<code>tentsandtreessetup</code>	57
3.3.1.21	<code>Tunnel</code>	58
3.3.1.21.1	<code>tunnelH</code>	58
3.3.1.21.2	<code>tunnelV</code>	58
3.3.1.21.3	<code>portal</code>	58
3.3.1.21.4	<code>tube</code>	58
3.3.1.21.5	<code>tunnelsetup</code>	58
3.3.2	<code>User commands</code>	58
3.3.2.1	<code>In the grid</code>	58
3.3.2.1.1	<code>setcell</code>	58
3.3.2.1.2	<code>setbigcell</code>	58

3.3.2.1.3	<code>setrow</code>	58
3.3.2.1.4	<code>setcolorrow</code>	58
3.3.2.1.5	<code>setcolumn</code>	59
3.3.2.1.6	<code>setcolorcolumn</code>	59
3.3.2.1.7	<code>setrule</code>	59
3.3.2.1.8	<code>fillcell</code>	59
3.3.2.1.9	<code>fillrow</code>	59
3.3.2.1.10	<code>fillcolumn</code>	59
3.3.2.1.11	<code>filldiagonals</code>	59
3.3.2.1.12	<code>framearea</code>	59
3.3.2.1.13	<code>fillarea</code>	60
3.3.2.1.14	<code>colorarea</code>	60
3.3.2.1.15	<code>framepuzzle</code>	60
3.3.2.1.16	<code>tikzpath</code>	60
3.3.2.2	<code>Presentation</code>	60
3.3.2.2.1	<code>titleformat</code>	60
3.3.2.2.2	<code>puzzlecOUNTER</code>	60
3.3.2.2.3	<code>setpuzzlecOUNTER</code>	60
3.3.2.2.4	<code>definecounterstyle</code>	60
3.3.2.2.5	<code>setgridlinestyle</code>	61
3.3.2.2.6	<code>setnormallinewidth</code>	61
3.3.2.2.7	<code>setthicklinewidth</code>	61
3.3.3	<code>Internal commands</code>	61
3.3.3.1	<code>Initialization</code>	61
3.3.3.1.1	<code>LP@define@key</code>	61
3.3.3.1.2	<code>LP@define@choicekey@fontsize</code>	61
3.3.3.2	<code>Drawing grids</code>	62
3.3.3.2.1	<code>LP@drawgrid</code>	62
3.3.3.2.2	<code>LP@drawsudokugrid</code>	62
3.3.3.2.3	<code>LP@drawbackground</code>	62
3.3.3.3	<code>In the grid</code>	62
3.3.3.3.1	<code>LP@setcellcontent</code>	62
3.3.3.3.2	<code>LP@setcellcontentC</code>	62
3.3.3.3.3	<code>LP@setrowcontents</code>	62
3.3.3.3.4	<code>LP@setcolumncontents</code>	62
3.3.3.3.5	<code>LP@ingrid</code>	62
3.3.3.3.6	<code>LP@definecolor</code>	62
3.3.3.4	<code>Around the grid</code>	63
3.3.3.4.1	<code>LP@leftcolumn</code>	63
3.3.3.4.2	<code>LP@rightcolumn</code>	63
3.3.3.4.3	<code>LP@toprow</code>	63
3.3.3.4.4	<code>LP@bottomrow</code>	63
3.3.3.5	<code>Presentation</code>	63
3.3.3.5.1	<code>LP@drawcounter</code>	63
4	<code>Examples</code>	63
References		65

Index	66
-------	----

# 1 Supported puzzles

## 1.1 2D-Sudoku

Fill every row, every column and each of the two diagonals – if indicated – with numbers from 1 to SIZE of the grid.

### 1.1.1 Example

1				
3				4
	4		2	
			3	

1	3	4	5	2
3	2	5	1	4
5	4	3	2	1
2	5	1	4	3
4	1	2	3	5

```

1 \begin{center}
2   \begin{ddsudoku}
3     \framepuzzle
4     \filldiagonals[orange!50]
5     \ddssudokucell{1}{5}{1}
6     \ddssudokucell{1}{4}{3}
7     \ddssudokucell{2}{3}{4}
8     \ddssudokucell{4}{1}{3}
9     \ddssudokucell{4}{3}{2}
10    \ddssudokucell{5}{4}{4}
11  \end{ddsudoku}
12  \hspace{1.5cm}
13  \begin{ddsudoku}
14    \framepuzzle
15    \filldiagonals[orange!50]
16    \setrow{5}{1,3,4,5,2}
17    \setrow{4}{3,2,5,1,4}
18    \setrow{3}{5,4,3,2,1}
19    \setrow{2}{2,5,1,4,3}
20    \setrow{1}{4,1,2,3,5}
21  \end{ddsudoku}
22 \end{center}
```

## 1.1.2 Options

`rows` [5] defines the number of rows in the grid.

`columns` [5] specifies the number of columns in the grid

`width` [5.1cm] sets the width of the minipage, in which the grid is typeset.

`scale` [1] scales the size of the grid in the minipage.

`fontsize` [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

`title` [] sets the title of a puzzle.

`titleindent` [0cm] defines the indent of the title.

`titlewidth` [5.1cm] specifies the width of the box the title is set in.

`bgcolor` [] sets the background color of the grid.

`counterstyle` [none] defines the counter style. Predefined styles: none, left, right

`cvoffset` [-23pt] sets the vertical offset of the counters in the margin.

## 1.2 Battleship

Try to find the positions of the ships listed below the puzzle. The numbers on the side of the puzzle reveals how many ship segments can be found in the rows and columns. All remaining fields indicate 'water'. Consider the following rules: The ships are arranged horizontally and vertically. No ship touches another ship at any point, not even diagonally.

### 1.2.1 Example

	4	1	2	2	2	
3						
0						
4						
1						
3				█		

█ █ █ █ █  
█ █ █

	4	1	2	2	2	
3	█	█				█
0						
4	█		█	█	█	█
1	█					
3	█		█	█	█	

```

1 \begin{center}
2   \begin{battleship}
3     \placesegment{4}{1}{\ShipR}
4     \shipH{4,1,2,2,2}
5     \shipV{3,1,4,0,3}
6     \shipbox{3,3,2,2,1}
7   \end{battleship}
8   \hspace{1.5cm}
9   \begin{battleship}
10    \placeship{V}{1}{1}{3}
11    \placeship{H}{1}{5}{2}
12    \placeship{H}{3}{1}{2}
13    \placeship{H}{3}{3}{3}
14    \placeship{H}{5}{5}{1}
15    \shipH{4,1,2,2,2}
16    \shipV{3,1,4,0,3}
17  \end{battleship}
18 \end{center}

```

### 1.2.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid.

**shipcolor** [green] sets the color of the ship segments.

**width** [6cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [`Large`] specifies the size of the numbers next to the grid.

Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: `tiny`, `scriptsize`, `footnotesize`, `small`, `normalsize`, `large`, `Large`, `LARGE`, `huge`, `Huge`

**title** [] sets the title of a puzzle.

**titleindent** [`0.75cm`] defines the indent of the title.

**titlewidth** [`5.15cm`] specifies the width of the box the title is set in.

**sbindent** [`0.75cm`] defines the indent of the ship box below the grid.

**sbwidth** [`5.15cm`] specifies the width of the minipage, in which the ships are typeset.

**sbshipscale** [`1`] scales the size of the ships in the ship box.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [`none`] defines the counter style. Predefined styles: `none`, `left`, `right`

**cvoffset** [`-23pt`] sets the vertical offset of the counters in the margin.

### 1.3 Bokkusu

Black out some of the grid cells. The numbers on the left and the bottom edge of the grid indicate the values of the cells for adding up. The numbers on the right and the top edge of the grid specify the sums of the values of the colored cells.

#### 1.3.1 Example

	7	1	11	9	6	
5						?
4						13
3						5
2						12
1						2
	1	2	3	4	5	

	7	1	11	9	6	
5						?
4						13
3						5
2						12
1						2
	1	2	3	4	5	

```

1 \begin{center}
2   \begin{bokkusu}
3     \valueH{1,2,3,4,5}

```

```

4   \valueV{1,2,3,4,5}
5   \sumH{7,1,11,9,6}
6   \sumV{2,12,5,13,?}
7   \end{bokkusu}
8   \hspace{1.5cm}
9   \begin{bokkusu}
10  \valueH{1,2,3,4,5}
11  \valueV{1,2,3,4,5}
12  \sumH{7,1,11,9,6}
13  \sumV{2,12,5,13,?}
14  \fillrow{5}{0,0,1,0,0}
15  \fillrow{4}{1,0,1,1,1}
16  \fillrow{3}{1,0,0,1,0}
17  \fillrow{2}{0,0,1,1,1}
18  \fillrow{1}{0,1,0,0,0}
19  \end{bokkusu}
20  \end{center}

```

### 1.3.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [6.7cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0.75cm] defines the indent of the title.

**titlewidth** [5.85cm] specifies the width of the box the title is set in.

**color** [black] specifies the color for coloring the cells.

**bcolor** [] sets the background color of the grid.



**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-38pt] sets the vertical offset of the counters in the margin.

## 1.4 Bridges

Connect all the islands (circles) located in the grid by bridges. The bridges may only be routed horizontally and vertically. Islands may be connected by a maximum of two bridges. The bridges must neither overlap nor cross. They may also not be built over islands. The numbers in the islands indicate how many bridges originate from this island. All islands must be fully connected.

### 1.4.1 Example



```

1 \colorlet{LP@c@bridge}{Teal}
2 \begin{center}
3   \begin{bridges}
4     \framepuzzle
5       \bridgesrow{8}{{},4,{},{}},{},5,{},2}
6       \bridgesrow{7}{{},{}},{},1
7       \bridgesrow{5}{{},{}},{},3,{},4}
8       \bridgesrow{4}{{},{}},{},3,{},1,{},2}
9       \bridgesrow{3}{{},{}},{},{}},{},{}},{}
10      \bridgesrow{2}{{},{}},{},2,{},5,{},2}
11    \end{bridges}

```

```

12 \hspace{1.5cm}
13 \begin{bridges}[grid=none]
14   \framepuzzle
15   \bridgesrow{8}{{},4,{},{}},{},5,{},2}
16   \bridgesrow{7}{{},{}},1}
17   \bridgesrow{5}{{},{}},3,{}},4}
18   \bridgesrow{4}{{},{}},3,{}},1,{}},2}
19   \bridgesrow{3}{{},{}},{}},{}},{}},{}},{}}
20   \bridgesrow{2}{{},{}},2,{}},{}},5,{}},{}},2}
21   \bridge[double]{\tikzpath{2}{4}{8,8,8,8,6,6,6,2,2,2,2}}
22   \bridge[double]{\tikzpath{2}{2}{6,6,6,8,8,8,4,4}}
23   \bridge{\tikzpath{2}{4}{6,6}}
24   \bridge{\tikzpath{3}{5}{8,8}}
25   \bridge{\tikzpath{5}{2}{6,6,6,8,8,8,8,8,4,4}}
26 \end{bridges}
27 \end{center}

```

#### 1.4.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [6.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [6.1cm] specifies the width of the box the title is set in.

**color** [green] specifies the color for coloring the islands.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

**grid** [dashed] sets the style of the grid. Possible values: dashed, none, solid

## 1.5 Chaos Sudoku

Fill the cells of an area with numbers from 1 to N of the N\*N grid. Each number can appear only once - in each area, column, row or diagonal if indicated.

### 1.5.1 Example

		4						2

		4	3	5	1	2		
		2	1	3	4	5		
		5	4	2	3	1		
		1	2	4	5	3		
		3	5	1	2	4		

```

1 \begin{center}
2   \begin{chaossudoku}
3     \chaossudokucell{1}{1}{3}
4     \chaossudokucell{1}{5}{4}
5     \chaossudokucell{3}{2}{4}
6     \chaossudokucell{4}{2}{5}
7     \chaossudokucell{5}{5}{2}
8     \begin{puzzlebackground}
9       \fillarea{Wheat}{{(1,1)--(1,2)--(2,2)--(2,3)--(4,3)--(4,1)
10          -(1,1)}}
11       \fillarea{HotPink!30}{{(1,2)--(1,6)--(3,6)--(3,5)--(2,5)
12          -(2,2)--(1,2)}}
13       \fillarea{GreenYellow}{{(2,3)--(2,5)--(3,5)--(3,4)--(5,4)
14          -(5,2)--(4,2)--(4,3)--(2,3)}}
15       \fillarea{LightBlue}{{(3,4)--(3,6)--(6,6)--(6,5)--(5,5)
16          -(5,4)--(3,4)}}
17       \fillarea{LightYellow}{{(4,1)--(4,2)--(5,2)--(5,5)--(6,5)
18          -(6,1)--(4,1)}}
19     \end{puzzlebackground}
20   \end{chaossudoku}
21   \hspace{1.5cm}
22   \begin{chaossudoku}
23     \setrow{5}{4,3,5,1,2}
24     \setrow{4}{2,1,3,4,5}
25     \setrow{3}{5,4,2,3,1}
26     \setrow{2}{1,2,4,5,3}
27     \setrow{1}{3,5,1,2,4}

```

```

28 \begin{puzzlebackground}
29   \fillarea{Wheat}{\{(1,1)--(1,2)--(2,2)--(2,3)--(4,3)--(4,1)
30                           --(1,1)\}}
31   \fillarea{HotPink!30}{\{(1,2)--(1,6)--(3,6)--(3,5)--(2,5)
32                           --(2,2)--(1,2)\}}
33   \fillarea{GreenYellow}{\{(2,3)--(2,5)--(3,5)--(3,4)--(5,4)
34                           --(5,2)--(4,2)--(4,3)--(2,3)\}}
35   \fillarea{LightBlue}{\{(3,4)--(3,6)--(6,6)--(6,5)--(5,5)
36                           --(5,4)--(3,4)\}}
37   \fillarea{LightYellow}{\{(4,1)--(4,2)--(5,2)--(5,5)--(6,5)
38                           --(6,1)--(4,1)\}}
39 \end{puzzlebackground}
40 \end{chaossudoku}
41 \end{center}

```

### 1.5.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

## 1.6 Hakyuu

Fill the cells of an area with numbers from 1 to SIZE of the area. If there are two cells with the same number N in a row or a column, there must be at least N cells between those two cells.

### 1.6.1 Example

2		6	5	
			4	
3				
	2			5
			1	

2	3	6	5	4
1	7	3	4	2
3	1	2	1	3
1	2	1	3	5
2	3	4	1	2

```

1 \begin{center}
2   \begin{hakypuzzles}
3     \hakyuu{1}{5}{2}
4     \hakyuu{3}{5}{6}
5     \hakyuu{4}{5}{5}
6     \hakyuu{4}{4}{4}
7     \hakyuu{1}{3}{3}
8     \hakyuu{2}{2}{2}
9     \hakyuu{5}{2}{5}
10    \hakyuu{4}{1}{1}
11    \begin{puzzlebackground}
12      \fillarea{Wheat}{{(1,1)--(1,4)--(2,4)--(2,1)--(1,1)}
13      \fillarea{HotPink!30}{{(1,4)--(1,6)--(6,6)--(6,5)--(3,5)
14        --(3,4)--(1,4)}
15      \fillarea{GreenYellow}{{(2,4)--(3,4)--(3,5)--(5,5)--(5,4)
16        --(4,4)--(4,3)--(2,3)--(2,4)}
17      \fillarea{LightBlue}{{(5,5)--(6,5)--(6,3)--(4,3)--(4,4)
18        --(5,4)--(5,5)}
19      \fillarea{LightSalmon!50}{{(2,2)--(2,3)--(5,3)--(5,2)
20        --(2,2)}
21      \fillarea{LightYellow}{{(2,1)--(2,2)--(5,2)--(5,3)--(6,3)
22        --(6,1)--(2,1)}}
23    \end{puzzlebackground}
24  \end{hakypuzzles}
25  \hspace{1.5cm}
26  \begin{hakypuzzles}
27    \setrow{5}{2,3,6,5,4}
28    \setrow{4}{1,7,3,4,2}
29    \setrow{3}{3,1,2,1,3}
30    \setrow{2}{1,2,1,3,5}
31    \setrow{1}{2,3,4,1,2}
32    \begin{puzzlebackground}
33      \fillarea{Wheat}{{(1,1)--(1,4)--(2,4)--(2,1)--(1,1)}}

```

```

34   \fillarea{HotPink!30}{(1,4)--(1,6)--(6,6)--(6,5)--(3,5)
35   --(3,4)--(1,4)}
36   \fillarea{GreenYellow}{(2,4)--(3,4)--(3,5)--(5,5)--(5,4)
37   --(4,4)--(4,3)--(2,3)--(2,4)}
38   \fillarea{LightBlue}{(5,5)--(6,5)--(6,3)--(4,3)--(4,4)
39   --(5,4)--(5,5)}
40   \fillarea{LightSalmon!50}{(2,2)--(2,3)--(5,3)--(5,2)
41   --(2,2)}
42   \fillarea{LightYellow}{(2,1)--(2,2)--(5,2)--(5,3)--(6,3)
43   --(6,1)--(2,1)}
44   \end{puzzlebackground}
45   \end{hakyuu}
46   \end{center}

```

### 1.6.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

### 1.7 Hitori

Black out some cells according to these specifications: In each row and each column a number may only occur once or can be completely blackened. The blackened cells can touch neither horizontal nor vertical. All non blackened cells must remain connected. Each number has its own color, which otherwise has no meaning.

### 1.7.1 Example

2	4	2	1	1
1	3	2	4	1
1	3	3	3	2
4	2	1	3	3
4	1	2	2	3

2	4		1	
		3	2	4
1		3		2
4	2	1	3	
	1		2	3

```

1 \begin{center}
2   \begin{hitori}
3     \framepuzzle
4       \setcolorarrow{5}{2,4,2,1,1}
5       \setcolorarrow{4}{1,3,2,4,1}
6       \setcolorarrow{3}{1,3,3,3,2}
7       \setcolorarrow{2}{4,2,1,3,3}
8       \setcolorarrow{1}{4,1,2,2,3}
9     \end{hitori}
10    \hspace{1.5cm}
11    \begin{hitori}
12      \framepuzzle
13        \setcolorarrow{5}{2,4,0,1,0}
14        \setcolorarrow{4}{0,3,2,4,1}
15        \setcolorarrow{3}{1,0,3,0,2}
16        \setcolorarrow{2}{4,2,1,3,0}
17        \setcolorarrow{1}{0,1,0,2,3}
18    \end{hitori}
19 \end{center}
```

### 1.7.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.


**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

## 1.8 Kakuro

Enter numbers from 1 to 9 in any order into the blank cells. Here, the given horizontal and vertical sums should result. The zero does not occur. Within a summation, no number can be repeated.

### 1.8.1 Example



```

1 \definecolor{kakuro}{RGB}{155,206,167}
2 \kakurosetup{color=kakuro}
3 \begin{center}
4 \begin{kakuro}
5   \framepuzzle
6   \kakurorow{5}{\Black,\KKR{23}[],\KKR{16}[],\KKR{10}[],\Black}
7   \kakurorow{4}{\KKR{}{14},9,1,4,\KKR{3}[]}
8   \kakurorow{3}{\KKR{}{16},6,5,3,2}
9   \kakurorow{2}{\KKR{}{14},8,3,2,1}
10  \kakurorow{1}{\Black,\KKR{}{8},7,1,\Black}
11 \end{kakuro}
12 \hspace{1.5cm}
13 \begin{kakuro}[solution]
14   \framepuzzle

```

```

15   \kakurorow{5}{\Black,\KKR{}{},\KKR{}{},\KKR{}{},\KKR{}{},\Black}
16   \kakurorow{4}{\KKR{}{}{14},9,1,4,\KKR{}{}{}}
17   \kakurorow{3}{\KKR{}{}{16},6,5,3,2}
18   \kakurorow{2}{\KKR{}{}{14},8,3,2,1}
19   \kakurorow{1}{\Black,\KKR{}{}{8},7,1,\Black}
20 \end{kakuro}
21 \end{center}

```

### 1.8.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.

Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**color** [green] specifies the color of the kakuro cells.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

**solution** [false] You can use the solution also for the puzzle, as the numbers in the cells are only typeset with option **solution=true**.

### 1.9 Kendoku

Fill the cells with the numbers from 1 to SIZE of the puzzle. In the top left corner of a framed area, you will find the result of the specified arithmetic function, which is applied on the entered numbers. The numbers may occur only once in each row and column. The numbers of an area may not necessarily be different when they are in different rows or columns.

### 1.9.1 Example

4+	2÷	75×		2
			2×	
5	60×			1
8×		2-	1-	
			8+	

4+	2÷	75×	5	2
1	4	3	5	2
3	2	5	1	4
5	3	4	2	1
8×		2-	1-	
2	5	1	4	3
4	1	2	3	5

```

1 \begin{center}
2   \begin{kendoku}
3     \framearea{black}{\tikzpath{1}{1}{8,8,6,2,6,2,4,4}}
4     \framearea{black}{\tikzpath{1}{3}{8,6,2,4}}
5     \framearea{black}{\tikzpath{1}{4}{8,8,6,2,2,4}}
6     \framearea{black}{\tikzpath{2}{2}{8,8,6,6,2,4,2,4}}
7     \framearea{black}{\tikzpath{2}{4}{8,8,6,2,2,4}}
8     \framearea{black}{\tikzpath{3}{1}{8,8,6,2,2,4}}
9     \framearea{black}{\tikzpath{3}{4}{8,8,6,6,2,4,2,4}}
10    \framearea{black}{\tikzpath{4}{1}{8,6,6,2,4,4}}
11    \framearea{black}{\tikzpath{4}{2}{8,6,6,2,4,4}}
12    \framearea{black}{\tikzpath{4}{3}{8,8,6,2,2,4}}
13    \framearea{black}{\tikzpath{5}{3}{8,6,2,4}}
14    \framearea{black}{\tikzpath{5}{4}{8,6,2,4}}
15    \framearea{black}{\tikzpath{5}{5}{8,6,2,4}}
16    \setrule{1}{2}{8\times}
17    \setrule{1}{3}{5}
18    \setrule{1}{5}{4+}
19    \setrule{2}{3}{60\times}
20    \setrule{2}{5}{2

21    \setrule{3}{2}{2-}
22    \setrule{3}{5}{75\times}
23    \setrule{4}{1}{8+}
24    \setrule{4}{2}{1-}
25    \setrule{4}{4}{2\times}
26    \setrule{5}{3}{1}
27    \setrule{5}{5}{2}
28  \end{kendoku}
29  \hspace{1.5cm}
30  \begin{kendoku}
31    \framearea{black}{\tikzpath{1}{1}{8,8,6,2,6,2,4,4}}
32    \framearea{black}{\tikzpath{1}{3}{8,6,2,4}}
33    \framearea{black}{\tikzpath{1}{4}{8,8,6,2,2,4}}


```

```

34   \framearea{black}{\tikzpath{2}{2}{8,8,6,6,2,4,2,4}}
35   \framearea{black}{\tikzpath{2}{4}{8,8,6,2,2,4}}
36   \framearea{black}{\tikzpath{3}{1}{8,8,6,2,2,4}}
37   \framearea{black}{\tikzpath{3}{4}{8,8,6,6,2,4,2,4}}
38   \framearea{black}{\tikzpath{4}{1}{8,6,6,2,4,4}}
39   \framearea{black}{\tikzpath{4}{2}{8,6,6,2,4,4}}
40   \framearea{black}{\tikzpath{4}{3}{8,8,6,2,2,4}}
41   \framearea{black}{\tikzpath{5}{3}{8,6,2,4}}
42   \framearea{black}{\tikzpath{5}{4}{8,6,2,4}}
43   \framearea{black}{\tikzpath{5}{5}{8,6,2,4}}
44   \setrule{1}{2}{8\times}
45   \setrule{1}{3}{5}
46   \setrule{1}{5}{4+}
47   \setrule{2}{3}{60\times}
48   \setrule{2}{5}{2

}
49   \setrule{3}{2}{2-}
50   \setrule{3}{5}{75\times}
51   \setrule{4}{1}{8+}
52   \setrule{4}{2}{1-}
53   \setrule{4}{4}{2\times}
54   \setrule{5}{3}{1}
55   \setrule{5}{5}{2}
56   \setrow{5}{1,4,3,5,2}
57   \setrow{4}{3,2,5,1,4}
58   \setrow{3}{5,3,4,2,1}
59   \setrow{2}{2,5,1,4,3}
60   \setrow{1}{4,1,2,3,5}
61   \end{kendoku}
62   \end{center}


```

### 1.9.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.


**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

## 1.10 Killer Sudoku

Fill the cells with the numbers from 1 to SIZE of the puzzle. The numbers may occur only once in each row, column and colored area if specified. In the top left corner of a framed area, you will find the sum of the entered numbers. The numbers of an area may not necessarily be different, when they are in different rows or columns. But they must be different, when additional colored areas are specified.

### 1.10.1 Example



7	3	6	5
4	1	2	4
2	4	1	3
1	3	2	4

```

1 \begin{killersudoku}
2   \framearea{black}{\tikzpath{1}{1}{8,8,6,6,2,4,2,4}}
3   \framearea{black}{\tikzpath{1}{3}{8,8,6,2,2,4}}
4   \framearea{black}{\tikzpath{2}{1}{8,6,6,6,2,4,4,4}}
5   \framearea{black}{\tikzpath{2}{3}{8,8,6,2,6,2,4,4}}
6   \framearea{black}{\tikzpath{3}{2}{8,6,8,6,2,2,4,4}}
7   \framearea{black}{\tikzpath{3}{4}{8,6,6,2,4,4}}
8   \begin{puzzlebackground}
9     \colorarea{orange!20}{\tikzpath{1}{1}{8,8,6,6,2,2,4,4}}
10    \colorarea{orange!20}{\tikzpath{3}{3}{8,8,6,6,2,2,4,4}}
11  \end{puzzlebackground}
12  \setrule{1}{2}{7}
13  \setrule{1}{4}{7}
14  \setrule{2}{1}{9}
```

```

15   \setrule{2}{4}{6}
16   \setrule{3}{4}{5}
17   \setrule{4}{3}{6}
18 \end{killersudoku}
19 \hspace{1.5cm}
20 \begin{killersudoku}
21   \framearea{black}{\tikzpath{1}{1}{8,8,6,6,2,4,2,4}}
22   \framearea{black}{\tikzpath{1}{3}{8,8,6,2,2,4}}
23   \framearea{black}{\tikzpath{2}{1}{8,6,6,6,2,4,4,4}}
24   \framearea{black}{\tikzpath{2}{3}{8,8,6,2,6,2,4,4}}
25   \framearea{black}{\tikzpath{3}{2}{8,6,8,6,2,2,4,4}}
26   \framearea{black}{\tikzpath{3}{4}{8,6,6,2,4,4}}
27 \begin{puzzlebackground}
28   \colorarea{orange!20}{\tikzpath{1}{1}{8,8,6,6,2,2,4,4}}
29   \colorarea{orange!20}{\tikzpath{3}{3}{8,8,6,6,2,2,4,4}}
30 \end{puzzlebackground}
31   \setrule{1}{2}{7}
32   \setrule{1}{4}{7}
33   \setrule{2}{1}{9}
34   \setrule{2}{4}{6}
35   \setrule{3}{4}{5}
36   \setrule{4}{3}{6}
37   \setrow{4}{3,2,4,1}
38   \setrow{3}{4,1,3,2}
39   \setrow{2}{2,4,1,3}
40   \setrow{1}{1,3,2,4}
41 \end{killersudoku}

```

### 1.10.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.


**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

## 1.11 Laser Beam

Draw a laser beam in each grid according to the following guidelines. The beam has to enter or to leave the grid at the arrows. At each intersection, a mirror, on which the laser beam must reflect on one side, can be placed horizontally or vertically. The other side must not be touched by the beam. All locations where the laser crosses are given. The numbers to the left and above the grid indicate how many cells are traversed by the beam in the corresponding row or column. The numbers to the right and below reveal, how many mirrors are found in the intersection of the corresponding row or column.

### 1.11.1 Example



```

1 \begin{center}
2   \begin{laserbeam}
3     \laserV{1}
4     \laserH{{}}
5     \mirrorH{{}},2
6     \mirrorV{{}},{{},{}},{{},{}},{{},{}},2
7     \framepuzzle[LP@c@mirror]
8     \placearrow{3}{1}{LeftUp}
9     \placearrow{6}{4}{RightUp}
10    \placecross{3}{3}
11  \end{laserbeam}
12  \hspace{1cm}
13  \begin{laserbeam}
14    \laserV{1}

```

```

15   \laserH{{}}
16   \mirrorH{{},2}
17   \mirrorV{{},{}{},{}{},{}{},{}{},2}
18   \framepuzzle[LP@c@mirror]
19   \placearrow{3}{1}{LeftUp}
20   \placearrow{6}{4}{RightUp}
21   \placecross{3}{3}
22   \placemirror{2}{2}{V}
23   \placemirror{4}{2}{H}
24   \placemirror{5}{5}{V}
25   \placemirror{3}{5}{H}
26   \begin{puzzlebackground}
27     \laser{\tikzpath{3}{1}{7,9,9,9,7,1,7,1,3,3,3,9,9}}
28   \end{puzzlebackground}
29   \end{laserbeam}
30   \end{center}

```

### 1.11.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [6.5cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid. Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [6.5cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-38pt] sets the vertical offset of the counters in the margin.

## 1.12 Minesweeper

Draw a mine in some cells of the grid. The number in a cell indicates how many of the eight neighboring cells contain a mine. A numbered cell does not

contain a mine.

### 1.12.1 Example

	1			
		3	3	
3		4	2	
				0
	2			

	1			
		3	3	
3		4	2	
				0
	2			

```

1 \begin{center}
2   \begin{minesweeper}
3     \framepuzzle
4     \setrow{5}{{},1}
5     \setrow{4}{{}, {}, 3, 3}
6     \setrow{3}{3, {}, 4, 2}
7     \setrow{2}{{}, {}, {}, {}, 0}
8     \setrow{1}{{}, 2}
9   \end{minesweeper}
10  \hspace{1.5cm}
11  \begin{minesweeper}
12    \framepuzzle
13    \setrow{5}{{}, 1, {}, \Mine, \Mine}
14    \setrow{4}{{}, \Mine, 3, 3, \Mine}
15    \setrow{3}{3, \Mine, 4, 2}
16    \setrow{2}{{}, \Mine, \Mine, {}, 0}
17    \setrow{1}{{}, 2}
18  \end{minesweeper}
19 \end{center}
```

### 1.12.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [`Large`] specifies the size of the numbers next to the grid.

Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [`0cm`] defines the indent of the title.

**titlewidth** [`5.1cm`] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [`none`] defines the counter style. Predefined styles: none, left, right

**cvoffset** [`-23pt`] sets the vertical offset of the counters in the margin.

## 1.13 Schatzsuche

It's a variant of Minesweeper, just with diamonds instead of mines. Draw a diamond in some cells of the grid. The number in a cell indicates how many of the eight neighboring cells contain a diamond. A numbered cell does not contain a diamond.

### 1.13.1 Example

	1			
		3	3	
3		4	2	
				0
	2			

	1			
		3	3	
3		4	2	
				0
	2			

```

1 \begin{center}
2   \begin{schatzsuche}
3     \framepuzzle
4     \setrow{5}{{},1}
5     \setrow{4}{{}, {}, 3, 3}
6     \setrow{3}{3, {}, 4, 2}
7     \setrow{2}{{}, {}, {}, {}, 0}
8     \setrow{1}{{}, 2}
9   \end{schatzsuche}

```

```

10  \hspace{1.5cm}
11  \begin{schatzsuche}
12    \framepuzzle
13    \setrow{5}{{},1,{},\Diamond,\Diamond}
14    \setrow{4}{{},\Diamond,3,3,\Diamond}
15    \setrow{3}{3,\Diamond,4,2}
16    \setrow{2}{{},\Diamond,\Diamond,{},0}
17    \setrow{1}{{},2}
18  \end{schatzsuche}
19  \end{center}

```

### 1.13.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

### 1.14 Skyline

There are skyscrapers located in each cell. Try to find out the height of the skyscraper in the respective cell. There are heights of 1 to MAX in every row, every column, and in each of the two diagonals if indicated. Some cells may be empty (parks). The numbers around the grid indicate how many buildings you can see from this position when you look at the skyscraper lineup. Bear in mind that only those skyscrapers are visible which are higher than the ones in front.

### 1.14.1 Example

	2		3				2		3		
3	2										3
4				3							1
	3		3	1							

```

1 \begin{center}
2   \begin{skyline}
3     \skylineB{3,{},3,1,{}}
4     \skylineL{{},4,3,{},{}}
5     \skylineT{{},{},2,{},3}
6     \skylineR{{},1,3,{},{}}
7     \skylinecell{1}{3}{2}
8     \skylinecell{4}{2}{3}
9   \end{skyline}
10  \hspace{1cm}
11  \begin{skyline}
12    \skylineB{3,{},3,1,{}}
13    \skylineL{{},4,3,{},{}}
14    \skylineT{{},{},2,{},3}
15    \skylineR{{},1,3,{},{}}
16    \setrow{5}{5,4,3,1,2}
17    \setrow{4}{4,5,1,2,3}
18    \setrow{3}{2,3,5,4,1}
19    \setrow{2}{1,2,4,3,5}
20    \setrow{1}{3,1,2,5,4}
21  \end{skyline}
22 \end{center}

```

#### 1.14.1.1 Variants

##### 1.14.1.1.1 Skyline Sudoku

4	1	3	2	3	5	3	2	3
2			8			7		
3		4		6			8	
3	2	7				1		
3			8	2				
1		2	4		7			
2		3		4				
2			1					
4	3	5			1	2		


4	1	3	2	3	5	3	2	3
2	3	9	6	8	5	1	2	7
3	1	7	4	9	2	6	3	5
3	5	2	8	7	3	4	9	6
3	7	4	3	1	8	2	6	9
1	9	8	2	6	4	5	7	1
2	6	5	1	3	9	7	4	8
2	8	6	7	2	1	3	5	4
2	4	3	9	5	6	8	1	2
4	2	1	5	4	7	9	8	3

```

1 \begin{center}
2   \begin{skyline}[sudoku,scale=.4]
3     \skylineB{4,5,2,5,2,1,2,4,3}
4     \skylineL{4,2,2,2,1,3,3,3,2}
5     \skylineT{4,1,3,2,3,5,3,2,3}
6     \skylineR{3,3,1,3,4,2,3,2,4}
7     \setrow{9}{{},{},{}},{},8,{},{},{}},7}
8     \setrow{8}{{},{},{}},4,{},{},6,{},{},{}},8}
9     \setrow{7}{{},{},2,{},7,{},{},{}},{},{}},1}
10    \setrow{6}{{},{},{}},{},{}},{},{}},8,2}
11    \setrow{5}{{},{},{}},{},2,{},4,{},7}
12    \setrow{4}{{},{},{}},{},3,{},{},{}},4}
13    \setrow{3}{{},{},{}},{},{}},{},{}},1}
14    \setrow{2}{{},{},{}},3,{},{},{}},{},{}},1,2}
15    \setrow{1}{{},{},{}},{},{}},5}
16  \end{skyline}
17  \hspace{1cm}
18  \begin{skyline}[sudoku,scale=.4]
19    \skylineB{4,5,2,5,2,1,2,4,3}
20    \skylineL{4,2,2,2,1,3,3,3,2}
21    \skylineT{4,1,3,2,3,5,3,2,3}
22    \skylineR{3,3,1,3,4,2,3,2,4}
23    \setrow{9}{3,9,6,8,5,1,2,7,4}
24    \setrow{8}{1,7,4,9,2,6,3,5,8}
25    \setrow{7}{5,2,8,7,3,4,9,6,1}
26    \setrow{6}{7,4,3,1,8,2,6,9,5}
27    \setrow{5}{9,8,2,6,4,5,7,1,3}
28    \setrow{4}{6,5,1,3,9,7,4,8,2}
29    \setrow{3}{8,6,7,2,1,3,5,4,9}
30    \setrow{2}{4,3,9,5,6,8,1,2,7}
31    \setrow{1}{2,1,5,4,7,9,8,3,6}
32  \end{skyline}
33 \end{center}

```

### 1.14.1.1.2 Skyline Sudoku ( $N^*N$ )



```

1 \begin{center}
2   \begin{skyline}[rows=6,columns=6,scale=.58]
3     \skylineB{4,2,1,3,3,2}
4     \skylineL{3,3,4,3,2,1}
5     \skylineT{1,2,3,3,2,4}
6     \skylineR{4,1,2,2,2,3}
7     \skylinecell{2}{4}{1}
8     \skylinecell{4}{1}{4}
9     \skylinecell{5}{2}{3}
10    \begin{puzzlebackground}
11      \fillarea{Wheat}{{(1,1)--(1,3)--(4,3)--(4,1)--(1,1)}
12      \fillarea{HotPink!30}{{(1,3)--(1,7)--(4,7)--(4,6)--(2,6)
13          --(2,3)--(1,3)}
14      \fillarea{GreenYellow}{{(2,3)--(2,6)--(4,6)--(4,3)--(2,3)}
15      \fillarea{LightBlue}{{(4,1)--(7,1)--(7,5)--(6,5)--(6,2)
16          --(4,2)--(4,1)}
17      \fillarea{LightSalmon!50}{{(4,7)--(4,4)--(5,4)--(5,6)--(6,6)
18          --(6,5)--(7,5)--(7,7)--(4,7)}
19      \fillarea{LightYellow}{{(4,2)--(4,4)--(5,4)--(5,6)--(6,6)
20          --(6,2)--(4,2)}}
21    \end{puzzlebackground}
22  \end{skyline}
23  \hspace{1cm}
24  \begin{skyline}[rows=6,columns=6,scale=.58]
25    \skylineB{4,2,1,3,3,2}
26    \skylineL{3,3,4,3,2,1}
27    \skylineT{1,2,3,3,2,4}
28    \skylineR{4,1,2,2,2,3}
29    \setrow{6}{6,3,4,1,5,2}
30    \setrow{5}{5,6,2,3,1,4}
31    \setrow{4}{2,1,3,6,4,5}
32    \setrow{3}{1,4,5,2,6,3}
33    \setrow{2}{4,2,1,5,3,6}

```

```

34 \setrow{1}{3,5,6,4,2,1}
35 \begin{puzzlebackground}
36   \fillarea{Wheat}{{(1,1)--(1,3)--(4,3)--(4,1)--(1,1)}
37   \fillarea{HotPink!30}{{(1,3)--(1,7)--(4,7)--(4,6)--(2,6)
38   --(2,3)--(1,3)}
39   \fillarea{GreenYellow}{{(2,3)--(2,6)--(4,6)--(4,3)--(2,3)}
40   \fillarea{LightBlue}{{(4,1)--(7,1)--(7,5)--(6,5)--(6,2)
41   --(4,2)--(4,1)}
42   \fillarea{LightSalmon!50}{{(4,7)--(4,4)--(5,4)--(5,6)--(6,6)
43   --(6,5)--(7,5)--(7,7)--(4,7)}
44   \fillarea{LightYellow}{{(4,2)--(4,4)--(5,4)--(5,6)--(6,6)
45   --(6,2)--(4,2)}}
46 \end{puzzlebackground}
47 \end{skyline}
48 \end{center}

```

### 1.14.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**sudoku** [false] sets **rows** and **columns** to 9, in case of `<true>` is specified.  
Additionally the classic Sudoku grid is drawn.

**width** [6.7cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0.75cm] defines the indent of the title.

**titlewidth** [5.85cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.



**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-38pt] sets the vertical offset of the counters in the margin.

## 1.15 Slitherlink

Draw a closed line into the grid. This line must be on the existing dashed lines, but do not have to go through all grid points. If numbers are present in the grid cells, they indicate how many sides of the cell are touched by the line. The line must not touch or cross itself.

### 1.15.1 Example



```

1 \begin{center}
2   \begin{slitherlink}
3     \setbigcell{1}{1}{4}
4     \slitherlinkcell{1}{3}{3}
5     \slitherlinkcell{3}{1}{3}
6     \slitherlinkcell{3}{3}{0}
7     \slitherlinkcell{3}{4}{3}
8     \slitherlinkcell{4}{4}{2}
9     \slitherlinkcell{5}{1}{0}
10    \slitherlinkcell{5}{2}{2}
11  \end{slitherlink}
12  \hspace{1.5cm}
13  \begin{slitherlink}
14    \setbigcell{1}{1}{4}
15    \slitherlinkcell{1}{3}{3}
16    \slitherlinkcell{3}{1}{3}
17    \slitherlinkcell{3}{3}{0}
18    \slitherlinkcell{3}{4}{3}
19    \slitherlinkcell{4}{4}{2}
20    \slitherlinkcell{5}{1}{0}
21    \slitherlinkcell{5}{2}{2}
22    \framearea{black}{\tikzpath{3}{1}{8,8,4,4,8,6,6,8,6,2,
23                                6,6,2,4,2,4,2,4}}
24  \end{slitherlink}
25 \end{center}
```

## 1.15.2 Options

`rows [5]` defines the number of rows in the grid.

`columns [5]` specifies the number of columns in the grid

`width [5.2cm]` sets the width of the minipage, in which the grid is typeset.

`scale [1]` scales the size of the grid in the minipage.

`fontsize [Large]` specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

`title []` sets the title of a puzzle.

`titleindent [0cm]` defines the indent of the title.

`titlewidth [5.2cm]` specifies the width of the box the title is set in.

`bgcolor []` sets the background color of the grid.



`counterstyle [none]` defines the counter style. Predefined styles: none, left, right

`cvoffset [-23pt]` sets the vertical offset of the counters in the margin.

## 1.16 Star Battle

Enter exactly one star in each row, each column and each area of the grid.  
Cells with stars must not touch each other orthogonally or diagonally.

### 1.16.1 Example



```
1 | \begin{center}
2 |   \begin{starbattle}
```

```

3   \framepuzzle
4   \framearea{black}{\tikzpath{1}{1}{8,6,8,6,6,2,6,6,2,4,4,4,
5   4,4}}
6   \framearea{black}{\tikzpath{1}{2}{8,8,6,2,2,4}}
7   \framearea{black}{\tikzpath{1}{4}{8,8,6,6,2,6,2,2,4,4,8,4}}
8   \framearea{black}{\tikzpath{4}{2}{8,8,8,4,8,6,6,2,4,2,2,6,2,
9   4,4}}
10  \framearea{black}{\tikzpath{5}{3}{8,8,6,2,2,4}}
11  \end{starbattle}
12  \hspace{1.5cm}
13  \begin{starbattle}
14    \framepuzzle
15    \framearea{black}{\tikzpath{1}{1}{8,6,8,6,6,2,6,6,2,4,4,4,
16    4,4}}
17    \framearea{black}{\tikzpath{1}{2}{8,8,6,2,2,4}}
18    \framearea{black}{\tikzpath{1}{4}{8,8,6,6,2,6,2,2,4,4,8,4}}
19    \framearea{black}{\tikzpath{4}{2}{8,8,8,4,8,6,6,2,4,2,2,6,2,
20    4,4}}
21    \framearea{black}{\tikzpath{5}{3}{8,8,6,2,2,4}}
22    \starbattlecell{1}{2}{\Star}
23    \starbattlecell{2}{4}{\Star}
24    \starbattlecell{3}{1}{\Star}
25    \starbattlecell{4}{5}{\Star}
26    \starbattlecell{5}{3}{\Star}
27  \end{starbattle}
28  \end{center}

```

### 1.16.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid. Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

`counterstyle [none]` defines the counter style. Predefined styles: none, left, right

`cvoffset [-23pt]` sets the vertical offset of the counters in the margin.

## 1.17 Stars and Arrows

Enter a star in some empty cells of the grid. Each arrow points to at least one star and every star is referenced by at least one arrow. Arrows point to a whole row, column or diagonal, also through other stars and arrows. The numbers on the left and top of the grid indicate how many stars are located in the row or column.

### 1.17.1 Example

1	2	3	2	0
2				
2				
3				
0				
1				

1	2	3	2	0
2				
2				
3				
0				
1				

```

1 \begin{center}
2   \begin{starsandarrows}
3     \framepuzzle
4       \starsH{1,2,3,2,0}
5       \starsV{1,0,3,2,2}
6       \setrow{5}{\RightDown,\{},\LeftDown}
7       \setrow{4}{\{},\Right,\{},\{},\LeftUp}
8       \setrow{2}{\{},\Up,\{},\{},\{}}
9       \setrow{1}{\RightUp,\{},\{},\LeftUp,\Left}
10    \end{starsandarrows}
11    \hspace{1.5cm}
12    \begin{starsandarrows}
13      \framepuzzle
14      \starsH{1,2,3,2,0}
15      \starsV{1,0,3,2,2}
16      \setrow{5}{\RightDown,\Star,\LeftDown,\Star}
17      \setrow{4}{\{},\Right,\Star,\Star,\LeftUp}
18      \setrow{3}{\Star,\Star,\Star}
19      \setrow{2}{\{},\Up,\{},\{},\{}}

```

```
20 \setrow{1}{\RightUp,{},\Star,\LeftUp,\Left}
21 \end{starsandarrows}
22 \end{center}
```

### 1.17.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.9cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.9cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

### 1.18 Sudoku

Well, it's Sudoku – nothing to explain! Fill each row and column with numbers from 1 to 9.

### 1.18.1 Example

	2	6						
					1	7		
	3	1		6				
	6			5		8		3
		9	2	6	1	7		
5		4		8			6	
			8		4	3		
	4	8						
					9	4		

1	2	6	5	7	8	4	3	9
4	8	5	9	3	2	1	7	6
7	9	3	1	4	6	5	8	2
2	6	1	4	5	7	8	9	3
8	3	9	2	6	1	7	5	4
5	7	4	3	8	9	2	6	1
6	5	2	8	9	4	3	1	7
9	4	8	7	1	3	6	2	5
3	1	7	6	2	5	9	4	8

```

1 \begin{center}
2   \begin{lpsudoku}
3     \setrow{9}{{},2,6,{},{},{},{},{},{}}
4     \setrow{8}{{}, {}, {}, {}, {}, {}, {}, 1,7,{}}
5     \setrow{7}{{}, {}, 3,1,{},6,{},{},{}}
6     \setrow{6}{{},6,{}, {},5,{},8,{},3}
7     \setrow{5}{{}, {}, 9,2,6,1,7,{},{}}
8     \setrow{4}{5,{},4,{},8,{},6,{}}
9     \setrow{3}{{}, {}, {},8,{},4,3,{},{}}
10    \setrow{2}{{},4,8,{}, {},{}, {},{},{}}
11    \setrow{1}{{}, {}, {}, {}, {}, {},9,4,{}}
12    \end{lpsudoku}
13    \hspace{1.5cm}
14    \begin{lpsudoku}
15      \setrow{9}{1,2,6,5,7,8,4,3,9}
16      \setrow{8}{4,8,5,9,3,2,1,7,6}
17      \setrow{7}{7,9,3,1,4,6,5,8,2}
18      \setrow{6}{2,6,1,4,5,7,8,9,3}
19      \setrow{5}{8,3,9,2,6,1,7,5,4}
20      \setrow{4}{5,7,4,3,8,9,2,6,1}
21      \setrow{3}{6,5,2,8,9,4,3,1,7}
22      \setrow{2}{9,4,8,7,1,3,6,2,5}
23      \setrow{1}{3,1,7,6,2,5,9,4,8}
24    \end{lpsudoku}

```

### 1.18.2 Options

**width** [9.1cm] sets the width of the minipage, in which the grid is typeset.  
9 cells of width 1cm plus a little extra for lines.

**scale** [1] scales the size of the grid in the minipage. To get a width of 5cm you need to scale by  $5/9$

**fontsize** [`Large`] specifies the size of the numbers next to the grid.

Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [`0cm`] defines the indent of the title.

**titlewidth** [`9.1cm`] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [`none`] defines the counter style. Predefined styles: none, left, right

**cvoffset** [`-23pt`] sets the vertical offset of the counters in the margin.

### 1.18.3 Supporting bash scripts

#### 1.18.3.1 createlpsudoku

The `createlpsudoku` [2] bash script can transform Sudoku format files into `lpsudoku` environments. It can process files in the so called one line 81 format<sup>1</sup> (option -e (default)) and in simple sudoku format (option -s)

Usage: `createlpsudoku [options] [-o output] -i input`

It expects an input file with the option `-i`. You can specify an output file with the option `-o`. Otherwise it writes to `stdout`. Furthermore, the following options are possible:

- w write Windows line endings (CR/LF) to file
- v prints version number
- h prints help

#### 1.18.3.2 lpsmag

With the `lpsmag` [25] bash script you can half automatically produce a Sudoku magazine using the L<sup>A</sup>T<sub>E</sub>X package `lpsudoku.sty` and the `createlpsudoku` bash script.

Usage: `lpsmag configfile`

The script needs an installed `QQwing` [26] and a config file for defining the magazine's contents:

<sup>1</sup>processing of several sudokus in 81 format (one in each line) is possible

```

1 page p1 easy
2 page p2 easy
3 startpuzzles
4 typesetpage p1
5 typesetpage p2
6 startsolutions
7 typesetsolpage p1 p2 last

```



This config file will be sourced into the `lpsmag` bash script and contains calls of `lpsmag` functions. Make sure, that the config file has UNIX line endings (LF). For a detailed documentation I refer to the following [wiki \[25\]](#) entry.

After running `lpsmag` you will find a `lpsmag.tex` in your working directory. Just run `pdflatex lpsmag.tex` twice and you finally get for example this `lpsmag.pdf`.

## 1.19 Sun and Moon

Enter exactly one star and one dark cloud in each row and each column of the grid, so that the planets are illuminated as specified. The stars shine horizontally or vertically arbitrarily far, but not through a planet or a dark cloud.

### 1.19.1 Example



```

1 \begin{center}
2   \begin{sunandmoon}
3     \framepuzzle
4     \setrow{5}{{}, {}, {}, {}, \Moon}
5     \setrow{4}{{}, {}, \MoonTL}
6     \setrow{3}{\Moon}
7     \setrow{2}{{}, \MoonR}
8     \setrow{1}{{}, {}, \MoonT}

```

```

9   \end{sunandmoon}
10  \hspace{1.5cm}
11  \begin{sunandmoon}
12    \framepuzzle
13    \setrow{5}{{},{}},\Star,\Cloud,\Moon
14    \setrow{4}{{},{}},\Star,\MoonTL,{},\Cloud
15    \setrow{3}{\Moon,\Cloud,{},{}},\Star
16    \setrow{2}{\Cloud,\MoonR,{}},\Star
17    \setrow{1}{\Star,{}},\Cloud,\MoonT
18  \end{sunandmoon}
19  \end{center}

```

### 1.19.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.1cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.1cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

### 1.20 Tents and Trees

Draw tents in the grid. Next to each tree, a tent must be entered in a horizontally or vertically adjacent cell, which is associated with this tree. The numbers next to the grid indicate the quantity of tents in each row or column. No tent can stand directly next to another one, not even diagonally.

### 1.20.1 Example

	1	2	1	1	2
3					
0					
2					
0					
2					

	1	2	1	1	2
3					
0					
2					
0					
2					

```

1 \begin{center}
2   \begin{tentsandtrees}
3     \framepuzzle
4       \tentH{1,2,1,1,2}
5       \tentV{2,0,2,0,3}
6       \setrow{4}{\Tree,{},\Tree,\Tree,\Tree}
7       \setrow{2}{}{\Tree}
8       \setrow{1}{}{\Tree,{},{},\Tree}
9     \end{tentsandtrees}
10    \hspace{1.5cm}
11    \begin{tentsandtrees}
12      \framepuzzle
13      \tentH{1,2,1,1,2}
14      \tentV{2,0,2,0,3}
15      \setrow{5}{\Tent,{},\Tent,{},\Tent,}
16      \setrow{4}{\Tree,{},\Tree,\Tree,\Tree}
17      \setrow{3}{}{\Tent,{},\Tent}
18      \setrow{2}{}{\Tree}
19      \setrow{1}{}{\Tree,\Tent,{},\Tree,\Tent}
20    \end{tentsandtrees}
21  \end{center}

```

### 1.20.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.9cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [`Large`] specifies the size of the numbers next to the grid.

Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: `tiny`, `scriptsize`, `footnotesize`, `small`, `normalsize`, `large`, `Large`, `LARGE`, `huge`, `Huge`

**title** [] sets the title of a puzzle.

**titleindent** [`0cm`] defines the indent of the title.

**titlewidth** [`5.9cm`] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [`none`] defines the counter style. Predefined styles: `none`, `left`, `right`


**cvoffset** [`-23pt`] sets the vertical offset of the counters in the margin.

## 1.21 Tunnel

Determine the course of the tube. Draw the only possible connection from the beginning to the end. The numbers indicate how many tube segments (including portals) are present in the corresponding rows and columns. The tube is one cell wide, and does not cross or touch itself!

### 1.21.1 Example

	4	3	3	3	4
5					
1					
5					
1					
5					



```

1 \begin{center}
2   \begin{tunnel}
3     \framepuzzle
4     \tunnelH{4,3,3,3,4}
5     \tunnelV{5,1,5,1,5}
6     \portal{1}{1}
7     \portal{5}{5}
8   \end{tunnel}

```

```

9   \hspace{1.5cm}
10  \begin{tunnel}
11    \framepuzzle
12    \tunnelH{4,3,3,3,4}
13    \tunnelV{5,1,5,1,5}
14    \portal{1}{1}
15    \portal{5}{5}
16    \tube{\tikzpath{1}{1}{6,6,6,6,8,8,4,4,4,8,8,6,6,6,6}}
17  \end{tunnel}
18 \end{center}

```

### 1.21.2 Options

**rows** [5] defines the number of rows in the grid.

**columns** [5] specifies the number of columns in the grid

**width** [5.9cm] sets the width of the minipage, in which the grid is typeset.

**scale** [1] scales the size of the grid in the minipage.

**fontsize** [Large] specifies the size of the numbers next to the grid.  
Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

**title** [] sets the title of a puzzle.

**titleindent** [0cm] defines the indent of the title.

**titlewidth** [5.9cm] specifies the width of the box the title is set in.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [none] defines the counter style. Predefined styles: none, left, right

**cvoffset** [-23pt] sets the vertical offset of the counters in the margin.

## 2 Roll out your own grid-based logic puzzle

As an example we take a look at the former `bokkusu.sty` package. First, we ignore the LPPL license stuff.

```
\ProvidesPackage{bokkusu}[2013/03/25 bokkusu.sty v1.2 - Josef Kleber (C) 2013]%
\RequirePackage{logicpuzzle}%
```

We wrote a package `bokkusu.sty` with version number v1.2 and date 2013/03/25 and added a copyright remark. We need to load the code base package `logicpuzzle.sty`.

```
\newcommand*\LP@BK@init@prefix{\LP@BK}%
\newcommand*\LP@BK@init@package{bokkusu}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{rows}{5}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{columns}{5}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{scale}{1}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{counterstyle}{none}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{color}{black}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{bgcolor}{}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{width}{6.7cm}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{cvoffset}{-38pt}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{title}{}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{titleindent}{0.75cm}%
\LP@define@key{\LP@BK@init@prefix}{\LP@BK@init@package}{titlewidth}{5.85cm}%
\LP@define@choicekey{fontsize}{\LP@BK@init@prefix}{\LP@BK@init@package}{Large}%
\ExecuteOptionsX{rows,columns,width,fontsize,color,bgcolor,cvoffset,
    counterstyle,title,titleindent,titlewidth}%
\ProcessOptionsX\relax%
```

We save the package prefix and name in a macro for easy change. Then we define the options for package `bokkusu.sty` and the environment `bokkusu`, which are executed afterwards to create the macros for the option values.

```
\let\valueH\LP@bottomrow%
\let\valueV\LP@leftcolumn%
\let\sumH\LP@toprow%
\let\sumV\LP@rightcolumn%
```

We need numbers around the grid. Therefore, we define some aliases for the existing generic commands.

```
\newcommand*\bokkususetup[1]%
{%
    \setkeys{bokkusu.sty}{#1}%
}%
```

We define `\bokkususetup` for resetting the global package options.

Finally, we define the `bokkusu` environment.

```
\newenvironment{bokkusu}[1][]%
{%
  \setkeys{bokkusu}{#1}%
  \LP@set@package{bokkusu}%
  \LP@set@env@prefix{LP@BK}%
  \setcounter{LP@rows}{\LP@BK@rows}%
  \setcounter{LP@columns}{\LP@BK@columns}%
  \stepcounter{LP@rows}%
  \stepcounter{LP@columns}%
}
```

We locally set the environment options and the prefix and name of the current puzzle environment. We need to reset the counters for `rows` and `columns`, as they might have been altered.

```
\begin{minipage}[t]{\LP@BK@width}%
\ifthenelse{\equal{\LP@BK@title}{}}{%
  \par\enspace\par}{} empty
\enspace\par\noindent\hspace{\LP@BK@titleindent}\parbox{\LP@BK@titlewidth}{%
  \strut\LP@titleformat\LP@BK@title}\vspace{3mm}\par}%
\begin{tikzpicture}[scale=\LP@BK@scale]%
\LP@drawbackground{1}{1}{\LP@BK@columns}{\LP@BK@rows}{\LP@BK@bgcolor}%
\LP@drawgrid{1}{1}{\LP@BK@columns}{\LP@BK@rows}{1cm}%
}
```

We start a `minipage` with width `<width>`. If the user defined a title, we typeset the title and add a vertical space. Then, we draw the puzzle with the help of `tikz.sty`. We start drawing the background and the grid.

```
{%
  \end{tikzpicture}%
  \LP@drawcounter{\LP@BK@counterstyle}%
  \stepcounter{LP@puzzlecounter}%
\end{minipage}%
}
```

Finally, we just end the picture for the puzzle. We draw and step the counter. As last action, we need to close the `minipage` environment. That's it. Easy, isn't it? You just need to copy this skelton and change or add some code for your specific puzzle.

## 3 The code

### 3.1 PGF layers

The `logicpuzzle.sty` package defines the PGF layers: `LPdump`, `LPbgcolor`, `LPbackgroundtwo`, `LPbackground`, `LPforeground` and `LPforegroundtwo`

Without specifying a special layer, the standard `main` layer is used. The `LPbackground` and `LPforeground` layers can be accessed with the `puzzlebackground`

[see: [3.2.2.1](#)] and `puzzleforeground` [see: [3.2.2.2](#)] environments. The `LPbgcolor` is and should only be used for the background color of the grid.

All layers can also be accessed with the generic PGF method:

```
\begin{pgfonlayer}{layer}
  ...
\end{pgfonlayer}
```

Order: `LPdump` → `LPbgcolor` → `LPbackgroundtwo` → `LPbackground` → `main` → `LPforeground` → `LPforegroundtwo`

So, if you are in the need to place something behind `LPbackground` or in front of `LPforeground`, you can use the `LPbackgroundtwo` and `LPforegroundtwo` layers. You can hide elements like help nodes behind the background color on the `LPdump` layer.

## 3.2 Environments

### 3.2.1 Puzzle environments

#### 3.2.1.1 logicpuzzle

```
\begin{logicpuzzle}{options}
  ...
\end{logicpuzzle}
```

The `logicpuzzle` environment is the generic environment for typesetting logic puzzles. With the optional argument of the environment, you can reset the options with local scope. Here, a blank grid is created. Furthermore, there are the puzzle environments described in section 1. They have their own set of options, that is also different option values and defaults! These can be changed with the `\puzzlesetup` commands with global scope or in the optional argument of the environment with local scope.

##### 3.2.1.1.1 Options

`rows` [5] defines the number of rows in the grid.

`columns` [5] specifies the number of columns in the grid

`width` [5.1cm] sets the width of the minipage, in which the grid is typeset.

`scale` [1] scales the size of the grid in the minipage.

`fontsize` [Large] specifies the size of the numbers next to the grid. Here, the usual L<sup>A</sup>T<sub>E</sub>X sizes are used. Possible values: tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge, Huge

`title` [] sets the title of a puzzle.

`titleindent` [0cm] defines the indent of the title.

**titlewidth** [`5.1cm`] specifies the width of the box the title is set in.

**color** [] specifies the color for coloring the cells.

**bgcolor** [] sets the background color of the grid.

**counterstyle** [`none`] defines the counter style. Predefined styles: none, left, right

**cffset** [`-23pt`] sets the vertical offset of the counters in the margin.

### 3.2.2 Supporting environments

#### 3.2.2.1 puzzlebackground

```
\begin{puzzlebackground}
  ...
\end{puzzlebackground}
```

The **puzzlebackground** environment allows you to place elements behind the main layer on the LPbackground layer [see: [3.1](#)]. This is for example usefull for the `\fillarea` [see: [3.3.2.1.13](#)] command.

#### 3.2.2.2 puzzleforeground

```
\begin{puzzleforeground}
  ...
\end{puzzleforeground}
```

The **puzzleforeground** environment allows you to place elements in front of the main layer on the LPforeground layer [see: [3.1](#)]. This is for example usefull for the `\framearea` [see: [3.3.2.1.12](#)] command.

## 3.3 Commands

### 3.3.1 Puzzle specific commands

#### 3.3.1.1 2D-Sudoku

```
\ddsudokucell{\langle column \rangle}{\langle row \rangle}{\langle number \rangle}
```

**3.3.1.1.1 ddsudokucell** The command `\ddsudokucell` sets the `\langle number \rangle` of the grid cell `\langle column \rangle\langle row \rangle`.

```
\ddsudokusetup{\langle options \rangle}
```

**3.3.1.1.2 ddsudokusetup** With the command `\ddsudokusetup` you can reset the options with global scope.

#### 3.3.1.2 Battleship

```
\placeship{\langle direction \rangle}{\langle column \rangle}{\langle row \rangle}{\langle length \rangle}
```

**3.3.1.2.1 placeship** With the command `\placeship` you can place complete ships in the grid. It expects the specification of the direction as horizontal (H) or vertical (V). Furthermore, it requires the starting coordinates and the length of the ship.

```
\placesegment{\{column\}}{\{row\}}
  {\{ship segment\}}
```

**3.3.1.2.2 placesegment** The command `\placesegment` is used for the placement of ship segments in the grid. In the mandatory argument *<ship segment>*, you can use the following commands:

<code>\Ship</code>	●	■	<code>\ShipC</code>
<code>\ShipL</code>	■	●	<code>\ShipR</code>
<code>\ShipB</code>	■	■	<code>\ShipT</code>

**3.3.1.2.3 ship** The command `\ship` was replaced by the `\placesegment` command. The command `\ship` is deprecated and should not be used longer. It may still be used, but it is not recommended.

```
\placewater{\{column\}}{\{row\}}
```

**3.3.1.2.4 placewater** With the command `\placewater` you can place water markers (●) in the grid.

```
\placeisland{\{column\}}{\{row\}}
```

**3.3.1.2.5 placeisland** With the command `\placeisland` you can place islands (■) in the grid. The island outlines are created randomly: ■, ■, ■, ...

```
\shipH{\{csv list\}}
```

**3.3.1.2.6 shipH** The command `\shipH` typesets the horizontal numbers above the grid. It expects a comma-separated list as an argument.

```
\shipV{\{csv list\}}
```

**3.3.1.2.7 shipV** The command `\shipV` typesets the vertical numbers beside the grid. It also expects a comma separated list.

```
\shipbox{\{csv list\}}
```

**3.3.1.2.8 shipbox** The command `\shipbox` defines the number and size of the ships, which are typeset under the grid.

```
\battlechipsetup{\{options\}}
```

**3.3.1.2.9 battlechipsetup** With the command `\battlechipsetup` you can reset the options with global scope.

```
\classicgame{\{csv list\}}
```

**3.3.1.2.10 classicgame** The command `\classicgame` typesets a game sheet for playing classic Battleship. It expects a comma separated list with the number and sizes of the ships.

### 3.3.1.3 Bokkusu

```
\valueH{\{csv list\}}
```

**3.3.1.3.1 valueH** The command `\valueH` typesets the numbers left to the grid indicating the values of the cells. It expects a comma-separated list as an argument.

`\valueV{\{csv list\}}` **3.3.1.3.2 valueV** The command `\valueV` typesets the numbers below the grid specifying the values of the cells. It also expects a comma separated list.

`\sumH{\{csv list\}}` **3.3.1.3.3 sumH** The command `\sumH` typesets the numbers right to the grid indicating the sums of the values of the colored cells. It expects a comma-separated list.

`\sumV{\{csv list\}}` **3.3.1.3.4 sumV** The command `\sumV` typesets the numbers above the grid specifying the sums of the values of the colored cells. It expects a comma separated list.

`\bokkususetup{\{options\}}` **3.3.1.3.5 bokkususetup** With the command `\bokkususetup` you can reset the options with global scope.

### 3.3.1.4 Bridges

`\bridgesrow{\{row\}}{\{csv list\}}` **3.3.1.4.1 bridgesrow** With the `\bridgesrow` command, you can set the contents of a bridges `\{row\}`. These are the numbers indicating how many bridges originate from this specific island.

`\bridgescolumn{\{column\}}{\{csv list\}}` **3.3.1.4.2 bridgescolumn** With the `\bridgescolumn` command, you can set the contents of a bridges `\{column\}`.

`\bridge{\{optional arguments\}}{\{TikZ path\}}` **3.3.1.4.3 bridge** With the `\bridge` command, you can draw the bridges between islands. With the optional argument `\{double\}` you can draw a double bridge. Furthermore, you can set the color of the bridge with the option `\{color\}`.

`\bridgessetup{\{options\}}` **3.3.1.4.4 bridgessetup** With the command `\bridgessetup` you can reset the options with global scope.

### 3.3.1.5 Chaos Sudoku

`\chaossudokucell{\{column\}}{\{row\}}{\{number\}}` **3.3.1.5.1 chaossudokucell** With the command `\chaossudokucell`, you can set the `\{number\}` of the grid cell `\{column\}` `\{row\}`.

`\chaossudokusetup{\{options\}}` **3.3.1.5.2 chaossudokusetup** With the command `\chaossudokusetup` you can reset the options with global scope.

### 3.3.1.6 Hakyuu

\hakyuu{<column>}{<row>} {<number>} **3.3.1.6.1 hakyuu** The command \hakyuu sets the *<number>* of the grid cell <column><row>.

\hakyuusetup{<options>} **3.3.1.6.2 hakyuusetup** With the command \hakyuusetup you can reset the options with global scope.

### 3.3.1.7 Hitori

\hitorisetup{<options>} **3.3.1.7.1 hitorisetup** With the command \hitorisetup you can reset the options with global scope.

### 3.3.1.8 Kakuro

\kakurorow{<row>}{{<csv list>}} **3.3.1.8.1 kakurorow** With the \kakurorow command, you can set the contents of a kakuro <row>. These may be numbers and the commands \KKR or \Black.

\kakurocolumn{<column>}{{<csv list>}} **3.3.1.8.2 kakurocolumn** With the \kakurocolumn command, you can set the contents of a kakuro <column>.

\KKR{<sumV>}{{<sumH>}} **3.3.1.8.3 KKR** With the \KKR command, you can set the contents of a kakuro cell.

\Black **3.3.1.8.4 Black** The command \Black blacks out a cell.

\kakurosetup{<options>} **3.3.1.8.5 kakurosetup** With the command \kakurosetup you can reset the options with global scope.

### 3.3.1.9 Kendoku

\kendokucell{<column>}{<row>} {<number>} **3.3.1.9.1 kendokucell** The command \kendokucell sets the *<number>* of the grid cell <column><row>.

\kendokusetup{<options>} **3.3.1.9.2 kendokusetup** With the command \kendokusetup you can reset the options with global scope.

### 3.3.1.10 Killer Sudoku

\killersudokucell{<column>}{<row>} {<number>} **3.3.1.10.1 killersudokucell** The command \killersudokucell sets the *<number>* of the grid cell <column> <row>.

**3.3.1.10.2 killersudokusetup** With the command `\killersudokusetup` you can reset the options with global scope.

### 3.3.1.11 Laser Beam

`\laserH{\{csv list\}}` **3.3.1.11.1 laserH** The command `\laserH` typesets the numbers above the grid indicating how many cells are traversed by the laser beam. It expects a comma-separated list as an argument.

`\laserV{\{csv list\}}` **3.3.1.11.2 laserV** The command `\laserV` typesets the numbers left to the grid.

`\mirrorH{\{csv list\}}` **3.3.1.11.3 mirrorH** The command `\mirrorH` typesets the numbers below the grid indicating how many mirrors are placed in the intersections of this column.

`\mirrorV{\{csv list\}}` **3.3.1.11.4 mirrorV** The command `\mirrorV` typesets the numbers right to the grid.

`\placearrow{\{column\}}{\{row\}}{\{direction\}}` **3.3.1.11.5 placearrow** The command `\placearrow` is used for the placement of arrows at the grid frame. The reference for coordinates is the bottom left corner of the cell. In the mandatory argument `\{direction\}`, you can use the following indicators: LeftUp, LeftDown, RightUp, RightDown

`\placecross{\{column\}}{\{row\}}` **3.3.1.11.6 placecross** With the command `\placecross` you can place a cross in the intersections of the grid.

`\placemirror{\{column\}}{\{row\}}{\{direction\}}` **3.3.1.11.7 placemirror** With the command `\placemirror` you can place mirrors in the intersections of the grid. In the mandatory argument `\{direction\}`, you can use the following indicators: H, V

`\laser[\{color\}]{\{TikZ path\}}` **3.3.1.11.8 laser** The command `\laser` draws the laser beam given by `\{TikZ path\}` with color `\{color\}` (default: red). The reference for coordinates is the bottom left corner of the cell.

```
\laser[green]{(1,2)--(2,3)--(1,4)}
```

You should consider using this command in the `puzzlesbackground` environment.

`\laserbeamsetup{\{options\}}` **3.3.1.11.9 laserbeamsetup** With the command `\laserbeamsetup` you can reset the options with global scope.

### 3.3.1.12 Minesweeper

\Mine **3.3.1.12.1 Mine** The command \Mine draws a mine. It can be used in commands like \setcell [see: 3.3.2.1.1] or \setrow [see: 3.3.2.1.3]!

\minesweepersetup{\{options\}} **3.3.1.12.2 minesweepersetup** With the command \minesweepersetup you can reset the options with global scope.

### 3.3.1.13 Schatzsuche

\Diamond **3.3.1.13.1 Diamond** The command \Diamond draws a diamond. It can be used in commands like \setcell [see: 3.3.2.1.1] or \setrow [see: 3.3.2.1.3]!

\schatzschesetup{\{options\}} **3.3.1.13.2 schatzschesetup** With the command \schatzschesetup you can reset the options with global scope.

### 3.3.1.14 Skyline

\skylineT{\{csv list\}} **3.3.1.14.1 skylineT** The command \skylineT typesets the numbers above the grid indicating how many skyscrapers are visible. It expects a comma-separated list as an argument.

\skylineB{\{csv list\}} **3.3.1.14.2 skylineB** The command \skylineB typesets the numbers below the grid.

\skylineL{\{csv list\}} **3.3.1.14.3 skylineL** The command \skylineL typesets the numbers left to the grid.

\skylineR{\{csv list\}} **3.3.1.14.4 skylineR** The command \skylineR typesets the numbers right to the grid.

\skylinecell{\{column\}}{\{row\}}{\{height\}} **3.3.1.14.5 skylinecell** The command \skylinecell sets the *<height>* of the grid cell *(column)>(row)*.

\skylinersetup{\{options\}} **3.3.1.14.6 skylinersetup** With the command \skylinersetup you can reset the options with global scope.

### 3.3.1.15 Slitherlink

\slitherlinkcell{\{column\}}{\{row\}}{\{number\}} **3.3.1.15.1 slitherlinkcell** The command \slitherlinkcell sets the *<number>* of the grid cell *(column) > (row)*.

`\slitherlinksetup{options}` **3.3.15.2 slitherlinksetup** With the command `\slitherlinksetup` you can reset the options with global scope.

### 3.3.16 Star Battle

`\starbattlecell{column}{{row} {element}}` **3.3.16.1 starbattlecell** With the `\starbattlecell` command, you can set an *element* in the grid cell *column**row*, e.g. the `\Star` command.

`\starbattlesetup{options}` **3.3.16.2 starbattlesetup** With the command `\starbattlesetup` you can reset the options with global scope.


### 3.3.17 Stars and Arrows

`\starsH{csv list}` **3.3.17.1 starsH** The command `\starsH` typesets the numbers above the grid indicating how many stars are in the respective column. It expects a comma-separated list as an argument.

`\starsV{csv list}` **3.3.17.2 starsV** The command `\starsV` typesets the numbers left to the grid.

`\star` **3.3.17.3 Star** The command `\Star` draws a star. It can be used in commands like `\setcell` [see: 3.3.2.1.1] or `\setrow` [see: 3.3.2.1.3]!

**3.3.17.4 Arrows** You can use the following commands to draw different arrows:



`\starsandarrowssetup{options}` **3.3.17.5 starsandarrowssetup** The command `\starsandarrowssetup` resets the options with global scope.

### 3.3.18 Sudoku

`\psudokucell{column}{{row} {number}}` **3.3.18.1 psudokucell** The command `\psudokucell` sets the *number* of the grid cell *column* *row*.


`\psudokusetup{options}` **3.3.18.2 psudokusetup** With the command `\psudokusetup` you can reset the options with global scope.

### 3.3.1.19 Sun and Moon

\Star **3.3.1.19.1 Star** The command \Star draws a star. It can be used in commands like \setcell [see: 3.3.2.1.1] or \setrow [see: 3.3.2.1.3]!

\Cloud **3.3.1.19.2 Cloud** The command \Cloud draws a dark cloud. It can be used in commands like \setcell [see: 3.3.2.1.1] or \setrow [see: 3.3.2.1.3]!

**3.3.1.19.3 Howl at the Moon** You can use the following commands to draw different illuminated moons:



\sunandmoonssetup{\{options\}} **3.3.1.19.4 sunandmoonssetup** With the command \sunandmoonssetup you can reset the options with global scope.

### 3.3.1.20 Tents and Trees

\tentH{\{csv list\}} **3.3.1.20.1 tentH** The command \tentH typesets the numbers above the grid indicating how many tents are in the respective column. It expects a comma-separated list as an argument.

\tentV{\{csv list\}} **3.3.1.20.2 tentV** The command \tentV typesets the numbers left to the grid.

\Tree **3.3.1.20.3 Tree** The command \Tree draws a tree. It can be used in commands like \setcell [see: 3.3.2.1.1] or \setrow [see: 3.3.2.1.3]! The design of the tree is based on Alain Matthes' answer to this question on TeX.sx.

\Tent **3.3.1.20.4 Tent** The command \Tent draws a tent. It can be used in commands like \setcell [see: 3.3.2.1.1] or \setrow [see: 3.3.2.1.3]!

\tentsandtreessetup{\{options\}} **3.3.1.20.5 tentsandtreessetup** With the command \tentsandtreessetup you can reset the options with global scope.

### 3.3.1.21 Tunnel

`\tunnelH{\{csv list\}}` **3.3.1.21.1 tunnelH** The command `\tunnelH` typesets the numbers above the grid indicating how many tube segments are in the respective column. It expects a comma-separated list as an argument.

`\tunnelV{\{csv list\}}` **3.3.1.21.2 tunnelV** The command `\tunnelV` typesets the numbers left to the grid.

`\portal{\{column\}}{\{row\}}` **3.3.1.21.3 portal** The command `\portal` is used for the placement of tunnel portals in the grid.

`\tube{\{TikZ path\}}` **3.3.1.21.4 tube** The command `\tube` draws the tunnel tube given by *TikZ path*. The reference for coordinates is the center of the cell. The design of the tube is based on [Xoff's answer](#) to this [question](#) on T<sub>E</sub>X.sx.

```
\tube{(1.5,2.5)--(3.5,2.5)--(3.5,4.5)}
```

`\tunnelsetup{\{options\}}` **3.3.1.21.5 tunnelsetup** With the command `\tunnelsetup` you can reset the options with global scope.

## 3.3.2 User commands

### 3.3.2.1 In the grid

`\setcell{\{column\}}{\{row\}}{\{element\}}` **3.3.2.1.1 setcell** With the `\setcell` command, you can set *element* into cell *column*⟨*row*⟩ as central node. It is aware of the current values of the surrounding environment options `rows`, `columns`, `scale` and `fontsize`. Furthermore, a check if *element* is within the grid is applied.

`\setbigcell[\{fontsize\}]{\{column\}}{\{row\}}{\{element\}}` **3.3.2.1.2 setbigcell** The `\setbigcell` command sets *element* into a big (2 × 2) cell *column*⟨*row*⟩ as central node. The optional argument *fontsize* is set to 'Huge' by default.

`\setrow{\{row\}}{\{csv list\}}` **3.3.2.1.3 setrow** With the `\setrow` command, you can set the contents of a ⟨*row*⟩. These may be numbers or letters.

`\setcolorrow{\{row\}}{\{csv list\}}` **3.3.2.1.4 setcolorrow** With the `\setcolorrow` command, you can set the contents of a ⟨*row*⟩. Furthermore, the background of the cell is filled with color LP@*c*@romannumber [see: [3.3.3.3.6](#)]. With the number 0, you can black out the grid cell.

```
\setcolumn{\{column\}}{\{csv list\}}
```

**3.3.2.1.5 setcolumn** With the `\setcolumn` command, you can set the contents of a `\{column\}`. These may be numbers or letters.

```
\setcolorcolumn{\{column\}}{\{csv list\}}
```

**3.3.2.1.6 setcolorcolumn** With the `\setcolorcolumn` command, you can set the contents of a `\{column\}`. Furthermore, the background of the cell is filled with color `LP@c@romannumber` [see: [3.3.3.3.6](#)].

```
\setrule{\{\{column\}\}}{\{row\}}{\{rule\}}
```

**3.3.2.1.7 setrule** With the `\setrule` command, you can set a calculation rule `\{rule\}` into the top left corner of cell `\{column\}\{row\}`. The rule is typeset in inline math mode. You might consider using the `\times` and `\div` commands.

```
\fillcell{\{\{column\}\}}{\{row\}}
```

**3.3.2.1.8 fillcell** With the `\fillcell` command, you can fill cell `\{column\}\{row\}` with the color defined with environment option `color`<sup>2</sup>. It is aware of the current values of the surrounding environment options `rows`, `columns`, `scale` and `color`. Furthermore, a check if the cell is within the grid is applied.

```
\fillrow{\{row\}}{\{csv list\}}
```

**3.3.2.1.9 fillrow** With the `\fillrow` command, you can fill a `\{row\}`. In `\{csv list\}` '1' means 'fill' and '0' means 'don't fill'. Internally, `\fillrow` uses `\fillcell` [see: [3.3.2.1.8](#)].

```
\fillcolumn{\{column\}}{\{csv list\}}
```

**3.3.2.1.10 fillcolumn** With the `\fillcolumn` command, you can fill a `\{column\}`. In `\{csv list\}` '1' means 'fill' and '0' means 'don't fill'. Internally, `\fillcolumn` uses `\fillcell` [see: [3.3.2.1.8](#)].

```
\filldiagonals{\{color\}}
```

**3.3.2.1.11 filldiagonals** With the `\filldiagonals` command, you can fill the diagonals with the color specified with the optional argument `\{color\}` (default: `yellow!20`). Furthermore, it checks for a quadratic grid, otherwise an error message is issued.

```
\framearea{\{color\}}{\{TikZ path\}}
```

**3.3.2.1.12 framearea** The command `\framearea` frames the area given by `\{TikZ path\}` with color `\{color\}`. The reference for coordinates is the bottom left corner of the cell.

```
\framearea{green}{(2,2)--(2,3)--(3,3)--(3,2)--(2,2)}
```

This command will color the frame of the grid cell (2,2) green. You should consider using this command in the `puzzlegroup` [see: [3.2.2.2](#)] environment.

---

<sup>2</sup>Therefore, you must define an option `color` in the style file you want to use fill commands

\fillarea{\color}{\TikZpath} **3.3.2.1.13 fillarea** The command \fillarea fills the area given by \TikZpath with color \color. The reference for coordinates is the bottom left corner of the cell. You should consider using this command in the puzzlebackground [see: 3.2.2.1] environment.

\colorarea{\color}{\TikZpath} **3.3.2.1.14 colorarea** The command \colorarea fills the area given by \TikZpath with color \color – just like \framearea without frame.

\framepuzzle{\color} **3.3.2.1.15 framepuzzle** With the \framepuzzle command, you can frame the grid (thicker line) with the color specified with the optional argument \color (default: black).

\tikzpath{\column}{\row}{\{csv list\}} **3.3.2.1.16 tikzpath** With the \tikzpath command, you can easily construct a TikZ path. You just need to define a starting point \column\row (bottom left corner) and a \{csv list\} with direction indicators relative to the current position.

7:	up left	8:	up	9:	up right
4:	left	5:	no change	6:	right
1:	down left	2:	down	3:	down right

```
\framearea{green}{\tikzpath{2}{2}{8,6,2,4}}
```

This command will frame grid cell (2,2) green.

## 3.3.2.2 Presentation

\titleformat{\format} **3.3.2.2.1 titleformat** With the \titleformat command, you can define the \format of the title. By default, the definition is as follows:

```
\titleformat{\centering\Large\color{blue}}
```

\puzzlecounter **3.3.2.2.2 puzzlecounter** The command \puzzlecounter provides the general puzzle counter in textual form to use it in \definecounterstyle.

\setpuzzlecounter{\number} **3.3.2.2.3 setpuzzlecounter** With the command \setpuzzlecounter, you can reset the puzzle counter, for example before the solutions.

\definecounterstyle{\name}{\definition} **3.3.2.2.4 definecounterstyle** The command \definecounterstyle allows you to define your own styles. For example, the style left is defined as follows:

```
\definecounterstyle{left}{
  \begingroup\reversemarginpar\marginnote{
    \tikz\node[shape=rectangle, fill=yellow!40, inner sep=7pt,
               draw, rounded corners=3pt, thick]
      {\Huge\puzzlecOUNTER};}\LP@cvoffset\endgroup
}
```

To typeset the counter into the margin we use the command `\marginnote`. We need to use the command `\reversemarginpar` to set the counter into the left margin. Of course, we must use this command in a group for local scope. Finally we use `\puzzlecOUNTER` in a `\tikz` node with a vertical offset set with the option `cvoffset`.

`\setgridlinestyle{<style>}`

**3.3.2.2.5 setgridlinestyle** The command `\setgridlinestyle` sets the style of lines used in the grid. By default, the style is set to `solid`, whereas `slitherlink.sty` uses `dashed`.

`\setnormal linewidth{<dimension>}`

**3.3.2.2.6 setnormal linewidth** With the command `\setnormal linewidth`, you can set the width of the standard lines (default: `0.5pt`)

`\setthick linewidth{<dimension>}`

**3.3.2.2.7 setthick linewidth** With the command `\setthick linewidth`, you can set the width of the ‘thicker’ lines (default: `1.5pt`)

### 3.3.3 Internal commands

#### 3.3.3.1 Initialization

`\LP@define@key{<prefix>}{<package>}{<option>}{<default>}`

**3.3.3.1.1 LP@define@key** With the `\LP@define@key` command, you can define the options of the environment `<package>`. A `<prefix>` is needed for creating different name spaces.

```
\LP@define@key{LP@BS}{battleSHIP}{rows}{5}
```

This code snippet defines the option `rows` for environment `battleSHIP` with the default value 5. This value is stored in `\LP@BS@rows`.

`\LP@define@choicekey@fontsize{<prefix>}{<package>}{<default>}`

**3.3.3.1.2 LP@define@choicekey@fontsize** With this command, you can define the choice key option `fontsize` of the environment `<package>`. Possible keys are: `tiny`, `scriptsize`, `footnotesize`, `small`, `normalsize`, `large`, `Large`, `LARGE`, `huge`, `Huge`

### 3.3.3.2 Drawing grids

```
\LP@drawgrid{\langle xmin \rangle}{\langle ymin \rangle}
{\langle xmax \rangle}{\langle ymax \rangle}{\langle step \rangle}
```

**3.3.3.2.1 LP@drawgrid** With the `\LP@drawgrid` command, you can draw the grid  $(\langle \text{xmin} \rangle, \langle \text{ymin} \rangle)$  to  $(\langle \text{xmax} \rangle, \langle \text{ymax} \rangle)$  with step  $\langle \text{step} \rangle$ . For drawing the standard puzzle grid the step must be 1cm.

```
\LP@drawsudokugrid
```

**3.3.3.2.2 LP@drawsudokugrid** The command `\LP@drawsudokugrid` draws the standard Sudoku grid, but just the thicker lines. You will have to overlay the standard grid to get a full Sudoku grid.

```
\LP@drawbackground{\langle xmin \rangle}{\langle ymin \rangle}{\langle xmax \rangle}{\langle ymax \rangle}{\langle color \rangle}
```

**3.3.3.2.3 LP@drawbackground** The command `\LP@drawbackground` draws the background color of the grid.

### 3.3.3.3 In the grid

```
\LP@LP@setcellcontent{\langle column \rangle}
{\langle row \rangle}{\langle element \rangle}
```

**3.3.3.3.1 LP@setcellcontent** The command `\LP@setcellcontent` is the generic command to set an arbitrary  $\langle \text{element} \rangle$ .

```
\LP@LP@setcellcontentC{\langle column \rangle}
{\langle row \rangle}{\langle element \rangle}
```

**3.3.3.3.2 LP@setcellcontentC** The command `\LP@setcellcontentC` is the generic command to set an arbitrary  $\langle \text{element} \rangle$  in a centered node in the bottom left corner.

```
\LP@setrowcontents{\langle csv list \rangle}
{\langle column \rangle}{\langle row \rangle}
```

**3.3.3.3.3 LP@setrowcontents** The command `\LP@setrowcontents` is the generic command to set row contents. It does not necessarily start with  $\langle \text{column} \rangle$  1!

```
\LP@setcolumncontents{\langle csv list \rangle}
{\langle column \rangle}{\langle row \rangle}
```

**3.3.3.3.4 LP@setcolumncontents** The command `\LP@setcolumncontents` is the generic command to set column contents. It does not necessarily start with  $\langle \text{row} \rangle$  1!

```
\LP@ingrid
{\langle column \rangle}{\langle row \rangle}{\langle max column \rangle}
{\langle max row \rangle}{\langle package \rangle}
```

**3.3.3.3.5 LP@ingrid** With the `\LP@ingrid` command, you can check if an element – that should be placed – is within the grid. Otherwise an error message is issued.

```
\LP@definecolor
{\langle name \rangle}{\langle rgb color \rangle}
```

**3.3.3.3.6 LP@definecolor** With the `\LP@definecolor` command, you can define named rgb colors, especially for defining background colors of numbers used in `\setcolorrow` [see: 3.3.2.1.4] and `\setcolorcolumn` [see: 3.3.2.1.6].

The background color names follow the pattern: `LP@c@romannumber`

```
\LP@definecolor{LP@c@iv}{.55,1,.88}
```

This command will define the new background color of number 4 !

### 3.3.3.4 Around the grid

- \LP@leftcolumn{{\{csv list\}}}
- 3.3.3.4.1 LP@leftcolumn** With the \LP@leftcolumn command, you can set the contents of the column left to the grid. The \skylineL command for the skyline environment is for example defined as follows:

```
\let\skylineL\LP@leftcolumn
```

- \LP@rightcolumn{{\{csv list\}}}
- 3.3.3.4.2 LP@rightcolumn** With the \LP@rightcolumn command, you can set the contents of the column right to the grid.

- \LP@toprow{{\{csv list\}}}
- 3.3.3.4.3 LP@toprow** With the \LP@toprow command, you can set the contents of the row above the grid.

- \LP@bottomrow{{\{csv list\}}}
- 3.3.3.4.4 LP@bottomrow** With the \LP@bottomrow command, you can set the contents of the row below the grid.

### 3.3.3.5 Presentation

- \LP@drawcounter{{name}}
- 3.3.3.5.1 LP@drawcounter** The command \LP@drawcounter draws the puzzle counter with counter style *<name>*.



## 4 Examples

You can download application examples and their solutions from the [project page](#). The puzzles are originally licensed under .

## References

- [1] Bernhard Hobiger. HoDoKu, 2012.  
(<http://hodoku.sourceforge.net/en/index.php>).
- [2] Josef Kleber. createlpsudoku, 2013.  
(<http://logicpuzzle.square7.de/createlpsudoku>).
- [3] Josef Kleber. Examples & Solutions (battleship), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-battleship.pdf>).
- [4] Josef Kleber. Examples & Solutions (bokkusu), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-bokkusu.pdf>).
- [5] Josef Kleber. Examples & Solutions (bridges), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-bridges.pdf>).
- [6] Josef Kleber. Examples & Solutions (chaossudoku), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-chaossudoku.pdf>).
- [7] Josef Kleber. Examples & Solutions (ddsudoku), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-ddsudoku.pdf>).
- [8] Josef Kleber. Examples & Solutions (hakyuu), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-hakyuu.pdf>).
- [9] Josef Kleber. Examples & Solutions (hitori), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-hitori.pdf>).
- [10] Josef Kleber. Examples & Solutions (kakuro), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-kakuro.pdf>).
- [11] Josef Kleber. Examples & Solutions (kendoku), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-kendoku.pdf>).
- [12] Josef Kleber. Examples & Solutions (killersudoku), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-killersudoku.pdf>).
- [13] Josef Kleber. Examples & Solutions (laserbeam), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-laserbeam.pdf>).

- [14] Josef Kleber. Examples & Solutions (lpsudoku), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-lpsudoku.pdf>).
- [15] Josef Kleber. Examples & Solutions (minesweeper), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-minesweeper.pdf>).
- [16] Josef Kleber. Examples & Solutions (schatzsuche), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-schatzsuche.pdf>).
- [17] Josef Kleber. Examples & Solutions (skyline), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-skyline.pdf>).
- [18] Josef Kleber. Examples & Solutions (slitherlink), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-slitherlink.pdf>).
- [19] Josef Kleber. Examples & Solutions (sunandmoon), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-sunandmoon.pdf>).
- [20] Josef Kleber. Examples & Solutions (tentsandtrees), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-tentsandtrees.pdf>).
- [21] Josef Kleber. Examples & Solutions (tunnel), 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/downloads/example-tunnel.pdf>).
- [22] Josef Kleber. How to create a Sudoku magazine, 2013.  
([http://logicpuzzle.square7.de/sudoku\\_magazine](http://logicpuzzle.square7.de/sudoku_magazine)).
- [23] Josef Kleber. logicpuzzle – A LaTeX style file for typesetting logic puzzles, 2013. (<http://logicpuzzle.square7.de/>).
- [24] Josef Kleber. The logicpuzzle bundle, 2013.  
(<https://bitbucket.org/kleberj/logicpuzzle/>).
- [25] Josef Kleber. lpsmag, 2013. (<http://logicpuzzle.square7.de/lpsmag>).
- [26] Stephen Ostermiller. QQwing – Sudoku Generator and Solver, 2011.  
(<http://ostermiller.org/qqwing>).

**B**

battleship environment ..... 61  
 \battleshipsetup ..... 51  
 bgcolor environment option 9, 11,  
   12, 14, 16, 18, 20, 21, 24,  
   26, 27, 29, 30, 34, 36, 37,  
   39, 41, 43, 45, 46, 50  
 \Black ..... 53  
 bokkusu environment ..... 47, 48  
 bokkusu.sty ..... 47  
 \bokkususetup ..... 47, 52  
 \bridge ..... 52  
 \bridgescolumn ..... 52  
 \bridgesrow ..... 52  
 \bridgessetup ..... 52

**C**

\chaossudokucell ..... 52  
 \chaossudokusetup ..... 52  
 \classicgame ..... 51  
 \Cloud ..... 57  
 \color mandatory argument . 59,  
   60, 62  
 \color optional argument 52, 54,  
   59, 60  
 color environment option 12, 14,  
   21, 50, 59  
 \colorarea ..... 60  
 \column mandatory argument 50–  
   56, 58–60, 62  
 columns environment option 9, 10,  
   12, 14, 16, 18, 19, 21, 23,  
   25, 27, 28, 30, 34, 36, 37,  
   39, 43, 44, 46, 48, 49, 58,  
   59  
 counterstyle environment option  
   . 9, 11, 12, 14, 16, 18, 20,  
   21, 24, 26, 27, 29, 30, 34,  
   36, 38, 39, 41, 43, 45, 46,  
   50  
 \csvlist mandatory argument 51–  
   60, 62, 63  
 cvoffset environment option . 9,  
   11, 12, 14, 16, 18, 20, 21,  
   24, 26, 27, 29, 30, 34, 36,  
   38, 39, 41, 43, 45, 46, 50,  
   61

**D**

\ddsudokucell ..... 50  
 \ddsudokusetup ..... 50  
 \default mandatory argument 61  
 \definecounterstyle ..... 60  
 \definition mandatory argument  
   ..... 60  
 \Diamond ..... 55  
 \dimension mandatory argument  
   ..... 61  
 \direction mandatory argument  
   ..... 50, 54  
 \div ..... 59  
 \double optional argument . 52  
 \Down ..... 56

**E**

\element mandatory argument 56,  
   58, 62  
 environment  
   battleship ..... 61  
   bokkusu ..... 47, 48  
   logicpuzzle ..... 49  
   lpsudoku ..... 41  
   minipage ..... 48  
   puzzlebackground 48, 50, 54,  
   60  
   puzzleforeground 49, 50, 59  
   skyline ..... 63  
 environment option  
   bgcolor 9, 11, 12, 14, 16, 18,  
   20, 21, 24, 26, 27, 29, 30,  
   34, 36, 37, 39, 41, 43, 45,  
   46, 50  
   color .... 12, 14, 21, 50, 59  
   columns 9, 10, 12, 14, 16, 18,  
   19, 21, 23, 25, 27, 28, 30,  
   34, 36, 37, 39, 43, 44, 46,  
   48, 49, 58, 59  
   counterstyle . 9, 11, 12, 14,  
   16, 18, 20, 21, 24, 26, 27,  
   29, 30, 34, 36, 38, 39, 41,  
   43, 45, 46, 50  
   cvoffset 9, 11, 12, 14, 16, 18,  
   20, 21, 24, 26, 27, 29, 30,  
   34, 36, 38, 39, 41, 43, 45,  
   46, 50, 61

<code>fontsize</code>	9, 11, 12, 16, 18, 19, 21, 23, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 49, 58, 61		
<code>grid</code>	.....	14	
<code>rows</code>	9, 10, 12, 14, 16, 18, 19, 21, 23, 25, 27, 28, 30, 34, 36, 37, 39, 43, 44, 46, 48, 49, 58, 59, 61		
<code>sbindent</code>	.....	11	
<code>sbshipscale</code>	.....	11	
<code>sbwidth</code>	.....	11	
<code>scale</code>	9, 10, 12, 14, 16, 18, 19, 21, 23, 25, 27, 28, 30, 34, 36, 37, 39, 40, 43, 44, 46, 49, 58, 59		
<code>solution</code>	.....	21	
<code>sudoku</code>	.....	34	
<code>title</code>	. 9, 11, 12, 14, 16, 18, 20, 21, 23, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 49		
<code>titleindent</code>	9, 11, 12, 14, 16, 18, 20, 21, 23, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 49		
<code>titlewidth</code>	9, 11, 12, 14, 16, 18, 20, 21, 24, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 50		
<code>width</code>	9, 10, 12, 14, 16, 18, 19, 21, 23, 25, 27, 28, 30, 34, 36, 37, 39, 40, 43, 44, 46, 49		
<b>F</b>			
<code>\fillarea</code>	.....	50, 60	
<code>\fillcell</code>	.....	59	
<code>\fillcolumn</code>	.....	59	
<code>\filldiagonals</code>	.....	59	
<code>\fillrow</code>	.....	59	
<code>&lt;fontsize&gt;</code>	optional argument .	58	
<code>fontsize</code>	environment option .	9, 11, 12, 16, 18, 19, 21, 23, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 49, 58, 61	
<code>&lt;format&gt;</code>	mandatory argument	60	
<b>G</b>			
<code>grid</code>	environment option .....	14	
<b>H</b>			
<code>\hakyuu</code>	cell .....	53	
<code>\hakyuusetup</code>	.....	53	
<code>&lt;height&gt;</code>	mandatory argument	55	
<code>\hitorisetup</code>	.....	53	
<b>K</b>			
<code>\kakuro</code>	column .....	53	
<code>\kakuro</code>	row .....	53	
<code>\kakuro</code>	setup .....	53	
<code>\kendoku</code>	cell .....	53	
<code>\kendoku</code>	setup .....	53	
<code>\killersudoku</code>	cell .....	53	
<code>\killersudoku</code>	setup .....	54	
<code>\KKR</code>	.....	53	
<b>L</b>			
<code>\laser</code>	.....	54	
<code>\laserbeam</code>	setup .....	54	
<code>\laserH</code>	.....	54	
<code>\laserV</code>	.....	54	
<code>\Left</code>	.....	56	
<code>\LeftDown</code>	.....	56	
<code>\LeftUp</code>	.....	56	
<code>&lt;length&gt;</code>	mandatory argument	50	
<code>logicpuzzle</code>	environment ...	49	
<code>logicpuzzle.sty</code>	.....	47, 48	
<code>\LP</code>	.....	61–63	
<code>\LP@bottomrow</code>	.....	63	
<code>\LP@BS@rows</code>	.....	61	
<code>\LP@define@key</code>	.....	61	
<code>\LP@definecolor</code>	.....	62	
<code>\LP@drawbackground</code>	.....	62	
<code>\LP@drawgrid</code>	.....	62	
<code>\LP@drawsudokugrid</code>	.....	62	
<code>\LP@ingrid</code>	.....	62	
<code>\LP@leftcolumn</code>	.....	63	
<code>\LP@rightcolumn</code>	.....	63	
<code>\LP@setcellcontent</code>	.....	62	
<code>\LP@setcellcontentC</code>	.....	62	
<code>\LP@setcolumncontents</code>	.....	62	
<code>\LP@setrowcontents</code>	.....	62	

\LP@toprow .....	63
LPbackground PGF layer ..	48–50
LPbackgroundtwo PGF layer ..	48, 49
LPbgcolor PGF layer .....	48, 49
LPdump PGF layer .....	48, 49
LPforeground PGF layer ..	48–50
LPforegroundtwo PGF layer ..	48, 49
lpsudoku environment .....	41
lpsudoku.sty .....	41
\lpsudokucell .....	56
\lpsudokusetup .....	56
<b>M</b>	
main PGF layer .....	48–50
mandatory argument	
<code>&lt;color&gt;</code> .....	59, 60, 62
<code>&lt;column&gt;</code> ..	50–56, 58–60, 62
<code>&lt;csv list&gt;</code> .....	51–60, 62, 63
<code>&lt;default&gt;</code> .....	61
<code>&lt;definition&gt;</code> .....	60
<code>&lt;dimension&gt;</code> .....	61
<code>&lt;direction&gt;</code> .....	50, 54
<code>&lt;element&gt;</code> .....	56, 58, 62
<code>&lt;format&gt;</code> .....	60
<code>&lt;height&gt;</code> .....	55
<code>&lt;length&gt;</code> .....	50
<code>&lt;max column&gt;</code> .....	62
<code>&lt;max row&gt;</code> .....	62
<code>&lt;name&gt;</code> .....	60, 62, 63
<code>&lt;number&gt;</code> ..	50, 52, 53, 55, 56, 60
<code>&lt;option&gt;</code> .....	61
<code>&lt;options&gt;</code> .....	50–58
<code>&lt;package&gt;</code> .....	61, 62
<code>&lt;prefix&gt;</code> .....	61
<code>&lt;rgb color&gt;</code> .....	62
<code>&lt;row&gt;</code> .....	50–56, 58–60, 62
<code>&lt;rule&gt;</code> .....	59
<code>&lt;ship segment&gt;</code> .....	51
<code>&lt;step&gt;</code> .....	62
<code>&lt;style&gt;</code> .....	61
<code>&lt;sumH&gt;</code> .....	53
<code>&lt;sumV&gt;</code> .....	53
<code>&lt;TikZ path&gt;</code> ..	52, 54, 58–60
<code>&lt;width&gt;</code> .....	48
<code>&lt;xmax&gt;</code> .....	62
<code>&lt;xmin&gt;</code> .....	62
<code>&lt;ymax&gt;</code> .....	62
<code>&lt;ymin&gt;</code> .....	62
\marginnote .....	61
<code>&lt;max column&gt;</code> mandatory argument	
.....	62
<code>&lt;max row&gt;</code> mandatory argument	62
\Mine .....	55
\minipage environment .....	48
\mirrorH .....	54
\mirrorV .....	54
\Moon .....	57
\MoonB .....	57
\MoonBL .....	57
\MoonBR .....	57
\MoonL .....	57
\MoonR .....	57
\MoonT .....	57
\MoonTL .....	57
\MoonTR .....	57
<b>N</b>	
<code>&lt;name&gt;</code> mandatory argument	60, 62, 63
<code>&lt;number&gt;</code> mandatory argument	50, 52, 53, 55, 56, 60
<b>O</b>	
<code>&lt;option&gt;</code> mandatory argument	. 61
optional argument	
<code>&lt;color&gt;</code> .....	52, 54, 59, 60
<code>&lt;double&gt;</code> .....	52
<code>&lt;fontsize&gt;</code> .....	58
<code>&lt;optional arguments&gt;</code> ...	52
<code>&lt;options&gt;</code> .....	49
<code>&lt;optional arguments&gt;</code> optional ar- gument .....	52
<code>&lt;options&gt;</code> mandatory argument	50– 58
<code>&lt;options&gt;</code> optional argument	. 49
<b>P</b>	
<code>&lt;package&gt;</code> mandatory argument	61, 62
PGF layer	
LPbackground .....	48–50
LPbackgroundtwo ...	48, 49

LPbgcolor .....	48, 49	\setcell .....	55–58
LPdump .....	48, 49	\setcolorcolumn .....	59, 62
LPforeground .....	48–50	\setcolorrow .....	58, 62
LPforegroundtwo ...	48, 49	\setcolumn .....	59
main .....	48–50	\setgridlinestyle .....	61
\placearrow .....	54	\setnormal linewidth .....	61
\placecross .....	54	\setpuzzlecounter .....	60
\placeisland .....	51	\setrow .....	55–58
\placemirror .....	54	\setrule .....	59
\placesegment .....	51	\setthick linewidth .....	61
\placeship .....	50	<i>&lt;ship segment&gt;</i> mandatory argument .....	51
\placewater .....	51	\shipbox .....	51
\portal .....	58	\shipH .....	51
<i>&lt;prefix&gt;</i> mandatory argument .	61	\shipV .....	51
puzzlebackground environment .....	48, 50, 54, 60	skyline environment .....	63
\puzzlecounter .....	60, 61	\skylineB .....	55
puzzleforeground environment .....	49, 50, 59	\skylinecell .....	55
<b>R</b>		\skylineL .....	55, 63
\reversemarginpar .....	61	\skylineR .....	55
<i>&lt;rgb color&gt;</i> mandatory argument .....	62	\skylinesetup .....	55
\Right .....	56	\skylineT .....	55
\RightDown .....	56	slitherlink.sty .....	61
\RightUp .....	56	\slitherlinkcell .....	55
<i>&lt;row&gt;</i> mandatory argument	50–56, 58–60, 62	\slitherlinksetup .....	56
rows environment option ..	9, 10, 12, 14, 16, 18, 19, 21, 23, 25, 27, 28, 30, 34, 36, 37, 39, 43, 44, 46, 48, 49, 58, 59, 61	solution environment option ..	21
<i>&lt;rule&gt;</i> mandatory argument ..	59	\Star .....	56, 57
<b>S</b>		\starbattlecell .....	56
sbindent environment option ..	11	\starbattlesetup .....	56
sbshipscale environment option .....	11	\starsandarrowssetup .....	56
sbwidth environment option ..	11	\starsH .....	56
scale environment option ..	9, 10, 12, 14, 16, 18, 19, 21, 23, 25, 27, 28, 30, 34, 36, 37, 39, 40, 43, 44, 46, 49, 58, 59	\starsV .....	56
\schatzschesetup .....	55	<i>&lt;step&gt;</i> mandatory argument ..	62
\setbigcell .....	58	<i>&lt;style&gt;</i> mandatory argument ..	61
<b>T</b>		sudoku environment option ..	34
\Tent .....	57	\sumH .....	52
\tentH .....	57	<i>&lt;sumH&gt;</i> mandatory argument ..	53
\tentsandtreessetup .....	57	\sumV .....	52
\tentV .....	57	<i>&lt;sumV&gt;</i> mandatory argument ..	53
<i>&lt;TikZ path&gt;</i> mandatory argument ..	52, 54, 58–60	\sunandmoonssetup .....	57

\tikz	61
tikz.sty	48
\tikzpath	60
\times	59
title environment option .	9, 11, 12, 14, 16, 18, 20, 21, 23, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 49
\titleformat	60
titleindent environment option .	9, 11, 12, 14, 16, 18, 20, 21, 23, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 49
titlewidth environment option	9, 11, 12, 14, 16, 18, 20, 21, 24, 25, 27, 29, 30, 34, 36, 37, 39, 41, 43, 45, 46, 50
\Tree	57
\tube	58
\tunnelH	58
\tunnelsetup	58
\tunnelV	58
 <b>U</b>	
\Up	56
 <b>V</b>	
\valueH	51
\valueV	52
 <b>W</b>	
$\langle width \rangle$ mandatory argument	48
width environment option .	9, 10, 12, 14, 16, 18, 19, 21, 23, 25, 27, 28, 30, 34, 36, 37, 39, 40, 43, 44, 46, 49
 <b>X</b>	
$\langle xmax \rangle$ mandatory argument .	62
$\langle xmin \rangle$ mandatory argument .	62
 <b>Y</b>	
$\langle ymax \rangle$ mandatory argument .	62
$\langle ymin \rangle$ mandatory argument .	62