

mcmthesis 文档类^{*}

→ English Version

王昭礼

黄晨成

343083553@qq.com liamhuang0205+mcmthesis@gmail.com

2015/01/29

摘要

这份模板是美国大学生数学建模竞赛（MCM/ICM）的论文模板。模板遵循赛事官方的要求，设置了页眉页脚、字体和控制页等内容。本文档对模板的使用做出了说明。

1 模板介绍

这份模板最早由王昭礼设计，并在往年参赛者的建议下不断改进。2014 年年初，黄晨成接手模板，用 key-value 语法重构了文档选项，并修复了一些 bug。2015 年年初，黄晨成将模板使用 DocStrip 的语法重构，并上传至 CTAN。

2 安装说明

2.1 下载

你可以到项目主页下载模板的最新版本，也可以关注 L^AT_EXStudio 的相关更新，除去项目主页之外，不再维护任何镜像。

<https://gitcafe.com/ChinaTeX/mcmthesis>

此外，文档类也已上传至 CTAN，你可以在 T_EX Live 等发行版的宏包管理器中下载。

^{*}这份文档是 mcmthesis v5.1.0c 的说明文档，更新日期 2015/01/29。

2.2 安装

我们以 SOURCE 代表你下载的源文件目录，在终端下执行以下命令。

```
cd SOURCE
xelatex mcmthesis.ins
xelatex -shell-escape mcmthesis.dtx
xelatex -shell-escape mcmthesis.dtx
xelatex mcmthesis-demo.tex
xelatex mcmthesis-demo.tex
```

你可以将生成的 `mcmthesis.cls` 拷贝至 `TEXMF/tex/latex/mcmthesis/` 目录，将 `mcmthesis.dtx` 和 `mcmthesis.ins` 拷贝至 `TEXMF/source/latex/mcmthesis/`，将 `mcmthesis.pdf`、`mcmthesis-demo.tex`、`mcmthesis-demo.pdf`、`figures/` 和 `code/` 拷贝至 `TEXMF/doc/latex/mcmthesis/`，然后在终端执行 `texhash`；也可以将 `mcmthesis.cls` 放在当前目录直接使用。

生成的 `mcmthesis-demo.tex` 是一个示例文件，你可以参照这个文件来构建你的论文；也可以直接修改这个文件。

3 使用说明

3.1 依赖

`mcmthesis` 依赖于以下宏包，这些宏包在常见的 TeX 发行版中都已包含，在安装使用之前，请确认你的 TeX 发行版中正确安装了这些宏包。

<code>kvoptions</code>	<code>etoolbox</code>	<code>fancyhdr</code>	<code>fancybox</code>
<code>ifthen</code>	<code>lastpage</code>	<code>listings</code>	<code>appendix</code>
<code>amsmath</code>	<code>amssymb</code>	<code>amsfonts</code>	<code>amsbsy</code>
<code>bm</code>	<code>mathrsfs</code>	<code>latextsym</code>	<code>paralist</code>
<code>longtable</code>	<code>multirow</code>	<code>hhline</code>	<code>tabularx</code>
<code>ctex</code>	<code>xeCJK</code>	<code>CJK</code>	<code>xCJK2uni</code>
<code>tabu</code>	<code>minted</code>	<code>longtable</code>	<code>hologo</code>
<code>array</code>	<code>flafter</code>	<code>pifont</code>	<code>calc</code>
<code>colortbl</code>	<code>booktabs</code>	<code>geometry</code>	<code>fontenc</code>
<code>berasans</code>	<code>hyperref</code>	<code>ifpdf</code>	<code>ifxetex</code>
<code>graphicx</code>	<code>epstopdf</code>	<code>bmpsize</code>	<code>xcolor</code>
<code>longtable</code>	<code>tabu</code>	<code>hologo</code>	<code>palatino</code>

如果你尚未安装这些宏包，可以启动你的 \TeX 发行版的宏包管理器来安装；或者到 <http://www.ctan.org> 上搜索下载并安装。

3.2 选项

`mcmthesis` 有六个选项，用来控制模板的行为：

`tcn` 队伍控制号码，接受一个字符串作为值；输入的值将显示在控制页上和每一页的页眉上；默认为 `0000`。

`sheet` 布尔值；为真时将输出控制页，否则不输出；默认为 `true`。

`titleinsheet` 布尔值；为真时将在控制页输出标题，否则不输出；默认为 `false`。

`keywordsinsheet` 布尔值；为真时将在控制页输出关键字，否则不输出；默认为 `false`。

`titlepage` 布尔值；为真时将输出标题页，否则不输出；默认为 `true`。

`abstract` 布尔值；为真时将在标题页输出摘要和关键词，否则不输出；默认值为 `true`。

注意，`titleinsheet` 和 `keywordsinsheet` 的效果受 `sheet` 的影响。若 `sheet = false`，则不论前二者的真假，均不会在控制页上输出标题和/或关键字。另一方面，若 `sheet = true`，则摘要部分总是会出现在控制页。`abstract` 与 `titlepage` 选项的关系于前述类似。

3.3 题号

模板定义了 `\problem{<题号>}` 命令，用以选择题号。

3.4 编译方式

模板支持多种编译方式：

- X_E \LaTeX 这是推荐的方式；
- pdfX_E \LaTeX ；
- \LaTeX + DVIPDFMx。

3.5 中文支持

由于 MCM/ICM 要求以英文写作，所以模板没有内建的中文支持。如果你在文章中需要使用个别中文字符，可以自行使用合适中文支持方式。

对于 X_ELATE_X 来说，可以使用 xeCJK 宏包。

```
\usepackage{xeCJK}  
\setCJKmainfont{SimSun}
```

这里，Mac OS X 的用户可以使用 STSong 来代替 SimSun；Linux 用户则可以使用 FandolSong。

对于 pdflATE_X 和 LATE_X + DVIPDFMx 来说，可以使用 zhmCJK 宏包。

```
\usepackage{zhmCJK}  
\setCJKmainfont{SimSun.ttc}
```

对 Mac OS X 和 Linux 的说明同上。

The `mcmthesis` class* → 中文版

Zhaoli Wang

343083553@qq.com

Liam Huang

liamhuang0205+mcmthesis@gmail.com

2015/01/29

摘要

This template is designed for MCM/ICM. The template configured fonts, header and footer and control sheet style, according to the requirements of COMAP. This document describes the template.

4 Introduction

This template was designed by Zhaoli Wang first, and was improved by him following the suggestions from contest takers. In the beginning of the year 2014, Liam Huang redesigned it, by using key-value syntax, and fixed known bugs. Liam reimplemented it at the beginning of the year 2015, by DocStrip, and uploaded it to CTAN.

5 Installation Guide

5.1 Download

You could find the latest version of this template at the project homepage, as well as the website L^AT_EXStudio. We will not maintain any other mirror.

<https://github.com/LiamHuang0205/mcmthesis>

Moreover, this template had been uploaded to CTAN, so that it could be managed by the package manager of your distribution, such as T_EX Live.

*This Document corresponds to `mcmthesis` v5.1.0c, dated 2015/01/29.

5.2 Installation

We denote SOURCE as the folder, who contains the file you've just downloaded. Execute these command in the terminal.

```
cd SOURCE
xelatex mcmthesis.ins
xelatex -shell-escape mcmthesis.dtx
xelatex -shell-escape mcmthesis.dtx
xelatex mcmthesis-demo.tex
xelatex mcmthesis-demo.tex
```

To finish the installation, you could copy `mcmthesis.cls` to `TEXMF/tex/latex/mcmthesis/`, copy `mcmthesis.dtx` and `mcmthesis.ins` to `TEXMF/source/latex/mcmthesis/`, copy `mcmthesis.pdf`, `mcmthesis-demo.tex`, `mcmthesis-demo.pdf`, `figures/` and `code/` to `TEXMF/doc/latex/mcmthesis/`, and then run `texhash` in your terminal; you could also put `mcmthesis.cls` in the same folder of the master file.

`mcmthesis-demo.tex` is a generated demo file, you could write the manuscript of you paper by mimicing this file; you may also modify this file to build your paper.

6 Usage

6.1 Dependence

The `mcmthesis` class depends on the following packages. These packages has been installed in common `TeX` distribution. Before installation, please make sure that you have installed these packages correctly.

<code>kvoptions</code>	<code>etoolbox</code>	<code>fancyhdr</code>	<code>fancybox</code>
<code>ifthen</code>	<code>lastpage</code>	<code>listings</code>	<code>appendix</code>
<code>amsmath</code>	<code>amssymb</code>	<code>amsfonts</code>	<code>amsbsy</code>
<code>bm</code>	<code>mathrsfs</code>	<code>latextsym</code>	<code>paralist</code>
<code>longtable</code>	<code>multirow</code>	<code>hhline</code>	<code>tabularx</code>
<code>ctex</code>	<code>xeCJK</code>	<code>CJK</code>	<code>xCJK2uni</code>
<code>tabu</code>	<code>minted</code>	<code>longtable</code>	<code>hologo</code>
<code>array</code>	<code>flafter</code>	<code>pifont</code>	<code>calc</code>
<code>colortbl</code>	<code>booktabs</code>	<code>geometry</code>	<code>fontenc</code>

berasans	hyperref	ifpdf	ifxetex
graphicx	epstopdf	bmpsize	xcolor
longtable	tabu	hologo	palatino
mwe			

If you haven't install these packages, you could execute the package manager of your distribution and install them; you could also download them from <http://www.ctan.org>.

6.2 Options

`mcmthesis` has six options that are designed to control the behaviour of the template.

tcn The team control number, receives a string as value; this value will be displayed on control sheet and every page's header. The default value is 0000.

sheet Bool, true to print the control sheet, default is `true`.

titleinsheet Bool, true to print the title in the control sheet, default is `false`.

keywordsinsheet Bool, true to print keywords in the control sheet, default is `false`.

titlepage Bool, true to print the titlepage, default is `true`.

abstract Bool, true to print the abstract on the titlepage, default is `true`.

Note that the effect of `titleinsheet` and `keywordsinsheet` are under the control of the option `sheet`, that is, if `sheet` is set to `false`, title and/or keywords will not be printed on the control sheet, whatever the value of these two options are. On the other hand, the abstract will always be printed on the control sheet, if the `sheet` is set to `true`. The relationship between `abstract` and `titlepage` is similar to that just mentioned.

6.3 Question

The template defines `\problem{\langle question \rangle}` to choose the question.

6.4 Compilation Workflow

The template supports various kinds of compilation workflow:

- X_ELATE_X (recommend);
- pdfLATE_X;
- LATE_X + DVIPDFM_X.

7 The Implementation

7.1 Basic Information

```

1 <*>
2 \NeedsTeXFormat{LaTeX2e}[1999/12/01]
3 \ProvidesClass{mcmthesis}
4 [2015/01/29 v5.1.0c Thesis Template For MCM/ICM]
5 \typeout{Thesis Template For MCM/ICM}
6 \def\MCMversion{v5.1.0c}
```

7.2 Options

Loading kvoptions and etoolbox to handle key-value options.

```

7 \RequirePackage{kvoptions}
8 \RequirePackage{etoolbox}
9 \SetupKeyvalOptions{family=MCM, prefix=MCM@opt@, setkeys=\kvsetkeys}
10 \newcommand{\skv}[1]{\kvsetkeys{MCM}{#1}}
```

Declaring options.

```

11 \DeclareBoolOption[true]{sheet}
12 \DeclareComplementaryOption[nosheet]{sheet}
13 \DeclareBoolOption[false]{titleinsheet}
14 \DeclareComplementaryOption[notitleinsheet]{titleinsheet}
15 \DeclareBoolOption[false]{keywordsinsheet}
16 \DeclareComplementaryOption[nokeywordsinsheet]{keywordsinsheet}
17 \DeclareBoolOption[true]{titlepage}
18 \DeclareComplementaryOption[notitlepage]{titlepage}
19 \DeclareBoolOption[true]{abstract}
20 \DeclareComplementaryOption[noabstract]{abstract}
21 \DeclareStringOption[0000]{tcn}[0000]
22 \DeclareDefaultOption{\relax}
```

Processing options.

```
23 \ProcessKeyvalOptions*\relax
    Loading document class.
24 \LoadClass[a4paper, 11pt]{article}
    User interface.
25 \newcommand{\control}{\MCM@opt@tcn}
26 \newcommand{\team}{Team \#\ \MCM@opt@tcn}
```

7.3 Loading Packages

```
27 \RequirePackage{fancyhdr, fancybox}
28 \RequirePackage{ifthen}
29 \RequirePackage{lastpage}
30 \RequirePackage{listings}
31 \RequirePackage[toc, page, title, titletoc, header]{appendix}
32 \RequirePackage{paralist}
33 \RequirePackage{amsthm, amsfonts}
34 \RequirePackage{amsmath, bm}
35 \RequirePackage{amssymb, mathrsfs}
36 \RequirePackage{latexsym}
37 \RequirePackage{longtable, multirow, hhline, tabularx, array}
38 \RequirePackage{flafter}
39 \RequirePackage{pifont, calc}
40 \RequirePackage{colortbl, booktabs}
41 \RequirePackage{geometry}
42 \RequirePackage[T1]{fontenc}
43 \RequirePackage[scaled]{berasans}
44 \RequirePackage{hyperref}
45 \RequirePackage{ifpdf, ifxetex}
```

Loading `graphicx` and its relations after checking drivers.

```
46 \ifpdf
47   \RequirePackage{graphicx}
48   \RequirePackage{epstopdf}
49 \else
50   \ifxetex
51     \RequirePackage{graphicx}
52 \else
```

```

53 \RequirePackage[dvipdfmx]{graphicx}
54 \RequirePackage{bmptsize}
55 \fi
56 \fi
57 \RequirePackage{xcolor}

```

7.4 hyperref Settings

```

58 \ifpdf
59   \hypersetup{hidelinks}
60 \else
61   \ifxetex
62     \hypersetup{hidelinks}
63   \else
64     \hypersetup{dvipdfm, hidelinks}
65   \fi
66 \fi

```

7.5 Page Layout

Setting paper size and margin sep.

```

67 \geometry{a4paper, margin = 1.2in}

```

Making the footer and header.

```

68 \pagestyle{fancy}
69 \fancyhf{}
70 \lhead{\small \team}
71 \rhead{\small Page \thepage\ of \pageref{LastPage}}

```

Setting \parskip.

```

72 \setlength{\parskip}{.5\baselineskip}

```

7.6 Redefining TOC

```

73 \renewcommand{\tableofcontents}{%
74   \centerline{\normalsize\Large\bfseries\contentsname
75     \mkboth{\%
76       \MakeUppercase\contentsname}{\MakeUppercase\contentsname}}%
77   \vskip 5ex%
78   \starttoc{toc}%
79 }

```

7.7 Mastering Floats, Figures and Tables

Setting counters. Here `totalnumber` is the maximum number of floats on a text page, `topnumber` is the maximum number of floats at top of a text page and `bottomnumber` is the maximum number of floats at bottom of a text page. Obviously, we have `totalnumber = topnumber + bottomnumber`.

```
80 \setcounter{totalnumber}{4}
81 \setcounter{topnumber}{2}
82 \setcounter{bottomnumber}{2}
```

Setting float fractions.

```
83 \renewcommand{\textfraction}{0.15}
84 \renewcommand{\topfraction}{0.85}
85 \renewcommand{\bottomfraction}{0.65}
86 \renewcommand{\floatpagefraction}{0.60}
```

Setting caption names.

```
87 \renewcommand{\figurename}{Figure}
88 \renewcommand{\tablename}{Table}
```

Setting graphic paths.

```
89 \graphicspath{{./}{./img/}{./fig/}{./image/}{./figure/}{./picture/}
90           {./imgs/}{./figs/}{./images/}{./figures/}{./pictures/}}
```

7.8 Designing Sheets and their Relations

Redefining `\@maketitle`, which is executed by `\maketitle`. `\@maketitle` will check if the control sheet and titlepage should be printed.

```
91 \def\@maketitle{%
92   \ifMCM@opt@sheet
93     \makesheet
94   \fi
95   \newpage
96   \ifMCM@opt@titlepage
97     \MCM@maketitle
98   \fi}
```

Making the `abstract` environment.

```
99 \def\keywordsname{{\bfseries Keywords:}}
100 \def\@abstract{}%
```

```

101 \newbox\@abstract%
102 \setbox\@abstract\hbox{}%
103 \long\def\abstract{\bgroup\global\setbox\@abstract%
104   \vbox\bgroup\hsize\textwidth\leftskip1cm\rightskip1cm}%
105 \def\endabstract{\egroup\egroup}%
106 \newbox\@keywords%
107 \setbox\@keywords\hbox{}%
108 \def\keywords{\bgroup\global\setbox\@keywords\vbox\bgroup\noindent\leftskip0cm}%
109 \def\endkeywords{\egroup\egroup}%
110 \def\make@abstract{%
111 \par%
112 \centerline{\bfseries\abstractname}\vskip5pt\par%
113 \noindent\usebox\@abstract\par%
114 \noindent\hskip1cm\keywordsname\ \usebox\@keywords\%
115 \vskip10pt%
116 }

```

Defining the `\makesheet`.

```

117 \newcommand{\@problem}[1]{}
118 \newcommand{\problem}[1]{\gdef\@problem{#1}}
119 \def\makesheet{%
120   \null%
121   \vskip 3em%
122   \begingroup\fontfamily{fvs}\fontseries{m}\selectfont%
123   \thispagestyle{empty}%
124   \noindent\begin{tabularx}{0.3\textwidth}{lX}%
125   \multicolumn{2}{l}{For office use only}\ \\
126   T1&\rule{3cm}{0.5pt}\ \\
127   T2&\rule{3cm}{0.5pt}\ \\
128   T3&\rule{3cm}{0.5pt}\ \\
129   T4&\rule{3cm}{0.5pt}\ \\
130   \end{tabularx}\hspace{\fill}%
131   \begin{minipage}{0.33\textwidth}%
132   \centering%
133   Team Control Number\ [10pt]%
134   {\fontsize{38pt}{25pt}\selectfont \textbf{\MCMopttcn}}%
135   \normalsize\ [10pt]%
136   Problem Chosen\ [10pt]%
137   {\fontsize{20pt}{\baselineskip}\selectfont \textbf{\@problem}}\normalsize\ 

```

```

138      \end{minipage}\hspace{\fill}
139      \begin{tabularx}{0.28\textwidth}{lX}%
140      \multicolumn{2}{l}{For office use only} \\
141      F1&\rule{3cm}{0.5pt}\\
142      F2&\rule{3cm}{0.5pt}\\
143      F3&\rule{3cm}{0.5pt}\\
144      F4&\rule{3cm}{0.5pt}\\
145      \end{tabularx}\par
146 \noindent\rule{\textwidth}{0.5pt}\par
147 \begin{center}
148   \textbf{\the\year Mathematical Contest in Modeling (MCM) Summary Sheet} \\
149   (Attach a copy of this page to each copy of your solution paper.)
150 \end{center}
151 \ifMCM@opt@titleinsheet
152   \centerline{\normalfont \LARGE \@title}
153 \fi
154 \vskip 1.5em%
155 \ifMCM@opt@keywordsinsheet
156   \make@abstract
157 \else
158   \centerline{\large\bfseries\abstractname}
159   \noindent\usebox\@abstract
160 \fi
161 \endgroup

```

Defining the \MCM@maketitle

```

162 \newcommand{\MCM@maketitle}{%
163   \null
164   \vskip 2em%
165   \begin{center}%
166     \let \footnote \thanks
167     {\LARGE \@title \par}%
168     \vskip 1.5em%
169     {\large
170       \lineskip .5em%
171       \begin{tabular}[t]{c}%
172         \author
173       \end{tabular}\par}%
174     \vskip 1em%

```

```

175      {\large \@date}%
176  \end{center}%
177  \par
178  \vskip 1.5em%
179  \ifMCM@opt@abstract%
180  \make@abstract%
181  \fi%
182 }
```

7.9 Mathematics

Theorems.

```

183 \newtheorem{Theorem}{Theorem}[section]
184 \newtheorem{Lemma}[Theorem]{Lemma}
185 \newtheorem{Corollary}[Theorem]{Corollary}
186 \newtheorem{Proposition}[Theorem]{Proposition}
187 \newtheorem{Definition}[Theorem]{Definition}
188 \newtheorem{Example}[Theorem]{Example}
```

Other definitions.

```

189 \providecommand{\dif}{\mathop{}\!\mathrm{d}}
190 \providecommand{\me}{\mathrm{e}}
191 \providecommand{\mi}{\mathrm{i}}}
```

7.10 Listing Settings

```

192 \definecolor{grey}{rgb}{0.8,0.8,0.8}
193 \definecolor{darkgreen}{rgb}{0,0.3,0}
194 \definecolor{darkblue}{rgb}{0,0,0.3}
195 \def\lstbasicfont{\fontfamily{pcr}\selectfont\footnotesize}
196 \lstset{%
197 % indexing
198   % numbers=left,
199   % numberstyle=\small,%}
200 % character display
201   showstringspaces=false,
202   showspaces=false,%}
203   tabsize=4,%}
204 % style
```

```
205     frame=lines,%
206     basicstyle={\footnotesize\lstbasicfont},%
207     keywordstyle=\color{darkblue}\bfseries,%
208     identifierstyle=,%
209     commentstyle=\color{darkgreen},%\itshape,%
210     stringstyle=\color{black}%
211 }
212 \lstloadlanguages{C,C++,Java,Matlab,Mathematica}
213 </class>
214 <class>\endinput
```