Example for morefloats

This example demonstrates the use of package morefloats, v1.0e as of 2011/07/10 (HMM; DH). The package takes options (here: maxfloats=19 is used). For more details please see the documentation!

To reproduce the MEX Error: Too many unprocessed floats, comment out the \usepackage... in the preamble (line 3) (by placing a % before it).

Save per page about 200 ml water, 2 g CO_2 and 2 g wood: Therefore please print only if this is really necessary. I do NOT think, that it is necessary to print THIS file, really!

There follow a lot of floating tables.

A table, which will keep floating.

Table 1: The first Table

A table, which will keep floating.

Table 2: The second Table

Here are a lot of floating tables.

A table, which will keep floating.
Table 3: The third Table
A table, which will keep floating.
Table 4: The fourth Table
A table, which will keep floating.
Table 5: The fifth Table
A table, which will keep floating.
Table 6: The sixth Table
A table, which will keep floating.
Table 7: The seventh Table
A table, which will keep floating.
Table 8: The eighth Table
A table, which will keep floating.
Table 9: The ninth Table
A table, which will keep floating.
Table 10: The tenth Table
A table, which will keep floating.
Table 11: The eleventh Table
A table, which will keep floating.
Table 12: The twelfth Table
A table, which will keep floating.
Table 13: The thirteenth Table
A table, which will keep floating.
Table 14: The forteenth Table
A table, which will keep floating.
Table 15: The fifteenth Table
A table, which will keep floating.

Table 16: The sixteenth Table

A table, which will keep floating.

Table 17: The seventeenth Table

A table, which will keep floating.

Table 18: The eighteenth Table

One floating table too many (without morefloats and appropriate option(s)).

Table 19: The nineteenth Table