

The **atbegshi** package

Heiko Oberdiek
<heiko.oberdiek at googlemail.com>

2010/03/01 v1.11

Abstract

This package is a modern reimplemention of package `everyshi` without the burden of compatibility. It makes use of ε - \TeX 's if available. Both \LaTeX and plain- \TeX are supported.

Contents

1 Documentation	2
1.1 Examples	3
1.1.1 Example: circle in background	3
1.1.2 Example: adding TrimBox for dvipdfmx	4
2 Method of \shipout overloading	5
2.1 \shipout	5
2.2 \afterassignment	5
2.3 Test for direct or indirect boxes	6
2.3.1 With ε - \TeX	6
2.3.2 Without ε - \TeX	6
2.3.3 \lastkern method	7
2.4 Output	8
2.5 Separate box register	8
2.6 Summary	8
2.6.1 With ε - \TeX	8
2.6.2 Without ε - \TeX , traditional way	9
2.6.3 \lastkern method	9
3 Implementation	10
3.1 Reload check and package identification	10
3.2 Catcodes	11
3.3 Preparations	12
3.4 Positioning	15
3.5 Patches	17
3.5.1 Package crop	17
3.5.2 Package everyshi	19
3.5.3 Class memoir	20
4 Test	21
4.1 Catcode checks for loading	21
5 Installation	25
5.1 Download	25
5.2 Bundle installation	25
5.3 Package installation	26
5.4 Refresh file name databases	26
5.5 Some details for the interested	26

6 History	27
[2007/04/17 v1.0]	27
[2007/04/18 v1.1]	27
[2007/04/19 v1.2]	27
[2007/04/26 v1.3]	27
[2007/04/27 v1.4]	27
[2007/06/06 v1.5]	27
[2007/09/09 v1.6]	27
[2008/07/18 v1.7]	27
[2008/07/19 v1.8]	28
[2008/07/31 v1.9]	28
[2009/12/02 v1.10]	28
[2010/03/01 v1.11]	28
7 Index	28

1 Documentation

Package `atbegshi` redefines `\shipout` to insert hooks for user code that is executed before the page is shipped out. The code may modify or even discard the output page. Three hooks are implemented:

1. A hook that is executed for every page, see
`\AtBeginShipout`
2. A hook that is executed for the next page only, see
`\AtBeginShipoutNext`
3. A hook that is only executed for the first page, see
`\AtBeginShipoutFirst`

The hooks are executed in this order. The following three macros provide the user interface for adding code to these hooks:

`\AtBeginShipout {<code>}`

Execute the `<code>` for every page. The page contents is held in box register `\AtBeginShipoutBox` and may be modified. Use `\AtBeginShipoutDiscard` if you want to discard the page.

Note: Package `everyshi` uses box register 255. With package `atbegshi` you must use `\AtBeginShipoutBox` instead.

If L^AT_EX calls `\shipout` in `\@outputpage` (part of its output routine), the meaning of `\protect` is `\noexpand`. L^AT_EX sets `\protect` to the appropriate `\@typeset@protect` in the box that is shipped out. This is too late for the hooks, they are called earlier in the redefined `\shipout`. Therefore package `atbegshi` sets `\protect` to `\@typeset@protect` before it calls the hooks. (In `\EveryShipout` of package `everyshi` the user is responsible for the correct setting of `\protect`.)

`\AtBeginShipoutNext {<code>}`

This reimplements package `everyshi`'s `\AtNextShipout`. The `<code>` is executed at shipout time of the next page only. It is just a convenience macro, it can be easily replaced by something like:

```
\newcommand{\MyShipoutHook}{}%
\AtBeginShipout{\MyShipoutHook}
\gdef\MyShipoutHook{%
  ... do something with next page ...}
```

```
\gdef\MyShipoutHook{}%
}
```

(This can be necessary, if hook order does matter).

`\AtBeginShipoutFirst {⟨code⟩}`

This reimplements L^AT_EX's `\AtBeginDvi`. This hook is usually used for `\special` commands that include PostScript header files. The `\code` is directly executed in a `\vbox` that is put at the beginning of the output page. Dealing with the output box `\AtBeginShipoutBox` is not necessary and not permitted here.

`\AtBeginShipoutDiscard`

This macro notifies package `atbegshi` that the output page is discarded. The remaining hook code and the remaining hooks are not executed and the page is thrown away. Also `\deadcycles` is cleared to zero like an ordinary `\shipout` would do.

`\AtBeginShipoutInit`

Usually the redefinition of `\shipout` is delayed by `\AtBeginDocument` (if this macro exists). This can be too late, if other packages also redefines `\shipout` and the order does matter. `\AtBeginShipoutInit` forces the immediate redefinition of `\shipout`.

`\AtBeginShipoutUpperLeft {⟨background material⟩}`

This is a macro that puts material in the background of box `\AtBeginShipoutBox`. The `⟨background material⟩` is set in an `\hbox`, the reference point is the upper left corner of the output page. In case of pdfL^AT_EX in PDF mode, the settings of `\pdfhorigin` and `\pdfvorigin` are respected.

The macro `\AtBeginShipoutUpperLeft` is intended to be used in one of the hook setting macros, such as `\AtBeginShipout`, `\AtBeginShipoutFirst`, or `\AtBeginShipoutNext`.

For L^AT_EX users the `⟨background material⟩` is set inside a `picture` environment:

```
\begin{picture}(0,0)
  \setlength{\unitlength}{1pt}%
  <background material>
\end{picture}
```

`\AtBeginShipoutUpperLeftForeground {⟨foreground material⟩}`

See `\AtBeginShipoutUpperLeft`. The difference is that the material is put in the foreground.

`\AtBeginShipoutOriginalShipout {⟨box⟩}`

It stores the meaning of `\shipout` at the time this package is loaded.

1.1 Examples

1.1.1 Example: circle in background

In this example we put a circle in the background in the middle of the paper.

```

1  {*example1}
2 \documentclass[a4paper]{article}
3 \usepackage{color}
4 \usepackage{atbegshi}

```

Package `picture` makes life a little easier, because we can now also use length specifications in `picture`'s commands.

```
5 \usepackage{picture}
```

Now we draw the circle in the middle of the paper. `\put` moves downwards, because the origin is at the top of the page, not at its bottom.

```

6 \AtBeginShipout{%
7   \AtBeginShipoutUpperLeft{%
8     \put(0.5\paperwidth,-0.5\paperheight){\circle{10}}%
9   }%
10 }
11 \begin{document}
12 \section{Hello World}
13 \newpage
14 \AtBeginShipoutNext{%
15   \AtBeginShipoutUpperLeft{%
16     \color{red}%
17     \put(0,-0.5\paperheight){\line(1,0){\paperwidth}}%
18     \put(0.5\paperwidth, 0){\line(0,-1){\paperheight}}%
19   }%
20 }
21 Only on this page we add a red cross.
22 \newpage
23 This page has the circle only.
24 \par
25 \vspace{\fill}
26 The next page will be discarded.
27 \newpage
28 \AtBeginShipoutNext{%
29   \AtBeginShipoutDiscard
30 }
31 This page is discarded.
32 \newpage
33 The last page.
34 \end{document}
35 
```

1.1.2 Example: adding TrimBox for dvipdfmx

Now an example from “real life” follows. Someone from the mailing list for `dvipdfmx` wants to put a TrimBox on every page. If we use `\AtBeginShipout`, we have to put the `\special` inside the box `\AtBeginShipoutBox` that gets shipped out.

```

36 {*example2}
37 \documentclass{minimal}
38 \usepackage{atbegshi}
39 \usepackage[
40   dvipdfm,
41   paperwidth=630bp,
42   paperheight=810bp
43 ]{geometry}
44 \AtBeginShipout{%
45   \setbox\AtBeginShipoutBox=\hbox{%
46     \special{pdf: put @thispage <</TrimBox[9 9 621 801]>>}%
47     \box\AtBeginShipoutBox
48   }%
49 }

```

```

50 \begin{document}
51   First page
52   \newpage
53   Second page
54 \end{document}
55 </example2>

```

Remember, in `\AtBeginShipoutBoxFirst` the `\setbox` wrapper code is implicitly given and the `\special` is used directly.

2 Method of `\shipout` overloading

2.1 `\shipout`

The TeX primitive command `\shipout` takes a box specification and puts the box as a new page in the output file. There are two kinds of box specifications:

Direct boxes: They are given by `\hbox`, `\vbox`, or `\vtop`,
e.g. `\shipout\hbox{Hello World}`.

Indirect boxes: `\box` or `\copy` references a box register by number. The box register contains the contents of the box.

Note: `\box` also clears the box register globally.

Then we have to differentiate between void and empty boxes:

Void: Initially or after `\box` there is no box in the box register. In this cases the box register is not empty, but *void*.

Empty: A box with empty contents, such as `\hbox{}` (`= \null`) or `\vbox{}` is an *empty \hbox* or *empty \vbox*. If a box register holds such a box, the box still exists, therefore the box register is *not void*.

2.2 `\afterassignment`

We want to overload `\shipout` to do something with the box. It is quite impossible to do this reliable by catching the box using macro arguments. The variety of box specifications is too large, Examples:

```

\shipout\null
\shipout\vbox{...}
\shipout\vtop\bgroup ... \egroup
\shipout\box255

```

Even worse, the braces don't need to be balanced:

```

\shipout\hbox\bgroup
\shipout\vbox{\egroup

```

Happily TeX provides a reliable way via `\afterassignment`. It takes a macro name and executes it just after the assignment.

Now we can redefine `\shipout`. The box specification that follows `\shipout` is catched by `\setbox`. This is an assignment to a box register. `\afterassignment` notifies TeX, that we want to call `\@test` right after the assignment:

```

\shipout := 
  \afterassignment\@test
  \setbox\mybox=

```

We have seen different box specifications. Indirect boxes are easy to understand:

```

\shipout\box0 => \setbox\mybox=\box0 \@test

```

However direct boxes can have arbitrary contents with lots of other assignments. It would be quite unpredictable if T_EX would put \@test after the first of such an assignment or after the box specification if the box lacks of assignments. Therefore T_EX puts \@test right at the beginning of the box specification, e.g:

```
\shipout\hbox{Hello World}
⇒ \setbox\mybox=\hbox{\@test Hello World}
```

2.3 Test for direct or indirect boxes

Now we want to execute \@test, but where are we? We can be after the completed box assignment, if \shipout was called with an indirect box. Or we are right at the beginning of a direct box.

2.3.1 With ε -T_EX

With the ε -T_EX's extensions the answer is very easy: Being inside the direct box means that we are inside a new group. The new primitive command \currentgrouplevel tells how deeply the groups are currently nested. Macro \@test just compares the previously stored group level with the current one:

```
\shipout :=
  \edef\saved@grouplevel{\number\currentgrouplevel}
  \afterassignment\@test
  \setbox\mybox=

\@test :=
  \ifnum\saved@grouplevel=\currentgrouplevel
    % case: indirect box, the assignment is completed
    \output
  \else
    % case: direct box, we are inside the box
    \aftergroup\@outbox
  \fi
```

2.3.2 Without ε -T_EX

Life becomes complicate without ε -T_EX. We cannot ask the group level. However, if we are inside a direct box, the box register \mybox is not yet changed by \setbox. Thus we need a special initial value and compare it in \@test with the current value of the box.

What can be used as initial value? Arbitrary box contents cannot be compared. T_EX only tells us a few properties:

- Box type: \ifhbox, \ifvbox
- Dimensions: \wd, \ht, \dp
- Voidness: \ifvoid

Unhappily all these qualities even combined are not sufficient for constructing an initial box value, because \shipout can be called with a box that is accidentally just the same as the choosen initial value.

Nevertheless we have two alternatives for an initial value:

- A box of some type with some funny settings that are unlikely to occur in real life, e.g a height of 4911sp-\maxdimen.
- A void box.

A collision between this initial value and an indirect \shipout box with just the same value is possible. Then \@test will make a wrong decision that it is executed inside a direct box and delays \@output by \aftergroup. Thus \@output is not called at the place we want. In contrary, the result is an uncertainty about the place:

- \shipout is used in a group that perhaps closes some pages later. A bad place for \@output.
- Without a surrounding group \aftergroup effectively kills its argument.

In the first case of a box with special dimensions we can even loose the page. However in the case of the void box, this effect is even desired, because the original \shipout does not output void boxes. All we have to do is to ensure that our box \mybox is always void except for the phase when the overloaded \shipout is executed. And secondly we must keep this semantics of \shipout for the void case in our macros, namely \@output.

```
\shipout :=
  % trick to get a void box \mybox
  \begingroup
    \setbox\mybox=\box\mybox
  \endgroup
  \afterassignment\@test
  \setbox\mybox=

\@test :=
  \ifvoid\mybox
    \aftergroup\@output
  \else
    \@output
  \fi
```

The nasty case is \shipout\box\voidb@x where the indirect box is void and that must not generate an output page. If a surrounding group is missing the output is ignored because of \aftergroup. Otherwise output is called some time later when the surrounding group closes. But \mybox is void outside the execution phase of the redefined \shipout. Also \@output checks for a void box and cancels the page output. The disadvantage remains that the hook in \@output is called for a page that will not be output.

2.3.3 \lastkern method

At the beginning of a new box, there is no \kern, the contents of the box is still empty and \lastkern returns 0 pt. This can be used to distinguish between direct and indirect boxes: We execute \setbox in a box with a preceding non-zero kern. After an indirect box, \lastkern sees this kern, otherwise it returns 0 pt.

```
\shipout :=
  \begingroup
    \setbox\mybox=\hbox\bgroup
      \kern1pt
      \afterassignment\shipout\@test
      \global\setbox\mybox=

\@test :=
  \ifdim\lastkern=0pt
    % direct box
    \aftergroup\egroup
    \aftergroup\endgroup
    \aftergroup\@output
  \else
    \egroup
    \endgroup
```

```
\@output
\fi
```

We have two `\setbox` commands. The first creates a controlled context box where we can safely insert a `\kern`. We get rid of this temporarily used context box by putting the local `\setbox` in a group.

After the group we want to have our shipout box in `\mybox`. Therefore we use a global assignment here.

2.4 Output

With or without ε -**TEX** we ensure the original behaviour of `\shipout` that void boxes do not generate output pages.

Now we can place the hook `\@hook` for the user code that wants to manipulate the output box.

```
\@output :=
\ifvoid\mybox
  % cancel output of void box
\else
  \@hook
  \ifvoid\mybox
    % user code in \@hook could has voided the box
  \else
    \original@shipout\box\mybox
  \fi
\fi
```

2.5 Separate box register

So far we have said nothing about the box number of `\mybox`. The following case that outputs the same page twice shows that we are not free in the use of the box register:

```
\shipout\copy<num> \shipout\box<num>
```

We manipulate the box by the hook and without ε -**TEX** the box must even be voided. However, the use case above requires that the box contents does not change at all. Therefore we must reserve a separate box register to avoid collisions with user box registers.

Note: Box register number 255 is special for the output routine, because TeX complains if this box is not voided by the output routine. However, this requirement does not apply to `\shipout` at all. In fact `\shipout` does not change any box register. This is usually done by a call of `\box`, but the output routine can do it later *after* invoking of `\shipout`.

2.6 Summary

2.6.1 With ε -**TEX**

Putting the pieces together we get for ε -**TEX**:

```
\newbox\mybox
\let\original@shipout\shipout

\shipout :=
\edef\saved@grouplevel{\number\currentgrouplevel}
\afterassignment\@test
\setbox\mybox=
```



```
\@test :=
\ifnum\saved@grouplevel<\currentgrouplevel
```

```

    \expandafter\aftergroup
  \fi
  \output

\output := 
\ifvoid\mybox
  % cancel output of void box
\else
  \hook
\ifvoid\mybox
  % user code in \hook could have voided the box
\else
  \original@shipout\box\mybox
\fi
\fi

```

2.6.2 Without ε -TeX, traditional way

And for TeX without ε -TeX:

```

\newbox\mybox
\begingroup
\setbox\mybox=\box\mybox % ensure \mybox is void
\endgroup
\let\original@shipout\shipout

\shipout := 
% trick to get a void box \mybox
\begingroup
\setbox\mybox=\box\mybox
\endgroup
\afterassignment\@test
\setbox\mybox=

\@test := 
\ifvoid\mybox
  \expandafter\aftergroup
\fi
\output

\output := 
\ifvoid\mybox
  % cancel output of void box
\else
  \hook
\ifvoid\mybox
  % user code in \hook could have voided the box
\else
  \original@shipout\box\mybox
\fi
\fi

```

2.6.3 \lastkern method

And for TeX without ε -TeX using the \lastkern method:

```

\newbox\mybox
\let\original@shipout\shipout

\shipout := 
\begingroup
\setbox\mybox=\hbox\bgroup
\kern1pt

```

```

\afterassignment\@test
\setbox\mybox=

\@test :=
  \ifdim\lastkern=0pt
    \expandafter\aftergroup
  \fi
  \output

\@output :=
  \egroup
  \endgroup
  \ifvoid\mybox
    % cancel output of void box
  \else
    \chook
    \ifvoid\mybox
      % user code in \chook could have voided the box
    \else
      \original@shipout\box\mybox
    \fi
  \fi

```

3 Implementation

Package `atbegshi` uses ε - \TeX 's `\currentgroup`, if it is available. Otherwise the `\lastkern` method is used.

56 `(*package)`

3.1 Reload check and package identification

Reload check, especially if the package is not used with \LaTeX .

```

57 \begingroup
58   \catcode44 12 % ,
59   \catcode45 12 % -
60   \catcode46 12 % .
61   \catcode58 12 % :
62   \catcode64 11 % @
63   \catcode123 1 % {
64   \catcode125 2 % }
65 \expandafter\let\expandafter\x\csname ver@atbegshi.sty\endcsname
66 \ifx\x\relax % plain- $\text{\TeX}$ , first loading
67 \else
68   \def\empty{}%
69   \ifx\x\empty %  $\text{\TeX}$ , first loading,
70     % variable is initialized, but \ProvidesPackage not yet seen
71   \else
72     \catcode35 6 % #
73     \expandafter\ifx\csname PackageInfo\endcsname\relax
74       \def\x#1#2{%
75         \immediate\write-1{Package #1 Info: #2.}%
76       }%
77     \else
78       \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
79     \fi
80     \x{atbegshi}{The package is already loaded}%
81     \aftergroup\endinput
82   \fi
83 \fi
84 \endgroup

```

Package identification:

```
85 \begingroup
86   \catcode35 6 % #
87   \catcode40 12 % (
88   \catcode41 12 % )
89   \catcode44 12 % ,
90   \catcode45 12 % -
91   \catcode46 12 % .
92   \catcode47 12 % /
93   \catcode58 12 % :
94   \catcode64 11 % @
95   \catcode91 12 % [
96   \catcode93 12 % ]
97   \catcode123 1 % {
98   \catcode125 2 % }
99 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
100   \def\x#1#2#3[#4]{\endgroup
101     \immediate\write-1{Package: #3 #4}%
102     \xdef#1[#4]%
103   }%
104 \else
105   \def\x#1#2[#3]{\endgroup
106     #2[{#3}]%
107     \ifx#1\undefined
108       \xdef#1[#3]%
109     \fi
110     \ifx#1\relax
111       \xdef#1[#3]%
112     \fi
113   }%
114 \fi
115 \expandafter\x\csname ver@atbegshi.sty\endcsname
116 \ProvidesPackage{atbegshi}%
117 [2010/03/01 v1.11 At begin shipout hook (HO)]
```

3.2 Catcodes

```
118 \begingroup
119   \catcode123 1 % {
120   \catcode125 2 % }
121   \def\x{\endgroup
122     \expandafter\edef\csname AtBegShi@AtEnd\endcsname{%
123       \catcode35 \the\catcode35\relax
124       \catcode64 \the\catcode64\relax
125       \catcode123 \the\catcode123\relax
126       \catcode125 \the\catcode125\relax
127     }%
128   }%
129 \x
130 \catcode35 6 % #
131 \catcode64 11 % @
132 \catcode123 1 % {
133 \catcode125 2 % }
134 \def\TMP@EnsureCode#1#2{%
135   \edef\AtBegShi@AtEnd{%
136     \AtBegShi@AtEnd
137     \catcode#1 \the\catcode#1\relax
138   }%
139   \catcode#1 #2\relax
140 }
141 \TMP@EnsureCode{40}{12}%
142 \TMP@EnsureCode{41}{12}%
143 }
```

```

143 \TMP@EnsureCode{44}{12}%
144 \TMP@EnsureCode{45}{12}%
145 \TMP@EnsureCode{47}{12}%
146 \TMP@EnsureCode{46}{12}%
147 \TMP@EnsureCode{58}{12}%
148 \TMP@EnsureCode{61}{12}%
149 \TMP@EnsureCode{94}{7}%
150 \TMP@EnsureCode{96}{12}%
151 \begingroup\expandafter\expandafter\expandafter\endgroup
152 \expandafter\ifx\csname RequirePackage\endcsname\relax
153   \input infwarerr.sty\relax
154   \input ltxcmds.sty\relax
155 \else
156   \RequirePackage{infwarerr}[2007/09/09]%
157   \RequirePackage{ltxcmds}[2010/03/01]%
158 \fi

\AtBeginShi@CheckDefinable

159 \begingroup\expandafter\expandafter\expandafter\endgroup
160 \expandafter\ifx\csname @ifdefinable\endcsname\relax
161   \def\AtBeginShi@CheckDefinable#1{%
162     \ifcase\ifx#1\relax
163       \ltx@one
164     \else
165       \ifx#1\@undefined
166         \ltx@one
167       \else
168         \ltx@zero
169       \fi
170     \fi
171     \errmessage{%
172       Package atbegshi: \string#1\space
173       is already defined%
174     }%
175     \endgroup
176   \fi
177 }%
178 \else
179   \def\AtBeginShi@CheckDefinable#1{%
180     \@ifdefinable{#1}{}%
181   }%
182 \fi

183 \ltx@newif\ifAtBeginShi@Discarded

\AtBeginShipoutDiscard

184 \AtBeginShi@CheckDefinable\AtBeginShipoutDiscard
185 \def\AtBeginShipoutDiscard{%
186   \deadcycles=\ltx@zero
187   \global\AtBeginShi@Discardedtrue
188 }

189 \begingroup\expandafter\expandafter\expandafter\endgroup
190 \expandafter\ifx\csname currentgrouplevel\endcsname\relax
191   \catcode`X=9 % ignore
192   \catcode`E=14 % comment
193 \else
194   \catcode`X=14 % comment
195   \catcode`E=9 % ignore
196 \fi

```

```

\AtBegShi@Shipout
197 \def\AtBegShi@Shipout{%
198 X \begingroup
199 X \setbox\AtBeginShipoutBox=\hbox\bgroup
200 X \kern\p@
201 E \edef\AtBegShi@GroupLevel{\number\currentgrouplevel}%
202 \afterassignment\AtBegShi@Test
203 X \global
204 \setbox\AtBeginShipoutBox=%
205 }

\AtBegShi@Test
206 \def\AtBegShi@Test{%
207 X \ifdim\lastkern=0pt %
208 E \ifnum\AtBegShi@GroupLevel<\currentgrouplevel
209 \expandafter\aftergroup
210 \fi
211 \AtBegShi@Output
212 }

\AtBegShi@Output
213 \def\AtBegShi@Output{%
214 X \egroup
215 X \endgroup
216 \ifvoid\AtBeginShipoutBox
217   @PackageWarning{atbegshi}{Ignoring void shipout box}%
218 \else
219   \let\AtBegShi@OrgProtect\protect
220   \csname set@typeset@protect\endcsname
221   \global\AtBegShi@Discardedfalse
222   \AtBegShi@Hook
223   \AtBegShi@HookNext
224   \gdef\AtBegShi@HookNext{}%
225   \ifAtBegShi@Discarded
226     @PackageInfoNoLine{atbegshi}{Shipout page discarded}%
227     \global\AtBegShi@Discardedfalse
228     \begingroup
229       \setbox\AtBeginShipoutBox\box\AtBeginShipoutBox
230     \endgroup
231     \let\protect\AtBegShi@OrgProtect
232   \else
233     \AtBegShi@First
234     \let\protect\AtBegShi@OrgProtect
235     \AtBeginShipoutOriginalShipout\box\AtBeginShipoutBox
236   \fi
237   \fi
238 }

239 \catcode`X=11 %
240 \catcode`E=11 %

\AtBegShi@First
241 \def\AtBegShi@First{%
242   \begingroup
243   \def\@empty{}%
244   \ifx\AtBegShi@HookFirst\@empty
245   \else
246     \setbox\ltx@zero=\vbox{%
247       \begingroup
248         \AtBegShi@HookFirst
249       \endgroup
250     }%

```

```

251      \wd\ltx@zero=0pt %
252      \ht\ltx@zero=0pt %
253      \dp\ltx@zero=0pt %
254      \global\setbox\AtBeginShipoutBox=\vbox{%
255          \baselineskip Opt\relax
256          \lineskip Opt\relax
257          \lineskiplimit Opt\relax
258          \copy\ltx@zero
259          \copy\AtBeginShipoutBox
260      }%
261      \fi
262      \global\let\AtBegShi@First\@empty
263      \global\let\AtBeginShipoutFirst\AtBegShi@FirstDisabled
264  \endgroup
265 }

\AtBegShi@Hook
266 \gdef\AtBegShi@Hook{}

\AtBegShi@HookNext
267 \gdef\AtBegShi@HookNext{}

\AtBegShi@HookFirst
268 \gdef\AtBegShi@HookFirst{}

\AtBeginShipout
269 \AtBegShi@CheckDefinable\AtBeginShipout
270 \def\AtBeginShipout{%
271     \AtBegShi@AddHook\AtBegShi@Hook
272 }

\AtBeginShipoutNext
273 \AtBegShi@CheckDefinable\AtBeginShipoutNext
274 \def\AtBeginShipoutNext{%
275     \AtBegShi@AddHook\AtBegShi@HookNext
276 }

\AtBeginShipoutFirst
277 \AtBegShi@CheckDefinable\AtBeginShipoutFirst
278 \def\AtBeginShipoutFirst{%
279     \AtBegShi@AddTo\AtBegShi@HookFirst
280 }

\AtBegShi@FirstDisabled
281 \long\def\AtBegShi@FirstDisabled#1{%
282     \PackageWarning{atbegshi}{%
283         First page is already shipped out, ignoring\MessageBreak
284         \string\AtBeginShipoutFirst
285     }%
286 }

\AtBegShi@AddTo
287 \begingroup\expandafter\expandafter\expandafter\endgroup
288 \expandafter\ifx\csname g@addto@macro\endcsname\relax
289 \long\def\AtBegShi@AddTo#1{%
290     \begingroup
291         \toks\ltx@zero\expandafter{\#1\#2}%
292         \xdef#1{\the\toks\ltx@zero}%
293     \endgroup
294 }%
295 \else

```

```

296   \let\AtBegShi@AddTo\g@addto@macro
297 \fi

\AtBegShi@AddHook
298 \long\def\AtBegShi@AddHook#1#2{%
299   \AtBegShi@AddTo#1{\AtBegShi@Item{#2}}%
300 }

\AtBegShi@Item
301 \long\def\AtBegShi@Item#1{%
302   \ifAtBegShi@Discarded
303   \else
304     #1%
305     \ifvoid\AtBeginShipoutBox
306       \PackageWarning{atbegshi}{%
307         Shipout box was voided by hook,\MessageBreak
308         ignoring shipout box%
309       }%
310       \AtBeginShipoutDiscard
311     \fi
312   \fi
313 }

\AtBeginShipoutInit
314 \AtBegShi@CheckDefinable\AtBeginShipoutInit
315 \def\AtBeginShipoutInit{%
316   \ltx@ifundefined{newbox}{%
317     \PackageError{atbegshi}{%
318       \string\AtBeginShipoutInit\space failed\MessageBreak
319       because of missing \expandafter\string\csname newbox\endcsname
320     }@\ehc
321   }{%
322     \csname newbox\endcsname\AtBeginShipoutBox
323     \AtBegShi@CheckDefinable\AtBeginShipoutOriginalShipout
324     \global\let\AtBeginShipoutOriginalShipout\shipout
325     \global\let\shipout\AtBegShi@Shipout
326   }%
327   \gdef\AtBeginShipoutInit{}%
328 }

329 \begingroup\expandafter\expandafter\expandafter\endgroup
330 \expandafter\ifx\csname AtBeginDocument\endcsname\relax
331   \AtBeginShipoutInit
332 \else
333   \AtBeginDocument{\AtBeginShipoutInit}%
334 \fi

335 \begingroup\expandafter\expandafter\expandafter\endgroup
336 \expandafter\ifx\csname RequirePackage\endcsname\relax
337   \input ifpdf.sty\relax
338 \else
339   \RequirePackage{ifpdf}\relax
340 \fi

341 \ifpdf
342   \def\AtBegShi@horigin{\pdfhorigin}%
343   \def\AtBegShi@vorigin{\pdfvorigin}%
344 \else
345   \def\AtBegShi@horigin{72.27pt}%
346   \def\AtBegShi@vorigin{72.27pt}%
347 \fi

```

3.4 Positioning

```

335 \begingroup\expandafter\expandafter\expandafter\endgroup
336 \expandafter\ifx\csname RequirePackage\endcsname\relax
337   \input ifpdf.sty\relax
338 \else
339   \RequirePackage{ifpdf}\relax
340 \fi

341 \ifpdf
342   \def\AtBegShi@horigin{\pdfhorigin}%
343   \def\AtBegShi@vorigin{\pdfvorigin}%
344 \else
345   \def\AtBegShi@horigin{72.27pt}%
346   \def\AtBegShi@vorigin{72.27pt}%
347 \fi

```

```

348 \begingroup
349 \ifcase
350     \expandafter\ifx\csname picture\endcsname\relax
351         1%
352     \else
353         \expandafter\ifx\csname endpicture\endcsname\relax
354             1%
355         \else
356             0%
357         \fi
358     \fi
359 \endgroup
360 \def\AtBegShi@BeginPicture{%
361     \begingroup
362     \picture(0,0)\relax
363     \begingroup\expandafter\expandafter\expandafter\endgroup
364     \expandafter\ifx\csname unitlength\endcsname\relax
365     \else
366         \unitlength=1pt\relax
367     \fi
368     \ignorespaces
369 }%
370 \def\AtBegShi@EndPicture{%
371     \endpicture
372     \endgroup
373 }%
374 \else
375     \endgroup
376     \def\AtBegShi@BeginPicture{%
377         \setbox\ltx@zero=\hbox\bgroup
378         \begingroup
379         \ignorespaces
380     }%
381     \def\AtBegShi@EndPicture{%
382         \endgroup
383         \egroup
384         \ht\ltx@zero=0pt\relax
385         \dp\ltx@zero=0pt\relax
386         \copy\ltx@zero
387     }%
388 \fi
389 \def\AtBeginShipoutUpperLeft#1{%
390     \global\setbox\AtBeginShipoutBox=\hbox{%
391         \rlap{%
392             \kern-\AtBegShi@horigin\relax
393             \vbox to \Opt{%
394                 \kern-\AtBegShi@vorigin\relax
395                 \kern-\ht\AtBeginShipoutBox
396                 \AtBegShi@BeginPicture
397                 #1%
398                 \AtBegShi@EndPicture
399                 \vss
400             }%
401         }%
402         \box\AtBeginShipoutBox
403     }%
404 }
405 \def\AtBeginShipoutUpperLeftForeground#1{%
406     \global\setbox\AtBeginShipoutBox=\hbox to \wd\AtBeginShipoutBox{%
407         \rlap{%
408             \copy\AtBeginShipoutBox
409         }%

```

```

410  \rlap{%
411   \kern-\AtBeginShi@horigin\relax
412   \vbox to \Opt{%
413     \kern-\AtBeginShi@vorigin\relax
414     \kern-\ht\AtBeginShipoutBox
415     \AtBeginShi@BeginPicture
416     #1%
417     \AtBeginShi@EndPicture
418     \vss
419   }%
420 }%
421 \hss
422 }%
423 }

```

3.5 Patches

Patches for L^AT_EX packages that redefine `\shipout`. L^AT_EX is now supposed to use ε -T_EX. Thus we do not patch, without L^AT_EX and ε -T_EX.

```

424 \def\AtBeginShi@AbortIfUndefined#1{%
425   \begingroup\expandafter\expandafter\expandafter\endgroup
426   \expandafter\ifx\csname#1\endcsname\relax
427     \AtBeginShi@AtEnd
428     \expandafter\endinput
429   \fi
430 }
431 \AtBeginShi@AbortIfUndefined{currentgrouplevel}
432 \AtBeginShi@AbortIfUndefined{AtBeginDocument}
433 \AtBeginShi@AbortIfUndefined{@ifpackageloaded}
434 \AtBeginShi@AbortIfUndefined{@ifclassloaded}

```

3.5.1 Package `crop`

Fix of method and box.

```

435 \def\AtBeginShi@PatchCrop{%
436   \begingroup
437   \def\AtBeginShi@Crop@shipout{%
438     \afterassignment\CROP@ship
439     \setbox\@cclv=%
440   }%
441   \def\AtBeginShi@Crop@ship{%
442     \ifvoid\@cclv
443       \expandafter\aftergroup
444     \fi
445     \CROP@@ship
446   }%
447   \def\AtBeginShi@Crop@shiplist{%
448     \lineskip\z@
449     \lineskiplimit\z@
450     \baselineskip\z@
451     \CROP@kernel
452     \box\@cclv
453   }%
454   \def\AtBeginShi@Crop@@ship{%
455     \CROP@shipout\vbox{%
456       \CROP@shiplist
457     }%
458   }%
459   \ifx\AtBeginShi@Crop@ship\CROP@ship
460     \ifx\AtBeginShi@Crop@shiplist\CROP@shiplist
461       \ifx\AtBeginShi@Crop@@ship\CROP@@ship
462         \let\AtBeginShi@found\relax
463         \ifx\shipout\AtBeginShi@Crop@shipout

```

```

464      \def\AtBegShi@found{\shipout}%
465      \else\ifx\AtBeginShipoutOriginalShipout\AtBegShi@Crop@shipout
466          \def\AtBegShi@found{\AtBeginShipoutOriginalShipout}%
467      \else\ifx\@EveryShipout@Org@Shipout\AtBegShi@Crop@shipout
468          \def\AtBegShi@found{\@EveryShipout@Org@Shipout}%
469      \else\ifx\GPTorg@shipout\AtBegShi@Crop@shipout
470          \def\AtBegShi@found{\GPTorg@shipout}%
471      \else\ifx\THBorg@shipout\AtBegShi@Crop@shipout
472          \def\AtBegShi@found{\THBorg@shipout}%
473      \else\ifx\mem@oldshipout\AtBegShi@Crop@shipout
474          \def\AtBegShi@found{\mem@oldshipout}%
475          \fi\fi\fi\fi\relax
476      \ifx\AtBegShi@found\relax
477      \else
478          \expandafter\endgroup
479          \expandafter\def\AtBegShi@found{%
480              \edef\AtBegShi@GroupLevel{\number\currentgrouplevel}%
481              \afterassignment\CROP@ship
482              \setbox\AtBeginShipoutBox=%
483          }%
484          \def\CROP@ship{%
485              \ifnum\AtBegShi@GroupLevel=\currentgrouplevel
486              \else
487                  \expandafter\aftergroup
488                  \fi
489                  \CROP@@ship
490          }%
491          \def\CROP@shiplist{%
492              \lineskip Opt\relax
493              \lineskiplimit Opt\relax
494              \baselineskip Opt\relax
495              \CROP@kernel
496              \box\AtBeginShipoutBox
497          }%
498          \def\CROP@@ship{%
499              \ifvoid\AtBeginShipoutBox
500              \else
501                  \setbox\AtBeginShipoutBox=\vbox{%
502                      \CROP@shiplist
503                  }%
504                  \expandafter\CROP@shipout
505                  \expandafter\box
506                  \expandafter\AtBeginShipoutBox
507                  \fi
508          }%
509          \PackageInfoNoLine{atbegshi}{Package ‘crop’ patched}%
510          \begingroup
511              \fi
512              \fi
513              \fi
514              \fi
515          \endgroup
516          \let\AtBegShi@PatchCrop\relax
517      }%
518      \ifpackageloaded{crop}{%
519          \AtBegShi@PatchCrop
520      }%
521      \AtBeginDocument{\AtBegShi@PatchCrop}%
522  }

```

3.5.2 Package `everyshi`

Fix of method. Use of box 255 is not changed.

```

523 \def\AtBegShi@PatchEveryshi{%
524   \begingroup
525     \long\def\AtBegShi@Everyshi@shipout{%
526       \afterassignment\@EveryShipout@Test
527       \global\setbox\@cclv= %
528     }%
529   \long\def\AtBegShi@Everyshi@Test{%
530     \ifvoid\@cclv\relax
531       \aftergroup\@EveryShipout@Output
532     \else
533       \@EveryShipout@Output
534     \fi
535   }%
536   \ifx\AtBegShi@Everyshi@Test\@EveryShipout@Test
537     \let\AtBegShi@found\relax
538     \ifx\shipout\AtBegShi@Everyshi@shipout
539       \def\AtBegShi@found{\shipout}%
540     \else\ifx\AtBeginShipoutOriginalShipout\AtBegShi@Everyshi@shipout
541       \def\AtBegShi@found{\AtBeginShipoutOriginalShipout}%
542     \else\ifx\CROP@shipout\AtBegShi@Everyshi@shipout
543       \def\AtBegShi@found{\CROP@shipout}%
544     \else\ifx\GPTorg@shipout\AtBegShi@Everyshi@shipout
545       \def\AtBegShi@found{\GPTorg@shipout}%
546     \else\ifx\THBorg@shipout\AtBegShi@Everyshi@shipout
547       \def\AtBegShi@found{\THBorg@shipout}%
548     \else\ifx\mem@oldshipout\AtBegShi@Everyshi@shipout
549       \def\AtBegShi@found{\mem@oldshipout}%
550     \else
551       \expandafter\ifx\csname @EveryShipout@Org@Shipout\endcsname
552         \relax
553         \ifx\@EveryShipout@Shipout\AtBegShi@Everyshi@shipout
554           \def\AtBegShi@found{\@EveryShipout@Shipout}%
555         \fi
556       \fi
557     \fi\fi\fi\fi\fi
558     \ifx\AtBegShi@found\relax
559   \else
560     \expandafter\endgroup
561     \expandafter\def\AtBegShi@found{%
562       \edef\AtBegShi@GroupLevel{\number\currentgrouplevel}%
563       \afterassignment\@EveryShipout@Test
564       \setbox\AtBeginShipoutBox=%
565     }%
566     \def\@EveryShipout@Test{%
567       \ifnum\AtBegShi@GroupLevel=\currentgrouplevel
568         \else
569           \expandafter\aftergroup
570         \fi
571         \AtBegShi@Everyshi@Output
572     }%
573     \def\AtBegShi@Everyshi@Output{%
574       \ifvoid\AtBeginShipoutBox
575         \else
576           \global\setbox\ltx@cclv\box\AtBeginShipoutBox
577           \expandafter\@EveryShipout@Output
578         \fi
579     }%
580     \PackageInfoNoLine{atbegshi}{Package ‘everyshi’ patched}%
581     \begingroup
582   \fi

```

```

583      \fi
584  \endgroup
585  \let\AtBegShi@PatchEveryshi\relax
586 }
587 \@ifpackageloaded{everyshi}{%
588   \AtBegShi@PatchEveryshi
589 }{%
590   \AtBeginDocument{\AtBegShi@PatchEveryshi}%
591 }

```

3.5.3 Class *memoir*

Fix of method and box.

```

592 \def\AtBegShi@PatchMemoir{%
593   \begingroup
594     \def\AtBegShi@Memoir@shipout{%
595       \afterassignment\mem@shipi
596       \setbox\@cclv=%
597     }%
598     \def\AtBegShi@Memoir@shipi{%
599       \ifvoid\@cclv
600         \expandafter\aftergroup
601         \fi
602         \mem@shipi
603     }%
604     \def\AtBegShi@Memoir@shipiiA{%
605       \mem@oldshipout\vbox{%
606         \trimmarks
607         \unvbox\@cclv
608       }%
609     }%
610     \def\AtBegShi@Memoir@shipiiB{%
611       \ifvoid\@cclv
612         \mem@oldshipout\box\@cclv
613       \else
614         \mem@oldshipout\vbox{%
615           \trimmarks
616           \unvbox\@cclv
617         }%
618       \fi
619     }%
620     \ifx\AtBegShi@Memoir@shipi\mem@shipi
621       \ifcase\ifx\AtBegShi@Memoir@shipiiA\mem@shipii
622         \ltx@zero
623       \else
624         \ifx\AtBegShi@Memoir@shipiiB\mem@shipii
625           \ltx@zero
626         \else
627           \ltx@one
628         \fi
629       \fi
630       \let\AtBegShi@found\relax
631       \ifx\shipout\AtBegShi@Memoir@shipout
632         \def\AtBegShi@found{\shipout}%
633       \else\ifx\AtBeginShipoutOriginalShipout\AtBegShi@Memoir@shipout
634         \def\AtBegShi@found{\AtBeginShipoutOriginalShipout}%
635       \else\ifx\CROP@shipout\AtBegShi@Memoir@shipout
636         \def\AtBegShi@found{\CROP@shipout}%
637       \else\ifx\GPTorg@shipout\AtBegShi@Memoir@shipout
638         \def\AtBegShi@found{\GPTorg@shipout}%
639       \else\ifx\THBorg@shipout\AtBegShi@Memoir@shipout
640         \def\AtBegShi@found{\THBorg@shipout}%

```

```

641      \else\ifx\@EveryShipout@Org@Shipout\AtBegShi@Memoir@shipout
642          \def\AtBegShi@found{\@EveryShipout@Org@Shipout}%
643          \fi\fi\fi\fi\fi
644          \ifx\AtBegShi@found\relax
645          \else
646              \expandafter\endgroup
647              \expandafter\def\AtBegShi@found{%
648                  \edef\AtBegShi@GroupLevel{\number\currentgrouplevel}%
649                  \afterassignment\mem@shipi
650                  \setbox\AtBeginShipoutBox=%
651              }%
652              \def\mem@shipi{%
653                  \ifnum\AtBegShi@GroupLevel=\currentgrouplevel
654                  \else
655                      \expandafter\aftergroup
656                      \fi
657                      \mem@shipii
658                  }%
659                  \def\mem@shipii{%
660                      \ifvoid\AtBeginShipoutBox
661                      \else
662                          \setbox\AtBeginShipoutBox=\vbox{%
663                              \trimmarks
664                              \ifvbox\AtBeginShipoutBox
665                                  \unvbox\AtBeginShipoutBox
666                              \else
667                                  \box\AtBeginShipoutBox
668                              \fi
669                          }%
670                          \expandafter\mem@oldshipout
671                          \expandafter\box
672                          \expandafter\AtBeginShipoutBox
673                      \fi
674                  }%
675                  \QPackagInfoNoLine{atbegshi}{Class ‘memoir’ patched}%
676                  \begingroup
677                      \fi
678                      \fi
679                      \fi
680                  \endgroup
681                  \let\AtBegShi@PatchMemoir\relax
682 }
683 \Qifclassloaded{memoir}{%
684     \AtBegShi@PatchMemoir
685 }%
686     \AtBeginDocument{\AtBegShi@PatchMemoir}%
687 }

688 \AtBegShi@AtEnd
689 </package>

```

4 Test

4.1 Catcode checks for loading

```

690 <*test1>
691 \catcode`\{=1 %
692 \catcode`\}=2 %
693 \catcode`\#=6 %
694 \catcode`\@=11 %
695 \expandafter\ifx\csname count@\endcsname\relax
696     \countdef\count@=255 %

```

```

697 \fi
698 \expandafter\ifx\csname @gobble\endcsname\relax
699   \long\def\@gobble#1{}%
700 \fi
701 \expandafter\ifx\csname @firstofone\endcsname\relax
702   \long\def\@firstofone#1{\#1}%
703 \fi
704 \expandafter\ifx\csname loop\endcsname\relax
705   \expandafter\@firstofone
706 \else
707   \expandafter\@gobble
708 \fi
709 \%
710 \def\loop#1\repeat{%
711   \def\body{\#1}%
712   \iterate
713 }%
714 \def\iterate{%
715   \body
716   \let\next\iterate
717   \else
718     \let\next\relax
719   \fi
720   \next
721 }%
722 \let\repeat=\fi
723 }%
724 \def\RestoreCatcodes{}%
725 \count@=0 %
726 \loop
727   \edef\RestoreCatcodes{%
728     \RestoreCatcodes
729     \catcode\the\count@=\the\catcode\count@\relax
730   }%
731 \ifnum\count@<255 %
732   \advance\count@ 1 %
733 \repeat
734
735 \def\RangeCatcodeInvalid#1#2{%
736   \count@=#1\relax
737   \loop
738     \catcode\count@=15 %
739   \ifnum\count@<\#2\relax
740     \advance\count@ 1 %
741   \repeat
742 }
743 \expandafter\ifx\csname LoadCommand\endcsname\relax
744   \def\LoadCommand{\input atbegshi.sty\relax}%
745 \fi
746 \def\Test{%
747   \RangeCatcodeInvalid{0}{47}%
748   \RangeCatcodeInvalid{58}{64}%
749   \RangeCatcodeInvalid{91}{96}%
750   \RangeCatcodeInvalid{123}{255}%
751   \catcode`@\=12 %
752   \catcode`\=\0 %
753   \catcode`\={1 %
754   \catcode`\}=2 %
755   \catcode`\#=6 %
756   \catcode`\[=12 %
757   \catcode`\]=12 %
758   \catcode`\%=14 %

```

```

759  \catcode`\ =10 %
760  \catcode13=5 %
761  \LoadCommand
762  \RestoreCatcodes
763 }
764 \Test
765 \csname @@end\endcsname
766 \end
767 </test1>
768 (*test2)
769 \input atbegshi.sty\relax
770 \def\msg#1{\immediate\write16}
771 \msg{File: atbegshi-test2.tex 2010/03/01 v1.11 Test file for plain-TeX}
772 \def\testmsg#1#2{%
773   \msg{}%
774   \msg{*** Test with box (#1), expected page output [#2]}% hash-ok
775 }
776
777 \newbox\voidbox
778 \def\void{\box\voidbox}
779 \begingroup
780   \setbox\voidbox=\void
781 \endgroup
782
783 \count0=0\relax
784 \AtBeginShipout{%
785   \global\advance\count0 by 1\relax
786   \msg{* Inside \string\AtBeginShipout: [\the\count0]}%
787 }
788
789 \AtBeginShipoutFirst{%
790   \msg{* Inside \string\AtBeginShipoutFirst}%
791   Hello World%
792 }
793
794 \testmsg{\string\null}{1}
795 \shipout\null
796
797 \AtBeginShipoutFirst{%
798   This is too late%
799 }
800
801 \testmsg{void}{}%
802 \shipout\void
803
804 \testmsg{\string\copy255 (not void)}{2}
805 \setbox255\hbox{\vrule height 10bp width 10bp}
806 \shipout\copy255 %
807
808 \testmsg{\string\copy255 (again)}{3}
809 \shipout\copy255 %
810
811 \testmsg{\string\box255}{4}
812 \shipout\box255 %
813
814 \testmsg{\string\box255 (again)}{}%
815 \shipout\box255 %
816
817 \testmsg{\string\hbox}{5}
818 \shipout\hbox{\vrule height 5bp width 20bp}
819
820 \testmsg{\string\vbox}{6}

```

```

821 \shipout\vbox{\hrule height 20bp width 5bp}
822
823 \testmsg{\string\null, voided by hook}{}
824 \def\VoidBox{%
825   \begingroup
826     \setbox\AtBeginShipoutBox=\box\AtBeginShipoutBox
827   \endgroup
828 }
829 \AtBeginShipout{\VoidBox}
830 \shipout\null
831 \def\VoidBox{}%
832
833 \msg{*** \string\begingroup}
834 \begingroup
835   \testmsg{void}{}%
836   \shipout\void
837 \msg{*** \string\endgroup}
838 \endgroup
839
840 \msg{*** \string\begingroup}
841 \begingroup
842   \testmsg{void}{}%
843   \shipout\void
844   \testmsg{\string\null}{8}%
845   \shipout\null
846 \msg{*** \string\endgroup}
847 \endgroup
848
849 \testmsg{output routine}{9}
850 Hello World
851 \vfill
852 \eject
853
854 \testmsg{\string\null\space(discarded)}{%
855 \AtBeginShipout{%
856   \msg{* Inside \string\AtBeginShipout: DISCARD}%
857   \AtBeginShipoutDiscard
858 }%
859 \shipout\null
860
861 \end
862 </test2>
863 <*test3>
864 \NeedsTeXFormat{LaTeX2e}
865 \ProvidesFile{atbegshi-test3.tex}[2010/03/01 v1.11 Test file for LaTeX]
866 \RequirePackage{color}
867 \pagecolor{yellow}
868 \documentclass[a5paper,showtrims]{memoir}
869 \usepackage{atbegshi}
870 \AtBeginShipout{%
871   \setbox\AtBeginShipoutBox=\vbox{%
872     \vbox to \Opt{%
873       \kern-1.5in %
874       \hbox to \Opt{%
875         \kern-1.5in %
876         \color{blue}%
877         \rule{1in}{1in}%
878         \hss
879       }%
880       \vss
881     }%
882     \hrule

```

```

883     \hbox{\vrule\box\AtBeginShipoutBox\vrule}%
884     \hrule
885   }%
886 }
887 \usepackage{eso-pic}
888 \makeatletter
889 \Qifundefined{@EveryShipout@Init}{%
890   \typeout{Test skipped}%
891   \Q@end
892 }{%
893 \QEveryShipout@Init
894 \let\QEveryShipout@Init\relax
895 \makeatother
896 \AddToShipoutPicture{%
897   \hspace{.52\paperwidth}%
898   \colorbox{cyan}{%
899     \rule{0mm}{\paperheight}%
900     \hspace{.48\paperwidth}%
901   }%
902 }

```

Newer versions of class memoir emulate package crop and prevents its loading.
This is undone in next line for this test file.

```

903 \expandafter\let\csname ver@crop.sty\endcsname\relax
904 \usepackage[color=red,cross,a4,center]{crop}
905 \begin{document}
906 \shipout\null
907 \shipout\box\csname voidb@x\endcsname
908 \section{Hello World}
909 \end{document}
910 
```

5 Installation

5.1 Download

Package. This package is available on CTAN¹:

CTAN:macros/latex/contrib/oberdiek/atbegshi.dtx The source file.

CTAN:macros/latex/contrib/oberdiek/atbegshi.pdf Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

CTAN:install/macros/latex/contrib/oberdiek.tds.zip

TDS refers to the standard “A Directory Structure for T_EX Files” (CTAN:tds/tds.pdf). Directories with texmf in their name are usually organized this way.

5.2 Bundle installation

Unpacking. Unpack the oberdiek.tds.zip in the TDS tree (also known as texmf tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

5.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex atbegshi.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>atbegshi.sty</code>	→ <code>tex/generic/oberdiek/atbegshi.sty</code>
<code>atbegshi.pdf</code>	→ <code>doc/latex/oberdiek/atbegshi.pdf</code>
<code>atbegshi-example1.tex</code>	→ <code>doc/latex/oberdiek/atbegshi-example1.tex</code>
<code>atbegshi-example2.tex</code>	→ <code>doc/latex/oberdiek/atbegshi-example2.tex</code>
<code>test/atbegshi-test1.tex</code>	→ <code>doc/latex/oberdiek/test/atbegshi-test1.tex</code>
<code>test/atbegshi-test2.tex</code>	→ <code>doc/latex/oberdiek/test/atbegshi-test2.tex</code>
<code>test/atbegshi-test3.tex</code>	→ <code>doc/latex/oberdiek/test/atbegshi-test3.tex</code>
<code>atbegshi.dtx</code>	→ <code>source/latex/oberdiek/atbegshi.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

5.4 Refresh file name databases

If your T_EX distribution (teT_EX, mikT_EX, ...) relies on file name databases, you must refresh these. For example, teT_EX users run `texhash` or `mktexlsr`.

5.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk atbegshi.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-T_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{atbegshi.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex atbegshi.dtx
makeindex -s gind.ist atbegshi.idx
pdflatex atbegshi.dtx
makeindex -s gind.ist atbegshi.idx
pdflatex atbegshi.dtx
```

6 History

[2007/04/17 v1.0]

- First version.

[2007/04/18 v1.1]

- New method based on `\lastkern` is used if ε -T_EX is missing.
- `\AtBeginShipoutDiscard` also resets `\deadcycles`.

[2007/04/19 v1.2]

- `\AtBeginShipoutEarly` removed for simplification reasons.
- Forgotten definition of `\AtBegShi@Info` added.
- Patches for packages `crop` and `everyshi` and class `memoir` added.

[2007/04/26 v1.3]

- Use of package `infwarerr`.
- Catcode section after generic header.

[2007/04/27 v1.4]

- Small optimizations.

[2007/06/06 v1.5]

- `\AtBeginShipoutUpperLeft` added.
- Example added.
- Fix in second test file for newer version of `memoir`.

[2007/09/09 v1.6]

- Catcode section rewritten.

[2008/07/18 v1.7]

- Documentation of `\AtBeginShipoutUpperLeft` fixed and extended.

[2008/07/19 v1.8]

- \AtBeginShipoutUpperLeftForeground added.

[2008/07/31 v1.9]

- Second example (TrimBox for dvipdfmx) added.
- No changes in package code.

[2009/12/02 v1.10]

- \AtBeginShipoutOriginalShipout added.
- Test file fixed.

[2010/03/01 v1.11]

- Compatibility with ini-T_EX except for \newbox.

7 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\#	693, 755
\%	758
\@	694, 751
\@end	891
\@EveryShipout@Init	893, 894
\@EveryShipout@Org@Shipout	467, 468, 641, 642
\@EveryShipout@Output	531, 533, 577
\@EveryShipout@Shipout	553, 554
\@EveryShipout@Test	526, 536, 563, 566
\@PackageError	317
\@PackageInfoNoLine	226, 509, 580, 675
\@PackageWarning	217, 282, 306
\@cclv	439, 442, 452, 527, 530, 596, 599, 607, 611, 612, 616
\@ehc	320
\@empty	243, 244, 262
\@firstofone	702, 705
\@gobble	699, 707
\@ifclassloaded	683
\@ifdefinable	180
\@ifpackageloaded	518, 587
\@ifundefined	889
\@undefined	107, 165
\[.	756
\\"	752
\{	691, 753
\}	692, 754
\]	757
_	759
A	
\AddToShipoutPicture	896
\advance	732, 740, 785
\afterassignment	202, 438, 481, 526, 563, 595, 649
\aftergroup	81, 209, 443, 487, 531, 569, 600, 655
\AtBeginDocument	333, 521, 590, 686
\AtBeginShipout	2, 6, 44, 269, 784, 786, 829, 855, 856, 870
\AtBeginShipoutBox	45, 47, 199, 204, 216, 229, 235, 254, 259, 305, 322, 390, 395, 402, 406, 408, 414, 482, 496, 499, 501, 506, 564, 574, 576, 650, 660, 662, 664, 665, 667, 672, 826, 871, 883
\AtBeginShipoutDiscard	3, 29, 184, 310, 857
\AtBeginShipoutFirst	3, 263, 277, 284, 789, 790, 797
\AtBeginShipoutInit	3, 314, 331, 333
\AtBeginShipoutNext	2, 14, 28, 273
\AtBeginShipoutOriginalShipout	3, 235, 323, 324, 465, 466, 540, 541, 633, 634
\AtBeginShipoutUpperLeft	3, 7, 15, 389
\AtBeginShipoutUpperLeftForeground	3, 405
\AtBegShi@AbortIfUndefined	424, 431, 432, 433, 434
\AtBegShi@AddHook	271, 275, 298
\AtBegShi@AddTo	279, 287, 299
\AtBegShi@AtEnd	135, 136, 427, 688
\AtBegShi@BeginPicture	360, 376, 396, 415
\AtBegShi@CheckDefinable	159, 184, 269, 273, 277, 314, 323

\AtBeginShipoutCrop@ship	454, 461	\copy	258, 259, 386, 408, 804, 806, 808, 809
\AtBeginShipoutCrop@ship	441, 459	\count	783, 785, 786
\AtBeginShipoutCrop@shiplist	447, 460	\count@	696, 725, 729, 731, 732, 736, 738, 739, 740
\AtBeginShipoutCrop@shipout	437, 463, 465, 467, 469, 471, 473	\countdef	696
\AtBeginShipoutDiscardedfalse	221, 227	\CROP@ship	445, 461, 489, 498
\AtBeginShipoutDiscardedtrue	187	\CROP@kernel	451, 495
\AtBeginShipoutEndPicture	370, 381, 398, 417	\CROP@ship	438, 459, 481, 484
\AtBeginShipoutEveryshi@Output	571, 573	\CROP@shiplist	456, 460, 491, 502
\AtBeginShipoutEveryshi@shipout	525, 538, 540, 542, 544, 546, 548, 553	\CROP@shipout	455, 504, 542, 543, 635, 636
\AtBeginShipoutEveryshi@Test	529, 536	\csname	65, 73, 99, 115, 122, 152, 160, 190, 220, 288, 319, 322, 330, 336, 350, 353, 364, 426, 551, 695, 698, 701, 704, 743, 765, 903, 907
\AtBeginShipoutFirst	233, 241	\currentgrouplevel	201, 208, 480, 485, 562, 567, 648, 653
\AtBeginShipoutFirstDisabled	263, 281	D	
\AtBeginShipoutfound	462, 464, 466, 468, 470, 472, 474, 476, 479, 537, 539, 541, 543, 545, 547, 549, 554, 558, 561, 630, 632, 634, 636, 638, 640, 642, 644, 647	\deadcycles	186
\AtBeginShipoutGroupLevel	201, 208, 480, 485, 562, 567, 648, 653	\documentclass	2, 37, 868
\AtBeginShipoutHook	222, 266, 271	\dp	253, 385
\AtBeginShipoutHookFirst	244, 248, 268, 279	E	
\AtBeginShipoutHookNext	223, 224, 267, 275	\E	240
\AtBeginShipoutHorizon	342, 345, 392, 411	\eject	852
\AtBeginShipoutItem	299, 301	\empty	68, 69
\AtBeginShipoutMemoir@shipi	598, 620	\end	34, 54, 766, 861, 909
\AtBeginShipoutMemoir@shipiiA	604, 621	\endcsname	65, 73, 99, 115, 122, 152, 160, 190, 220, 288, 319, 322, 330, 336, 350, 353, 364, 426, 551, 695, 698, 701, 704, 743, 765, 903, 907
\AtBeginShipoutMemoir@shipiiB	610, 624	\endinput	81, 428
\AtBeginShipoutMemoir@shipout	594, 631, 633, 635, 637, 639, 641	\endpicture	371
\AtBeginShipoutOrgProtect	219, 231, 234	\errmessage	171
\AtBeginShipoutOutput	211, 213	F	
\AtBeginShipoutPatchCrop	435, 516, 519, 521	\fill	25
\AtBeginShipoutPatchEveryshi	523, 585, 588, 590	G	
\AtBeginShipoutPatchMemoir	592, 681, 684, 686	\g@addto@macro	296
\AtBeginShipoutShipout	197, 325	\gdef	224, 266, 267, 268, 327
\AtBeginShipoutTest	202, 206	\GPTorg@shipout	469, 470, 544, 545, 637, 638
\AtBeginShipoutvorigin	343, 346, 394, 413	H	
B		\hbox	45, 199, 377, 390, 406, 805, 817, 818, 874, 883
\baselineskip	255, 450, 494	\hrule	821, 882, 884
\begin	11, 50, 905	\hspace	897, 900
\body	711, 715	\hss	421, 878
\box	47, 229, 235, 402, 452, 496, 505, 576, 612, 667, 671, 778, 811, 812, 814, 815, 826, 883, 907	\ht	252, 384, 395, 414
C		I	
\catcode	58, 59, 60, 61, 62, 63, 64, 72, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 119, 120, 123, 124, 125, 126, 130, 131, 132, 133, 137, 139, 191, 192, 194, 195, 239, 240, 691, 692, 693, 694, 729, 738, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760	\ifAtBeginShipoutDiscarded	183, 225, 302
\circle	8	\ifcase	162, 349, 621
\color	16, 876	\ifdim	207
\colorbox	898	\ifnum	208, 485, 567, 653, 731, 739
		\ifpdf	341
		\ifvbox	664

\ifvoid	216, 305, 442, 499, 530, 574, 599, 611, 660	\pdfvorigin	343
\ifx	66, 69, 73, 99, 107, 110, 152, 160, 162, 165, 190, 244, 288, 330, 336, 350, 353, 364, 426, 459, 460, 461, 463, 465, 467, 469, 471, 473, 476, 536, 538, 540, 542, 544, 546, 548, 551, 553, 558, 620, 621, 624, 631, 633, 635, 637, 639, 641, 644, 695, 698, 701, 704, 743	\picture	362
\ignorespaces	368, 379	\protect	219, 231, 234
\immediate	75, 101, 770	\ProvidesFile	865
\input	153, 154, 337, 744, 769	\ProvidesPackage	70, 116
\iterate	712, 714, 716	\put	8, 17, 18
R			
\RangeCatcodeInvalid	735, 747, 748, 749, 750		
\repeat	710, 722, 733, 741		
\RequirePackage ...	156, 157, 339, 866		
\RestoreCatcodes ...	724, 727, 728, 762		
\rlap	391, 407, 410		
\rule	877, 899		
S			
\section	12, 908		
\setbox	45, 199, 204, 229, 246, 254, 377, 390, 406, 439, 482, 501, 527, 564, 576, 596, 650, 662, 780, 805, 826, 871		
\shipout	324, 325, 463, 464, 538, 539, 631, 632, 795, 802, 806, 809, 812, 815, 818, 821, 830, 836, 843, 845, 859, 906, 907		
\space	172, 318, 854		
\special	46		
T			
\Test	746, 764		
\testmsg	772, 794, 801, 804, 808, 811, 814, 817, 820, 823, 835, 842, 844, 849, 854		
\THBorg@shipout	471, 472, 546, 547, 639, 640		
\the 123, 124, 125, 126, 137, 292, 729, 786			
\TMP@EnsureCode 134, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150			
\toks	291, 292		
\trimmarks	606, 615, 663		
\typeout	890		
U			
\unitlength	366		
\unvbox	607, 616, 665		
\usepackage 3, 4, 5, 38, 39, 869, 887, 904			
V			
\vbox ... 246, 254, 393, 412, 455, 501, 605, 614, 662, 820, 821, 871, 872			
\vfill	851		
\void	778, 780, 802, 836, 843		
\VoidBox	824, 829, 831		
\voidbox	777, 778, 780		
\vrule	805, 818, 883		
\vspace	25		
\vss	399, 418, 880		
W			
\wd	251, 406		
\write	75, 101, 770		
X			
\X	239		

\x 65, 66, 69,
74, 78, 80, 100, 105, 115, 121, 129 \z@ 448, 449, 450