

# The `attachfile2` package

Heiko Oberdiek  
<oberdiek@uni-freiburg.de>

2006/08/16 v2.2

## Abstract

This package can be used to attach files to a PDF document. It is a further development of Scott Pakin's package `attachfile` for pdfTeX. Apart from bug fixes, package `attachfile2` adds support for dvips, some new options, gets and writes meta information data about the attached files.

## Contents

<b>1</b>	<b>Documentation</b>	<b>1</b>
1.1	Introduction . . . . .	1
1.1.1	Future development . . . . .	2
1.2	User interface . . . . .	3
1.2.1	New options . . . . .	3
1.2.2	Perl script <code>pdfatfi.pl</code> . . . . .	3
1.3	Changes to <code>attachfile</code> . . . . .	3
<b>2</b>	<b>Implementation</b>	<b>3</b>
2.1	Package . . . . .	3
2.2	Drivers . . . . .	16
2.2.1	pdfTeX . . . . .	16
2.2.2	dvips . . . . .	18
2.3	Perl script <code>pdfatfi.pl</code> . . . . .	26
<b>3</b>	<b>Installation</b>	<b>29</b>
3.1	Some details for the interested . . . . .	29
<b>4</b>	<b>References</b>	<b>30</b>
<b>5</b>	<b>History</b>	<b>30</b>
	[2005/02/23 v2.0] . . . . .	30
	[2005/10/07 v2.1] . . . . .	31
	[2006/08/17 v2.2] . . . . .	31
<b>6</b>	<b>Index</b>	<b>31</b>

## 1 Documentation

### 1.1 Introduction

The PDF format ([3]) allows the inclusion of files inside the PDF document. The included files can be bound to an annotation on a page. Or they can be recorded in a sorted list of embedded files. The packages `attachfile` or `attachfile2` follow the first approach, package `embedfile` uses the latter method.

### 1.1.1 Future development

My dream is a large package that merges the features of all these packages mentioned before:

- Files can be attached to a page.
- Files can be attached to the document.
- An easy user interface for simple, common tasks and beginners.
- An interface for the advanced users that want to setup every detail.
- Support of many drivers (pdf<sub>tex</sub>, dvips, dvipdfm, ...).
- ...

However, I have not managed to take the time for this project. Instead:

- First I experimented with package `attachfile`, adding driver support, fixing bugs, .... The result is currently named as `attachfile2`. It uses an external script to get file properties (size, date, checksum, ...).
- In order to avoid an external program for getting basic file properties I provided a patch “EscapeAndOther” for pdf<sub>TeX</sub> that was accepted for version 1.30.
- Package `embedfile` closes a gap left by the packages for attaching files and allows the embedding of files to the document. Also it makes use of the new primitives of pdf<sub>TeX</sub>.

Until this future becomes true, I provide the intermediate step `attachfile2` at its current state. There are many things to do:

- Documentation, documentation, ...
- Improving portability of the Perl script `pdfatfi.pl` (Windows, non-GNU, ...).
- Comfortable program for extracting embedded files.
- Embedding files to the document, see package `embedfile`.
- Additionally use features of pdf<sub>TeX</sub> 1.30. With a recent pdf<sub>TeX</sub> the Perl script step is then obsolete.
- GoToE links.
- Layout of PinPush, especially the tip does not scale well.
- Driver for dvipsone, similar to dvips, changes:
  - coordinate transformation need to be fixed here, `hdvipson.def` contains:

```
/DvipsToPDF { 65781 div } def
/PDFToDvips { 65781 mul } def
```
  - Syntax for `\special`: `hdvipson.def` contains both `\special{! #1}` and `\special{headertext= #1}`. Are both the same?
- File name conversion, see PDF specification:

```
c:\somewhere\foobar.txt → /c/somewhere/foobar.txt
```
- Option `scale` for icons?
- Compatibility for plain-<sub>TeX</sub>.
- ToDos for `atfidvips.def`.

## 1.2 User interface

Basically this package `attachfile2` follows the user interface of package `attachfile`, look into its documentation ([1]).

### 1.2.1 New options

- Driver options `dvips` and `pdftex`.
- New options `final` and `draft`.
- New option `scale` for scaling the annotation rectangle.
- Options `file` and `nofile` for controlling the generation of the auxiliary file `.atfi`.

### 1.2.2 Perl script `pdfatfi.pl`

This package also tries to get and add meta information data, such as file size, file date, checksum, .... As package `embedfile` shows the new features of pdfTeX 1.30 are very useful for getting this kind of data. However the main development preceded this pdfTeX version. Thus the Perl script `pdfatfi.pl` is used to provide this data. The use of the Perl script is not mandatory. This data can be shown by PDF viewers, but they are not a requirement of the PDF specification.

Package `attachfile2` and the Perl script communicate via an auxiliary file with file extension `.atfi`. The script is used between two L<sup>A</sup>T<sub>E</sub>X runs and updates the auxiliary file, example for `dvips`:

```
latex test
pdfatfi test
latex test
dvips test
ps2pdf test.ps test.pdf
```

## 1.3 Changes to `attachfile`

Some of the changes I can remember:

- Support for `dvips`.
- Setting and filling the `/Param` entry for files (file date, file size, ...).
- Perl script `pdfatfi.pl`.
- New options.
- Bug fixes.
- ...

## 2 Implementation

### 2.1 Package

```
1 <*package>
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{attachfile2}%
4   [2006/08/16 v2.2 attach files into PDF (H0)]
5 \RequirePackage{ifpdf}
6 \RequirePackage{keyval}
7 \RequirePackage{color}
8 \RequirePackage{kvoptions}[2006/08/17]
9
```

```

10 % --- hyperref ---
11
12 \RequirePackage{hyperref}
13 % because of \pdfstringdef
14
15 \def\atfi@pdfstringdef#1#2{%
16   \pdfstringdef\atfi@temp@string{#2}%
17   \edef#1{\atfi@temp@string}%
18 }
19
20 % --- convert to hex ---
21
22 \def\atfi@hexdigit#1{%
23   \ifcase#1%
24     0\or 1\or 2\or 3\or 4\or 5\or 6\or 7\or 8\or 9\or
25     a\or b\or c\or d\or e\or f%
26   \fi
27 }
28 % detour via \dimexpr to avoid eTeX's nasty expression rounding
29 \def\atfi@hexchar#1{%
30   \atfi@hexdigit{\numexpr\dimexpr.0625\dimexpr'#1sp\relax\relax\relax}%
31   \atfi@hexdigit{%
32     \numexpr'#1-16*\dimexpr.0625\dimexpr'#1sp\relax\relax\relax
33   }%
34 }
35 \def\atfi@tohex#1{%
36   \ifx\relax#1%
37   \else
38     \atfi@hexchar{#1}%
39     \expandafter\atfi@tohex
40   \fi
41 }
42
43 % --- convert to name ---
44
45 \def\atfi@converttoname#1#2{%
46   \edef#1{#2}%
47   \@onelevel@sanitize#1%
48   \edef#1{\expandafter\atfi@spacetooother#1 \relax}%
49   \edef#1{\expandafter\atfi@converttokens#1\relax}%
50 }
51
52 \edef\atfi@hash{\string#}%
53 \catcode'\ =12\relax%
54 \def\atfi@space{ }%
55 \catcode'\ =10\relax%
56
57 \def\atfi@spacetooother#1 #2\relax{%
58   #1%
59   \ifx\#2\%
60   \else
61     \atfi@space
62     \@ReturnAfterFi{%
63       \atfi@spacetooother #2\relax
64     }%
65   \fi
66 }
67 \long\def\@ReturnAfterFi#1\fi{\fi#1}
68
69 \def\atfi@converttokens#1{%
70   \ifx\relax#1%
71   \else

```

```

72 \ifnum'#1<33 %
73 \ifcase'#1%
74 % drop illegal zero
75 \else
76 \atfi@hash\atfi@hexchar#1%
77 \fi
78 \else
79 \ifnum'#1>126 %
80 \atfi@hash\atfi@hexchar#1%
81 \else
82 \ifnum'#1=40 % (
83 \atfi@hash 28%
84 \else\ifnum'#1=41 % )
85 \atfi@hash 29%
86 \else\ifnum'#1=60 % <
87 \atfi@hash 3c%
88 \else\ifnum'#1=62 % >
89 \atfi@hash 3e%
90 \else\ifnum'#1=91 % [
91 \atfi@hash 5b%
92 \else\ifnum'#1=93 % ]
93 \atfi@hash 5d%
94 \else\ifnum'#1=123 % {
95 \atfi@hash 7b%
96 \else\ifnum'#1=125 % }
97 \atfi@hash 7d%
98 \else\ifnum'#1=47 % /
99 \atfi@hash 2f%
100 \else\ifnum'#1=37 % %
101 \atfi@hash 25%
102 \else
103 #1%
104 \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
105 \fi
106 \fi
107 \expandafter\atfi@converttokens
108 \fi
109 }
110
111
112 % --- options ---
113
114 % options "draft" and "final"
115 \newif\ifatfi@draft
116 \let\atfi@finaltrue\atfi@draftfalse
117 \let\atfi@finalfalse\atfi@drafttrue
118 \define@key{AtFi}{final}[true]{%
119 \csname atfi@final#1\endcsname
120 }
121 \define@key{AtFi}{draft}[true]{%
122 \csname atfi@draft#1\endcsname
123 }
124
125 % option mimetype
126 \def\atfi@mimetype{}
127 \define@key{AtFi}{mimetype}{%
128 \atfi@converttoname\atfi@mimetype{#1}%
129 \edef\atfi@mimetype{/Subtype/\atfi@mimetype}%
130 }
131
132 % option icon
133 \define@key{AtFi}{icon}{%

```

```

134 \def\atfi@icon{/Name/#1}%
135 \def\atfi@icon@icon{#1}%
136 }
137 \setkeys{AtFi}{icon=PushPin}
138
139 % option color
140 \define@key{AtFi}{color}{%
141 \def\atfi@color{/C[#1]}%
142 \def\atfi@color@rgb{#1}%
143 }
144 \setkeys{AtFi}{color=1 0.9255 0.7765}
145
146 % time options timezone and date
147 \def\atfi@pad@ii#1{%
148 \ifnum#1>9
149 \number#1%
150 \else
151 0\number#1%
152 \fi%
153 }
154 \let\atfi@timezone\@empty
155 \define@key{AtFi}{timezone}{\def\atfi@timezone{#1}}
156 \edef\atfi@time{\the\time}
157 \def\atfi@hours{%
158 \numexpr\dimexpr0.01667\dimexpr\atfi@time sp\relax\relax\relax
159 }
160 \def\atfi@minutes{%
161 \numexpr\atfi@time-60*\atfi@hours\relax
162 }
163 \def\atfi@seconds{0}
164 \def\atfi@date{%
165 /M(D:\the\year
166 \atfi@pad@ii\month
167 \atfi@pad@ii\day
168 \atfi@pad@ii\atfi@hours
169 \atfi@pad@ii\atfi@minutes
170 \atfi@pad@ii\atfi@seconds
171 \atfi@timezone)%
172 }
173 \define@key{AtFi}{date}{%
174 \atfi@pdfstringdef\atfi@date{#1}%
175 \edef\atfi@date{/M(\atfi@date)}%
176 }
177
178 % name for annotation to be used in GoToE actions
179 \let\atfi@annotname\@empty
180 \define@key{AtFi}{annotname}{%
181 \atfi@pdfstringdef\atfi@annotname{#1}%
182 \edef\atfi@annotname{/NM(\atfi@annotname)}%
183 }
184
185 % text options author, description, and subject
186 \DeclareRobustCommand{\atfi@pdfstringdef}[2]{%
187 \pdfstringdef\atfi@temp@string{#2}%
188 \edef#1{\atfi@temp@string}%
189 }
190
191 % option author
192 \def\atfi@author{}
193 \define@key{AtFi}{author}{%
194 \atfi@pdfstringdef\atfi@author{#1}%
195 \edef\atfi@author{/T(\atfi@author)}%

```

```

196 }
197
198 % option description
199 \def\atfi@description{}
200 \define@key{AtFi}{description}{%
201   \atfi@pdfstringdef\atfi@description{#1}%
202   \edef\atfi@description{/Contents(\atfi@description)}%
203 }
204
205 % option subject
206 \def\atfi@subject{}
207 \define@key{AtFi}{subject}{%
208   \atfi@pdfstringdef\atfi@subject{#1}%
209   \edef\atfi@subject{/Subj(\atfi@subject)}%
210 }
211
212 % option print
213 \newif\ifatfi@print
214 \atfi@printtrue
215 \define@key{AtFi}{print}[true]{\csname atfi@print#1\endcsname}
216
217 % option zoom
218 \newif\ifatfi@zoom
219 \atfi@zoomtrue
220 \define@key{AtFi}{zoom}[true]{\csname atfi@zoom#1\endcsname}
221
222 % option appearance
223 \newif\ifatfi@appearance
224 \atfi@appearancetrue
225 \define@key{AtFi}{appearance}[true]{%
226   \csname atfi@appearance#1\endcsname
227 }
228
229 % option scale
230 \def\atfi@scale{1}
231 \define@key{AtFi}{scale}[1]{%
232   \def\atfi@scale{#1}%
233 }
234
235 % option nofiles
236 \newif\ifatfi@nofiles
237 \atfi@nofilesfalse
238 \define@key{AtFi}{nofiles}[true]{%
239   \csname atfi@nofiles#1\endcsname
240 }
241
242 % driver options
243 \let\atfi@driver\@empty
244 \def\atfi@driver@pdftex{pdftex}
245 \def\atfi@driver@dvi{dvips}
246
247 \define@key{AtFi}{pdftex}[true]{%
248   \let\atfi@driver\atfi@driver@pdftex
249 }
250 \define@key{AtFi}{dvi}[true]{%
251   \let\atfi@driver\atfi@driver@dvi
252 }
253
254 \DeclareRobustCommand{\attachfilesetup}[1]{\setkeys{AtFi}{#1}}
255
256 % timezone setting, ...
257 \InputIfFileExists{attachfile.cfg}{}{}

```

```

258
259 \ProcessKeyvalOptions{AtFi}
260
261 % --- evaluate driver options ---
262
263 \ifpdf
264 % ignoring other driver options
265 \let\atfi@driver\atfi@driver@pdftex
266 \else
267 \ifx\atfi@driver\@empty
268 \PackageWarningNoLine{attachfile2}{%
269     Driver is not specified,\MessageBreak
270     enforce draft settings%
271 }%
272 \atfi@drafttrue
273 \fi
274 \fi
275
276 % --- evaluate draft/final options ---
277
278 \DeclareRobustCommand{\notextattachfile}[2][{}]{%
279     \begingroup
280     \setkeys{AtFi}{#1}%
281     \ifatfi@print
282     \def\atfi@textcolor{##1 ##2 ##3}##4{%
283         \textcolor{rgb}{##1,##2,##3}{##4}}%
284     \expandafter\atfi@textcolor\expandafter
285     (\atfi@color@rgb){#2\strut}%
286     \else
287     \setbox0=\hbox{#2\strut}%
288     \makebox[\wd0]{}%
289     \fi
290 \endgroup
291 }
292
293 \ifatfi@draft
294 \def\atfi@dummy@pushpin{%
295     \raisebox{-1.25bp}{\parbox[b][14bp]{24bp}{}}%
296 }
297 \DeclareRobustCommand{\textattachfile}[3][{}]{%
298     \notextattachfile[#1]{#3}%
299 }
300 \DeclareRobustCommand{\noattachfile}[1][{}]{%
301     \notextattachfile[#1]{\atfi@dummy@pushpin}%
302 }
303 \DeclareRobustCommand{\attachfile}[2][{}]{%
304     \noattachfile[#1]%
305 }
306 \expandafter\endinput
307 \fi
308
309 % --- load driver file ---
310
311 \input{atfi\atfi@driver.def}
312
313 % --- graphics ---
314
315 \def\atfi@acroGraph@data{%
316     \atfi@GSAVE
317     0.5 \atfi@SETGRAYFILL
318     1.1133 0 20.7202 18.2754 \atfi@RECTFILL
319     0 \atfi@SETFLAT

```



```

320 0.5 \atfi@SETLINEWIDTH
321 4 \atfi@SETMITERLIMIT
322 \atfi@RECTSTROKEFILL{%
323 1 \atfi@SETGRAYFILL
324 }{%
325 0 \atfi@SETGRAYSTROKE
326 }{%
327 0.25 1.6453 20.145 17.7715 %
328 }%
329 0 \atfi@SETGRAYFILL
330 2.7319 4.1367 3.9571 13.8867 \atfi@RECTFILL
331 8.7031 4.1367 3.9571 9.8867 \atfi@RECTFILL
332 14.7471 4.1367 3.9571 11.8867 \atfi@RECTFILL
333 \atfi@color@rgb\space \atfi@SETRGBCOLORFILL
334 1.689 3.0938 3.9571 13.8867 \atfi@RECTFILL
335 7.6602 3.0938 3.9571 9.8867 \atfi@RECTFILL
336 13.7041 3.0938 3.9571 11.8867 \atfi@RECTFILL
337 \atfi@GRESTORE
338 }
339 \def\atfi@acroGraph{%
340 \raisebox{-1.5bp}{\parbox[b][20bp]{22bp}{%
341 \rule{0pt}{0pt}\atfi@literal{\atfi@acroGraph@data}}}%
342 }%
343 }
344 \newcommand{\atfi@acroPaperclip@data}{%
345 \atfi@GSAVE
346 0.75 \atfi@SETGRAYSTROKE
347 0 \atfi@SETFLAT
348 2.5 \atfi@SETLINEWIDTH
349 1 \atfi@SETLINECAP
350 4 \atfi@SETMITERLIMIT
351 1.9619 11.7559 \atfi@MOVETO
352 1.9619 3.3037 1.9619 2.5059 \atfi@CURVETOY
353 1.9619 1.707 4.0947 1.25 \atfi@CURVETOY
354 7.4141 1.25 \atfi@LINETO
355 9.4292 1.8223 9.4292 3.3066 \atfi@CURVETOY
356 9.4292 4.79 9.4292 16.8945 \atfi@CURVETOY
357 9.7852 18.1514 8.481 18.1514 \atfi@CURVETOY
358 7.1768 18.1514 5.1616 18.1514 \atfi@CURVETOY
359 3.8574 17.9209 3.8574 16.8945 \atfi@CURVETOY
360 3.8574 15.8652 3.8574 6.6172 \atfi@CURVETOY
361 4.3325 5.418 5.1025 5.418 \atfi@CURVETOY
362 5.8726 5.418 6.5845 5.418 \atfi@CURVETOY
363 7.6812 5.6455 7.6812 6.4736 \atfi@CURVETOY
364 7.6812 7.3027 7.6812 11.5264 \atfi@CURVETOY
365 \atfi@STROKE
366 0 \atfi@SETGRAYSTROKE
367 1.2495 12.4404 \atfi@MOVETO
368 1.2495 3.9883 1.2495 3.1895 \atfi@CURVETOY
369 1.2495 2.3906 3.3833 1.9326 \atfi@CURVETOY
370 6.7026 1.9326 \atfi@LINETO
371 8.7178 2.5068 8.7178 3.9902 \atfi@CURVETOY
372 8.7178 5.4736 8.7178 17.5781 \atfi@CURVETOY
373 9.0732 18.834 7.769 18.834 \atfi@CURVETOY
374 6.4653 18.834 4.4497 18.834 \atfi@CURVETOY
375 3.146 18.6055 3.146 17.5781 \atfi@CURVETOY
376 3.146 16.5498 3.146 7.3018 \atfi@CURVETOY
377 3.6201 6.1016 4.3911 6.1016 \atfi@CURVETOY
378 5.1611 6.1016 5.873 6.1016 \atfi@CURVETOY
379 6.9692 6.3301 6.9692 7.1572 \atfi@CURVETOY
380 6.9692 7.9863 6.9692 12.21 \atfi@CURVETOY
381 \atfi@STROKE

```

```

382 \atfi@color@rgb\space \atfi@SETRGBCOLORSTROKE
383 1 \atfi@SETLINEWIDTH
384 1.2495 12.4404 \atfi@MOVETO
385 1.2495 3.9883 1.2495 3.1895 \atfi@CURVETOY
386 1.2495 2.3906 3.3833 1.9326 \atfi@CURVETOY
387 6.7026 1.9326 \atfi@LINETO
388 8.7178 2.5068 8.7178 3.9902 \atfi@CURVETOY
389 8.7178 5.4736 8.7178 17.5781 \atfi@CURVETOY
390 9.0732 18.834 7.769 18.834 \atfi@CURVETOY
391 6.4653 18.834 4.4497 18.834 \atfi@CURVETOY
392 3.146 18.6055 3.146 17.5781 \atfi@CURVETOY
393 3.146 16.5498 3.146 7.3018 \atfi@CURVETOY
394 3.6201 6.1016 4.3911 6.1016 \atfi@CURVETOY
395 5.1611 6.1016 5.873 6.1016 \atfi@CURVETOY
396 6.9692 6.3301 6.9692 7.1572 \atfi@CURVETOY
397 6.9692 7.9863 6.9692 12.21 \atfi@CURVETOY
398 \atfi@STROKE
399 \atfi@GRESTORE
400 }
401 \def\atfi@acroPaperclip{%
402 \raisebox{-1.25bp}{\parbox[b][21bp]{12bp}{%
403 \rule{0pt}{0pt}\atfi@literal{\atfi@acroPaperclip@data}}}%
404 }%
405 }
406 \def\atfi@acroPushPin@data{%
407 \atfi@GSAVE
408 1 \atfi@SETLINEWIDTH
409 1 6 \atfi@MOVETO
410 11 6 \atfi@LINETO
411 11 13 \atfi@LINETO
412 12 13 \atfi@LINETO
413 14 11 \atfi@LINETO
414 21 11 \atfi@LINETO
415 22 12 \atfi@LINETO
416 23 12 \atfi@LINETO
417 23 2 \atfi@LINETO
418 22 2 \atfi@LINETO
419 21 3 \atfi@LINETO
420 14 3 \atfi@LINETO
421 12 1 \atfi@LINETO
422 11 1 \atfi@LINETO
423 11 6 \atfi@LINETO
424 \atfi@FILLSTROKE{%
425 \atfi@color@rgb\space\atfi@SETRGBCOLORFILL
426 }{%
427 0 \atfi@SETGRAYSTROKE
428 }%
429 0.5 \atfi@SETGRAYSTROKE
430 0 7 \atfi@MOVETO
431 10 7 \atfi@LINETO
432 10 8 \atfi@LINETO
433 1 8 \atfi@LINETO
434 \atfi@STROKE
435 1 \atfi@SETGRAYSTROKE
436 12 12 \atfi@MOVETO
437 14 10 \atfi@LINETO
438 22 10 \atfi@LINETO
439 22 11 \atfi@LINETO
440 \atfi@STROKE
441 \atfi@GRESTORE
442 }
443 \def\atfi@acroPushPin{%

```

```

444 \raisebox{-1.25bp}{\parbox[b][14bp]{24bp}{%
445 \rule{0pt}{0pt}\atfi@literal{\atfi@acroPushPin@data}}}%
446 }%
447 }
448 \def\atfi@acroTag@data{%
449 \atfi@GSAVE
450 0.5 \atfi@SETGRAYFILL
451 10.0542 14.9873 \atfi@MOVETO
452 24.27 14.9873 \atfi@LINETO
453 25.252 14.0059 \atfi@LINETO
454 25.252 1.1455 \atfi@LINETO
455 24.1064 0 \atfi@LINETO
456 9.9609 0 \atfi@LINETO
457 6.0327 6.0088 \atfi@LINETO
458 6.0327 9.002 \atfi@LINETO
459 10.0542 14.9873 \atfi@LINETO
460 9.3994 9.376 \atfi@MOVETO
461 8.5215 9.376 7.8096 8.5596 7.8096 7.5527 \atfi@CURVETO
462 7.8096 6.5449 8.5215 5.7285 9.3994 5.7285 \atfi@CURVETO
463 10.2778 5.7285 10.9897 6.5449 10.9897 7.5527 \atfi@CURVETO
464 10.9897 8.5596 10.2778 9.376 9.3994 9.376 \atfi@CURVETO
465 \atfi@CLOSEPATH
466 \atfi@FILL
467 0 \atfi@SETFLAT
468 0.5 \atfi@SETLINEWIDTH
469 4 \atfi@SETMITERLIMIT
470 1 \atfi@SETLINEJOIN
471 8.5107 16.5313 \atfi@MOVETO
472 22.7266 16.5313 \atfi@LINETO
473 23.7085 15.5488 \atfi@LINETO
474 23.7085 2.6895 \atfi@LINETO
475 22.563 1.543 \atfi@LINETO
476 8.4175 1.543 \atfi@LINETO
477 4.4893 7.5527 \atfi@LINETO
478 4.4893 10.5449 \atfi@LINETO
479 8.5107 16.5313 \atfi@LINETO
480 7.856 10.9199 \atfi@MOVETO
481 6.978 10.9199 6.2661 10.1035 6.2661 9.0957 \atfi@CURVETO
482 6.2661 8.0879 6.978 7.2715 7.856 7.2715 \atfi@CURVETO
483 8.7344 7.2715 9.4463 8.0879 9.4463 9.0957 \atfi@CURVETO
484 9.4463 10.1035 8.7344 10.9199 7.856 10.9199 \atfi@CURVETO
485 \atfi@CLOSEPATH
486 \atfi@FILLSTROKE{%
487 \atfi@color@rgb\space\atfi@SETRGBCOLORFILL
488 }{%
489 0 \atfi@SETGRAYSTROKE
490 }%
491 1 \atfi@SETLINEWIDTH
492 12.3291 12.2656 \atfi@MOVETO
493 21.1206 12.2656 \atfi@LINETO
494 \atfi@STROKE
495 12.3291 9.1797 \atfi@MOVETO
496 21.1206 9.1797 \atfi@LINETO
497 \atfi@STROKE
498 12.3291 6.1875 \atfi@MOVETO
499 21.1206 6.1875 \atfi@LINETO
500 \atfi@STROKE
501 % 0 \atfi@SETGRAYSTROKE % redundant?
502 0.5 \atfi@SETLINEWIDTH
503 0 9.0488 \atfi@MOVETO
504 6.2661 9.0957 \atfi@LINETO
505 \atfi@STROKE

```

```

506 1.4028 5.2148 \atfi@MOVETO
507 1.4028 9.6094 \atfi@LINETO
508 1.6831 10.6387 2.4316 10.6387 \atfi@CURVETOY
509 3.6475 10.6387 3.5542 9.0488 \atfi@CURVETOY
510 \atfi@STROKE
511 \atfi@GRESTORE
512 }
513 \DeclareRobustCommand{\atfi@acroTag}{%
514   \raisebox{-1.6bp}{\parbox[b]{17bp}{25bp}{%
515     \rule{0pt}{0pt}\atfi@literal{\atfi@acroTag@data}}}%
516   }%
517 }
518
519 % --- .atfi file reading support ---
520
521 % commands used in \jobname.atfi:
522 % * \attachfile@timezone{<timezone in PDF format>}
523 % * \attachfile@file[
524 %   Size=<size>,
525 %   CreationDate=<date>, % <date> local time without "D:" and timezone
526 %   ModDate=<date>,
527 %   CheckSum=<checksum>
528 % ]{<filename as hex string>}
529 %
530 \def\attachfile@timezone#1{%
531   \ifx\#1\%
532     % no timezone information given
533   \else
534     \def\atfi@timezone{#1}%
535   \fi
536 }
537 \newcommand*{\attachfile@file}[2][{}]{%
538   \ifx\#2\%
539     \PackageError{attachfile2}{Empty file name}\@ehc
540   \else
541     \edef\atfi@restore{\uccode0=\the\uccode0 \relax}%
542     \let\atfi@filename\empty
543     \atfi@getfilename#2\relax\relax
544     \atfi@restore
545     \namedef{atfi@file@\atfi@filename}{#1}%
546   \fi
547 }
548 % convert file name from hex string
549 \begingroup
550   \catcode0=12 %
551   \gdef\atfi@getfilename#1#2{%
552     \ifx\relax#1%
553     \else
554       \uccode0=\numexpr 16*\atfi@hexnum{#1} + \atfi@hexnum{#2}\relax
555       \uppercase{%
556         \edef\atfi@filename{%
557           \atfi@filename^^@%
558         }%
559       }%
560       \expandafter\atfi@getfilename
561     \fi
562   }%
563 \endgroup
564 \def\atfi@hexnum#1{%
565   \ifnum'#1<58 %
566     \numexpr '#1-48\relax
567   \else

```

```

568     \numexpr '#1-87\relax
569   \fi
570 }
571
572 \InputIfFileExists{\jobname.atfi}{-}{-}%
573
574 \newif\ifatfi@checksum
575 \define@key{AtFi@file}{Checksum}{%
576   \atfi@checksumtrue
577   \edef\atfi@params{\atfi@params/Checksum<#1>}%
578 }
579 \newif\ifatfi@creationdate
580 \define@key{AtFi@file}{CreationDate}{%
581   \atfi@creationdatetrue
582   \edef\atfi@params{\atfi@params/CreationDate(D:#1\atfi@timezone)}%
583 }
584 \newif\ifatfi@moddate
585 \define@key{AtFi@file}{ModDate}{%
586   \atfi@moddatetrue
587   \edef\atfi@params{\atfi@params/ModDate(D:#1\atfi@timezone)}%
588 }
589
590 % --- .atfi file writing support ---
591
592 % respect \nofiles and option nofiles
593 % \nofiles has more weight than option nofiles
594 \if@filesw
595 \else
596   \atfi@nofilestrue
597 \fi
598 \ifatfi@nofiles
599   \PackageInfo{attachfile2}{%
600     File '\jobname.atfi' will not be written because of\MessageBreak
601     \string\nofiles\space or option 'nofiles'%
602   }%
603   \let\atfi@writefile\@gobble
604 \else
605   \newwrite\atfi@stream
606   \immediate\openout\atfi@stream=\jobname.atfi
607   \immediate\write\atfi@stream{%
608     \string\attachfile@timezone{\atfi@timezone}%
609   }%
610   \def\atfi@writefile#1{%
611     \begingroup
612       \def\file{#1}%
613       \@onelevel@sanitize\file
614       \edef\file{\@firstofone{\expandafter\atfi@replace\file} \@nil}%
615       \edef\file{\expandafter\atfi@tohex\file\relax}%
616       \immediate\write\atfi@stream{%
617         \string\attachfile@file[%
618           \@ifundefined{atfi@file@#1}{-}{\@nameuse{atfi@file@#1}}%
619         ]{\file}%
620       }%
621     \endgroup
622   }%
623 \fi
624
625 \def\atfi@attachfile#1#2{%
626   \@ifundefined{atfi@fileobj@#2}{%
627     \atfi@writefile{#2}%
628   }{%
629     % don't need duplicates

```

```

630 }%
631 \setkeys{AtFi}{#1}%
632 \atfi@embedfile{#2}%
633 \atfi@set@appearance@icon
634 \atfi@flags@to@int
635 \atfi@insert@file@annot{#2}%
636 \endgroup
637 }
638
639 % convert to hex string
640
641 \def\atfi@replace#1 #2\@nil{%
642   #1%
643   \ifx\#2\%
644   \else
645     \atfi@space
646     \@ReturnAfterFi{%
647       \atfi@replace#2\@nil
648     }%
649   \fi
650 }%
651
652 \long\def\@ReturnAfterFi#1\fi{\fi#1}
653
654 % ---
655
656 \newlength{\atfi@appearancewidth}
657 \newlength{\atfi@appearanceheight}
658 \newlength{\atfi@appearancedepth}
659 \newsavebox{\atfi@appearancebox}
660
661 \def\atfi@set@appearance@icon{%
662   \@ifundefined{atfi@appobj@\atfi@icon@icon}{%
663     \savebox{\atfi@appearancebox}{\@nameuse{atfi@acro\atfi@icon@icon}}%
664     \expandafter\xdef\csname atfi@appwidth@\atfi@icon@icon\endcsname{%
665       \the\wd\atfi@appearancebox
666     }%
667     \expandafter\xdef\csname atfi@appheight@\atfi@icon@icon\endcsname{%
668       \the\ht\atfi@appearancebox
669     }%
670     \expandafter\xdef\csname atfi@appdepth@\atfi@icon@icon\endcsname{%
671       \the\dp\atfi@appearancebox
672     }%
673     \atfi@xform@icon
674     \global\expandafter\let\csname atfi@appobj@\atfi@icon@icon\endcsname
675       \atfi@appearanceobj
676   }{%
677   }%
678   % optimization: \setlength dropped
679   \atfi@appearancewidth=\@nameuse{atfi@appwidth@\atfi@icon@icon}\relax
680   \atfi@appearanceheight=\@nameuse{atfi@appheight@\atfi@icon@icon}\relax
681   \atfi@appearancedepth=\@nameuse{atfi@appdepth@\atfi@icon@icon}\relax
682   \expandafter\let\expandafter\atfi@appearanceobj
683     \csname atfi@appobj@\atfi@icon@icon\endcsname
684 }
685
686 \def\atfi@set@appearance#1{%
687   \savebox{\atfi@appearancebox}{#1}%
688   \atfi@appearancewidth=\wd\atfi@appearancebox
689   \atfi@appearanceheight=\ht\atfi@appearancebox
690   \atfi@appearancedepth=\dp\atfi@appearancebox
691   \atfi@xform

```

```

692 }
693
694 \newcounter{atfi@flags}
695 \DeclareRobustCommand{\atfi@flags@to@int}{%
696   \setcounter{atfi@flags}{0}%
697   \ifatfi@print
698     \addtocounter{atfi@flags}{4}%
699   \fi%
700   \ifatfi@zoom
701   \else
702     \addtocounter{atfi@flags}{8}%
703   \fi%
704 }
705
706 \def\atfi@textattachfile#1#2{%
707   \endgroup
708   \atfi@textattachfile@i{#1}{#2}%
709 }
710 \def\atfi@textattachfile@i#1#2#3{%
711   \setkeys{AtFi}{#1}%
712   \atfi@embedfile{#2}%
713   \def\atfi@textcolor(##1 ##2 ##3)##4{%
714     \textcolor[rgb]{##1,##2,##3}{##4}}%
715   \atfi@set@appearance{%
716     \expandafter\atfi@textcolor\expandafter
717     (\atfi@color@rgb){#3\strut}}%
718   \atfi@flags@to@int
719   \atfi@insert@file@annot{#2}%
720   \endgroup
721 }
722
723 \DeclareRobustCommand{\attachfile}[1] [] {%
724   \begingroup
725     \let\do\@makeother
726     \dospecials
727     \catcode'\{=1\relax
728     \catcode'\}=2\relax
729     \atfi@attachfile{#1}%
730 }
731 \DeclareRobustCommand{\textattachfile}[1] [] {%
732   \begingroup
733     \begingroup
734       \let\do\@makeother
735       \dospecials
736       \catcode'\{=1\relax
737       \catcode'\}=2\relax
738       \atfi@textattachfile{#1}%
739     \endgroup
740   \DeclareRobustCommand{\noattachfile}[1] [] {%
741     \begingroup
742       \setkeys{AtFi}{#1}%
743       \atfi@set@appearance@icon
744       \ifatfi@print
745         \expandafter\atfi@refxform\csname atfi@appobj@\atfi@icon@icon\endcsname
746       \else
747         \makebox[\atfi@appearancewidth]{}%
748       \fi
749     \endgroup
750   }
751 \end{package}

```

## 2.2 Drivers

### 2.2.1 pdfTeX

```
752 <*pdftex>
753 \NeedsTeXFormat{LaTeX2e}
754 \ProvidesFile{atfi.pdf.tex.def}%
755 [2006/08/16 v2.2 attachfile2 driver for pdfTeX (HO)]

756 \let\atfi@literal\pdfliteral
757
758 % --- macros for graphics data ---
759
760 \def\atfi@GSAVE{q }
761 \def\atfi@GRESTORE{Q }
762 \def\atfi@SETLINEWIDTH{w }
763 \def\atfi@LINETO{l }
764 \def\atfi@MOVETO{m }
765 \def\atfi@STROKE{S }
766 \def\atfi@FILL{f }
767 % \atfi@FILLSTROKE{<fill color>}{<stroke color>}
768 \def\atfi@FILLSTROKE#1#2{#1#2B }
769 % color: uppercase are stroke colors, lowercase non-stroke (fill) colors
770 % PS, however, does not different between stroke and not-stroke colors
771 \def\atfi@SETRGBCOLORSTROKE{RG }
772 \def\atfi@SETRGBCOLORFILL{rg }
773 \def\atfi@SETGRAYSTROKE{G }
774 \def\atfi@SETGRAYFILL{g }
775 \def\atfi@RECTFILL{re f }
776 \def\atfi@RECTSTROKEFILL#1#2#3{#1#2#3re B }
777 \def\atfi@SETMITERLIMIT{M }
778 \def\atfi@SETFLAT{i }
779 \def\atfi@SETLINECAP{J }
780 \def\atfi@CURVETO{c }
781 \def\atfi@CURVETOv{v }
782 \def\atfi@CURVETOY{y }
783 \def\atfi@CLOSEPATH{h }
784 \def\atfi@SETLINEJOIN{j }
785
786 % ---
787
788 \define@key{AtFi@file}{Size}{%
789   \edef\atfi@params{\atfi@params/Size #1}%
790 }
791
792 \def\atfi@embedfile#1{%
793   \ifundefined{atfi@fileobj@#1}{%
794     \begingroup
795       \let\atfi@params@empty
796       \ifundefined{atfi@file@#1}{%
797         \edef\x{\noexpand\setkeys{AtFi@file}{\@nameuse{atfi@file@#1}}}%
798         \x
799       }%
800       \ifx\atfi@params\@empty
801         \else
802           \edef\atfi@params{/Params<<\atfi@params>>}%
803         \fi
804         \immediate\pdfobj stream attr {%
805           /Type/EmbeddedFile%
806           \atfi@mimetype
807           \atfi@params
808         } file {#1}%
809         \expandafter\xdef\csname atfi@fileobj@#1\endcsname{\the\pdfobj}%
810       \endgroup
```



```

811 }{%
812   % file already embedded
813 }%
814 }
815
816 % ---
817
818 % input: \atfi@appearancebox, output: \atfi@appearanceobj
819 \def\atfi@xform{%
820   \immediate\pdfxform\atfi@appearancebox
821   \edef\atfi@appearanceobj{\the\pdflastxform}%
822 }
823 \let\atfi@xform@icon\atfi@xform
824
825 \def\atfi@refxform#1{%
826   \pdfrefxform#1\relax
827 }
828
829 % ---
830
831 \def\atfi@insert@file@annot#1{%
832   \rule{0pt}{0pt}%
833   \ifatfi@appearance
834     \def\atfi@appearance@dict{%
835       /AP<<%
836         /N \atfi@appearanceobj\space 0 R%
837         /R \atfi@appearanceobj\space 0 R%
838         /D \atfi@appearanceobj\space 0 R%
839       >>%
840     }%
841   \else
842     \let\atfi@appearance@dict\@empty
843   \fi
844   \@ifundefined{atfi@fsobj@#1}{%
845     \atfi@pdfstringdef\atfi@file{#1}%
846     \immediate\pdfobj{%
847       <<%
848         /Type/Filespec%
849         /F(\atfi@file)%
850         /EF<<%
851         /F \@nameuse{atfi@fileobj@#1} 0 R%
852       >>%
853     >>%
854   }%
855   \expandafter\xdef\csname atfi@fsobj@#1\endcsname{%
856     \the\pdflastobj
857   }%
858 }{%
859 }%
860 \pdfannot width \atfi@scale\atfi@appearancewidth
861           height \atfi@scale\atfi@appearanceheight
862           depth \atfi@scale\atfi@appearancedepth {%
863   /Subtype/FileAttachment%
864   \atfi@icon
865   \atfi@color
866   \atfi@author
867   \atfi@date
868   \atfi@annotname
869   \atfi@description
870   \atfi@subject
871   \atfi@appearance@dict
872   /F \theatfi@flags

```

```

873   /FS \@nameuse{atfi@fsobj@#1} 0 R%
874 }%
875 \rule{0pt}{\atfi@appearanceheight}%
876 \rule[-\atfi@appearancedepth]{0pt}{\atfi@appearancedepth}%
877 \rule{\atfi@appearancelwidth}{0pt}%
878 }
879 </pdfTeX>

```

## 2.2.2 dvips

```

880 <*dvips>
881 \NeedsTeXFormat{LaTeX2e}
882 \ProvidesFile{atfipdfTeX.def}%
883 [2006/08/16 v2.2 attachfile2 driver for dvips (H0)]
884 \def\atfi@literal#1{%
885   \special{ps:atfi_dict begin{#1}atfi_?pdfmark end}%
886 }
887
888 \def\atfi@header#1{%
889   \special{! #1}%
890 }
891
892 % --- macros for graphics data ---
893
894 \atfi@header{%
895   userdict begin 20 dict dup /atfi_dict exch def end begin
896     /atfi_?pdfmark systemdict
897     dup /pdfmark known
898     {
899       /exec get def
900     }{
901       /pop get def
902     } ifelse
903     {
904       %
905       % x y width height atfi_re ->
906       languagelevel 2 ge {
907         /atfi_rectfill { rectfill } bind def
908         /atfi_rectstroke { rectstroke } bind def
909       }{%
910         /atfi_rect {
911           /atfi_height exch def
912           /atfi_width exch def
913           /atfi_x exch def
914           /atfi_y exch def
915           newpath
916           atfi_x atfi_y moveto
917           atfi_x atfi_width add atfi_y lineto
918           atfi_x atfi_width add atfi_y atfi_height add lineto
919           atfi_x atfi_y atfi_height add lineto
920           closepath
921         } bind def
922         /atfi_rectfill {
923           atfi_rect fill
924         } bind def
925         /atfi_rectstroke {
926           atfi_rect stroke
927         } bind def
928       } ifelse
929       /atfi_curveto_v {
930         currentpoint 6 2 roll curveto
931       } bind def
932       /atfi_curveto_y {

```

```

933     2 copy curveto
934 } bind def
935 %
936 % help macro for atfi_convert_date
937 /atfi_two {
938     dup 10 lt
939     {
940         1 string cvs
941         exch 1 add exch
942     }{
943         2 string cvs
944     } ifelse
945 putinterval
946 } bind def
947 %
948 % <seconds since 1970-01-01> atfi_convert_date -> (D:...Z)
949 /atfi_convert_date {
950     dup
951     /atfi_days exch 3600 idiv 24 idiv def
952     % calc date part
953     /atfi_year 1970 def
954     {
955         atfi_year 400 mod 0 eq
956         atfi_year 100 mod 0 ne
957         atfi_year 4 mod 0 eq
958         and or
959         { 366 } { 365 } ifelse
960         dup atfi_days lt
961         {
962             atfi_days exch sub /atfi_days exch def
963             /atfi_year atfi_year 1 add def
964         }{
965             exit
966         } ifelse
967     } loop
968     /atfi_month 1 def
969     /atfi_days atfi_days 1 add def
970     31 atfi_days lt
971     {
972         atfi_days 31 sub /atfi_days exch def
973         /atfi_month atfi_month 1 add def
974         366 eq { 29 } { 28 } ifelse dup atfi_days lt
975         {
976             atfi_days exch sub /atfi_days exch def
977             /atfi_month atfi_month 1 add def
978             31 atfi_days lt
979             {
980                 atfi_days 31 sub /atfi_days exch def
981                 /atfi_month atfi_month 1 add def
982                 30 atfi_days lt
983                 {
984                     atfi_days 30 sub /atfi_days exch def
985                     /atfi_month atfi_month 1 add def
986                     31 atfi_days lt
987                     {
988                         atfi_days 31 sub /atfi_days exch def
989                         /atfi_month atfi_month 1 add def
990                         30 atfi_days lt
991                         {
992                             atfi_days 30 sub /atfi_days exch def
993                             /atfi_month atfi_month 1 add def
994                             31 atfi_days lt

```

```

995         {
996             atfi_days 31 sub /atfi_days exch def
997             /atfi_month atfi_month 1 add def
998             31 atfi_days lt
999         {
1000             atfi_days 31 sub /atfi_days exch def
1001             /atfi_month atfi_month 1 add def
1002             30 atfi_days lt
1003         {
1004             atfi_days 30 sub /atfi_days exch def
1005             /atfi_month atfi_month 1 add def
1006             31 atfi_days lt
1007         {
1008             atfi_days 31 sub /atfi_days exch def
1009             /atfi_month atfi_month 1 add def
1010             30 atfi_days lt
1011         {
1012             atfi_days 30 sub /atfi_days exch def
1013             /atfi_month atfi_month 1 add def
1014             31 atfi_days lt
1015         {
1016             atfi_days 31 sub /atfi_days exch def
1017             /atfi_month atfi_month 1 add def
1018         } if
1019         } if
1020         } if
1021         } if
1022         } if
1023         } if
1024         } if
1025         } if
1026         } if
1027         } if
1028     } { pop } ifelse
1029 }{ pop } ifelse
1030 % calc time part
1031 3600 24 mul mod
1032 dup 3600 idiv dup /atfi_hour exch def
1033 3600 mul sub
1034 dup 60 idiv dup /atfi_min exch def
1035 60 mul sub
1036 /atfi_sec exch def
1037 (D:19700101000000Z)
1038 dup 2 atfi_year 4 string cvs putinterval
1039 dup 6 atfi_month atfi_two
1040 dup 8 atfi_days atfi_two
1041 dup 10 atfi_hour atfi_two
1042 dup 12 atfi_min atfi_two
1043 dup 14 atfi_sec atfi_two
1044 } bind def
1045 %
1046 % <filename> atfi_calc_checksum -> /Checksum <checksum>
1047 % or returns nothing, if MD5Encode is not given
1048 false
1049 languagelevel 2 ge {
1050     (MD5Encode)
1051     { pop true or }
1052     (MD5Encode) length string
1053     /Filter
1054     resourceforall
1055 } if
1056 {

```

```

1057     /atfi_calc_checksum {
1058     /atfi_checksum 16 string def
1059     /atfi_file exch (r) file def
1060     /atfi_md5sum atfi_checksum /MD5Encode filter def
1061     % not too efficient to read and write byte by byte,
1062     % using a buffer is probably faster
1063     atfi_size {
1064         atfi_file read
1065         {
1066             atfi_md5sum exch write
1067         } if
1068     } repeat
1069     atfi_md5sum closefile
1070     atfi_file closefile
1071     /Checksum atfi_checksum
1072 } bind def
1073 }{
1074 /atfi_calc_checksum { pop } bind def
1075 } ifelse
1076 %
1077 /atfi_pttobp { 72.27 div 72 mul } bind def
1078 /atfi_pdftodvipsx { 72.27 div Resolution mul } bind def
1079 /atfi_pdftodvipsy { 72.27 div VResolution mul } bind def
1080 %
1081 } atfi_?pdfmark
1082 end
1083 }
1084
1085 \def\atfi@GSAVE{gsave }
1086 \def\atfi@GRESTORE{grestore }
1087 \def\atfi@SETLINEWIDTH{setlinewidth }
1088 \def\atfi@LINETO{lineto }
1089 \def\atfi@MOVETO{moveto }
1090 \def\atfi@STROKE{stroke }
1091 \def\atfi@FILL{fill }
1092 \def\atfi@FILLSTROKE#1#2{gsave #1 fill grestore #2 stroke }
1093 \def\atfi@SETRGBCOLORSTROKE{setrgbcolor }
1094 \def\atfi@SETRGBCOLORFILL{setrgbcolor }
1095 \def\atfi@SETGRAYSTROKE{setgray }
1096 \def\atfi@SETGRAYFILL{setgray }
1097 \def\atfi@RECTFILL{atfi_rectfill }
1098 \def\atfi@RECTSTROKEFILL#1#2#3{%
1099     #3%
1100     #1%
1101     gsave atfi_rectfill grestore
1102     #2%
1103     #3%
1104     atfi_rectstroke
1105     #1%
1106 }
1107 \def\atfi@SETMITERLIMIT{setmiterlimit }
1108 \def\atfi@SETFLAT{setflat }
1109 \def\atfi@SETLINECAP{setlinecap }
1110 \def\atfi@CURVETO{curveto }
1111 \def\atfi@CURVETOX{atfi_curveto_x }
1112 \def\atfi@CURVETOY{atfi_curveto_y }
1113 \def\atfi@CLOSEPATH{closepath }
1114 \def\atfi@SETLINEJOIN{setlinejoin }
1115
1116 % ---
1117
1118 \newcounter{atfi@obj}

```

```

1119 \renewcommand*{\theatfi@obj}{%
1120   {atfi_obj_number\c@atfi@obj}}%
1121 }
1122
1123
1124 % most values for Params dictionary found in the .atfi file have
1125 % priority:
1126 % * Recalculation (md5sum, ...) is avoided.
1127 % * An external script has more possibilities than programming
1128 %   at PostScript level (operating system, getting the date and
1129 %   time values of the file with correct interpretation.
1130 % * Exception: status is called to test file existence, thus
1131 %   we get the value of size for free
1132
1133 \define@key{AtFi@file}{Size}{%
1134
1135 \def\atfi@embedfile#1{%
1136   \@ifundefined{atfi@fileobj@#1}{%
1137     \atfi@pdfstringdef\atfi@psfilename{#1}%
1138     \stepcounter{atfi@obj}%
1139     \expandafter\xdef\csname atfi@fileobj@#1\endcsname{\theatfi@obj}%
1140     \begingroup
1141       \let\atfi@params\empty
1142       \@ifundefined{atfi@file@#1}{%
1143         \edef\x{\noexpand\setkeys{AtFi@file}{\@nameuse{atfi@file@#1}}}%
1144         \x
1145       }%
1146       \atfi@literal{%
1147         /atfi_filename (\atfi@psfilename) def
1148         atfi_filename status
1149         {
1150           % ok: file found
1151           % save parameters of status command
1152           /atfi_created exch def
1153           /atfi_referenced exch def
1154           /atfi_size exch def
1155           pop % drop parameter "pages" (storage space), never needed
1156           % ghostscript:
1157           %   created:      stat.st_ctime
1158           %   referenced:   stat.st_mtime
1159           %   stat.st_ctime: interpretation depends on operating system:
1160           %                   * unix: inode change time (not interesting)
1161           %                   * win32: probably creation time
1162           %                   --> /CreationDate
1163           %   stat.st_mtime: modification time --> /ModDate
1164           %   time values are seconds since 1970-01-01, GMT
1165           % TODO: ghostscript offers "getenv" for getting the value
1166           %       of an environment variable. That could be used to
1167           %       to detect windows and settingthe /CreationDate entry.
1168           % TODO: how are these values interpreted by other distiller
1169           %       programs?
1170           %
1171           [
1172             /_objdef \theatfi@obj
1173             /type /stream
1174             /OBJ pdfmark
1175             [
1176               \theatfi@obj
1177               <<
1178                 /Type /EmbeddedFile
1179                 \atfi@mimetype
1180                 /Params

```

```

1181         <<
1182         \atfi@params
1183         %
1184         /Size atfi_size
1185         %
1186         /product where
1187         {
1188             pop
1189             % check for ghostscript
1190             product (Ghostscript) search
1191             {
1192                 pop pop pop
1193                 % ghostscript is running
1194                 %
1195                 \ifatfi@creationdate
1196                 \else
1197                     false % TODO: test for windows
1198                     {
1199                         /CreationDate atfi_created atfi_convert_date
1200                     } if
1201                 \fi
1202                 \ifatfi@moddate
1203                 \else
1204                     /ModDate atfi_referenced atfi_convert_date
1205                 \fi
1206             } if
1207             %
1208             % look for MD5Encode filter and calculate CheckSum
1209         } if
1210         \ifatfi@checksum
1211         \else
1212             atfi_filename atfi_calc_checksum
1213         \fi
1214     >>
1215 >>
1216 /PUT pdfmark
1217 [
1218     \theatfi@obj
1219     atfi_filename (r) file
1220 /PUT pdfmark
1221 [
1222     \theatfi@obj
1223 /CLOSE pdfmark
1224 ]{
1225     % error: file not found
1226     % currently nothing is done
1227 } ifelse
1228 }%
1229 \endgroup
1230 }{%
1231     % file already embedded
1232 }%
1233 }
1234
1235 % ---
1236
1237 % output: \atfi@appearanceobj
1238 % input: \atfi@appearancebox, \atfi@icon@icon
1239 \def\atfi@xform@icon{%
1240     \stepcounter{atfi@obj}%
1241     \edef\atfi@appearanceobj{\theatfi@obj}%
1242     \atfi@literal{%

```

```

1243 [
1244   /_objdef \atfi@appearanceobj
1245   /BBox [
1246     0
1247     0
1248     \strip@pt\wd\atfi@appearancebox\space atfi_pttobp
1249     \strip@pt\dimexpr\dp\atfi@appearancebox
1250     +\ht\atfi@appearancebox\relax\space atfi_pttobp
1251   ]
1252   /BP pdfmark
1253   \csname atfi@acro\atfi@icon@icon @data\endcsname
1254   [
1255   /EP pdfmark
1256   }%
1257 }
1258 % output: \atfi@appearanceobj
1259 % input: \atfi@appearancebox
1260 \def\atfi@xform{%
1261   \stepcounter{atfi@obj}%
1262   \edef\atfi@appearanceobj{\theatfi@obj}%
1263   \begingroup
1264     \setbox0=\hbox{%
1265       \atfi@literal{%
1266         [
1267           /_objdef \atfi@appearanceobj
1268           /BBox [
1269             currentpoint
1270             \strip@pt\dp\atfi@appearancebox\space sub
1271             currentpoint
1272             exch \strip@pt\wd\atfi@appearancebox\space add
1273             exch \strip@pt\ht\atfi@appearancebox\space add
1274           ]
1275           /BP pdfmark
1276           gsave
1277           currentpoint
1278           2 copy translate
1279           72.27 Resolution div 72.27 VResolution div neg scale
1280           exch neg exch neg translate
1281         }%
1282         \usebox{\atfi@appearancebox}%
1283         \atfi@literal{%
1284           grestore
1285           [
1286             /EP pdfmark
1287           ]%
1288         }%
1289         % do not allocate any space for xobject definition
1290         \dp0=\z@
1291         \ht0=\z@
1292         \wd0=\z@
1293         \mbox{\usebox0}%
1294       \endgroup
1295     }
1296   \def\atfi@refxform#1{%
1297     \raisebox{-\atfi@appearancedepth}{%
1298       \atfi@literal{%
1299         gsave
1300         currentpoint translate
1301         Resolution 72 div VResolution neg 72 div scale
1302         [ #1 /SP pdfmark
1303         grestore

```



```

1305     }%
1306     \makebox[\atfi@appearancewidth]{}%
1307 }%
1308 \rule{0pt}{\atfi@appearanceheight}%
1309 }
1310
1311 % ---
1312
1313 \def\atfi@insert@file@annot#1{%
1314     \rule{0pt}{0pt}%
1315     \ifatfi@appearance
1316         \def\atfi@appearance@dict{%
1317             /AP<<%
1318             /N \atfi@appearanceobj
1319             /R \atfi@appearanceobj
1320             /D \atfi@appearanceobj
1321             >>%
1322         }%
1323     \else
1324         \let\atfi@appearance@dict\@empty
1325     \fi
1326     \@ifundefined{atfi@fsobj@#1}{%
1327         \stepcounter{atfi@obj}%
1328         \expandafter\xdef\csname atfi@fsobj@#1\endcsname{\theatfi@obj}%
1329         \atfi@pdfstringdef\atfi@file{#1}%
1330         \atfi@literal{%
1331             [
1332                 /_objdef \theatfi@obj
1333                 /type /dict
1334                 /OBJ pdfmark
1335                 [
1336                     \theatfi@obj
1337                     <<
1338                     /Type /Filespec
1339                     /F (\atfi@file)
1340                     /EF <<
1341                     /F \csname atfi@fileobj@#1\endcsname
1342                     >>
1343                     >>
1344                 /PUT pdfmark
1345             ]%
1346         }{%
1347         }%
1348         \atfi@literal{%
1349             [
1350                 /Subtype/FileAttachment%
1351                 \atfi@icon
1352                 \atfi@color
1353                 \atfi@author
1354                 \atfi@date
1355                 \atfi@annotname
1356                 \atfi@description
1357                 \atfi@subject
1358                 \atfi@appearance@dict
1359                 /F \theatfi@flags
1360                 /FS \csname atfi@fsobj@#1\endcsname
1361                 /Rect [
1362                     currentpoint
1363                     \strip@pt\dimexpr\atfi@scale\atfi@appearancedepth\relax
1364                     \space atfi_pdftodvipsy add
1365                     currentpoint
1366                     exch \strip@pt\dimexpr\atfi@scale\atfi@appearancewidth\relax

```

```

1367         \space atfi_pdftodvipsx add
1368         exch \strip@pt\dimexpr\atfi@scale\atfi@appearanceheight\relax
1369         \space atfi_pdftodvipsy sub
1370     ]
1371     /ANN pdfmark
1372 }%
1373 \rule{0pt}{\atfi@appearanceheight}%
1374 \rule[-\atfi@appearancedepth]{0pt}{\atfi@appearancedepth}%
1375 \rule{\atfi@appearancewidth}{0pt}%
1376 }
1377 </dvips>

```

## 2.3 Perl script pdfatfi.pl

```

1378 <*pdfatfi>
1379 eval '(exit $?0)' && eval 'exec perl -S $0 ${1+"$@"}' && eval 'exec perl -S $0 $argv:q'
1380 if 0;
1381 use strict;
1382 $^W=1; # turn warning on
1383 #
1384 # pdfatfi.pl
1385 #
1386 # Copyright (C) 2005, 2006 Heiko Oberdiek.
1387 #
1388 # This work may be distributed and/or modified under the
1389 # conditions of the LaTeX Project Public License, either version 1.3
1390 # of this license or (at your option) any later version.
1391 # The latest version of this license is in
1392 # http://www.latex-project.org/lppl.txt
1393 # and version 1.3 or later is part of all distributions of LaTeX
1394 # version 2005/12/01 or later.
1395 #
1396 # This work has the LPPL maintenance status "maintained".
1397 #
1398 # This Current Maintainer of this work is Heiko Oberdiek.
1399 #
1400 # See file "attachfile2.pdf" for a list of files that belong to this project.
1401 #
1402 # This file "pdfatfi.pl" may be renamed to "pdfatfi"
1403 # for installation purposes.
1404 #
1405 my $file      = "pdfatfi.pl";
1406 my $program   = uc($&) if $file =~ /\w+/;
1407 my $version   = "2.2";
1408 my $date      = "2006/08/16";
1409 my $author    = "Heiko Oberdiek";
1410 my $copyright = "Copyright (c) 2005, 2006 by $author.";
1411 #
1412 # History:
1413 #   2005/05/21 v1.0: First release.
1414 #   2006/08/16 v2.2: Included in DTX file of attachfile2.dtx.
1415 #
1416
1417 use POSIX qw(strftime); # %z is used (GNU)
1418 use Digest::MD5;
1419
1420 ### program identification
1421 my $title = "$program $version, $date - $copyright\n";
1422
1423 ### error strings
1424 my $Error = "!!! Error:"; # error prefix
1425
1426 ### variables

```

```

1427 my $atffile;
1428
1429 ### option variables
1430 my @bool = ("false", "true");
1431 $::opt_help      = 0;
1432 $::opt_quiet     = 0;
1433 $::opt_debug     = 0;
1434 $::opt_verbose   = 0;
1435
1436 my $usage = <<"END_OF_USAGE";
1437 ${title}Syntax:  \L$program\E [options] <file[.atfi]>
1438 Function: Help program for LaTeX package "attachfile2".
1439 Options:                                     (defaults:)
1440 --help          print usage
1441 --(no)quiet     suppress messages             ($bool[$::opt_quiet])
1442 --(no)verbose   verbose printing             ($bool[$::opt_verbose])
1443 --(no)debug     debug informations           ($bool[$::opt_debug])
1444 END_OF_USAGE
1445
1446 ### process options
1447 my @OrgArgv = @ARGV;
1448 use Getopt::Long;
1449 GetOptions(
1450   "help!",
1451   "quiet!",
1452   "debug!",
1453   "verbose!",
1454 ) or die $usage;
1455 !$::opt_help or die $usage;
1456 @ARGV == 1 or die "$usage$Error Missing jobname!\n";
1457
1458 $::opt_quiet = 0 if $::opt_verbose;
1459
1460 print $title unless $::opt_quiet;
1461
1462 ### get jobname
1463 $atffile = $ARGV[0];
1464 if (!-f $atffile && -f "$atffile.atfi") {
1465   $atffile .= ".atfi";
1466 }
1467 -f $atffile or die "$Error File '$atffile' not found!\n";
1468
1469 print "* job file      = $atffile\n" if $::opt_verbose;
1470
1471 if ($::opt_debug) {
1472   print <<"END_DEB";
1473   * OSNAME: $^O
1474   * PERL_VERSION: $]
1475   * ARGV: @OrgArgv
1476 END_DEB
1477 }
1478
1479 my $tmpfile = $atffile . ".tmp";
1480
1481 my $timezone = strftime "%z", localtime;
1482 $timezone =~ s/^(+|-)\d\d(\d\d)$/$1'$2'/;
1483
1484 open(IN, $atffile) or die "$Error Cannot open '$atffile'!\n";
1485 open(OUT, ">$tmpfile") or die "$Error Cannot write '$tmpfile'!\n";
1486
1487 while(<IN>) {
1488   # timezone

```

```

1489     if (s/^(\\attachfile\\@timezone\\{).*\\})$/$1$timezone$2/) {
1490         print "* timezone      = $timezone\n" if $::opt_verbose;
1491     }
1492
1493     # file entry
1494     if (/^(\\attachfile\\@file\\[[^\\]]*\\)\\{(.*)\\}$/) {
1495         my $hexfile = $1;
1496         my $file = pack('H*', $hexfile);
1497         my @s = stat($file);
1498         if (@s == 0) {
1499             print "!!! Warning: File '$file' not found!\n";
1500         }
1501         else {
1502             my $size = @s[7];
1503             my $mtime = @s[9];
1504             my $ctime = @s[10]; # inode change time
1505
1506             my ($sec, $min, $hour, $mday, $mon, $year) = localtime($mtime);
1507             my $moddate = sprintf("%04d%02d%02d%02d%02d",
1508                                     $year + 1900, $mon + 1, $mday,
1509                                     $hour, $min, $sec);
1510
1511             # Manual page "perlport" says that "ctime" is creation
1512             # time instead of inode change time for "Win32" and
1513             # "Mac OS", but it is unsupported for "Mac OS X".
1514             my $creationdate = "";
1515             if ($^O eq 'MSWin32') { # cygwin?
1516                 ($sec, $min, $hour, $mday, $mon, $year) = localtime($ctime);
1517                 $creationdate = sprintf("%04d%02d%02d%02d%02d",
1518                                         $year + 1900, $mon + 1, $mday,
1519                                         $hour, $min, $sec);
1520             }
1521
1522             # md5 checksum
1523             my $checksum = "";
1524             my $ctx = Digest::MD5->new;
1525             if (open(FILE, $file)) {
1526                 $ctx->addfile(*FILE);
1527                 $checksum = $ctx->hexdigest;
1528                 close(FILE);
1529             }
1530             else {
1531                 print "!!! Warning: File '$file' cannot be read,"
1532                     . " dropping checksum!\n";
1533             }
1534
1535             $_ = "\\attachfile\\@file["
1536                 . "ModDate=$moddate,Size=$size"
1537                 . (($checksum) ? ",Checksum=$checksum" : "")
1538                 . (($creationdate) ? ",CreationDate=$creationdate" : "")
1539                 . "]{ $hexfile }\n";
1540             if ($::opt_verbose) {
1541                 print "* file entry      = $file\n";
1542                 print "   size              = $size\n";
1543                 print "   moddate           = $moddate\n";
1544                 print "   creationdate      = $creationdate\n" if $creationdate;
1545                 print "   checksum          = $checksum\n" if $checksum;
1546             }
1547         }
1548     }
1549
1550     print OUT $_;

```

```

1551 }
1552
1553 close(IN);
1554 close(OUT);
1555
1556 unlink($atffile) or die "$Error Cannot delete old '$atffile'!\n";
1557 rename $tmpfile, $atffile
1558         or die "$Error Cannot move '$tmpfile' to '$atffile'!\n";
1559
1560 print "*** ready. ***\n" unless $::opt_quiet;
1561
1562 __END__
1563 </pdfatfi>

```

### 3 Installation

**CTAN.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/attachfile2.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/attachfile2.pdf](#) Documentation.

[CTAN:macros/latex/contrib/oberdiek/pdfatfi.pl](#) Script.

**Unpacking.** The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain- $\TeX$ :

```
tex attachfile2.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

attachfile2.sty → tex/latex/oberdiek/attachfile2.sty
atfidvips.def   → tex/latex/oberdiek/atfidvips.def
atfipdftex.def  → tex/latex/oberdiek/atfipdftex.def
attachfile2.pdf → doc/latex/oberdiek/attachfile2.pdf
attachfile2.dtx → source/latex/oberdiek/attachfile2.dtx
pdfatfi.pl      → scripts/oberdiek/pdfatfi.pl

```

If you have a `docstrip.cfg` that configures and enables docstrip's TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

**Refresh file databases.** If your  $\TeX$  distribution (te $\TeX$ , mik $\TeX$ , ...) rely on file databases, you must refresh these. For example, te $\TeX$  users run `texhash` or `mktextlsr`.

**Script install.** This package comes with a Perl script `pdfatfi.pl`. Install it somewhere so that it is executed, when it is called as `pdfatfi` on the command line. Example for installing it under Linux:

```

cp pdfatfi.pl /usr/local/bin/pdfatfi
chmod +x /usr/local/bin/pdfatfi

```

#### 3.1 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk attachfile2.pdf unpack_files output .
```

---

<sup>1</sup>[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The .dtx chooses its action depending on the format:

**plain-T<sub>E</sub>X:** Run docstrip and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for docstrip (really, docstrip does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intension:

```
latex \install=y\input{attachfile2.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the .dtx or the .drv to generate the documentation. The process can be configured by the configuration file ltxdoc.cfg. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex attachfile2.dtx
makeindex -s gind.ist attachfile2.idx
pdflatex attachfile2.dtx
makeindex -s gind.ist attachfile2.idx
pdflatex attachfile2.dtx
```

## 4 References

- [1] Scott Pakin: *The attachfile package*; 2005/02/20 v1.2; [CTAN:macros/latex/contrib/attachfile/](http://ctan.org/ctan/macros/latex/contrib/attachfile/).
- [2] Heiko Oberdiek: *The embedfile package*; 2006/08/16 v1.0; [CTAN:macros/latex/contrib/oberdiek/embedfile.pdf](http://ctan.org/ctan/macros/latex/contrib/oberdiek/embedfile.pdf).
- [3] Adobe Systems Incorporated: *PDF Reference, Fifth Edition, Version 1.6*, November 2004; <http://partners.adobe.com/public/developer/pdf/index-reference.html>.
- [4] Network Working Group: RFC 2046, *Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types*, November 1996; <http://www.rfc-editor.org/>.
- [5] IANA (Internet Assigned Numbers Authority): *MIME Media Types*, May 2006; <http://www.iana.org/assignments/media-types/>.

## 5 History

[2005/02/23 v2.0]

- New options: draft/final.
- New option scale for scaling the annotation rectangle.
- Supported driver options: pdftex, dvips.
- Configuration file ‘attachfile.cfg’ supported.
- Dependency of package calc dropped.
- $\varepsilon$ -T<sub>E</sub>X (\numexpr, \dimexpr) used.
- New auxiliary file \jobname.atfi to get data unavailable by (pdf)T<sub>E</sub>X, controlled by \nofiles and option nofiles.
- Use of package prokvopt (never released).

[2005/10/07 v2.1]

- Option `annotname` for naming annotations (this name can be used for embedded go-to actions).

[2006/08/17 v2.2]

- Use of package `kvoptions` instead of `prokvopt`.
- DTX framework.
- A little documentation.

## 6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
<code>\-</code> .....	1482
<code>\@ReturnAfterFi</code> .....	62, 67, 646, 652
<code>\@ehc</code> .....	539
<code>\@empty</code> .....	154, 179, 243, 267, 542, 795, 800, 842, 1141, 1324
<code>\@file</code> .....	1494, 1535
<code>\@firstofone</code> .....	614
<code>\@gobble</code> .....	603
<code>\@ifundefined</code> .....	618, 626, 662, 793, 796, 844, 1136, 1142, 1326
<code>\@makeother</code> .....	725, 734
<code>\@namedef</code> .....	545
<code>\@nameuse</code> .....	618, 663, 679, 680, 681, 797, 851, 873, 1143
<code>\@nil</code> .....	614, 641, 647
<code>\@onelevel@sanitize</code> .....	47, 613
<code>\@timezone</code> .....	1489
<code>\[</code> .....	1494
<code>\]</code> .. 59, 531, 538, 643, 1489, 1494, 1535	
<code>\{</code> .....	727, 736, 1489, 1494
<code>\}</code> .....	728, 737, 1489, 1494
<code>\]</code> .....	1494
<code>\_</code> .....	53, 55
A	
<code>\addtocounter</code> .....	698, 702
<code>\atfi@acroGraph</code> .....	339
<code>\atfi@acroGraph@data</code> .....	315, 341
<code>\atfi@acroPaperclip</code> .....	401
<code>\atfi@acroPaperclip@data</code> ...	344, 403
<code>\atfi@acroPushPin</code> .....	443
<code>\atfi@acroPushPin@data</code> ....	406, 445
<code>\atfi@acroTag</code> .....	513
<code>\atfi@acroTag@data</code> .....	448, 515
<code>\atfi@annotname</code> 179, 181, 182, 868, 1355	
<code>\atfi@appearance@dict</code> .....	834, 842, 871, 1316, 1324, 1358
<code>\atfi@appearancebox</code> ....	659, 663, 665, 668, 671, 687, 688, 689,
	690, 818, 820, 1238, 1248, 1249, 1250, 1259, 1270, 1272, 1273, 1282
<code>\atfi@appearancedepth</code> .....	658,
	681, 690, 862, 876, 1298, 1363, 1374
<code>\atfi@appearanceheight</code> ....	657,
	680, 689, 861, 875, 1308, 1368, 1373
<code>\atfi@appearanceobj</code> .....	
	675, 682, 818, 821, 836, 837, 838, 1237, 1241, 1244, 1258, 1262, 1267, 1318, 1319, 1320
<code>\atfi@appearancetrue</code> .....	224
<code>\atfi@appearancewidth</code> ..	656, 679, 688, 747, 860, 877, 1306, 1366, 1375
<code>\atfi@attachfile</code> .....	625, 729
<code>\atfi@author</code> .. 192, 194, 195, 866, 1353	
<code>\atfi@checksumtrue</code> .....	576
<code>\atfi@CLOSEPATH</code> ..	465, 485, 783, 1113
<code>\atfi@color</code> .....	141, 865, 1352
<code>\atfi@color@rgb</code> .....	
	142, 285, 333, 382, 425, 487, 717
<code>\atfi@converttokens</code> .....	49, 69, 107
<code>\atfi@converttoname</code> .....	45, 128
<code>\atfi@creationdatetrue</code> .....	581
<code>\atfi@CURVETO</code> .....	461, 462, 463, 464, 481, 482, 483, 484, 780, 1110
<code>\atfi@CURVETOY</code> .....	352, 355, 357, 359, 361, 363, 368, 371, 373, 375, 377, 379, 385, 388, 390, 392, 394, 396, 508, 781, 1111
<code>\atfi@CURVETOY</code> .....	353, 356, 358, 360, 362, 364, 369, 372, 374, 376, 378, 380, 386, 389, 391, 393, 395, 397, 509, 782, 1112
<code>\atfi@date</code> ...	164, 174, 175, 867, 1354
<code>\atfi@description</code> .....	
	199, 201, 202, 869, 1356
<code>\atfi@draftfalse</code> .....	116
<code>\atfi@drafttrue</code> .....	117, 272
<code>\atfi@driver</code> 243, 248, 251, 265, 267, 311	
<code>\atfi@driver@dvi</code> .....	245, 251
<code>\atfi@driver@pdf</code> ...	244, 248, 265
<code>\atfi@dummy@pushpin</code> .....	294, 301
<code>\atfi@embedfile</code> ..	632, 712, 792, 1135

\atfi@file	845, 849, 1329, 1339	\atfi@set@appearance@icon	633, 661, 743
\atfi@filename	542, 545, 556, 557	\atfi@SETFLAT	319, 347, 467, 778, 1108
\atfi@FILL	466, 766, 1091	\atfi@SETGRAYFILL	317, 323, 329, 450, 774, 1096
\atfi@FILLSTROKE	424, 486, 767, 768, 1092	\atfi@SETGRAYSTROKE	325, 346, 366, 427, 429, 435, 489, 501, 773, 1095
\atfi@finalfalse	117	\atfi@SETLINECAP	349, 779, 1109
\atfi@finaltrue	116	\atfi@SETLINEJOIN	470, 784, 1114
\atfi@flags@to@int	634, 695, 718	\atfi@SETLINEWIDTH	320, 348, 383, 408, 468, 491, 502, 762, 1087
\atfi@getfilename	543, 551, 560	\atfi@SETMITERLIMIT	321, 350, 469, 777, 1107
\atfi@GRESTORE	337, 399, 441, 511, 761, 1086	\atfi@SETRGBCOLORFILL	333, 425, 487, 772, 1094
\atfi@GSAVE	316, 345, 407, 449, 760, 1085	\atfi@SETRGBCOLORSTROKE	382, 771, 1093
\atfi@hash	52, 76, 80, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101	\atfi@space	54, 61, 645
\atfi@header	888, 894	\atfi@spacetooother	48, 57, 63
\atfi@hexchar	29, 38, 76, 80	\atfi@stream	605, 606, 607, 616
\atfi@hexdigit	22, 30, 31	\atfi@STROKE	365, 381, 398, 434, 440, 494, 497, 500, 505, 510, 765, 1090
\atfi@hexnum	554, 564	\atfi@subject	206, 208, 209, 870, 1357
\atfi@hours	157, 161, 168	\atfi@temp@string	16, 17, 187, 188
\atfi@icon	134, 864, 1351	\atfi@textattachfile	706, 738
\atfi@icon@icon	135, 662, 663, 664, 667, 670, 674, 679, 680, 681, 683, 745, 1238, 1253	\atfi@textattachfile@i	708, 710
\atfi@insert@file@annot	635, 719, 831, 1313	\atfi@textcolor	282, 284, 713, 716
\atfi@LINETO	354, 370, 387, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 431, 432, 433, 437, 438, 439, 452, 453, 454, 455, 456, 457, 458, 459, 472, 473, 474, 475, 476, 477, 478, 479, 493, 496, 499, 504, 507, 763, 1088	\atfi@time	156, 158, 161
\atfi@literal	341, 403, 445, 515, 756, 884, 1146, 1242, 1265, 1283, 1299, 1330, 1348	\atfi@timezone	154, 155, 171, 534, 582, 587, 608
\atfi@mimetype	126, 128, 129, 806, 1179	\atfi@tohex	35, 39, 615
\atfi@minutes	160, 169	\atfi@writefile	603, 610, 627
\atfi@moddatetrue	586	\atfi@xform	691, 819, 823, 1260
\atfi@MOVETO	351, 367, 384, 409, 430, 436, 451, 460, 471, 480, 492, 495, 498, 503, 506, 764, 1089	\atfi@xform@icon	673, 823, 1239
\atfi@nofilesfalse	237	\atfi@zoomtrue	219
\atfi@nofilestrue	596	\attachfile	303, 723
\atfi@pad@ii	147, 166, 167, 168, 169, 170	\attachfile@file	523, 537, 617
\atfi@params	577, 582, 587, 789, 795, 800, 802, 807, 1141, 1182	\attachfile@timezone	522, 530, 608
\atfi@pdfstringdef	15, 174, 181, 186, 194, 201, 208, 845, 1137, 1329	\attachfilesetup	254
\atfi@printtrue	214		
\atfi@psfilename	1137, 1147		
\atfi@RECTFILL	318, 330, 331, 332, 334, 335, 336, 775, 1097		
\atfi@RECTSTROKEFILL	322, 776, 1098		
\atfi@refxform	745, 825, 1297		
\atfi@replace	614, 641, 647		
\atfi@restore	541, 544		
\atfi@scale	230, 232, 860, 861, 862, 1363, 1366, 1368		
\atfi@seconds	163, 170		
\atfi@set@appearance	686, 715		

  

\c@atfi@obj	1120
\catcode	53, 55, 550, 727, 728, 736, 737
\csname	119, 122, 215, 220, 226, 239, 664, 667, 670, 674, 683, 745, 809, 855, 1139, 1253, 1328, 1341, 1360

  

\d	1482
\day	167
\DeclareRobustCommand	186, 254, 278, 297, 300, 303, 513, 695, 723, 731, 740
\define@key	118, 121, 127, 133, 140, 155, 173, 180, 193, 200, 207, 215, 220, 225, 231, 238, 247, 250, 575, 580, 585, 788, 1133
\dimexpr	28, 30, 32, 158, 1249, 1363, 1366, 1368
\do	725, 734
\dospecials	726, 735
\dp	671, 690, 1249, 1270, 1299

D



<b>E</b>		
\E	1437	\nofiles 592, 593, 601
\endcsname	119, 122, 215, 220, 226, 239, 664, 667, 670, 674, 683, 745, 809, 855, 1139, 1253, 1328, 1341, 1360	\notextattachfile 278, 298, 301
\endinginput	306	\number 149, 151, 1120
<b>F</b>		\numexpr 30, 32, 158, 161, 554, 566, 568
\file	612, 613, 614, 615, 619	<b>O</b>
<b>G</b>		\openout 606
\gdef	551	<b>P</b>
<b>H</b>		\PackageError 539
\hbox	287, 1264	\PackageInfo 599
\ht	668, 689, 1250, 1273, 1291	\PackageWarningNoLine 268
<b>I</b>		\parbox 295, 340, 402, 444, 514
\if@filesw	594	\pdfannot 860
\ifatfi@appearance	223, 833, 1315	\pdflastobj 809, 856
\ifatfi@checksum	574, 1210	\pdflastxform 821
\ifatfi@creationdate	579, 1195	\pdfliteral 756
\ifatfi@draft	115, 293	\pdfobj 804, 846
\ifatfi@moddate	584, 1202	\pdfrefxform 826
\ifatfi@nofiles	236, 598	\pdfstringdef 13, 16, 187
\ifatfi@print	213, 281, 697, 744	\pdfxform 820
\ifatfi@zoom	218, 700	\ProcessKeyvalOptions 259
\ifcase	23, 73	\ProvidesFile 754, 882
\ifnum	72, 79, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 148, 565	\ProvidesPackage 3
\ifpdf	263	<b>R</b>
\ifx	36, 59, 70, 267, 531, 538, 552, 643, 800	\raisebox 295, 340, 402, 444, 514, 1298
\immediate	606, 607, 616, 804, 820, 846	\renewcommand 1119
\input	311	\RequirePackage 5, 6, 7, 8, 12
\InputIfFileExists	257, 572	\rule 341, 403, 445, 515, 832, 875, 876, 877, 1308, 1314, 1373, 1374, 1375
<b>J</b>		<b>S</b>
\jobname	521, 572, 600, 606	\savebox 663, 687
<b>L</b>		\setbox 287, 1264
\L	1437	\setcounter 696
<b>M</b>		\setkeys 137, 144, 254, 280, 631, 711, 742, 797, 1143
\makebox	288, 747, 1306	\setlength 678
\mbox	1293	\space 333, 382, 425, 487, 601, 836, 837, 838, 1248, 1250, 1270, 1272, 1273, 1364, 1367, 1369
\MessageBreak	269, 600	\special 885, 889
\month	166	\stepcounter 1138, 1240, 1261, 1327
<b>N</b>		\strip@pt 1248, 1249, 1270, 1272, 1273, 1363, 1366, 1368
\n	1421, 1456, 1467, 1469, 1484, 1485, 1490, 1499, 1532, 1539, 1541, 1542, 1543, 1544, 1545, 1556, 1558, 1560	\strut 285, 287, 717
\NeedsTeXFormat	2, 753, 881	<b>T</b>
\newcommand	344, 537	\textattachfile 297, 731
\newcounter	694, 1118	\textcolor 283, 714
\newif	115, 213, 218, 223, 236, 574, 579, 584	\the 156, 165, 541, 665, 668, 671, 809, 821, 856
\newlength	656, 657, 658	\theatfi@flags 872, 1359
\newsavebox	659	\theatfi@obj 1119, 1139, 1172, 1176, 1218, 1222, 1241, 1262, 1328, 1332, 1336
\newwrite	605	\time 156
\noattachfile	300, 304, 740	<b>U</b>
		\uccode 541, 554
		\uppercase 555
		\usebox 1282, 1293

W		Y	
\w .....	1406	\year .....	165
\wd ...	288, 665, 688, 1248, 1272, 1292		
\write .....	607, 616		
X		Z	
\x .....	797, 798, 1143, 1144	\z@ .....	1290, 1291, 1292