

# The `attachfile2` package

Heiko Oberdiek\*

2019/07/24 v2.9

## Abstract

This package can be used to attach files to a PDF document. It is a further development of Scott Pakin's package `attachfile` for pdfTEX. Apart from bug fixes, package `attachfile2` adds support for dvips, some new options, gets and writes meta information data about the attached files.

## Contents

<b>1 Documentation</b>	<b>2</b>
1.1 Introduction . . . . .	2
1.1.1 Future development . . . . .	2
1.2 User interface . . . . .	3
1.2.1 New options . . . . .	3
1.2.2 Option color . . . . .	4
1.2.3 Perl script <code>pdfatfi.pl</code> . . . . .	4
1.3 Changes to <code>attachfile</code> . . . . .	5
<b>2 Implementation</b>	<b>5</b>
2.1 Package . . . . .	5
2.1.1 Loading of packages . . . . .	5
2.1.2 Value checking . . . . .	5
2.1.3 Option declarations . . . . .	7
2.1.4 Option calling . . . . .	11
2.1.5 Evaluate driver options . . . . .	11
2.1.6 Evaluate options draft/final . . . . .	12
2.1.7 Load driver file . . . . .	13
2.1.8 Graphics . . . . .	13
2.1.9 Reading the <code>.atfi</code> file . . . . .	16
2.1.10 Writing the <code>.atfi</code> file . . . . .	18
2.1.11 Annotation appearance . . . . .	19
2.2 Drivers . . . . .	22
2.2.1 pdfTEX . . . . .	22
2.3 lualatex . . . . .	24
2.3.1 dvips . . . . .	27
2.3.2 dvipdfmx . . . . .	36
2.4 Perl script <code>pdfatfi.pl</code> . . . . .	39

---

\*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

<b>3 Installation</b>	<b>43</b>
3.1 Download . . . . .	43
3.2 Bundle installation . . . . .	44
3.3 Package installation . . . . .	44
3.4 Refresh file name databases . . . . .	44
3.5 Script installation . . . . .	44
3.6 Some details for the interested . . . . .	44
<b>4 References</b>	<b>45</b>
<b>5 History</b>	<b>45</b>
[2005/02/23 v2.0] . . . . .	45
[2005/10/07 v2.1] . . . . .	46
[2006/08/17 v2.2] . . . . .	46
[2007/04/11 v2.3] . . . . .	46
[2008/07/29 v2.4] . . . . .	46
[2009/09/25 v2.5] . . . . .	46
[2010/09/27 v2.6] . . . . .	46
[2012/04/18 v2.7] . . . . .	46
[2016/05/16 v2.8] . . . . .	46
[2019/07/24 v2.9] . . . . .	46

# 1 Documentation

## 1.1 Introduction

The PDF format ([3]) allows the inclusion of files inside the PDF document. The included files can be bound to an annotation on a page. Or they can be recorded in a sorted list of embedded files. The packages `attachfile` or `attachfile2` follow the first approach, package `embedfile` uses the latter method.

### 1.1.1 Future development

My dream is a large package that merges the features of all these packages mentioned before:

- Files can be attached to a page.
- Files can be attached to the document.
- An easy user interface for simple, common tasks and beginners.
- An interface for the advanced users that want to setup every detail.
- Support of many drivers (`pdftex`, `dvips`, `dvipdfm`, ...).
- ...

However, I have not managed to take the time for this project. Instead:

- First I experimented with package `attachfile`, adding driver support, fixing bugs, .... The result is currently named as `attachfile2`. It uses an external script to get file properties (size, date, checksum, ...).
- In order to avoid an external program for getting basic file properties I provided a patch “`EscapeAndOther`” for pdfTeX that was accepted for version 1.30.

- Package `embedfile` closes a gap left by the packages for attaching files and allows the embedding of files to the document. Also it makes use of the new primitives of pdfTEX.

Until this future becomes true, I provide the intermediate step `attachfile2` at its current state. There are many things to do:

- Documentation, documentation, ...
- Improving portability of the Perl script `pdfatfi.pl` (Windows, non-GNU, ...).
- Comfortable program for extracting embeddd files.
- Embedding files to the document, see package `embedfile`.
- Additionally use featur of pdfTEX 1.30. With a recent pdfTEX the Perl script step is then obsolete.
- GoToE links.
- Layout of PinPush, especially the tip does not scale well.
- Driver for `dvipsone`, similar to `dvips`, changes:
  - coordinate transformation need to be fixed here, `hdvipson.def` contains:

```
/DvipsToPDF{\u65781\div}\def
/PDFToDvips{\u65781\mul}\def
```

  - Syntax for `\special`: `hdvipson.def` contains both `\special{! #1}` and `\special{headertext= #1}`. Are bothe the same?
- File name conversion, see PDF specification:
 

```
c:\somewhere\foobar.txt → /c/somewhere/foobar.txt
```
- Option `scale` for icons?
- Compatibility for plain TEX.
- ToDos for `atfidvips.def`.

## 1.2 User interface

Basically this package `attachfile2` follows the user interface of package `attachfile`, look into its documentation ([1]).

### 1.2.1 New options

- Driver options `dvips`, `pdftex`, `dvipdfmx` and `xetex` that is an alias for `dvipdfmx`.
- Option `driverfallback` specifies a DVI driver if the driver cannot be detected automatically.
- New options `final` and `draft`.
- New option `scale` for scaling the annotation rectangle.
- Options `file` and `nofile` for controlling the generation of the auxiliary file `.atfi`.
- New option `ucfilespec` for file names with characters outside ASCII (PDF 1.7).

### 1.2.2 Option color

Package `attachfile`'s option `color` only understands explicit RGB values as three space separated real numbers in the range from 0 to 1.

This package `attachfile2` extends the syntax. The usual color specifications of packages `color` or `xcolor` may be used. The latter one requires that package `xcolor` is loaded. Without package `xcolor` a limited range of explicit color specifications are supported, the color models `rgb` and `gray` (and `cmyk` if package `hyperref`'s option `pdfversion` is set to 1.7 or greater).

Example without package `xcolor`:

```
\documentclass{article}
\usepackage[color={1,0,.5}]{attachfile2}
% Spaces in option values in \usepackage or \documentclass
% must be protected by curly braces. Otherwise LaTeX strips
% the spaces and the package would see `color=10.5'.
% This protection is not necessary for \attachfilesetup.
\attachfilesetup{color=1,0,.5}
\attachfilesetup{color=[rgb]{1,0,.5}}
\attachfilesetup{color=[gray]{.5}}
```

The following example with package `xcolor` shows additional color specifications:

```
\documentclass{article}
\usepackage{xcolor}
\definecolor{attachfilecolor}{cmyk}{.1,.2,.3,.4}
\usepackage{color=red}{attachfile2}
\attachfilesetup{color=red}
\attachfilesetup{color=attachfilecolor}
```

**For experts.** If the color is used in annotations, the color is converted with the help of package `xcolor` to RGB. PDF versions 1.7 or later also understand color models Gray and CMYK. The PDF version is detected if the experimental option `pdfversion` of package `hyperref` is used, example:

```
\documentclass{article}
\usepackage[pdfversion=1.7]{hyperref}
\usepackage{attachfile2}
```

However, currently only driver `pdftex` also supports the actual setting of the PDF version in the output PDF file.

### 1.2.3 Perl script `pdflatfi.pl`

This package also tries to get and add meta information data, such as file size, file date, checksum, .... As package `embedfile` shows the new features of pdf<sub>T</sub>E<sub>X</sub> 1.30 are very useful for getting this kind of data. Since version 2.6 these data are used if available.

For older versions of pdf<sub>T</sub>E<sub>X</sub> and X<sub>E</sub>T<sub>E</sub>X the Perl script `pdflatfi.pl` is provided to get this data. The use of the Perl script is not mandatory. This data can be shown by PDF viewers, but they are not a requirement of the PDF specification.

Package `attachfile2` and the Perl script communicate via an auxiliary file with file extension `.atfi`. The script is used between two L<sub>A</sub>T<sub>E</sub>X runs and updates the auxiliary file, example for `dvips`:

```
latex\_test
pdflatfi\_test
```

```

latex\_test
dvips\_test
ps2pdf\_test.ps\_test.pdf

```

### 1.3 Changes to `attachfile`

Some of the changes I can remember:

- Support for dvips.
- Support for dvipdfmx/X<sub>E</sub>T<sub>E</sub>X.
- Setting and filling the /Param entry for files (file date, file size, ...).
- Perl script `pdfatfi.pl`.
- New options.
- Bug fixes.
- ...

## 2 Implementation

### 2.1 Package

```

1 {*package}
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{attachfile2}%
4   [2019/07/24 v2.9 Attach files into PDF (HO)]%

```

#### 2.1.1 Loading of packages

```

5 \RequirePackage{ifpdf}[2009/04/10]
6 \RequirePackage{ifxetex}
7 \RequirePackage{ifluatex}[2009/04/10]
8 \RequirePackage{keyval}
9 \RequirePackage{color}
10 \RequirePackage{infwarerr}[2010/04/08]
11 \RequirePackage{ltxcmds}[2010/04/26]
12 \RequirePackage{kvoptions}[2009/07/21]
13 \RequirePackage{pdftexcmds}[2010/04/01]
14 \RequirePackage{pdfescape}[2007/11/11]

```

Package `hyperref` is needed because of `\pdfstringdef`.

```

15 \RequirePackage{hyperref}
16 \RequirePackage{hycolor}[2008/07/29]

```

#### 2.1.2 Value checking

```

\atfi@Match
17 \ltx@ifUndefined{pdfmatch}{%
18   \def\atfi@Match{\#1\#3\#4\#5}%
19 }{%
20   \def\atfi@Match{\#1\#3\%{%
21     \begingroup
22     \edef~{\ltx@backslashchar~}%
23     \edef.\{\ltx@backslashchar.\}%
24     \let#\ltx@hashchar
25     \edef\[{\ltx@backslashchar[}\]%
26     \edef$\{\ltx@backslashchar\$}%

```

```

27   \let\%\ltx@percentchar
28   \edef&{\string&}%
29   \edef\{\ltx@backslashchar{}%
30   \edef\}\{\ltx@backslashchar{}}%
31   \edef\|\{\ltx@backslashchar|}%
32   \edef\*\{\ltx@backslashchar*}%
33   \edef\+\{\ltx@backslashchar+}%
34   \edef\?\{\ltx@backslashchar?}%
35   \edef\{\{\ltx@backslashchar\ltx@leftbracechar}%
36   \edef\}\{\ltx@rightbracechar}%
37   \edef\\{\ltx@backslashchar\ltx@backslashchar}%
38   \edef\~{\string~}%
39   \ifcase\pdfmatch#3{#2}{#1} %
40     \endgroup
41     \expandafter\ltx@secondoftwo
42   \or
43     \endgroup
44     \expandafter\ltx@firstoftwo
45   \else
46     \atfi@Warning{%
47       Internal error: Wrong pattern!\MessageBreak
48       --> #2 <--\MessageBreak
49       Pattern check ignored%
50     }%
51     \endgroup
52     \expandafter\ltx@firstoftwo
53   \fi
54 }%
55 \def\atfi@PatToken{%
56   [%
57   -% first character
58   !%
59   \${\$}\&'^%
60   \*\+\.%%
61   0-9%
62   A-Z%
63   \^_%
64   a-z%
65   \{\}\|~%
66   ]+%
67 }%
68 \begin{group}
69   \lccode64=13 % @
70 \lowercase{\endgroup
71 \def\atfi@CR{@}%
72 }%
73 \def\atfi@PatQuotedString{%
74   "%
75   ([^"\\"atfi@CR]|\\".)*%
76   "%
77 }%
78 \ltx@ifpackagelater[ltxcmds]{2010/09/11}{}{%

```

```

\atfi@ltx@leftbracechar
 79   \begingroup
 80     \lccode`0=\`{\relax
 81   \lowercase{\endgroup
 82     \def\ltx@leftbracechar{0}%
 83   }%
 84   \begingroup
 85     \lccode`0=\`}\relax
 86   \lowercase{\endgroup
 87     \def\ltx@rightbracechar{0}%
 88   }%
 89   }%
 90 }

\atfi@Warning
 91 \def\atfi@Warning{\PackageWarning{attachfile2}}

```

### 2.1.3 Option declarations

```

92 \SetupKeyvalOptions{%
93   family=AtFi,%
94   prefix=atfi@%
95 }

\atfi@setup
 96 \def\atfi@setup{\setkeys{AtFi}{}

    Options draft and final.
 97 \DeclareBoolOption{draft}
 98 \DeclareComplementaryOption{final}{draft}
    Option mimetype.

\atfi@mimetype
 99 \def\atfi@mimetype{}

100 \define@key{AtFi}{mimetype}{%
101   \edef\atfi@mimetype{\#1}%
102   \ifx\atfi@mimetype\ltx@empty
103   \else
104     \atfi@Match\atfi@mimetype{%
105       ^(application|audio|image|model|text|video|x-\atfi@PatToken)%
106       /%
107       ([a-z\-\+\_.0-9]+)%
108       (; ?\atfi@PatToken=(\atfi@PatToken|\atfi@PatQuotedString))*$%
109     }{icase}{}{%
110       \atfi@Warning{%
111         Invalid value `\'\atfi@mimetype'\MessageBreak
112         of option `mimetype'.\MessageBreak
113         Value is discarded%
114       }%
115       \let\atfi@mimetype\ltx@empty
116     }%
117   \fi
118   \ifx\atfi@mimetype\ltx@empty
119   \else

```

```

120      \EdefEscapeName\atfi@mimetype{\atfi@mimetype}%
121      \edef\atfi@mimetype{/Subtype/\atfi@mimetype}%
122      \fi
123 }

        Option icon
124 \define@key{AtFi}{icon}{%
125   \def\atfi@icon{/Name/#1}%
126   \def\atfi@icon@icon{#1}%
127 }
128 \atfi@setup{icon=PushPin}

        Option color
129 \define@key{AtFi}{color}{%
130   \HyColor@AttachfileColor{#1}%
131   \atfi@color@tex\atfi@color@inline\atfi@color@annot
132   {attachfile2}{color}%
133 }
134 \atfi@setup{color=1 0.9255 0.7765}

        time options timezone and date

\atfi@pad@ii
135 \def\atfi@pad@ii#1{%
136   \ifnum#1>9 %
137     \number#1%
138   \else
139     0\number#1%
140   \fi%
141 }

atfi@timezone
142 \let\atfi@timezone\ltx@empty

143 \define@key{AtFi}{timezone}{\def\atfi@timezone{#1}}


\atfi@time
144 \edef\atfi@time{\the\time}

\atfi@hours
145 \def\atfi@hours{%
146   \numexpr\dimexpr0.01667\dimexpr\atfi@time sp\relax\relax\relax
147 }

\atfi@minutes
148 \def\atfi@minutes{%
149   \numexpr\atfi@time-60*\atfi@hours\relax
150 }

\atfi@seconds
151 \def\atfi@seconds{0}

\atfi@date
152 \def\atfi@date{%
153   /M(D:\the\year
154   \atfi@pad@ii\month
155   \atfi@pad@ii\day
156   \atfi@pad@ii\atfi@hours
157   \atfi@pad@ii\atfi@minutes

```

```

158      \atfi@pad@ii\atfi@seconds
159      \atfi@timezone)%
160 }

161 \define@key{AtFi}{date}{%
162   \EdefEscapeString\atfi@date{\#1}%
163   \edef\atfi@date{/M(\atfi@date)}%
164 }

Text options author, description, and subject

\atfi@pdfstringdef

165 \DeclareRobustCommand{\atfi@pdfstringdef}[2]{%
166   \pdfstringdef\atfi@temp@string{\#2}%
167   \edef#1{\atfi@temp@string}%
168 }

\atfi@NoValue

169 \def\atfi@NoValue{\NoValue}

\atfi@DefNoValueName

170 \def\atfi@DefNoValueName#1#2#3{%
171   \def#1{\#3}%
172   \ifx#1\atfi@NoValue
173     \let#1\ltx@empty
174   \else
175     \atfi@pdfstringdef#1{\#1}%
176     \edef#1{/#2(\#1)}%
177   \fi
178 }

Name for annotation to be used in GoToE actions

\atfi@annotname

179 \let\atfi@annotname\ltx@empty

180 \define@key{AtFi}{annotname}{[\NoValue]{%
181   \atfi@DefNoValueName\atfi@annotname{NM}\#1}%
182 }

Option author.

\atfi@author

183 \def\atfi@author{}

184 \define@key{AtFi}{author}{[\NoValue]{%
185   \atfi@DefNoValueName\atfi@author{T}\#1}%
186 }

Option description.

\atfi@description

187 \def\atfi@description{}

188 \define@key{AtFi}{description}{[\NoValue]{%
189   \atfi@DefNoValueName\atfi@description{Contents}\#1}%
190 }

Option subject.

\atfi@subject

191 \def\atfi@subject{}

```

```

192 \define@key{AtFi}{subject}[\NoValue]{%
193   \atfi@DefNoValueName\atfi@subject{Subj}{#1}%
194 }

  Option print.

195 \DeclareBoolOption[true]{print}

  Option zoom.

196 \DeclareBoolOption[true]{zoom}

  Option appearance.

197 \DeclareBoolOption[true]{appearance}

  Option scale.

198 \DeclareStringOption[1]{scale}

  Option ucfilespec.

\atfi@ucfilespec

199 \def\atfi@ucfilespec{}

200 \define@key{AtFi}{ucfilespec}[1]{%
201   \def\atfi@ucfilespec{#1}%
202   \ifx\atfi@ucfilespec\ltx@empty
203   \else
204     \atfi@pdfstringdef\atfi@ucfilespec{#1}%
205   \fi
206 }

  Option nofiles.

207 \DeclareBoolOption{nfiles}

  Driver options.

208 \let\atfi@driver\ltx@empty
209 \def\atfi@driver@pdftex{pdftex}
210 \def\atfi@driver@luatex{luatex}
211 \def\atfi@driver@dvips{dvips}
212 \def\atfi@driver@dvipdfmx{dvipdfmx}

213 \DeclareVoidOption{pdftex}{%
214   \ifpdf
215     \let\atfi@driver\atfi@driver@pdftex
216   \else
217     \let\atfi@driver\ltx@empty
218     \PackageError{attachfile2}{%
219       Wrong driver option `pdftex', \MessageBreak
220       because pdfTeX in PDF mode is not detected}%
221   }@\ehc
222   \fi
223 }
224 \DeclareVoidOption{luatex}{%
225   \let\atfi@driver\atfi@driver@luatex
226 }
227 \DeclareVoidOption{dvips}{%
228   \let\atfi@driver\atfi@driver@dvips
229 }
230 \DeclareVoidOption{dvipdfmx}{%
231   \let\atfi@driver\atfi@driver@dvipdfmx
232 }
233 \DeclareVoidOption{xetex}{%
234   \let\atfi@driver\atfi@driver@dvipdfmx
235 }

```

```

236 \DeclareStringOption{driverfallback}

\attachfilesetup
237 \DeclareRobustCommand{\attachfilesetup}[1]{\setkeys{AtFi}{#1}}

238 \DeclareLocalOptions{%
239   annotname,%
240   appearance,%
241   author,%
242   color,%
243   date,%
244   description,%
245   icon,%
246   mimetype,%
247   nofiles,%
248   print,%
249   scale,%
250   subject,%
251   timezone,%
252   ucfilespec,%
253   zoom,%
254 }

```

#### 2.1.4 Option calling

Timezone setting, ...

```

255 \InputIfFileExists{attachfile.cfg}{}{}
256 \ProcessKeyvalOptions*

```

```
\atfi@DisableOption
257 \def\atfi@DisableOption{%
258   \DisableKeyvalOption[action=error,package=attachfile2]{AtFi}%
259 }
```

#### 2.1.5 Evaluate driver options

```

260 \ifpdf
261   \ifluatex
262     \let\atfi@driver\atfi@driver@luatex
263   \else
264     \let\atfi@driver\atfi@driver@pdftex
265   \fi
266 \else
267   \ifxetex
268     \let\atfi@driver\atfi@driver@dvipdfmx
269   \else
270     \ifx\atfi@driver\ltx@empty
271       \ifx\atfi@driverfallback\ltx@empty
272         \else
273           \expandafter\let\expandafter\atfi@driver
274             \csname atfi@driver@atfi@driverfallback\endcsname
275           \ifx\atfi@driver\atfi@driver@dvips
276             \else
277               \ifx\atfi@driver\atfi@driver@dvipdfmx
278                 \else
279                   \let\atfi@driver\ltx@empty
280                   \PackageWarningNoLine{attachfile2}{%
281                     Option `driverfallback' with unsupported\MessageBreak

```

```

282             DVI driver (\atfi@driverfallback)%
283         }%
284     \fi
285     \fi
286     \fi
287     \ifx\atfi@driver\ltx@empty
288         \PackageWarningNoLine{attachfile2}{%
289             Driver is not specified,\MessageBreak
290             enforce draft settings}%
291     }%
292     \atfi@drafttrue
293     \fi
294     \fi
295 \fi
296 \fi

297 \atfi@DisableOption{pdftex}
298 \atfi@DisableOption{dvips}
299 \atfi@DisableOption{dvipdfmx}
300 \atfi@DisableOption{xetex}
301 \atfi@DisableOption{driverfallback}

```

### 2.1.6 Evaluate options `draft`/`final`

```

\notextattachfile

302 \DeclareRobustCommand{\notextattachfile}[2][]{%
303   \begingroup
304   \atfi@setup{#1}%
305   \ifatfi@print
306     \leavevmode
307     \begingroup
308       \HyColor@UseColor\atfi@color@tex
309       #2\strut
310     \endgroup
311   \else
312     \sbox{\ltx@zero{\#2\strut}}%
313     \makebox[\wd0]{}
314   \fi
315 \endgroup
316 }

317 \atfi@DisableOption{draft}%
318 \atfi@DisableOption{final}%
319 \ifatfi@draft
320   \def\atfi@dummy@pushpin{%
321     \raisebox{-1.25bp}{\parbox[b]{14bp}{24bp}{}}%
322   }%
323   \DeclareRobustCommand{\textattachfile}[3][]{%
324     \notextattachfile[{#1}]{#3}%
325   }%
326   \DeclareRobustCommand{\noattachfile}[1][]{%
327     \notextattachfile[{#1}]{\atfi@dummy@pushpin}%
328   }%
329   \DeclareRobustCommand{\attachfile}[2][]{%
330     \noattachfile[{#1}]%
331   }%
332   \expandafter\endinput
333 \fi

```

### 2.1.7 Load driver file

```
334 \input{atfi-\atfi@driver.def}
```

### 2.1.8 Graphics

```
\atfi@acroGraph@data
335 \def\atfi@acroGraph@data{%
336   \atfi@GSAVE
337   0.5 \atfi@SETGRAYFILL
338   1.1133 0 20.7202 18.2754 \atfi@RECTFILL
339   0 \atfi@SETFLAT
340   0.5 \atfi@SETLINEWIDTH
341   4 \atfi@SETMITERLIMIT
342   \atfi@RECTSTROKEFILL{%
343     1 \atfi@SETGRAYFILL
344   }{%
345     0 \atfi@SETGRAYSTROKE
346   }{%
347     0.25 1.6453 20.145 17.7715 %
348   }%
349   0 \atfi@SETGRAYFILL
350   2.7319 4.1367 3.9571 13.8867 \atfi@RECTFILL
351   8.7031 4.1367 3.9571 9.8867 \atfi@RECTFILL
352   14.7471 4.1367 3.9571 11.8867 \atfi@RECTFILL
353   \atfi@color@inline{FILL}{%
354     1.689 3.0938 3.9571 13.8867 \atfi@RECTFILL
355     7.6602 3.0938 3.9571 9.8867 \atfi@RECTFILL
356     13.7041 3.0938 3.9571 11.8867 \atfi@RECTFILL
357   }%
358 }

\atfi@acroGraph
359 \def\atfi@acroGraph{%
360   \raisebox{-1.5bp}{\parbox[b][20bp][22bp]{%
361     \rule[0pt]{0pt}{0pt}\atfi@literal{\atfi@acroGraph@data}}}{%
362 }%
363 }

\atfi@acroPaperclip@data
364 \newcommand{\atfi@acroPaperclip@data}{%
365   \atfi@GSAVE
366   0.75 \atfi@SETGRAYSTROKE
367   0 \atfi@SETFLAT
368   2.5 \atfi@SETLINEWIDTH
369   1 \atfi@SETLINECAP
370   4 \atfi@SETMITERLIMIT
371   1.9619 11.7559 \atfi@MOVETO
372   1.9619 3.3037 1.9619 2.5059 \atfi@CURVETOY
373   1.9619 1.707 4.0947 1.25 \atfi@CURVETOY
374   7.4141 1.25 \atfi@LINETO
375   9.4292 1.8223 9.4292 3.3066 \atfi@CURVETOY
376   9.4292 4.79 9.4292 16.8945 \atfi@CURVETOY
377   9.7852 18.1514 8.481 18.1514 \atfi@CURVETOY
378   7.1768 18.1514 5.1616 18.1514 \atfi@CURVETOY
379   3.8574 17.9209 3.8574 16.8945 \atfi@CURVETOY
380   3.8574 15.8652 3.8574 6.6172 \atfi@CURVETOY
381   4.3325 5.418 5.1025 5.418 \atfi@CURVETOY
382   5.8726 5.418 6.5845 5.418 \atfi@CURVETOY
```

```

383 7.6812 5.6455 7.6812 6.4736 \atfi@CURVETOY
384 7.6812 7.3027 7.6812 11.5264 \atfi@CURVETOY
385 \atfi@STROKE
386 0 \atfi@SETGRAYSTROKE
387 1.2495 12.4404 \atfi@MOVETO
388 1.2495 3.9883 1.2495 3.1895 \atfi@CURVETOY
389 1.2495 2.3906 3.3833 1.9326 \atfi@CURVETOY
390 6.7026 1.9326 \atfi@LINETO
391 8.7178 2.5068 8.7178 3.9902 \atfi@CURVETOY
392 8.7178 5.4736 8.7178 17.5781 \atfi@CURVETOY
393 9.0732 18.834 7.769 18.834 \atfi@CURVETOY
394 6.4653 18.834 4.4497 18.834 \atfi@CURVETOY
395 3.146 18.6055 3.146 17.5781 \atfi@CURVETOY
396 3.146 16.5498 3.146 7.3018 \atfi@CURVETOY
397 3.6201 6.1016 4.3911 6.1016 \atfi@CURVETOY
398 5.1611 6.1016 5.873 6.1016 \atfi@CURVETOY
399 6.9692 6.3301 6.9692 7.1572 \atfi@CURVETOY
400 6.9692 7.9863 6.9692 12.21 \atfi@CURVETOY
401 \atfi@STROKE
402 \atfi@color@inline{STROKE}%
403 1 \atfi@SETLINEWIDTH
404 1.2495 12.4404 \atfi@MOVETO
405 1.2495 3.9883 1.2495 3.1895 \atfi@CURVETOY
406 1.2495 2.3906 3.3833 1.9326 \atfi@CURVETOY
407 6.7026 1.9326 \atfi@LINETO
408 8.7178 2.5068 8.7178 3.9902 \atfi@CURVETOY
409 8.7178 5.4736 8.7178 17.5781 \atfi@CURVETOY
410 9.0732 18.834 7.769 18.834 \atfi@CURVETOY
411 6.4653 18.834 4.4497 18.834 \atfi@CURVETOY
412 3.146 18.6055 3.146 17.5781 \atfi@CURVETOY
413 3.146 16.5498 3.146 7.3018 \atfi@CURVETOY
414 3.6201 6.1016 4.3911 6.1016 \atfi@CURVETOY
415 5.1611 6.1016 5.873 6.1016 \atfi@CURVETOY
416 6.9692 6.3301 6.9692 7.1572 \atfi@CURVETOY
417 6.9692 7.9863 6.9692 12.21 \atfi@CURVETOY
418 \atfi@STROKE
419 \atfi@GRESTORE
420 }

\atfi@acroPaperclip
421 \def\atfi@acroPaperclip{%
422   \raisebox{-1.25bp}{\parbox[b][21bp]{12bp}{%
423     \rule{0pt}{0pt}\atfi@literal{\atfi@acroPaperclip@data}}}
424 }
425 }

\atfi@acroPushPin@data
426 \def\atfi@acroPushPin@data{%
427   \atfi@GSAVE
428   1 \atfi@SETLINEWIDTH
429   1 6 \atfi@MOVETO
430   11 6 \atfi@LINETO
431   11 13 \atfi@LINETO
432   12 13 \atfi@LINETO
433   14 11 \atfi@LINETO
434   21 11 \atfi@LINETO
435   22 12 \atfi@LINETO
436   23 12 \atfi@LINETO

```

```

437 23 2 \atfi@LINETO
438 22 2 \atfi@LINETO
439 21 3 \atfi@LINETO
440 14 3 \atfi@LINETO
441 12 1 \atfi@LINETO
442 11 1 \atfi@LINETO
443 11 6 \atfi@LINETO
444 \atfi@FILLSTROKE{%
445   \atfi@color@inline{FILL}%
446 }{%
447   0 \atfi@SETGRAYSTROKE
448 }%
449 0.5 \atfi@SETGRAYSTROKE
450 0 7 \atfi@MOVETO
451 10 7 \atfi@LINETO
452 10 8 \atfi@LINETO
453 1 8 \atfi@LINETO
454 \atfi@STROKE
455 1 \atfi@SETGRAYSTROKE
456 12 12 \atfi@MOVETO
457 14 10 \atfi@LINETO
458 22 10 \atfi@LINETO
459 22 11 \atfi@LINETO
460 \atfi@STROKE
461 \atfi@GRESTORE
462 }

\atfi@acroPushPin
463 \def\atfi@acroPushPin{%
464   \raisebox{-1.25bp}{\parbox[b]{14bp}{24bp}{%
465     \rule{0pt}{0pt}\atfi@literal{\atfi@acroPushPin@data}}}}%
466 }%
467 }

\atfi@acroTag@data
468 \def\atfi@acroTag@data{%
469   \atfi@GSAVE
470   0.5 \atfi@SETGRAYFILL
471   10.0542 14.9873 \atfi@MOVETO
472   24.27 14.9873 \atfi@LINETO
473   25.252 14.0059 \atfi@LINETO
474   25.252 1.1455 \atfi@LINETO
475   24.1064 0 \atfi@LINETO
476   9.9609 0 \atfi@LINETO
477   6.0327 6.0088 \atfi@LINETO
478   6.0327 9.002 \atfi@LINETO
479   10.0542 14.9873 \atfi@LINETO
480   9.3994 9.376 \atfi@MOVETO
481   8.5215 9.376 7.8096 8.5596 7.8096 7.5527 \atfi@CURVETO
482   7.8096 6.5449 8.5215 5.7285 9.3994 5.7285 \atfi@CURVETO
483   10.2778 5.7285 10.9897 6.5449 10.9897 7.5527 \atfi@CURVETO
484   10.9897 8.5596 10.2778 9.376 9.3994 9.376 \atfi@CURVETO
485 \atfi@CLOSEPATH
486 \atfi@FILL
487 0 \atfi@SETFLAT
488 0.5 \atfi@SETLINEWIDTH
489 4 \atfi@SETMITERLIMIT
490 1 \atfi@SETLINEJOIN

```

```

491 8.5107 16.5313 \atfi@MOVETO
492 22.7266 16.5313 \atfi@LINETO
493 23.7085 15.5488 \atfi@LINETO
494 23.7085 2.6895 \atfi@LINETO
495 22.563 1.543 \atfi@LINETO
496 8.4175 1.543 \atfi@LINETO
497 4.4893 7.5527 \atfi@LINETO
498 4.4893 10.5449 \atfi@LINETO
499 8.5107 16.5313 \atfi@LINETO
500 7.856 10.9199 \atfi@MOVETO
501 6.978 10.9199 6.2661 10.1035 6.2661 9.0957 \atfi@CURVETO
502 6.2661 8.0879 6.978 7.2715 7.856 7.2715 \atfi@CURVETO
503 8.7344 7.2715 9.4463 8.0879 9.4463 9.0957 \atfi@CURVETO
504 9.4463 10.1035 8.7344 10.9199 7.856 10.9199 \atfi@CURVETO
505 \atfi@CLOSEPATH
506 \atfi@FILLSTROKE{%
507   \atfi@color@inline{FILL}%
508 }%
509   0 \atfi@SETGRAYSTROKE
510 }%
511 1 \atfi@SETLINEWIDTH
512 12.3291 12.2656 \atfi@MOVETO
513 21.1206 12.2656 \atfi@LINETO
514 \atfi@STROKE
515 12.3291 9.1797 \atfi@MOVETO
516 21.1206 9.1797 \atfi@LINETO
517 \atfi@STROKE
518 12.3291 6.1875 \atfi@MOVETO
519 21.1206 6.1875 \atfi@LINETO
520 \atfi@STROKE
521 % 0 \atfi@SETGRAYSTROKE % redundant?
522 0.5 \atfi@SETLINEWIDTH
523 0 9.0488 \atfi@MOVETO
524 6.2661 9.0957 \atfi@LINETO
525 \atfi@STROKE
526 1.4028 5.2148 \atfi@MOVETO
527 1.4028 9.6094 \atfi@LINETO
528 1.6831 10.6387 2.4316 10.6387 \atfi@CURVETOV
529 3.6475 10.6387 3.5542 9.0488 \atfi@CURVETOY
530 \atfi@STROKE
531 \atfi@GRESTORE
532 }

\atfi@acroTag

533 \def\atfi@acroTag{%
534   \raisebox{-1.6bp}{\parbox[b][17bp][25bp]{%
535     \rule{0pt}{0pt}\atfi@literal{\atfi@acroTag@data}}}%
536 }%
537 }

```

### 2.1.9 Reading the .atfi file

Commands used in \jobname.atfi:

- attachfile@timezone{<timezone in PDF format>}
- \attachfile@file[
  - Size=<size>,
  - CreationDate=<date>, □ <date> local time without "D:" □ and □ timezone

```

    \ll ModDateTZ=<date+TZ>,
    \ll ModDate=<date>,
    \ll CheckSum=<checksum>
] {<filename> as hex string}

\attachfile@timezone
538 \def\attachfile@timezone#1{%
539   \ifx\#1\%
540     % no timezone information given
541   \else
542     \def\atfi@timezone{#1}%
543   \fi
544 }

\attachfile@file
545 \newcommand*{\attachfile@file}[2][]{%
546   \Edef\UnescapeHex\atfi@filename{#2}%
547   \ifx\atfi@filename\ltx@empty
548     \PackageError{attachfile2}{Empty file name}\@ehc
549   \else
550     \namedef{atfi@file@atfi@filename}{#1}%
551   \fi
552 }

553 \InputIfFileExists{\jobname.atfi}{}{%
554 \newif\ifatfi@checksum
555 \define@key{AtFi@file}{Checksum}{%
556   \atfi@checksumtrue
557   \edef\atfi@params{\atfi@params/Checksum<#1>}%
558 }
559 \newif\ifatfi@creationdate
560 \define@key{AtFi@file}{CreationDateTZ}{%
561   \ifatfi@creationdate
562   \else
563     \atfi@creationdatetrue
564     \edef\atfi@params{%
565       \atfi@params
566       /CreationDate(#1)}%
567   }%
568   \fi
569 }
570 \define@key{AtFi@file}{CreationDate}{%
571   \ifatfi@creationdate
572   \else
573     \atfi@creationdatetrue
574     \edef\atfi@params{%
575       \atfi@params
576       /CreationDate(#1\atfi@timezone)}%
577   }%
578   \fi
579 }
580 \newif\ifatfi@moddate
581 \define@key{AtFi@file}{ModDateTZ}{%
582   \ifatfi@moddate
583   \else
584     \atfi@moddatetrue
585     \edef\atfi@params{%

```

```

586      \atfi@params
587      /ModDate(#1)%
588      }%
589  \fi
590 }

591 \define@key{AtFi@file}{ModDate}{%
592   \ifatfi@moddate
593   \else
594     \atfi@moddatetrue
595     \edef\atfi@params{%
596       \atfi@params
597       /ModDate(D:#1\atfi@timezone)%
598     }%
599   \fi
600 }

\atfi@pdftexdata
601 \let\atfi@temp\ltx@one
602 \ltx@ifUndefined{pdf@filesize}{%
603   \let\atfi@temp\ltx@zero
604 }{%
605 \ltx@ifUndefined{pdf@filemoddate}{%
606   \let\atfi@temp\ltx@zero
607 }{%
608 \ltx@ifUndefined{pdf@filemdfivesum}{%
609   \let\atfi@temp\ltx@zero
610 }{%
611 \ifcase\atfi@temp
612   \let\atfi@pdftexdata\ltx@gobble
613 \or
614   \def\atfi@pdftexdata#1{%
615     \edef\atfi@temp{\pdf@filesize{#1}}%
616     \ifx\atfi@temp\ltx@empty
617     \else
618       \setkeys{AtFi@file}{Size=\atfi@temp}%
619       \edef\atfi@temp{\pdf@filemoddate{#1}}%
620       \ifx\atfi@temp\ltx@empty
621       \else
622         \setkeys{AtFi@file}{ModDateTZ=\atfi@temp}%
623       \fi
624       \edef\atfi@temp{\pdf@filemdfivesum{#1}}%
625       \ifx\atfi@temp\ltx@empty
626       \else
627         \setkeys{AtFi@file}{CheckSum=\atfi@temp}%
628       \fi
629     \fi
630   }%
631 \fi

```

### 2.1.10 Writing the .atfi file

Respect `\nofiles` and option `nofiles`. `\nofiles` has more weight than option `nofiles`.

```

632 \if@files
633 \else
634   \atfi@nofilestrue
635 \fi

```

```

636 \ifatfi@nofiles
637   \PackageInfo{attachfile2}{%
638     File `jobname.atfi' will not be written because of\MessageBreak
639     \string\nofiles\space or option `nofiles'%
640   }%
641
\atfi@writefile
641   \let\atfi@writefile\ltx@gobble
642
\atfi@else
643
\atfi@stream
643   \newwrite\atfi@stream
644   \immediate\openout\atfi@stream=\jobname.atfi\relax
645   \immediate\write\atfi@stream{%
646     \string\attachfile@timezone{\atfi@timezone}%
647   }%
648
\atfi@writefile
648   \def\atfi@writefile#1{%
649     \begingroup
650       \EdefEscapeHex\atfi@temp{#1}%
651       \immediate\write\atfi@stream{%
652         \string\attachfile@file[%%
653           \ltx@ifundefined{atfi@file@#1}{}{\cnameuse{atfi@file@#1}}]%
654         ]{\atfi@temp}%
655       }%
656     \endgroup
657   }%
658 \fi
659 \atfi@DisableOption{nofiles}

\atfi@attachfile
660 \def\atfi@attachfile#1#2{%
661   \ltx@IfUndefined{atfi@fileobj@#2}{%
662     \atfi@writefile{#2}%
663   }{%
664     % don't need duplicates
665   }%
666   \atfi@setup{#1}%
667   \atfi@embedfile{#2}%
668   \atfi@set@appearance@icon
669   \atfi@flags@to@int
670   \atfi@insert@file@annot{#2}%
671   \endgroup
672 }%

```

### 2.1.11 Annotation appearance

```

\atfi@appearancewidth
673 \newlength{\atfi@appearancewidth}

\atfi@appearanceheight
674 \newlength{\atfi@appearanceheight}

\atfi@appearancedepth
675 \newlength{\atfi@appearancedepth}

```

```

\atfi@appearancebox
676 \newsavebox{\atfi@appearancebox}

\atfi@set@appearance@icon
677 \def\atfi@set@appearance@icon{%
678   \ltx@ifundefined{atfi@appobj@\atfi@icon@icon}{%
679     \savebox{\atfi@appearancebox}{%
680       \cnameuse{atfi@acro\atfi@icon@icon}%
681     }%
682     \expandafter
683     \xdef\csname atfi@appwidth@\atfi@icon@icon\endcsname{%
684       \the\wd\atfi@appearancebox
685     }%
686     \expandafter
687     \xdef\csname atfi@appheight@\atfi@icon@icon\endcsname{%
688       \the\ht\atfi@appearancebox
689     }%
690     \expandafter
691     \xdef\csname atfi@appdepth@\atfi@icon@icon\endcsname{%
692       \the\dp\atfi@appearancebox
693     }%
694     \atfi@xform@icon
695     \global\expandafter\let
696       \csname atfi@appobj@\atfi@icon@icon\endcsname
697       \atfi@appearanceobj
698   }%
699 }%
700 % optimization: \setlength dropped
701 \atfi@appearancewidth=%
702   \cnameuse{atfi@appwidth@\atfi@icon@icon}\relax
703 \atfi@appearanceheight=%
704   \cnameuse{atfi@appheight@\atfi@icon@icon}\relax
705 \atfi@appearancedepth=%
706   \cnameuse{atfi@appdepth@\atfi@icon@icon}\relax
707 \expandafter\let\expandafter\atfi@appearanceobj
708   \csname atfi@appobj@\atfi@icon@icon\endcsname
709 }

\atfi@set@appearance
710 \def\atfi@set@appearance#1{%
711   \savebox{\atfi@appearancebox}{#1}%
712   \atfi@appearancewidth=\wd\atfi@appearancebox
713   \atfi@appearanceheight=\ht\atfi@appearancebox
714   \atfi@appearancedepth=\dp\atfi@appearancebox
715   \atfi@xform
716 }

717 \newcounter{atfi@flags}

\atfi@flags@to@int
718 \DeclareRobustCommand{\atfi@flags@to@int}{%
719   \setcounter{atfi@flags}{0}%
720   \ifatfi@print
721     \addtocounter{atfi@flags}{4}%
722   \fi%
723   \ifatfi@zoom
724   \else
725     \addtocounter{atfi@flags}{8}%

```

```

726   \fi%
727 }

\atfi@textattachfile
728 \def\atfi@textattachfile#1#2{%
729   \endgroup
730   \atfi@textattachfile@i{#1}{#2}%
731 }

\atfi@textattachfile@i
732 \def\atfi@textattachfile@i#1#2#3{%
733   \ltx@ifundefined{atfi@fileobj@#2}{%
734     \atfi@writefile{#2}%
735   }{%
736     % don't need duplicates
737   }%
738   \atfi@setup{#1}%
739   \atfi@embedfile{#2}%
740   \atfi@set@appearance{%
741     \leavevmode
742     \begingroup
743       \HyColor@UseColor\atfi@color@tex
744       #3\strut
745     \endgroup
746   }%
747   \atfi@flags@to@int
748   \atfi@insert@file@annot{#2}%
749 \endgroup
750 }

\attachfile
751 \DeclareRobustCommand{\attachfile}[1][]{%
752   \begingroup
753     \let\do\@makeother
754     \dospecials
755     \catcode`\\=1\relax
756     \catcode`\\=2\relax
757     \atfi@attachfile{#1}%
758 }

{textattachfile}
759 \DeclareRobustCommand{\textattachfile}[1][]{%
760   \begingroup
761     \begingroup
762       \let\do\@makeother
763       \dospecials
764       \catcode`\\=1\relax
765       \catcode`\\=2\relax
766       \atfi@textattachfile{#1}%
767 }

\noattachfile
768 \DeclareRobustCommand{\noattachfile}[1][]{%
769   \begingroup
770     \atfi@setup{#1}%
771     \atfi@set@appearance@icon
772     \ifatfi@print
773       \expandafter

```

```

774      \atfi@refxform\csname atfi@appobj@\atfi@icon@icon\endcsname
775      \else
776      \makebox[\atfi@appearancewidth]{}
777      \fi
778  \endgroup
779 }

780 </package>

```

## 2.2 Drivers

### 2.2.1 pdfTeX

```

781 /*pdftex*/
782 \NeedsTeXFormat{LaTeX2e}
783 \ProvidesFile{atfi-pdftex.def}%
784 [2019/07/24 v2.9 attachfile2 driver for pdfTeX (HO)]%

```

#### Macros for graphics data

```

\atfi@literal
785 \let\atfi@literal\pdfliteral
786 \def\atfi@GSAVE{q }
787 \def\atfi@GRESTORE{Q }
788 \def\atfi@SETLINEWIDTH{w }
789 \def\atfi@LINETO{l }
790 \def\atfi@MOVETO{m }
791 \def\atfi@STROKE{s }
792 \def\atfi@FILL{f }
793 % \atfi@FILLSTROKE{<fill color>}{<stroke color>}
794 \def\atfi@FILLSTROKE#1#2{#1#2B }

```

color: uppercase are stroke colors, lowercase non-stroke (fill) colors PS, however, does not different between stroke and not-stroke colors

```

795 \def\atfi@SETRGBCOLORSTROKE{RG }
796 \def\atfi@SETRGBCOLORFILL{rg }
797 \def\atfi@SETGRAYSTROKE{G }
798 \def\atfi@SETGRAYFILL{g }
799 \def\atfi@SETCMYKCOLORSTROKE{K }
800 \def\atfi@SETCMYKCOLORFILL{k }
801 \def\atfi@RECTFILL{re f }
802 \def\atfi@RECTSTROKEFILL#1#2#3{#1#2#3re B }
803 \def\atfi@SETMITERLIMIT{M }
804 \def\atfi@SETFLAT{i }
805 \def\atfi@SETLINECAP{j }
806 \def\atfi@CURVETO{c }
807 \def\atfi@CURVETOV{v }
808 \def\atfi@CURVETOY{y }
809 \def\atfi@CLOSEPATH{h }
810 \def\atfi@SETLINEJOIN{j }

```

#### File embedding

```

811 \define@key{AtFi@file}{Size}{%
812   \edef\atfi@params{\atfi@params/Size #1}%
813 }

```

```

\atfi@embedfile
814 \def\atfi@embedfile#1{%

```

```

815  \ltx@IfUndefined{atfi@fileobj@#1}{%
816    \begingroup
817      \let\atfi@params\ltx@empty
818      \expandafter\let\expandafter\atfi@temp
819        \csname atfi@file@#1\endcsname
820      \ifx\atfi@temp\ltx@empty
821        \let\atfi@temp\relax
822      \fi
823      \ifx\atfi@temp\relax
824        \atfi@pdftexdata{#1}%
825      \else
826        \edef\x{%
827          \noexpand\setkeys{AtFi@file}{\@nameuse{atfi@file@#1}}%
828        }%
829        \x
830      \fi
831      \ifx\atfi@params\ltx@empty
832      \else
833        \edef\atfi@params{/Params<<\atfi@params>>}%
834      \fi
835      \immediate\pdfobj stream attr {%
836        /Type/EmbeddedFile%
837        \atfi@mimetype
838        \atfi@params
839      } file {#1}%
840      \expandafter
841      \xdef\csname atfi@fileobj@#1\endcsname{\the\pdflastobj}%
842      \endgroup
843    }{%
844      % file already embedded
845    }%
846 }

```

### Annotation appearance

```

\atfi@xform input: \atfi@appearancebox, output: \atfi@appearanceobj
847 \def\atfi@xform{%
848   \immediate\pdfxform\atfi@appearancebox
849   \edef\atfi@appearanceobj{\the\pdflastxform}%
850 }

```

```

\atfi@xform@icon
851 \let\atfi@xform@icon\atfi@xform

```

```

\atfi@refxform
852 \def\atfi@refxform#1{%
853   \pdfrefxform#1\relax
854 }

```

### File attachment annotation

```

\atfi@insert@file@annot
855 \def\atfi@insert@file@annot#1{%
856   \rule{0pt}{0pt}%
857   \ifatfi@appearance
858     \def\atfi@appearance@dict{%
859       /AP<<%

```

```

860      /N \atfi@appearanceobj\space 0 R%
861      /R \atfi@appearanceobj\space 0 R%
862      /D \atfi@appearanceobj\space 0 R%
863      >>%
864      }%
865  \else
866    \let\atfi@appearance@dict\ltx@empty
867  \fi
868  \ltx@ifundefined{\atfi@fsobj@#1}{%
869    \begingroup
870      \hypersetup{unicode=false}%
871      \atfi@pdfstringdef\atfi@file{#1}%
872      \immediate\pdfobj{%
873        <<%
874          /Type/Filespec%
875          /F(\atfi@file)%
876          \ifx\atfi@ucfilespec\ltx@empty
877            \else
878              /UF(\atfi@ucfilespec)%
879            \fi
880            /EF<<%
881              /F \c@nameuse{\atfi@fileobj@#1} 0 R%
882            >>%
883          >>%
884        }%
885        \expandafter\xdef\csname atfi@fsobj@#1\endcsname{%
886          \the\pdflastobj
887        }%
888      \endgroup
889    }{%
890  }%
891  \pdfannot width \atfi@scale\atfi@appearancewidth
892    height \atfi@scale\atfi@appearanceheight
893    depth \atfi@scale\atfi@appearancedepth {%
894    /Subtype/FileAttachment%
895    \atfi@icon
896    \atfi@color@annot
897    \atfi@author
898    \atfi@date
899    \atfi@annotname
900    \atfi@description
901    \atfi@subject
902    \atfi@appearance@dict
903    /F \the\atfi@flags
904    /FS \c@nameuse{\atfi@fsobj@#1} 0 R%
905  }%
906  \rule{0pt}{\atfi@appearanceheight}%
907  \rule[-\atfi@appearancedepth]{0pt}{\atfi@appearancedepth}%
908  \rule{\atfi@appearancewidth}{0pt}%
909 }
910 
```

## 2.3 luatex

```

911 /*luatex*/
912 \NeedsTeXFormat{LaTeX2e}
913 \ProvidesFile{atfi-luatex.def}%
914   [2019/07/24 v2.9 attachfile2 driver for luatex (HO)]%

```

```

915 \protected\def\atfi@literal           {\pdfextension literal}
916 \def\atfi@GSAVE{q }
917 \def\atfi@GRESTORE{Q }
918 \def\atfi@SETLINEWIDTH{w }
919 \def\atfi@LINETO{l }
920 \def\atfi@MOVETO{m }
921 \def\atfi@STROKE{s }
922 \def\atfi@FILL{f }
923 \def\atfi@FILLSTROKE#1#2{#1#2B }
924 \def\atfi@SETRGBCOLORSTROKE{RG }
925 \def\atfi@SETRGBCOLORFILL{rg }
926 \def\atfi@SETGRAYSTROKE{G }
927 \def\atfi@SETGRAYFILL{g }
928 \def\atfi@SETCMYKCOLORSTROKE{K }
929 \def\atfi@SETCMYKCOLORFILL{k }
930 \def\atfi@RECTFILL{re f }
931 \def\atfi@RECTSTROKEFILL#1#2#3{#1#2#3re B }
932 \def\atfi@SETMITERLIMIT{M }
933 \def\atfi@SETFLAT{i }
934 \def\atfi@SETLINECAP{J }
935 \def\atfi@CURVETO{c }
936 \def\atfi@CURVETOV{v }
937 \def\atfi@CURVETOY{y }
938 \def\atfi@CLOSEPATH{h }
939 \def\atfi@SETLINEJOIN{j }
940 \define@key{AtFi@file}{Size}{%
941   \edef\atfi@params{\atfi@params/Size #1}%
942 }%
943 \def\atfi@embedfile#1{%
944   \ltx@ifundefined{atfi@fileobj@#1}{%
945     \begingroup
946       \let\atfi@params\ltx@empty
947       \expandafter\let\expandafter\atfi@temp
948         \csname atfi@file@#1\endcsname
949       \ifx\atfi@temp\ltx@empty
950         \let\atfi@temp\relax
951       \fi
952       \ifx\atfi@temp\relax
953         \atfi@pdftexdata{#1}%
954       \else
955         \edef\x{%
956           \noexpand\setkeys{AtFi@file}{\@nameuse{atfi@file@#1}}%
957         }%
958         \x
959       \fi
960       \ifx\atfi@params\ltx@empty
961       \else
962         \edef\atfi@params{/Params<<\atfi@params>>}%
963       \fi
964       \immediate\pdfextension obj stream attr {%
965         /Type/EmbeddedFile%
966         \atfi@mimetype
967         \atfi@params
968       } file {#1}%
969       \expandafter
970       \xdef\csname atfi@fileobj@#1\endcsname{\the\numexpr\pdffeedback lastobj\relax}%
971     \endgroup
972   }%

```

```

973      % file already embedded
974  }%
975 }
976 \def\atfi@xform{%
977   \immediate\saveboxresource\atfi@appearancebox
978   \edef\atfi@appearanceobj{\the\lastsavedboxresourceindex}%
979 }
980 \let\atfi@xform@icon\atfi@xform
981 \def\atfi@refxform#1{%
982   \useboxresource#1\relax
983 }
984 \def\atfi@insert@file@annot#1{%
985   \rule{Opt}{Opt}%
986   \ifatfi@appearance
987     \def\atfi@appearance@dict{%
988       /AP<<%
989         /N \atfi@appearanceobj\space 0 R%
990         /R \atfi@appearanceobj\space 0 R%
991         /D \atfi@appearanceobj\space 0 R%
992       >>%
993     }%
994   \else
995     \let\atfi@appearance@dict\ltx@empty
996   \fi
997   \ltx@ifundefined{\atfi@fsobj@#1}{%
998     \begingroup
999       \hypersetup{unicode=false}%
1000       \atfi@pdfstringdef{\atfi@file{#1}}%
1001       \immediate\pdfextension obj{%
1002         <<%
1003           /Type/Filespec%
1004           /F(\atfi@file)%
1005           \ifx\atfi@ucfilespec\ltx@empty
1006             \else
1007               /UF(\atfi@ucfilespec)%
1008             \fi
1009           /EF<<%
1010             /F \c@nameuse{\atfi@fileobj@#1} 0 R%
1011           >>%
1012         >>%
1013       }%
1014       \expandafter\xdef\csname atfi@fsobj@#1\endcsname{%
1015         \the\numexpr\pdffeedback lastobj\relax
1016       }%
1017     \endgroup
1018   }{%
1019   }%
1020   \pdfextension annot width \atfi@scale\atfi@appearancewidth
1021           height \atfi@scale\atfi@appearancemaxheight
1022           depth \atfi@scale\atfi@appearancedepth {%
1023     /Subtype/FileAttachment%
1024     \atfi@icon
1025     \atfi@color@annot
1026     \atfi@author
1027     \atfi@date
1028     \atfi@annotname
1029     \atfi@description
1030     \atfi@subject

```

```

1031     \atfi@appearance@dict
1032     /F \theatfi@flags
1033     /FS \nameuse{\atfi@fsobj@#1} 0 R%
1034   }%
1035   \rule{0pt}{\atfi@appearanceheight}%
1036   \rule{-\atfi@appearancedepth}{0pt}{\atfi@appearancedepth}%
1037   \rule{\atfi@appearancewidth}{0pt}%
1038 }
1039 </luatex>

```

### 2.3.1 dvips

```

1040 /*dvips*/
1041 \NeedsTeXFormat{LaTeX2e}
1042 \ProvidesFile{atfi-dvips.def}%
1043 [2019/07/24 v2.9 attachfile2 driver for dvips (HO)]%

```

#### Macros for graphics data

```

\atfi@literal
1044 \def\atfi@literal#1{%
1045   \special{ps:atfi_dict begin{#1}atfi_?pdfmark end}%
1046 }

\atfi@header
1047 \def\atfi@header#1{%
1048   \special{! #1}%
1049 }

1050 \atfi@header{%
1051   userdict begin 20 dict dup /atfi_dict exch def end begin%
1052   /atfi_?pdfmark systemdict %
1053   dup/pdfmark known%
1054   {%
1055     /exec get def%
1056   }{%
1057     /pop get def%
1058   } ifelse%
1059   {%
1060     %
1061     % x y width height atfi_re ->
1062     languagelevel 2 ge {%
1063       /atfi_rectfill { rectfill } bind def%
1064       /atfi_rectstroke { rectstroke } bind def%
1065     }{%
1066       /atfi_rect {%
1067         /atfi_height exch def%
1068         /atfi_width exch def%
1069         /atfi_x exch def%
1070         /atfi_y exch def %
1071         newpath %
1072         atfi_x atfi_y moveto %
1073         atfi_x atfi_width add atfi_y lineto %
1074         atfi_x atfi_width add atfi_y atfi_height add lineto %
1075         atfi_x atfi_y atfi_height add lineto %
1076         closepath%
1077     } bind def%
1078     /atfi_rectfill {%
1079       atfi_rect fill%
1080     } bind def%

```

```

1081      /atfi_rectstroke {%
1082          atfi_rect stroke%
1083      } bind def%
1084  } ifelse%
1085  /atfi_curveto_v {%
1086      currentpoint 6 2 roll curveto%
1087  } bind def%
1088  /atfi_curveto_y {%
1089      2 copy curveto%
1090  } bind def%
1091  %
1092  % help macro for atfi_convert_date
1093  /atfi_two {%
1094      dup 10 lt%
1095  {%
1096      1 string cvs %
1097      exch 1 add exch%
1098  }{%
1099      2 string cvs%
1100  } ifelse %
1101  putinterval%
1102  } bind def%
1103  %
1104  % <seconds since 1970-01-01> atfi_convert_date -> (D:...Z)
1105  /atfi_convert_date {%
1106      dup%
1107      /atfi_days exch 3600 idiv 24 idiv def%
1108      % calc date part
1109      /atfi_year 1970 def%
1110  {%
1111      atfi_year 400 mod 0 eq %
1112      atfi_year 100 mod 0 ne %
1113      atfi_year 4 mod 0 eq %
1114      and or%
1115      {366} {365} ifelse %
1116      dup atfi_days lt%
1117  {%
1118      atfi_days exch sub /atfi_days exch def%
1119      /atfi_year atfi_year 1 add def%
1120  }{%
1121      exit%
1122  } ifelse%
1123  } loop%
1124  /atfi_month 1 def%
1125  /atfi_days atfi_days 1 add def %
1126  31 atfi_days lt%
1127  {%
1128      atfi_days 31 sub /atfi_days exch def%
1129      /atfi_month atfi_month 1 add def %
1130      366 eq {29} {28} ifelse dup atfi_days lt%
1131  {%
1132      atfi_days exch sub /atfi_days exch def%
1133      /atfi_month atfi_month 1 add def %
1134      31 atfi_days lt%
1135  {%
1136      atfi_days 31 sub /atfi_days exch def%
1137      /atfi_month atfi_month 1 add def %
1138      30 atfi_days lt%

```

```

1139      {%
1140          atfi_days 30 sub /atfi_days exch def%
1141          /atfi_month atfi_month 1 add def %
1142          31 atfi_days lt%
1143          {%
1144              atfi_days 31 sub /atfi_days exch def%
1145              /atfi_month atfi_month 1 add def %
1146              30 atfi_days lt%
1147              {%
1148                  atfi_days 30 sub /atfi_days exch def%
1149                  /atfi_month atfi_month 1 add def %
1150                  31 atfi_days lt%
1151                  {%
1152                      atfi_days 31 sub /atfi_days exch def%
1153                      /atfi_month atfi_month 1 add def %
1154                      31 atfi_days lt%
1155                      {%
1156                          atfi_days 31 sub /atfi_days exch def%
1157                          /atfi_month atfi_month 1 add def %
1158                          30 atfi_days lt%
1159                          {%
1160                              atfi_days 30 sub /atfi_days exch def%
1161                              /atfi_month atfi_month 1 add def %
1162                              31 atfi_days lt%
1163                              {%
1164                                  atfi_days 31 sub /atfi_days exch def%
1165                                  /atfi_month atfi_month 1 add def %
1166                                  30 atfi_days lt%
1167                                  {%
1168                                      atfi_days 30 sub /atfi_days exch def%
1169                                      /atfi_month atfi_month 1 add def %
1170                                      31 atfi_days lt%
1171                                      {%
1172                                          atfi_days 31 sub /atfi_days exch def%
1173                                          /atfi_month atfi_month 1 add def%
1174                                          } if%
1175                                          } if%
1176                                          } if%
1177                                          } if%
1178                                          } if%
1179                                          } if%
1180                                          } if%
1181                                          } if%
1182                                          } if%
1183                                          } if%
1184                                          } { pop } ifelse%
1185                                          }{ pop } ifelse %
1186                                          % calc time part
1187                                          3600 24 mul mod %
1188                                          dup 3600 idiv dup /atfi_hour exch def %
1189                                          3600 mul sub %
1190                                          dup 60 idiv dup /atfi_min exch def %
1191                                          60 mul sub %
1192                                          /atfi_sec exch def%
1193                                          (D:1970010100000Z)%
1194                                          dup 2 atfi_year 4 string cvs putinterval %
1195                                          dup 6 atfi_month atfi_two %
1196                                          dup 8 atfi_days atfi_two %

```

```

1197      dup 10 atfi_hour  atfi_two %
1198      dup 12 atfi_min   atfi_two %
1199      dup 14 atfi_sec   atfi_two%
1200    } bind def %
1201    %
1202    % <filename> atfi_calc_checksum -> /CheckSum <checksum>
1203    % or returns nothing, if MD5Encode is not given
1204    false %
1205    languagelevel 2 ge {%
1206      (MD5Encode)%
1207      { pop true or }%
1208      (MD5Encode) length string%
1209      /Filter %
1210      resourceforall%
1211    } if%
1212    {%
1213      /atfi_calc_checksum {%
1214        /atfi_checksum 16 string def%
1215        /atfi_file exch (r) file def%
1216        /atfi_md5sum atfi_checksum /MD5Encode filter def %
1217        % not too efficient to read and write byte by byte,
1218        % using a buffer is probably faster
1219        atfi_size {%
1220          atfi_file read%
1221          {%
1222            atfi_md5sum exch write%
1223            } if%
1224            } repeat %
1225            atfi_md5sum closefile %
1226            atfi_file closefile%
1227            /CheckSum atfi_checksum%
1228            } bind def%
1229        }{%
1230          /atfi_calc_checksum { pop } bind def%
1231        } ifelse%
1232        %
1233        /atfi_pttobp { 72.27 div 72 mul } bind def%
1234        /atfi_pdftodvipsx { 72.27 div Resolution mul } bind def%
1235        /atfi_pdftodvipsy { 72.27 div VResolution mul } bind def%
1236        %
1237        } atfi_?pdfmark %
1238      end%
1239    }

1240 \def\atfi@GSAVE{gsave }
1241 \def\atfi@GRESTORE{grestore }
1242 \def\atfi@SETLINEWIDTH{setlinewidth }
1243 \def\atfi@LINETO{lineto }
1244 \def\atfi@MOVETO{moveto }
1245 \def\atfi@STROKE{stroke }
1246 \def\atfi@FILL{fill }
1247 \def\atfi@FILLSTROKE#1#2{gsave #1 fill grestore #2 stroke }
1248 \def\atfi@SETRGBCOLORSTROKE{setrgbcolor }
1249 \def\atfi@SETRGBCOLORFILL{setrgbcolor }
1250 \def\atfi@SETGRAYSTROKE{setgray }
1251 \def\atfi@SETGRAYFILL{setgray }
1252 \def\atfi@SETCMYKCOLORSTROKE{setcmykcolor }
1253 \def\atfi@SETCMYKCOLORFILL{setcmykcolor }
1254 \def\atfi@RECTFILL{atfi_rectfill }

```

```

1255 \def\atfi@RECTSTROKEFILL#1#2#3{%
1256   #3%
1257   #1%
1258   gsave atfi_rectfill grestore %
1259   #2%
1260   #3%
1261   atfi_rectstroke %
1262   #1%
1263 }
1264 \def\atfi@SETMITERLIMIT{setmiterlimit }
1265 \def\atfi@SETFLAT{setflat }
1266 \def\atfi@SETLINECAP{setlinecap }
1267 \def\atfi@CURVETO{curveto }
1268 \def\atfi@CURVETOY{atfi_curveto_v }
1269 \def\atfi@CURVETOY{atfi_curveto_y }
1270 \def\atfi@CLOSEPATH{closepath }
1271 \def\atfi@SETLINEJOIN{setlinejoin }

1272 \newcounter{atfi@obj}
1273 \renewcommand*{\theatfi@obj}{%
1274   {atfi_obj_\number\c@atfi@obj}%
1275 }

```

**File embedding** Most values for Params dictionary found in the .atfi file have priority:

- Recalculation (md5sum, ...) is avoided.
- An external script has more possibilities than programming at PostScript level (operating system, getting the date and time values of the file with correct interpretation).
- Exception: status is called to test file existence, thus we get the value of size for free.

```
1276 \define@key{AtFi@file}{Size}{}%
```

```
\atfi@embedfile
1277 \def\atfi@embedfile#1{%
1278   \ltx@ifundefined{atfi@fileobj@#1}{%
1279     \atfi@pdfstringdef\atfi@psfilename{#1}%
1280     \stepcounter{atfi@obj}%
1281     \expandafter\xdef\csname atfi@fileobj@#1\endcsname{\theatfi@obj}%
1282     \begingroup
1283       \let\atfi@params\ltx@empty
1284       \expandafter\let\expandafter\atfi@temp
1285         \csname atfi@file@#1\endcsname
1286       \ifx\atfi@temp\ltx@empty
1287         \let\atfi@temp\relax
1288       \fi
1289       \ifx\atfi@temp\relax
1290         \atfi@pdftexdata{#1}%
1291       \else
1292         \edef\x{%
1293           \noexpand\setkeys{AtFi@file}{\@nameuse{atfi@file@#1}}%
1294         }%
1295         \x
1296       \fi
1297       \atfi@literal{%
```

```

1298      /atfi_filename(\atfi@psfilename)def %
1299      atfi_filename status%
1300      {%
ok: file found
save parameters of status command
1301      /atfi_created exch def%
1302      /atfi_referenced exch def%
1303      /atfi_size exch def %
1304      pop %

drop\u parameter\u "pages"\u(storage\u space)\u, \u never \u needed
ghostscript:
\uu created: \u00000000 stat.st_ctime
\uu referenced: \u0000 stat.st_mtime
\uu stat.st_ctime: \u interpretation \u depends \u on \u operating \u system:
\uu \u0000000000000000* \u unix: \u inode \u change \u time \u (not \u interesting)
\uu \u0000000000000000* \u win32: \u probably \u creation \u time
\uu \u0000000000000000-->\u /CreationDate
\uu stat.st_mtime: \u modification \u time \u -->\u /ModDate
\uu time \u values \u are \u seconds \u since \u 1970-01-01 , \u GMT
TODO: \u ghostscript \u offers \u "getenv" \u for \u getting \u the \u value
\uu \u00000000 of \u an \u environment \u variable. \u That \u could \u be \u used \u to
\uu \u00000000 to \u detect \u windows \u and \u setting the \u /CreationDate \u entry.
TODO: \u how \u are \u these \u values \u interpreted \u by \u other \u distiller
\uu \u00000000 programs?

1305      [%]
1306      /_objdef \theatfi@obj
1307      /type/stream%
1308      /OBJ pdfmark%
1309      [%]
1310      \theatfi@obj
1311      <<%
1312      /Type/EmbeddedFile%
1313      \atfi@mimetype
1314      /Params%
1315      <<%
1316      \atfi@params
1317      %
1318      /Size atfi_size%
1319      %
1320      /product where%
1321      {%
1322          pop %

check for ghostscript
1323          product (Ghostscript) search%
1324          {%
1325              pop pop pop %

ghostscript is running
1326          \ifatfi@creationdate
1327          \else
1328              false % TODO: test for windows
1329              {%
1330                  /CreationDate atfi_created atfi_convert_date%
1331              } if%
1332          \fi
1333          \ifatfi@moddate

```

```

1334           \else
1335             /ModDate atfi_referenced atfi_convert_date%
1336             \fi
1337           } if%
look for MD5Encode filter and calculate CheckSum
1338           } if %
1339             \ifatfi@checksum
1340               \else
1341                 atfi_filename atfi_calc_checksum%
1342               \fi
1343             >>%
1344             >>%
1345             /PUT pdfmark%
1346             [%]
1347               \theatfi@obj
1348               atfi_filename (r) file%
1349             /PUT pdfmark%
1350             [%]
1351               \theatfi@obj
1352             /CLOSE pdfmark%
1353           }{%
error: file not found
currently nothing is done
1354           } ifelse%
1355         }%
1356       \endgroup
1357     }{%
file already embedded
1358   }%
1359 }

```

**Annotation appearance** output: \atfi@appearanceobj  
 input: \atfi@appearancebox, \atfi@icon@icon

```

atfi@xfrom@icon
1360 \def\atfi@xform@icon{%
1361   \stepcounter{atfi@obj}%
1362   \edef\atfi@appearanceobj{\theatfi@obj}%
1363   \atfi@literal{%
1364     [%]
1365       /_objdef \atfi@appearanceobj
1366       /BBox[%]
1367         0 %
1368         0 %
1369         \strip@pt\wd\atfi@appearancebox\space atfi_pttobp %
1370         \strip@pt\dimexpr\dp\atfi@appearancebox
1371           +\ht\atfi@appearancebox\relax\space atfi_pttobp%
1372     ]%
1373     /BP pdfmark %
1374     \csname atfi@acro\atfi@icon@icon @data\endcsname
1375     [%]
1376     /EP pdfmark%
1377   }%
1378 }

\atfi@xform output: \atfi@appearanceobj, input: \atfi@appearancebox

```

```

1379 \def\atfi@xform{%
1380   \stepcounter{atfi@obj}%
1381   \edef\atfi@appearanceobj{\theatfi@obj}%
1382   \begingroup
1383     \setbox\ltx@zero=\hbox{%
1384       \atfi@literal{%
1385         [%
1386           /_objdef \atfi@appearanceobj
1387           /BBox[%
1388             currentpoint %
1389             \strip@pt\dp\atfi@appearancebox\space sub %
1390             currentpoint %
1391             exch \strip@pt\wd\atfi@appearancebox\space add %
1392             exch \strip@pt\ht\atfi@appearancebox\space add%
1393           ]%
1394           /BP pdfmark %
1395           gsave %
1396           currentpoint %
1397           2 copy translate %
1398           72.27 Resolution div 72.27 VResolution div neg scale %
1399           exch neg exch neg translate%
1400         }%
1401         \usebox{\atfi@appearancebox}%
1402         \atfi@literal{%
1403           grestore%
1404           [%
1405             /EP pdfmark%
1406           ]%
1407         }%
1408         % do not allocate any space for xobject definition
1409         \dp\ltx@zero=\z@%
1410         \ht\ltx@zero=\z@%
1411         \wd\ltx@zero=\z@%
1412         \mbox{\usebox\ltx@zero}%
1413     \endgroup
1414 }

\atfi@refxform
1415 \def\atfi@refxform#1{%
1416   \raisebox{-\atfi@appearancedepth}{%
1417     \atfi@literal{%
1418       gsave %
1419         currentpoint translate %
1420         Resolution 72 div VResolution neg 72 div scale%
1421         [#1 /SP pdfmark % hash-ok
1422         grestore%
1423       }%
1424       \makebox[\atfi@appearancewidth]{%
1425     }%
1426     \rule{0pt}{\atfi@appearanceheight}%
1427   }

```

### File attachment annotation

```

\atfi@insert@file@annot
1428 \def\atfi@insert@file@annot#1{%
1429   \rule{0pt}{0pt}%
1430   \ifatfi@appearance

```

```

1431 \def\atfi@appearance@dict{%
1432   /AP<<%
1433   /N \atfi@appearanceobj
1434   /R \atfi@appearanceobj
1435   /D \atfi@appearanceobj
1436   >>%
1437   }%
1438 \else
1439   \let\atfi@appearance@dict\ltx@empty
1440 \fi
1441 \ltx@ifundefined{\atfi@fsobj@#1}{%
1442   \stepcounter{\atfi@obj}%
1443   \expandafter
1444   \xdef\csname atfi@fsobj@#1\endcsname{\the\atfi@obj}%
1445   \begin{group}
1446     \hypersetup{unicode=false}%
1447     \atfi@pdfstringdef{\atfi@file{#1}}%
1448     \atfi@literal{%
1449       [%
1450         /_objdef \the\atfi@obj
1451         /type/dict%
1452         /OBJ pdfmark%
1453         [%
1454           \the\atfi@obj
1455           <<%
1456             /Type/Filespec%
1457             /F(\atfi@file)%
1458             \ifx\atfi@ucfilespec\ltx@empty
1459               \else
1460                 /UF(\atfi@ucfilespec)%
1461               \fi
1462               /EF<<%
1463                 /F \csname atfi@fileobj@#1\endcsname
1464                 >>%
1465               >>%
1466             /PUT pdfmark%
1467           ]%
1468         \endgroup
1469       }%
1470     }%
1471     \atfi@literal{%
1472       [%
1473         /Subtype/FileAttachment%
1474         \atfi@icon
1475         \atfi@color@cannot
1476         \atfi@author
1477         \atfi@date
1478         \atfi@annotname
1479         \atfi@description
1480         \atfi@subject
1481         \atfi@appearance@dict
1482         /F \the\atfi@flags
1483         /FS \csname atfi@fsobj@#1\endcsname
1484         /Rect[%
1485           currentpoint %
1486           \strip@pt\dimexpr\atfi@scale\atfi@appearancedepth\relax
1487           \space\atfi_pdftodvipsy add %
1488           currentpoint %

```

```

1489      exch %
1490      \strip@pt\dimexpr\atfi@scale\atfi@appearancewidth\relax
1491      \space\atfi_pdftodvipsx add %
1492      exch %
1493      \strip@pt\dimexpr\atfi@scale\atfi@appearanceheight\relax
1494      \space\atfi_pdftodvipsy sub %
1495      ]%
1496      /ANN pdfmark%
1497  }%
1498  \rule{0pt}{\atfi@appearanceheight}%
1499  \rule[-\atfi@appearancedepth]{0pt}{\atfi@appearancedepth}%
1500  \rule{\atfi@appearancewidth}{0pt}%
1501 }

1502 ⟨/dvips⟩

```

### 2.3.2 dvipdfmx

```

1503 ⟨*dvipdfmx⟩
1504 \NeedsTeXFormat{LaTeX2e}
1505 \ProvidesFile{atfi-dvipdfmx.def}%
1506 [2019/07/24 v2.9 attachfile2 driver for dvipdfmx/XeTeX (HO)]%

```

#### Macros for graphics data

```

\atfi@special
1507 \def\atfi@special#1{%
1508   \special{pdf:#1}%
1509 }

\atfi@literal
1510 \def\atfi@literal#1{%
1511   \atfi@special{content #1}%
1512 }

1513 \def\atfi@GSAVE{q }
1514 \def\atfi@GRESTORE{Q }
1515 \def\atfi@SETLINEWIDTH{w }
1516 \def\atfi@LINETO{l }
1517 \def\atfi@MOVETO{m }
1518 \def\atfi@STROKE{s }
1519 \def\atfi@FILL{f }
1520 \def\atfi@FILLSTROKE#1#2{#1#2B }
1521 \def\atfi@SETRGBCOLORSTROKE{RG }
1522 \def\atfi@SETRGBCOLORFILL{rg }
1523 \def\atfi@SETGRAYSTROKE{G }
1524 \def\atfi@SETGRAYFILL{g }
1525 \def\atfi@SETCMYKCOLORSTROKE{K }
1526 \def\atfi@SETCMYKCOLORFILL{k }
1527 \def\atfi@RECTFILL{re f }
1528 \def\atfi@RECTSTROKEFILL#1#2#3{#1#2#3re B }
1529 \def\atfi@SETMITERLIMIT{M }
1530 \def\atfi@SETFLAT{i }
1531 \def\atfi@SETLINECAP{J }
1532 \def\atfi@CURVETO{c }
1533 \def\atfi@CURVETO{v }
1534 \def\atfi@CURVETO{y }
1535 \def\atfi@CLOSEPATH{h }
1536 \def\atfi@SETLINEJOIN{j }

```

```

1537 \newcounter{atfi@obj}
1538 \renewcommand*{\theatfi@obj}{%
1539   @atfi_obj_ \number\c@atfi@obj
1540 }

File embedding
1541 \define@key{AtFi@file}{Size}{%
1542   \edef\atfi@params{\atfi@params/Size #1}%
1543 }

\atfi@embedfile
1544 \def\atfi@embedfile#1{%
1545   \ltx@ifundefined{atfi@fileobj@#1}{%
1546     \stepcounter{atfi@obj}%
1547     \begingroup
1548       \let\atfi@params\ltx@empty
1549       \expandafter\let\expandafter\atfi@temp
1550         \csname atfi@file@#1\endcsname
1551       \ifx\atfi@temp\ltx@empty
1552         \let\atfi@temp\relax
1553       \fi
1554       \ifx\atfi@temp\relax
1555         \atfi@pdftexdata{#1}%
1556       \else
1557         \edef\x{%
1558           \noexpand\setkeys{AtFi@file}{\@nameuse{atfi@file@#1}}%
1559         }%
1560         \x
1561       \fi
1562       \ifx\atfi@params\ltx@empty
1563       \else
1564         \edef\atfi@params{/Params<<\atfi@params>>}%
1565       \fi
1566       \edef\atfi@FILE{#1}%
1567       \filename@parse\atfi@FILE
1568       \ifx\filename@area\ltx@empty
1569         \edef\atfi@FILE{./\atfi@FILE}%
1570       \fi
1571       \EdefEscapeString\atfi@FILE{\atfi@FILE}%
1572       \atfi@special{fstream} %
1573         \theatfi@obj
1574         (\atfi@FILE)%
1575         <<%
1576           /Type/EmbeddedFile%
1577           \atfi@mimetype
1578           \atfi@params
1579           >>%
1580         }%
1581         \atfi@special{close \theatfi@obj}%
1582         \expandafter
1583           \xdef\csname atfi@fileobj@#1\endcsname{\theatfi@obj}%
1584         \endgroup
1585     }{%
1586       % file already embedded
1587     }%
1588 }

```

## Annotation appearance

```
\atfi@xform input: \atfi@appearancebox, output: \atfi@appearanceobj
1589 \def\atfi@xform{%
1590   \stepcounter{atfi@obj}%
1591   \smash{%
1592     \rlap{%
1593       \atfi@special{bxobj \theatfi@obj\space
1594         width \the\wd\atfi@appearancebox\space
1595         height \the\ht\atfi@appearancebox\space
1596         depth \the\dp\atfi@appearancebox
1597       }%
1598       \usebox\atfi@appearancebox
1599       \atfi@special{exobj}%
1600     }%
1601   }%
1602   \edef\atfi@appearanceobj{\theatfi@obj}%
1603 }

\atfi@xform@icon
1604 \let\atfi@xform@icon\atfi@xform

\atfi@refxform
1605 \def\atfi@refxform#1{%
1606   \leavevmode
1607   \atfi@special{uxobj #1}%
1608 }
```

## File attachment annotation

```
\atfi@insert@file@cannot
1609 \def\atfi@insert@file@annot#1{%
1610   \rule{0pt}{0pt}%
1611   \ifatfi@appearance
1612     \def\atfi@appearance@dict{%
1613       /AP<<%
1614       /N \atfi@appearanceobj
1615       /R \atfi@appearanceobj
1616       /D \atfi@appearanceobj
1617       >>%
1618     }%
1619   \else
1620     \let\atfi@appearance@dict\ltx@empty
1621   \fi
1622   \ltx@ifUndefined{atfi@fsobj@#1}{%
1623     \begingroup
1624     \ifxetex
1625       \let\atfi@temp\Hy@Warning
1626       \let\Hy@Warning\ltx@gobble
1627     \fi
1628     \hypersetup{unicode=false}%
1629     \ifxetex
1630       \let\Hy@Warning\atfi@temp
1631     \fi
1632     \atfi@pdfstringdef\atfi@file{#1}%
1633     \stepcounter{atfi@obj}%
1634     \atfi@special{obj \theatfi@obj <<%
1635       /Type/Filespec%
```

```

1636      /F(\atfi@file)%
1637      \ifx\atfi@ucfilespec\ltx@empty
1638      \else
1639          /UF(\atfi@ucfilespec)%
1640          \fi
1641          /EF<<%
1642              /F \c@nameuse{\atfi@fileobj@#1}%
1643              >>%
1644              >>%
1645      }%
1646      \expandafter\xdef\csname atfi@fsobj@#1\endcsname{%
1647          \the\atfi@obj
1648      }%
1649      \endgroup
1650  }{%
1651  }%
1652  \begingroup
1653      \dimen@=\atfi@scale\atfi@appearancewidth
1654      \edef\atfi@rule{width \the\dimen@}%
1655      \dimen@=\atfi@scale\atfi@appearanceheight
1656      \edef\atfi@rule{\atfi@rule\space height \the\dimen@}%
1657      \dimen@=\atfi@scale\atfi@appearancedepth
1658      \edef\atfi@rule{\atfi@rule\space depth \the\dimen@}%
1659      \atfi@special{ann \atfi@rule
1660          <<%
1661          /Subtype/FileAttachment}%
1662          \atfi@icon
1663          \atfi@color@annot
1664          \atfi@author
1665          \atfi@date
1666          \atfi@annotname
1667          \atfi@description
1668          \atfi@subject
1669          \atfi@appearance@dict
1670          /F \the\atfi@flags
1671          /FS \c@nameuse{\atfi@fsobj@#1}%
1672          >>%
1673      }%
1674  \endgroup
1675  \rule{0pt}{\atfi@appearanceheight}%
1676  \rule[-\atfi@appearancedepth]{0pt}{\atfi@appearancedepth}%
1677  \rule{\atfi@appearancewidth}{0pt}%
1678 }

1679 </dvipdfmx>

```

## 2.4 Perl script pdfatfi.pl

```

1680 /*pdfatfi*/
1681 #!/usr/bin/env perl
1682 use strict;
1683 $^W=1; # turn warning on
1684 #
1685 # pdfatfi.pl
1686 #
1687 # Copyright (C) 2005–2010, 2012 Heiko Oberdiek.
1688 #
1689 # This work may be distributed and/or modified under the

```

```

1690 # conditions of the LaTeX Project Public License, either
1691 # version 1.3c of this license or (at your option) any later
1692 # version. This version of this license is in
1693 #     https://www.latex-project.org/lppl/lppl-1-3c.txt
1694 # and the latest version of this license is in
1695 #     https://www.latex-project.org/lppl.txt
1696 # and version 1.3 or later is part of all distributions of
1697 # LaTeX version 2005/12/01 or later.
1698 #
1699 # This work has the LPPL maintenance status "maintained".
1700 #
1701 # The Current Maintainers of this work are
1702 Heiko Oberdiek and the Oberdiek Package Support Group
1703 https://github.com/ho-tex/oberdiek/issues
1704
1705 #
1706 # See file "attachfile2.pdf" for a list of files that belong to
1707 # this project.
1708 #
1709 # This file "pdflatfi.pl" may be renamed to "pdflatfi"
1710 # for installation purposes.
1711 #
1712 my $prj      = 'pdflatfi';
1713 my $file     = "$prj.pl";
1714 my $program  = uc($&) if $file =~ /(^w+);
1715 my $version  = "2.9";
1716 my $date    = "2019/07/24";
1717 my $author   = "Heiko Oberdiek";
1718 my $copyright = "Copyright (c) 2005-2010, 2012 by $author.";
1719 #
1720 # History:
1721 # 2005/05/21 v1.0: First release.
1722 # 2006/08/16 v2.2: Included in DTX file of attachfile2.dtx.
1723 # 2010/09/27 v2.6: Keys ModDateTZ and CreationDateTZ added.
1724 # 2016/05/16 v2.8: Option --version added.
1725 # 2019/07/24 v2.9: adapted version to attachfile2 version.
1726 #
1727
1728 use POSIX qw(strftime); # %z is used (GNU)
1729 use Digest::MD5;
1730
1731 ### program identification
1732 my $title = "$program $version, $date - $copyright\n";
1733
1734 ### error strings
1735 my $Error = "!!! Error:"; # error prefix
1736
1737 ### variables
1738 my $atfifile;
1739
1740 ### option variables
1741 my @bool = ("false", "true");
1742 $::opt_help      = 0;
1743 $::opt_quiet     = 0;
1744 $::opt_debug     = 0;
1745 $::opt_verbose   = 0;
1746 $::opt_version   = 0;
1747

```

```

1748 my $usage = <<"END_OF_USAGE";
1749 ${title}Syntax: \L$program\E [options] <file[.atfi]>
1750 Function: Help program for LaTeX package "attachfile2".
1751 Options:                                     (defaults:)
1752   --help          print usage
1753   --version       print version number
1754   --(no)quiet     suppress messages      ($bool[$::opt_quiet])
1755   --(no)verbose    verbose printing       ($bool[$::opt_verbose])
1756   --(no)debug      debug informations    ($bool[$::opt_debug])
1757 END_OF_USAGE
1758
1759 ### process options
1760 my @OrgArgv = @ARGV;
1761 use Getopt::Long;
1762 GetOptions(
1763   "help!",
1764   "version!",
1765   "quiet!",
1766   "debug!",
1767   "verbose!",
1768 ) or die $usage;
1769 !$::opt_help or die $usage;
1770 if ($::opt_version) {
1771   print "$prj $date v$version\n";
1772   exit(0);
1773 }
1774 @ARGV == 1 or die "$usage$Error Missing jobname!\n";
1775
1776 $::opt_quiet = 0 if $::opt_verbose;
1777
1778 print $title unless $::opt_quiet;
1779
1780 ### get jobname
1781 $atfifile = $ARGV[0];
1782 if (!-f $atfifile && -f "$atfifile.atfi") {
1783   $atfifile .= ".atfi";
1784 }
1785 -f $atfifile or die "$Error File '$atfifile' not found!\n";
1786
1787 print "* job file      = $atfifile\n" if $::opt_verbose;
1788
1789 if ($::opt_debug) {
1790   print <<"END_DEB";
1791 * OSNAME: $^O
1792 * PERL_VERSION: $]
1793 * ARGV: @OrgArgv
1794 END_DEB
1795 }
1796
1797 my $tmpfile = $atfifile . ".tmp";
1798
1799 my $timezone = strftime "%z", localtime;
1800
1801 sub gettz ($) {
1802   my $time = shift;
1803   my $tz = strftime "%z", localtime($time);
1804   return '' unless $tz;
1805   return 'Z' if $tz eq '+0000';

```

```

1806     $tz =~ s/^([+-]\d\d)(\d\d)$/$1'$2' '/';
1807     return $tz;
1808 }
1809
1810 open(IN, $atfifile) or die "$Error Cannot open '$atfifile'!\n";
1811 open(OUT, ">$tmpfile") or die "$Error Cannot write '$tmpfile'!\n";
1812
1813 while(<IN>) {
1814     # timezone
1815     if (s/^(\attachfile\@timezone\{).*(\})$/\${$1$timezone$2}/) {
1816         print "* timezone      = $timezone\n" if $::opt_verbose;
1817     }
1818
1819     # file entry
1820     if (/^(\attachfile\@file\[[^\]]*\]\{.*\})$/) {
1821         my $hexfile = $1;
1822         my $file = pack('H*', $hexfile);
1823         my @s = stat($file);
1824         if (@s == 0) {
1825             print "!!! Warning: File '$file' not found!\n";
1826         }
1827         else {
1828             my $size = @s[7];
1829             my $mtime = @s[9];
1830             my $ctime = @s[10]; # inode change time
1831
1832             my ($sec, $min, $hour, $mday, $mon, $year) =
1833                 localtime($mtime);
1834             my $moddate = sprintf("%04d%02d%02d%02d%02d",
1835                                 $year + 1900, $mon + 1, $mday,
1836                                 $hour, $min, $sec);
1837             my $moddatetz = 'D:' . $moddate . gettz($mtime);
1838
1839             # Manual page "perlport" says that "ctime" is creation
1840             # time instead of inode change time for "Win32" and
1841             # "Mac OS", but it is unsupported for "Mac OS X".
1842             my $creationdate = "";
1843             my $creationdatetz = "";
1844             if ($^O eq 'MSWin32') { # cygwin?
1845                 ($sec, $min, $hour, $mday, $mon, $year) =
1846                     localtime($ctime);
1847                 $creationdate = sprintf("%04d%02d%02d%02d%02d",
1848                                         $year + 1900, $mon + 1, $mday,
1849                                         $hour, $min, $sec);
1850                 $creationdatetz =
1851                     'D:' . $creationdate . gettz($ctime);
1852             }
1853
1854             # md5 checksum
1855             my $checksum = "";
1856             my $ctx = Digest::MD5->new;
1857             if (open(FILE, $file)) {
1858                 $ctx->addfile(*FILE);
1859                 $checksum = $ctx->hexdigest;
1860                 close(FILE);
1861             }
1862             else {
1863                 print "!!! Warning: File '$file' cannot be read,"

```

```

1864             . " dropping checksum!\n";
1865         }
1866
1867         $_= "\\\$attachfile\\@file["
1868             . "ModDateTZ=$moddatetz"
1869             . ",Size=$size"
1870             . ($checksum ? ",CheckSum=$checksum" : "")
1871             . ($creationdatetz ?
1872                 ",CreationDateTZ=$creationdatetz" :
1873                 ($creationdate ?
1874                     ",CreationDate=$creationdate" : ""))
1875             . "]{$hexfile}\n";
1876     if ($::opt_verbose) {
1877         print "* file entry    = $file\n";
1878         print "  size        = $size\n";
1879         print "  moddate      = $moddate\n";
1880         print "  creationdate = $creationdate\n"
1881             if $creationdate;
1882         print "  checksum     = $checksum\n" if $checksum;
1883     }
1884 }
1885 }
1886
1887     print OUT $_;
1888 }
1889
1890 close(IN);
1891 close(OUT);
1892
1893 unlink($atfifile) or die "$Error Cannot delete old `\$atfifile'!\n";
1894 rename $tmpfile, $atfifile
1895     or die "$Error Cannot move `\$tmpfile' to `\$atfifile'!\n";
1896
1897 print "*** ready. ***\n" unless $::opt_quiet;
1898
1899 __END__
1900 </pdfatfi>

```

### 3 Installation

#### 3.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/attachfile2.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/attachfile2.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

*TDS* refers to the standard “A Directory Structure for TeX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

---

<sup>1</sup>[CTAN:pkg/attachfile2](#)

## 3.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDs:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

## 3.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain `TEX`:

```
tex attachfile2.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>attachfile2.sty</code>	→ <code>tex/latex/oberdiek/attachfile2.sty</code>
<code>atfi-dvips.def</code>	→ <code>tex/latex/oberdiek/atfi-dvips.def</code>
<code>atfi-pdftex.def</code>	→ <code>tex/latex/oberdiek/atfi-pdftex.def</code>
<code>atfi-dvipdfmx.def</code>	→ <code>tex/latex/oberdiek/atfi-dvipdfmx.def</code>
<code>pdfatfi.pl</code>	→ <code>scripts/oberdiek/pdfatfi.pl</code>
<code>attachfile2.pdf</code>	→ <code>doc/latex/oberdiek/attachfile2.pdf</code>
<code>attachfile2.dtx</code>	→ <code>source/latex/oberdiek/attachfile2.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

## 3.4 Refresh file name databases

If your `TEX` distribution (`teTEX`, `mikTEX`, ...) relies on file name databases, you must refresh these. For example, `teTEX` users run `texhash` or `mktexlsr`.

## 3.5 Script installation

This package comes with a Perl script `pdfatfi.pl`. Install it somewhere so that it is executed, when it is called as `pdfatfi` on the command line. Example for installing it under Linux:

```
cp pdfatfi.pl /usr/local/bin/pdfatfi
chmod +x /usr/local/bin/pdfatfi
```

## 3.6 Some details for the interested

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for docstrip (really, docstrip does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{attachfile2.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the .dtx or the .drv to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex attachfile2.dtx  
makeindex -s gind.ist attachfile2.idx  
pdflatex attachfile2.dtx  
makeindex -s gind.ist attachfile2.idx  
pdflatex attachfile2.dtx
```

## 4 References

- [1] Scott Pakin: *The attachfile package*; 2005/02/20 v1.2; [CTAN:pkg/attachfile](#).
- [2] Heiko Oberdiek: *The embedfile package*; 2006/08/16 v1.0; [CTAN:macros/latex/contrib/oberdiek/embedfile.pdf](#).
- [3] Adobe Systems Incorporated: *PDF Reference, Version 1.7*,
- [4] Network Working Group: RFC 2046, *Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types*, November 1996; <http://www.rfc-editor.org/>.
- [5] IANA (Internet Assigned Numbers Authority): *MIME Media Types*, May 2006; <http://www.iana.org/assignments/media-types/>.

## 5 History

### [2005/02/23 v2.0]

- New options: `draft/final`.
- New option `scale` for scaling the annotation rectangle.
- Supported driver options: `pdftex`, `dvips`.
- Configuration file ‘`attachfile.cfg`’ supported.
- Dependency of package `calc` dropped.
- $\varepsilon$ -T<sub>E</sub>X (`\numexpr`, `\dimexpr`) used.
- New auxiliary file `\jobname.atfi` to get data unavailable by (pdf)T<sub>E</sub>X, controlled by `\nofiles` and option `nofiles`.
- Use of package `prokopt` (never released).

## [2005/10/07 v2.1]

- Option `annotname` for naming annotations (this name can be used for embedded go-to actions).

## [2006/08/17 v2.2]

- Use of package `kvoptions` instead of `prokvopt`.
- DTX framework.
- A little documentation.

## [2007/04/11 v2.3]

- Line ends sanitized.

## [2008/07/29 v2.4]

- Improved color support. Option `color` now understands the usual color specifications if package `xcolor` is loaded.

## [2009/09/25 v2.5]

- New option `ucfilespec` (since PDF 1.7).
- Fix: `hyperref`'s option `unicode` is disabled for file names except for `ucfilespec`.

## [2010/09/27 v2.6]

- Support for `dvipdfmx` added, new option `dvipdfmx` and alias option `xetex`. (Thanks Will Robertson for pointing to `\special{pdf:fstream ...}`).
- New option `driverfallback`.
- All options except driver options are local options, that means they are ignored as global options.
- Some options are disabled after they are used (driver options, `draft`, `final`, `nofiles`).
- Driver files renamed from `atfi<driver>.def` to `atfi-<driver>.def`.
- Bug fix: `\textattachfile` now adds an entry into the `.atfi` file.
- Program `pdflatfi.pl` sets modification and creation time with time zone, because the time zone offset might differ with the file date.

## [2012/04/18 v2.7]

- Program `pdflatfi.pl`: Option `version` added.

## [2016/05/16 v2.8]

- Documentation updates.

## [2019/07/24 v2.9]

- Added luatex driver (UF, issue 69)

## 6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
\# .....	24, 59
\\$ .....	26
\% .....	27, 59
\& .....	28, 59
\( .....	29
\) .....	30
\* .....	32, 60
\+ .....	33, 60, 107
\- .....	107
\. .....	23, 60, 107
\? .....	34
\@ehc .....	221, 548
\@makeother .....	753, 762
\@namedef .....	550
\@nameuse .....	653, 680, 702, 704, 706, 827, 881, 904, 956, 1010, 1033, 1293, 1558, 1642, 1671
\[ .....	25
\\" .....	37, 75, 539
\{ .....	35, 65, 80, 755, 764
\} .....	36, 65, 85, 756, 765
\^ .....	22, 63
\  .....	31, 65
\~ .....	38, 65
<b>A</b>	
\addtocounter .....	721, 725
\atfi@acroGraph .....	359
\atfi@acroGraph@data .....	<u>335</u> , 361
\atfi@acroPaperclip .....	421
\atfi@acroPaperclip@data .....	<u>364</u> , 423
\atfi@acroPushPin .....	463
\atfi@acroPushPin@data .....	<u>426</u> , 465
\atfi@acroTag .....	533
\atfi@acroTag@data .....	<u>468</u> , 535
\atfi@annotname .....	.. 179, 181, 899, 1028, 1478, 1666
\atfi@appearance@dict .....	.. 858, 866, 902, 987, 995, 1031, 1431, 1439, 1481, 1612, 1620, 1669
\atfi@appearancebox .....	.. <u>676</u> , 679, 684, 688, 692, 711, 712, 713, 714, 848, 977, 1369, 1370, 1371, 1389, 1391, 1392, 1401, 1594, 1595, 1596, 1598
\atfi@appearancedepth .....	.. 675, 705, 714, 893, 907, 1022, 1036, 1416, 1486, 1499, 1657, 1676
\atfi@appearanceheight .....	.. 674, 703, 713, 892, 906, 1021, 1035, 1426, 1493, 1498, 1655, 1675
\atfi@appearanceobj .....	.. 697, 707, 849, 860, 861, 862, 978, 989, 990, 991, 1362, 1365, 1381, 1386, 1433, 1434, 1435, 1602, 1614, 1615, 1616
\atfi@appearancewidth .....	673, 701, 712, 776, 891, 908, 1020, 1037, 1424, 1490, 1500, 1653, 1677
\atfi@attachfile .....	<u>660</u> , 757
\atfi@author .....	.. 183, 185, 897, 1026, 1476, 1664
\atfi@checksumtrue .....	556
\atfi@CLOSEPATH .....	.. 485, 505, 809, 938, 1270, 1535
\atfi@color@annot .....	.. 131, 896, 1025, 1475, 1663
\atfi@color@inline .....	.. 131, 353, 402, 445, 507
\atfi@color@tex .....	131, 308, 743
\atfi@CR .....	68, 75
\atfi@creationdate=true .....	563, 573
\atfi@CURVETO .....	481, 482, 483, 484, 501, 502, 503, 504, 806, 935, 1267, 1532
\atfi@CURVETOV .....	372, 375, 377, 379, 381, 383, 388, 391, 393, 395, 397, 399, 405, 408, 410, 412, 414, 416, 528, 807, 936, 1268, 1533
\atfi@CURVETOY .....	373, 376, 378, 380, 382, 384, 389, 392, 394, 396, 398, 400, 406, 409, 411, 413, 415, 417, 529, 808, 937, 1269, 1534
\atfi@date .....	152, 162, 163, 898, 1027, 1477, 1665
\atfi@DefNoValueName .....	.. 170, 181, 185, 189, 193
\atfi@description .....	.. 187, 189, 900, 1029, 1479, 1667
\atfi@DisableOption .....	.. 257, 297, 298, 299, 300, 301, 317, 318, 659
\atfi@drafttrue .....	292
\atfi@driver .....	208, 215, 217, 225, 228, 231, 234, 262, 264, 268, 270, 273, 275, 277, 279, 287, 334
\atfi@driver@dvipdfmx .....	.. 212, 231, 234, 268, 277
\atfi@driver@dvips .....	211, 228, 275
\atfi@driver@luatex .....	210, 225, 262
\atfi@driver@pdftex .....	209, 215, 264
\atfi@driverfallback .....	271, 274, 282
\atfi@dummy@pushpin .....	320, 327
\atfi@embedfile .....	.. 667, 739, <u>814</u> , 943, <u>1277</u> , <u>1544</u>

\atfi@FILE 1566, 1567, 1569, 1571, 1574  
 \atfi@file ..... 871, 875,  
     1000, 1004, 1447, 1457, 1632, 1636  
 \atfi@filename ..... 546, 547, 550  
 \atfi@FILL .. 486, 792, 922, 1246, 1519  
 \atfi@FILLSTROKE .....  
     444, 506, 793, 794, 923, 1247, 1520  
 \atfi@flags@to@int .... 669, 718, 747  
 \atfi@GRESTORE ..... 357,  
     419, 461, 531, 787, 917, 1241, 1514  
 \atfi@GSAVE ..... 336,  
     365, 427, 469, 786, 916, 1240, 1513  
 \atfi@header ..... 1047, 1050  
 \atfi@hours ..... 145, 149, 156  
 \atfi@icon . 125, 895, 1024, 1474, 1662  
 \atfi@icon@icon .....  
     . 126, 678, 680, 683, 687, 691,  
     696, 702, 704, 706, 708, 774, 1374  
 \atfi@insert@file@cannot .....  
     ... 670, 748, 855, 984, 1428, 1609  
 \atfi@LINETO 374, 390, 407, 430, 431,  
     432, 433, 434, 435, 436, 437,  
     438, 439, 440, 441, 442, 443,  
     451, 452, 453, 457, 458, 459,  
     472, 473, 474, 475, 476, 477,  
     478, 479, 492, 493, 494, 495,  
     496, 497, 498, 499, 513, 516,  
     519, 524, 527, 789, 919, 1243, 1516  
 \atfi@literal ..... 361, 423, 465,  
     535, 785, 915, 1044, 1297, 1363,  
     1384, 1402, 1417, 1448, 1471, 1510  
 \atfi@ltx@leftbracechar ..... 79  
 \atfi@Match ..... 17, 104  
 \atfi@mimetype .....  
     .. 99, 101, 102, 104, 111, 115,  
     118, 120, 121, 837, 966, 1313, 1577  
 \atfi@minutes ..... 148, 157  
 \atfi@moddatetrue ..... 584, 594  
 \atfi@MOVETO .....  
     . 371, 387, 404, 429, 450, 456,  
     471, 480, 491, 500, 512, 515,  
     518, 523, 526, 790, 920, 1244, 1517  
 \atfi@nofilestrue ..... 634  
 \atfi@NoValue ..... 169, 172  
 \atfi@pad@ii 135, 154, 155, 156, 157, 158  
 \atfi@params ..... 557, 564,  
     565, 574, 575, 585, 586, 595,  
     596, 812, 817, 831, 833, 838,  
     941, 946, 960, 962, 967, 1283,  
     1316, 1542, 1548, 1562, 1564, 1578  
 \atfi@PatQuotedString ..... 73, 108  
 \atfi@PatToken ..... 55, 105, 108  
 \atfi@pdfstringdef ..... 165, 175,  
     204, 871, 1000, 1279, 1447, 1632  
 \atfi@pdftexdata .....  
     . 601, 824, 953, 1290, 1555  
 \atfi@psfilename ..... 1279, 1298

\atfi@RECTFILL . 338, 350, 351, 352,  
     354, 355, 356, 801, 930, 1254, 1527  
 \atfi@RECTSTROKEFILL .....  
     . 342, 802, 931, 1255, 1528  
 \atfi@refxform 774, 852, 981, 1415, 1605  
 \atfi@rule .... 1654, 1656, 1658, 1659  
 \atfi@scale .....  
     891, 892, 893, 1020, 1021, 1022,  
     1486, 1490, 1493, 1653, 1655, 1657  
 \atfi@seconds ..... 151, 158  
 \atfi@set@appearance ..... 710, 740  
 \atfi@set@appearance@icon .....  
     . 668, 677, 771  
 \atfi@SETCMYKCOLORFILL .....  
     . 800, 929, 1253, 1526  
 \atfi@SETCMYKCOLORSTROKE .....  
     . 799, 928, 1252, 1525  
 \atfi@SETFLAT .....  
     339, 367, 487, 804, 933, 1265, 1530  
 \atfi@SETGRAYFILL ..... 337,  
     343, 349, 470, 798, 927, 1251, 1524  
 \atfi@SETGRAYSTROKE .....  
     . 345, 366, 386, 447, 449,  
     455, 509, 521, 797, 926, 1250, 1523  
 \atfi@SETLINECAP .....  
     . 369, 805, 934, 1266, 1531  
 \atfi@SETLINEJOIN .....  
     . 490, 810, 939, 1271, 1536  
 \atfi@SETLINEWIDTH .....  
     . 340, 368, 403, 428,  
     488, 511, 522, 788, 918, 1242, 1515  
 \atfi@SETMITERLIMIT .....  
     . 341, 370, 489, 803, 932, 1264, 1529  
 \atfi@SETRGBCOLORFILL .....  
     . 796, 925, 1249, 1522  
 \atfi@SETRGBCOLORSTROKE .....  
     . 795, 924, 1248, 1521  
 \atfi@setup .....  
     .. 96, 128, 134, 304, 666, 738, 770  
 \atfi@special ... 1507, 1511, 1572,  
     1581, 1593, 1599, 1607, 1634, 1659  
 \atfi@stream .... 643, 644, 645, 651  
 \atfi@STROKE ..... 385,  
     401, 418, 454, 460, 514, 517,  
     520, 525, 530, 791, 921, 1245, 1518  
 \atfi@subject .....  
     .. 191, 193, 901, 1030, 1480, 1668  
 \atfi@temp .. 601, 603, 606, 609, 611,  
     615, 616, 618, 619, 620, 622,  
     624, 625, 627, 650, 654, 818,  
     820, 821, 823, 947, 949, 950,  
     952, 1284, 1286, 1287, 1289,  
     1549, 1551, 1552, 1554, 1625, 1630  
 \atfi@temp@string ..... 166, 167  
 \atfi@textattachfile ..... 728, 766  
 \atfi@textattachfile@i ..... 730, 732  
 \atfi@time ..... 144, 146, 149

\atfi@timezone .....	142,	F	
142, 143, 159, 542, 576, 597, 646			
\atfi@ucfilespec .....	. 199, 201, 202, 204, 876, 878,	\filename@area .....	1568
1005, 1007, 1458, 1460, 1637, 1639		\filename@parse .....	1567
\atfi@Warning .....	46, 91, 110	H	
\atfi@writefile ...	641, 648, 662, 734	\hbox .....	1383
\atfi@xform .....	715,	\ht ...	688, 713, 1371, 1392, 1410, 1595
847, 851, 976, 980, 1379, 1589, 1604		\Hy@Warning .....	1625, 1626, 1630
\atfi@xform@icon .....	694, 851, 980, 1360, 1604	\HyColor@AttachfileColor .....	130
.....		\HyColor@UseColor .....	308, 743
\atfi@xfrom@icon .....	1360	\hypersetup .....	870, 999, 1446, 1628
\attachfile .....	329, 751	I	
\attachfile@file .....	545, 652	\if@files .....	632
\attachfile@timezone .....	538, 646	\ifatfi@appearance	857, 986, 1430, 1611
\attachfilesetup .....	237	\ifatfi@checksum .....	554, 1339
C	\ifatfi@creationdate .....		
\c@atfi@obj .....	1274, 1539	.....	559, 561, 571, 1326
\catcode .....	755, 756, 764, 765	\ifatfi@draft .....	319
\csname .....	274, 683, 687, 691, 696,	\ifatfi@moddate .....	580, 582, 592, 1333
708, 774, 819, 841, 885, 948,		\ifatfi@nofiles .....	636
970, 1014, 1281, 1285, 1374,		\ifatfi@print .....	305, 720, 772
1444, 1463, 1483, 1550, 1583, 1646		\ifatfi@zoom .....	723
D	\ifcase .....	39, 611	
\day .....	155	\ifluatex .....	261
\DeclareBoolOption .....	97, 195, 196, 197, 207	\ifnum .....	136
\DeclareComplementaryOption .....	98	\ifpdf .....	214, 260
\DeclareLocalOptions .....	238	\ifx ..	102, 118, 172, 202, 270, 271,
\DeclareRobustCommand	165, 237, 302,	275, 277, 287, 539, 547, 616,	
323, 326, 329, 718, 751, 759, 768		620, 625, 820, 823, 831, 876,	
\DeclareStringOption .....	198, 236	949, 952, 960, 1005, 1286, 1289,	
\DeclareVoidOption .....	213, 224, 227, 230, 233	1458, 1551, 1554, 1562, 1568, 1637	
\define@key .....		\ifxetex .....	267, 1624, 1629
. 100, 124, 129, 143, 161, 180,		\immediate .....	644, 645,
184, 188, 192, 200, 555, 560,		651, 835, 848, 872, 964, 977, 1001	
570, 581, 591, 811, 940, 1276, 1541		\input .....	334
\dimen@	1653, 1654, 1655, 1656, 1657, 1658	\InputIfFileExists .....	255, 553
\dimexpr ..	146, 1370, 1486, 1490, 1493	J	
\DisableKeyvalOption .....	258	\jobname .....	553, 638, 644
\do .....	753, 762	L	
\dospecials .....	754, 763	\lastsavedboxresourceindex .....	978
\dp ...	692, 714, 1370, 1389, 1409, 1596	\lccode .....	69, 80, 85
E	\leavevmode .....	306, 741, 1606	
\EdefEscapeHex .....	650	\lowercase .....	70, 81, 86
\EdefEscapeName .....	120	\ltx@backslashchar .....	22, 23,
\EdefEscapeString .....	162, 1571	25, 26, 29, 30, 31, 32, 33, 34, 35, 37	
\EdefUnescapeHex .....	546	\ltx@empty .....	102, 115,
\endcsname .	274, 683, 687, 691, 696,	118, 142, 173, 179, 202, 208,	
708, 774, 819, 841, 885, 948,		217, 270, 271, 279, 287, 547,	
970, 1014, 1281, 1285, 1374,		616, 620, 625, 817, 820, 831,	
1444, 1463, 1483, 1550, 1583, 1646		866, 876, 946, 949, 960, 995,	
\endinput .....	332	1005, 1283, 1286, 1439, 1458,	
		1548, 1551, 1562, 1568, 1620, 1637	
		\ltx@firstoftwo .....	44, 52
		\ltx@gobble .....	612, 641, 1626
		\ltx@hashchar .....	24
		\ltx@ifpackagelater .....	78

\ltx@ifundefined . . . . .	17, 602, 605,	\ProvidesFile . . . . .	783, 913, 1042, 1505
608, 661, 678, 733, 815, 868,	944, 997, 1278, 1441, 1545, 1622	\ProvidesPackage . . . . .	3
\ltx@ifundefined . . . . .	653	<b>R</b>	
\ltx@leftbracechar . . . . .	35, 82	\raisebox . . . . .	321, 360, 422, 464, 534, 1416
\ltx@one . . . . .	601	\renewcommand . . . . .	1273, 1538
\ltx@percentchar . . . . .	27	\RequirePackage . . . . .	5,
\ltx@rightbracechar . . . . .	36, 84	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	
\ltx@secondoftwo . . . . .	41	\rlap . . . . .	1592
\ltx@zero . . . . .	312, 603, 606,	\rule . . . . .	361, 423, 465, 535,
609, 1383, 1409, 1410, 1411, 1412		856, 906, 907, 908, 985, 1035,	
<b>M</b>		1036, 1037, 1426, 1429, 1498,	
\makebox . . . . .	313, 776, 1424	1499, 1500, 1610, 1675, 1676, 1677	
\mbox . . . . .	1412	<b>S</b>	
\MessageBreak . . . . .	47,	\savebox . . . . .	679, 711
48, 111, 112, 219, 281, 289, 638		\saveboxresource . . . . .	977
\month . . . . .	154	\sbox . . . . .	312
<b>N</b>		\setbox . . . . .	1383
\NeedsTeXFormat . . . . .	2, 782, 912, 1041, 1504	\setcounter . . . . .	719
\newcommand . . . . .	364, 545	\setkeys . . . . .	96, 237,
\newcounter . . . . .	717, 1272, 1537	618, 622, 627, 827, 956, 1293, 1558	
\newif . . . . .	554, 559, 580	\setlength . . . . .	700
\newlength . . . . .	673, 674, 675	\SetupKeyvalOptions . . . . .	92
\newsavebox . . . . .	676	\smash . . . . .	1591
\newwrite . . . . .	643	\space . . . . .	639, 860, 861,
\noattachfile . . . . .	326, 330, 768	862, 989, 990, 991, 1369, 1371,	
\nofiles . . . . .	639	1389, 1391, 1392, 1487, 1491,	
\notextattachfile . . . . .	302, 324, 327	1494, 1593, 1594, 1595, 1656, 1658	
\NoValue . . . . .	169, 180, 184, 188, 192	\special . . . . .	1045, 1048, 1508
\number . . . . .	137, 139, 1274, 1539	\stepcounter . . . . .	1280,
\numexpr . . . . .	146, 149, 970, 1015	1361, 1380, 1442, 1546, 1590, 1633	
<b>O</b>		\strip@pt . . . . .	1369, 1370,
\openout . . . . .	644	1389, 1391, 1392, 1486, 1490, 1493	
<b>P</b>		\strut . . . . .	309, 312, 744
\PackageError . . . . .	218, 548	<b>T</b>	
\PackageInfo . . . . .	637	\textattachfile . . . . .	323, 759
\PackageWarning . . . . .	91	\the . . . . .	144, 153, 684, 688, 692,
\PackageWarningNoLine . . . . .	280, 288	841, 849, 886, 970, 978, 1015,	
\parbox . . . . .	321, 360, 422, 464, 534	1594, 1595, 1596, 1654, 1656, 1658	
\pdf@filemdfivesum . . . . .	624	\theadfi@flags . . . . .	903, 1032, 1482, 1670
\pdf@filemoddate . . . . .	619	\theadfi@obj . . . . .	1273, 1281, 1306,
\pdf@filesize . . . . .	615	1310, 1347, 1351, 1362, 1381,	
\pdfannot . . . . .	891	1444, 1450, 1454, 1538, 1573,	
\pdfextension . . . . .	915, 964, 1001, 1020	1581, 1583, 1593, 1602, 1634, 1647	
\pdffeedback . . . . .	970, 1015	\time . . . . .	144
\pdflastobj . . . . .	841, 886	<b>U</b>	
\pdflastxform . . . . .	849	\usebox . . . . .	1401, 1412, 1598
\pdfliteral . . . . .	785	\useboxresource . . . . .	982
\pdfmatch . . . . .	39	<b>W</b>	
\pdfobj . . . . .	835, 872	\wd . . . . .	313, 684, 712, 1369, 1391, 1411, 1594
\pdfrefxform . . . . .	853	\write . . . . .	645, 651
\pdfstringdef . . . . .	166	<b>X</b>	
\pdffxform . . . . .	848	\x . . . . .	826, 829,
\ProcessKeyvalOptions . . . . .	256	955, 958, 1292, 1295, 1557, 1560	
\protected . . . . .	915		

Y	Z
\year ..... 153	\z@ ..... 1409, 1410, 1411