

The bookmark package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2009/08/13 v1.5

Abstract

This package implements a new bookmark (outline) organization for package `hyperref`. Bookmark properties such as style and color can now be set. Other action types are available (URI, GoToR, Named). The bookmarks are generated in the first compile run. Package `hyperref` uses two runs.

Contents

1	Documentation	2
1.1	Introduction	2
1.2	Options	3
1.2.1	Driver options	3
1.2.2	Style options	3
1.2.3	Action options	4
1.2.4	Level options	4
1.3	Compatibility with <code>hyperref</code>	5
1.4	Adding bookmarks at the end	5
1.5	Limitations/Todos	6
2	Example	6
3	Implementation	7
3.1	Package	7
3.1.1	Requirements	8
3.1.2	Package options	8
3.1.3	Action options	11
3.1.4	Option <code>atend</code>	14
3.1.5	Driver setup and loading	14
3.1.6	Compatibility for <code>hyperref</code>	16
3.2	Driver for <code>dvipdfm</code>	16
3.3	Driver for <code>V_TE_X</code>	19
3.4	Driver for <code>pdf_TE_X</code>	23
3.5	Drivers with <code>pdfmark</code> specials	25
3.5.1	Driver <code>dvips</code>	25
3.5.2	Driver <code>dvipsone</code>	25
3.5.3	Driver <code>textures</code>	25
3.5.4	Common part	25
3.6	Common part for <code>pdftex</code> and <code>pdfmark</code>	27
3.6.1	Write auxiliary file	28
3.6.2	Read auxiliary data	29
3.7	Option <code>atend</code>	29
3.7.1	Hook	29
3.7.2	Drivers using <code>\AtEndDocument</code>	30
3.7.3	Drivers using <code>\AtEndDvi</code>	30

4	Installation	30
4.1	Download	30
4.2	Bundle installation	31
4.3	Package installation	31
4.4	Refresh file name databases	31
4.5	Some details for the interested	31
5	History	32
[2007/02/19 v0.1]		32
[2007/02/20 v0.2]		32
[2007/02/21 v0.3]		32
[2007/02/22 v0.4]		32
[2007/03/02 v0.5]		32
[2007/03/03 v0.6]		32
[2007/03/07 v0.7]		33
[2007/04/09 v0.8]		33
[2007/04/25 v0.9]		33
[2007/05/29 v1.0]		33
[2007/07/13 v1.1]		33
[2007/09/25 v1.2]		33
[2008/08/08 v1.3]		33
[2008/09/13 v1.4]		33
[2009/08/13 v1.5]		33
6	Index	33

1 Documentation

1.1 Introduction

This package `bookmark` tries to provide a more modern management for bookmarks:

- The bookmarks are already generated in the first \TeX compile run.
- The font style and color of the bookmarks can be changed.
- More actions than simple GoTo actions are possible.

In the same way as `hyperref` the bookmarks are generated in the order of the bookmark generating macros (`\bookmark`). A level number is used to define the tree structure of the bookmarks. The restrictions are less strict:

- The level values may jump and omit values. A `\subsubsection` may follow a `\chapter`. This was an error in `hyperref`, that prints a warning and tries to fix this.
- Several bookmarks may point to the same destination. In `hyperref` this would mess up the bookmark tree completely, because the algorithm assumes that the destination names are keys (unique).

Note that this package is intended as experimentation platform for bookmark management. Feedback is welcome. Also the interfaces may change in future versions.

1.2 Options

Options can be given at three places:

1. `\usepackage[<options>]{bookmark}`
This is the only place for driver options and option `atend`.
2. `\bookmarksetup{<options>}`
This command is just for setting options.
3. `\bookmark[<options>]{<title>}`
This command sets the bookmark. The option settings remain limited to this bookmark.

1.2.1 Driver options

Supported drivers are `pdftex`, `dvips`, `dvipson`, `textures`, `dvipdfm` (xetex), and `vtex`. The \TeX engines `pdf \TeX` , `Xe \TeX` , and `V \TeX` are automatically detected. The default for the DVI drivers is `dvips`. This can be changed in the configuration file `bookmark.cfg` by `\BookmarkDefaultDriver`, e.g.:

```
\def\BookmarkDefaultDriver{dvipdfm}
```

Open bookmarks with dvipdfmx. Since 2007-04-25 the cvs version of `dvipdfmx` contains a patch that extends the `\special` for bookmarks in order to specify the open status of an outline entry. Option `dvipdfmx-outline-open` notifies the package that the dvi driver program understands this kind of `\special`. Alternatively `\SpecialDvipdfmxOutlineOpen` can be defined as number one in the configuration file or before the package is loaded, e.g.:

```
\chardef\SpecialDvipdfmxOutlineOpen=1\relax
```

1.2.2 Style options

Font options.

bold: The bookmark is shown with a bold font if the PDF viewer supports this (since PDF 1.4).

italic: An italic font is used (since PDF 1.4).

Both **bold** and **italic** can be used together. Using value **false** disables the font option.

These options are ignored with a warning if $\varepsilon\text{-}\text{\TeX}$ is not detected.

Color option. Colored bookmarks are a feature of PDF 1.4, they are not supported by all PDF viewers.

color: Here the color can be given as color specification of packages `color` or `xcolor`. An empty value means that the color property is not set. Without package `xcolor` the recognized values are restricted to

- Empty value, no color is set,
example: `color={}`
- Explicit color specification of color model `rgb`,
example for red: `color=[rgb]{1,0,0}`
- Explicit color specification of color model `gray`,
example for dark gray: `color=[gray]{0.25}`

Note that this restriction also holds if package `color` is loaded. With `xcolor`, however, the full range of color specifications can be used.

1.2.3 Action options

dest: Destination name.

page: Page number, first page is 1.

view: View specification, examples:

`view={FitB}`, `view={FitH 842}`, `view={XYZ 0 100 null}` Some view specification parameters expect numbers as parameters with unit bp. They can be given either as plain numbers or as length expressions inside `\calc`. Expressions of package `calc` are supported if the package is loaded. Otherwise ε -TeX's `\dimexpr` is used. Example:

`view={FitH \calc{\paperheight-\topmargin-1in}}`

`view={XYZ 0 \calc{\paperheight} null}`

Note that `\calc` cannot be used for the third parameter of `XYZ`. This parameter is the zoom value, not a length.

named: Named action name:

`FirstPage`, `LastPage`, `NextPage`, `PrevPage`

gotor: Name of the external PDF file.

uri: URI specification.

rawaction: Raw action specification. Because these specification depends on the driver this option should not be used.

The appropriate action for the bookmark is selected by analyzing the specified options. The actions are distinguished by different sets of options:

Action	Options
GoTo:	dest
GoTo:	page + view
GoToR:	gotor + dest
GoToR:	gotor + page + view
Named:	named
URI:	uri

1.2.4 Level options

The order of the bookmark entries are defined by the appearance order of `\bookmark` commands. The tree structure is constructed by the property `level` of the bookmark nodes. The values of `level` are integers. If the level of a bookmark entry has a higher value than the previous node, then the entry becomes a child of the previous node. The absolute value of the difference does not matter.

Package `bookmark` remembers the level of the previous bookmark entry in a global property 'current level'.

The behaviour of the level system can be configured by following options:

level: Sets the level, see the description above. If option `level` is given without value, then the default behaviour is restored, that the 'current level' is used as level value.

rellevel: Sets the level relative to the previous level. A positive value means that the bookmark entry become a child of the previous one.

keeplevel: Use the level, set by `level` or `rellevel`, but do not change the global property 'current level'. The option can be disabled by setting to `false`.

startatroot: At this time the bookmark tree starts at the top level again. The next bookmark entry is not sorted as child to a previous entry. Example scenario: A document uses part. However there are last chapters that should not be put below the last part:

```

\documentclass{book}
[...]
\begin{document}
  \part{First part}
    \chapter{First chapter in first part}
    [...]
  \part{Second part}
    \chapter{First chapter in second part}
    [...]
  \bookmarksetup{startatroot}
  \chapter{Index}% does not belong to second part
\end{document}

```

1.3 Compatibility with hyperref

Package `bookmark` automatically disables `hyperref`'s bookmarks. However the package uses some of the code of `hyperref`. For example, the package redefines the hook `\Hy@writebookmark` that `hyperref` inserts in `\addcontentsline` and other commands. Therefore `hyperref`'s bookmarks should not be disabled.

Package `bookmark` uses `hyperref`'s `\pdfstringdef` and does not provide a replacement.

Some options of `hyperref` are also implemented in package `bookmark`:

<code>hyperref</code>	<code>bookmark</code>
<code>bookmarksdepth</code>	<code>depth</code>
<code>bookmarksopen</code>	<code>open</code>
<code>bookmarksopenlevel</code>	<code>openlevel</code>
<code>bookmarksnumbered</code>	<code>numbered</code>

The following commands are also available:

```

\pdfbookmark
\currentpdfbookmark
\subpdfbookmark
\belowpdfbookmark

```

1.4 Adding bookmarks at the end

Package option `atend` enables the following macro:

`\BookmarkAtEnd {<stuff>}`

Macro `\BookmarkAtEnd` puts *<stuff>* at the end of the document. *<stuff>* means bookmark commands. Example:

```

\usepackage[atend]{bookmark}
\BookmarkAtEnd{%
  \bookmarksetup{startatroot}%
  \bookmark[named=LastPage, level=0]{Last page}%
}

```

Remarks.

- `\BookmarkAtEnd` hides the fact that the method for adding bookmarks at the end of the document depends on the driver.

Some drivers (`pdftex`, `dvips`, `dvipsone`, `textures`) uses L^AT_EX's `\AtEndDocument` for this purpose.

However `\AtEndDocument` cannot be used in general. The last page can already be finished if the hook of `\AtEndDocument` is called. The implementation of the other drivers (`dvipdfm`, `xetex`, `vtex`) depends on `\special`

that does not have an effect after the last page. In this case `\AtEndDvi` of package `atenddvi` helps. It puts its argument on last page of the document. Two L^AT_EX runs are necessary at least, because the last page is detected by a reference.

- The time of expansion of the argument of `\BookmarkAtEnd` is not specified. This can happen immediately or at the end of the document.

1.5 Limitations/ToDos

- Support for missing actions (Launch, ...).
- Better design for `hyperref`'s option `bookmarkstype`.

2 Example

```

1 \example
2 \documentclass{article}
3 \usepackage{xcolor}[2007/01/21]
4 \usepackage{hyperref}
5 \usepackage[
6   open,
7   openlevel=2,
8   atend
9 ]{bookmark}[2009/08/13]
10
11 \bookmarksetup{color=blue}
12
13 \BookmarkAtEnd{%
14   \bookmarksetup{startatroot}%
15   \bookmark[named=LastPage, level=0]{End/Last page}%
16   \bookmark[named=FirstPage, level=1]{First page}%
17 }
18
19 \begin{document}
20 \section{First section}
21 \subsection{Subsection A}
22 \begin{figure}
23   \hypertarget{fig}{}%
24   A figure.
25 \end{figure}
26 \bookmark[
27   rellevel=1,
28   keeplevel,
29   dest=fig
30 ]{A figure}
31 \subsection{Subsection B}
32 \subsubsection{Subsubsection C}
33 \subsection{Umlauts: \text{A}\text{O}\text{U}\text{a}\text{o}\text{u}\text{ss}}
34 \newpage
35 \bookmarksetup{
36   bold,
37   color=[rgb]{1,0,0}
38 }
39 \section{Very important section}
40 \bookmarksetup{
41   italic,
42   bold=false,
43   color=blue
44 }
45 \subsection{Italic section}

```

```

46 \bookmarksetup{
47   italic=false
48 }
49 \part{Misc}
50 \section{Diverse}
51 \subsubsection{Subsubsection, omitting subsection}
52 \bookmarksetup{
53   startatroot
54 }
55 \section{Last section outside part}
56 \subsection{Subsection}
57 \bookmarksetup{
58   color={}
59 }
60 \begingroup
61   \bookmarksetup{level=0, color=green!80!black}
62   \bookmark[named=FirstPage]{First page}
63   \bookmark[named=LastPage]{Last page}
64   \bookmark[named=PrevPage]{Previous page}
65   \bookmark[named=NextPage]{Next page}
66 \endgroup
67 \bookmark[
68   page=2,
69   view=FitH 800
70 ]{Page 2, FitH 800}
71 \bookmark[
72   page=2,
73   view=FitBH \calc{\paperheight-\topmargin-1in-\headheight-\headsep}
74 ]{Page 2, FitBH top of text body}
75 \bookmark[
76   uri={http://www.dante.de/},
77   color=magenta
78 ]{Dante homepage}
79 \bookmark[
80   gotor={t.pdf},
81   page=1,
82   view={XYZ 0 1000 null},
83   color=cyan!75!black
84 ]{File t.pdf}
85 \bookmark[named=FirstPage]{First page}
86 \bookmark[rellevel=1, named=LastPage]{Last page (rellevel=1)}
87 \bookmark[named=PrevPage]{Previous page}
88 \bookmark[level=0, named=FirstPage]{First page (level=0)}
89 \bookmark[
90   rellevel=1,
91   keeplevel,
92   named=LastPage
93 ]{Last page (rellevel=1, keeplevel)}
94 \bookmark[named=PrevPage]{Previous page}
95 \end{document}
96 \example

```

3 Implementation

3.1 Package

```

97 \*package
98 \NeedsTeXFormat{LaTeX2e}
99 \ProvidesPackage{bookmark}%
100 [2009/08/13 v1.5 PDF bookmarks (HO)]%

```

3.1.1 Requirements

ϵ -**T**_EX.

```
101 \begingroup\expandafter\expandafter\expandafter\endgroup
102 \expandafter\ifx\csname numexpr\endcsname\relax
103   \def\BKM@CalcExpr#1#2#3#4{%
104     \begingroup
105       \count@=#2\relax
106       \advance\count@ by#3#4\relax
107       \edef\x{\endgroup
108         \def\noexpand#1{\the\count@}}%
109     }%
110   \x
111 }%
112 \else
113   \def\BKM@CalcExpr#1#2#3#4{%
114     \edef#1{%
115       \the\numexpr#2#3#4\relax
116     }%
117   }%
118 \fi
```

Escape features of pdf**T**_EX.

```
119 \RequirePackage{pdfescape}[2007/03/20]
120 \def\BKM@EscapeName#1{%
121   \ifx#1\@empty
122   \else
123     \EdefEscapeName#1#1%
124   \fi
125 }%
126 \def\BKM@EscapeString#1{%
127   \ifx#1\@empty
128   \else
129     \EdefEscapeString#1#1%
130   \fi
131 }%
132 \def\BKM@EscapeHex#1{%
133   \ifx#1\@empty
134   \else
135     \EdefEscapeHex#1#1%
136   \fi
137 }%
138 \def\BKM@UnescapeHex#1{%
139   \EdefUnescapeHex#1#1%
140 }%
```

Packages.

```
141 \RequirePackage{ifpdf}[2009/04/10]
142 \RequirePackage{ifxetex}
143 \RequirePackage{ifvtex}[2008/11/04]
144 \RequirePackage{hyperref}
145 \RequirePackage{auxhook}[2007/04/06]
146 \RequirePackage{kvoptions}[2009/08/13]
147 \RequirePackage{hycolor}[2008/09/08]
148 \RequirePackage{bitset}
```

3.1.2 Package options

```
149 \SetupKeyvalOptions{family=BKM,prefix=BKM@}
150 \DeclareLocalOptions{%
151   atend,%
152   bold,%
```



```

153 color,%
154 depth,%
155 dest,%
156 gotor,%
157 italic,%
158 keeplevel,%
159 level,%
160 named,%
161 numbered,%
162 open,%
163 openlevel,%
164 page,%
165 rawaction,%
166 rellevel,%
167 startatroot,%
168 uri,%
169 view,%
170 }
171 \newcommand*{\bookmarksetup}{\setkeys{BKM}}
172 \DeclareBoolOption[\ifHy@bookmarksopen true\else false\fi]{open}
173 \DeclareStringOption[\maxdimen]{openlevel}
174 \edef\BKM@openlevel{\number\@bookmarksopenlevel}
175 %\DeclareStringOption[\c@tocdepth]{depth}
176 \begingroup\expandafter\expandafter\expandafter\endgroup
177 \expandafter\ifx\csname Hy@bookmarksdepth\endcsname\relax
178   \def\BKM@depth{\c@tocdepth}%
179 \else
180   \let\BKM@depth\Hy@bookmarksdepth
181 \fi
182 \define@key{BKM}{depth}[]{%
183   \edef\BKM@param{#1}%
184   \ifx\BKM@param\@empty
185     \def\BKM@depth{\c@tocdepth}%
186   \else
187     \ifundefined{toclevel@\BKM@param}{%
188       \onelevel@sanitize\BKM@param
189       \edef\BKM@temp{\expandafter\@car\BKM@param\@nil}%
190       \ifcase 0\expandafter\ifx\BKM@temp-1\fi
191         \expandafter\ifnum\expandafter'\BKM@temp>47 %
192           \expandafter\ifnum\expandafter'\BKM@temp<58 %
193             1%
194           \fi
195         \fi
196       \relax
197       \PackageWarning{bookmark}{%
198         Unknown document division name (\BKM@param)%
199       }%
200     \else
201       \BKM@SetDepth\BKM@param
202     \fi
203   }{%
204     \BKM@SetDepth{\csname toclevel@\BKM@param\endcsname}%
205   }%
206 \fi
207 }
208 \def\BKM@SetDepth#1{%
209   \begingroup
210     \setbox\z@=\hbox{%
211       \count@=#1\relax
212     \expandafter
213   }%
214   \expandafter\endgroup

```

```

215 \expandafter\def\expandafter\BKM@depth\expandafter{\the\count@}%
216 }
217 \DeclareStringOption[\BKM@currentlevel]{level}[\BKM@currentlevel]
218 \DeclareBoolOption{keeplevel}
219 \DeclareBoolOption{startatroot}
220 \define@key{BKM}{rellevel}{%
221 \BKM@CalcExpr\BKM@level{#1}+\BKM@currentlevel
222 }
223 \def\BKM@currentlevel{0}

```

Make bookmark's option numbered an alias for hyperref's bookmarksnumbered.

```

224 \DeclareBoolOption{%
225 \ifHy@bookmarksnumbered true\else false\fi
226 }{numbered}
227 \g@addto@macro\BKM@numberedtrue{%
228 \let\ifHy@bookmarksnumbered\iftrue
229 }
230 \g@addto@macro\BKM@numberedfalse{%
231 \let\ifHy@bookmarksnumbered\iffalse
232 }
233 \g@addto@macro\Hy@bookmarksnumberedtrue{%
234 \let\ifBKM@numbered\iftrue
235 }
236 \g@addto@macro\Hy@bookmarksnumberedfalse{%
237 \let\ifBKM@numbered\iffalse
238 }

```

Redefinitions hyperref's options

```

239 \def\BKM@PatchHyperrefOption#1{%
240 \expandafter\BKM@@PatchHyperrefOption\csname KV@Hyp@#1\endcsname%
241 }
242 \def\BKM@@PatchHyperrefOption#1{%
243 \expandafter\BKM@@@PatchHyperrefOption#1{##1}\BKM@nil#1%
244 }
245 \def\BKM@@@PatchHyperrefOption#1\BKM@nil#2#3{%
246 \def#2##1{%
247 #1%
248 \bookmarksetup{#3={##1}}%
249 }%
250 }
251 \BKM@PatchHyperrefOption{bookmarksopen}{open}
252 \BKM@PatchHyperrefOption{bookmarksopenlevel}{openlevel}
253 \BKM@PatchHyperrefOption{bookmarksdepth}{depth}

```

Style options. Caution: Package bitset is zero-based, the PDF specifications starts with one.

```

254 \bitsetReset{BKM@style}%
255 \define@key{BKM}{italic}[true]{%
256 \expandafter\ifx\csname if#1\endcsname\iftrue
257 \bitsetSet{BKM@style}{0}%
258 \else
259 \bitsetClear{BKM@style}{0}%
260 \fi
261 }%
262 \define@key{BKM}{bold}[true]{%
263 \expandafter\ifx\csname if#1\endcsname\iftrue
264 \bitsetSet{BKM@style}{1}%
265 \else
266 \bitsetClear{BKM@style}{1}%
267 \fi
268 }%
269 \def\BKM@PrintStyle{%
270 \bitsetGetDec{BKM@style}%

```

```
271 }%
```

Options for color.

```
272 \define@key{BKM}{color}{%
273   \HyColor@BookmarkColor{#1}\BKM@color{bookmark}{color}%
274 }
275 \let\BKM@color\@empty
```

3.1.3 Action options

```
276 \DeclareStringOption{dest}
277 \DeclareStringOption{named}
278 \DeclareStringOption{uri}
279 \DeclareStringOption{goto}
280 \DeclareStringOption{rawaction}

281 \define@key{BKM}{page}{%
282   \def\BKM@page{#1}%
283   \ifx\BKM@page\@empty
284   \else
285     \edef\BKM@page{\number\BKM@page}%
286     \ifnum\BKM@page>\z@
287     \else
288       \PackageError{bookmark}{Page must be positive}\@ehc
289     \def\BKM@page{1}%
290   \fi
291 \fi
292 }
293 \let\BKM@page\@empty

294 \define@key{BKM}{view}{%
295   \BKM@CheckView{#1}%
296 }
297 \let\BKM@view\@empty
298 \def\BKM@CheckView#1{%
299   \BKM@CheckViewType#1 \@nil
300 }
301 \def\BKM@CheckViewType#1 #2\@nil{%
302   \def\BKM@type{#1}%
303   \@onelevel@sanitize\BKM@type
304   \BKM@TestViewType{Fit}{}%
305   \BKM@TestViewType{FitB}{}%
306   \BKM@TestViewType{FitH}{%
307     \BKM@CheckParam#2 \@nil{top}%
308   }%
309   \BKM@TestViewType{FitBH}{%
310     \BKM@CheckParam#2 \@nil{top}%
311   }%
312   \BKM@TestViewType{FitV}{%
313     \BKM@CheckParam#2 \@nil{bottom}%
314   }%
315   \BKM@TestViewType{FitBV}{%
316     \BKM@CheckParam#2 \@nil{bottom}%
317   }%
318   \BKM@TestViewType{FitR}{%
319     \BKM@CheckRect{#2}{ }%
320   }%
321   \BKM@TestViewType{XYZ}{%
322     \BKM@CheckXYZ{#2}{ }%
323   }%
324   \@car{%
325     \PackageError{pdfbookmark}{%
326       Unknown view type ‘\BKM@type’,\MessageBreak
```

```

327         using 'FitH' instead%
328     }\@ehc
329     \def\BKM@view{FitH}%
330 }%
331 \@nil
332 }
333 \def\BKM@TestViewType#1{%
334     \def\BKM@temp{#1}%
335     \@onelevel@sanitize\BKM@temp
336     \ifx\BKM@type\BKM@temp
337         \let\BKM@view\BKM@temp
338         \expandafter\@car
339     \else
340         \expandafter\@gobble
341     \fi
342 }
343 \def\BKM@CheckParam#1 #2\@nil#3{%
344     \def\BKM@param{#1}%
345     \ifx\BKM@param\@empty
346         \PackageWarning{bookmark}{%
347             Missing parameter (#3) for '\BKM@type',\MessageBreak
348             using 0%
349         }%
350         \def\BKM@param{0}%
351     \else
352         \BKM@CalcParam
353     \fi
354     \edef\BKM@view{\BKM@view\space\BKM@param}%
355 }
356 \def\BKM@CheckRect#1#2{%
357     \BKM@@CheckRect#1#2#2#2\@nil
358 }
359 \def\BKM@@CheckRect#1 #2 #3 #4 #5\@nil{%
360     \def\BKM@temp{0}%
361     \def\BKM@param{#1}%
362     \ifx\BKM@param\@empty
363         \def\BKM@param{0}%
364         \def\BKM@temp{1}%
365     \else
366         \BKM@CalcParam
367     \fi
368     \edef\BKM@view{\BKM@view\space\BKM@param}%
369     \def\BKM@param{#2}%
370     \ifx\BKM@param\@empty
371         \def\BKM@param{0}%
372         \def\BKM@temp{1}%
373     \else
374         \BKM@CalcParam
375     \fi
376     \edef\BKM@view{\BKM@view\space\BKM@param}%
377     \def\BKM@param{#3}%
378     \ifx\BKM@param\@empty
379         \def\BKM@param{0}%
380         \def\BKM@temp{1}%
381     \else
382         \BKM@CalcParam
383     \fi
384     \edef\BKM@view{\BKM@view\space\BKM@param}%
385     \def\BKM@param{#4}%
386     \ifx\BKM@param\@empty
387         \def\BKM@param{0}%
388         \def\BKM@temp{1}%

```

```

389 \else
390   \BKM@CalcParam
391 \fi
392 \edef\BKM@view{\BKM@view\space\BKM@param}%
393 \ifnum\BKM@temp>\z@
394   \PackageWarning{bookmark}{Missing parameters for '\BKM@type'}%
395 \fi
396 }
397 \def\BKM@CheckXYZ#1#2{%
398   \BKM@@@CheckXYZ#1#2#2\@nil
399 }
400 \def\BKM@@@CheckXYZ#1 #2 #3 #4\@nil{%
401   \def\BKM@param{#1}%
402   \let\BKM@temp\BKM@param
403   \@onelevel@sanitize\BKM@temp
404   \ifx\BKM@param\@empty
405     \let\BKM@param\BKM@null
406   \else
407     \ifx\BKM@temp\BKM@null
408       \else
409         \BKM@CalcParam
410       \fi
411     \fi
412   \edef\BKM@view{\BKM@view\space\BKM@param}%
413   \def\BKM@param{#2}%
414   \let\BKM@temp\BKM@param
415   \@onelevel@sanitize\BKM@temp
416   \ifx\BKM@param\@empty
417     \let\BKM@param\BKM@null
418   \else
419     \ifx\BKM@temp\BKM@null
420       \else
421         \BKM@CalcParam
422       \fi
423     \fi
424   \edef\BKM@view{\BKM@view\space\BKM@param}%
425   \def\BKM@param{#3}%
426   \ifx\BKM@param\@empty
427     \let\BKM@param\BKM@null
428   \fi
429   \edef\BKM@view{\BKM@view\space\BKM@param}%
430 }
431 \def\BKM@null{null}
432 \@onelevel@sanitize\BKM@null
433 \def\BKM@CalcParam{%
434   \begingroup
435   \let\calc\@firstofone
436   \expandafter\BKM@@@CalcParam\BKM@param\@empty\@empty\@nil
437 }
438 \def\BKM@@@CalcParam#1#2#3\@nil{%
439   \ifx\calc#1%
440     \ifundefined{calc@assign@dimen}{%
441       \setlength{\dimen@}{\dimexpr#2\relax}%
442     }{%
443       \setlength{\dimen@}{#2}%
444     }%
445     \dimen@.99626\dimen@
446     \edef\BKM@param{\strip@pt\dimen@}%
447     \expandafter\endgroup
448     \expandafter\def\expandafter\BKM@param\expandafter{\BKM@param}%
449   \else
450     \endgroup

```

```

451 \fi
452 }

```

3.1.4 Option atend

```

453 \DeclareBoolOption{atend}
454 \def\BKM@DisableOptions{%
455   \DisableKeyvalOption{BKM}{atend}%
456 }

```

3.1.5 Driver setup and loading

Driver detection.

```

457 \def\BKM@DefineDriverKey#1{%
458   \define@key{BKM}{#1}[]{%
459     \def\BKM@driver{#1}%
460   }%
461   \g@addto@macro\BKM@DisableOptions{%
462     \DisableKeyvalOption{BKM}{#1}%
463   }%
464 }
465 \BKM@DefineDriverKey{pdftex}
466 \BKM@DefineDriverKey{dvips}
467 \BKM@DefineDriverKey{dvipsone}
468 \BKM@DefineDriverKey{textures}
469 \BKM@DefineDriverKey{dvi pdfm}
470 \BKM@DefineDriverKey{dvi pdfmx}
471 \BKM@DefineDriverKey{xetex}
472 \BKM@DefineDriverKey{vtex}
473 \define@key{BKM}{dvipdfmx-outline-open}[true]{%
474   \expandafter\ifx\csname if#1\expandafter\endcsname
475     \csname iftrue\endcsname
476     \chardef\SpecialDvipdfmxOutlineOpen\@ne
477   \else
478     \chardef\SpecialDvipdfmxOutlineOpen\z@
479   \fi
480 }
481 \g@addto@macro\BKM@DisableOptions{%
482   \DisableKeyvalOption{BKM}{dvipdfmx-outline-open}%
483 }
484 \InputIfFileExists{bookmark.cfg}{}{ }
485 \providecommand*\BookmarkerDriverDefault{dvips}
486 \ifpdf
487   \def\BKM@driver{pdftex}%
488 \else
489   \ifxetex
490     \def\BKM@driver{dvi pdfmx}%
491   \else
492     \ifvtex
493       \def\BKM@driver{vtex}%
494     \else
495       \edef\BKM@driver{\BookmarkerDriverDefault}%
496     \fi
497   \fi
498 \fi

```

Process options.

```

499 \ProcessKeyvalOptions*
500 \BKM@DisableOptions

```

Driver validation and loading.

```

501 \newif\ifBKM@DvipdfmxOutlineOpen

```

```

502 \begingroup\expandafter\expandafter\expandafter\endgroup
503 \expandafter\ifx\csname SpecialDvipdfmxOutlineOpen\endcsname\relax
504 \else
505   \ifnum\SpecialDvipdfmxOutlineOpen>\z@
506     \BKM@DvipdfmxOutlineOpentruer
507   \fi
508 \fi

509 \def\BKM@temp{dvipdfmx}%
510 \ifx\BKM@temp\BKM@driver
511   \def\BKM@driver{dvipdfm}%
512 \fi
513 \def\BKM@temp{pdftex}%
514 \ifpdf
515   \ifx\BKM@temp\BKM@driver
516   \else
517     \PackageWarningNoLine{bookmark}{%
518       Wrong driver '\BKM@driver', using 'pdftex' instead%
519     }%
520     \let\BKM@driver\BKM@temp
521   \fi
522 \else
523   \ifx\BKM@temp\BKM@driver
524     \PackageError{bookmark}{%
525       Wrong driver, pdfTeX is not running in PDF mode.\MessageBreak
526       Package loading is aborted%
527     }\@ehc
528     \expandafter\expandafter\expandafter\endinput
529   \fi
530   \def\BKM@temp{dvipdfm}%
531   \ifxetex
532     \ifx\BKM@temp\BKM@driver
533     \else
534       \PackageWarningNoLine{bookmark}{%
535         Wrong driver '\BKM@driver',\MessageBreak
536         using 'dvipdfm' for XeTeX instead%
537       }%
538       \let\BKM@driver\BKM@temp
539     \fi
540   \else
541     \def\BKM@temp{vtex}%
542     \ifvtex
543     \ifx\BKM@temp\BKM@driver
544     \else
545       \PackageWarningNoLine{bookmark}{%
546         Wrong driver '\BKM@driver',\MessageBreak
547         using 'vtex' for VTeX instead%
548       }%
549       \let\BKM@driver\BKM@temp
550     \fi
551   \else
552     \ifx\BKM@temp\BKM@driver
553     \PackageError{bookmark}{%
554       Wrong driver, VTeX is not running in PDF mode.\MessageBreak
555       Package loading is aborted%
556     }\@ehc
557     \expandafter\expandafter\expandafter\endinput
558   \fi
559 \fi
560 \fi
561 \fi

562 \InputIfFileExists{bkm-\BKM@driver.def}{-}{-}%
563 \PackageError{bookmark}{%

```

```

564     Unsupported driver '\BKM@driver'.\MessageBreak
565     Package loading is aborted%
566 } \@ehc
567 \endinput
568 }

```

3.1.6 Compatibility for hyperref

```

569 \renewcommand*{\pdfbookmark}[3][0]{%
570   \bookmark[level=#1,dest={#3.#1}]{#2}%
571   \hyper@anchorstart{#3.#1}\hyper@anchorend
572 }
573 \renewcommand*{\currentpdfbookmark}{%
574   \pdfbookmark[\BKM@currentlevel]%
575 }
576 \renewcommand*{\subpdfbookmark}{%
577   \BKM@CalcExpr\BKM@CalcResult\BKM@currentlevel+1%
578   \expandafter\pdfbookmark\expandafter[\BKM@CalcResult]%
579 }
580 \renewcommand*{\belowpdfbookmark}[2]{%
581   \xdef\BKM@gtemp{\number\BKM@currentlevel}%
582   \subpdfbookmark{#1}{#2}%
583   \global\let\BKM@currentlevel\BKM@gtemp
584 }

    section number, text, label, level, file
585 \renewcommand*{\Hy@writebookmark}[5]{%
586   \ifnum#4>\BKM@depth\relax
587   \else
588     \def\BKM@type{#5}%
589     \ifx\BKM@type\Hy@bookmarkstype
590       \begingroup
591         \ifBKM@numbered
592           \let\numberline\Hy@numberline
593           \let\partnumberline\Hy@numberline
594           \let\chapternumberline\Hy@numberline
595         \else
596           \let\numberline\@gobble
597           \let\partnumberline\@gobble
598           \let\chapternumberline\@gobble
599         \fi
600         \bookmark[level=#4,dest={#3}]{#2}%
601       \endgroup
602     \fi
603   \fi
604 }
605 \let\ReadBookmarks\relax
606 </package>

```

3.2 Driver for dvipdfm

```

607 < *dvipdfm>
608 \NeedsTeXFormat{LaTeX2e}
609 \ProvidesFile{bkm-dvipdfm.def}%
610   [2009/08/13 v1.5 bookmark driver for dvipdfm (HO)]%
611 \newcount\BKM@id
612 \BKM@id=\z@
613 \def\BKM@0{000}
614 \newif\ifBKM@sw
615 \newcommand*{\bookmark}[2][ ]{%
616   \if@filesw
617     \begingroup

```



```

618 \bookmarksetup{#1}%
619 \ifBKM@keeplevel
620 \else
621 \xdef\BKM@currentlevel{\BKM@level}%
622 \fi
623 \edef\BKM@prev{\the\BKM@id}%
624 \global\advance\BKM@id\@ne
625 \BKM@swtrue
626 \@whiles\ifBKM@sw\fi{%
627 \def\BKM@abslevel{1}%
628 \ifnum\ifBKM@startatroot\z@\else\BKM@prev\fi=\z@
629 \global\BKM@startatrootfalse
630 \expandafter\xdef\csname BKM@\the\BKM@id\endcsname{%
631 0{\BKM@level}\BKM@abslevel
632 }%
633 \BKM@swfalse
634 \else
635 \expandafter\expandafter\expandafter\BKM@getx
636 \csname BKM@\BKM@prev\endcsname
637 \ifnum\BKM@level>\BKM@x@level\relax
638 \BKM@CalcExpr\BKM@abslevel\BKM@x@abslevel+1%
639 \expandafter\xdef\csname BKM@\the\BKM@id\endcsname{%
640 {\BKM@prev}{\BKM@level}\BKM@abslevel
641 }%
642 \BKM@swfalse
643 \else
644 \let\BKM@prev\BKM@x@parent
645 \fi
646 \fi
647 }%
648 \pdfstringdef\BKM@title{#2}%
649 \edef\BKM@FLAGS{\BKM@PrintStyle}%
650 \let\BKM@action\@empty
651 \ifx\BKM@goto\@empty
652 \ifx\BKM@dest\@empty
653 \ifx\BKM@named\@empty
654 \ifx\BKM@rawaction\@empty
655 \ifx\BKM@uri\@empty
656 \ifx\BKM@page\@empty
657 \PackageError{bookmark}{Missing action}\@ehc
658 \edef\BKM@action{/Dest[@page/Fit]}%
659 \else
660 \ifx\BKM@view\@empty
661 \def\BKM@view{Fit}%
662 \fi
663 \edef\BKM@action{/Dest[@page\BKM@page/\BKM@view]}%
664 \fi
665 \else
666 \BKM@EscapeString\BKM@uri
667 \edef\BKM@action{%
668 /A<<%
669 /S/URI%
670 /URI(\BKM@uri)%
671 >>%
672 }%
673 \fi
674 \else
675 \edef\BKM@action{/A<<\BKM@rawaction>>}%
676 \fi
677 \else
678 \BKM@EscapeName\BKM@named
679 \edef\BKM@action{%

```

```

680         /A<</S/Named/N/\BKM@named>>%
681     }%
682 \fi
683 \else
684     \BKM@EscapeString\BKM@dest
685     \edef\BKM@action{%
686         /A<<%
687         /S/GoTo%
688         /D(\BKM@dest)%
689         >>%
690     }%
691 \fi
692 \else
693     \ifx\BKM@dest\@empty
694         \ifx\BKM@page\@empty
695             \def\BKM@page{0}%
696         \else
697             \BKM@CalcExpr\BKM@page\BKM@page-1%
698         \fi
699         \ifx\BKM@view\@empty
700             \def\BKM@view{Fit}%
701         \fi
702         \edef\BKM@action{/D[\BKM@page/\BKM@view]}%
703     \else
704         \BKM@EscapeString\BKM@dest
705         \edef\BKM@action{/D(\BKM@dest)}%
706     \fi
707     \BKM@EscapeString\BKM@gotor
708     \edef\BKM@action{%
709         /A<<%
710         /S/GoToR%
711         /F(\BKM@gotor)%
712         \BKM@action
713         >>%
714     }%
715 \fi
716 \special{pdf:
717     out \ifBKM@DvipdfmxOutlineOpen
718         [%
719         \ifBKM@open
720             \ifnum\BKM@level<\BKM@openlevel
721             \else
722                 -%
723             \fi
724         \else
725             -%
726         \fi
727         ] %
728     \fi
729     \BKM@abslevel
730 <<%
731     /Title(\BKM@title)%
732     \ifx\BKM@color\@empty
733     \else
734         /C[\BKM@color]%
735     \fi
736     \ifnum\BKM@FLAGS>\z@
737         /F \BKM@FLAGS
738     \fi
739     \BKM@action
740     >>%
741 }%

```

```

742 \endgroup
743 \fi
744 }

745 \def\BKM@getx#1#2#3{%
746 \def\BKM@x@parent{#1}%
747 \def\BKM@x@level{#2}%
748 \def\BKM@x@abslevel{#3}%
749 }

750 </dvipdfm>

```

3.3 Driver for VTeX

```

751 <*vtex>
752 \NeedsTeXFormat{LaTeX2e}
753 \ProvidesFile{bkm-vtex.def}%
754 [2009/08/13 v1.5 bookmark driver for VTeX (HO)]%

755 \ifvtexpdf
756 \else
757 \PackageWarningNoLine{bookmark}{%
758 The VTeX driver only supports PDF mode%
759 }%
760 \fi

761 \newcount\BKM@id
762 \BKM@id=\z@

763 \def\BKM@O{00}

764 \newif\ifBKM@sw

765 \newcommand*{\bookmark}[2][ ]{%
766 \if@filesw
767 \begingroup
768 \bookmarksetup{#1}%
769 \ifBKM@keeplevel
770 \else
771 \xdef\BKM@currentlevel{\BKM@level}%
772 \fi
773 \edef\BKM@prev{\the\BKM@id}%
774 \global\advance\BKM@id\@ne
775 \BKM@swtrue
776 \@whilesw\ifBKM@sw\fi{%
777 \ifnum\ifBKM@startatroot\z@\else\BKM@prev\fi=\z@
778 \global\BKM@startatrootfalse
779 \def\BKM@parent{0}%
780 \expandafter\xdef\csname BKM@\the\BKM@id\endcsname{%
781 0{\BKM@level}%
782 }%
783 \BKM@swfalse
784 \else
785 \expandafter\expandafter\expandafter\BKM@getx
786 \csname BKM@\BKM@prev\endcsname
787 \ifnum\BKM@level>\BKM@x@level\relax
788 \let\BKM@parent\BKM@prev
789 \expandafter\xdef\csname BKM@\the\BKM@id\endcsname{%
790 {\BKM@prev}{\BKM@level}%
791 }%
792 \BKM@swfalse
793 \else
794 \let\BKM@prev\BKM@x@parent
795 \fi
796 \fi
797 }%
798 \pdfstringdef\BKM@title{#2}%

```

```

799 \BKM@vtex@title
800 \edef\BKM@FLAGS{\BKM@PrintStyle}%
801 \let\BKM@action\@empty
802 \ifx\BKM@gotor\@empty
803 \ifx\BKM@dest\@empty
804 \ifx\BKM@named\@empty
805 \ifx\BKM@rawaction\@empty
806 \ifx\BKM@uri\@empty
807 \ifx\BKM@page\@empty
808 \PackageError{bookmark}{Missing action}\@ehc
809 \def\BKM@action{!}%
810 \else
811 \edef\BKM@action{!\BKM@page}%
812 \fi
813 \else
814 \BKM@EscapeString\BKM@uri
815 \edef\BKM@action{%
816 <u=%
817 /S/URI%
818 /URI(\BKM@uri)%
819 >%
820 }%
821 \fi
822 \else
823 \edef\BKM@action{<u=\BKM@rawaction>}%
824 \fi
825 \else
826 \BKM@EscapeName\BKM@named
827 \edef\BKM@action{%
828 <u=%
829 /S/Named%
830 /N/\BKM@named
831 >%
832 }%
833 \fi
834 \else
835 \BKM@EscapeString\BKM@dest
836 \edef\BKM@action{\BKM@dest}%
837 \fi
838 \else
839 \ifx\BKM@dest\@empty
840 \ifx\BKM@page\@empty
841 \def\BKM@page{1}%
842 \fi
843 \ifx\BKM@view\@empty
844 \def\BKM@view{Fit}%
845 \fi
846 \edef\BKM@action{/D[\BKM@page/\BKM@view]}%
847 \else
848 \BKM@EscapeString\BKM@dest
849 \edef\BKM@action{/D(\BKM@dest)}%
850 \fi
851 \BKM@EscapeString\BKM@gotor
852 \edef\BKM@action{%
853 <u=%
854 /S/GoToR%
855 /F(\BKM@gotor)%
856 \BKM@action
857 >>%
858 }%
859 \fi
860 \ifx\BKM@color\@empty

```

```

861         \let\BKM@RGBcolor\@empty
862     \else
863         \expandafter\BKM@toRGB\BKM@color\@nil
864     \fi
865     \special{%
866         !outline \BKM@action;%
867         p=\BKM@parent,%
868         i=\number\BKM@id,%
869         s=%
870         \ifBKM@open
871             \ifnum\BKM@level<\BKM@openlevel
872                 o%
873             \else
874                 c%
875             \fi
876         \else
877             c%
878         \fi,%
879         \ifx\BKM@RGBcolor\@empty
880         \else
881             c=\BKM@RGBcolor,%
882         \fi
883         \ifnum\BKM@FLAGS>\z@
884             f=\BKM@FLAGS,%
885         \fi
886         t=\BKM@title
887     }%
888     \endgroup
889 \fi
890 }

891 \def\BKM@getx#1#2{%
892     \def\BKM@x@parent{#1}%
893     \def\BKM@x@level{#2}%
894 }

895 \def\BKM@toRGB#1 #2 #3\@nil{%
896     \let\BKM@RGBcolor\@empty
897     \BKM@toRGBComponent{#1}%
898     \BKM@toRGBComponent{#2}%
899     \BKM@toRGBComponent{#3}%
900 }

901 \def\BKM@toRGBComponent#1{%
902     \dimen@=#1pt\relax
903     \ifdim\dimen@>\z@
904         \ifdim\dimen@<\p@
905             \dimen@=255\dimen@
906             \advance\dimen@ by 32768sp\relax
907             \divide\dimen@ by 65536\relax
908             \dimen@ii=\dimen@
909             \divide\dimen@ii by 16\relax
910             \edef\BKM@RGBcolor{%
911                 \BKM@RGBcolor
912                 \BKM@toHexDigit\dimen@ii
913             }%
914             \dimen@ii=16\dimen@ii
915             \advance\dimen@-\dimen@ii
916             \edef\BKM@RGBcolor{%
917                 \BKM@RGBcolor
918                 \BKM@toHexDigit\dimen@
919             }%
920         \else
921             \edef\BKM@RGBcolor{\BKM@RGBcolor FF}%
922         \fi

```

```

923 \else
924 \edef\BKM@RGBcolor{\BKM@RGBcolor00}%
925 \fi
926 }
927 \def\BKM@toHexDigit#1{%
928 \expandafter\ifcase\expandafter\@firstofone\expandafter{\number#1} %
929 0\or 1\or 2\or 3\or 4\or 5\or 6\or 7\or
930 8\or 9\or A\or B\or C\or D\or E\or F%
931 \fi
932 }

933 \begingroup
934 \catcode'\|=0 %
935 \catcode'\|=12 %
936 |gdef|BKM@vtex@title{%
937 |@onelevel@sanitize|BKM@title
938 |edef|BKM@title{|expandafter|BKM@vtex@leftparen|BKM@title\(|@nil}%
939 |edef|BKM@title{|expandafter|BKM@vtex@rightparen|BKM@title\)|@nil}%
940 |edef|BKM@title{|expandafter|BKM@vtex@zero|BKM@title\0|@nil}%
941 |edef|BKM@title{|expandafter|BKM@vtex@one|BKM@title\1|@nil}%
942 |edef|BKM@title{|expandafter|BKM@vtex@two|BKM@title\2|@nil}%
943 |edef|BKM@title{|expandafter|BKM@vtex@three|BKM@title\3|@nil}%
944 }%
945 |gdef|BKM@vtex@leftparen#1\|#2|@nil{%
946 #1%
947 |ifx||#2||%
948 |else
949 (%
950 |@ReturnAfterFi{%
951 |BKM@vtex@leftparen#2|@nil
952 }%
953 |fi
954 }%
955 |gdef|BKM@vtex@rightparen#1\|#2|@nil{%
956 #1%
957 |ifx||#2||%
958 |else
959 )%
960 |@ReturnAfterFi{%
961 |BKM@vtex@rightparen#2|@nil
962 }%
963 |fi
964 }%
965 |gdef|BKM@vtex@zero#1\0#2|@nil{%
966 #1%
967 |ifx||#2||%
968 |else
969 |noexpand|hv@pdf@char0%
970 |@ReturnAfterFi{%
971 |BKM@vtex@zero#2|@nil
972 }%
973 |fi
974 }%
975 |gdef|BKM@vtex@one#1\1#2|@nil{%
976 #1%
977 |ifx||#2||%
978 |else
979 |noexpand|hv@pdf@char1%
980 |@ReturnAfterFi{%
981 |BKM@vtex@one#2|@nil
982 }%
983 |fi
984 }%

```

```

985 |gdef|BKM@vtex@two#1\2#2|@nil{%
986   #1%
987   |ifx||#2||%
988   |else
989     |noexpand|hv@pdf@char2%
990     |@ReturnAfterFi{%
991       |BKM@vtex@two#2|@nil
992     }%
993   |fi
994 }%
995 |gdef|BKM@vtex@three#1\3#2|@nil{%
996   #1%
997   |ifx||#2||%
998   |else
999     |noexpand|hv@pdf@char3%
1000     |@ReturnAfterFi{%
1001       |BKM@vtex@three#2|@nil
1002     }%
1003   |fi
1004 }%
1005 |endgroup
1006 \long\def\@ReturnafterFi#1\fi{\fi#1}
1007 </vtex>

```

3.4 Driver for pdfTeX

```

1008 <*pdfTeX>
1009 \NeedsTeXFormat{LaTeX2e}
1010 \ProvidesFile{bkm-pdfTeX.def}%
1011   [2009/08/13 v1.5 bookmark driver for pdfTeX (H0)]%
1012 \def\BKM@DO@entry#1#2{%
1013   \begingroup
1014     \setkeys{BKM@DO}{#1}%
1015     \def\BKM@DO@title{#2}%
1016     \BKM@UnescapeHex\BKM@DO@title
1017     \expandafter\expandafter\expandafter\BKM@getx
1018     \csname BKM@\BKM@DO@id\endcsname\@empty\@empty
1019     \let\BKM@attr\@empty
1020     \ifx\BKM@DO@flags\@empty
1021     \else
1022       \edef\BKM@attr{\BKM@attr/F \BKM@DO@flags}%
1023     \fi
1024     \ifx\BKM@DO@color\@empty
1025     \else
1026       \edef\BKM@attr{\BKM@attr/C[\BKM@DO@color]}%
1027     \fi
1028     \ifx\BKM@attr\@empty
1029     \else
1030       \edef\BKM@attr{attr{\BKM@attr}}%
1031     \fi
1032     \let\BKM@action\@empty
1033     \ifx\BKM@DO@goto\@empty
1034       \ifx\BKM@DO@dest\@empty
1035         \ifx\BKM@DO@named\@empty
1036           \ifx\BKM@DO@rawaction\@empty
1037             \ifx\BKM@DO@uri\@empty
1038               \ifx\BKM@DO@page\@empty
1039                 \PackageError{bookmark}{Missing action}\@ehc
1040                 \edef\BKM@action{goto page1{/Fit}}%
1041               \else
1042                 \ifx\BKM@DO@view\@empty
1043                   \def\BKM@DO@view{Fit}%
1044                 \fi

```

```

1045         \edef\BKM@action{goto page\BKM@D0@page{/ \BKM@D0@view}}}%
1046     \fi
1047 \else
1048     \BKM@UnescapeHex\BKM@D0@uri
1049     \BKM@EscapeString\BKM@D0@uri
1050     \edef\BKM@action{user{<</S/URI/URI(\BKM@D0@uri)>>}}}%
1051 \fi
1052 \else
1053     \BKM@UnescapeHex\BKM@D0@rawaction
1054     \edef\BKM@action{%
1055         user{%
1056             <<%
1057                 \BKM@D0@rawaction
1058             >>%
1059         }%
1060     }%
1061 \fi
1062 \else
1063     \BKM@EscapeName\BKM@D0@named
1064     \edef\BKM@action{%
1065         user{<</S/Named/N/\BKM@D0@named>>}}%
1066     }%
1067 \fi
1068 \else
1069     \BKM@UnescapeHex\BKM@D0@dest
1070     \BKM@DefGotoNameAction\BKM@action\BKM@D0@dest
1071 \fi
1072 \else
1073     \ifx\BKM@D0@dest\@empty
1074     \ifx\BKM@D0@page\@empty
1075         \def\BKM@D0@page{0}%
1076     \else
1077         \BKM@CalcExpr\BKM@D0@page\BKM@D0@page-1%
1078     \fi
1079     \ifx\BKM@D0@view\@empty
1080         \def\BKM@D0@view{Fit}%
1081     \fi
1082     \edef\BKM@action{/D[\BKM@D0@page/\BKM@D0@view]}%
1083 \else
1084     \BKM@UnescapeHex\BKM@D0@dest
1085     \BKM@EscapeString\BKM@D0@dest
1086     \edef\BKM@action{/D(\BKM@D0@dest)}%
1087 \fi
1088 \BKM@UnescapeHex\BKM@D0@gotor
1089 \BKM@EscapeString\BKM@D0@gotor
1090 \edef\BKM@action{%
1091     user{%
1092         <<%
1093             /S/GoToR%
1094             /F(\BKM@D0@gotor)%
1095             \BKM@action
1096         >>%
1097     }%
1098 }%
1099 \fi
1100 \pdfoutline\BKM@attr\BKM@action
1101     count\ifBKM@D0@open\else-\fi\BKM@x@childs
1102     {\BKM@D0@title}%
1103 \endgroup
1104 }

```

\BKM@DefGotoNameAction Macro \BKM@DefGotoNameAction is a hook for package hypdestopt.

```

1105 \def\BKM@DefGotoNameAction#1#2{%

```



```

1106 \BKM@EscapeString\BKM@D0@dest
1107 \edef#1{goto name{#2}}%
1108 }

1109 </pdftex>

```

3.5 Drivers with pdfmark specials

3.5.1 Driver dvips

```

1110 <*dvips>
1111 \NeedsTeXFormat{LaTeX2e}
1112 \ProvidesFile{bkm-dvips.def}%
1113 [2009/08/13 v1.5 bookmark driver for dvips (H0)]%
1114 \def\BKM@PSHeaderFile#1{%
1115 \special{header=#1}%
1116 }
1117 </dvips>

```

3.5.2 Driver dvipsone

```

1118 <*dvipsone>
1119 \NeedsTeXFormat{LaTeX2e}
1120 \ProvidesFile{bkm-dvipsone.def}%
1121 [2009/08/13 v1.5 bookmark driver for dvipsone (H0)]%
1122 \def\BKM@PSHeaderFile#1{%
1123 \special{header=#1}%
1124 }
1125 </dvipsone>

```

3.5.3 Driver textures

```

1126 <*textures>
1127 \NeedsTeXFormat{LaTeX2e}
1128 \ProvidesFile{bkm-textures.def}%
1129 [2009/08/13 v1.5 bookmark driver for textures (H0)]%
1130 \def\BKM@PSHeaderFile#1{%
1131 \special{prePostScriptfile #1}%
1132 }
1133 </textures>

```

3.5.4 Common part

```

1134 <*pdfmark>
1135 \def\BKM@filename{\jobname.out.ps}
1136 \BKM@PSHeaderFile\BKM@filename
1137 \AtEndDocument{\BKM@pdfmark@out}

1138 \def\BKM@pdfmark@out{%
1139 \if@filesw
1140 \newwrite\BKM@file
1141 \immediate\openout\BKM@file=\BKM@filename\relax
1142 \BKM@write{\@percentchar!}%
1143 \BKM@write{/pdfmark where{pop}}%
1144 \BKM@write{%
1145 {%
1146 /globaldict where{pop globaldict}{userdict}ifelse%
1147 /pdfmark/cleartomark load put%
1148 }%
1149 }%
1150 \BKM@write{ifelse}%
1151 \else
1152 \let\BKM@write\@gobble
1153 \let\BKM@D0@entry\@gobbletwo
1154 \fi

```

```

1155 }
1156 \def\BKM@write#{%
1157   \immediate\write\BKM@file
1158 }

```

The specification for pdfmark says that /Color is the name of the key for color, however ghostscript only passes the key into the PDF file, thus the key name must be /C.

```

1159 \def\BKM@DO@entry#1#2{%
1160   \begingroup
1161     \setkeys{BKM@DO}{#1}%
1162     \def\BKM@DO@title{#2}%
1163     \BKM@UnescapeHex\BKM@DO@title
1164     \expandafter\expandafter\expandafter\BKM@getx
1165     \csname BKM@\BKM@DO@id\endcsname\@empty\@empty
1166     \let\BKM@attr\@empty
1167     \ifx\BKM@DO@flags\@empty
1168       \else
1169         \edef\BKM@attr{\BKM@attr/F \BKM@DO@flags}%
1170       \fi
1171       \ifx\BKM@DO@color\@empty
1172       \else
1173         \edef\BKM@attr{\BKM@attr/C[\BKM@DO@color]}%
1174       \fi
1175       \let\BKM@action\@empty
1176       \ifx\BKM@DO@goto\@empty
1177         \ifx\BKM@DO@dest\@empty
1178           \ifx\BKM@DO@named\@empty
1179             \ifx\BKM@DO@rawaction\@empty
1180               \ifx\BKM@DO@uri\@empty
1181                 \ifx\BKM@DO@page\@empty
1182                   \PackageError{bookmark}{Missing action}\@ehc
1183                   \edef\BKM@action{%
1184                     /Action/GoTo%
1185                     /Page 1%
1186                     /View[/Fit]%
1187                   }%
1188                 \else
1189                   \ifx\BKM@DO@view\@empty
1190                     \def\BKM@DO@view{Fit}%
1191                   \fi
1192                   \edef\BKM@action{%
1193                     /Action/GoTo%
1194                     /Page \BKM@DO@page
1195                     /View[/\BKM@DO@view]%
1196                   }%
1197                 \fi
1198               \else
1199                 \BKM@UnescapeHex\BKM@DO@uri
1200                 \BKM@EscapeString\BKM@DO@uri
1201                 \edef\BKM@action{%
1202                   /Action<<%
1203                   /Subtype/URI%
1204                   /URI(\BKM@DO@uri)%
1205                 >>%
1206               }%
1207             \fi
1208           \else
1209             \BKM@UnescapeHex\BKM@DO@rawaction
1210             \edef\BKM@action{%
1211               /Action<<%
1212               \BKM@DO@rawaction
1213             >>%

```

```

1214         }%
1215     \fi
1216 \else
1217     \BKM@EscapeName\BKM@DO@named
1218     \edef\BKM@action{%
1219         /Action<<%
1220         /Subtype/Named%
1221         /N/\BKM@DO@named
1222         >>%
1223     }%
1224 \fi
1225 \else
1226     \BKM@UnescapeHex\BKM@DO@dest
1227     \BKM@EscapeString\BKM@DO@dest
1228     \edef\BKM@action{%
1229         /Action/GoTo%
1230         /Dest(\BKM@DO@dest)cvn%
1231     }%
1232 \fi
1233 \else
1234     \ifx\BKM@DO@dest\@empty
1235         \ifx\BKM@DO@page\@empty
1236             \def\BKM@DO@page{1}%
1237         \fi
1238         \ifx\BKM@DO@view\@empty
1239             \def\BKM@DO@view{Fit}%
1240         \fi
1241         \edef\BKM@action{%
1242             /Page \BKM@DO@page
1243             /View[/\BKM@DO@view]%
1244         }%
1245     \else
1246         \BKM@UnescapeHex\BKM@DO@dest
1247         \BKM@EscapeString\BKM@DO@dest
1248         \edef\BKM@action{%
1249             /Dest(\BKM@DO@dest)cvn%
1250         }%
1251     \fi
1252     \BKM@UnescapeHex\BKM@DO@goto
1253     \BKM@EscapeString\BKM@DO@goto
1254     \edef\BKM@action{%
1255         /Action/GoToR%
1256         /File(\BKM@DO@goto)%
1257         \BKM@action
1258     }%
1259 \fi
1260 \BKM@write{[]}%
1261 \BKM@write{/Title(\BKM@DO@title)}%
1262 \ifnum\BKM@x@chlds>\z@
1263     \BKM@write{/Count \ifBKM@DO@open\else-\fi\BKM@x@chlds}%
1264 \fi
1265 \ifx\BKM@attr\@empty
1266 \else
1267     \BKM@write{\BKM@attr}%
1268 \fi
1269 \BKM@write{\BKM@action}%
1270 \BKM@write{/OUT pdfmark}%
1271 \endgroup
1272 }
1273 </pdfmark>

```

3.6 Common part for pdftex and pdfmark

1274 <*pdfTeX | pdfmark>

3.6.1 Write auxiliary file

```
1275 \RequirePackage{auxhook}
1276 \AddLineBeginMainAux{%
1277   \string\providecommand\string\BKM@entry[2]{}%
1278 }

1279 \newcount\BKM@id
1280 \BKM@id=\z@

1281 \def\BKM@O{000}

1282 \newif\ifBKM@sw

1283 \newcommand*{\bookmark}[2][1]{%
1284   \if@filesw
1285     \begingroup
1286       \bookmarksetup{#1}%
1287       \ifBKM@keeplevel
1288       \else
1289         \xdef\BKM@currentlevel{\BKM@level}%
1290       \fi
1291       \edef\BKM@prev{\the\BKM@id}%
1292       \global\advance\BKM@id\@ne
1293       \BKM@swtrue
1294       \@whiles\ifBKM@sw\fi{%
1295         \ifnum\ifBKM@startatroot\z@\else\BKM@prev\fi=\z@
1296           \global\BKM@startatrootfalse
1297           \expandafter\xdef\csname BKM@\the\BKM@id\endcsname{%
1298             0{\BKM@level}0%
1299           }%
1300           \BKM@swfalse
1301         \else
1302           \expandafter\expandafter\expandafter\BKM@getx
1303             \csname BKM@\BKM@prev\endcsname
1304           \ifnum\BKM@level>\BKM@x@level\relax
1305             \expandafter\xdef\csname BKM@\the\BKM@id\endcsname{%
1306               {\BKM@prev}{\BKM@level}0%
1307             }%
1308             \ifnum\BKM@prev>\z@
1309               \BKM@CalcExpr\BKM@CalcResult\BKM@x@child+1%
1310               \expandafter\xdef\csname BKM@\BKM@prev\endcsname{%
1311                 {\BKM@x@parent}{\BKM@x@level}{\BKM@CalcResult}%
1312               }%
1313             \fi
1314             \BKM@swfalse
1315           \else
1316             \let\BKM@prev\BKM@x@parent
1317           \fi
1318         \fi
1319       }%
1320       \pdfstringdef\BKM@title{#2}%
1321       \edef\BKM@FLAGS{\BKM@PrintStyle}%
1322       \csname BKM@HypDestOptHook\endcsname
1323       \BKM@EscapeHex\BKM@dest
1324       \BKM@EscapeHex\BKM@uri
1325       \BKM@EscapeHex\BKM@goto
1326       \BKM@EscapeHex\BKM@rawaction
1327       \BKM@EscapeHex\BKM@title
1328       \immediate\write\@mainaux{%
1329         \string\BKM@entry{%
1330           id=\number\BKM@id
1331           \ifBKM@open
1332             \ifnum\BKM@level<\BKM@openlevel
```

```

1333         ,open%
1334     \fi
1335 \fi
1336 \BKM@auxentry{dest}%
1337 \BKM@auxentry{named}%
1338 \BKM@auxentry{uri}%
1339 \BKM@auxentry{gotor}%
1340 \BKM@auxentry{page}%
1341 \BKM@auxentry{view}%
1342 \BKM@auxentry{rawaction}%
1343 \BKM@auxentry{color}%
1344 \ifnum\BKM@FLAGS>\z@
1345     ,flags=\BKM@FLAGS
1346 \fi
1347 }{\BKM@title}%
1348 }%
1349 \endgroup
1350 \fi
1351 }

1352 \def\BKM@getx#1#2#3{%
1353     \def\BKM@x@parent{#1}%
1354     \def\BKM@x@level{#2}%
1355     \def\BKM@x@childs{#3}%
1356 }

1357 \def\BKM@auxentry#1{%
1358     \expandafter\ifx\csname BKM@#1\endcsname\@empty
1359     \else
1360         ,#1={\csname BKM@#1\endcsname}%
1361     \fi
1362 }

```

3.6.2 Read auxiliary data

```

1363 \SetupKeyvalOptions{family=BKM@DO,prefix=BKM@DO@}
1364 \DeclareStringOption[0]{id}
1365 \DeclareBoolOption{open}
1366 \DeclareStringOption{flags}
1367 \DeclareStringOption{color}
1368 \DeclareStringOption{dest}
1369 \DeclareStringOption{named}
1370 \DeclareStringOption{uri}
1371 \DeclareStringOption{gotor}
1372 \DeclareStringOption{page}
1373 \DeclareStringOption{view}
1374 \DeclareStringOption{rawaction}

1375 \AtBeginDocument{%
1376     \let\BKM@entry\BKM@DO@entry
1377 }

1378 </pdfTeX | pdfmark>

```

3.7 Option atend

3.7.1 Hook

```

1379 <*package>
1380 \ifBKM@atend
1381 \else

```

\BookmarkAtEnd This is a dummy definition that generates a warning if option atend has not been given.

```

1382 \newcommand{\BookmarkAtEnd}[1]{%
1383     \PackageWarning{bookmark}{%
1384         Ignored, because option ‘atend’ is missing%

```

```

1385     }%
1386 }%

1387 \expandafter\endinput
1388 \fi

\BookmarkAtEnd

1389 \newcommand*{\BookmarkAtEnd}{%
1390   \g@addto@macro\BKM@EndHook
1391 }

1392 \let\BKM@EndHook\@empty
1393 \</package>

```

3.7.2 Drivers using \AtEndDocument

\AtEndDocument can be used, if the implementation of \bookmark does not depend on \special:

- Driver pdfTeX uses \pdfoutline that can be used after the last page.
- PostScript drivers such as dvips use an external PostScript header file for the bookmarks. File writing can be done after the last shipout page, thus \AtEndDocument works.

```

1394 \<pdfTeX | pdfmark>
1395 \ifBKM@atend
1396   \AtBeginDocument{%
1397     \AtEndDocument{%
1398       \clearpage
1399       \BKM@EndHook
1400     }%
1401   }%
1402 \fi
1403 \</pdfTeX | pdfmark>

```

3.7.3 Drivers using \AtEndDvi

The other drivers implement \bookmark using \special commands. Thus the last bookmarks must be put on the last page, not afterwards. \AtEndDocument cannot be used, because it is too late, the last page can already be output. Therefore we use package atenddvi that uses the help of packages atbegshi and zref. The argument of \AtEndDvi is put at the end of the last page. At least two L^AT_EX runs are necessary.

```

1404 \<dvipdfm | vTeX>
1405 \ifBKM@atend
1406   \RequirePackage{atenddvi}%
1407   \AtEndDvi{\BKM@EndHook}%
1408 \fi
1409 \</dvipdfm | vTeX>

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/bookmark.dtx](http://ctan.org/macros/latex/contrib/oberdiek/bookmark.dtx) The source file.

[CTAN:macros/latex/contrib/oberdiek/bookmark.pdf](http://ctan.org/macros/latex/contrib/oberdiek/bookmark.pdf) Documentation.

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for \TeX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain- \TeX :

```
tex bookmark.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>bookmark.sty</code>	\rightarrow <code>tex/latex/oberdiek/bookmark.sty</code>
<code>bkm-dvipdfm.def</code>	\rightarrow <code>tex/latex/oberdiek/bkm-dvipdfm.def</code>
<code>bkm-dvips.def</code>	\rightarrow <code>tex/latex/oberdiek/bkm-dvips.def</code>
<code>bkm-dvipsones.def</code>	\rightarrow <code>tex/latex/oberdiek/bkm-dvipsones.def</code>
<code>bkm-textures.def</code>	\rightarrow <code>tex/latex/oberdiek/bkm-textures.def</code>
<code>bkm-pdfTeX.def</code>	\rightarrow <code>tex/latex/oberdiek/bkm-pdfTeX.def</code>
<code>bkm-vTeX.def</code>	\rightarrow <code>tex/latex/oberdiek/bkm-vTeX.def</code>
<code>bookmark.pdf</code>	\rightarrow <code>doc/latex/oberdiek/bookmark.pdf</code>
<code>bookmark-example.tex</code>	\rightarrow <code>doc/latex/oberdiek/bookmark-example.tex</code>
<code>bookmark.dtx</code>	\rightarrow <code>source/latex/oberdiek/bookmark.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your \TeX distribution (`te \TeX` , `mik \TeX` , ...) relies on file name databases, you must refresh these. For example, `te \TeX` users run `texhash` or `mktextlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk bookmark.pdf unpack_files output .
```

Unpacking with L^AT_EX. The .dtx chooses its action depending on the format:

plain-T_EX: Run docstrip and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for docstrip (really, docstrip does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{bookmark.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the .dtx or the .drv to generate the documentation. The process can be configured by the configuration file ltxdoc.cfg. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex bookmark.dtx
makeindex -s gind.ist bookmark.idx
pdflatex bookmark.dtx
makeindex -s gind.ist bookmark.idx
pdflatex bookmark.dtx
```

5 History

[2007/02/19 v0.1]

- First experimental version.

[2007/02/20 v0.2]

- Option startatroot added.
- Dummies for \pdf(un)escape... commands added to get the package basically work for non-pdfTeX users.

[2007/02/21 v0.3]

- Dependency from pdfTeX 1.30 removed by using package pdfescape.

[2007/02/22 v0.4]

- hyperref's bookmarkstype respected.

[2007/03/02 v0.5]

- Driver options vtex (PDF mode), dvipsone, and textures added.
- Implementation of option depth completed. Division names are supported, see hyperref's option bookmarksdepth.
- hyperref's options bookmarksopen, bookmarksopenlevel, and bookmarksdepth respected.

[2007/03/03 v0.6]

- Option numbered as alias for hyperref's bookmarksnumbered.

[2007/03/07 v0.7]

- Dependency from ϵ -TeX removed.

[2007/04/09 v0.8]

- Option `atend` added.
- Option `rgbcolor` removed. `rgbcolor=<r> <g> ` can be replaced by `color=[rgb]{<r>,<g>,}`.
- Support of recent cvs version (2007-03-29) of `dvipdfmx` that extends the `\special` for bookmarks to specify open outline entries. Option `dvipdfmx-outline-open` or `\SpecialDvipdfmxOutlineOpen` notify the package.

[2007/04/25 v0.9]

- The syntax of `\special` of `dvipdfmx`, if feature `dvipdfmx-outline-open` is enabled, has changed. Now cvs version 2007-04-25 is needed.

[2007/05/29 v1.0]

- Bug fix in code for second parameter of XYZ.

[2007/07/13 v1.1]

- Fix for pdfmark with GoToR action.

[2007/09/25 v1.2]

- pdfmark driver respects `\nofiles`.

[2008/08/08 v1.3]

- Package `flags` replaced by package `bitset`. Now flags are also supported without ϵ -TeX.
- Hook for package `hypdestopt` added.

[2008/09/13 v1.4]

- Fix for bug introduced in v1.3, package `flags` is one-based, but package `bitset` is zero-based. Thus options `bold` and `italic` are wrong in v1.3. (Daniel Müllner)

[2009/08/13 v1.5]

- Except for driver options the other options are now local options. This resolves a problem with KOMA-Script v3.00 and its option `open`.

6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	<code>\)</code>	<i>939, 955</i>
<code>\"</code>	<i>33</i>	<code>\@ReturnafterFi</code> <i>1006</i>
<code>\(</code>	<i>938, 945</i>	<code>\@bookmarksopenlevel</code> <i>174</i>

\@car	189, 324, 338	815, 823, 827, 836, 846, 849,	
\@ehc	288, 328,	852, 856, 866, 1032, 1040, 1045,	
	527, 556, 566, 657, 808, 1039, 1182	1050, 1054, 1064, 1070, 1082,	
\@empty	121, 127, 133, 184,	1086, 1090, 1095, 1100, 1175,	
	275, 283, 293, 297, 345, 362,	1183, 1192, 1201, 1210, 1218,	
	370, 378, 386, 404, 416, 426,	1228, 1241, 1248, 1254, 1257, 1269	
	436, 650, 651, 652, 653, 654,	\BKM@attr	1019, 1022, 1026, 1028, 1030,
	655, 656, 660, 693, 694, 699,		1100, 1166, 1169, 1173, 1265, 1267
	732, 801, 802, 803, 804, 805,	\BKM@auxentry	1336, 1337, 1338,
	806, 807, 839, 840, 843, 860,		1339, 1340, 1341, 1342, 1343, 1357
	861, 879, 896, 1018, 1019, 1020,	\BKM@CalcExpr	103,
	1024, 1028, 1032, 1033, 1034,		113, 221, 577, 638, 697, 1077, 1309
	1035, 1036, 1037, 1038, 1042,	\BKM@CalcParam	352,
	1073, 1074, 1079, 1165, 1166,		366, 374, 382, 390, 409, 421, 433
	1167, 1171, 1175, 1176, 1177,	\BKM@CalcResult	577, 578, 1309, 1311
	1178, 1179, 1180, 1181, 1189,	\BKM@CheckParam	307, 310, 313, 316, 343
	1234, 1235, 1238, 1265, 1358, 1392	\BKM@CheckRect	319, 356
\@firstofone	435, 928	\BKM@CheckView	295, 298
\@gobble	340, 596, 597, 598, 1152	\BKM@CheckViewType	299, 301
\@gobbletwo	1153	\BKM@CheckXYZ	322, 397
\@ifundefined	187, 440	\BKM@color	273, 275, 732, 734, 860, 863
\@mainaux	1328	\BKM@currentlevel	217, 221, 223,
\@ne	476, 624, 774, 1292		574, 577, 581, 583, 621, 771, 1289
\@nil	189, 299, 301, 307,	\BKM@DefGotoNameAction	1070, 1105
	310, 313, 316, 331, 343, 357,	\BKM@DefineDriverKey	457, 465,
	359, 398, 400, 436, 438, 863, 895		466, 467, 468, 469, 470, 471, 472
\@onelevel@sanitize	188, 303, 335, 403, 415, 432	\BKM@depth	178, 180, 185, 215, 586
\@percentchar	1142	\BKM@dest	652, 684, 688, 693, 704, 705,
\@whilesw	626, 776, 1294		803, 835, 836, 839, 848, 849, 1323
\\	935	\BKM@DisableOptions	454, 461, 481, 500
\/	934	\BKM@DO@color	1024, 1026, 1171, 1173
		\BKM@DO@dest	1034, 1069, 1070, 1073, 1084,
			1085, 1086, 1106, 1177, 1226,
			1227, 1230, 1234, 1246, 1247, 1249
		\BKM@DO@entry	1012, 1153, 1159, 1376
		\BKM@DO@flags	1020, 1022, 1167, 1169
		\BKM@DO@gotor	1033, 1088,
			1089, 1094, 1176, 1252, 1253, 1256
		\BKM@DO@id	1018, 1165
		\BKM@DO@named	1035, 1063, 1065, 1178, 1217, 1221
		\BKM@DO@page	1038, 1045, 1074, 1075, 1077,
			1082, 1181, 1194, 1235, 1236, 1242
		\BKM@DO@rawaction	1036, 1053, 1057, 1179, 1209, 1212
		\BKM@DO@title	1015, 1016, 1102, 1162, 1163, 1261
		\BKM@DO@uri	1037, 1048,
			1049, 1050, 1180, 1199, 1200, 1204
		\BKM@DO@view	1042,
			1043, 1045, 1079, 1080, 1082,
			1189, 1190, 1195, 1238, 1239, 1243
		\BKM@driver	459,
			487, 490, 493, 495, 510, 511,
			515, 518, 520, 523, 532, 535,
			538, 543, 546, 549, 552, 562, 564
		\BKM@DvipdfmxOutlineOpentru	506
		\BKM@EndHook	1390, 1392, 1399, 1407
		\BKM@entry	1277, 1329, 1376

Numbers	
\0	940, 965
\1	941, 975
\2	942, 985
\3	943, 995

A	
\AddLineBeginMainAux	1276
\advance	106, 624, 774, 906, 915, 1292
\AtBeginDocument	1375, 1396
\AtEndDocument	1137, 1397
\AtEndDvi	1407

B	
\begin	19, 22
\belowpdfbookmark	580
\bitsetClear	259, 266
\bitsetGetDec	270
\bitsetReset	254
\bitsetSet	257, 264
\BKM@	613, 763, 1281
\BKM@@@PatchHyperrefOption	243, 245
\BKM@@@CalcParam	436, 438
\BKM@@@CheckRect	357, 359
\BKM@@@CheckXYZ	398, 400
\BKM@@@PatchHyperrefOption	240, 242
\BKM@abslevel	627, 631, 638, 640, 729
\BKM@action	650, 658, 663,
	667, 675, 679, 685, 702, 705,
	708, 712, 739, 801, 809, 811,

Numbers

\0	940, 965
\1	941, 975
\2	942, 985
\3	943, 995

A

\AddLineBeginMainAux	1276
\advance	106, 624, 774, 906, 915, 1292
\AtBeginDocument	1375, 1396
\AtEndDocument	1137, 1397
\AtEndDvi	1407

B

\begin	19, 22
\belowpdfbookmark	580
\bitsetClear	259, 266
\bitsetGetDec	270
\bitsetReset	254
\bitsetSet	257, 264
\BKM@	613, 763, 1281
\BKM@@@PatchHyperrefOption	243, 245
\BKM@@CalcParam	436, 438
\BKM@@CheckRect	357, 359
\BKM@@CheckXYZ	398, 400
\BKM@@PatchHyperrefOption	240, 242
\BKM@abslevel	627, 631, 638, 640, 729
\BKM@action	650, 658, 663,
	667, 675, 679, 685, 702, 705,
	708, 712, 739, 801, 809, 811,

\BKM@EscapeHex	360, 364, 372, 380, 388, 393, 132, 1323, 1324, 1325, 1326, 1327
\BKM@EscapeName	509, 510, 513, 515, 520, 523, 530, 532, 538, 541, 543, 549, 552
\BKM@EscapeString	\BKM@TestViewType 304, 305, 306, 309, 312, 315, 318, 321, 333
\BKM@file	\BKM@title 648, 731, 798, 886, 1320, 1327, 1347
\BKM@filename	\BKM@toHexDigit 912, 918, 927
\BKM@FLAGS	\BKM@toRGB 863, 895
\BKM@getx	\BKM@toRGBComponent 897, 898, 899, 901
\BKM@gotor	\BKM@type 302, 303, 326, 336, 347, 394, 588, 589
\BKM@gtemp	\BKM@UnescapeHex 138, 1016, 1048, 1053, 1069, 1084, 1088, 1163, 1199, 1209, 1226, 1246, 1252
\BKM@id	\BKM@uri 655, 666, 670, 806, 814, 818, 1324
\BKM@level	\BKM@view 297, 329, 337, 354, 368, 376, 384, 392, 412, 424, 429, 660, 661, 663, 699, 700, 702, 843, 844, 846
\BKM@named	\BKM@vtex@title 799
\BKM@nil	\BKM@write 1142, 1143, 1144, 1150, 1152, 1156, 1260, 1261, 1263, 1267, 1269, 1270
\BKM@null	\BKM@x@abslevel 638, 748
\BKM@numberedfalse	\BKM@x@childs 1101, 1262, 1263, 1309, 1355
\BKM@numberedtrue	\BKM@x@level 637, 747, 787, 893, 1304, 1311, 1354
\BKM@openlevel	\BKM@x@parent 644, 746, 794, 892, 1311, 1316, 1353
\BKM@page	\bookmark 15, 16, 26, 62, 63, 64, 65, 67, 71, 75, 79, 85, 86, 87, 88, 89, 94, 570, 600, 615, 765, 1283
\BKM@param	\BookmarkAtEnd 5, 13, 1382, 1389
\BKM@parent	\BookmarkDriverDefault 485, 495
\BKM@PatchHyperrefOption	\bookmarksetup 11, 14, 35, 40, 46, 52, 57, 61, 171, 248, 618, 768, 1286
\BKM@pdfmark@out	
\BKM@prev	
\BKM@PrintStyle	
\BKM@PSHeaderFile	
\BKM@rawaction	
\BKM@RGBcolor	
\BKM@SetDepth	
\BKM@startatrootfalse	
\BKM@swfalse	
\BKM@swtrue	
\BKM@temp	

C

\c@tocdepth	175, 178, 185
\calc	73, 435, 439
\catcode	934, 935
\chapternumberline	594, 598
\chardef	476, 478
\clearpage	1398
\count@	105, 106, 108, 211, 215
\csname	102, 177, 204, 240, 256, 263, 474, 475, 503, 630, 636, 639, 780, 786, 789, 1018, 1165, 1297, 1303, 1305, 1310, 1322, 1358, 1360
\currentpdfbookmark	573

D

\DeclareBoolOption	172, 218, 219, 224, 453, 1365
\DeclareLocalOptions	150
\DeclareStringOption	173, 175, 217, 276, 277, 278, 279, 280, 1364, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374

<code>\define@key</code>	182, 220, 255, 262, 272, 281, 294, 458, 473
<code>\dimen@</code>	441, 443, 445, 446, 902, 903, 904, 905, 906, 907, 908, 915, 918
<code>\dimen@ii</code>	908, 909, 912, 914, 915
<code>\dimexpr</code>	441
<code>\DisableKeyvalOption</code>	455, 462, 482
<code>\divide</code>	907, 909
<code>\documentclass</code>	2
E	
<code>\EdefEscapeHex</code>	135
<code>\EdefEscapeName</code>	123
<code>\EdefEscapeString</code>	129
<code>\EdefUnescapeHex</code>	139
<code>\end</code>	25, 95
<code>\endcsname</code> 102, 177, 204, 240, 256, 263, 474, 475, 503, 630, 636, 639, 780, 786, 789, 1018, 1165, 1297, 1303, 1305, 1310, 1322, 1358, 1360
<code>\endinginput</code>	528, 557, 567, 1387
G	
<code>\g@addto@macro</code>	227, 230, 233, 236, 461, 481, 1390
H	
<code>\hbox</code>	210
<code>\headheight</code>	73
<code>\headsep</code>	73
<code>\Hy@bookmarksdepth</code>	180
<code>\Hy@bookmarksnumberedfalse</code>	236
<code>\Hy@bookmarksnumberedtrue</code>	233
<code>\Hy@bookmarkstype</code>	589
<code>\Hy@numberline</code>	592, 593, 594
<code>\Hy@writebookmark</code>	585
<code>\HyColor@BookmarkColor</code>	273
<code>\hyper@anchorend</code>	571
<code>\hyper@anchorstart</code>	571
<code>\hypertarget</code>	23
I	
<code>\if@files</code>	616, 766, 1139, 1284
<code>\ifBKM@atend</code>	1380, 1395, 1405
<code>\ifBKM@DO@open</code>	1101, 1263
<code>\ifBKM@DvipdfmxOutlineOpen</code>	501, 717
<code>\ifBKM@keeplevel</code>	619, 769, 1287
<code>\ifBKM@numbered</code>	234, 237, 591
<code>\ifBKM@open</code>	719, 870, 1331
<code>\ifBKM@startatroot</code>	628, 777, 1295
<code>\ifBKM@sw</code>	614, 626, 764, 776, 1282, 1294
<code>\ifcase</code>	190, 928
<code>\ifdim</code>	903, 904
<code>\iffalse</code>	231, 237
<code>\ifHy@bookmarksnumbered</code>	225, 228, 231
<code>\ifHy@bookmarksopen</code>	172
<code>\ifnum</code>	191, 192, 286, 393, 505, 586, 628, 637, 720, 736, 777, 787, 871, 883, 1262, 1295, 1304, 1308, 1332, 1344
<code>\ifpdf</code>	486, 514
<code>\iftrue</code>	228, 234, 256, 263
<code>\ifvtex</code>	492, 542
<code>\ifvtexpdf</code>	755
<code>\ifx</code>	102, 121, 127, 133, 177, 184, 190, 256, 263, 283, 336, 345, 362, 370, 378, 386, 404, 407, 416, 419, 426, 439, 474, 503, 510, 515, 523, 532, 543, 552, 589, 651, 652, 653, 654, 655, 656, 660, 693, 694, 699, 732, 802, 803, 804, 805, 806, 807, 839, 840, 843, 860, 879, 1020, 1024, 1028, 1033, 1034, 1035, 1036, 1037, 1038, 1042, 1073, 1074, 1079, 1167, 1171, 1176, 1177, 1178, 1179, 1180, 1181, 1189, 1234, 1235, 1238, 1265, 1358
<code>\ifxetex</code>	489, 531
<code>\immediate</code>	1141, 1157, 1328
<code>\InputIfFileExists</code>	484, 562
J	
<code>\jobname</code>	1135
M	
<code>\maxdimen</code>	173
<code>\MessageBreak</code> 326, 347, 525, 535, 546, 554, 564
N	
<code>\NeedsTeXFormat</code>	98, 608, 752, 1009, 1111, 1119, 1127
<code>\newcommand</code> 171, 615, 765, 1283, 1382, 1389
<code>\newcount</code>	611, 761, 1279
<code>\newif</code>	501, 614, 764, 1282
<code>\newpage</code>	34
<code>\newwrite</code>	1140
<code>\number</code>	174, 285, 581, 868, 928, 1330
<code>\numberline</code>	592, 596
<code>\numexpr</code>	115
O	
<code>\openout</code>	1141
P	
<code>\p@</code>	904
<code>\PackageError</code>	288, 325, 524, 553, 563, 657, 808, 1039, 1182
<code>\PackageWarning</code>	197, 346, 394, 1383
<code>\PackageWarningNoLine</code> 517, 534, 545, 757
<code>\paperheight</code>	73
<code>\part</code>	49
<code>\partnumberline</code>	593, 597
<code>\pdfbookmark</code>	569, 574, 578
<code>\pdfoutline</code>	1100
<code>\pdfstringdef</code>	648, 798, 1320
<code>\ProcessKeyvalOptions</code>	499
<code>\providecommand</code>	485, 1277
<code>\ProvidesFile</code> 609, 753, 1010, 1112, 1120, 1128
<code>\ProvidesPackage</code>	99

R		\subsection 21, 31, 33, 45, 56
\ReadBookmarks 605		\subsubsection 32, 51
\renewcommand . 569, 573, 576, 580, 585		
\RequirePackage 119, 141, 142, 143, 144, 145, 146, 147, 148, 1275, 1406		T
		\the 108, 115, 215, 623, 630, 639, 773, 780, 789, 1291, 1297, 1305
S		\topmargin 73
\section 20, 39, 50, 55		
\setbox 210		U
\setkeys 171, 1014, 1161		\usepackage 3, 4, 5
\setlength 441, 443		
\SetupKeyvalOptions 149, 1363		W
\space 354, 368, 376, 384, 392, 412, 424, 429		\write 1157, 1328
\special . . . 716, 865, 1115, 1123, 1131		X
\SpecialDvipdfmxOutlineOpen 476, 478, 505		\x 107, 110
\ss 33		Z
\strip@pt 446		\z@ 210, 286, 393, 478, 505, 612, 628, 736, 762, 777, 883, 903, 1262, 1280, 1295, 1308, 1344
\subpdfbookmark 576, 582		