

The `epstopdf` package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2007/04/26 v1.4

Abstract

This packages adds support of handling eps images to package `graphics` or `graphicx` with option `pdftex`. If an eps image is detected, `epstopdf` is automatically called to convert it to pdf format.

Contents

1	Documentation	1
1.1	Requirements	1
2	Usage	2
2.1	Configuration	2
2.2	Other image formats	2
3	Implementation	3
3.1	Relead check and identification	3
3.2	Help macros for miniltx mode	4
3.3	Checks	4
3.4	Adding conversion support	5
4	Installation	5
4.1	Download	5
4.2	Bundle installation	6
4.3	Package installation	6
4.4	Refresh file name databases	6
4.5	Some details for the interested	6
5	History	7
	[2001/01/06 v1.0]	7
	[2001/02/04 v1.1]	7
	[2006/02/20 v1.2]	7
	[2006/08/26 v1.3]	7
	[2007/04/26 v1.4]	7
6	Index	7

1 Documentation

1.1 Requirements

- The program `epstopdf` for the conversion from EPS to PDF. However, other programs can be used and configured by `\DeclareGraphicsRule`.

- The feature `\write18` must be enabled. This allows the running of external programs during \TeX 's compile run. Keep in mind that this is a security risk. The feature is an addition to \TeX . Mik \TeX , $\text{te}\TeX$, \TeX Live support it. In Web2C based \TeX distributions ($\text{te}\TeX$, \TeX Live) it can be enabled in the configuration file `texmf.cnf`:

```
shell_escape = 1
```

Because of the security risk, it is better to do it on the command line only:

```
-shell-escape (teTeX, TEX Live)
--enable-write18 (MiKTEX)
```

Example:

```
pdflatex -shell-escape test.tex
```

2 Usage

The package is loaded after `graphic{s,x}`, e.g.:

```
\usepackage[pdftex]{graphicx}
\usepackage{epstopdf}
```

Now images with extension ‘.eps’ are detected and supported:

- Implicitly: `\includegraphics{bild}`
If `bild.eps` is present, but `bild.pdf` is missed, then `bild.eps` is converted to `bild.pdf` that is then included by $\text{pdf}\TeX$. On the next occurrences or on the next $\text{pdf}\TeX$ run, the PDF file is already available, so the conversion step is skipped.
- Explicitly: `\includegraphics{bild.eps}`
Each time the conversion program is called.

2.1 Configuration

Package `epstopdf` implements the forth argument of `\DeclareGraphicsRule` for $\text{pdf}\TeX$. There conversion programs can be configured and package `epstopdf` declares:

```
\DeclareGraphicsRule{.eps}{pdf}{.pdf}{'epstopdf #1}
```

Additionally the extension `.eps` is added to the list of extensions that are recognized by package `graphics`, see `\GraphicsExtensions`.

Instead of `epstopdf` other programs can be used, for example `ghostscript`:

```
\DeclareGraphicsRule{.eps}{pdf}{.pdf}{'ps2pdf -dEPSCrop #1}
```

2.2 Other image formats

The support that package `epstopdf` implements is not limited to EPS files. Other image conversions can be declared. The following example shows it for GIF images under Unix with ImageMagick's `convert`:

```
\DeclareGraphicsRule{.gif}{png}{.png}{%
  'convert #1 'basename #1 .gif'.png%
}
```

Or without `basename`:

```

\makeatletter
\DeclareGraphicsRule{.gif}{png}{.png}{%
  'convert #1 \noexpand\Gin@base.png%
}
\makeatother

```

The file extension `.gif` can be added to the extension list that package `graphics` searches if the file extension is not given in `\includegraphics`. The list can be set by `\GraphicsExtensions`. The following example shows another way by adding `.gif` to the list:

```

\makeatletter
\g@addto@macro\Gin@extensions{.gif}
\makeatother

```

3 Implementation

```
1 (*package)
```

3.1 Reload check and identification

Reload check, especially if the package is not used with \LaTeX .

```

2 \begingroup
3   \catcode44 12 % ,
4   \catcode45 12 % -
5   \catcode46 12 % .
6   \catcode58 12 % :
7   \catcode64 11 % @
8   \expandafter\let\expandafter\x\csname ver@epstopdf.sty\endcsname
9   \ifcase 0%
10    \ifx\x\relax % plain
11    \else
12      \ifx\x\empty % LaTeX
13      \else
14        1%
15      \fi
16    \fi
17  \else
18    \expandafter\ifx\csname PackageInfo\endcsname\relax
19      \def\x#1#2{%
20        \immediate\write-1{Package #1 Info: #2.}%
21      }%
22    \else
23      \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
24    \fi
25    \x{epstopdf}{The package is already loaded}%
26  \endgroup
27  \expandafter\endinput
28 \fi
29 \endgroup

```

Package identification:

```

30 \begingroup
31   \catcode44 12 % ,
32   \catcode45 12 % -
33   \catcode46 12 % .
34   \catcode58 12 % :
35   \catcode64 11 % @
36   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
37     \def\x#1#2#3[#4]{\endgroup
38       \immediate\write-1{Package: #3 #4}%
39       \xdef#1{#4}%
40     }%

```

```

41 \else
42   \def\x#1#2[#3]{\endgroup
43     #2[#3]}%
44   \ifx#1\relax
45     \xdef#1{#3}%
46   \fi
47 }%
48 \fi
49 \expandafter\x\csname ver@epstopdf.sty\endcsname
50 \ProvidesPackage{epstopdf}%
51 [2007/04/26 v1.4 Conversion with epstopdf on the fly (HO)]

```

3.2 Help macros for miniltx mode

```

52 \@ifundefined{PackageWarning}{%
53   \def\PackageWarning#1#2{%
54     \begingroup
55       \newlinechar=10 %
56       \def\MessageBreak{%
57         ^^J(#1)\@spaces\@spaces\@spaces\@spaces
58       }%
59       \immediate\write16{^^JPackage #1 Warning: #2\on@line.^^J}%
60     \endgroup
61   }%
62 }{}
63 \@ifundefined{PackageWarningNoLine}{%
64   \def\PackageWarningNoLine#1#2{%
65     \PackageWarning{#1}{#2\@gobble}%
66   }%
67 }{}
68 \@ifundefined{on@line}{%
69   \def\on@line{ on input line \the\inputlineno}%
70 }{}
71 \@ifundefined{@spaces}{%
72   \def\@spaces{\space\space\space\space}%
73 }{}

```

3.3 Checks

Check, whether package graphics is loaded (also graphicx loads graphics). Because miniltx.tex does not know \ifpackageloaded we test for \Gin@setfile instead.

```

74 \begingroup\expandafter\expandafter\expandafter\endgroup
75 \expandafter\ifx\csname Gin@setfile\endcsname\relax
76   \PackageWarningNoLine{epstopdf}{%
77     No graphics package \string'graphic{s,x}\string' found%
78   }%
79 \expandafter\endinput
80 \fi

```

Check, whether pdftex.def is loaded. \ver@pdftex.def is not available with miniltx.tex, thus we test for \Gin@driver.

```

81 \begingroup
82   \def\x{pdftex.def}%
83   \ifx\Gin@driver\x
84   \else
85     \PackageWarningNoLine{epstopdf}{%
86       Graphics driver file \string'pdftex.def\string' not found%
87     }%
88   \expandafter\endgroup\expandafter\endinput
89   \fi
90 \endgroup

```

Check, whether the shell escape feature is enabled.

```

91 \begingroup
92   \expandafter\ifx\csname pdfshellescape\endcsname\relax
93   \else
94     \ifnum\pdfshellescape>0 %
95     \else
96       \PackageWarningNoLine{epstopdf}{%
97         Shell escape feature is not enabled%
98       }%
99     \fi
100   \fi
101 \endgroup

```

3.4 Adding conversion support

Patch `\Gin@setfile` to execute #3, if it contains a command.

```

102 \let\ETEorg@Gin@setfile\Gin@setfile
103 \def\Gin@setfile#1#2#3{%
104   \if'\@car #3\relax\@nil
105     \immediate\write18{\@cdr #3\@empty\@nil}%
106     \ETEorg@Gin@setfile{#1}{#2}{\Gin@base #2}%
107   \else
108     \ETEorg@Gin@setfile{#1}{#2}{#3}%
109   \fi
110 }

```

Adding `.eps` at the end of the list of extensions, defined by `\GraphicsExtensions`.

```

111 \ifundefined{Gin@extensions}{%
112   \def\Gin@extensions{.eps}%
113 }{%
114   \expandafter\ifx\expandafter\indent\Gin@extensions\indent
115   \def\Gin@extensions{.eps}%
116   \else
117     \expandafter\def\expandafter\Gin@extensions\expandafter{%
118       \Gin@extensions,.eps%
119     }%
120   \fi
121 }
122 \DeclareGraphicsRule for .eps
123 \@namedef{Gin@rule@.eps}#1{{pdf}}{.pdf}{'epstopdf #1}}
124 \endpackage

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/epstopdf.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/epstopdf.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:macros/latex/contrib/oberdiek/oberdiek-tds.zip](#)

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

4.2 Bundle installation

Unpacking. Unpack the `oberdiek-tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek-tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain- $\mathrm{T\!E\!X}$:

```
tex epstopdf.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
epstopdf.sty  → tex/latex/oberdiek/epstopdf.sty
epstopdf.pdf  → doc/latex/oberdiek/epstopdf.pdf
epstopdf.dtx  → source/latex/oberdiek/epstopdf.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your $\mathrm{T\!E\!X}$ distribution (`te $\mathrm{T\!E\!X}$` , `mik $\mathrm{T\!E\!X}$` , ...) relies on file name databases, you must refresh these. For example, `te $\mathrm{T\!E\!X}$` users run `texhash` or `mktextlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk epstopdf.pdf unpack_files output .
```

Unpacking with $\mathrm{L\!A\!T\!E\!X}$. The `.dtx` chooses its action depending on the format:

plain- $\mathrm{T\!E\!X}$: Run `docstrip` and extract the files.

$\mathrm{L\!A\!T\!E\!X}$: Generate the documentation.

If you insist on using $\mathrm{L\!A\!T\!E\!X}$ for `docstrip` (really, `docstrip` does not need $\mathrm{L\!A\!T\!E\!X}$), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{epstopdf.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex epstopdf.dtx
makeindex -s gind.ist epstopdf.idx
pdflatex epstopdf.dtx
makeindex -s gind.ist epstopdf.idx
pdflatex epstopdf.dtx
```

5 History

[2001/01/06 v1.0]

- First public version, published in the pdfT_EX mailing list.

[2001/02/04 v1.1]

- Minor documentation update.
- CTAN.

[2006/02/20 v1.2]

- DTX framework.
- Compatibility for `miniltx.tex`.

[2006/08/26 v1.3]

- Check for `\write18` if available and print a warning if the feature is not enabled.

[2007/04/26 v1.4]

- Documentation rewritten and extended.

6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
<code>\@car</code>	104
<code>\@cdr</code>	105
<code>\@empty</code>	105
<code>\@gobble</code>	65
<code>\@ifundefined</code>	52, 63, 68, 71, 111
<code>\@namedef</code>	122
<code>\@nil</code>	104, 105
<code>\@spaces</code>	57, 72
C	
<code>\catcode</code>	3, 4, 5, 6, 7, 31, 32, 33, 34, 35
<code>\csname</code>	8, 18, 36, 49, 75, 92
E	
<code>\empty</code>	12
<code>\endcsname</code>	8, 18, 36, 49, 75, 92
<code>\endinput</code>	27, 79, 88
<code>\ETEorg@Gin@setfile</code> ...	102, 106, 108
G	
<code>\Gin@base</code>	106
<code>\Gin@driver</code>	83
<code>\Gin@extensions</code>	112, 114, 115, 117, 118
<code>\Gin@setfile</code>	102, 103

I		P	
\if	104	\PackageInfo	23
\ifcase	9	\PackageWarning	53, 65
\ifnum	94	\PackageWarningNoLine .	64, 76, 85, 96
\ifx ..	10, 12, 18, 36, 44, 75, 83, 92, 114	\pdfshellescape	94
\immediate	20, 38, 59, 105	\ProvidesPackage	50
\indent	114		
\inputlineno	69	S	
		\space	72
M		T	
\MessageBreak	56	\the	69
N		W	
\newlinechar	55	\write	20, 38, 59, 105
O		X	
\on@line	59, 69	\x 8, 10, 12, 19, 23, 25, 37, 42, 49, 82, 83	