

The holtxdoc package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2006/06/02 v0.7

Abstract

The package is used for the documentation of my packages in DTX format. It contains some private macros and setup for my needs. Thus do not use it. I have separated the part that may be useful for others in package hypdoc.

Contents

1	No usage	1
2	Implementation	2
2.1	Help macros	2
2.2	History	2
2.3	Formatting macros	2
2.4	Names	4
2.5	Setup	4
2.5.1	Package doc	4
2.5.2	Page layout	4
3	Installation	4
3.1	Download	4
3.2	Bundle installation	4
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	5
4	History	6
	[1999/06/26 v0.3]	6
	[2000/08/14 v0.4]	6
	[2001/08/27 v0.5]	6
	[2001/09/02 v0.6]	6
	[2006/06/02 v0.7]	6
5	Index	6

1 No usage

Caution: *This package is not intended for public use!*

It contains the macros and settings to generate the documentation of my packages in CTAN:macros/latex/contrib/oberdiek/. Thus the package does not know anything about compatibility. Only my current packages' documentation must compile.

Older versions were more interesting, because they contained code to add hyperref's features to L^AT_EX's doc system, e.g. bookmarks and index links. I separated this stuff and made a new package hypdoc.

2 Implementation

```
1 (*package)
```

Package identification.

```
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{holtxdoc}%
4   [2006/06/02 v0.7 Private additional ltxdoc support (H0)]
5 \RequirePackage[numbered]{hypdoc}
6 \RequirePackage{array}
```

2.1 Help macros

```
7 \def\hld@info#1{%
8   \PackageInfo{holtxdoc}{#1@gobble}%
9 }
10 \def\hld@warn#1{%
11   \PackageWarningNoLine{holtxdoc}{#1}%
12 }
```

2.2 History

```
13 \newcommand*\StartHistory{%
14   \section{History}%
15 }
16 \newcommand*\HistVersion[1]{%
17   \subsection*{%
18     \phantomsection
19     \addcontentsline{toc}{subsection}{[#1]}%
20     [#1]%
21   }%
22   \def\HistLabel##1{%
23     \begingroup
24       \edef\x{[#1]}%
25       \let\@currentlabel\x
26       \label{##1}%
27     \endgroup
28   }%
29 }
30 \newenvironment{History}{%
31   \StartHistory
32   \def\Version##1{%
33     \HistVersion{##1}%
34     \itemize
35   }%
36   \let\endVersion\enditemize
37 }{}
```

2.3 Formatting macros

\UrlFoot

#1: text

#2: url

```
38 \newcommand{\URL}[2]{%
39   #1\footnote{Url: \url{#2}}%
40 }
```

\NameEmail

#1: name

#2: email address

```
41 \newcommand*\NameEmail[2]{%
42   \expandafter\hld@NameEmail\expandafter{#2}{#1}%
43 }
44 \def\hld@NameEmail#1#2{%
45   \expandafter\hld@@NameEmail\expandafter{#2}{#1}%
46 }
```

```

46 }
47 \def\hld@@NameEmail#1#2{%
48   \ifx\#1#2\%
49     \hld@warn{%
50       Command \string\NameEmail\space without name and email%
51     }%
52   \else
53     \ifx\#1\%
54       \href{mailto:#2}{\nolinkurl{#2}}%
55     \else
56       #1%
57     \ifx\#2\%
58     \else
59       \footnote{%
60         #1's email address: %
61         \href{mailto:#2}{\nolinkurl{#2}}%
62       }%
63     \fi
64   \fi
65 \fi
66 }

67 \newcommand*{\Package}[1]{\texttt{#1}}
68 \newcommand*{\File}[1]{\texttt{#1}}
69 \newcommand*{\Verb}[1]{\texttt{#1}}
70 \newcommand*{\CS}[1]{\texttt{\expandafter\@gobble\string\#1}}

71 \newcommand*{\CTAN}[1]{%
72   \href{ftp://ftp.ctan.org/tex-archive/#1}{\nolinkurl{CTAN:#1}}%
73 }

74 \newcommand*{\Newsgroup}[1]{%
75   \href{http://groups.google.com/group/#1}{\nolinkurl{news:#1}}%
76 }

77 \newcommand*{\xpackage}[1]{\textsf{#1}}
78 \newcommand*{\xclass}[1]{\textsf{#1}}
79 \newcommand*{\xoption}[1]{\textsf{#1}}
80 \newcommand*{\xfile}[1]{\texttt{#1}}
81 \newcommand*{\xext}[1]{\texttt{.#1}}
82 \newcommand*{\xemail}[1]{%
83   \textless\texttt{#1}\textgreater%
84 }
85 \newcommand*{\xnewsgroup}[1]{\texttt{#1}}

```

The following environment declcs is derived from environment decl of ltxguide.cls:

```

86 \newenvironment{declcs}[1]{%
87   \par
88   \addvspace{4.5ex plus 1ex}%
89   \vskip -\parskip
90   \noindent
91   \hspace{-\leftmargini}%
92   \def\M##1{\texttt{\{}\meta{##1}\texttt{\}}}%
93   \def\*{\unskip\,\texttt{*}}%
94   \begin{tabular}{|l|}%
95     \hline
96     \expandafter\SpecialUsageIndex\csname #1\endcsname
97     \cs{#1}%
98   }{%
99     \\\
100    \hline
101   \end{tabular}%
102   \nobreak
103   \par

```

```

104 \nobreak
105 \vspace{2.3ex}%
106 \vskip -\parskip
107 \noindent
108 \ignorespacesafterend
109 }

```

2.4 Names

```

110 \providecommand*\eTeX{\mbox{$\varepsilon$-\TeX}}
111 \providecommand*\pdfTeX{\pdf\TeX}
112 \providecommand*\pdfLaTeX{\pdf\LaTeX}
113 \providecommand*\teTeX{\te\TeX}
114 \providecommand*\mikTeX{\mik\TeX}
115 \providecommand*\MakeIndex{\textsl{MakeIndex}}
116 \providecommand*\docstrip{\textsf{docstrip}}
117 \providecommand*\plainTeX{\mbox{plain-\TeX}}
118 \providecommand*\VTeX{\V\TeX}

```

2.5 Setup

2.5.1 Package doc

```

119 \CodelineIndex
120 \EnableCrossrefs
121 \setcounter{IndexColumns}{2}

122 \DoNotIndex{\begingroup,\endgroup,\bgroup,\egroup}
123 \DoNotIndex{\def,\edef,\xdef,\global,\long,\let}
124 \DoNotIndex{\expandafter,\noexpand,\string}
125 \DoNotIndex{\else,\fi,\or}
126 \DoNotIndex{\relax}

```

2.5.2 Page layout

```

127 \addtolength{\textheight}{\headheight}
128 \addtolength{\textheight}{\headsep}
129 \setlength{\headheight}{0pt}
130 \setlength{\headsep}{0pt}

131 \addtolength{\topmargin}{-10mm}
132 \addtolength{\textheight}{20mm}

133 </package>

```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/holtxdoc.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/holtxdoc.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:macros/latex/contrib/oberdiek/oberdiek-tds.zip](#)

3.2 Bundle installation

Unpacking. Unpack the oberdiek-tds.zip in the TDS tree (also known as texmf tree) of your choice. Example (linux):

```
unzip oberdiek-tds.zip -d ~/texmf
```

¹<http://ftp.ctan.org/tex-archive/>

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through `plain-TeX`:

```
tex holtxdoc.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
holtxdoc.sty → tex/latex/oberdiek/holtxdoc.sty
holtxdoc.pdf → doc/latex/oberdiek/holtxdoc.pdf
holtxdoc.dtx → source/latex/oberdiek/holtxdoc.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your `TeX` distribution (`teTeX`, `mikTeX`, ...) relies on file name databases, you must refresh these. For example, `teTeX` users run `texhash` or `mktexlsr`.

3.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk holtxdoc.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:
plain-TeX: Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{holtxdoc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex holtxdoc.dtx
makeindex -s gind.ist holtxdoc.idx
pdflatex holtxdoc.dtx
makeindex -s gind.ist holtxdoc.idx
pdflatex holtxdoc.dtx
```

4 History

[1999/06/26 v0.3]

- ...

[2000/08/14 v0.4]

- ...

[2001/08/27 v0.5]

- ...

[2001/09/02 v0.6]

- ...

[2006/06/02 v0.7]

- Major change: most is put into a new package `hypdoc`.

5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols			
<code>*</code>	93	<code>\endVersion</code>	36
<code>\,</code>	93	<code>\eTeX</code>	110
<code>\@currentlabel</code>	25	F	
<code>\@gobble</code>	8, 70	<code>\File</code>	68
<code>\%</code>	48, 53, 57, 70, 99	<code>\footnote</code>	39, 59
<code>\{</code>	92	H	
<code>\}</code>	92	<code>\headheight</code>	127, 129
A		<code>\headsep</code>	128, 130
<code>\addcontentsline</code>	19	<code>\HistLabel</code>	22
<code>\addtolength</code>	127, 128, 131, 132	<code>\HistVersion</code>	16, 33
<code>\addvspace</code>	88	<code>\hld@NameEmail</code>	45, 47
B		<code>\hld@info</code>	7
<code>\begin</code>	94	<code>\hld@NameEmail</code>	42, 44
C		<code>\hld@warn</code>	10, 49
<code>\CodelineIndex</code>	119	<code>\hline</code>	95, 100
<code>\CS</code>	70	<code>\href</code>	54, 61, 72, 75
<code>\cs</code>	97	<code>\hspace</code>	91
<code>\csname</code>	96	I	
<code>\CTAN</code>	71	<code>\ifx</code>	48, 53, 57
D		<code>\ignorespacesafterend</code>	108
<code>\docstrip</code>	116	<code>\itemize</code>	34
<code>\DoNotIndex</code>	122, 123, 124, 125, 126	L	
E		<code>\label</code>	26
<code>\EnableCrossrefs</code>	120	<code>\LaTeX</code>	112
<code>\end</code>	101	<code>\leftmargin</code>	91
<code>\endcsname</code>	96	M	
<code>\enditemize</code>	36	<code>\M</code>	92
		<code>\MakeIndex</code>	115

<code>\mbox</code>	110, 117	<code>\StartHistory</code>	13, 31
<code>\meta</code>	92	<code>\subsection</code>	17
<code>\miktex</code>	114		
N			
<code>\NameEmail</code>	41, 50	<code>\teTeX</code>	113
<code>\NeedsTeXFormat</code>	2	<code>\TeX</code>	110, 111, 113, 114, 117, 118
<code>\newcommand</code> 13, 16, 38, 41, 67, 68, 69,		<code>\textgreater</code>	83
70, 71, 74, 77, 78, 79, 80, 81, 82, 85		<code>\textheight</code>	127, 128, 132
<code>\newenvironment</code>	30, 86	<code>\textless</code>	83
<code>\Newsgroup</code>	74	<code>\textsf</code>	77, 78, 79, 116
<code>\nobreak</code>	102, 104	<code>\textsl</code>	115
<code>\noindent</code>	90, 107	<code>\texttt</code>	67,
<code>\nolinkurl</code>	54, 61, 72, 75	68, 69, 70, 80, 81, 83, 85, 92, 93	
		<code>\topmargin</code>	131
P			
<code>\Package</code>	67	U	
<code>\PackageInfo</code>	8	<code>\unskip</code>	93
<code>\PackageWarningNoLine</code>	11	<code>\URL</code>	38
<code>\par</code>	87, 103	<code>\url</code>	39
<code>\parskip</code>	89, 106		
<code>\pdfLaTeX</code>	112	V	
<code>\pdfTeX</code>	111	<code>\varepsilon</code>	110
<code>\phantomsection</code>	18	<code>\Verb</code>	69
<code>\plainTeX</code>	117	<code>\Version</code>	32
<code>\providecommand</code>	110, 111,	<code>\vskip</code>	89, 106
112, 113, 114, 115, 116, 117, 118		<code>\vspace</code>	105
<code>\ProvidesPackage</code>	3	<code>\VTeX</code>	118
R			
<code>\RequirePackage</code>	5, 6	X	
		<code>\x</code>	24, 25
S			
<code>\section</code>	14	<code>\xclass</code>	78
<code>\setcounter</code>	121	<code>\xemail</code>	82
<code>\setlength</code>	129, 130	<code>\xext</code>	81
<code>\space</code>	50	<code>\xfile</code>	80
<code>\SpecialUsageIndex</code>	96	<code>\xnewsgroup</code>	85
		<code>\xoption</code>	79
		<code>\xpackage</code>	77