

# The `holtxdoc` package

Heiko Oberdiek  
<oberdiek@uni-freiburg.de>

2006/06/02 v0.7

## Abstract

The package is used for the documentation of my packages in DTX format. It contains some private macros and setup for my needs. Thus do not use it. I have separated the part that may be useful for others in package `hypdoc`.

## Contents

<b>1</b>	<b>No usage</b>	<b>1</b>
<b>2</b>	<b>Implementation</b>	<b>2</b>
2.1	Help macros	2
2.2	History	2
2.3	Formatting macros	2
2.4	Names	4
2.5	Setup	4
2.5.1	Package doc	4
2.5.2	Page layout	4
<b>3</b>	<b>Installation</b>	<b>4</b>
3.1	Download	4
3.2	Bundle installation	4
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	5
<b>4</b>	<b>History</b>	<b>6</b>
	[1999/06/26 v0.3]	6
	[2000/08/14 v0.4]	6
	[2001/08/27 v0.5]	6
	[2001/09/02 v0.6]	6
	[2006/06/02 v0.7]	6
<b>5</b>	<b>Index</b>	<b>6</b>

## 1 No usage

Caution: *This package is not intended for public use!*

It contains the macros and settings to generate the documentation of my packages in `CTAN:macros/latex/contrib/oberdiek/`. Thus the package does not know anything about compatibility. Only my current packages' documentation must compile.

Older versions were more interesting, because they contained code to add `hyperref`'s features to `LATEX`'s `doc` system, e.g. bookmarks and index links. I separated this stuff and made a new package `hypdoc`.

## 2 Implementation

```
1 (*package)
```

Package identification.

```
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{holtxdoc}%
4   [2006/06/02 v0.7 Private additional ltxdoc support (H0)]
5 \RequirePackage[numbered]{hypdoc}
6 \RequirePackage{array}
```

### 2.1 Help macros

```
7 \def\hld@info#1{%
8   \PackageInfo{holtxdoc}{#1@gobble}%
9 }
10 \def\hld@warn#1{%
11   \PackageWarningNoLine{holtxdoc}{#1}%
12 }
```

### 2.2 History

```
13 \newcommand*\StartHistory{%
14   \section{History}%
15 }
16 \newcommand*\HistVersion[1]{%
17   \subsection*{%
18     \phantomsection
19     \addcontentsline{toc}{subsection}{[#1]}%
20     [#1]%
21   }%
22   \def\HistLabel##1{%
23     \begingroup
24       \edef\x{[#1]}%
25       \let\@currentlabel\x
26       \label{##1}%
27     \endgroup
28   }%
29 }
30 \newenvironment{History}{%
31   \StartHistory
32   \def\Version##1{%
33     \HistVersion{##1}%
34     \itemize
35   }%
36   \let\endVersion\enditemize
37 }{}
```

### 2.3 Formatting macros

\UrlFoot

#1: text

#2: url

```
38 \newcommand{\URL}[2]{%
39   #1\footnote{Url: \url{#2}}%
40 }
```

\NameEmail

#1: name

#2: email address

```
41 \newcommand*\NameEmail[2]{%
42   \expandafter\hld@NameEmail\expandafter{#2}{#1}%
43 }
44 \def\hld@NameEmail#1#2{%
45   \expandafter\hld@@NameEmail\expandafter{#2}{#1}%
46 }
```

```

46 }
47 \def\hld@@NameEmail#1#2{%
48   \ifx\#1#2\%
49     \hld@warn{%
50       Command \string\NameEmail\space without name and email%
51     }%
52   \else
53     \ifx\#1\%
54       \href{mailto:#2}{\nolinkurl{#2}}%
55     \else
56       #1%
57     \ifx\#2\%
58     \else
59       \footnote{%
60         #1's email address: %
61         \href{mailto:#2}{\nolinkurl{#2}}%
62       }%
63     \fi
64   \fi
65 \fi
66 }

67 \newcommand*{\Package}[1]{\texttt{#1}}
68 \newcommand*{\File}[1]{\texttt{#1}}
69 \newcommand*{\Verb}[1]{\texttt{#1}}
70 \newcommand*{\CS}[1]{\texttt{\expandafter\@gobble\string\#1}}

71 \newcommand*{\CTAN}[1]{%
72   \href{ftp://ftp.ctan.org/tex-archive/#1}{\nolinkurl{CTAN:#1}}%
73 }

74 \newcommand*{\Newsgroup}[1]{%
75   \href{http://groups.google.com/group/#1}{\nolinkurl{news:#1}}%
76 }

77 \newcommand*{\xpackage}[1]{\textsf{#1}}
78 \newcommand*{\xclass}[1]{\textsf{#1}}
79 \newcommand*{\xoption}[1]{\textsf{#1}}
80 \newcommand*{\xfile}[1]{\texttt{#1}}
81 \newcommand*{\xext}[1]{\texttt{.#1}}
82 \newcommand*{\xemail}[1]{%
83   \textless\texttt{#1}\textgreater%
84 }
85 \newcommand*{\xnewsgroup}[1]{\texttt{#1}}

```

The following environment declcs is derived from environment decl of ltxguide.cls:

```

86 \newenvironment{declcs}[1]{%
87   \par
88   \addvspace{4.5ex plus 1ex}%
89   \vskip -\parskip
90   \noindent
91   \hspace{-\leftmargin}%
92   \def\M##1{\texttt{\{}\meta{##1}\texttt{\}}}%
93   \def\*{\unskip\,\texttt{*}}%
94   \begin{tabular}{|l|}%
95     \hline
96     \expandafter\SpecialUsageIndex\csname #1\endcsname
97     \cs{#1}%
98   }\%
99   \\\
100   \hline
101   \end{tabular}%
102   \nobreak
103   \par

```



**Script installation.** Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 3.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain- $\text{\TeX}$ :

```
tex holtxdoc.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
holtxdoc.sty → tex/latex/oberdiek/holtxdoc.sty
holtxdoc.pdf → doc/latex/oberdiek/holtxdoc.pdf
holtxdoc.dtx → source/latex/oberdiek/holtxdoc.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

### 3.4 Refresh file name databases

If your  $\text{\TeX}$  distribution (te $\text{\TeX}$ , mi $\text{\TeX}$ , ...) relies on file name databases, you must refresh these. For example, te $\text{\TeX}$  users run `texhash` or `mktexlsr`.

### 3.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk holtxdoc.pdf unpack_files output .
```

**Unpacking with  $\text{\LaTeX}$ .** The `.dtx` chooses its action depending on the format:  
**plain- $\text{\TeX}$ :** Run `docstrip` and extract the files.

**$\text{\LaTeX}$ :** Generate the documentation.

If you insist on using  $\text{\LaTeX}$  for `docstrip` (really, `docstrip` does not need  $\text{\LaTeX}$ ), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{holtxdoc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdf $\text{\LaTeX}$ :

```
pdflatex holtxdoc.dtx
makeindex -s gind.ist holtxdoc.idx
pdflatex holtxdoc.dtx
makeindex -s gind.ist holtxdoc.idx
pdflatex holtxdoc.dtx
```

## 4 History

[1999/06/26 v0.3]

- ...

[2000/08/14 v0.4]

- ...

[2001/08/27 v0.5]

- ...

[2001/09/02 v0.6]

- ...

[2006/06/02 v0.7]

- Major change: most is put into a new package `hypdoc`.

## 5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols			
<code>\*</code>	93	<code>\endVersion</code>	36
<code>\,</code>	93	<code>\eTeX</code>	110
<code>\@currentlabel</code>	25	<b>F</b>	
<code>\@gobble</code>	8, 70	<code>\File</code>	68
<code>\%</code>	48, 53, 57, 70, 99	<code>\footnote</code>	39, 59
<code>\{</code>	92	<b>H</b>	
<code>\}</code>	92	<code>\headheight</code>	127, 129
<b>A</b>		<code>\headsep</code>	128, 130
<code>\addcontentsline</code>	19	<code>\HistLabel</code>	22
<code>\addtolength</code>	127, 128, 131, 132	<code>\HistVersion</code>	16, 33
<code>\addvspace</code>	88	<code>\hld@NameEmail</code>	45, 47
<b>B</b>		<code>\hld@info</code>	7
<code>\begin</code>	94	<code>\hld@NameEmail</code>	42, 44
<b>C</b>		<code>\hld@warn</code>	10, 49
<code>\CodelineIndex</code>	119	<code>\hline</code>	95, 100
<code>\CS</code>	70	<code>\href</code>	54, 61, 72, 75
<code>\cs</code>	97	<code>\hspace</code>	91
<code>\csname</code>	96	<b>I</b>	
<code>\CTAN</code>	71	<code>\ifx</code>	48, 53, 57
<b>D</b>		<code>\ignorespacesafterend</code>	108
<code>\docstrip</code>	116	<code>\itemize</code>	34
<code>\DoNotIndex</code>	122, 123, 124, 125, 126	<b>L</b>	
<b>E</b>		<code>\label</code>	26
<code>\EnableCrossrefs</code>	120	<code>\LaTeX</code>	112
<code>\end</code>	101	<code>\leftmargin</code>	91
<code>\endcsname</code>	96	<b>M</b>	
<code>\enditemize</code>	36	<code>\M</code>	92
		<code>\MakeIndex</code>	115

<code>\mbox</code> .....	110, 117	<code>\StartHistory</code> .....	13, 31
<code>\meta</code> .....	92	<code>\subsection</code> .....	17
<code>\miktex</code> .....	114		
<b>N</b>			
<code>\NameEmail</code> .....	41, 50	<code>\teTeX</code> .....	113
<code>\NeedsTeXFormat</code> .....	2	<code>\TeX</code> .....	110, 111, 113, 114, 117, 118
<code>\newcommand</code> 13, 16, 38, 41, 67, 68, 69,		<code>\textgreater</code> .....	83
70, 71, 74, 77, 78, 79, 80, 81, 82, 85		<code>\textheight</code> .....	127, 128, 132
<code>\newenvironment</code> .....	30, 86	<code>\textless</code> .....	83
<code>\Newsgroup</code> .....	74	<code>\textsf</code> .....	77, 78, 79, 116
<code>\nobreak</code> .....	102, 104	<code>\textsl</code> .....	115
<code>\noindent</code> .....	90, 107	<code>\texttt</code> .....	67,
<code>\nolinkurl</code> .....	54, 61, 72, 75	68, 69, 70, 80, 81, 83, 85, 92, 93	
		<code>\topmargin</code> .....	131
<b>P</b>			
<code>\Package</code> .....	67	<b>U</b>	
<code>\PackageInfo</code> .....	8	<code>\unskip</code> .....	93
<code>\PackageWarningNoLine</code> .....	11	<code>\URL</code> .....	38
<code>\par</code> .....	87, 103	<code>\url</code> .....	39
<code>\parskip</code> .....	89, 106		
<code>\pdfLaTeX</code> .....	112	<b>V</b>	
<code>\pdfTeX</code> .....	111	<code>\varepsilon</code> .....	110
<code>\phantomsection</code> .....	18	<code>\Verb</code> .....	69
<code>\plainTeX</code> .....	117	<code>\Version</code> .....	32
<code>\providecommand</code> .....	110, 111,	<code>\vskip</code> .....	89, 106
112, 113, 114, 115, 116, 117, 118		<code>\vspace</code> .....	105
<code>\ProvidesPackage</code> .....	3	<code>\VTeX</code> .....	118
<b>R</b>			
<code>\RequirePackage</code> .....	5, 6	<b>X</b>	
		<code>\x</code> .....	24, 25
<b>S</b>			
<code>\section</code> .....	14	<code>\xclass</code> .....	78
<code>\setcounter</code> .....	121	<code>\xemail</code> .....	82
<code>\setlength</code> .....	129, 130	<code>\xext</code> .....	81
<code>\space</code> .....	50	<code>\xfile</code> .....	80
<code>\SpecialUsageIndex</code> .....	96	<code>\xnewsgroup</code> .....	85
		<code>\xoption</code> .....	79
		<code>\xpackage</code> .....	77