

# The holtxdoc package

Heiko Oberdiek  
<oberdiek@uni-freiburg.de>

2007/12/12 v0.10

## Abstract

The package is used for the documentation of my packages in DTX format. It contains some private macros and setup for my needs. Thus do not use it. I have separated the part that may be useful for others in package hypdoc.

## Contents

<b>1</b>	<b>No usage</b>	<b>1</b>
<b>2</b>	<b>Implementation</b>	<b>2</b>
2.1	Help macros . . . . .	2
2.2	History . . . . .	2
2.3	Formatting macros . . . . .	2
2.4	Names . . . . .	4
2.5	Setup . . . . .	4
2.5.1	Package doc . . . . .	4
2.5.2	Page layout . . . . .	4
<b>3</b>	<b>Installation</b>	<b>5</b>
3.1	Download . . . . .	5
3.2	Bundle installation . . . . .	5
3.3	Package installation . . . . .	5
3.4	Refresh file name databases . . . . .	5
3.5	Some details for the interested . . . . .	6
<b>4</b>	<b>History</b>	<b>6</b>
	[1999/06/26 v0.3] . . . . .	6
	[2000/08/14 v0.4] . . . . .	6
	[2001/08/27 v0.5] . . . . .	6
	[2001/09/02 v0.6] . . . . .	6
	[2006/06/02 v0.7] . . . . .	6
	[2007/10/21 v0.8] . . . . .	6
	[2007/11/11 v0.9] . . . . .	7
	[2007/12/12 v0.10] . . . . .	7
<b>5</b>	<b>Index</b>	<b>7</b>

## 1 No usage

Caution: *This package is not intended for public use!*

It contains the macros and settings to generate the documentation of my packages in CTAN:macros/latex/contrib/oberdiek/. Thus the package does not know anything about compatibility. Only my current packages' documentation must compile.

Older versions were more interesting, because they contained code to add `hyperref`'s features to L<sup>A</sup>T<sub>E</sub>X's doc system, e.g. bookmarks and index links. I separated this stuff and made a new package `hypdoc`.

## 2 Implementation

```

1 (*package)
Package identification.
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{holtxdoc}%
4   [2007/12/12 v0.10 Private additional ltxdoc support (HO)]
5 \RequirePackage[numbered]{hypdoc}
6 \RequirePackage{array}

```

### 2.1 Help macros

```

7 \def\hld@info#1{%
8   \PackageInfo{holtxdoc}{#1\@gobble}%
9 }
10 \def\hld@warn#1{%
11   \PackageWarningNoLine{holtxdoc}{#1}%
12 }

```

### 2.2 History

```

13 \newcommand*\StartHistory{%
14   \section{History}%
15 }
16 \newcommand*\HistVersion[1]{%
17   \subsection*{%
18     \phantomsection
19     \addcontentsline{toc}{subsection}{[#1]}% hash-ok
20     [#1]% hash-ok
21   }%
22   \def\HistLabel##1{%
23     \begingroup
24       \edef\x{[#1]}% hash-ok
25       \let\@currentlabel\x
26       \label{##1}%
27     \endgroup
28   }%
29 }
30 \newenvironment{History}{%
31   \StartHistory
32   \def\Version##1{%
33     \HistVersion{##1}%
34     \itemize
35   }%
36   \let\endVersion\enditemize
37 }{}

```

### 2.3 Formatting macros

```

\UrlFoot
#1: text
#2: url
38 \newcommand{\URL}[2]{%
39   #1\footnote{Url: \url{#2}}%
40 }
\NameEmail
#1: name
#2: email address

```

```

41 \newcommand*{\NameEmail}[2]{%
42   \expandafter\hld@NameEmail\expandafter{#2}{#1}%
43 }
44 \def\hld@NameEmail#1#2{%
45   \expandafter\hld@@NameEmail\expandafter{#2}{#1}%
46 }
47 \def\hld@@NameEmail#1#2{%
48   \ifx\#1#2\%
49     \hld@warn{%
50       Command \string\NameEmail\space without name and email%
51     }%
52   \else
53     \ifx\#1\%
54       \href{mailto:#2}{\nolinkurl{#2}}%
55     \else
56       #1%
57     \ifx\#2\%
58     \else
59       \footnote{%
60         #1's email address: %
61         \href{mailto:#2}{\nolinkurl{#2}}%
62       }%
63     \fi
64   \fi
65 \fi
66 }

67 \newcommand*{\Package}[1]{\texttt{#1}}
68 \newcommand*{\File}[1]{\texttt{#1}}
69 \newcommand*{\Verb}[1]{\texttt{#1}}
70 \newcommand*{\CS}[1]{\texttt{\expandafter\@gobble\string\#1}}

71 \newcommand*{\CTAN}[1]{%
72   \href{ftp://ftp.ctan.org/tex-archive/#1}{\nolinkurl{CTAN:#1}}%
73 }

74 \newcommand*{\Newsgroup}[1]{%
75   \href{http://groups.google.com/group/#1}{\nolinkurl{news:#1}}%
76 }

77 \newcommand*{\xpackage}[1]{\textsf{#1}}
78 \newcommand*{\xclass}[1]{\textsf{#1}}
79 \newcommand*{\xoption}[1]{\textsf{#1}}
80 \newcommand*{\xfile}[1]{\texttt{#1}}
81 \newcommand*{\xext}[1]{\texttt{.#1}}
82 \newcommand*{\xemail}[1]{%
83   \textless\texttt{#1}\textgreater%
84 }
85 \newcommand*{\xnewsgroup}[1]{\texttt{#1}}

```

The following environment declcs is derived from environment decl of ltxguide.cls:

```

86 \newenvironment{declcs}[1]{%
87   \par
88   \addvspace{4.5ex plus 1ex}%
89   \vskip -\parskip
90   \noindent
91   \hspace{-\leftmargin}%
92   \def\M##1{\texttt{\{}\meta{##1}\texttt{\}}}%
93   \def\*{\unskip\,\texttt{*}}%
94   \begin{tabular}{|l|}%
95     \hline
96     \expandafter\SpecialUsageIndex\csname #1\endcsname
97     \cs{#1}%
98 }{%

```

```

99      \\\%
100     \hline
101     \end{tabular}%
102     \nobreak
103     \par
104     \nobreak
105     \vspace{2.3ex}%
106     \vskip -\parskip
107     \noindent
108     \ignorespacesafterend
109 }

```

## 2.4 Names

```

110 \providecommand*\eTeX{\mbox{$\varepsilon$-TeX}}
111 \providecommand*\pdfTeX{\pdf\TeX}
112 \providecommand*\pdfLaTeX{\pdf\LaTeX}
113 \providecommand*\LuaTeX{L\textsc{ua}\TeX}
114 \def\@temp#1#2{%
115     \providecommand*{#1}{%
116         \begingroup
117             X%
118             \@ifundefined{rotatebox}{e}{%
119                 \lower0.5ex\hbox{%
120                     \setbox0=\hbox{E}%
121                     \dimen0=\ht0 %
122                     \advance\dimen0 by \dp0 %
123                     \raise\dimen0\hbox{\rotatebox{180}{\box0}}}%
124             }%
125         }%
126         #2%
127     \endgroup
128 }%
129 }
130 \@temp\XeTeX\TeX
131 \@tempXeLaTeX\LaTeX
132 \providecommand*\teTeX{\te\TeX}
133 \providecommand*\mikTeX{\mik\TeX}
134 \providecommand*\MakeIndex{\textsl{MakeIndex}}
135 \providecommand*\docstrip{\textsf{docstrip}}
136 \providecommand*\plainTeX{\mbox{plain-TeX}}
137 \providecommand*\iniTeX{\mbox{ini-TeX}}
138 \providecommand*\VTeX{\V\TeX}

```

## 2.5 Setup

### 2.5.1 Package doc

```

139 \CodelineIndex
140 \EnableCrossrefs
141 \setcounter{IndexColumns}{2}

142 \DoNotIndex{\begingroup,\endgroup,\bgroup,\egroup}
143 \DoNotIndex{\def,\edef,\xdef,\global,\long,\let}
144 \DoNotIndex{\expandafter,\noexpand,\string}
145 \DoNotIndex{\else,\fi,\or}
146 \DoNotIndex{\relax}

```

### 2.5.2 Page layout

```

147 \addtolength{\textheight}{\headheight}
148 \addtolength{\textheight}{\headsep}
149 \setlength{\headheight}{0pt}
150 \setlength{\headsep}{0pt}
151 \addtolength{\topmargin}{-10mm}

```

```
152 \addtolength{\textheight}{20mm}
153 \end{package}
```

## 3 Installation

### 3.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/holtxdoc.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/holtxdoc.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

*TDS* refers to the standard “A Directory Structure for T<sub>E</sub>X Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

### 3.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 3.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T<sub>E</sub>X:

```
tex holtxdoc.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
holtxdoc.sty → tex/latex/oberdiek/holtxdoc.sty
holtxdoc.pdf → doc/latex/oberdiek/holtxdoc.pdf
holtxdoc.dtx → source/latex/oberdiek/holtxdoc.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

### 3.4 Refresh file name databases

If your T<sub>E</sub>X distribution (teT<sub>E</sub>X, miK<sub>T</sub><sub>E</sub>X, ...) relies on file name databases, you must refresh these. For example, teT<sub>E</sub>X users run `texhash` or `mktextlsr`.

---

<sup>1</sup><ftp://ftp.ctan.org/tex-archive/>

### 3.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk holtxdoc.pdf unpack_files output .
```

**Unpacking with  $\LaTeX$ .** The `.dtx` chooses its action depending on the format:

**plain- $\TeX$ :** Run `docstrip` and extract the files.

**$\LaTeX$ :** Generate the documentation.

If you insist on using  $\LaTeX$  for `docstrip` (really, `docstrip` does not need  $\LaTeX$ ), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{holtxdoc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf $\LaTeX$` :

```
pdflatex holtxdoc.dtx
makeindex -s gind.ist holtxdoc.idx
pdflatex holtxdoc.dtx
makeindex -s gind.ist holtxdoc.idx
pdflatex holtxdoc.dtx
```

## 4 History

[1999/06/26 v0.3]

- ...

[2000/08/14 v0.4]

- ...

[2001/08/27 v0.5]

- ...

[2001/09/02 v0.6]

- ...

[2006/06/02 v0.7]

- Major change: most is put into a new package `hypdoc`.

[2007/10/21 v0.8]

- `\XeTeX` and `\XeLaTeX` added.

[2007/11/11 v0.9]

- \LuaTeX added.

[2007/12/12 v0.10]

- \iniTeX added.

## 5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

<b>Symbols</b>		<b>\headheight</b> . . . . .	147, 149
<b>\*</b> . . . . .	93	<b>\headsep</b> . . . . .	148, 150
<b>\,</b> . . . . .	93	<b>\HistLabel</b> . . . . .	22
<b>\@currentlabel</b> . . . . .	25	<b>\HistVersion</b> . . . . .	16, 33
<b>\@gobble</b> . . . . .	8, 70	<b>\hld@@NameEmail</b> . . . . .	45, 47
<b>\@ifundefined</b> . . . . .	118	<b>\hld@info</b> . . . . .	7
<b>\@temp</b> . . . . .	114, 130, 131	<b>\hld@NameEmail</b> . . . . .	42, 44
<b>\%</b> . . . . .	48, 53, 57, 70, 99	<b>\hld@warn</b> . . . . .	10, 49
<b>\{</b> . . . . .	92	<b>\hline</b> . . . . .	95, 100
<b>\}</b> . . . . .	92	<b>\href</b> . . . . .	54, 61, 72, 75
		<b>\hspace</b> . . . . .	91
<b>A</b>		<b>\ht</b> . . . . .	121
<b>\addcontentsline</b> . . . . .	19		
<b>\addtolength</b> . . . . .	147, 148, 151, 152	<b>I</b>	
<b>\addvspace</b> . . . . .	88	<b>\ifx</b> . . . . .	48, 53, 57
<b>\advance</b> . . . . .	122	<b>\ignorespacesafterend</b> . . . . .	108
		<b>\iniTeX</b> . . . . .	137
<b>B</b>		<b>\itemize</b> . . . . .	34
<b>\begin</b> . . . . .	94		
<b>\box</b> . . . . .	123	<b>L</b>	
		<b>\label</b> . . . . .	26
<b>C</b>		<b>\LaTeX</b> . . . . .	112, 131
<b>\CodelineIndex</b> . . . . .	139	<b>\leftmargini</b> . . . . .	91
<b>\CS</b> . . . . .	70	<b>\lower</b> . . . . .	119
<b>\cs</b> . . . . .	97	<b>\LuaTeX</b> . . . . .	113
<b>\csname</b> . . . . .	96		
<b>\CTAN</b> . . . . .	71	<b>M</b>	
		<b>\M</b> . . . . .	92
<b>D</b>		<b>\MakeIndex</b> . . . . .	134
<b>\dimen</b> . . . . .	121, 122, 123	<b>\mbox</b> . . . . .	110, 136, 137
<b>\docstrip</b> . . . . .	135	<b>\meta</b> . . . . .	92
<b>\DoNotIndex</b> . . . . .	142, 143, 144, 145, 146	<b>\miktex</b> . . . . .	133
<b>\dp</b> . . . . .	122		
		<b>N</b>	
<b>E</b>		<b>\NameEmail</b> . . . . .	41, 50
<b>\EnableCrossrefs</b> . . . . .	140	<b>\NeedsTeXFormat</b> . . . . .	2
<b>\end</b> . . . . .	101	<b>\newcommand</b> 13, 16, 38, 41, 67, 68, 69,	
<b>\endcsname</b> . . . . .	96	70, 71, 74, 77, 78, 79, 80, 81, 82, 85	
<b>\enditemize</b> . . . . .	36	<b>\newenvironment</b> . . . . .	30, 86
<b>\endVersion</b> . . . . .	36	<b>\Newsgroup</b> . . . . .	74
<b>\eTeX</b> . . . . .	110	<b>\nobreak</b> . . . . .	102, 104
		<b>\noindent</b> . . . . .	90, 107
<b>F</b>		<b>\nolinkurl</b> . . . . .	54, 61, 72, 75
<b>\File</b> . . . . .	68		
<b>\footnote</b> . . . . .	39, 59	<b>P</b>	
		<b>\Package</b> . . . . .	67
<b>H</b>		<b>\PackageInfo</b> . . . . .	8
<b>\hbox</b> . . . . .	119, 120, 123	<b>\PackageWarningNoLine</b> . . . . .	11

