

The `hypgtoe` package

Heiko Oberdiek*

2016/05/16 v0.2

Abstract

Experimental package for links to embedded files.

Contents

| | |
|---|----------|
| 1 Documentation | 1 |
| 1.1 Introduction | 1 |
| 1.2 User interface | 2 |
| 1.3 Example | 2 |
| 2 Implementation | 3 |
| 2.1 Identification | 3 |
| 2.2 Load packages | 3 |
| 2.3 Color support | 3 |
| 2.4 Extend \href | 4 |
| 2.5 Implement gotoe action | 4 |
| 2.6 Keys for gotoe action | 5 |
| 3 Installation | 6 |
| 3.1 Download | 6 |
| 3.2 Bundle installation | 6 |
| 3.3 Package installation | 6 |
| 3.4 Refresh file name databases | 7 |
| 3.5 Some details for the interested | 7 |
| 4 References | 7 |
| 5 History | 7 |
| [2007/10/30 v0.1] | 7 |
| [2016/05/16 v0.2] | 7 |
| 6 Index | 7 |

1 Documentation

1.1 Introduction

This is a first experiment for links to embedded files. The package `hypgtoe` is named after the PDF action name `/GoToE`. Feedback is welcome, especially to the user interface.

*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

- Currently only embedded files and named destinations are supported.
- Missing are support for destination arrays and attached files.
- Special characters aren't supported either.

In the future the package may be merged into package `hyperref`.

1.2 User interface

`\href` is extended to detect the prefix ‘`gtoe:`’. The part after the prefix is evaluated as key value list from left to right. For details, see “8.5.3 Action Types, Embedded Go-To Actions” [1].

dest: The destination name. The destination name can be set by `\hypertarget` in the target document. Or check the `.aux` file for destination names of `\label` commands. Also the target PDF file can be inspected, look for `/Dests` in the `/Names` entry of the catalog for named destinations. (Required.)

root: The file name of the root document. (Optional.)

parent: Go to the parent document. (No value, optional.)

embedded: Go to the embedded document. The value is the file name as it appears in `/EmbeddedFiles` of the current document.

The colors are controlled by `hyperref`'s options `gotoecolor` and `gotoebordercolor`. They can be set in `\hypersetup`, for example. Default is the color of file links.

1.3 Example

```

1 /*example*/
2 \NeedsTeXFormat{LaTeX2e}
3 \RequirePackage{filecontents}
4 \begin{filecontents}{hypgtoe-child.tex}
5 \NeedsTeXFormat{LaTeX2e}
6 \documentclass{article}
7 \usepackage{hypgtoe}[2016/05/16]
8 \begin{document}
9 \section{This is the child document.}
10 \href{gtoe: %}
11   dest={page.1},parent%
12 }{Go to first page of main document} \\
13 \href{gtoe: %}
14   dest={page.2},parent%
15 }{Go to second page of main document}
16 \newpage
17 \section{This is the second page of the child document.}
18 \href{gtoe: %}
19   dest={page.1},parent%
20 }{Go to first page of main document} \\
21 \href{gtoe: %}
22   dest={page.2},parent%
23 }{Go to second page of main document}
24
25 \hypertarget{foobar}{}%
26 Anker foobar is here.
27 \end{document}
28 \end{filecontents}
```

```

29 \documentclass{article}
30 \usepackage{hypgtoe}[2016/05/16]
31 \usepackage{embedfile}
32 \IfFileExists{hypgtoe-child.pdf}{%
33   \embedfile{hypgtoe-child.pdf}%
34 }{%
35   \typeout{}%
36   \typeout{--> Run hypgtoe-child.tex through pdflatex}%
37   \typeout{}%
38 }
39 \begin{document}
40 \section{First page of main document}
41 \href{gotoe:}{%
42   dest=page.1,embedded=hypgtoe-child.pdf%
43 }{Go to first page of child document}\\
44 \href{gotoe:}{%
45   dest=page.2,embedded=hypgtoe-child.pdf%
46 }{Go to second page of child document}\\
47 \href{gotoe:}{%
48   dest=foobar,embedded=hypgtoe-child.pdf%
49 }{Go to foobar in child document}
50 \newpage
51 \section{Second page of main document}
52 \href{gotoe:}{%
53   dest=section.1,embedded=hypgtoe-child.pdf%
54 }{Go to first section of child document}\\
55 \href{gotoe:}{%
56   dest=section.2,embedded=hypgtoe-child.pdf%
57 }{Go to second section of child document}\\
58 \href{gotoe:}{%
59   dest=foobar,embedded=hypgtoe-child.pdf%
60 }{Go to foobar in child document}
61 \end{document}
62 
```

2 Implementation

2.1 Identification

```

63 /*package*/
64 \NeedsTeXFormat{LaTeX2e}
65 \ProvidesPackage{hypgtoe}%
66 [2016/05/16 v0.2 Links to embedded files (HO)]%

```

2.2 Load packages

```

67 \RequirePackage{ifpdf}[2007/09/09]
68 \ifpdf
69 \else
70   \PackageError{hypgtoe}{%
71     Other drivers than pdfTeX in PDF mode are not supported.%}
72   \MessageBreak
73   Package loading is aborted%
74 }@\ehc
75 \expandafter\endinput
76 \fi
77 \RequirePackage{pdfescape}[2007/10/27]
78 \RequirePackage{hyperref}[2016/05/16]

```

2.3 Color support

```
79 \define@key{Hyp}{gotoebordercolor}{%
80   \HyColor@HyperrefBordercolor{#1}%
81   \gotoebordercolor{hyperref}{gotoebordercolor}%
82 }
83 \providecommand*{\@gotoeicolor}{\@filecolor}
84 \providecommand*{\@gotoebordercolor}{\@filebordercolor}
```

2.4 Extend \href

```
\hyper@readexternallink
85 \def\@hyper@readexternallink#1#2#3#4:#5:#6\\#7{%
86   \ifx\\#6\\%
87     \expandafter\@hyper@linkfile file:#7\\{#3}{#2}%
88   \else
89     \ifx\\#4\\%
90       \expandafter\@hyper@linkfile file:#7\\{#3}{#2}%
91     \else
92       \def\@pdftempa{#4}%
93       \ifx\@pdftempa\@pdftempwordfile
94         \expandafter\@hyper@linkfile#7\\{#3}{#2}%
95       \else
96         \ifx\@pdftempa\@pdftempwordrun
97           \expandafter\@hyper@launch#7\\{#3}{#2}%
98         \else
99           \ifx\@pdftempa\@pdftempwordgtoe
100             \hyper@linkgtoe{#3}{#5}%
101           \else
102             \hyper@linkurl{#3}{#7\ifx\\#2\\else\hyper@hash#2\fi}%
103           \fi
104         \fi
105       \fi
106     \fi
107   \fi
108 }

\@pdftempwordgtoe
109 \def\@pdftempwordgtoe{gtoe}
```

2.5 Implement gtoe action

```
\hyper@linkgtoe
110 \def\hyper@linkgtoe#1#2{%
111   \begingroup
112   \let\HyGoToE@Root\empty
113   \let\HyGoToE@Dest\empty
114   \let\HyGoToE@TBegin\empty
115   \let\HyGoToE@TEnd\empty
116   \setkeys{HyGoToE}{#2}%
117   \leavevmode
118   \pdfstartlink
119     attr{%
120       \Hy@setpdfborder
121       \ifx\@pdfhighlight\empty
122         \else
123           /H\@pdfhighlight
124         \fi
125     }%
```

```

125      \ifx\@urlbordercolor\relax
126      \else
127          /C[\@urlbordercolor]%
128      \fi
129  }%
130  user{%
131      /Subtype/Link%
132      /A<<%
133          /Type/Action%
134          /S/GoToE%
135          \Hy@SetNewWindow
136          \HyGoToE@Root
137          \HyGoToE@Dest
138          \HyGoToE@TBegin
139          \HyGoToE@TEnd
140          >>%
141      }%
142      \relax
143  \Hy@colorlink\@gotoecolor#1%
144  \close@pdflink
145  \endgroup
146 }

```

2.6 Keys for gotoe action

```

147 \define@key{HyGoToE}{root}{%
148   \EedefEscapeString\HyGoToE@temp{\#1}%
149   \edef\HyGoToE@Root{%
150     /F<<%
151     /Type/Filespec%
152     /F(\HyGoToE@temp)%
153     >>%
154   }%
155 }
156 \define@key{HyGoToE}{dest}{%
157   \EedefEscapeString\HyGoToE@temp{\#1}%
158   \edef\HyGoToE@Dest{%
159     /D(\HyGoToE@temp)%
160   }%
161 }
162 \define@key{HyGoToE}{parent}{}{%
163   \def\HyGoToE@temp{\#1}%
164   \ifx\HyGoToE@temp\empty
165   \else
166     \PackageWarning{hypgtoe}{Ignore value for 'parent'}%
167   \fi
168   \edef\HyGoToE@TBegin{%
169     \HyGoToE@TBegin
170     /T<<%
171     /R/P%
172   }%
173   \edef\HyGoToE@TEnd{%
174     \HyGoToE@TEnd
175     >>%
176   }%
177 }
178 \define@key{HyGoToE}{embedded}{%
179   \EedefEscapeString\HyGoToE@temp{\#1}%

```

```

180 \edef\HyGoToE@TBegin{%
181   \HyGoToE@TBegin
182   /T<<%
183   /R/C%
184   /N(\HyGoToE@temp)%
185 }
186 \edef\HyGoToE@TEnd{%
187   \HyGoToE@TEnd
188   >>%
189 }
190 }
191 </package>

```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/hypgotoe.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/hypgotoe.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:pkg/tds](#)). Directories with `texmf` in their name are usually organized this way.

3.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain T_EX:

```
tex hypgotoe.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

| | |
|-----------------------------------|--|
| <code>hypgotoe.sty</code> | → <code>tex/latex/oberdiek/hypgotoe.sty</code> |
| <code>hypgotoe.pdf</code> | → <code>doc/latex/oberdiek/hypgotoe.pdf</code> |
| <code>hypgotoe-example.tex</code> | → <code>doc/latex/oberdiek/hypgotoe-example.tex</code> |
| <code>hypgotoe.dtx</code> | → <code>source/latex/oberdiek/hypgotoe.dtx</code> |

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

¹[CTAN:pkg/hypgotoe](#)

3.4 Refresh file name databases

If your **T_EX** distribution (**T_EX Live**, **MiK_T**E**X**, ...) relies on file name databases, you must refresh these. For example, **T_EX Live** users run **texhash** or **mktexlsr**.

3.5 Some details for the interested

Unpacking with L^AT_EX. The **.dtx** chooses its action depending on the format:

plain T_EX: Run **docstrip** and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for **docstrip** (really, **docstrip** does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{hypgtoe.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the **.dtx** or the **.drv** to generate the documentation. The process can be configured by the configuration file **ltxdoc.cfg**. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex hypgtoe.dtx
makeindex -s gind.ist hypgtoe.idx
pdflatex hypgtoe.dtx
makeindex -s gind.ist hypgtoe.idx
pdflatex hypgtoe.dtx
```

4 References

- [1] Adobe Systems Incorporated: *PDF Reference, Sixth Edition, Version 1.7*, Oktober 2006; http://www.adobe.com/devnet/pdf/pdf_reference.html.

5 History

[2007/10/30 v0.1]

- First experimental version.

[2016/05/16 v0.2]

- Documentation updates.

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols

| | | |
|-------|-------|----|
| \@ehc | | 74 |
|-------|-------|----|

| | | | |
|------------------------------|--|------------------|--|
| \@empty | 112, 113, 114, 115, 121, 164 | \HyGoToE@temp | 148, 152, 157, 159, 163, 164, 179, 184 |
| \@filebordercolor | 84 | \HyGoToE@TEnd | 115, 139, 173, 174, 186, 187 |
| \@filecolor | 83 | \hyper@hash | 102 |
| \@gotoebordercolor | 81, 84 | \hyper@linkgotoe | 100, 110 |
| \@gotoeicolor | 83, 143 | \hyper@linkurl | 102 |
| \@hyper@launch | 97 | \hypertarget | 25 |
| \@hyper@linkfile | 87, 90, 94 | | I |
| \@hyper@readexternallink | 85 | \IfFileExists | 32 |
| \@pdfhighlight | 123 | \ifpdf | 68 |
| \@pdfhightlight | 121 | \ifx | 86, 89, 93, 96, 99, 102, 121, 125, 164 |
| \@pdftempa | 92, 93, 96, 99 | \leavevmode | 117 |
| \@pdftempwordfile | 93 | | M |
| \@pdftempwordgtoe | 99, 109 | \MessageBreak | 72 |
| \@pdftempwordrun | 96 | | N |
| \@urlbordercolor | 125, 127 | \NeedsTeXFormat | 2, 5, 64 |
| \` | 12, 20, 43, 46, 54, 57, 85, 86, 87, 89, 90, 94, 97, 102 | \newpage | 16, 50 |
| | B | | P |
| \begin{ | 4, 8, 39 | \PackageError | 70 |
| | C | \PackageWarning | 166 |
| \close@pdflink | 144 | \pdfstartlink | 118 |
| | D | \videocommand | 83, 84 |
| \define@key | 79, 147, 156, 162, 178 | \ProvidesPackage | 65 |
| \documentclass | 6, 29 | | R |
| | E | \RequirePackage | 3, 67, 77, 78 |
| \EdefEscapeString | 148, 157, 179 | | S |
| \embedfile | 33 | \section | 9, 17, 40, 51 |
| \end | 27, 28, 61 | \setkeys | 116 |
| \endinput | 75 | | T |
| | H | \typeout | 35, 36, 37 |
| \href | 10, 13, 18, 21, 41, 44, 47, 52, 55, 58 | | U |
| \Hy@colorlink | 143 | \usepackage | 7, 30, 31 |
| \Hy@SetNewWindow | 135 | | |
| \Hy@setpdfborder | 120 | | |
| \HyColor@HyperrefBordercolor | 80 | | |
| \HyGoToE@Dest | 113, 137, 158 | | |
| \HyGoToE@Root | 112, 136, 149 | | |
| \HyGoToE@TBegin | 114, 138, 168, 169, 180, 181 | | |