

# The ifluatex package

Heiko Oberdiek  
<oberdiek@uni-freiburg.de>

2007/12/12 v1.0

## Abstract

This package looks for L<sup>A</sup>T<sub>E</sub>X regardless of its mode and provides the switch `\ifluatex`. It works with plain-T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X.

## Contents

|          |   |          |
|----------|---|----------|
| <b>1</b> | <b>Documentation</b>  | <b>1</b> |
| <b>2</b> | <b>Implementation</b>   | <b>2</b> |
| 2.1      | Reload check and package identification . . . . .             | 2        |
| 2.2      | Catcodes . . . . .  | 3        |
| 2.3      | Check for previously defined <code>\ifluatex</code> . . . . . | 3        |
| 2.4      | <code>\ifluatex</code> . . . . .                              | 4        |
| 2.5      | Protocol entry . . . . .                                      | 4        |
| <b>3</b> | <b>Test</b>   | <b>4</b> |
| 3.1      | Catcode checks for loading . . . . .                          | 4        |
| <b>4</b> | <b>Installation</b>   | <b>6</b> |
| 4.1      | Download . . . . .  | 6        |
| 4.2      | Bundle installation . . . . .                                 | 6        |
| 4.3      | Package installation . . . . .                                | 6        |
| 4.4      | Refresh file name databases . . . . .                         | 6        |
| 4.5      | Some details for the interested . . . . .                     | 7        |
| <b>5</b> | <b>History</b>  | <b>7</b> |
|          | [2007/12/12 v1.0] . . . . .                                   | 7        |
| <b>6</b> | <b>Index</b>  | <b>7</b> |

## 1 Documentation

The package ifluatex can be used with both plain-T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X:

**plain-T<sub>E</sub>X:** `\input ifluatex.sty`

**L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>:** `\usepackage{ifluatex}`

`\ifluatex`      The package provides the switch `\ifluatex`:

```
\ifluatex
  LATEX is running
\else
  Without LATEX
\fi
```

If you want to detect the mode (DVI or PDF), then use package ifpdf. L<sup>A</sup>T<sub>E</sub>X has inherited `\pdfoutput` from pdfT<sub>E</sub>X.

## 2 Implementation

```
1 (*package)
```

### 2.1 Reload check and package identification

Reload check, especially if the package is not used with L<sup>A</sup>T<sub>E</sub>X.

```
2 \begingroup
3   \catcode44 12 % ,
4   \catcode45 12 % -
5   \catcode46 12 % .
6   \catcode58 12 % :
7   \catcode64 11 % @
8   \expandafter\let\expandafter\x\csname ver@ifluatex.sty\endcsname
9   \ifcase 0%
10    \ifx\x\relax % plain
11    \else
12      \ifx\x\empty % LaTeX
13      \else
14        1%
15      \fi
16    \fi
17  \else
18    \catcode35 6 % #
19    \catcode123 1 % {
20    \catcode125 2 % }
21    \expandafter\ifx\csname PackageInfo\endcsname\relax
22      \def\x#1#2{%
23        \immediate\write-1{Package #1 Info: #2.}%
24      }%
25    \else
26      \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
27    \fi
28    \x@ifluatex{The package is already loaded}%
29  \endgroup
30  \expandafter\endinput
31 \fi
32 \endgroup
```

Package identification:

```
33 \begingroup
34   \catcode35 6 % #
35   \catcode40 12 % (
36   \catcode41 12 % )
37   \catcode44 12 % ,
38   \catcode45 12 % -
39   \catcode46 12 % .
40   \catcode47 12 % /
41   \catcode58 12 % :
42   \catcode64 11 % @
43   \catcode123 1 % {
44   \catcode125 2 % }
45   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
46     \def\x#1#2#3[#4]{\endgroup
47       \immediate\write-1{Package: #3 #4}%
48       \xdef#1{#4}%
49     }%
50   \else
51     \def\x#1#2[#3]{\endgroup
52       #2[#3]}%
53     \ifx#1\relax
54       \xdef#1{#3}%
55     \fi
56   }%
```

```

57 \fi
58 \expandafter\x\csname ver@ifluatex.sty\endcsname
59 \ProvidesPackage{ifluatex}%
60 [2007/12/12 v1.0 Provides the ifluatex switch (H0)]

```

## 2.2 Catcodes

```

61 \begingroup
62 \catcode123 1 % {
63 \catcode125 2 % }
64 \def\x{\endgroup
65 \expandafter\edef\csname ifluatex@AtEnd\endcsname{%
66 \catcode35 \the\catcode35\relax
67 \catcode64 \the\catcode64\relax
68 \catcode123 \the\catcode123\relax
69 \catcode125 \the\catcode125\relax
70 }%
71 }%
72 \x
73 \catcode35 6 % #
74 \catcode64 11 % @
75 \catcode123 1 % {
76 \catcode125 2 % }
77 \def\TMP@EnsureCode#1#2{%
78 \edef\ifluatex@AtEnd{%
79 \ifluatex@AtEnd
80 \catcode#1 \the\catcode#1\relax
81 }%
82 \catcode#1 #2\relax
83 }
84 \TMP@EnsureCode{10}{12}% ^^J
85 \TMP@EnsureCode{44}{12}% ,
86 \TMP@EnsureCode{45}{12}% -
87 \TMP@EnsureCode{46}{12}% .
88 \TMP@EnsureCode{47}{12}% /
89 \TMP@EnsureCode{58}{12}% :
90 \TMP@EnsureCode{61}{12}% =
91 \TMP@EnsureCode{94}{7}% ^

```

## 2.3 Check for previously defined \ifluatex

```

92 \begingroup
93 \expandafter\ifx\csname ifluatex\endcsname\relax
94 \else
95 \edef\i/{\expandafter\string\csname ifluatex\endcsname}%
96 \expandafter\ifx\csname PackageError\endcsname\relax
97 \def\x#1#2{%
98 \edef\z{#2}%
99 \expandafter\errhelp\expandafter{\z}%
100 \errmessage{Package ifluatex Error: #1}%
101 }%
102 \def\y{^^J}%
103 \newlinechar=10 %
104 \else
105 \def\x#1#2{%
106 \PackageError{ifluatex}{#1}{#2}%
107 }%
108 \def\y{\MessageBreak}%
109 \fi
110 \x{Name clash, \i/ is already defined}{%
111 Incompatible versions of \i/ can cause problems,\y
112 therefore package loading is aborted.%
113 }%

```

```

114     \endgroup
115     \ifluatex@AtEnd
116     \expandafter\endinput
117 \fi
118 \endgroup

```

## 2.4 \ifluatex

`\ifluatex` Create and set the switch. `\newif` initializes the switch with `\iffalse`.

```

119 \newif\ifluatex

```

Test `\pdfoutput`. Is it defined and different from `\relax`? Someone could have used L<sup>A</sup>T<sub>E</sub>X internal `\@ifundefined`, or something else involving. Notice, `\csname` is executed inside a group for the test to cancel the side effect of `\csname`.

```

120 \begingroup\expandafter\expandafter\expandafter\endgroup
121 \expandafter\ifx\csname luatexversion\endcsname\relax
122 \else
123     \luatextrue
124 \fi

```

## 2.5 Protocol entry

Log comment:

```

125 \begingroup
126     \expandafter\ifx\csname PackageInfo\endcsname\relax
127         \def\x#1#2{%
128             \immediate\write-1{Package #1 Info: #2.}%
129         }%
130     \else
131         \let\x\PackageInfo
132     \expandafter\let\csname on@line\endcsname\empty
133 \fi
134 \x{\ifluatex}{LuaTeX \ifluatex\else not \fi detected}%
135 \endgroup
136 \ifluatex@AtEnd
137 </package>

```

# 3 Test

## 3.1 Catcode checks for loading

```

138 <*test1>
139 \catcode'\{=1 %
140 \catcode'\}=2 %
141 \catcode'\#=6 %
142 \catcode'\@=11 %
143 \expandafter\ifx\csname count@\endcsname\relax
144     \countdef\count@=255 %
145 \fi
146 \expandafter\ifx\csname @gobble\endcsname\relax
147     \long\def\@gobble#1{%
148 \fi
149 \expandafter\ifx\csname @firstofone\endcsname\relax
150     \long\def\@firstofone#1{#1}%
151 \fi
152 \expandafter\ifx\csname loop\endcsname\relax
153     \expandafter\@firstofone
154 \else
155     \expandafter\@gobble
156 \fi
157 {%

```

```

158 \def\loop#1\repeat{%
159   \def\body{#1}%
160   \iterate
161 }%
162 \def\iterate{%
163   \body
164   \let\next\iterate
165   \else
166     \let\next\relax
167   \fi
168   \next
169 }%
170 \let\repeat=\fi
171 }%
172 \def\RestoreCatcodes{}
173 \count@=0 %
174 \loop
175   \edef\RestoreCatcodes{%
176     \RestoreCatcodes
177     \catcode\the\count@=\the\catcode\count@\relax
178   }%
179   \ifnum\count@<255 %
180     \advance\count@ 1 %
181   \repeat
182 }
183 \def\RangeCatcodeInvalid#1#2{%
184   \count@=#1\relax
185   \loop
186     \catcode\count@=15 %
187     \ifnum\count@<#2\relax
188       \advance\count@ 1 %
189     \repeat
190 }
191 \expandafter\ifx\csname LoadCommand\endcsname\relax
192   \def\LoadCommand{\input ifluatex.sty\relax}%
193 \fi
194 \def\Test{%
195   \RangeCatcodeInvalid{0}{47}%
196   \RangeCatcodeInvalid{58}{64}%
197   \RangeCatcodeInvalid{91}{96}%
198   \RangeCatcodeInvalid{123}{255}%
199   \catcode'\@=12 %
200   \catcode'\=0 %
201   \catcode'\{=1 %
202   \catcode'\}=2 %
203   \catcode'\#=6 %
204   \catcode'\[=12 %
205   \catcode'\]=12 %
206   \catcode'\%=14 %
207   \catcode'\ =10 %
208   \catcode\l3=5 %
209   \LoadCommand
210   \RestoreCatcodes
211 }
212 \Test
213 \csname @@end\endcsname
214 \end
215 </test1>

```

## 4 Installation

### 4.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/ifluatex.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/ifluatex.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T<sub>E</sub>X Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

### 4.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 4.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T<sub>E</sub>X:

```
tex ifluatex.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

|                                      |   |
|--------------------------------------|---|
| <code>ifluatex.sty</code>            | → <code>tex/generic/oberdiek/ifluatex.sty</code>          |
| <code>ifluatex.pdf</code>            | → <code>doc/latex/oberdiek/ifluatex.pdf</code>            |
| <code>test/ifluatex-test1.tex</code> | → <code>doc/latex/oberdiek/test/ifluatex-test1.tex</code> |
| <code>ifluatex.dtx</code>            | → <code>source/latex/oberdiek/ifluatex.dtx</code>         |

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

### 4.4 Refresh file name databases

If your T<sub>E</sub>X distribution (teT<sub>E</sub>X, miK<sub>T</sub><sub>E</sub>X, ...) relies on file name databases, you must refresh these. For example, teT<sub>E</sub>X users run `texhash` or `mktextlsr`.

---

<sup>1</sup><http://ftp.ctan.org/tex-archive/>

## 4.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifluatex.pdf unpack_files output .
```

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain-T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{ifluatex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex ifluatex.dtx
makeindex -s gind.ist ifluatex.idx
pdflatex ifluatex.dtx
makeindex -s gind.ist ifluatex.idx
pdflatex ifluatex.dtx
```

## 5 History

[2007/12/12 v1.0]

- First public version.

## 6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

| Symbols                         |  |
|---------------------------------|--|
| <code>\#</code> .....           | 141, 203   |
| <code>\%</code> .....           | 206  |
| <code>\@</code> .....           | 142, 199   |
| <code>\@firstofone</code> ..... | 150, 153   |
| <code>\@gobble</code> .....     | 147, 155   |
| <code>\[</code> .....           | 204  |
| <code>\]</code> .....           | 200  |
| <code>\{</code> .....           | 139, 201   |
| <code>\}</code> .....           | 140, 202   |
| <code>\]</code> .....           | 205  |
| <code>\_</code> .....           | 207  |
| <b>A</b>                        |  |
| <code>\advance</code> .....     | 180, 188   |
| <b>B</b>                        |  |
| <code>\body</code> .....        | 159, 163   |
| <b>C</b>                        |  |
| <code>\catcode</code> . . .     | 3, 4, 5, 6, 7, 18, 19, 20,<br>34, 35, 36, 37, 38, 39, 40, 41, 42,<br>43, 44, 62, 63, 66, 67, 68, 69, 73,<br>74, 75, 76, 80, 82, 139, 140, 141, |

|  |   |
|--|---|
| 142, 177, 186, 199, 200, 201,<br>202, 203, 204, 205, 206, 207, 208 |   |
| \count@ . . . . .  | 144, 173,   |
| 177, 179, 180, 184, 186, 187, 188                                  |   |
| \countdef . . . . .  | 144   |
| \csname . . . . .  | 8, 21,  |
| 45, 58, 65, 93, 95, 96, 121, 126,                                  |   |
| 132, 143, 146, 149, 152, 191, 213                                  |   |
| <b>E</b>   |   |
| \empty . . . . .   | 12, 132   |
| \end . . . . .   | 214   |
| \endcsname . . . . .   | 8, 21,  |
| 45, 58, 65, 93, 95, 96, 121, 126,                                  |   |
| 132, 143, 146, 149, 152, 191, 213                                  |   |
| \endinput . . . . .  | 30, 116   |
| \errhelp . . . . .   | 99  |
| \errmessage . . . . .  | 100   |
| <b>I</b>   |   |
| \i . . . . .   | 95, 110, 111  |
| \ifcase . . . . .  | 9   |
| \ifluatex . . . . .  | 1, 119, 134   |
| \ifluatex@AtEnd . . . . .  | 78, 79, 115, 136  |
| \ifnum . . . . .   | 179, 187  |
| \ifx . . . . .   | 10, 12, 21, 45, 53, 93,   |
| 96, 121, 126, 143, 146, 149, 152, 191                              |   |
| \immediate . . . . .   | 23, 47, 128   |
| \input . . . . .   | 192   |
| \iterate . . . . .   | 160, 162, 164   |
| <b>L</b>   |   |
| \LoadCommand . . . . .   | 192, 209  |
| \loop . . . . .  | 158, 174, 185   |
| \luatextrue . . . . .  | 123   |
| <b>M</b>   |   |
| \MessageBreak . . . . .  | 108   |
| <b>N</b>   |   |
| \newif . . . . .   | 119   |
| \newlinechar . . . . .   | 103   |
| \next . . . . .  | 164, 166, 168   |
| <b>P</b>   |   |
| \PackageError . . . . .  | 106   |
| \PackageInfo . . . . .   | 26, 131   |
| \ProvidesPackage . . . . .   | 59  |
| <b>R</b>   |   |
| \RangeCatcodeInvalid . . . . .                                     | 183, 195, 196, 197, 198   |
| \repeat . . . . .  | 158, 170, 181, 189  |
| \RestoreCatcodes . . . . .   | 172, 175, 176, 210  |
| <b>T</b>   |   |
| \Test . . . . .  | 194, 212  |
| \the . . . . .   | 66, 67, 68, 69, 80, 177   |
| \TMP@EnsureCode . . . . .  | 77, 84, 85, 86, 87, 88, 89, 90, 91  |
| <b>W</b>   |   |
| \write . . . . .   | 23, 47, 128   |
| <b>X</b>   |   |
| \x . . . . .   | 8, 10, 12, 22, 26, 28, 46, 51, 58,<br>64, 72, 97, 105, 110, 127, 131, 134 |
| <b>Y</b>   |   |
| \y . . . . .   | 102, 108, 111   |
| <b>Z</b>   |   |
| \z . . . . .   | 98, 99  |