

The `ifvtex` package

Heiko Oberdiek

<oberdiek@uni-freiburg.de>

2006/02/20 v1.1

Abstract

This package looks for VTEX, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or LATEX formats.

Contents

1	Usage	1
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Check for previously defined <code>\ifvtex</code>	3
2.3	<code>\ifvtex</code>	3
2.4	Mode and GeX switches	3
2.5	Protocol entry	4
3	Installation	4
3.1	Some details for the interested	5
4	History	5
[2001/09/26 v1.0]	5
[2006/02/20 v1.1]	5
5	Index	6

1 Usage

The package `ifvtex` can be used with both plain-TEX and LATEX:

plain-TEX: `\input ifvtex.sty`

LATEX 2E: `\usepackage{ifvtex}`

The package implements switches for VTEX and its different modes and interprets `\VTeXversion`, `\OpMode`, and `\gexmode`.

`\ifvtex`

The package provides the switch `\ifvtex`:

```
\ifvtex
  ... do things, if VTeX is running ...
\else
  ... other TEX compiler ...
\fi
```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

```
\ifvtexdvi  
\ifvtexpdf  
\ifvtexps  
\ifvtexhtml
```

VTeX knows different output modes that can be asked by these switches.

```
\ifvtexgex
```

This switch shows, whether GeX is available.

2 Implementation

2.1 Reload check and package identification

```
1 <*package>
```

Reload check, especially if the package is not used with LATEX.

```
2 \begingroup  
3   \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname  
4   \ifcase 0%  
5     \ifx\x\relax % plain  
6     \else  
7       \ifx\x\empty % LaTeX  
8       \else  
9         1%  
10        \fi  
11      \fi  
12    \else  
13      \expandafter\ifx\csname PackageInfo\endcsname\relax  
14      \def\x#1#2{  
15        \immediate\write-1{Package #1 Info: #2.}%  
16      }%  
17    \else  
18      \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%  
19    \fi  
20  \x{ifvtex}{The package is already loaded}%  
21  \endgroup  
22  \expandafter\endinput  
23 \fi  
24 \endgroup
```

Package identification:

```
25 \begingroup  
26   \expandafter\ifx\csname ProvidesPackage\endcsname\relax  
27   \def\x#1#2#3[#4]{\endgroup  
28     \immediate\write-1{Package: #3 #4}%  
29     \xdef#1{#4}%  
30   }%  
31 \else  
32   \def\x#1#2[#3]{\endgroup  
33     #2[{#3}]%  
34     \ifx#1\relax  
35       \xdef#1{#3}%  
36     \fi  
37   }%  
38 \fi
```

```

39 \expandafter\x\csname ver@ifvtex.sty\endcsname
40 \ProvidesPackage{ifvtex}%
41 [2006/02/20 v1.1 Provides the ifpdf switch (HO)]

```

2.2 Check for previously defined \ifvtex

```

42 \begingroup
43   \expandafter\ifx\csname ifvtex\endcsname\relax
44   \else
45     \edef\i{\expandafter\string\csname ifvtex\endcsname}%
46     \expandafter\ifx\csname PackageError\endcsname\relax
47       \def\x#1#2{%
48         \edef\z{#2}%
49         \expandafter\errhelp\expandafter{\z}%
50         \errmessage{Package ifvtex Error: #1}%
51       }%
52       \def\y{^J}%
53       \newlinechar=10
54   \else
55     \def\x#1#2{%
56       \PackageError{ifvtex}{#1}{#2}%
57     }%
58     \def\y{\MessageBreak}%
59   \fi
60   \x{Name clash, \i/ is already defined}{%
61     Incompatible versions of \i/ can cause problems,\y
62     therefore package loading is aborted.}%
63 }%
64 \endgroup
65 \expandafter\endinput
66 \fi
67 \endgroup

```

2.3 \ifvtex

\ifvtex Create and set the switch. \newif initializes the switch with \iffalse.

```

68 \newif\ifvtex
69 \begingroup\expandafter\expandafter\expandafter\endgroup
70 \expandafter\ifx\csname VTeXversion\endcsname\relax
71 \else
72   \begingroup\expandafter\expandafter\expandafter\endgroup
73   \expandafter\ifx\csname OpMode\endcsname\relax
74   \else
75     \vtexttrue
76   \fi
77 \fi

```

2.4 Mode and GeX switches

```

78 \newif\ifvtexdvi
79 \newif\ifvtexpdf
80 \newif\ifvtexps
81 \newif\ifvtexhtml
82 \newif\ifvtexgex
83 \ifvtex
84   \ifcase\OpMode\relax
85     \vtextdvittrue
86   \or % 1
87     \vtexpdftrue
88   \or % 2
89     \vtexpstrue
90   \or % 3
91     \vtexpstrue

```

```

92  \or\or\or\or\or\or\or \% 10
93    \vtexhtmltrue
94  \fi
95  \begingroup\expandafter\expandafter\expandafter\endgroup
96  \expandafter\ifx\csname gemode\endcsname\relax
97  \else
98    \ifnum\gemode>0 %
99      \vtxgexture
100     \fi
101   \fi
102 \fi

```

2.5 Protocol entry

Log comment:

```

103 \begingroup
104   \expandafter\ifx\csname PackageInfo\endcsname\relax
105   \def\x#1#2{%
106     \immediate\write-1{Package #1 Info: #2.}%
107   }%
108 \else
109   \let\x\PackageInfo
110   \expandafter\let\csname on@line\endcsname\empty
111 \fi
112 \x{ifvtex}{%
113   VTeX %
114   \ifvtex
115     in \ifvtexdvi DVI\fi
116     \ifvtexpdf PDF\fi
117     \ifvtexps PS\fi
118     \ifvtexhtml HTML\fi
119     \space mode %
120     with\ifvtexgex\else out\fi\space GeX %
121   \else
122     not %
123   \fi
124   detected%
125 }%
126 \endgroup
127 </package>

```

3 Installation

CTAN. This package is available on CTAN¹:

CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx The source file.

CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf Documentation.

Unpacking. The .dtx file is a self-extracting docstrip archive. The files are extracted by running the .dtx through plain-TEX:

```
tex ifvtex.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

ifvtex.sty  →  tex/generic/oberdiek/ifvtex.sty
ifvtex.pdf  →  doc/latex/oberdiek/ifvtex.pdf
ifvtex.dtx  →  source/latex/oberdiek/ifvtex.dtx

```

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

Refresh file databases. If your Te^X distribution (te^TE^X, mik^TE^X, ...) rely on file databases, you must refresh these. For example, te^TE^X users run `texhash` or `mktexlsr`.

3.1 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-T^EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intension:

```
latex \install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

4 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

5 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

<p>C</p> <p>\csname 3, 13, 26, 39, 43, 45, 46, 70, 73, 96, 104, 110</p>	<p>\newlinechar 53</p>
<p>E</p> <p>\empty 7, 110</p> <p>\endcsname 3, 13, 26, 39, 43, 45, 46, 70, 73, 96, 104, 110</p> <p>\endinput 22, 65</p> <p>\errhelp 49</p> <p>\errmessage 50</p>	<p>O</p> <p>\OpMode 84</p>
<p>G</p> <p>\gexmode 98</p>	<p>P</p> <p>\PackageError 56</p> <p>\PackageInfo 18, 109</p> <p>\ProvidesPackage 40</p>
<p>I</p> <p>\i 45, 60, 61</p> <p>\ifcase 4, 84</p> <p>\ifnum 98</p> <p>\ifvtex 1, <u>68</u>, 83, 114</p> <p>\ifvtexdvi 2, 78, 115</p> <p>\ifvtexgex 2, 82, 120</p> <p>\ifvtexhtml 2, 81, 118</p> <p>\ifvtexpdf 2, 79, 116</p> <p>\ifvtexps 2, 80, 117</p> <p>\ifx 5, 7, 13, 26, 34, 43, 46, 70, 73, 96, 104</p> <p>\immediate 15, 28, 106</p>	<p>S</p> <p>\space 119, 120</p>
<p>M</p> <p>\MessageBreak 58</p>	<p>V</p> <p>\vtxdvitrue 85</p> <p>\vtxgextrue 99</p> <p>\vtxhtmltrue 93</p> <p>\vtxpdftrue 87</p> <p>\vtxpstrue 89, 91</p> <p>\vtextrue 75</p>
<p>N</p> <p>\newif 68, 78, 79, 80, 81, 82</p>	<p>W</p> <p>\write 15, 28, 106</p>
	<p>X</p> <p>\x 3, 5, 7, 14, 18, 20, 27, 32, 39, 47, 55, 60, 105, 109, 112</p>
	<p>Y</p> <p>\y 52, 58, 61</p>
	<p>Z</p> <p>\z 48, 49</p>