

# The ifvtex package

Heiko Oberdiek  
<heiko.oberdiek at gmail.com>

2010/03/01 v1.5

## Abstract

This package looks for VT<sub>E</sub>X, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or L<sup>A</sup>T<sub>E</sub>X formats.

## Contents

<b>1</b>	<b>Usage</b>	<b>1</b>
<b>2</b>	<b>Implementation</b>	<b>2</b>
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Check for previously defined <code>\ifvtex</code>	4
2.4	Provide <code>\newif</code>	4
2.5	<code>\ifvtex</code>	5
2.6	Mode and GeX switches	5
2.7	Protocol entry	6
<b>3</b>	<b>Test</b>	<b>6</b>
3.1	Catcode checks for loading	6
<b>4</b>	<b>Installation</b>	<b>8</b>
4.1	Download	8
4.2	Bundle installation	8
4.3	Package installation	8
4.4	Refresh file name databases	9
4.5	Some details for the interested	9
<b>5</b>	<b>History</b>	<b>9</b>
[2001/09/26 v1.0]		9
[2006/02/20 v1.1]		9
[2007/01/10 v1.2]		10
[2007/09/09 v1.3]		10
[2008/11/04 v1.4]		10
[2010/03/01 v1.5]		10
<b>6</b>	<b>Index</b>	<b>10</b>

## 1 Usage

The package ifvtex can be used with both plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X:

plain T<sub>E</sub>X: `\input ifvtex.sty`

L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>: `\usepackage{ifvtex}`

The package implements switches for  $\text{\TeX}$  and its different modes and interprets `\TeXversion`, `\OpMode`, and `\gexmode`.

`\ifvtex`

The package provides the switch `\ifvtex`:

```
\ifvtex
... do things, if  $\text{\TeX}$  is running ...
\else
... other  $\text{\TeX}$  compiler ...
\fi
```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

`\ifvtexdvi`  
`\ifvtexpdf`  
`\ifvtexps`  
`\ifvtexhtml`

$\text{\TeX}$  knows different output modes that can be asked by these switches.

`\ifvtexgex`

This switch shows, whether GeX is available.

## 2 Implemenation

### 2.1 Reload check and package identification

```
1 \<package>
```

Reload check, especially if the package is not used with  $\text{\LaTeX}$ .

```
2 \begingroup\catcode61\catcode48\catcode32=10\relax%
3 \catcode13=5 % ^~M
4 \endlinechar=13 %
5 \catcode35=6 % #
6 \catcode39=12 % '
7 \catcode44=12 % ,
8 \catcode45=12 % -
9 \catcode46=12 % .
10 \catcode58=12 % :
11 \catcode64=11 % @
12 \catcode123=1 % {
13 \catcode125=2 % }
14 \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname
15 \ifx\x\relax % plain-TeX, first loading
16 \else
17 \def\empty{}%
18 \ifx\x\empty % LaTeX, first loading,
19 % variable is initialized, but \ProvidesPackage not yet seen
20 \else
21 \expandafter\ifx\csname PackageInfo\endcsname\relax
22 \def\x#1#2{%
23 \immediate\write-1{Package #1 Info: #2.}%
24 }%
25 \else
26 \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
```

```

27      \fi
28      \x{ifvtex}{The package is already loaded}%
29      \aftergroup\endinput
30      \fi
31      \fi
32 \endgroup%

```

Package identification:

```

33 \begingroup\catcode61\catcode48\catcode32=10\relax%
34 \catcode13=5 % ^^M
35 \endlinechar=13 %
36 \catcode35=6 % #
37 \catcode39=12 % '
38 \catcode40=12 % (
39 \catcode41=12 % )
40 \catcode44=12 % ,
41 \catcode45=12 % -
42 \catcode46=12 % .
43 \catcode47=12 % /
44 \catcode58=12 % :
45 \catcode64=11 % @
46 \catcode91=12 % [
47 \catcode93=12 % ]
48 \catcode123=1 % {
49 \catcode125=2 % }
50 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
51   \def\x#1#2#3[#4]{\endgroup
52     \immediate\write-1{Package: #3 #4}%
53     \xdef#1{#4}%
54   }%
55 \else
56   \def\x#1#2[#3]{\endgroup
57     #2[#{#3}]%
58     \ifx#1\@undefined
59       \xdef#1{#3}%
60     \fi
61     \ifx#1\relax
62       \xdef#1{#3}%
63     \fi
64   }%
65 \fi
66 \expandafter\x\csname ver@ifvtex.sty\endcsname
67 \ProvidesPackage{ifvtex}%
68 [2010/03/01 v1.5 Switches for detecting VTeX and its modes (HO)]%

```

## 2.2 Catcodes

```

69 \begingroup\catcode61\catcode48\catcode32=10\relax%
70 \catcode13=5 % ^^M
71 \endlinechar=13 %
72 \catcode123=1 % {
73 \catcode125=2 % }
74 \catcode64=11 % @
75 \def\x{\endgroup
76   \expandafter\edef\csname ifvtex@AtEnd\endcsname{%
77     \endlinechar=\the\endlinechar\relax
78     \catcode13=\the\catcode13\relax
79     \catcode32=\the\catcode32\relax
80     \catcode35=\the\catcode35\relax
81     \catcode61=\the\catcode61\relax
82     \catcode64=\the\catcode64\relax
83     \catcode123=\the\catcode123\relax
84     \catcode125=\the\catcode125\relax
85   }%

```

```

86 }%
87 \x\catcode61\catcode48\catcode32=10\relax%
88 \catcode13=5 % ^^M
89 \endlinechar=13 %
90 \catcode35=6 % #
91 \catcode64=11 % @
92 \catcode123=1 % {
93 \catcode125=2 % }
94 \def\TMP@EnsureCode#1#2{%
95   \edef\ifvtex@AtEnd{%
96     \ifvtex@AtEnd
97     \catcode#1=\the\catcode#1\relax
98   }%
99   \catcode#1=#2\relax
100 }
101 \TMP@EnsureCode{10}{12}% ^^J
102 \TMP@EnsureCode{39}{12}% '
103 \TMP@EnsureCode{44}{12}% ,
104 \TMP@EnsureCode{45}{12}% -
105 \TMP@EnsureCode{46}{12}% .
106 \TMP@EnsureCode{47}{12}% /
107 \TMP@EnsureCode{58}{12}% :
108 \TMP@EnsureCode{60}{12}% <
109 \TMP@EnsureCode{62}{12}% >
110 \TMP@EnsureCode{94}{7}% ^
111 \TMP@EnsureCode{96}{12}% `
112 \edef\ifvtex@AtEnd{\ifvtex@AtEnd\noexpand\endinput}

```

## 2.3 Check for previously defined \ifvtex

```

113 \begingroup
114   \expandafter\ifx\csname ifvtex\endcsname\relax
115   \else
116     \edef\i/{\expandafter\string\csname ifvtex\endcsname}%
117     \expandafter\ifx\csname PackageError\endcsname\relax
118       \def\x#1#2{%
119         \edef\z{#2}%
120         \expandafter\errhelp\expandafter{\z}%
121         \errmessage{Package ifvtex Error: #1}%
122       }%
123       \def\y{^^J}%
124       \newlinechar=10 %
125     \else
126       \def\x#1#2{%
127         \PackageError{ifvtex}{#1}{#2}%
128       }%
129       \def\y{\MessageBreak}%
130     \fi
131     \x{Name clash, \i/ is already defined}{%
132       Incompatible versions of \i/ can cause problems,\y
133       therefore package loading is aborted.%
134     }%
135   \endgroup
136   \expandafter\ifvtex@AtEnd
137 \fi%
138 \endgroup

```

## 2.4 Provide \newif

```

139 \begingroup\expandafter\expandafter\expandafter\endgroup
140 \expandafter\ifx\csname newif\endcsname\relax

\ifvtex@newif

141 \def\ifvtex@newif#1{%

```

```

142     \begingroup
143     \escapechar=-1 %
144     \expandafter\endgroup
145     \expandafter\ifvtex@@newif\string#1\@nil
146 }%

\ifvtex@@newif

147 \def\ifvtex@@newif#1#2#3\@nil{%
148   \expandafter\edef\csname#3true\endcsname{%
149     \let
150     \expandafter\noexpand\csname if#3\endcsname
151     \expandafter\noexpand\csname iftrue\endcsname
152   }%
153   \expandafter\edef\csname#3false\endcsname{%
154     \let
155     \expandafter\noexpand\csname if#3\endcsname
156     \expandafter\noexpand\csname iffalse\endcsname
157   }%
158   \csname#3false\endcsname
159 }%

160 \else

\ifvtex@newif

161   \expandafter\let\expandafter\ifvtex@newif\csname newif\endcsname
162 \fi

```

## 2.5 \ifvtex

`\ifvtex` Create and set the switch. `\newif` initializes the switch with `\iffalse`.

```

163 \ifvtex@newif\ifvtex

164 \begingroup\expandafter\expandafter\expandafter\endgroup
165 \expandafter\ifx\csname VTexVersion\endcsname\relax
166 \else
167   \begingroup\expandafter\expandafter\expandafter\endgroup
168   \expandafter\ifx\csname OpMode\endcsname\relax
169   \else
170     \vtexttrue
171   \fi
172 \fi

```

## 2.6 Mode and GeX switches

```

173 \ifvtex@newif\ifvtexdvi
174 \ifvtex@newif\ifvtexpdf
175 \ifvtex@newif\ifvtexps
176 \ifvtex@newif\ifvtexhtml
177 \ifvtex@newif\ifvtexgex
178 \ifvtex
179   \ifcase\OpMode\relax
180     \vtextdvi true
181   \or % 1
182     \vtextpdf true
183   \or % 2
184     \vtextps true
185   \or % 3
186     \vtextps true
187   \or\or\or\or\or\or\or % 10
188     \vtexthtml true
189   \fi
190 \begingroup\expandafter\expandafter\expandafter\endgroup

```

```

191 \expandafter\ifx\csname gexmode\endcsname\relax
192 \else
193   \ifnum\gexmode>0 %
194     \vtxgextrue
195   \fi
196 \fi
197 \fi

```

## 2.7 Protocol entry

Log comment:

```

198 \begingroup
199 \expandafter\ifx\csname PackageInfo\endcsname\relax
200   \def\x#1#2{%
201     \immediate\write-1{Package #1 Info: #2.}%
202   }%
203 \else
204   \let\x\PackageInfo
205   \expandafter\let\csname on@line\endcsname\empty
206 \fi
207 \x{ifvtex}{%
208   VTeX %
209   \ifvtex
210     in \ifvtexdvi DVI\fi
211     \ifvtexpdf PDF\fi
212     \ifvtexps PS\fi
213     \ifvtexhtml HTML\fi
214     \space mode %
215     with\ifvtexgex\else out\fi\space GeX %
216   \else
217     not %
218   \fi
219   detected%
220 }%
221 \endgroup
222 \ifvtex@AtEnd%
223 \</package>

```

## 3 Test

### 3.1 Catcode checks for loading

```

224 \*test1\
225 \catcode'\{=1 %
226 \catcode'\}=2 %
227 \catcode'\#=6 %
228 \catcode'\@=11 %
229 \expandafter\ifx\csname count@\endcsname\relax
230   \countdef\count@=255 %
231 \fi
232 \expandafter\ifx\csname @gobble\endcsname\relax
233   \long\def\@gobble#1{%
234 \fi
235 \expandafter\ifx\csname @firstofone\endcsname\relax
236   \long\def\@firstofone#1{#1}%
237 \fi
238 \expandafter\ifx\csname loop\endcsname\relax
239   \expandafter\@firstofone
240 \else
241   \expandafter\@gobble
242 \fi

```

```

243 {%
244   \def\loop#1\repeat{%
245     \def\body{#1}%
246     \iterate
247   }%
248   \def\iterate{%
249     \body
250     \let\next\iterate
251   \else
252     \let\next\relax
253   \fi
254   \next
255 }%
256 \let\repeat=\fi
257 }%
258 \def\RestoreCatcodes{}
259 \count@=0 %
260 \loop
261   \edef\RestoreCatcodes{%
262     \RestoreCatcodes
263     \catcode\the\count@=\the\catcode\count@\relax
264   }%
265   \ifnum\count@<255 %
266     \advance\count@ 1 %
267   \repeat
268
269 \def\RangeCatcodeInvalid#1#2{%
270   \count@=#1\relax
271   \loop
272     \catcode\count@=15 %
273   \ifnum\count@<#2\relax
274     \advance\count@ 1 %
275   \repeat
276 }
277 \def\RangeCatcodeCheck#1#2#3{%
278   \count@=#1\relax
279   \loop
280     \ifnum#3=\catcode\count@
281   \else
282     \errmessage{%
283       Character \the\count@\space
284       with wrong catcode \the\catcode\count@\space
285       instead of \number#3%
286     }%
287   \fi
288   \ifnum\count@<#2\relax
289     \advance\count@ 1 %
290   \repeat
291 }
292 \def\space{ }
293 \expandafter\ifx\csname LoadCommand\endcsname\relax
294   \def\LoadCommand{\input ifvtex.sty\relax}%
295 \fi
296 \def\Test{%
297   \RangeCatcodeInvalid{0}{47}%
298   \RangeCatcodeInvalid{58}{64}%
299   \RangeCatcodeInvalid{91}{96}%
300   \RangeCatcodeInvalid{123}{255}%
301   \catcode'\@=12 %
302   \catcode'\=0 %
303   \catcode'\%=14 %
304   \LoadCommand

```

```

305 \RangeCatcodeCheck{0}{36}{15}%
306 \RangeCatcodeCheck{37}{37}{14}%
307 \RangeCatcodeCheck{38}{47}{15}%
308 \RangeCatcodeCheck{48}{57}{12}%
309 \RangeCatcodeCheck{58}{63}{15}%
310 \RangeCatcodeCheck{64}{64}{12}%
311 \RangeCatcodeCheck{65}{90}{11}%
312 \RangeCatcodeCheck{91}{91}{15}%
313 \RangeCatcodeCheck{92}{92}{0}%
314 \RangeCatcodeCheck{93}{96}{15}%
315 \RangeCatcodeCheck{97}{122}{11}%
316 \RangeCatcodeCheck{123}{255}{15}%
317 \RestoreCatcodes
318 }
319 \Test
320 \csname @@end\endcsname
321 \end
322 </test1>

```

## 4 Installation

### 4.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

*TDS* refers to the standard “A Directory Structure for  $\TeX$  Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

### 4.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 4.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain  $\TeX$ :

```
tex ifvtex.dtx
```

---

<sup>1</sup><http://ftp.ctan.org/tex-archive/>



**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
ifvtex.sty          → tex/generic/oberdiek/ifvtex.sty
ifvtex.pdf          → doc/latex/oberdiek/ifvtex.pdf
test/ifvtex-test1.tex → doc/latex/oberdiek/test/ifvtex-test1.tex
ifvtex.dtx          → source/latex/oberdiek/ifvtex.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

## 4.4 Refresh file name databases

If your  $\text{T}_{\text{E}}\text{X}$  distribution (`te $\text{T}_{\text{E}}\text{X}$` , `mik $\text{T}_{\text{E}}\text{X}$` , ...) relies on file name databases, you must refresh these. For example, `te $\text{T}_{\text{E}}\text{X}$`  users run `texhash` or `mktextlsr`.

## 4.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

**Unpacking with  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ .** The `.dtx` chooses its action depending on the format:

**plain  $\text{T}_{\text{E}}\text{X}$ :** Run `docstrip` and extract the files.

**$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ :** Generate the documentation.

If you insist on using  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$  for `docstrip` (really, `docstrip` does not need  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ ), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$` :

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

# 5 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

[2007/01/10 v1.2]

- Fix of the `\ProvidesPackage` description.

[2007/09/09 v1.3]

- Catcode section added.

[2008/11/04 v1.4]

- Bug fix: Misspelled `\OpMode` (found by Hideo Umeki).

[2010/03/01 v1.5]

- Compatibility with `iniTEX`.

## 6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols			
<code>\#</code> .....	227	<code>\end</code> .....	321
<code>\%</code> .....	303	<code>\endcsname</code> .....	14, 21,
<code>\@</code> .....	228, 301		50, 66, 76, 114, 116, 117, 140,
<code>\@firstofone</code> .....	236, 239		148, 150, 151, 153, 155, 156,
<code>\@gobble</code> .....	233, 241		158, 161, 165, 168, 191, 199,
<code>\@nil</code> .....	145, 147		205, 229, 232, 235, 238, 293, 320
<code>\@undefined</code> .....	58	<code>\endinput</code> .....	29, 112
<code>\</code> .....	302	<code>\endlinechar</code> .....	4, 35, 71, 77, 89
<code>\{</code> .....	225	<code>\errhelp</code> .....	120
<code>\}</code> .....	226	<code>\errmessage</code> .....	121, 282
		<code>\escapechar</code> .....	143
A		G	
<code>\advance</code> .....	266, 274, 289	<code>\gexmode</code> .....	193
<code>\aftergroup</code> .....	29		
B		I	
<code>\body</code> .....	245, 249	<code>\i</code> .....	116, 131, 132
C		<code>\ifcase</code> .....	179
<code>\catcode</code> ....	2, 3, 5, 6, 7, 8, 9, 10,	<code>\ifnum</code> .....	193, 265, 273, 280, 288
	11, 12, 13, 33, 34, 36, 37, 38, 39,	<code>\ifvtex</code> .....	2, 163, 178, 209
	40, 41, 42, 43, 44, 45, 46, 47, 48,	<code>\ifvtex@newif</code> .....	145, 147
	49, 69, 70, 72, 73, 74, 78, 79, 80,	<code>\ifvtex@AtEnd</code> ...	95, 96, 112, 136, 222
	81, 82, 83, 84, 87, 88, 90, 91, 92,	<code>\ifvtex@newif</code> .....	141,
	93, 97, 99, 225, 226, 227, 228,		161, 163, 173, 174, 175, 176, 177
	263, 272, 280, 284, 301, 302, 303	<code>\ifvtexdvi</code> .....	2, 173, 210
<code>\count@</code> .....	230, 259,	<code>\ifvtexgex</code> .....	2, 177, 215
	263, 265, 266, 270, 272, 273,	<code>\ifvtexhtml</code> .....	2, 176, 213
	274, 278, 280, 283, 284, 288, 289	<code>\ifvtexpdf</code> .....	2, 174, 211
<code>\countdef</code> .....	230	<code>\ifvtexps</code> .....	2, 175, 212
<code>\csname</code> .....	14, 21,	<code>\ifx</code> .....	15, 18, 21, 50,
	50, 66, 76, 114, 116, 117, 140,		58, 61, 114, 117, 140, 165, 168,
	148, 150, 151, 153, 155, 156,		191, 199, 229, 232, 235, 238, 293
	158, 161, 165, 168, 191, 199,	<code>\immediate</code> .....	23, 52, 201
	205, 229, 232, 235, 238, 293, 320	<code>\input</code> .....	294
		<code>\iterate</code> .....	246, 248, 250
E		L	
<code>\empty</code> .....	17, 18, 205	<code>\LoadCommand</code> .....	294, 304
		<code>\loop</code> .....	244, 260, 271, 279

<b>M</b>		<b>T</b>	
\MessageBreak	129	\Test	296, 319
<b>N</b>		\the	77, 78, 79, 80, 81, 82, 83, 84, 97, 263, 283, 284
\newlinechar	124	\TMP@EnsureCode	94, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111
\next	250, 252, 254	<b>V</b>	
\number	285	\vtxdvitrue	180
<b>O</b>		\vtxgextrue	194
\OpMode	179	\vtxhtmltrue	188
<b>P</b>		\vtxpdftrue	182
\PackageError	127	\vtxpstrue	184, 186
\PackageInfo	26, 204	\vtexttrue	170
\ProvidesPackage	19, 67	<b>W</b>	
<b>R</b>		\write	23, 52, 201
\RangeCatcodeCheck	277, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316	<b>X</b>	
\RangeCatcodeInvalid	269, 297, 298, 299, 300	\x	14, 15, 18, 22, 26, 28, 51, 56, 66, 75, 87, 118, 126, 131, 200, 204, 207
\repeat	244, 256, 267, 275, 290	<b>Y</b>	
\RestoreCatcodes	258, 261, 262, 317	\y	123, 129, 132
<b>S</b>		<b>Z</b>	
\space	214, 215, 283, 284, 292	\z	119, 120