

The `ifvtex` package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2006/02/20 v1.1

Abstract

This package looks for \TeX , implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or \LaTeX formats.

Contents

1	Usage	1
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Check for previously defined <code>\ifvtex</code>	3
2.3	<code>\ifvtex</code>	3
2.4	Mode and \GeX switches	3
2.5	Protocol entry	4
3	Installation	4
3.1	Some details for the interested	5
4	History	5
	[2001/09/26 v1.0]	5
	[2006/02/20 v1.1]	5
5	Index	6

1 Usage

The package `ifvtex` can be used with both plain- \TeX and \LaTeX :

plain- \TeX : `\input ifvtex.sty`

\LaTeX 2 ϵ : `\usepackage{ifvtex}`

The package implements switches for \TeX and its different modes and interprets `\VTeXversion`, `\OpMode`, and `\gexmode`.

<code>\ifvtex</code>

The package provides the switch `\ifvtex`:

```
\ifvtex
... do things, if  $\text{\TeX}$  is running ...
\else
... other  $\text{\TeX}$  compiler ...
\fi
```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

```
\ifvtexdvi
\ifvtexpdf
\ifvtexps
\ifvtexhtml
```

VT_EX knows different output modes that can be asked by these switches.

```
\ifvtexgex
```

This switch shows, whether GeX is available.

2 Implemenation

2.1 Reload check and package identification

```
1 (*package)
```

Reload check, especially if the package is not used with L^AT_EX.

```
2 \begingroup
3   \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname
4   \ifcase 0%
5     \ifx\x\relax % plain
6     \else
7       \ifx\x\empty % LaTeX
8       \else
9         1%
10      \fi
11    \fi
12  \else
13    \expandafter\ifx\csname PackageInfo\endcsname\relax
14      \def\x#1#2{%
15        \immediate\write-1{Package #1 Info: #2.}%
16      }%
17    \else
18      \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
19    \fi
20    \x@ifvtex{The package is already loaded}%
21  \endgroup
22  \expandafter\endinput
23 \fi
24 \endgroup
```

Package identification:

```
25 \begingroup
26   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
27     \def\x#1#2#3[#4]{\endgroup
28       \immediate\write-1{Package: #3 #4}%
29       \xdef#1{#4}%
30     }%
31   \else
32     \def\x#1#2[#3]{\endgroup
33       #2[#{#3}]%
34       \ifx#1\relax
35         \xdef#1{#3}%
36       \fi
37     }%
38   \fi
```

```

39 \expandafter\x\csname ver@ifvtex.sty\endcsname
40 \ProvidesPackage{ifvtex}%
41 [2006/02/20 v1.1 Provides the ifpdf switch (H0)]

```

2.2 Check for previously defined \ifvtex

```

42 \begingroup
43 \expandafter\ifx\csname ifvtex\endcsname\relax
44 \else
45 \edef\i/{\expandafter\string\csname ifvtex\endcsname}%
46 \expandafter\ifx\csname PackageError\endcsname\relax
47 \def\x#1#2{%
48 \edef\z{#2}%
49 \expandafter\errhelp\expandafter{\z}%
50 \errmessage{Package ifvtex Error: #1}%
51 }%
52 \def\y{^^J}%
53 \newlinechar=10
54 \else
55 \def\x#1#2{%
56 \PackageError{ifvtex}{#1}{#2}%
57 }%
58 \def\y{\MessageBreak}%
59 \fi
60 \x{Name clash, \i/ is already defined}{%
61 Incompatible versions of \i/ can cause problems,\y
62 therefore package loading is aborted.%
63 }%
64 \endgroup
65 \expandafter\endinput
66 \fi
67 \endgroup

```

2.3 \ifvtex

`\ifvtex` Create and set the switch. `\newif` initializes the switch with `\iffalse`.

```

68 \newif\ifvtex
69 \begingroup\expandafter\expandafter\expandafter\endgroup
70 \expandafter\ifx\csname VTexVersion\endcsname\relax
71 \else
72 \begingroup\expandafter\expandafter\expandafter\endgroup
73 \expandafter\ifx\csname OpMode\endcsname\relax
74 \else
75 \texttrue
76 \fi
77 \fi

```

2.4 Mode and GeX switches

```

78 \newif\ifvtexdvi
79 \newif\ifvtexpdf
80 \newif\ifvtexps
81 \newif\ifvtexhtml
82 \newif\ifvtexgex
83 \ifvtex
84 \ifcase\OpMode\relax
85 \textdvi true
86 \or % 1
87 \textpdf true
88 \or % 2
89 \textps true
90 \or % 3
91 \textps true

```

```

92 \or\or\or\or\or\or\or % 10
93 \vtxhtmltrue
94 \fi
95 \begingroup\expandafter\expandafter\expandafter\endgroup
96 \expandafter\ifx\csname gexmode\endcsname\relax
97 \else
98 \ifnum\gexmode>0 %
99 \vtxgextrue
100 \fi
101 \fi
102 \fi

```

2.5 Protocol entry

Log comment:

```

103 \begingroup
104 \expandafter\ifx\csname PackageInfo\endcsname\relax
105 \def\x#1#2{%
106 \immediate\write-1{Package #1 Info: #2.}%
107 }%
108 \else
109 \let\x\PackageInfo
110 \expandafter\let\csname on@line\endcsname\empty
111 \fi
112 \x{ifvtex}{%
113 VTeX %
114 \ifvtex
115 in \ifvtexdvi DVI\fi
116 \ifvtexpdf PDF\fi
117 \ifvtexps PS\fi
118 \ifvtexhtml HTML\fi
119 \space mode %
120 with\ifvtexgex\else out\fi\space GeX %
121 \else
122 not %
123 \fi
124 detected%
125 }%
126 \endgroup
127 \end{package}

```

3 Installation

CTAN. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf](#) Documentation.

Unpacking. The .dtx file is a self-extracting docstrip archive. The files are extracted by running the .dtx through plain-TeX:

```
tex ifvtex.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

ifvtex.sty → tex/generic/oberdiek/ifvtex.sty
ifvtex.pdf → doc/latex/oberdiek/ifvtex.pdf
ifvtex.dtx → source/latex/oberdiek/ifvtex.dtx

```

¹<http://ftp.ctan.org/tex-archive/>

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

Refresh file databases. If your \TeX distribution (`te\TeX`, `mik\TeX`, ...) rely on file databases, you must refresh these. For example, `te\TeX` users run `texhash` or `mktextlsr`.

3.1 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain- \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intension:

```
latex \install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf\LaTeX`:

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

4 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

C		<code>\newlinechar</code> 53
<code>\csname</code> 3, 13, 26, 39, 43, 45, 46, 70, 73, 96, 104, 110		
E		O
<code>\empty</code> 7, 110		<code>\OpMode</code> 84
<code>\endcsname</code> 3, 13, 26, 39, 43, 45, 46, 70, 73, 96, 104, 110		P
<code>\endinput</code> 22, 65		<code>\PackageError</code> 56
<code>\errhelp</code> 49		<code>\PackageInfo</code> 18, 109
<code>\errmessage</code> 50		<code>\ProvidesPackage</code> 40
G		S
<code>\gexmode</code> 98		<code>\space</code> 119, 120
I		V
<code>\i</code> 45, 60, 61		<code>\vtxdvitrue</code> 85
<code>\ifcase</code> 4, 84		<code>\vtxgextrue</code> 99
<code>\ifnum</code> 98		<code>\vtxhtmltrue</code> 93
<code>\ifvtex</code> 1, 68, 83, 114		<code>\vtxpdftrue</code> 87
<code>\ifvtxdvi</code> 2, 78, 115		<code>\vtxpsttrue</code> 89, 91
<code>\ifvtxgex</code> 2, 82, 120		<code>\vtxtrue</code> 75
<code>\ifvtxhtml</code> 2, 81, 118		W
<code>\ifvtxpdf</code> 2, 79, 116		<code>\write</code> 15, 28, 106
<code>\ifvtxps</code> 2, 80, 117		X
<code>\ifx</code> 5, 7, 13, 26, 34, 43, 46, 70, 73, 96, 104		<code>\x</code> 3, 5, 7, 14, 18, 20, 27, 32, 39, 47, 55, 60, 105, 109, 112
<code>\immediate</code> 15, 28, 106		
M		Y
<code>\MessageBreak</code> 58		<code>\y</code> 52, 58, 61
N		Z
<code>\newif</code> 68, 78, 79, 80, 81, 82		<code>\z</code> 48, 49