

The `ifvtex` package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2007/01/10 v1.2

Abstract

This package looks for $\text{\texttt{V\TeX}}$, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or $\text{\texttt{L\TeX}}$ formats.

Contents

1	Usage	1
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Check for previously defined <code>\ifvtex</code>	3
2.3	<code>\ifvtex</code>	3
2.4	Mode and <code>GeX</code> switches	3
2.5	Protocol entry	4
3	Installation	4
3.1	Download	4
3.2	Bundle installation	5
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	5
4	History	6
	[2001/09/26 v1.0]	6
	[2006/02/20 v1.1]	6
	[2007/01/10 v1.2]	6
5	Index	6

1 Usage

The package `ifvtex` can be used with both plain- $\text{\texttt{T\TeX}}$ and $\text{\texttt{L\TeX}}$:

plain- $\text{\texttt{T\TeX}}$: `\input ifvtex.sty`

$\text{\texttt{L\TeX}}\ 2_{\epsilon}$: `\usepackage{ifvtex}`

The package implements switches for $\text{\texttt{V\TeX}}$ and its different modes and interprets `\VTeXversion`, `\OpMode`, and `\gexmode`.

<code>\ifvtex</code>

The package provides the switch `\ifvtex`:

```

\ifvtex
... do things, if VTEX is running ...
\else
... other TEX compiler ...
\fi

```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

<pre> \ifvtexdvi \ifvtexpdf \ifvtexps \ifvtexhtml </pre>
--

VT_EX knows different output modes that can be asked by these switches.

<pre>\ifvtexgex</pre>

This switch shows, whether GeX is available.

2 Implemenation

2.1 Reload check and package identification

```
1 (*package)
```

Reload check, especially if the package is not used with L^AT_EX.

```

2 \begingroup
3   \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname
4   \ifcase 0%
5     \ifx\x\relax % plain
6     \else
7       \ifx\x\empty % LaTeX
8       \else
9         1%
10      \fi
11    \fi
12  \else
13    \expandafter\ifx\csname PackageInfo\endcsname\relax
14      \def\x#1#2{%
15        \immediate\write-1{Package #1 Info: #2.}%
16      }%
17    \else
18      \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
19    \fi
20    \x{ifvtex}{The package is already loaded}%
21  \endgroup
22  \expandafter\endinput
23 \fi
24 \endgroup

```

Package identification:

```

25 \begingroup
26   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
27     \def\x#1#2#3[#4]{\endgroup
28       \immediate\write-1{Package: #3 #4}%
29       \xdef#1{#4}%
30     }%
31   \else
32     \def\x#1#2[#3]{\endgroup

```

```

33      #2[#{#3}]%
34      \ifx#1\relax
35      \xdef#1{#3}%
36      \fi
37    }%
38  \fi
39 \expandafter\x\csname ver@ifvtex.sty\endcsname
40 \ProvidesPackage{ifvtex}%
41 [2007/01/10 v1.2 Switches for detecting VTEX and its modes (H0)]

```

2.2 Check for previously defined \ifvtex

```

42 \begingroup
43 \expandafter\ifx\csname ifvtex\endcsname\relax
44 \else
45 \edef\i/{\expandafter\string\csname ifvtex\endcsname}%
46 \expandafter\ifx\csname PackageError\endcsname\relax
47 \def\x#1#2{%
48 \edef\z{#2}%
49 \expandafter\errhelp\expandafter{\z}%
50 \errmessage{Package ifvtex Error: #1}%
51 }%
52 \def\y{^^J}%
53 \newlinechar=10 %
54 \else
55 \def\x#1#2{%
56 \PackageError{ifvtex}{#1}{#2}%
57 }%
58 \def\y{\MessageBreak}%
59 \fi
60 \x{Name clash, \i/ is already defined}{%
61 Incompatible versions of \i/ can cause problems,\y
62 therefore package loading is aborted.%
63 }%
64 \endgroup
65 \expandafter\endinput
66 \fi
67 \endgroup

```

2.3 \ifvtex

`\ifvtex` Create and set the switch. `\newif` initializes the switch with `\iffalse`.

```

68 \newif\ifvtex
69 \begingroup\expandafter\expandafter\expandafter\endgroup
70 \expandafter\ifx\csname VTEXversion\endcsname\relax
71 \else
72 \begingroup\expandafter\expandafter\expandafter\endgroup
73 \expandafter\ifx\csname OpMode\endcsname\relax
74 \else
75 \vtexttrue
76 \fi
77 \fi

```

2.4 Mode and GeX switches

```

78 \newif\ifvtexdvi
79 \newif\ifvtexpdf
80 \newif\ifvtexps
81 \newif\ifvtexhtml
82 \newif\ifvtexgex
83 \ifvtex
84 \ifcase\OpMode\relax
85 \vtextdvitrue

```

```

86 \or % 1
87 \vtexpdftrue
88 \or % 2
89 \vtexpstrue
90 \or % 3
91 \vtexpstrue
92 \or\or\or\or\or\or\or % 10
93 \vtexhtmltrue
94 \fi
95 \begingroup\expandafter\expandafter\expandafter\endgroup
96 \expandafter\ifx\csname gexmode\endcsname\relax
97 \else
98 \ifnum\gexmode>0 %
99 \vtexgextrue
100 \fi
101 \fi
102 \fi

```

2.5 Protocol entry

Log comment:

```

103 \begingroup
104 \expandafter\ifx\csname PackageInfo\endcsname\relax
105 \def\x#1#2{%
106 \immediate\write-1{Package #1 Info: #2.}%
107 }%
108 \else
109 \let\x\PackageInfo
110 \expandafter\let\csname on@line\endcsname\empty
111 \fi
112 \x{ifvtex}{%
113 VTeX %
114 \ifvtex
115 in \ifvtexdvi DVI\fi
116 \ifvtexpdf PDF\fi
117 \ifvtexps PS\fi
118 \ifvtexhtml HTML\fi
119 \space mode %
120 with\ifvtexgex\else out\fi\space GeX %
121 \else
122 not %
123 \fi
124 detected%
125 }%
126 \endgroup
127 </package>

```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

¹<http://ftp.ctan.org/tex-archive/>

3.2 Bundle installation

Unpacking. Unpack the `oberdiek-tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek-tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain- \TeX :

```
tex ifvtex.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
ifvtex.sty → tex/generic/oberdiek/ifvtex.sty
ifvtex.pdf → doc/latex/oberdiek/ifvtex.pdf
ifvtex.dtx → source/latex/oberdiek/ifvtex.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your \TeX distribution (te \TeX , mik \TeX , ...) relies on file name databases, you must refresh these. For example, te \TeX users run `texhash` or `mktextlsr`.

3.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain- \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

4 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

[2007/01/10 v1.2]

- Fix of the `\ProvidesPackage` description.

5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

C		\ifvtexps 2, 80, 117	
\csname 3, 13, 26,		\ifx 5,	
39, 43, 45, 46, 70, 73, 96, 104, 110		7, 13, 26, 34, 43, 46, 70, 73, 96, 104	
E		\immediate 15, 28, 106	
\empty 7, 110		M	
\endcsname 3, 13, 26,		\MessageBreak 58	
39, 43, 45, 46, 70, 73, 96, 104, 110		N	
\endinput 22, 65		\newif 68, 78, 79, 80, 81, 82	
\errhelp 49		\newlinechar 53	
\errmessage 50		O	
G		\OpMode 84	
\gexmode 98		P	
I		\PackageError 56	
\i 45, 60, 61		\PackageInfo 18, 109	
\ifcase 4, 84		\ProvidesPackage 40	
\ifnum 98		S	
\ifvtex 1, 68, 83, 114		\space 119, 120	
\ifvtexdvi 2, 78, 115		V	
\ifvtexgex 2, 82, 120		\vtextditrue 85	
\ifvtexhtml 2, 81, 118			
\ifvtexpdf 2, 79, 116			

<code>\vtexgextrue</code>	99		X
<code>\vtexhtmltrue</code>	93	<code>\x</code>	3, 5, 7, 14, 18, 20,
<code>\vtexpdftrue</code>	87		27, 32, 39, 47, 55, 60, 105, 109, 112
<code>\vtexpstrue</code>	89, 91		Y
<code>\vtextrue</code>	75	<code>\y</code>	52, 58, 61
			Z
	W	<code>\z</code>	48, 49
<code>\write</code>	15, 28, 106		