

The `ifvtex` package

Heiko Oberdiek

<oberdiek@uni-freiburg.de>

2008/11/04 v1.4

Abstract

This package looks for VTEX, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or LATEX formats.

Contents

1	Usage	1
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Check for previously defined <code>\ifvtex</code>	4
2.4	<code>\ifvtex</code>	4
2.5	Mode and GeX switches	4
2.6	Protocol entry	5
3	Test	5
3.1	Catcode checks for loading	5
4	Installation	7
4.1	Download	7
4.2	Bundle installation	7
4.3	Package installation	7
4.4	Refresh file name databases	8
4.5	Some details for the interested	8
5	History	8
[2001/09/26 v1.0]	8
[2006/02/20 v1.1]	8
[2007/01/10 v1.2]	8
[2007/09/09 v1.3]	8
[2008/11/04 v1.4]	8
6	Index	9

1 Usage

The package `ifvtex` can be used with both plain-TEX and LATEX:

plain-TEX: `\input ifvtex.sty`

LATEX 2_ε: `\usepackage{ifvtex}`

The package implements switches for VTeX and its different modes and interprets `\VTeXversion`, `\OpMode`, and `\gemode`.

`\ifvtex`

The package provides the switch `\ifvtex`:

```
\ifvtex
... do things, if VTeX is running ...
\else
... other TeX compiler ...
\fi
```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

`\ifvtexdvi`
`\ifvtexpdf`
`\ifvtexps`
`\ifvtexhtml`

VTeX knows different output modes that can be asked by these switches.

`\ifvtexgex`

This switch shows, whether GeX is available.

2 Implementation

2.1 Reload check and package identification

1 `(*package)`

Reload check, especially if the package is not used with LATEX.

```
2 \begingroup
3   \catcode44 12 % ,
4   \catcode45 12 % -
5   \catcode46 12 % .
6   \catcode58 12 % :
7   \catcode64 11 % @
8   \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname
9   \ifcase 0%
10     \ifx\x\relax % plain
11     \else
12       \ifx\x\empty % LaTeX
13         \else
14           1%
15         \fi
16       \fi
17     \else
18       \catcode35 6 % #
19       \catcode123 1 % {
20       \catcode125 2 % }
21       \expandafter\ifx\x\csname PackageInfo\endcsname\relax
22         \def\x#1#2{%
23           \immediate\write-1{Package #1 Info: #2.}%
24         }%
25       \else
26         \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
```

```

27      \fi
28      \x{ifvtex}{The package is already loaded}%
29      \endgroup
30      \expandafter\endinput
31  \fi
32 \endgroup

Package identification:
33 \begingroup
34  \catcode35 6 % #
35  \catcode40 12 % (
36  \catcode41 12 % )
37  \catcode44 12 % ,
38  \catcode45 12 % -
39  \catcode46 12 % .
40  \catcode47 12 % /
41  \catcode58 12 % :
42  \catcode64 11 % @
43  \catcode123 1 % {
44  \catcode125 2 % }
45  \expandafter\ifx\csname ProvidesPackage\endcsname\relax
46    \def\x#1#2#3[#4]{\endgroup
47      \immediate\write-1{Package: #3 #4}%
48      \xdef#1[#4]%
49    }%
50  \else
51    \def\x#1#2[#3]{\endgroup
52      #2[#3]%
53      \ifx#1\relax
54        \xdef#1[#3]%
55      \fi
56    }%
57  \fi
58 \expandafter\x\csname ver@ifvtex.sty\endcsname
59 \ProvidesPackage{ifvtex}%
60  [2008/11/04 v1.4 Switches for detecting VTeX and its modes (HO)]

```

2.2 Catcodes

```

61 \begingroup
62  \catcode123 1 % {
63  \catcode125 2 % }
64  \def\x{\endgroup
65    \expandafter\edef\csname ifvtex@AtEnd\endcsname{%
66      \catcode35 \the\catcode35\relax
67      \catcode64 \the\catcode64\relax
68      \catcode123 \the\catcode123\relax
69      \catcode125 \the\catcode125\relax
70    }%
71  }%
72 \x
73 \catcode35 6 % #
74 \catcode64 11 % @
75 \catcode123 1 % {
76 \catcode125 2 % }
77 \def\TMP@EnsureCode#1#2{%
78   \edef\ifvtex@AtEnd{%
79     \ifvtex@AtEnd
80       \catcode#1 \the\catcode#1\relax
81     }%
82   \catcode#1 #2\relax
83 }
84 \TMP@EnsureCode{10}{12}%
85 \TMP@EnsureCode{39}{12}%

```

```

86 \TMP@EnsureCode{44}{12}%
87 \TMP@EnsureCode{45}{12}%
88 \TMP@EnsureCode{46}{12}%
89 \TMP@EnsureCode{47}{12}%
90 \TMP@EnsureCode{58}{12}%
91 \TMP@EnsureCode{60}{12}%
92 \TMP@EnsureCode{61}{12}%
93 \TMP@EnsureCode{62}{12}%
94 \TMP@EnsureCode{94}{7}%
95 \TMP@EnsureCode{96}{12}%

```

2.3 Check for previously defined \ifvtx

```

96 \begingroup
97   \expandafter\ifx\csname ifvtx\endcsname\relax
98   \else
99     \edef\i{\expandafter\string\csname ifvtx\endcsname}%
100    \expandafter\ifx\csname PackageError\endcsname\relax
101      \def\x#1#2{%
102        \edef\z{#2}%
103        \expandafter\errhelp\expandafter{\z}%
104        \errmessage{Package ifvtx Error: #1}%
105      }%
106      \def\y{^J}%
107      \newlinechar=10 %
108    \else
109      \def\x#1#2{%
110        \PackageError{ifvtx}{#1}{#2}%
111      }%
112      \def\y{\MessageBreak}%
113    \fi
114    \x{Name clash, \i/ is already defined}{%
115      Incompatible versions of \i/ can cause problems,\y
116      therefore package loading is aborted.%}
117    }%
118  \endgroup
119  \ifvtx@AtEnd
120    \expandafter\endinput
121  \fi
122 \endgroup

```

2.4 \ifvtx

\ifvtx Create and set the switch. \newif initializes the switch with \iffalse.

```

123 \newif\ifvtx
124 \begingroup\expandafter\expandafter\expandafter\endgroup
125 \expandafter\ifx\csname VTeXversion\endcsname\relax
126 \else
127   \begingroup\expandafter\expandafter\expandafter\endgroup
128   \expandafter\ifx\csname 0pMode\endcsname\relax
129   \else
130     \vtexttrue
131   \fi
132 \fi

```

2.5 Mode and GeX switches

```

133 \newif\ifvtxdvi
134 \newif\ifvtxpdf
135 \newif\ifvtxps
136 \newif\ifvtexhtml
137 \newif\ifvtxgex
138 \ifvtx

```

```

139  \ifcase\0pMode\relax
140    \vtexdvtrue
141  \or % 1
142    \vtexpdftrue
143  \or % 2
144    \vtexpstrue
145  \or % 3
146    \vtexpstrue
147  \or\or\or\or\or\or\or\or\or % 10
148    \vtexhtmltrue
149  \fi
150 \begingroup\expandafter\expandafter\expandafter\endgroup
151 \expandafter\ifx\csname gemode\endcsname\relax
152 \else
153   \ifnum\gemode>0 %
154     \vtxgextrue
155   \fi
156 \fi
157 \fi

```

2.6 Protocol entry

Log comment:

```

158 \begingroup
159   \expandafter\ifx\csname PackageInfo\endcsname\relax
160     \def\x#1#2{%
161       \immediate\write-1{Package #1 Info: #2.}%
162     }%
163   \else
164     \let\x\PackageInfo
165     \expandafter\let\csname on@line\endcsname\empty
166   \fi
167   \x{ifvtex}{%
168     VTeX %
169     \ifvtex
170       in \ifvtexdvi DVI\fi
171       \ifvtexpdf PDF\fi
172       \ifvtexps PS\fi
173       \ifvtexhtml HTML\fi
174     \space mode %
175     with\ifvtexgex\else out\fi\space GeX %
176   \else
177     not %
178   \fi
179   detected%
180 }%
181 \endgroup
182 \ifvtex@AtEnd
183 </package>

```

3 Test

3.1 Catcode checks for loading

```

184 <*test1>
185 \catcode`{\=1 %
186 \catcode`}=2 %
187 \catcode`#=6 %
188 \catcode`@=11 %
189 \expandafter\ifx\csname count@\endcsname\relax
190   \countdef\count@=255 %

```

```

191 \fi
192 \expandafter\ifx\csname @gobble\endcsname\relax
193   \long\def\@gobble#1{}%
194 \fi
195 \expandafter\ifx\csname @firstofone\endcsname\relax
196   \long\def\@firstofone#1{\#1}%
197 \fi
198 \expandafter\ifx\csname loop\endcsname\relax
199   \expandafter\@firstofone
200 \else
201   \expandafter\@gobble
202 \fi
203 {%
204   \def\loop#1\repeat{%
205     \def\body{\#1}%
206     \iterate
207   }%
208   \def\iterate{%
209     \body
210     \let\next\iterate
211   \else
212     \let\next\relax
213   \fi
214   \next
215 }%
216   \let\repeat=\fi
217 }%
218 \def\RestoreCatcodes{}%
219 \count@=0 %
220 \loop
221   \edef\RestoreCatcodes{%
222     \RestoreCatcodes
223     \catcode\the\count@=\the\catcode\count@\relax
224   }%
225 \ifnum\count@<255 %
226   \advance\count@ 1 %
227 \repeat
228
229 \def\RangeCatcodeInvalid#1#2{%
230   \count@=#1\relax
231   \loop
232     \catcode\count@=15 %
233   \ifnum\count@<#2\relax
234     \advance\count@ 1 %
235   \repeat
236 }
237 \expandafter\ifx\csname LoadCommand\endcsname\relax
238   \def\LoadCommand{\input ifvtex.sty\relax}%
239 \fi
240 \def\Test{%
241   \RangeCatcodeInvalid{0}{47}%
242   \RangeCatcodeInvalid{58}{64}%
243   \RangeCatcodeInvalid{91}{96}%
244   \RangeCatcodeInvalid{123}{255}%
245   \catcode`@=12 %
246   \catcode`\|=0 %
247   \catcode`\{=1 %
248   \catcode`\}=2 %
249   \catcode`\#=6 %
250   \catcode`\[=12 %
251   \catcode`\]=12 %
252   \catcode`\%=14 %

```

```

253  \catcode`\ =10 %
254  \catcode13=5 %
255  \LoadCommand
256  \RestoreCatcodes
257 }
258 \Test
259 \csname @@end\endcsname
260 \end
261 </test1>

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

<CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx> The source file.

<CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf> Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

<CTAN:install/macros/latex/contrib/oberdiek.tds.zip>

TDS refers to the standard “A Directory Structure for T_EX Files” (<CTAN:tds/tds.pdf>). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDSScripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex ifvtex.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>ifvtex.sty</code>	→ <code>tex/generic/oberdiek/ifvtex.sty</code>
<code>ifvtex.pdf</code>	→ <code>doc/latex/oberdiek/ifvtex.pdf</code>
<code>test/ifvtex-test1.tex</code>	→ <code>doc/latex/oberdiek/test/ifvtex-test1.tex</code>
<code>ifvtex.dtx</code>	→ <code>source/latex/oberdiek/ifvtex.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

¹<ftp://ftp.ctan.org/tex-archive/>

4.4 Refresh file name databases

If your Te_EX distribution (te_EX, mik_EX, ...) relies on file name databases, you must refresh these. For example, te_EX users run `texhash` or `mktexlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-Te_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

5 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

[2007/01/10 v1.2]

- Fix of the `\ProvidesPackage` description.

[2007/09/09 v1.3]

- Catcode section added.

[2008/11/04 v1.4]

- Bug fix: Misplaced `\OpMode` (found by Hideo Umeki).

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\#	187, 249
\%	252
\@	188, 245
\@firstofone	196, 199
\@gobble	193, 201
\[.	250
\\"	246
\{	185, 247
\}	186, 248
\]	251
_	253
A	
\advance	226, 234
B	
\body	205, 209
C	
\catcode	3, 4, 5, 6, 7, 18, 19, 20, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 62, 63, 66, 67, 68, 69, 73, 74, 75, 76, 80, 82, 185, 186, 187, 188, 223, 232, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254
\count@	190, 219, 223, 225, 226, 230, 232, 233, 234
\countdef	190
\csname	8, 21, 45, 58, 65, 97, 99, 100, 125, 128, 151, 159, 165, 189, 192, 195, 198, 237, 259
E	
\empty	12, 165
\end	260
\endcsname	8, 21, 45, 58, 65, 97, 99, 100, 125, 128, 151, 159, 165, 189, 192, 195, 198, 237, 259
\endinput	30, 120
\errhelp	103
\errmessage	104
G	
\gexmode	153
I	
\i	99, 114, 115
\ifcase	9, 139
\ifnum	153, 225, 233
\ifvtex	2, 123, 138, 169
\ifvtex@AtEnd	78, 79, 119, 182
\ifvtexdvi	2, 133, 170
\ifvtexgex	2, 137, 175
\ifvtexhtml	2, 136, 173
\ifvtexpdf	2, 134, 171
\ifvtexps	2, 135, 172
\ifx	10, 12, 21, 45, 53, 97, 100, 125, 128, 151, 159, 189, 192, 195, 198, 237 9
L	
\immediate	23, 47, 161
\input	238
\iterate	206, 208, 210
M	
\LoadCommand	238, 255
\loop	204, 220, 231
N	
\newif	123, 133, 134, 135, 136, 137
\newlinechar	107
\next	210, 212, 214
O	
\OpMode	139
P	
\PackageError	110
\PackageInfo	26, 164
\ProvidesPackage	59
R	
\RangeCatcodeInvalid	229, 241, 242, 243, 244
\repeat	204, 216, 227, 235
\RestoreCatcodes	218, 221, 222, 256
S	
\space	174, 175
T	
\Test	240, 258
\the	66, 67, 68, 69, 80, 223
\TMP@EnsureCode	77, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95
V	
\vtxdvittrue	140
\vtxgexttrue	154
\vtxhtmltrue	148
\vtxpdftrue	142
\vtxpstrue	144, 146
\vtxtrue	130
W	
\write	23, 47, 161
X	
\x	8, 10, 12, 22, 26, 28, 46, 51, 58, 64, 72, 101, 109, 114, 160, 164, 167
Y	
\y	106, 112, 115
Z	
\z	102, 103