

The infwarerr package

Heiko Oberdiek
<heiko.oberdiek at gmail.com>

2007/09/09 v1.2

Abstract

This package provides a complete set of macros for informations, warnings and error messages with support for plain-TeX.

Contents

1 Documentation	1
2 Implementation	2
2.1 Reload check and package identification	2
2.2 Catcodes	3
2.3 L ^A T _E X detection	3
2.4 Version for L ^A T _E X	4
2.5 Version for plain-TeX	5
3 Test	7
3.1 Catcode checks for loading	7
3.2 Macro tests	9
4 Installation	12
4.1 Download	12
4.2 Bundle installation	12
4.3 Package installation	13
4.4 Refresh file name databases	13
4.5 Some details for the interested	13
5 History	14
[2007/04/26 v1.0]	14
[2007/06/14 v1.1]	14
[2007/09/09 v1.2]	14
6 Index	14

1 Documentation

Package infwarerr defines the following set of commands, given as pseudo regular expression:

`\@(Package|Class)(Info|InfoNoLine|Warning|WarningNoLine|Error)`

The first argument is the package or class in question. The second argument contains the message text. `\MessageBreak` is supported. In case of error messages, the third argument contains the help text. Supported are L^AT_EX's message texts `\@ehc`:

Try typing <return> to proceed
 If that doesn't work, type X <return> to quit.

and \@ehd:

You're in trouble here. Try typing <return> to proceed
 If that doesn't work, type X <return> to quit.

The package is intended for macro writers that want to write code that works for both L^AT_EX and plain-T_EX. If L^AT_EX is detected, then the macros of this package will only be wrappers for L^AT_EX's macros. Otherwise L^AT_EX's macros will be mimicked for use with plain-T_EX.

2 Implementation

1 (*package)

2.1 Reload check and package identification

Reload check, especially if the package is not used with L^AT_EX.

```

2 \begingroup
3 \catcode44 12 % ,
4 \catcode45 12 % -
5 \catcode46 12 % .
6 \catcode58 12 % :
7 \catcode64 11 % @
8 \catcode123 1 % {
9 \catcode125 2 % }
10 \expandafter\let\expandafter\x\csname ver@infwarerr.sty\endcsname
11 \ifx\x\relax % plain-TeX, first loading
12 \else
13 \def\empty{}%
14 \ifx\x\empty % LaTeX, first loading,
15 % variable is initialized, but \ProvidesPackage not yet seen
16 \else
17 \catcode35 6 % #
18 \expandafter\ifx\csname PackageInfo\endcsname\relax
19 \def\x#1#2{%
20 \immediate\write-1{Package #1 Info: #2.}%
21 }%
22 \else
23 \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
24 \fi
25 \x{infwarerr}{The package is already loaded}%
26 \aftergroup\endinput
27 \fi
28 \fi
29 \endgroup

```

Package identification:

```

30 \begingroup
31 \catcode35 6 % #
32 \catcode40 12 % (
33 \catcode41 12 % )
34 \catcode44 12 % ,
35 \catcode45 12 % -
36 \catcode46 12 % .
37 \catcode47 12 % /
38 \catcode58 12 % :
39 \catcode64 11 % @
40 \catcode91 12 % [
41 \catcode93 12 % ]
42 \catcode123 1 % {

```

```

43 \catcode125 2 % }
44 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
45 \def\x#1#2#3[#4]{\endgroup
46 \immediate\write-1{Package: #3 #4}%
47 \xdef#1{#4}%
48 }%
49 \else
50 \def\x#1#2[#3]{\endgroup
51 #2[#3]}%
52 \ifx#1\@undefined
53 \xdef#1{#3}%
54 \fi
55 \ifx#1\relax
56 \xdef#1{#3}%
57 \fi
58 }%
59 \fi
60 \expandafter\x\csname ver@infwarerr.sty\endcsname
61 \ProvidesPackage{infwarerr}%
62 [2007/09/09 v1.2 Providing info/warning/message (H0)]

```

2.2 Catcodes

```

63 \begingroup
64 \catcode123 1 % {
65 \catcode125 2 % }
66 \def\x{\endgroup
67 \expandafter\edef\csname InfWarErr@AtEnd\endcsname{%
68 \catcode35 \the\catcode35\relax
69 \catcode64 \the\catcode64\relax
70 \catcode123 \the\catcode123\relax
71 \catcode125 \the\catcode125\relax
72 }%
73 }%
74 \x
75 \catcode35 6 % #
76 \catcode64 11 % @
77 \catcode123 1 % {
78 \catcode125 2 % }
79 \def\TMP@EnsureCode#1#2{%
80 \edef\InfWarErr@AtEnd{%
81 \InfWarErr@AtEnd
82 \catcode#1 \the\catcode#1\relax
83 }%
84 \catcode#1 #2\relax
85 }
86 \TMP@EnsureCode{10}{12}% ^^J
87 \TMP@EnsureCode{39}{12}% '
88 \TMP@EnsureCode{40}{12}% (
89 \TMP@EnsureCode{41}{12}% )
90 \TMP@EnsureCode{44}{12}% ,
91 \TMP@EnsureCode{45}{12}% -
92 \TMP@EnsureCode{46}{12}% .
93 \TMP@EnsureCode{58}{12}% :
94 \TMP@EnsureCode{60}{12}% <
95 \TMP@EnsureCode{61}{12}% =
96 \TMP@EnsureCode{62}{12}% >
97 \TMP@EnsureCode{94}{7}% ^

```

2.3 L^AT_EX detection

```

98 \begingroup
99 \let\x=Y%

```

```

100 \def\check#1{%
101     \@check{Generic}{#1}%
102     \@check{Package}{#1}%
103     \@check{Class}{#1}%
104 }%
105 \def\@check#1#2{%
106     \expandafter\ifx\csname #1#2\endcsname\relax
107         \let\x=N%
108         \fi
109     }%
110     \@check{Info}%
111     \@check{Warning}%
112     \@check{Error}%
113     \@check{Package}{WarningNoLine}%
114     \@check{Class}{WarningNoLine}%
115     \@check{}{@ehc}%
116     \@check{}{@ehd}%
117 \expandafter\endgroup
118 \ifx\x Y%

```

2.4 Version for L^AT_EX

\@PackageInfo

```
119 \let\@PackageInfo\PackageInfo
```

\@PackageInfoNoLine

```

120 \def\@PackageInfoNoLine#1#2{%
121     \PackageInfo{#1}{#2@gobble}%
122 }%

```

\@ClassInfo

```
123 \let\@ClassInfo\ClassInfo
```

\@ClassInfoNoLine

```

124 \def\@ClassInfoNoLine#1#2{%
125     \ClassInfo{#1}{#2@gobble}%
126 }%

```

\@PackageWarning

```
127 \let\@PackageWarning\PackageWarning
```

\@PackageWarningNoLine

```
128 \let\@PackageWarningNoLine\PackageWarningNoLine
```

\@ClassWarning

```
129 \let\@ClassWarning\ClassWarning
```

\@ClassWarningNoLine

```
130 \let\@ClassWarningNoLine\ClassWarningNoLine
```

\@PackageError

```
131 \let\@PackageError\PackageError
```

\@ClassError

```
132 \let\@ClassError\ClassError
```

```
133 \InfWarErr@AtEnd
```

```
134 \expandafter\endinput
```

```
135 \fi
```

2.5 Version for plain-TeX

`\InfWarErr@online`

```
136 \begingroup\expandafter\endgroup
137 \ifcase\expandafter\ifx\csname inputlineno\endcsname\relax
138     0 %
139     \else
140         \ifnum\inputlineno<0 %
141             0 %
142         \else
143             1 %
144         \fi
145     \fi
146 \def\InfWarErr@online{}%
147 \else
148 \def\InfWarErr@online{ on input line \the\inputlineno}%
149 \fi
```

`\InfWarErr@protected`

```
150 \begingroup\expandafter\expandafter\expandafter\endgroup
151 \expandafter\ifx\csname protected\endcsname\relax
152 \def\InfWarErr@protected{}%
153 \else
154 \let\InfWarErr@protected\protected
155 \fi
```

`\InfWarErr@unused`

```
156 \chardef\InfWarErr@unused=16 %
```

`\InfWarErr@ehc`

```
157 \def\InfWarErr@ehc{%
158 Try typing \space <return> \space to proceed.\MessageBreak
159 If that doesn't work, type \space X <return> \space to quit.%
160 }
```

`\InfWarErr@ehd`

```
161 \def\InfWarErr@ehd{%
162 You're in trouble here. \space\@ehc
163 }
```

`\InfWarErr@GenericInfo`

```
164 \InfWarErr@protected\def\InfWarErr@GenericInfo#1#2{%
165 \begingroup
166 \let\on@line\InfWarErr@online
167 \long\def\@gobble##1{%
168 \def\space{ }%
169 \def\@spaces{\space\space\space\space}%
170 \def\MessageBreak{^^J#1}%
171 \newlinechar=10 %
172 \immediate\write-1{#2\on@line.}%
173 \endgroup
174 }
```

`\InfWarErr@GenericWarning`

```
175 \InfWarErr@protected\def\InfWarErr@GenericWarning#1#2{%
176 \begingroup
177 \let\on@line\InfWarErr@online
178 \long\def\@gobble##1{%
179 \def\space{ }%
180 \def\@spaces{\space\space\space\space}%
181 \def\MessageBreak{^^J#1}%
```

```

182     \newlinechar=10 %
183     \immediate\write\InfWarErr@unused{^^J#2\on@line.^^J}%
184 \endgroup
185 }

\InfWarErr@GenericError Old TeX versions below 3.141 where ^^J is not working as newline in error message
and help texts are not supported.

186 \InfWarErr@protected\def\InfWarErr@GenericError#1#2#3#4{%
187   \begingroup
188     \immediate\write\InfWarErr@unused{%
189       \newlinechar=10 %
190       \def\space{ }%
191       \def\@spaces{\space\space\space\space}%
192       \let\@ehc\InfWarErr@ehc
193       \let\@ehd\InfWarErr@ehd
194       \let\on@line\InfWarErr@online
195       \def\MessageBreak{^^J}%
196       \edef\InfWarErr@help{\noexpand\errhelp{#4}}%
197       \InfWarErr@help
198       \def\MessageBreak{^^J#1}%
199       \errmessage{%
200         #2.^^J^^J%
201         #3^^J%
202         Type \space H <return> \space for immediate help.^^J ...^^J%
203       }%
204   \endgroup
205 }

\@PackageInfo

206 \def\@PackageInfo#1#2{%
207   \InfWarErr@GenericInfo{%
208     (#1) \@spaces\@spaces\@spaces
209   }{%
210     Package #1 Info: #2%
211   }%
212 }

\@PackageInfoNoLine

213 \def\@PackageInfoNoLine#1#2{%
214   \@PackageInfo{#1}{#2@gobble}%
215 }

\@ClassInfo

216 \def\@ClassInfo#1#2{%
217   \InfWarErr@GenericInfo{%
218     (#1) \space\space\@spaces\@spaces
219   }{%
220     Class #1 Info: #2%
221   }%
222 }

\@ClassInfoNoLine

223 \def\@ClassInfoNoLine#1#2{%
224   \@ClassInfo{#1}{#2@gobble}%
225 }

\@PackageWarning

226 \def\@PackageWarning#1#2{%
227   \InfWarErr@GenericWarning{%
228     (#1)\@spaces\@spaces\@spaces\@spaces
229   }{%

```

```

230     Package #1 Warning: #2%
231 }%
232 }

\@PackageWarningNoLine

233 \def\@PackageWarningNoLine#1#2{%
234   \@PackageWarning{#1}{#2\@gobble}%
235 }

\@ClassWarning

236 \def\@ClassWarning#1#2{%
237   \InfWarErr@GenericWarning{%
238     (#1) \space\@spaces\@spaces\@spaces
239   }{%
240     Class #1 Warning: #2%
241   }%
242 }

\@ClassWarningNoLine

243 \def\@ClassWarningNoLine#1#2{%
244   \@ClassWarning{#1}{#2\@gobble}%
245 }

\@PackageError

246 \def\@PackageError#1#2#3{%
247   \InfWarErr@GenericError{%
248     (#1)\@spaces\@spaces\@spaces\@spaces
249   }{%
250     Package #1 Error: #2%
251   }{%
252     See the #1 package documentation for explanation.%
253   }{#3}%
254 }

\@ClassError

255 \def\@ClassError#1#2#3{%
256   \InfWarErr@GenericError{%
257     (#1) \space\@spaces\@spaces\@spaces
258   }{%
259     Class #1 Error: #2%
260   }{%
261     See the #1 class documentation for explanation.%
262   }{#3}%
263 }

264 \InfWarErr@AtEnd
265 \</package>

```

3 Test

3.1 Catcode checks for loading

```

266 \test1\
267 \catcode'\{=1 %
268 \catcode'\}=2 %
269 \catcode'\#=6 %
270 \catcode'\@=11 %
271 \expandafter\ifx\csname count@\endcsname\relax
272   \countdef\count@=255 %
273 \fi

```

```

274 \expandafter\ifx\csname @gobble\endcsname\relax
275   \long\def\@gobble#1{}%
276 \fi
277 \expandafter\ifx\csname @firstofone\endcsname\relax
278   \long\def\@firstofone#1{#1}%
279 \fi
280 \expandafter\ifx\csname loop\endcsname\relax
281   \expandafter\@firstofone
282 \else
283   \expandafter\@gobble
284 \fi
285 {%
286   \def\loop#1\repeat{%
287     \def\body{#1}%
288     \iterate
289   }%
290   \def\iterate{%
291     \body
292     \let\next\iterate
293   \else
294     \let\next\relax
295   \fi
296   \next
297 }%
298 \let\repeat=\fi
299 }%
300 \def\RestoreCatcodes{}
301 \count@=0 %
302 \loop
303   \edef\RestoreCatcodes{%
304     \RestoreCatcodes
305     \catcode\the\count@=\the\catcode\count@\relax
306   }%
307 \ifnum\count@<255 %
308   \advance\count@ 1 %
309 \repeat
310
311 \def\RangeCatcodeInvalid#1#2{%
312   \count@=#1\relax
313   \loop
314     \catcode\count@=15 %
315   \ifnum\count@<#2\relax
316     \advance\count@ 1 %
317   \repeat
318 }
319 \expandafter\ifx\csname LoadCommand\endcsname\relax
320   \def\LoadCommand{\input infwarerr.sty\relax}%
321 \fi
322 \def\Test{%
323   \RangeCatcodeInvalid{0}{47}%
324   \RangeCatcodeInvalid{58}{64}%
325   \RangeCatcodeInvalid{91}{96}%
326   \RangeCatcodeInvalid{123}{255}%
327   \catcode'\@=12 %
328   \catcode'\|=0 %
329   \catcode'\{=1 %
330   \catcode'\}=2 %
331   \catcode'\#=6 %
332   \catcode'\[=12 %
333   \catcode'\]=12 %
334   \catcode'\%=14 %
335   \catcode'\ =10 %

```



```

336 \catcode13=5 %
337 \LoadCommand
338 \RestoreCatcodes
339 }
340 \Test
341 \csname @@end\endcsname
342 \end
343 \</test1>

```

3.2 Macro tests

```

344 \<test2>
345 \let\PackageInfo\relax
346 \input infwarerr.sty\relax
347 \let\OrgWrite\write
348 \chardef\WriteUnused=16 %
349 \def\msg#{\immediate\OrgWrite\WriteUnused}
350 \msg{File: infwarerr-test2.tex 2007/09/09 v1.2 Test file for plain-Tex}
351 \catcode64=11 %
352 \</test2>

353 \<test3>
354 \NeedsTeXFormat{LaTeX2e}
355 \ProvidesFile{infwarerr-test3.tex}[2007/09/09 v1.2 Test file for LaTeX]
356 \RequirePackage{infwarerr}[2007/09/09]
357 \makeatletter
358 \let\OrgWrite\write
359 \chardef\WriteUnused=\@unused
360 \def\msg#{\immediate\OrgWrite\WriteUnused}
361 \</test3>

362 \<test2 | test3>
363 \def\pkgname{PACKAGE}
364 \def\clsname{CLASS}
365 \def\msgtext{MESSAGE\MessageBreak SECOND LINE}
366 \def\hlptext{HELP\MessageBreak SECOND LINE}
367
368 \let\OrgWrite\write
369 \let\OrgErrMessage\errmessage
370
371 \def\write#1#{%
372   \@write{#1}%
373 }
374 \def\@write#1#2{%
375   \OrgWrite#1{#2}%
376   \xdef\WriteNum{\number#1}%
377   \xdef\WriteText{#2}%
378 }
379 \def\TestFailed#1#2{%
380   \OrgErrMessage{Test (\string#1) failed: #2}%
381 }
382 \def\TestWrite#1#2#3{%
383   \ifnum\WriteNum=#2\relax
384   \else
385     \TestFailed#1{write stream number: \WriteNum <> #2}%
386   \fi
387   \begingroup
388     \let~\space
389     \edef\TestString{#3}%
390     \ifx\WriteText\TestString
391     \else
392       \msg{}%
393       \msg{[\WriteText]}%
394       \msg{<>}%

```

```

395     \msg{[#3]}% hash-ok
396     \TestFailed#1{write text}%
397     \fi
398 \endgroup
399 }
400 \newtoks\ErrHelpToks
401 \def\errmessage#1{%
402   \global\ErrHelpToks=\expandafter{\the\errhelp}%
403   \msg{***** error message *****}%
404   \msg{! #1}%
405   \msg{***** help message *****}%
406   \msg{\the\errhelp}%
407   \msg{*****}%
408   \xdef\ErrorMessage{! #1}%
409 }
410 \def\TestInfo{%
411   \@PackageInfo\pkgname\msgtext
412   \TestWrite\@PackageInfo{-1}{%
413     Package PACKAGE Info: MESSAGE^^J%
414     (PACKAGE)~~~~~SECOND LINE on input line \the\inputlineno.%
415   }%
416   \@PackageInfoNoLine\pkgname\msgtext
417   \TestWrite\@PackageInfoNoLine{-1}{%
418     Package PACKAGE Info: MESSAGE^^J%
419     (PACKAGE)~~~~~SECOND LINE.%
420   }%
421   \@ClassInfo\clsname\msgtext
422   \TestWrite\@ClassInfo{-1}{%
423     Class CLASS Info: MESSAGE^^J%
424     (CLASS)~~~~~SECOND LINE on input line \the\inputlineno.%
425   }%
426   \@ClassInfoNoLine\clsname\msgtext
427   \TestWrite\@ClassInfoNoLine{-1}{%
428     Class CLASS Info: MESSAGE^^J%
429     (CLASS)~~~~~SECOND LINE.%
430   }%
431 }
432 \def\TestWarning{%
433   \@PackageWarning\pkgname\msgtext
434   \TestWrite\@PackageWarning\WriteUnused{%
435     ^^J%
436     Package PACKAGE Warning: MESSAGE^^J%
437     (PACKAGE)~~~~~SECOND LINE on input line \the\inputlineno.%
438     ^^J%
439   }%
440   \@PackageWarningNoLine\pkgname\msgtext
441   \TestWrite\@PackageWarningNoLine\WriteUnused{%
442     ^^J%
443     Package PACKAGE Warning: MESSAGE^^J%
444     (PACKAGE)~~~~~SECOND LINE.%
445     ^^J%
446   }%
447   \@ClassWarning\clsname\msgtext
448   \TestWrite\@ClassWarning\WriteUnused{%
449     ^^J%
450     Class CLASS Warning: MESSAGE^^J%
451     (CLASS)~~~~~SECOND LINE on input line \the\inputlineno.%
452     ^^J%
453   }%
454   \@ClassWarningNoLine\clsname\msgtext
455   \TestWrite\@ClassWarningNoLine\WriteUnused{%
456     ^^J%

```

```

457     Class CLASS Warning: MESSAGE^^J%
458     (CLASS)~~~~~SECOND LINE.%
459     ^^J%
460 }%
461 }
462 \def\TestError{%
463 (test3) \let\write\OrgWrite
464 (test3) \def\plaindots{}
465 (test2) \def\plaindots{.^^J ...^^J}
466 \@PackageError\pkgname\msgtext\hlptext
467 \@TestError\@PackageError{%
468     ! Package PACKAGE Error: MESSAGE^^J%
469     (PACKAGE)~~~~~SECOND LINE.^^J%
470     ^^J%
471     See the PACKAGE package documentation for explanation.^^J%
472     Type~~H <return>~~for immediate help\plaindots
473 }{%
474     HELP^^J%
475     SECOND LINE%
476 }%
477 \@ClassError\clsname\msgtext\hlptext
478 \@TestError\@ClassError{%
479     ! Class CLASS Error: MESSAGE^^J%
480     (CLASS)~~~~~SECOND LINE.^^J%
481     ^^J%
482     See the CLASS class documentation for explanation.^^J%
483     Type~~H <return>~~for immediate help\plaindots
484 }{%
485     HELP^^J%
486     SECOND LINE%
487 }%
488 \@PackageError\pkgname\msgtext\@ehc
489 \@TestError\@PackageError{%
490     ! Package PACKAGE Error: MESSAGE^^J%
491     (PACKAGE)~~~~~SECOND LINE.^^J%
492     ^^J%
493     See the PACKAGE package documentation for explanation.^^J%
494     Type~~H <return>~~for immediate help\plaindots
495 }{%
496     Try typing~~<return>~~to proceed.^^J%
497     If that doesn't work, type~~X <return>~~to quit.%
498 }%
499 \@PackageError\pkgname\msgtext\@ehd
500 \@TestError\@PackageError{%
501     ! Package PACKAGE Error: MESSAGE^^J%
502     (PACKAGE)~~~~~SECOND LINE.^^J%
503     ^^J%
504     See the PACKAGE package documentation for explanation.^^J%
505     Type~~H <return>~~for immediate help\plaindots
506 }{%
507     You're in trouble here.~~Try typing~~<return>~~to proceed.^^J%
508     If that doesn't work, type~~X <return>~~to quit.%
509 }%
510 }
511 \def\@TestError#1#2#3{%
512     \begingroup
513     \let~\space
514     \edef\x{#2}%
515 (test3) \@onelevel@sanitize\x
516 (test3) \@onelevel@sanitize\ErrMsgage
517     \ifx\x\ErrMsgage
518     \else

```

```

519     \msg{}%
520     \msg{[\ErrMessage]}%
521     \msg{<>}%
522     \msg{[\x]}%
523     \TestFailed#1{errmessage text}%
524 \fi
525 \edef\x{\the\ErrHelpToks}%
526 \edef\y{#3}%
527 \ifx\x\y
528 \else
529     \msg{}%
530     \msg{[\the\ErrHelpToks]}%
531     \msg{<>}%
532     \msg{[\y]}%
533     \TestFailed#1{errhelp text}%
534 \fi
535 \endgroup
536 }
537 \TestInfo
538 \TestWarning
539 \TestError
540 </test2 | test3>
541 <test2>\end
542 <test3>\@@end

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/infwarerr.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/infwarerr.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

¹<http://ftp.ctan.org/tex-archive/>

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain- \TeX :

```
tex infwarerr.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
infwarerr.sty      → tex/generic/oberdiek/infwarerr.sty
infwarerr.pdf      → doc/latex/oberdiek/infwarerr.pdf
test/infwarerr-test1.tex → doc/latex/oberdiek/test/infwarerr-test1.tex
test/infwarerr-test2.tex → doc/latex/oberdiek/test/infwarerr-test2.tex
test/infwarerr-test3.tex → doc/latex/oberdiek/test/infwarerr-test3.tex
infwarerr.dtx      → source/latex/oberdiek/infwarerr.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your \TeX distribution (`te \TeX` , `mik \TeX` , ...) relies on file name databases, you must refresh these. For example, `te \TeX` users run `texhash` or `mktextlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk infwarerr.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain- \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{infwarerr.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex infwarerr.dtx
makeindex -s gind.ist infwarerr.idx
pdflatex infwarerr.dtx
makeindex -s gind.ist infwarerr.idx
pdflatex infwarerr.dtx
```

5 History

[2007/04/26 v1.0]

- First version.

[2007/06/14 v1.1]

- Small fixes.

[2007/09/09 v1.2]

- Catcode section extended.

6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	A
\# 269, 331	\advance 308, 316
\% 334	\aftergroup 26
\@ 270, 327	
\@@end 542	B
\@ClassError 132, 255, 477, 478	\body 287, 291
\@ClassInfo ... 123, 216, 224, 421, 422	
\@ClassInfoNoLine . 124, 223, 426, 427	C
\@ClassWarning 129, 236, 244, 447, 448	\catcode 3, 4, 5, 6, 7,
\@ClassWarningNoLine 130, 243, 454, 455	8, 9, 17, 31, 32, 33, 34, 35, 36,
\@PackageError 131,	37, 38, 39, 40, 41, 42, 43, 64,
246, 466, 467, 488, 489, 499, 500	65, 68, 69, 70, 71, 75, 76, 77,
\@PackageInfo . 119, 206, 214, 411, 412	78, 82, 84, 267, 268, 269, 270,
\@PackageInfoNoLine 120, 213, 416, 417	305, 314, 327, 328, 329, 330,
\@PackageWarning 127, 226, 234, 433, 434	331, 332, 333, 334, 335, 336, 351
\@PackageWarningNoLine 128, 233, 440, 441	\chardef 156, 348, 359
\@TestError ... 467, 478, 489, 500, 511	\check 100, 110, 111, 112
\@check 101,	\ClassError 132
102, 103, 105, 113, 114, 115, 116	\ClassInfo 123, 125
\@ehc 162, 192, 488	\ClassWarning 129
\@ehd 193, 499	\ClassWarningNoLine 130
\@firstofone 278, 281	\clsname .. 364, 421, 426, 447, 454, 477
\@gobble 121, 125, 167,	\count@ 272, 301,
178, 214, 224, 234, 244, 275, 283	305, 307, 308, 312, 314, 315, 316
\@onelevel@sanitize 515, 516	\countdef 272
\@spaces 169, 180,	\cscname 10, 18, 44, 60, 67, 106, 137,
191, 208, 218, 228, 238, 248, 257	151, 271, 274, 277, 280, 319, 341
\@undefined 52	E
\@unused 359	\empty 13, 14
\@write 372, 374	\end 342, 541
\[..... 332	\endcsname 10, 18, 44, 60, 67, 106, 137,
\ \ 328	151, 271, 274, 277, 280, 319, 341
\{ 267, 329	\endinput 26, 134
\} 268, 330	\errhelp 196, 402, 406
\] 333	\ErrHelpToks 400, 402, 525, 530
	\ErrorMessage 408, 516, 517, 520
	\errmessage 199, 369, 401
	H
_ 335	\hlptext 366, 466, 477

I		<code>\PackageInfo</code> 23, 119, 121, 345
<code>\ifcase</code> 137		<code>\PackageWarning</code> 127
<code>\ifnum</code> 140, 307, 315, 383		<code>\PackageWarningNoLine</code> 128
<code>\ifx</code> 11, 14, 18, 44, 52, 55, 106, 118, 137, 151, 271, 274, 277, 280, 319, 390, 517, 527		<code>\pkgname</code> 363, 411, 416, 433, 440, 466, 488, 499
<code>\immediate</code> 20, 46, 172, 183, 188, 349, 360		<code>\plaindots</code> 464, 465, 472, 483, 494, 505
<code>\InfWarErr@AtEnd</code> 80, 81, 133, 264		<code>\protected</code> 154
<code>\InfWarErr@ehc</code> 157, 192		<code>\ProvidesFile</code> 355
<code>\InfWarErr@ehd</code> 161, 193		<code>\ProvidesPackage</code> 15, 61
<code>\InfWarErr@GenericError</code> 186, 247, 256		R
<code>\InfWarErr@GenericInfo</code> 164, 207, 217		<code>\RangeCatcodeInvalid</code>
<code>\InfWarErr@GenericWarning</code> 311, 323, 324, 325, 326
. 175, 227, 237		<code>\repeat</code> 286, 298, 309, 317
<code>\InfWarErr@help</code> 196, 197		<code>\RequirePackage</code> 356
<code>\InfWarErr@online</code> . 136, 166, 177, 194		<code>\RestoreCatcodes</code> . . 300, 303, 304, 338
<code>\InfWarErr@protected</code> 150, 164, 175, 186		S
<code>\InfWarErr@unused</code> 156, 183, 188		<code>\space</code> 158, 159,
<code>\input</code> 320, 346		162, 168, 169, 179, 180, 190,
<code>\inputlineno</code> 140, 148, 414, 424, 437, 451		191, 202, 218, 238, 257, 388, 513
<code>\iterate</code> 288, 290, 292		
L		T
<code>\LoadCommand</code> 320, 337		<code>\Test</code> 322, 340
<code>\loop</code> 286, 302, 313		<code>\TestError</code> 462, 539
M		<code>\TestFailed</code> . . . 379, 385, 396, 523, 533
<code>\makeatletter</code> 357		<code>\TestInfo</code> 410, 537
<code>\MessageBreak</code>		<code>\TestString</code> 389, 390
. 158, 170, 181, 195, 198, 365, 366		<code>\TestWarning</code> 432, 538
<code>\msg</code> 349, 350, 360, 392, 393, 394, 395, 403, 404, 405, 406, 407, 519, 520, 521, 522, 529, 530, 531, 532		<code>\TestWrite</code> 382, 412, 417, 422, 427, 434, 441, 448, 455
<code>\msgtext</code> 365, 411, 416, 421, 426, 433, 440, 447, 454, 466, 477, 488, 499		<code>\the</code> 68, 69, 70, 71, 82, 148, 305, 402, 406, 414, 424, 437, 451, 525, 530
N		<code>\TMP@EnsureCode</code> 79, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97
<code>\NeedsTeXFormat</code> 354		W
<code>\newlinechar</code> 171, 182, 189		<code>\write</code> 20, 46, 172, 183, 188, 347, 358, 368, 371, 463
<code>\newtoks</code> 400		<code>\WriteNum</code> 376, 383, 385
<code>\next</code> 292, 294, 296		<code>\WriteText</code> 377, 390, 393
<code>\number</code> 376		<code>\WriteUnused</code> 348, 349, 359, 360, 434, 441, 448, 455
O		X
<code>\on@line</code> 166, 172, 177, 183, 194		<code>\x</code> 10, 11, 14, 19, 23, 25, 45, 50, 60, 66, 74, 99, 107, 118, 514, 515, 517, 522, 525, 527
<code>\OrgErrMsg</code> 369, 380		
<code>\OrgWrite</code>		
. 347, 349, 358, 360, 368, 375, 463		
P		Y
<code>\PackageError</code> 131		<code>\y</code> 526, 527, 532