

The `inputenx` package

Heiko Oberdiek

<oberdiek@uni-freiburg.de>

2009/12/15 v1.5

Abstract

This package provides input encodings using standard mappings and covers nearly all slots. Thus it serves as more up-to-date replacement for package `inputenc`.

Contents

1 Documentation	2
1.1 Definition files	3
1.2 Unicode	4
1.3 Math	4
1.4 ToDo	4
2 Implementation	4
2.1 Identification	4
2.2 Encoding names	4
2.2.1 Record current encoding names	4
2.2.2 Aliases for encoding names	5
2.3 Package options	6
2.3.1 Declare and process options	6
2.3.2 Load <code>inputenc</code> with encoding options	6
2.3.3 <code>\InputEncoding</code>	6
2.3.4 Option math	6
2.4 Alias encoding file	7
2.5 Encoding files	8
2.5.1 Encoding <code>ascii</code>	8
2.5.2 Encoding <code>atarist</code>	8
2.5.3 Encoding <code>iso-8859-1</code>	12
2.5.4 Encoding <code>iso-8859-2</code>	15
2.5.5 Encoding <code>iso-8859-3</code>	17
2.5.6 Encoding <code>iso-8859-4</code>	19
2.5.7 Encoding <code>iso-8859-5</code>	21
2.5.8 Encoding <code>iso-8859-8</code>	23
2.5.9 Encoding <code>iso-8859-9</code>	25
2.5.10 Encoding <code>iso-8859-10</code>	28
2.5.11 Encoding <code>iso-8859-13</code>	30
2.5.12 Encoding <code>iso-8859-14</code>	32
2.5.13 Encoding <code>iso-8859-15</code>	34
2.5.14 Encoding <code>iso-8859-16</code>	36
2.5.15 Encoding <code>cp437</code>	38
2.5.16 Encoding <code>cp850</code>	42
2.5.17 Encoding <code>cp852</code>	46
2.5.18 Encoding <code>cp855</code>	48
2.5.19 Encoding <code>cp858</code>	51

2.5.20 Encoding cp865	54
2.5.21 Encoding cp866	58
2.5.22 Encoding cp1250	61
2.5.23 Encoding cp1251	64
2.5.24 Encoding cp1252	66
2.5.25 Encoding cp1257	69
2.5.26 Encoding dec-mcs	72
2.5.27 Encoding koi8-r	74
2.5.28 Encoding mac-centeuro	77
2.5.29 Encoding mac-cyrillic	80
2.5.30 Encoding mac-roman	83
2.5.31 Encoding nextstep	87
2.5.32 Non-Unicode additions	90
2.6 Additions for <code>utf8enc.dfu</code>	90
2.7 Name list	93
2.8 Mapping Slot, UC to Encodings	93
2.9 Mapping UC to LICR	94
2.10 Math meaning declarations	94
2.11 Documentation files	95
2.11.1 List of known LICR commands	95
2.11.2 Commented additions for <code>utf8enc.dfu</code>	97
3 Installation	97
3.1 Download	97
3.2 Bundle installation	97
3.3 Package installation	98
3.4 Refresh file name databases	99
3.5 Some details for the interested	99
4 References	99
4.1 Mappings to Unicode	100
5 History	100
[2006/03/05 v1.0]	100
[2007/04/11 v1.1]	101
[2007/06/16 v1.2]	101
[2007/08/16 v1.3]	101
[2009/08/13 v1.4]	101
[2009/12/15 v1.5]	101
6 Index	101

1 Documentation

The main goal was to have a package allows the selection and defining input encodings by the characters in question itself.

The first stage with encoding definition files is implemented. Encoding definition files are provided with the following properties in comparison to L^AT_EX's ones:

- More up-to-date and closer to the standards. Updating L^AT_EX is difficult because of compatibility issues. However this project uses fresh encoding file names, prefixed with `x-`.
- Consequent use of `\DeclareInputText` as suggested by the second edition of “The L^AT_EX Companion” [1]. That means that the deprecated `\DeclareInputMath` is not longer used. Instead package `inpmath` is supported by providing declarations using `\DeclareMathMeaning`.

The second stage that allows selection of input encoding by mappings between the characters and their glyph names is implemented by package `selinput` [3].

1.1 Definition files

The input encoding definition files are prefixed with `x-` to distinguish them from the names package `inputenc` uses. The definition files of `inputenx` may also be used by package `inputenc`, eg.:

```
\usepackage[x-iso-8859-1]{inputenc}
```

As option for package `inputenx` the prefix may be dropped:

```
\usepackage[iso-8859-1]{inputenx}
```

The following definition files are available. The second column lists alternative option names for `inputenx`:

<code>x-ascii.def</code>	<code>ascii, us-ascii, clean7bit, ascii-print, ascii-printable</code>	ASCII encoding, 8bit characters disabled
<code>x-atarist.def</code>	<code>atarist, atari</code>	AtariST encoding
<code>x-cp437.def</code>	<code>cp437, cp437de</code>	Code page 437
<code>x-cp850.def</code>	<code>cp850</code>	Code page 850
<code>x-cp852.def</code>	<code>cp852</code>	Code page 852
<code>x-cp855.def</code>	<code>cp855</code>	Code page 855
<code>x-cp858.def</code>	<code>cp858</code>	Code page 858
<code>x-cp865.def</code>	<code>cp865</code>	Code page 865
<code>x-cp866.def</code>	<code>cp866</code>	Code page 866
<code>x-cp1250.def</code>	<code>cp1250</code>	Code page 1250
<code>x-cp1251.def</code>	<code>cp1251</code>	Code page 1251
<code>x-cp1252.def</code>	<code>cp1252, ansinew</code>	Code page 1252
<code>x-cp1257.def</code>	<code>cp1257</code>	Code page 1257
<code>x-dec-mcs.def</code>	<code>dec-mcs, decmulti</code>	DEC Multinational
<code>x-koi8-r.def</code>	<code>koi8-r</code>	KOI8-R (RFC1489)
<code>x-iso-8859-1.def</code>	<code>iso-8859-1, latin1</code>	ISO-8859-1
<code>x-iso-8859-2.def</code>	<code>iso-8859-2, latin2</code>	ISO-8859-2
<code>x-iso-8859-3.def</code>	<code>iso-8859-3, latin3</code>	ISO-8859-3
<code>x-iso-8859-4.def</code>	<code>iso-8859-4, latin4</code>	ISO-8859-4
<code>x-iso-8859-5.def</code>	<code>iso-8859-5, iso88595</code>	ISO-8859-5
<code>x-iso-8859-9.def</code>	<code>iso-8859-9, latin5</code>	ISO-8859-9
<code>x-iso-8859-10.def</code>	<code>iso-8859-10, latin6</code>	ISO-8859-10
<code>x-iso-8859-13.def</code>	<code>iso-8859-13, latin7</code>	ISO-8859-13
<code>x-iso-8859-14.def</code>	<code>iso-8859-14, latin8</code>	ISO-8859-14
<code>x-iso-8859-15.def</code>	<code>iso-8859-15, latin9</code>	ISO-8859-15
<code>x-iso-8859-16.def</code>	<code>iso-8859-16, latin10</code>	ISO-8859-16
<code>x-mac-centeuro.def</code>	<code>mac-centeuro, mac-ce, macce</code>	MAC OS Central European
<code>x-mac-cyrillic.def</code>	<code>mac-cyrillic, maccyr, mac-ukrainian, macukr</code>	MAC OS Cyrillic
<code>x-mac-roman.def</code>	<code>mac-roman, applemac</code>	MAC OS Roman
<code>x-nextstep</code>	<code>nextstep, next</code>	NextStep Encoding

Some characters need extra packages:

Box drawings characters are provided by package `pmboxdraw`. They are used by some older DOS code pages (`cp437, cp850, cp852, cp858, cp865`).

Cyrillic characters need some setup (probably font encoding/package). They are mapped to names that start with `\CYR` (`\CYRYO, \CYRDJE, ...`).

Hebrew characters need some setup (probably font encoding/package). They are mapped to \hebalef, \hebbet, ...

U+2310 REVERSED NOT SIGN is provided as \textrevlogicalnot that uses \reflectbox from package `graphics`.

For the following characters I didn't find suitable L^IC_R (L^AT_EX Internal Character Representation):

```
\DeclareUnicodeCharacter{200E}={}
  % LEFT-TO-RIGHT MARK
  % iso-8859-8[0xFD/253]

\DeclareUnicodeCharacter{200F}={}
  % RIGHT-TO-LEFT MARK
  % iso-8859-8[0xFE/254]

\DeclareUnicodeCharacter{2320}={}
  % TOP HALF INTEGRAL
  % cp437[0xF4/244] cp865[0xF4/244]

\DeclareUnicodeCharacter{2321}={}
  % BOTTOM HALF INTEGRAL
  % cp437[0xF5/245] cp865[0xF5/245]

\DeclareUnicodeCharacter{F8FF}={}
  % <Private Use, Last>
  % mac-roman[0xF0/240]
```

1.2 Unicode

File `ix-utf8enc.dfu` provides additions to `inputenc`'s file `utf8enc.dfu`.

1.3 Math

The current philosophy of L^AT_EX/package `inputenc` is not to declare characters for math only. Instead there is a experimental package `inpmath` that extends package `inputenc`, to change the behaviour of input characters if used in math mode. File `ix-math.def` provides some definitions of math characters.

1.4 ToDo

- Documentation.

2 Implementation

2.1 Identification

```
1 <*package>
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{inputenx}%
4 [2009/12/15 v1.5 Enhanced input encoding handling (HO)]%
```

2.2 Encoding names

2.2.1 Record current encoding names

```
\CurrentInputEncodingName
5 \providecommand*\CurrentInputEncodingName{}%
\CurrentInputEncodingOption
6 \providecommand*\CurrentInputEncodingOption{}%
```

2.2.2 Aliases for encoding names

```

7 \def\IEX@LookupEncoding#1{%
8   \edef\CurrentInputEncodingName{#1}%
9   \@onelvel@sanitize\CurrentInputEncodingName
10  \let\CurrentInputEncodingOption@\empty
11  \ifeundefined{\IEX@enc@\CurrentInputEncodingName}{%
12    \global\expandafter\let
13      \csname IEX@enc@\CurrentInputEncodingName\endcsname
14      \CurrentInputEncodingName
15      \IEX@DoLookup
16  }{%
17  \edef\CurrentInputEncodingOption{%
18    \csname IEX@enc@\CurrentInputEncodingName\endcsname
19  }%
20  \ifx\CurrentInputEncodingOption@\empty
21    \PackageWarning{inputenx}{%
22      Encoding '\CurrentInputEncodingName' is not available%
23      \MessageBreak
24      and therefore ignored%
25    }%
26  \else
27    \IfFileExists{\CurrentInputEncodingOption.def}{%
28      \PackageInfo{inputenx}{%
29        Encoding name: \CurrentInputEncodingName\MessageBreak
30        Encoding file: \CurrentInputEncodingOption.def\MessageBreak
31      }%
32    }{%
33      \PackageError{inputenx}{%
34        Cannot load encoding '\CurrentInputEncodingName'.\MessageBreak
35        A valid encoding alias was not found and\MessageBreak
36        encoding file '\CurrentInputEncodingOption.def' does not exist%
37    }\@ehc
38    \global\expandafter\let
39      \csname IEX@enc@\CurrentInputEncodingName\endcsname\empty
40    \let\CurrentInputEncodingName\empty
41    \let\CurrentInputEncodingOption\empty
42  }%
43 \fi
44 }

```

Encoding is in \CurrentInputEncodingName. Search the alias file until an entry is found and define IEX@enc@\CurrentInputEncodingName.

```

45 \def\IEX@DoLookup{%
46   \begingroup
47     \advance\endlinechar\@M
48   \IfFileExists{ix-alias.cfg}{%
49     \input{ix-alias.cfg}%
50   }{%
51     \input{ix-alias.def}%
52   }%
53   \advance\endlinechar-\@M
54 \endgroup
55 }

56 \def\InputenxAlias#1#2{%
57   \edef\IEX@temp{#1}%
58   \@onelvel@sanitize\IEX@temp
59   \ifx\IEX@temp\CurrentInputEncodingName
60     \edef\IEX@temp{#2}%
61     \@onelvel@sanitize\IEX@temp
62   \IfFileExists{\IEX@temp.def}{%
63     \global\expandafter\let
64       \csname IEX@enc@\CurrentInputEncodingName\endcsname\IEX@temp

```

```

65      \expandafter\endinput
66  }{%
67      \PackageWarning{inputenx}{%
68          Missing encoding file '\IEX@temp.def'\MessageBreak
69          for encoding '\CurrentInputEncodingName', continuing%
70          \MessageBreak
71          with lookup search%
72      }%
73  }%
74 \fi
75 }

```

2.3 Package options

2.3.1 Declare and process options

```

76 \newif\ifIEX@math
77 \DeclareOption{math}{\IEX@mathtrue}
78 \let\IEX@enclist\@empty
79 \DeclareOption*{%
80     \ifx\IEX@enclist\@empty
81         \let\IEX@enclist\CurrentOption
82     \else
83         \edef\IEX@enclist{\IEX@enclist,\CurrentOption}%
84     \fi
85 }
86 \ProcessOptions*

```

2.3.2 Load `inputenc` with encoding options

```

87 \for\CurrentOption:=\IEX@enclist\do{%
88     \IEX@LookupEncoding\CurrentOption
89     \ifx\CurrentInputEncodingOption\@empty
90     \else
91         \PassOptionsToPackage{\CurrentInputEncodingOption}{inputenc}%
92     \fi
93 }
94 \RequirePackage{inputenc}

```

2.3.3 \InputEncoding

\InputEncoding \InputEncoding is basically the same as \inputencoding of package inputenc. However aliases are supported.

```

95 \newcommand*\InputEncoding[1]{%
96     \IEX@LookupEncoding{\#1}%
97     \ifx\CurrentInputEncodingOption\@empty
98     \else
99         \inputencoding{\CurrentInputEncodingOption}%
100    \ifx\PassOptionsToPackage\@notprerr
101    \else
102        \expandafter\PassOptionsToPackage\expandafter{%
103            \CurrentInputEncodingOption
104        }{inputenc}%
105        \ifx\CurrentInputEncodingName\CurrentInputEncodingOption
106        \else
107            \expandafter\PassOptionsToPackage\expandafter{%
108                \CurrentInputEncodingName
109            }{inputenc}%
110        \fi
111    \fi
112 \fi
113 }

```

2.3.4 Option `math`

```

114 \ifIE@math
115   \RequirePackage{inpmath}%
116   \IfFileExists{ix-math.cfg}{%
117     \input{ix-math.cfg}%
118   }{%
119     \input{ix-math.def}%
120   }%
121 \fi
122 
```

2.4 Alias encoding file

```

123 <*alias>
124 \ProvidesFile{ix-alias.def}[2009/12/15 v1.5 Alias list (inputenx)]

```

The alias mechanism is also used to hide the prefix x-:

```

125 \InputenxAlias{ascii}{x-ascii}
126 \InputenxAlias{atarist}{x-atarist}
127 \InputenxAlias{iso-8859-1}{x-iso-8859-1}
128 \InputenxAlias{iso-8859-2}{x-iso-8859-2}
129 \InputenxAlias{iso-8859-3}{x-iso-8859-3}
130 \InputenxAlias{iso-8859-4}{x-iso-8859-4}
131 \InputenxAlias{iso-8859-5}{x-iso-8859-5}
132 \InputenxAlias{iso-8859-8}{x-iso-8859-8}
133 \InputenxAlias{iso-8859-9}{x-iso-8859-9}
134 \InputenxAlias{iso-8859-10}{x-iso-8859-10}
135 \InputenxAlias{iso-8859-13}{x-iso-8859-13}
136 \InputenxAlias{iso-8859-14}{x-iso-8859-14}
137 \InputenxAlias{iso-8859-15}{x-iso-8859-15}
138 \InputenxAlias{iso-8859-16}{x-iso-8859-16}
139 \InputenxAlias{cp437}{x-cp437}
140 \InputenxAlias{cp850}{x-cp850}
141 \InputenxAlias{cp852}{x-cp852}
142 \InputenxAlias{cp855}{x-cp855}
143 \InputenxAlias{cp858}{x-cp858}
144 \InputenxAlias{cp865}{x-cp865}
145 \InputenxAlias{cp866}{x-cp866}
146 \InputenxAlias{cp1250}{x-cp1250}
147 \InputenxAlias{cp1251}{x-cp1251}
148 \InputenxAlias{cp1252}{x-cp1252}
149 \InputenxAlias{cp1257}{x-cp1257}
150 \InputenxAlias{dec-mcs}{x-dec-mcs}
151 \InputenxAlias{koi8-r}{x-koi8-r}
152 \InputenxAlias{mac-centeuro}{x-mac-centeuro}
153 \InputenxAlias{mac-cyrillic}{x-mac-cyrillic}
154 \InputenxAlias{mac-roman}{x-mac-roman}
155 \InputenxAlias{nextstep}{x-nextstep}

```

Now the real aliases start:

```

156 \InputenxAlias{ansinew}{x-cp1252}
157 \InputenxAlias{applemac}{x-mac-roman}
158 \InputenxAlias{ascii-print}{x-ascii}
159 \InputenxAlias{ascii-printable}{x-ascii}
160 \InputenxAlias{atari}{x-atarist}
161 \InputenxAlias{clean7bit}{x-ascii}
162 \InputenxAlias{cp437de}{x-cp437}
163 \InputenxAlias{decmulti}{x-dec-mcs}
164 \InputenxAlias{iso88595}{x-iso-8859-5}
165 \InputenxAlias{latin1}{x-iso-8859-1}
166 \InputenxAlias{latin10}{x-iso-8859-16}
167 \InputenxAlias{latin2}{x-iso-8859-2}
168 \InputenxAlias{latin3}{x-iso-8859-3}
169 \InputenxAlias{latin4}{x-iso-8859-4}
170 \InputenxAlias{latin5}{x-iso-8859-9}

```

```

171 \InputenxAlias{latin6}{x-iso-8859-10}
172 \InputenxAlias{latin7}{x-iso-8859-13}
173 \InputenxAlias{latin8}{x-iso-8859-14}
174 \InputenxAlias{latin9}{x-iso-8859-15}
175 \InputenxAlias{mac-ce}{x-mac-centeuro}
176 \InputenxAlias{mac-ukrainian}{x-mac-cyrillic}
177 \InputenxAlias{macce}{x-mac-centeuro}
178 \InputenxAlias{maccyr}{x-mac-cyrillic}
179 \InputenxAlias{macukr}{x-mac-cyrillic}
180 \InputenxAlias{next}{x-nextstep}
181 \InputenxAlias{us-ascii}{x-ascii}
182 </alias>

```

2.5 Encoding files

2.5.1 Encoding ascii

The encoding file `ascii.def` of package `inputenc` before 2006/03/04 v1.1b generate a unnecessary warning. Therefore a separate variant is provided here.

```

183 <*ascii>
184 \ProvidesFile{x-ascii.def}%
185 [2009/12/15 v1.5 Input encoding ascii (inputenx)]%
186 \csname @inpenc@test\endcsname
187 </ascii>

```

2.5.2 Encoding atarist

```

188 <*atarist>
189 \ProvidesFile{x-atarist.def}%
190 [2009/12/15 v1.5 Input encoding atarist (inputenx)]%
191 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
192 \makeatletter
193 \ProvideTextCommandDefault{\textGamma}{%
194   \ensuremath\Gamma
195 }
196 \ProvideTextCommandDefault{\textOmega}{%
197   \ensuremath\Omega
198 }
199 \ProvideTextCommandDefault{\textPhi}{%
200   \ensuremath\Phi
201 }
202 \ProvideTextCommandDefault{\textSigma}{%
203   \ensuremath\Sigma
204 }
205 \ProvideTextCommandDefault{\textTheta}{%
206   \ensuremath\Theta
207 }
208 \ProvideTextCommandDefault{\textAlpha}{%
209   \ensuremath\alpha
210 }
211 \ProvideTextCommandDefault{\textapprox}{%
212   \ensuremath\approx
213 }
214 \ProvideTextCommandDefault{\textasciicircum}{%
215   \textasciicircum{}%
216 }
217 \ProvideTextCommandDefault{\textasciitilde}{%
218   \textasciitilde{}%
219 }
220 \ProvideTextCommandDefault{\textasciimacron}{%
221   \textasciimacron{}%
222 }
223 \ProvideTextCommandDefault{\textbeta}{%

```

```

224   \ensuremath\beta
225 }
226 \ProvideTextCommandDefault{\textcap}{%
227   \ensuremath\cap
228 }
229 \ProvideTextCommandDefault{\textcent}{%
230   \TextSymbolUnavailable\textcent
231 }
232 \ProvideTextCommandDefault{\textcontourintegral}{%
233   \ensuremath\oint
234 }
235 \ProvideTextCommandDefault{\textdegree}{%
236   \ensuremath{{}^\circ}}
237 }
238 \ProvideTextCommandDefault{\textdelta}{%
239   \ensuremath\delta
240 }
241 \ProvideTextCommandDefault{\textdiv}{%
242   \TextSymbolUnavailable\textdiv
243 }
244 \ProvideTextCommandDefault{\textelement}{%
245   \ensuremath\in
246 }
247 \ProvideTextCommandDefault{\textequivalence}{%
248   \ensuremath\equiv
249 }
250 \ProvideTextCommandDefault{\textflorin}{%
251   \textit{f}}
252 }
253 \ProvideTextCommandDefault{\textgreaterequal}{%
254   \ensuremath\geq
255 }
256 \ProvideTextCommandDefault{\textinfinity}{%
257   \ensuremath\infty
258 }
259 \ProvideTextCommandDefault{\textintersection}{%
260   \ensuremath\cap
261 }
262 \ProvideTextCommandDefault{\textlessequal}{%
263   \ensuremath\leq
264 }
265 \ProvideTextCommandDefault{\textlnot}{%
266   \ensuremath\neg
267 }
268 \ProvideTextCommandDefault{\textmu}{%
269   \ensuremath\mu
270 }
271 \ProvideTextCommandDefault{\textnsuperior}{%
272   \ensuremath{{}^n}}
273 }
274 \ProvideTextCommandDefault{\textonehalf}{%
275   \ensuremath{\frac{1}{2}}
276 }
277 \ProvideTextCommandDefault{\textonequarter}{%
278   \ensuremath{\frac{1}{4}}
279 }
280 \ProvideTextCommandDefault{\textphi}{%
281   \ensuremath\phi
282 }
283 \ProvideTextCommandDefault{\textpi}{%
284   \ensuremath\pi
285 }

```

```

286 \ProvideTextCommandDefault{\textpm}{%
287   \ensuremath\pm
288 }
289 \ProvideTextCommandDefault{\textrevlogicalnot}{%
290   \begingroup
291     \ifundefined{reflectbox}{%
292       \TextSymbolUnavailable\textrevlogicalnot
293     }{%
294       \def\@revlogicalnot##1##2{%
295         \reflectbox{\##1##2}%
296       }%
297       \ensuremath{\mathpalette\@revlogicalnot\lnot}%
298     }%
299   \endgroup
300 }
301 \ProvideTextCommandDefault{\textsigma}{%
302   \ensuremath\sigma
303 }
304 \ProvideTextCommandDefault{\textsurd}{%
305   \ensuremath\surd
306 }
307 \ProvideTextCommandDefault{\texttau}{%
308   \ensuremath\tau
309 }
310 \ProvideTextCommandDefault{\textthreesuperior}{%
311   \ensuremath{\overset{3}{}}%
312 }
313 \ProvideTextCommandDefault{\texttwosuperior}{%
314   \ensuremath{\overset{2}{}}%
315 }
316 \ProvideTextCommandDefault{\textyen}{%
317   \TextSymbolUnavailable\textyen
318 }
319 \DeclareInputText{128}{\c C}
320 \DeclareInputText{129}{\u}
321 \DeclareInputText{130}{\@tabacckludge'e}
322 \DeclareInputText{131}{\^a}
323 \DeclareInputText{132}{\"a}
324 \DeclareInputText{133}{\@tabacckludge'a}
325 \DeclareInputText{134}{\r a}
326 \DeclareInputText{135}{\c c}
327 \DeclareInputText{136}{\^e}
328 \DeclareInputText{137}{\"e}
329 \DeclareInputText{138}{\@tabacckludge'e}
330 \DeclareInputText{139}{\i}
331 \DeclareInputText{140}{\^i}
332 \DeclareInputText{141}{\@tabacckludge'i}
333 \DeclareInputText{142}{\"A}
334 \DeclareInputText{143}{\r A}
335 \DeclareInputText{144}{\@tabacckludge'E}
336 \DeclareInputText{145}{\ae}
337 \DeclareInputText{146}{\AE}
338 \DeclareInputText{147}{\^o}
339 \DeclareInputText{148}{\"o}
340 \DeclareInputText{149}{\@tabacckludge'o}
341 \DeclareInputText{150}{\^u}
342 \DeclareInputText{151}{\@tabacckludge'u}
343 \DeclareInputText{152}{\y}
344 \DeclareInputText{153}{\"O}
345 \DeclareInputText{154}{\"U}
346 \DeclareInputText{155}{\textcent}
347 \DeclareInputText{156}{\textsterling}

```

```

348 \DeclareInputText{157}{\textyen}
349 \DeclareInputText{158}{\ss}
350 \DeclareInputText{159}{\textflorin}
351 \DeclareInputText{160}{\textatbacckludge'a}
352 \DeclareInputText{161}{\textatbacckludge'i}
353 \DeclareInputText{162}{\textatbacckludge'o}
354 \DeclareInputText{163}{\textatbacckludge'u}
355 \DeclareInputText{164}{\textcircumflex{n}}
356 \DeclareInputText{165}{\textcircumflex{N}}
357 \DeclareInputText{166}{\textordfeminine}
358 \DeclareInputText{167}{\textordmasculine}
359 \DeclareInputText{168}{\textquestiondown}
360 \DeclareInputText{169}{\textrevlogicalnot}
361 \DeclareInputText{170}{\textlnot}
362 \DeclareInputText{171}{\textonehalf}
363 \DeclareInputText{172}{\textonequarter}
364 \DeclareInputText{173}{\textexclamdown}
365 \DeclareInputText{174}{\textguillemotleft}
366 \DeclareInputText{175}{\textguillemotright}
367 \DeclareInputText{176}{\textcircumflex{a}}
368 \DeclareInputText{177}{\textcircumflex{o}}
369 \DeclareInputText{178}{\textcircumflex{O}}
370 \DeclareInputText{179}{\textcircumflex{o}}
371 \DeclareInputText{180}{\textcircumflex{oe}}
372 \DeclareInputText{181}{\textcircumflex{OE}}
373 \DeclareInputText{182}{\textatbacckludge'A}
374 \DeclareInputText{183}{\textcircumflex{A}}
375 \DeclareInputText{184}{\textcircumflex{O}}
376 \DeclareInputText{185}{\textasciidieresis}
377 \DeclareInputText{186}{\textasciiacute}
378 \DeclareInputText{187}{\textdagger}
379 \DeclareInputText{188}{\textparagraph}
380 \DeclareInputText{189}{\textcopyright}
381 \DeclareInputText{190}{\textregistered}
382 \DeclareInputText{191}{\texttrademark}
383 \DeclareInputText{192}{\textij}
384 \DeclareInputText{193}{\textIJ}
385 \DeclareInputText{194}{\texthebalef}
386 \DeclareInputText{195}{\texthebbet}
387 \DeclareInputText{196}{\texthebgimel}
388 \DeclareInputText{197}{\texthebdalat}
389 \DeclareInputText{198}{\texthebhe}
390 \DeclareInputText{199}{\texthebvav}
391 \DeclareInputText{200}{\texthebzayin}
392 \DeclareInputText{201}{\texthebheth}
393 \DeclareInputText{202}{\texthebtet}
394 \DeclareInputText{203}{\texthebyod}
395 \DeclareInputText{204}{\texthebkaf}
396 \DeclareInputText{205}{\textheblamed}
397 \DeclareInputText{206}{\texthebmem}
398 \DeclareInputText{207}{\texthebnun}
399 \DeclareInputText{208}{\texthebsamekh}
400 \DeclareInputText{209}{\texthebayin}
401 \DeclareInputText{210}{\texthebpe}
402 \DeclareInputText{211}{\texthebtsadi}
403 \DeclareInputText{212}{\texthebqof}
404 \DeclareInputText{213}{\texthebreish}
405 \DeclareInputText{214}{\texthebshin}
406 \DeclareInputText{215}{\texthebtav}
407 \DeclareInputText{216}{\texthebfinalnun}
408 \DeclareInputText{217}{\texthebfinalkaf}
409 \DeclareInputText{218}{\texthebfinalmem}

```

```

410 \DeclareInputText{219}{\hebfinalpe}
411 \DeclareInputText{220}{\hebfinaltsadi}
412 \DeclareInputText{221}{\textsection}
413 \DeclareInputText{222}{\textcap}
414 \DeclareInputText{223}{\textinfinity}
415 \DeclareInputText{224}{\textalpha}
416 \DeclareInputText{225}{\textbeta}
417 \DeclareInputText{226}{\textGamma}
418 \DeclareInputText{227}{\textpi}
419 \DeclareInputText{228}{\textSigma}
420 \DeclareInputText{229}{\textsigma}
421 \DeclareInputText{230}{\textmu}
422 \DeclareInputText{231}{\texttau}
423 \DeclareInputText{232}{\textPhi}
424 \DeclareInputText{233}{\textTheta}
425 \DeclareInputText{234}{\textOmega}
426 \DeclareInputText{235}{\textdelta}
427 \DeclareInputText{236}{\textcontourintegral}
428 \DeclareInputText{237}{\textphi}
429 \DeclareInputText{238}{\textelement}
430 \DeclareInputText{239}{\textintersection}
431 \DeclareInputText{240}{\textequivalence}
432 \DeclareInputText{241}{\textpm}
433 \DeclareInputText{242}{\textgreaterequal}
434 \DeclareInputText{243}{\textlessequal}
435 \DeclareInputText{246}{\textdiv}
436 \DeclareInputText{247}{\textapproxequal}
437 \DeclareInputText{248}{\textdegree}
438 \DeclareInputText{249}{\textbullet}
439 \DeclareInputText{250}{\textperiodcentered}
440 \DeclareInputText{251}{\textsurd}
441 \DeclareInputText{252}{\textnuperior}
442 \DeclareInputText{253}{\texttwuperior}
443 \DeclareInputText{254}{\textthreesuperior}
444 \DeclareInputText{255}{\textasciimacron}
445 \RestoreAtCatcode
446 /atarist

```

2.5.3 Encoding iso-8859-1

```

447 <*iso - 8859 - 1>
448 \ProvidesFile{x-iso-8859-1.def}%
449 [2009/12/15 v1.5 Input encoding iso-8859-1 (inputenx)]%
450 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
451 \makeatletter
452 \ProvideTextCommandDefault{\textasciiaacute}{%
453   \@tabacckludge'{}%
454 }
455 \ProvideTextCommandDefault{\textasciidieresis}{%
456   \"{}%
457 }
458 \ProvideTextCommandDefault{\textasciimacron}{%
459   \@tabacckludge={}%
460 }
461 \ProvideTextCommandDefault{\textbrokenbar}{%
462   \TextSymbolUnavailable\textbrokenbar
463 }
464 \ProvideTextCommandDefault{\textcent}{%
465   \TextSymbolUnavailable\textcent
466 }
467 \ProvideTextCommandDefault{\textcurrency}{%
468   \TextSymbolUnavailable\textcurrency
469 }
470 \ProvideTextCommandDefault{\textdegree}{%

```

```

471 \ensuremath{{\textcircum{}}}{%
472 }%
473 \ProvideTextCommandDefault{\textdiv}{%
474 \TextSymbolUnavailable\textdiv
475 }%
476 \ProvideTextCommandDefault{\textlnot}{%
477 \ensuremath{\textlnot}%
478 }%
479 \ProvideTextCommandDefault{\textmu}{%
480 \ensuremath{\textmu}%
481 }%
482 \ProvideTextCommandDefault{\textonehalf}{%
483 \ensuremath{\frac{1}{2}}%
484 }%
485 \ProvideTextCommandDefault{\textonequarter}{%
486 \ensuremath{\frac{1}{4}}%
487 }%
488 \ProvideTextCommandDefault{\textonesuperior}{%
489 \ensuremath{\textsup1{}}%
490 }%
491 \ProvideTextCommandDefault{\textpm}{%
492 \ensuremath{\textpm}%
493 }%
494 \ProvideTextCommandDefault{\textthreequarters}{%
495 \ensuremath{\frac{3}{4}}%
496 }%
497 \ProvideTextCommandDefault{\textthreesuperior}{%
498 \ensuremath{\textsup3{}}%
499 }%
500 \ProvideTextCommandDefault{\texttimes}{%
501 \ensuremath{\texttimes}%
502 }%
503 \ProvideTextCommandDefault{\texttwosuperior}{%
504 \ensuremath{\textsup2{}}%
505 }%
506 \ProvideTextCommandDefault{\textyen}{%
507 \TextSymbolUnavailable\textyen
508 }%
509 \DeclareInputText{160}{\nobreakspace}%
510 \DeclareInputText{161}{\textexclamdown}%
511 \DeclareInputText{162}{\textcent}%
512 \DeclareInputText{163}{\textsterling}%
513 \DeclareInputText{164}{\textcurrency}%
514 \DeclareInputText{165}{\textyen}%
515 \DeclareInputText{166}{\textbrokenbar}%
516 \DeclareInputText{167}{\textsection}%
517 \DeclareInputText{168}{\textasciidieresis}%
518 \DeclareInputText{169}{\textcopyright}%
519 \DeclareInputText{170}{\textordfeminine}%
520 \DeclareInputText{171}{\guillemotleft}%
521 \DeclareInputText{172}{\textlnot}%
522 \DeclareInputText{173}{\textminus}%
523 \DeclareInputText{174}{\textregistered}%
524 \DeclareInputText{175}{\textasciimacron}%
525 \DeclareInputText{176}{\textdegree}%
526 \DeclareInputText{177}{\textpm}%
527 \DeclareInputText{178}{\texttwosuperior}%
528 \DeclareInputText{179}{\textthreesuperior}%
529 \DeclareInputText{180}{\textasciacute}%
530 \DeclareInputText{181}{\textmu}%
531 \DeclareInputText{182}{\textparagraph}%
532 \DeclareInputText{183}{\textperiodcentered}

```

```
533 \DeclareInputText{184}{\c` }
534 \DeclareInputText{185}{\textonesuperior}
535 \DeclareInputText{186}{\textordmasculine}
536 \DeclareInputText{187}{\guillemotright}
537 \DeclareInputText{188}{\textonequarter}
538 \DeclareInputText{189}{\textonehalf}
539 \DeclareInputText{190}{\textthreequarters}
540 \DeclareInputText{191}{\textquestiondown}
541 \DeclareInputText{192}{\@tabacckludge'A}
542 \DeclareInputText{193}{\@tabacckludge'A}
543 \DeclareInputText{194}{\^A}
544 \DeclareInputText{195}{\~A}
545 \DeclareInputText{196}{\"A}
546 \DeclareInputText{197}{\r A}
547 \DeclareInputText{198}{\AE}
548 \DeclareInputText{199}{\c C}
549 \DeclareInputText{200}{\@tabacckludge'E}
550 \DeclareInputText{201}{\@tabacckludge'E}
551 \DeclareInputText{202}{\^E}
552 \DeclareInputText{203}{\"E}
553 \DeclareInputText{204}{\@tabacckludge'I}
554 \DeclareInputText{205}{\@tabacckludge'I}
555 \DeclareInputText{206}{\^I}
556 \DeclareInputText{207}{\"I}
557 \DeclareInputText{208}{\DH}
558 \DeclareInputText{209}{\^N}
559 \DeclareInputText{210}{\@tabacckludge'0}
560 \DeclareInputText{211}{\@tabacckludge'0}
561 \DeclareInputText{212}{\^0}
562 \DeclareInputText{213}{\^0}
563 \DeclareInputText{214}{\"0}
564 \DeclareInputText{215}{\textttimes}
565 \DeclareInputText{216}{\0}
566 \DeclareInputText{217}{\@tabacckludge'U}
567 \DeclareInputText{218}{\@tabacckludge'U}
568 \DeclareInputText{219}{\^U}
569 \DeclareInputText{220}{\"U}
570 \DeclareInputText{221}{\@tabacckludge'Y}
571 \DeclareInputText{222}{\TH}
572 \DeclareInputText{223}{\ss}
573 \DeclareInputText{224}{\@tabacckludge'a}
574 \DeclareInputText{225}{\@tabacckludge'a}
575 \DeclareInputText{226}{\^a}
576 \DeclareInputText{227}{\~a}
577 \DeclareInputText{228}{\"a}
578 \DeclareInputText{229}{\r a}
579 \DeclareInputText{230}{\ae}
580 \DeclareInputText{231}{\c c}
581 \DeclareInputText{232}{\@tabacckludge'e}
582 \DeclareInputText{233}{\@tabacckludge'e}
583 \DeclareInputText{234}{\^e}
584 \DeclareInputText{235}{\"e}
585 \DeclareInputText{236}{\@tabacckludge'\i}
586 \DeclareInputText{237}{\@tabacckludge'\i}
587 \DeclareInputText{238}{\^'\i}
588 \DeclareInputText{239}{\"'\i}
589 \DeclareInputText{240}{\dh}
590 \DeclareInputText{241}{\~n}
591 \DeclareInputText{242}{\@tabacckludge'o}
592 \DeclareInputText{243}{\@tabacckludge'o}
593 \DeclareInputText{244}{\^o}
594 \DeclareInputText{245}{\~o}
```

```

595 \DeclareInputText{246}{\"o}
596 \DeclareInputText{247}{\textdiv}
597 \DeclareInputText{248}{\o}
598 \DeclareInputText{249}{\@tabacckludge'u}
599 \DeclareInputText{250}{\@tabacckludge'u}
600 \DeclareInputText{251}{\^u}
601 \DeclareInputText{252}{\"u}
602 \DeclareInputText{253}{\@tabacckludge'y}
603 \DeclareInputText{254}{\th}
604 \DeclareInputText{255}{\"y}
605 \RestoreAtCatcode
606 
```

2.5.4 Encoding iso-8859-2

```

607 <*iso - 8859 - 2>
608 \ProvidesFile{x-iso-8859-2.def}%
609 [2009/12/15 v1.5 Input encoding iso-8859-2 (inputenx)]%
610 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
611 \makeatletter
612 \ProvideTextCommandDefault{\textacutedbl}{%
613   \H{}%
614 }
615 \ProvideTextCommandDefault{\textasciiaacute}{%
616   \@tabacckludge'{}%
617 }
618 \ProvideTextCommandDefault{\textasciibreve}{%
619   \u{}%
620 }
621 \ProvideTextCommandDefault{\textasciicaron}{%
622   \v{}%
623 }
624 \ProvideTextCommandDefault{\textasciidieresis}{%
625   \{}%
626 }
627 \ProvideTextCommandDefault{\textcurrency}{%
628   \TextSymbolUnavailable\textcurrency
629 }
630 \ProvideTextCommandDefault{\textdegree}{%
631   \ensuremath{{}^\circ}%
632 }
633 \ProvideTextCommandDefault{\textdiv}{%
634   \TextSymbolUnavailable\textdiv
635 }
636 \ProvideTextCommandDefault{\texttimes}{%
637   \ensuremath{\times}
638 }
639 \DeclareInputText{160}{\nobreakspace}
640 \DeclareInputText{161}{\k A}
641 \DeclareInputText{162}{\textasciibreve}
642 \DeclareInputText{163}{\L}
643 \DeclareInputText{164}{\textcurrency}
644 \DeclareInputText{165}{\v L}
645 \DeclareInputText{166}{\@tabacckludge'S}
646 \DeclareInputText{167}{\textsection}
647 \DeclareInputText{168}{\textasciidieresis}
648 \DeclareInputText{169}{\v S}
649 \DeclareInputText{170}{\c S}
650 \DeclareInputText{171}{\v T}
651 \DeclareInputText{172}{\@tabacckludge'Z}
652 \DeclareInputText{173}{\`}
653 \DeclareInputText{174}{\v Z}
654 \DeclareInputText{175}{\.Z}
655 \DeclareInputText{176}{\textdegree}

```

```
656 \DeclareInputText{177}{\k a}
657 \DeclareInputText{178}{\k{}}
658 \DeclareInputText{179}{\l}
659 \DeclareInputText{180}{\textasciiacute}
660 \DeclareInputText{181}{\v l}
661 \DeclareInputText{182}{\@tabacckludge's}
662 \DeclareInputText{183}{\textasciicaron}
663 \DeclareInputText{184}{\c\ }
664 \DeclareInputText{185}{\v s}
665 \DeclareInputText{186}{\c s}
666 \DeclareInputText{187}{\v t}
667 \DeclareInputText{188}{\@tabacckludge'z}
668 \DeclareInputText{189}{\textacutedbl}
669 \DeclareInputText{190}{\v z}
670 \DeclareInputText{191}{\.z}
671 \DeclareInputText{192}{\@tabacckludge'R}
672 \DeclareInputText{193}{\@tabacckludge'A}
673 \DeclareInputText{194}{\^A}
674 \DeclareInputText{195}{\u A}
675 \DeclareInputText{196}{\^"A}
676 \DeclareInputText{197}{\@tabacckludge'L}
677 \DeclareInputText{198}{\@tabacckludge'C}
678 \DeclareInputText{199}{\c C}
679 \DeclareInputText{200}{\v C}
680 \DeclareInputText{201}{\@tabacckludge'E}
681 \DeclareInputText{202}{\k E}
682 \DeclareInputText{203}{\^"E}
683 \DeclareInputText{204}{\v E}
684 \DeclareInputText{205}{\@tabacckludge'I}
685 \DeclareInputText{206}{\^I}
686 \DeclareInputText{207}{\v D}
687 \DeclareInputText{208}{\DJ}
688 \DeclareInputText{209}{\@tabacckludge'N}
689 \DeclareInputText{210}{\v N}
690 \DeclareInputText{211}{\@tabacckludge'0}
691 \DeclareInputText{212}{\^0}
692 \DeclareInputText{213}{\H 0}
693 \DeclareInputText{214}{\^"0}
694 \DeclareInputText{215}{\textttimes}
695 \DeclareInputText{216}{\v R}
696 \DeclareInputText{217}{\r U}
697 \DeclareInputText{218}{\@tabacckludge'U}
698 \DeclareInputText{219}{\H U}
699 \DeclareInputText{220}{\^"U}
700 \DeclareInputText{221}{\@tabacckludge'Y}
701 \DeclareInputText{222}{\c T}
702 \DeclareInputText{223}{\ss}
703 \DeclareInputText{224}{\@tabacckludge'r}
704 \DeclareInputText{225}{\@tabacckludge'a}
705 \DeclareInputText{226}{\^a}
706 \DeclareInputText{227}{\u a}
707 \DeclareInputText{228}{\^"a}
708 \DeclareInputText{229}{\@tabacckludge'1}
709 \DeclareInputText{230}{\@tabacckludge'c}
710 \DeclareInputText{231}{\c c}
711 \DeclareInputText{232}{\v c}
712 \DeclareInputText{233}{\@tabacckludge'e}
713 \DeclareInputText{234}{\k e}
714 \DeclareInputText{235}{\^"e}
715 \DeclareInputText{236}{\v e}
716 \DeclareInputText{237}{\@tabacckludge'i}
717 \DeclareInputText{238}{\^i}
```

```

718 \DeclareInputText{239}{\v d}
719 \DeclareInputText{240}{\dj}
720 \DeclareInputText{241}{\@tabacckludge'n}
721 \DeclareInputText{242}{\v n}
722 \DeclareInputText{243}{\@tabacckludge'o}
723 \DeclareInputText{244}{\^o}
724 \DeclareInputText{245}{\H o}
725 \DeclareInputText{246}{\"o}
726 \DeclareInputText{247}{\textdiv}
727 \DeclareInputText{248}{\v r}
728 \DeclareInputText{249}{\r u}
729 \DeclareInputText{250}{\@tabacckludge'u}
730 \DeclareInputText{251}{\H u}
731 \DeclareInputText{252}{\"u}
732 \DeclareInputText{253}{\@tabacckludge'y}
733 \DeclareInputText{254}{\c t}
734 \DeclareInputText{255}{\.{.}}
735 \RestoreAtCatcode
736 </iso - 8859 - 2>

```

2.5.5 Encoding iso-8859-3

```

737 <*iso - 8859 - 3>
738 \ProvidesFile{x-iso-8859-3.def}%
739 [2009/12/15 v1.5 Input encoding iso-8859-3 (inputenx)]%
740 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
741 \makeatletter
742 \ProvideTextCommandDefault{\textasciiaacute}{%
743   \@tabacckludge'{}%
744 }
745 \ProvideTextCommandDefault{\textasciibreve}{%
746   \u{}%
747 }
748 \ProvideTextCommandDefault{\textasciidieresis}{%
749   \"{}%
750 }
751 \ProvideTextCommandDefault{\textcurrency}{%
752   \TextSymbolUnavailable\textcurrency
753 }
754 \ProvideTextCommandDefault{\textdegree}{%
755   \ensuremath{{^\circ}}%
756 }
757 \ProvideTextCommandDefault{\textdiv}{%
758   \TextSymbolUnavailable\textdiv
759 }
760 \ProvideTextCommandDefault{\textmalteseH}{%
761   \TextSymbolUnavailable\textmalteseH
762 }
763 \ProvideTextCommandDefault{\textmalteseh}{%
764   \TextSymbolUnavailable\textmalteseh
765 }
766 \ProvideTextCommandDefault{\textmu}{%
767   \ensuremath{\mu}%
768 }
769 \ProvideTextCommandDefault{\textonehalf}{%
770   \ensuremath{\frac{1}{2}}%
771 }
772 \ProvideTextCommandDefault{\textthreesuperior}{%
773   \ensuremath{{}^3}}%
774 }
775 \ProvideTextCommandDefault{\texttimes}{%
776   \ensuremath{\times}%
777 }
778 \ProvideTextCommandDefault{\texttwosuperior}{%

```

```

779 \ensuremath{{}^2}%
780 }
781 \DeclareInputText{160}{\nobreakspace}
782 \DeclareInputText{161}{\textmalteseH}
783 \DeclareInputText{162}{\textasciibreve}
784 \DeclareInputText{163}{\textsterling}
785 \DeclareInputText{164}{\textcurrency}
786 \DeclareInputText{166}{\textH}
787 \DeclareInputText{167}{\textsection}
788 \DeclareInputText{168}{\textasciidieresis}
789 \DeclareInputText{169}{\textI}
790 \DeclareInputText{170}{\textcS}
791 \DeclareInputText{171}{\textuG}
792 \DeclareInputText{172}{\textJ}
793 \DeclareInputText{173}{\textminus}
794 \DeclareInputText{175}{\textZ}
795 \DeclareInputText{176}{\textdegree}
796 \DeclareInputText{177}{\textmalteseh}
797 \DeclareInputText{178}{\texttwosuperior}
798 \DeclareInputText{179}{\textthreesuperior}
799 \DeclareInputText{180}{\textasciacute}
800 \DeclareInputText{181}{\textmu}
801 \DeclareInputText{182}{\texth}
802 \DeclareInputText{183}{\textperiodcentered}
803 \DeclareInputText{184}{\textc}
804 \DeclareInputText{185}{\texti}
805 \DeclareInputText{186}{\textc s}
806 \DeclareInputText{187}{\textu g}
807 \DeclareInputText{188}{\text^j}
808 \DeclareInputText{189}{\textonehalf}
809 \DeclareInputText{191}{\textz}
810 \DeclareInputText{192}{\text@tabacckludge'A}
811 \DeclareInputText{193}{\text@tabacckludge'A}
812 \DeclareInputText{194}{\text^A}
813 \DeclareInputText{196}{\text"A}
814 \DeclareInputText{197}{\text.C}
815 \DeclareInputText{198}{\text^C}
816 \DeclareInputText{199}{\textc C}
817 \DeclareInputText{200}{\text@tabacckludge'E}
818 \DeclareInputText{201}{\text@tabacckludge'E}
819 \DeclareInputText{202}{\text^E}
820 \DeclareInputText{203}{\text"E}
821 \DeclareInputText{204}{\text@tabacckludge'I}
822 \DeclareInputText{205}{\text@tabacckludge'I}
823 \DeclareInputText{206}{\text^I}
824 \DeclareInputText{207}{\text"I}
825 \DeclareInputText{209}{\text^N}
826 \DeclareInputText{210}{\text@tabacckludge'0}
827 \DeclareInputText{211}{\text@tabacckludge'0}
828 \DeclareInputText{212}{\text^0}
829 \DeclareInputText{213}{\text.G}
830 \DeclareInputText{214}{\text"0}
831 \DeclareInputText{215}{\textttimes}
832 \DeclareInputText{216}{\text^G}
833 \DeclareInputText{217}{\text@tabacckludge'U}
834 \DeclareInputText{218}{\text@tabacckludge'U}
835 \DeclareInputText{219}{\text^U}
836 \DeclareInputText{220}{\text"U}
837 \DeclareInputText{221}{\textu U}
838 \DeclareInputText{222}{\text^S}
839 \DeclareInputText{223}{\textss}
840 \DeclareInputText{224}{\text@tabacckludge'a}

```

```

841 \DeclareInputText{225}{\@tabacckludge'a}
842 \DeclareInputText{226}{\`a}
843 \DeclareInputText{228}{\"a}
844 \DeclareInputText{229}{\.c}
845 \DeclareInputText{230}{\^c}
846 \DeclareInputText{231}{c c}
847 \DeclareInputText{232}{\@tabacckludge'e}
848 \DeclareInputText{233}{\@tabacckludge'e}
849 \DeclareInputText{234}{\^e}
850 \DeclareInputText{235}{\"e}
851 \DeclareInputText{236}{\@tabacckludge'i}
852 \DeclareInputText{237}{\@tabacckludge'i}
853 \DeclareInputText{238}{\^i}
854 \DeclareInputText{239}{\"i}
855 \DeclareInputText{241}{\^n}
856 \DeclareInputText{242}{\@tabacckludge'o}
857 \DeclareInputText{243}{\@tabacckludge'o}
858 \DeclareInputText{244}{\^o}
859 \DeclareInputText{245}{\.g}
860 \DeclareInputText{246}{\"o}
861 \DeclareInputText{247}{\textdiv}
862 \DeclareInputText{248}{\^g}
863 \DeclareInputText{249}{\@tabacckludge'u}
864 \DeclareInputText{250}{\@tabacckludge'u}
865 \DeclareInputText{251}{\^u}
866 \DeclareInputText{252}{\"u}
867 \DeclareInputText{253}{\u u}
868 \DeclareInputText{254}{\^s}
869 \DeclareInputText{255}{\.{.}}
870 \RestoreAtCatcode
871 </iso - 8859 - 3>

```

2.5.6 Encoding iso-8859-4

```

872 <*iso - 8859 - 4>
873 \ProvidesFile{x-iso-8859-4.def}%
874 [2009/12/15 v1.5 Input encoding iso-8859-4 (inputenx)]%
875 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
876 \makeatletter
877 \ProvideTextCommandDefault{\textTstroke}{%
878   \TextSymbolUnavailable\textTstroke
879 }
880 \ProvideTextCommandDefault{\textasciiacute}{%
881   \@tabacckludge'{}%
882 }
883 \ProvideTextCommandDefault{\textasciicaron}{%
884   \v{}%
885 }
886 \ProvideTextCommandDefault{\textasciidieresis}{%
887   \"{}%
888 }
889 \ProvideTextCommandDefault{\textasciimacron}{%
890   \@tabacckludge={}%
891 }
892 \ProvideTextCommandDefault{\textcurrency}{%
893   \TextSymbolUnavailable\textcurrency
894 }
895 \ProvideTextCommandDefault{\textdegree}{%
896   \ensuremath{{}^\circ}%
897 }
898 \ProvideTextCommandDefault{\textdiv}{%
899   \TextSymbolUnavailable\textdiv
900 }
901 \ProvideTextCommandDefault{\textkra}{%

```

```

902 \TextSymbolUnavailable{textkra
903 }
904 \ProvideTextCommandDefault{\texttimes}{%
905   \ensuremath\times
906 }
907 \ProvideTextCommandDefault{\texttstroke}{%
908   \TextSymbolUnavailable{texttstroke
909 }
910 \DeclareInputText{160}{\nobreakspace}
911 \DeclareInputText{161}{\k A}
912 \DeclareInputText{162}{\textkra}
913 \DeclareInputText{163}{\c R}
914 \DeclareInputText{164}{\textcurrency}
915 \DeclareInputText{165}{\~I}
916 \DeclareInputText{166}{\c L}
917 \DeclareInputText{167}{\textsection}
918 \DeclareInputText{168}{\textasciidieresis}
919 \DeclareInputText{169}{\v S}
920 \DeclareInputText{170}{\@tabacckludge=E}
921 \DeclareInputText{171}{\c G}
922 \DeclareInputText{172}{\textTstroke}
923 \DeclareInputText{173}{\`}
924 \DeclareInputText{174}{\v Z}
925 \DeclareInputText{175}{\textasciimacron}
926 \DeclareInputText{176}{\textdegree}
927 \DeclareInputText{177}{\k a}
928 \DeclareInputText{178}{\k{}}
929 \DeclareInputText{179}{\c r}
930 \DeclareInputText{180}{\textasciacute}
931 \DeclareInputText{181}{\`i}
932 \DeclareInputText{182}{\c l}
933 \DeclareInputText{183}{\textasciicaron}
934 \DeclareInputText{184}{\c }
935 \DeclareInputText{185}{\v s}
936 \DeclareInputText{186}{\@tabacckludge=e}
937 \DeclareInputText{187}{\v g}
938 \DeclareInputText{188}{\texttstroke}
939 \DeclareInputText{189}{\NG}
940 \DeclareInputText{190}{\v z}
941 \DeclareInputText{191}{\ng}
942 \DeclareInputText{192}{\@tabacckludge=A}
943 \DeclareInputText{193}{\@tabacckludge'A}
944 \DeclareInputText{194}{\^A}
945 \DeclareInputText{195}{\~A}
946 \DeclareInputText{196}{\"A}
947 \DeclareInputText{197}{\r A}
948 \DeclareInputText{198}{\AE}
949 \DeclareInputText{199}{\k I}
950 \DeclareInputText{200}{\v C}
951 \DeclareInputText{201}{\@tabacckludge'E}
952 \DeclareInputText{202}{\k E}
953 \DeclareInputText{203}{\"E}
954 \DeclareInputText{204}{\.E}
955 \DeclareInputText{205}{\@tabacckludge'I}
956 \DeclareInputText{206}{\^I}
957 \DeclareInputText{207}{\@tabacckludge=I}
958 \DeclareInputText{208}{\DJ}
959 \DeclareInputText{209}{\c N}
960 \DeclareInputText{210}{\@tabacckludge=O}
961 \DeclareInputText{211}{\c K}
962 \DeclareInputText{212}{\^O}
963 \DeclareInputText{213}{\~O}

```

```

964 \DeclareInputText{214}{\"0}
965 \DeclareInputText{215}{\texttimes}
966 \DeclareInputText{216}{\0}
967 \DeclareInputText{217}{\k U}
968 \DeclareInputText{218}{\@tabacckludge'U}
969 \DeclareInputText{219}{\^U}
970 \DeclareInputText{220}{\"U}
971 \DeclareInputText{221}{\~U}
972 \DeclareInputText{222}{\@tabacckludge=U}
973 \DeclareInputText{223}{\ss}
974 \DeclareInputText{224}{\@tabacckludge=a}
975 \DeclareInputText{225}{\@tabacckludge'a}
976 \DeclareInputText{226}{\^a}
977 \DeclareInputText{227}{\~a}
978 \DeclareInputText{228}{\"a}
979 \DeclareInputText{229}{\r a}
980 \DeclareInputText{230}{\ae}
981 \DeclareInputText{231}{\k i}
982 \DeclareInputText{232}{\v c}
983 \DeclareInputText{233}{\@tabacckludge'e}
984 \DeclareInputText{234}{\k e}
985 \DeclareInputText{235}{\"e}
986 \DeclareInputText{236}{\.e}
987 \DeclareInputText{237}{\@tabacckludge'\i}
988 \DeclareInputText{238}{\^\i}
989 \DeclareInputText{239}{\@tabacckludge=\i}
990 \DeclareInputText{240}{\dj}
991 \DeclareInputText{241}{\c n}
992 \DeclareInputText{242}{\@tabacckludge=o}
993 \DeclareInputText{243}{\c k}
994 \DeclareInputText{244}{\^o}
995 \DeclareInputText{245}{\~o}
996 \DeclareInputText{246}{\"o}
997 \DeclareInputText{247}{\textdiv}
998 \DeclareInputText{248}{\o}
999 \DeclareInputText{249}{\k u}
1000 \DeclareInputText{250}{\@tabacckludge'u}
1001 \DeclareInputText{251}{\^u}
1002 \DeclareInputText{252}{\"u}
1003 \DeclareInputText{253}{\~u}
1004 \DeclareInputText{254}{\@tabacckludge=u}
1005 \DeclareInputText{255}{\.\{}}
1006 \RestoreAtCatcode
1007 
```

2.5.7 Encoding iso-8859-5

```

1008 <iso - 8859 - 5>
1009 \ProvidesFile{x-iso-8859-5.def}%
1010 [2009/12/15 v1.5 Input encoding iso-8859-5 (inputenx)]%
1011 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1012 \makeatletter
1013 \ProvideTextCommandDefault{\textnumero}{%
1014   N%
1015   \bgroup
1016     \check@mathfonts
1017     \fontsize\sf@size\z@
1018     \math@fontsfalse
1019     \selectfont
1020     \ooalign{%
1021       \raise0.5ex\hbox{o}}%
1022     \crcr
1023     \hline
1024   }%

```

```

1025 \egroup
1026 }
1027 \DeclareInputText{160}{\nobreakspace}
1028 \DeclareInputText{161}{\CYRYO}
1029 \DeclareInputText{162}{\CYRDJE}
1030 \DeclareInputText{163}{\@tabacckludge'\CYRG}
1031 \DeclareInputText{164}{\CYRIE}
1032 \DeclareInputText{165}{\CYRDZE}
1033 \DeclareInputText{166}{\CYRII}
1034 \DeclareInputText{167}{\CYRYI}
1035 \DeclareInputText{168}{\CYRJE}
1036 \DeclareInputText{169}{\CYRLJE}
1037 \DeclareInputText{170}{\CYRNJE}
1038 \DeclareInputText{171}{\CYRTSHE}
1039 \DeclareInputText{172}{\@tabacckludge'\CYRK}
1040 \DeclareInputText{173}{\-\}
1041 \DeclareInputText{174}{\CYRUSHRT}
1042 \DeclareInputText{175}{\CYRDZHE}
1043 \DeclareInputText{176}{\CYRA}
1044 \DeclareInputText{177}{\CYRB}
1045 \DeclareInputText{178}{\CYRV}
1046 \DeclareInputText{179}{\CYRG}
1047 \DeclareInputText{180}{\CYRD}
1048 \DeclareInputText{181}{\CYRE}
1049 \DeclareInputText{182}{\CYRZH}
1050 \DeclareInputText{183}{\CYRZ}
1051 \DeclareInputText{184}{\CYRI}
1052 \DeclareInputText{185}{\CYRISHRT}
1053 \DeclareInputText{186}{\CYRK}
1054 \DeclareInputText{187}{\CYRL}
1055 \DeclareInputText{188}{\CYRM}
1056 \DeclareInputText{189}{\CYRN}
1057 \DeclareInputText{190}{\CYRO}
1058 \DeclareInputText{191}{\CYRP}
1059 \DeclareInputText{192}{\CYRR}
1060 \DeclareInputText{193}{\CYRS}
1061 \DeclareInputText{194}{\CYRT}
1062 \DeclareInputText{195}{\CYRU}
1063 \DeclareInputText{196}{\CYRF}
1064 \DeclareInputText{197}{\CYRH}
1065 \DeclareInputText{198}{\CYRC}
1066 \DeclareInputText{199}{\CYRCH}
1067 \DeclareInputText{200}{\CYRSH}
1068 \DeclareInputText{201}{\CYRSHCH}
1069 \DeclareInputText{202}{\CYRHRSN}
1070 \DeclareInputText{203}{\CYRERY}
1071 \DeclareInputText{204}{\CYRSFTSN}
1072 \DeclareInputText{205}{\CYREREV}
1073 \DeclareInputText{206}{\CYRYU}
1074 \DeclareInputText{207}{\CYRYA}
1075 \DeclareInputText{208}{\cyra}
1076 \DeclareInputText{209}{\cyrb}
1077 \DeclareInputText{210}{\cyrv}
1078 \DeclareInputText{211}{\cyrg}
1079 \DeclareInputText{212}{\cyrd}
1080 \DeclareInputText{213}{\cyre}
1081 \DeclareInputText{214}{\cyrzh}
1082 \DeclareInputText{215}{\cyrz}
1083 \DeclareInputText{216}{\cyri}
1084 \DeclareInputText{217}{\cyrishrt}
1085 \DeclareInputText{218}{\cyrk}
1086 \DeclareInputText{219}{\cyr1}

```

```

1087 \DeclareInputText{220}{\cyrm}
1088 \DeclareInputText{221}{\cyrn}
1089 \DeclareInputText{222}{\cyro}
1090 \DeclareInputText{223}{\cyp}
1091 \DeclareInputText{224}{\cyrp}
1092 \DeclareInputText{225}{\cyrp}
1093 \DeclareInputText{226}{\cyrp}
1094 \DeclareInputText{227}{\cyrp}
1095 \DeclareInputText{228}{\cyrp}
1096 \DeclareInputText{229}{\cyrp}
1097 \DeclareInputText{230}{\cyrp}
1098 \DeclareInputText{231}{\cyrp}
1099 \DeclareInputText{232}{\cyrp}
1100 \DeclareInputText{233}{\cyrp}
1101 \DeclareInputText{234}{\cyrp}
1102 \DeclareInputText{235}{\cyrp}
1103 \DeclareInputText{236}{\cyrp}
1104 \DeclareInputText{237}{\cyrp}
1105 \DeclareInputText{238}{\cyrp}
1106 \DeclareInputText{239}{\cyrp}
1107 \DeclareInputText{240}{\textnumero}
1108 \DeclareInputText{241}{\cyrp}
1109 \DeclareInputText{242}{\cyrp}
1110 \DeclareInputText{243}{\@tabacckludge'\cyrp}
1111 \DeclareInputText{244}{\cyrp}
1112 \DeclareInputText{245}{\cyrp}
1113 \DeclareInputText{246}{\cyrp}
1114 \DeclareInputText{247}{\cyrp}
1115 \DeclareInputText{248}{\cyrp}
1116 \DeclareInputText{249}{\cyrp}
1117 \DeclareInputText{250}{\cyrp}
1118 \DeclareInputText{251}{\cyrp}
1119 \DeclareInputText{252}{\@tabacckludge'\cyrp}
1120 \DeclareInputText{253}{\textsection}
1121 \DeclareInputText{254}{\cyrp}
1122 \DeclareInputText{255}{\cyrp}
1123 \RestoreAtCatcode
1124 </iso - 8859 - 5>

```

2.5.8 Encoding iso-8859-8

```

1125 <iso - 8859 - 8>
1126 \ProvidesFile{x-iso-8859-8.def}%
1127 [2009/12/15 v1.5 Input encoding iso-8859-8 (inputenx)]%
1128 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}%
1129 \makeatletter
1130 \ProvideTextCommandDefault{\textasciiaacute}{%
1131   \@tabacckludge'{}%
1132 }
1133 \ProvideTextCommandDefault{\textasciidieresis}{%
1134   \"{}%
1135 }
1136 \ProvideTextCommandDefault{\textasciimacron}{%
1137   \@tabacckludge={}%
1138 }
1139 \ProvideTextCommandDefault{\textbrokenbar}{%
1140   \TextSymbolUnavailable\textbrokenbar
1141 }
1142 \ProvideTextCommandDefault{\textcent}{%
1143   \TextSymbolUnavailable\textcent
1144 }
1145 \ProvideTextCommandDefault{\textcurrency}{%
1146   \TextSymbolUnavailable\textcurrency
1147 }

```

```

1148 \ProvideTextCommandDefault{\textdbllowline}{%
1149   \begingroup
1150     \sbox{`textunderscore}%
1151     \leavevmode
1152     \ifdim\dp0<.2ex\relax
1153       \rlap{\raisebox{-.2ex}[0pt]{`textunderscore}}%
1154     \else
1155       \rlap{\raisebox{.2ex}[0pt]{`textunderscore}}%
1156     \fi
1157   `textunderscore
1158 \endgroup
1159 }
1160 \ProvideTextCommandDefault{\textdegree}{%
1161   \ensuremath{{^\circ}}%
1162 }
1163 \ProvideTextCommandDefault{\textdiv}{%
1164   \TextSymbolUnavailable{textdiv}
1165 }
1166 \ProvideTextCommandDefault{\textlnot}{%
1167   \ensuremath{\lnot}
1168 }
1169 \ProvideTextCommandDefault{\textmu}{%
1170   \ensuremath{\mu}
1171 }
1172 \ProvideTextCommandDefault{\textonehalf}{%
1173   \ensuremath{\frac{1}{2}}%
1174 }
1175 \ProvideTextCommandDefault{\textonequarter}{%
1176   \ensuremath{\frac{1}{4}}%
1177 }
1178 \ProvideTextCommandDefault{\textonesuperior}{%
1179   \ensuremath{{^1}}%
1180 }
1181 \ProvideTextCommandDefault{\textpm}{%
1182   \ensuremath{\pm}
1183 }
1184 \ProvideTextCommandDefault{\textthreequarters}{%
1185   \ensuremath{\frac{3}{4}}%
1186 }
1187 \ProvideTextCommandDefault{\textthreesuperior}{%
1188   \ensuremath{{^3}}%
1189 }
1190 \ProvideTextCommandDefault{\texttimes}{%
1191   \ensuremath{\times}
1192 }
1193 \ProvideTextCommandDefault{\texttwosuperior}{%
1194   \ensuremath{{^2}}%
1195 }
1196 \ProvideTextCommandDefault{\textyen}{%
1197   \TextSymbolUnavailable{textyen}
1198 }
1199 \DeclareInputText{160}{\nobreakspace}
1200 \DeclareInputText{162}{\textcent}
1201 \DeclareInputText{163}{\textsterling}
1202 \DeclareInputText{164}{\textcurrency}
1203 \DeclareInputText{165}{\textyen}
1204 \DeclareInputText{166}{\textbrokenbar}
1205 \DeclareInputText{167}{\textsection}
1206 \DeclareInputText{168}{\textasciidieresis}
1207 \DeclareInputText{169}{\textcopyright}
1208 \DeclareInputText{170}{\texttimes}
1209 \DeclareInputText{171}{\guillemotleft}

```

```

1210 \DeclareInputText{172}{\textlnot}
1211 \DeclareInputText{173}{\textminus}
1212 \DeclareInputText{174}{\textregistered}
1213 \DeclareInputText{175}{\textasciimacron}
1214 \DeclareInputText{176}{\textdegree}
1215 \DeclareInputText{177}{\textpm}
1216 \DeclareInputText{178}{\texttwouperior}
1217 \DeclareInputText{179}{\textthreesuperior}
1218 \DeclareInputText{180}{\textasciacute}
1219 \DeclareInputText{181}{\textmu}
1220 \DeclareInputText{182}{\textparagraph}
1221 \DeclareInputText{183}{\textperiodcentered}
1222 \DeclareInputText{184}{\c }
1223 \DeclareInputText{185}{\textonesuperior}
1224 \DeclareInputText{186}{\textdiv}
1225 \DeclareInputText{187}{\guillemotright}
1226 \DeclareInputText{188}{\textonequarter}
1227 \DeclareInputText{189}{\textonehalf}
1228 \DeclareInputText{190}{\textthreequarters}
1229 \DeclareInputText{223}{\textdbllowline}
1230 \DeclareInputText{224}{\hebalef}
1231 \DeclareInputText{225}{\hebbet}
1232 \DeclareInputText{226}{\hebgimel}
1233 \DeclareInputText{227}{\hebdalat}
1234 \DeclareInputText{228}{\hebbe}
1235 \DeclareInputText{229}{\hebvav}
1236 \DeclareInputText{230}{\hebzayin}
1237 \DeclareInputText{231}{\hebheth}
1238 \DeclareInputText{232}{\hebtet}
1239 \DeclareInputText{233}{\hebyod}
1240 \DeclareInputText{234}{\hebfinalkaf}
1241 \DeclareInputText{235}{\hebkaf}
1242 \DeclareInputText{236}{\heblamed}
1243 \DeclareInputText{237}{\hebfinalmem}
1244 \DeclareInputText{238}{\hebmem}
1245 \DeclareInputText{239}{\hebfinalnun}
1246 \DeclareInputText{240}{\hebnun}
1247 \DeclareInputText{241}{\hebsamekh}
1248 \DeclareInputText{242}{\hebayin}
1249 \DeclareInputText{243}{\hebfinalpe}
1250 \DeclareInputText{244}{\hebpe}
1251 \DeclareInputText{245}{\hebfinaltsadi}
1252 \DeclareInputText{246}{\hebtsadi}
1253 \DeclareInputText{247}{\hebqof}
1254 \DeclareInputText{248}{\hebreish}
1255 \DeclareInputText{249}{\hebshin}
1256 \DeclareInputText{250}{\hebtav}
1257 \RestoreAtCatcode
1258 
```

2.5.9 Encoding iso-8859-9

```

1259 <iso - 8859 - 9>
1260 \ProvidesFile{x-iso-8859-9.def}%
1261 [2009/12/15 v1.5 Input encoding iso-8859-9 (inputenx)]%
1262 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1263 \makeatletter
1264 \ProvideTextCommandDefault{\textasciacute}{%
1265   \@tabacckludge'{}%
1266 }
1267 \ProvideTextCommandDefault{\textasciidieresis}{%
1268   \"{}%
1269 }
1270 \ProvideTextCommandDefault{\textasciimacron}{%

```

```

1271  \@tabacckludge={}%
1272 }
1273 \ProvideTextCommandDefault{\textbrokenbar}{%
1274   \TextSymbolUnavailable\textbrokenbar
1275 }
1276 \ProvideTextCommandDefault{\textcent}{%
1277   \TextSymbolUnavailable\textcent
1278 }
1279 \ProvideTextCommandDefault{\textcurrency}{%
1280   \TextSymbolUnavailable\textcurrency
1281 }
1282 \ProvideTextCommandDefault{\textdegree}{%
1283   \ensuremath{{\circ}}%
1284 }
1285 \ProvideTextCommandDefault{\textdiv}{%
1286   \TextSymbolUnavailable\textdiv
1287 }
1288 \ProvideTextCommandDefault{\textlnot}{%
1289   \ensuremath{\text{lnot}}
1290 }
1291 \ProvideTextCommandDefault{\textmu}{%
1292   \ensuremath{\mu}
1293 }
1294 \ProvideTextCommandDefault{\textonehalf}{%
1295   \ensuremath{\frac{1}{2}}%
1296 }
1297 \ProvideTextCommandDefault{\textonequarter}{%
1298   \ensuremath{\frac{1}{4}}%
1299 }
1300 \ProvideTextCommandDefault{\textonesuperior}{%
1301   \ensuremath{\overset{1}{\text{1}}}}
1302 }
1303 \ProvideTextCommandDefault{\textpm}{%
1304   \ensuremath{\pm}
1305 }
1306 \ProvideTextCommandDefault{\textthreequarters}{%
1307   \ensuremath{\frac{3}{4}}%
1308 }
1309 \ProvideTextCommandDefault{\textthreesuperior}{%
1310   \ensuremath{\overset{3}{\text{1}}}}
1311 }
1312 \ProvideTextCommandDefault{\texttimes}{%
1313   \ensuremath{\times}
1314 }
1315 \ProvideTextCommandDefault{\texttwosuperior}{%
1316   \ensuremath{\overset{2}{\text{1}}}}
1317 }
1318 \ProvideTextCommandDefault{\textyen}{%
1319   \TextSymbolUnavailable\textyen
1320 }
1321 \DeclareInputText{160}{\nobreakspace}
1322 \DeclareInputText{161}{\textexclamdown}
1323 \DeclareInputText{162}{\textcent}
1324 \DeclareInputText{163}{\textsterling}
1325 \DeclareInputText{164}{\textcurrency}
1326 \DeclareInputText{165}{\textyen}
1327 \DeclareInputText{166}{\textbrokenbar}
1328 \DeclareInputText{167}{\textsection}
1329 \DeclareInputText{168}{\textasciidieresis}
1330 \DeclareInputText{169}{\textcopyright}
1331 \DeclareInputText{170}{\textordfeminine}
1332 \DeclareInputText{171}{\guillemotleft}

```

```
1333 \DeclareInputText{172}{\textlnot}
1334 \DeclareInputText{173}{\textminus}
1335 \DeclareInputText{174}{\textregistered}
1336 \DeclareInputText{175}{\textasciimacron}
1337 \DeclareInputText{176}{\textdegree}
1338 \DeclareInputText{177}{\textpm}
1339 \DeclareInputText{178}{\texttwouperior}
1340 \DeclareInputText{179}{\textthreesuperior}
1341 \DeclareInputText{180}{\textasciacute}
1342 \DeclareInputText{181}{\textmu}
1343 \DeclareInputText{182}{\textparagraph}
1344 \DeclareInputText{183}{\textperiodcentered}
1345 \DeclareInputText{184}{\c }
1346 \DeclareInputText{185}{\textonesuperior}
1347 \DeclareInputText{186}{\textordmasculine}
1348 \DeclareInputText{187}{\guillemotright}
1349 \DeclareInputText{188}{\textonequarter}
1350 \DeclareInputText{189}{\textonehalf}
1351 \DeclareInputText{190}{\textthreequarters}
1352 \DeclareInputText{191}{\textquestiondown}
1353 \DeclareInputText{192}{\@tabacckludge'A}
1354 \DeclareInputText{193}{\@tabacckludge'A}
1355 \DeclareInputText{194}{\^A}
1356 \DeclareInputText{195}{\~A}
1357 \DeclareInputText{196}{\"A}
1358 \DeclareInputText{197}{\r A}
1359 \DeclareInputText{198}{\AE}
1360 \DeclareInputText{199}{\c C}
1361 \DeclareInputText{200}{\@tabacckludge'E}
1362 \DeclareInputText{201}{\@tabacckludge'E}
1363 \DeclareInputText{202}{\^E}
1364 \DeclareInputText{203}{\"E}
1365 \DeclareInputText{204}{\@tabacckludge'I}
1366 \DeclareInputText{205}{\@tabacckludge'I}
1367 \DeclareInputText{206}{\^I}
1368 \DeclareInputText{207}{\"I}
1369 \DeclareInputText{208}{\u_G}
1370 \DeclareInputText{209}{\^N}
1371 \DeclareInputText{210}{\@tabacckludge'0}
1372 \DeclareInputText{211}{\@tabacckludge'0}
1373 \DeclareInputText{212}{\^0}
1374 \DeclareInputText{213}{\~0}
1375 \DeclareInputText{214}{\"0}
1376 \DeclareInputText{215}{\textttimes}
1377 \DeclareInputText{216}{\0}
1378 \DeclareInputText{217}{\@tabacckludge'U}
1379 \DeclareInputText{218}{\@tabacckludge'U}
1380 \DeclareInputText{219}{\^U}
1381 \DeclareInputText{220}{\"U}
1382 \DeclareInputText{221}{\.\I}
1383 \DeclareInputText{222}{\c S}
1384 \DeclareInputText{223}{\ss}
1385 \DeclareInputText{224}{\@tabacckludge'a}
1386 \DeclareInputText{225}{\@tabacckludge'a}
1387 \DeclareInputText{226}{\^a}
1388 \DeclareInputText{227}{\~a}
1389 \DeclareInputText{228}{\"a}
1390 \DeclareInputText{229}{\r a}
1391 \DeclareInputText{230}{\ae}
1392 \DeclareInputText{231}{\c c}
1393 \DeclareInputText{232}{\@tabacckludge'e}
1394 \DeclareInputText{233}{\@tabacckludge'e}
```

```

1395 \DeclareInputText{234}{\^e}
1396 \DeclareInputText{235}{\"e}
1397 \DeclareInputText{236}{\@tabacckludge`i}
1398 \DeclareInputText{237}{\@tabacckludge'i}
1399 \DeclareInputText{238}{\^\i}
1400 \DeclareInputText{239}{\"i}
1401 \DeclareInputText{240}{\u g}
1402 \DeclareInputText{241}{\~n}
1403 \DeclareInputText{242}{\@tabacckludge'o}
1404 \DeclareInputText{243}{\@tabacckludge'o}
1405 \DeclareInputText{244}{\^o}
1406 \DeclareInputText{245}{\~o}
1407 \DeclareInputText{246}{\"o}
1408 \DeclareInputText{247}{\textdiv}
1409 \DeclareInputText{248}{\o}
1410 \DeclareInputText{249}{\@tabacckludge'u}
1411 \DeclareInputText{250}{\@tabacckludge'u}
1412 \DeclareInputText{251}{\^u}
1413 \DeclareInputText{252}{\"u}
1414 \DeclareInputText{253}{\i}
1415 \DeclareInputText{254}{\c s}
1416 \DeclareInputText{255}{\"y}
1417 \RestoreAtCatcode
1418 {/iso - 8859 - 9}

```

2.5.10 Encoding iso-8859-10

```

1419 {*iso - 8859 - 10}
1420 \ProvidesFile{x-iso-8859-10.def}%
1421 [2009/12/15 v1.5 Input encoding iso-8859-10 (inputenx)]%
1422 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1423 \makeatletter
1424 \ProvideTextCommandDefault{\textTstroke}{%
1425   \TextSymbolUnavailable\textTstroke
1426 }
1427 \ProvideTextCommandDefault{\textdegree}{%
1428   \ensuremath{{\circ}}%
1429 }
1430 \ProvideTextCommandDefault{\texthorizontalbar}{%
1431   \mbox{---}\kern-.5em---%
1432 }
1433 \ProvideTextCommandDefault{\textkra}{%
1434   \TextSymbolUnavailable\textkra
1435 }
1436 \ProvideTextCommandDefault{\texttstroke}{%
1437   \TextSymbolUnavailable\texttstroke
1438 }
1439 \DeclareInputText{160}{\nobreakspace}
1440 \DeclareInputText{161}{\k A}
1441 \DeclareInputText{162}{\@tabacckludge=E}
1442 \DeclareInputText{163}{\c G}
1443 \DeclareInputText{164}{\@tabacckludge=I}
1444 \DeclareInputText{165}{\^I}
1445 \DeclareInputText{166}{\c K}
1446 \DeclareInputText{167}{\textsection}
1447 \DeclareInputText{168}{\c L}
1448 \DeclareInputText{169}{\DJ}
1449 \DeclareInputText{170}{\v S}
1450 \DeclareInputText{171}{\textTstroke}
1451 \DeclareInputText{172}{\v Z}
1452 \DeclareInputText{173}{\`}
1453 \DeclareInputText{174}{\@tabacckludge=U}
1454 \DeclareInputText{175}{\NG}
1455 \DeclareInputText{176}{\textdegree}

```

```
1456 \DeclareInputText{177}{\k a}
1457 \DeclareInputText{178}{\@tabacckludge=e}
1458 \DeclareInputText{179}{\v g}
1459 \DeclareInputText{180}{\@tabacckludge=i}
1460 \DeclareInputText{181}{\^i}
1461 \DeclareInputText{182}{\c k}
1462 \DeclareInputText{183}{\textperiodcentered}
1463 \DeclareInputText{184}{\c l}
1464 \DeclareInputText{185}{\dj}
1465 \DeclareInputText{186}{\v s}
1466 \DeclareInputText{187}{\texttstroke}
1467 \DeclareInputText{188}{\v z}
1468 \DeclareInputText{189}{\texthorizontalbar}
1469 \DeclareInputText{190}{\@tabacckludge=u}
1470 \DeclareInputText{191}{\ng}
1471 \DeclareInputText{192}{\@tabacckludge=A}
1472 \DeclareInputText{193}{\@tabacckludge' A}
1473 \DeclareInputText{194}{\^A}
1474 \DeclareInputText{195}{\~A}
1475 \DeclareInputText{196}{\"A}
1476 \DeclareInputText{197}{\r A}
1477 \DeclareInputText{198}{\AE}
1478 \DeclareInputText{199}{\k I}
1479 \DeclareInputText{200}{\v C}
1480 \DeclareInputText{201}{\@tabacckludge'E}
1481 \DeclareInputText{202}{\k E}
1482 \DeclareInputText{203}{\"E}
1483 \DeclareInputText{204}{\.E}
1484 \DeclareInputText{205}{\@tabacckludge'I}
1485 \DeclareInputText{206}{\^I}
1486 \DeclareInputText{207}{\"I}
1487 \DeclareInputText{208}{\DH}
1488 \DeclareInputText{209}{\c N}
1489 \DeclareInputText{210}{\@tabacckludge=O}
1490 \DeclareInputText{211}{\@tabacckludge' O}
1491 \DeclareInputText{212}{\^O}
1492 \DeclareInputText{213}{\~O}
1493 \DeclareInputText{214}{\"O}
1494 \DeclareInputText{215}{\^U}
1495 \DeclareInputText{216}{\O}
1496 \DeclareInputText{217}{\k U}
1497 \DeclareInputText{218}{\@tabacckludge'U}
1498 \DeclareInputText{219}{\~U}
1499 \DeclareInputText{220}{\"U}
1500 \DeclareInputText{221}{\@tabacckludge'Y}
1501 \DeclareInputText{222}{\TH}
1502 \DeclareInputText{223}{\ss}
1503 \DeclareInputText{224}{\@tabacckludge=a}
1504 \DeclareInputText{225}{\@tabacckludge'a}
1505 \DeclareInputText{226}{\^a}
1506 \DeclareInputText{227}{\~a}
1507 \DeclareInputText{228}{\"a}
1508 \DeclareInputText{229}{\r a}
1509 \DeclareInputText{230}{\ae}
1510 \DeclareInputText{231}{\k i}
1511 \DeclareInputText{232}{\v c}
1512 \DeclareInputText{233}{\@tabacckludge'e}
1513 \DeclareInputText{234}{\k e}
1514 \DeclareInputText{235}{\"e}
1515 \DeclareInputText{236}{\.e}
1516 \DeclareInputText{237}{\@tabacckludge'i}
1517 \DeclareInputText{238}{\^i}
```

```

1518 \DeclareInputText{239}{\"i}
1519 \DeclareInputText{240}{\dh}
1520 \DeclareInputText{241}{\c n}
1521 \DeclareInputText{242}{\@tabacckludge=o}
1522 \DeclareInputText{243}{\@tabacckludge' o}
1523 \DeclareInputText{244}{\^o}
1524 \DeclareInputText{245}{\~o}
1525 \DeclareInputText{246}{\"o}
1526 \DeclareInputText{247}{\^u}
1527 \DeclareInputText{248}{\o}
1528 \DeclareInputText{249}{\k u}
1529 \DeclareInputText{250}{\@tabacckludge'u}
1530 \DeclareInputText{251}{\^u}
1531 \DeclareInputText{252}{\"u}
1532 \DeclareInputText{253}{\@tabacckludge'y}
1533 \DeclareInputText{254}{\th}
1534 \DeclareInputText{255}{\textkra}
1535 \RestoreAtCatcode
1536 
```

2.5.11 Encoding iso-8859-13

```

1537 <*iso - 8859 - 13)
1538 \ProvidesFile{x-iso-8859-13.def}%
1539 [2009/12/15 v1.5 Input encoding iso-8859-13 (inputenx)]%
1540 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1541 \makeatletter
1542 \ProvideTextCommandDefault{\textbrokenbar}{%
1543   \TextSymbolUnavailable\textbrokenbar
1544 }
1545 \ProvideTextCommandDefault{\textcent}{%
1546   \TextSymbolUnavailable\textcent
1547 }
1548 \ProvideTextCommandDefault{\textcurrency}{%
1549   \TextSymbolUnavailable\textcurrency
1550 }
1551 \ProvideTextCommandDefault{\textdegree}{%
1552   \ensuremath{{^\circ}}%
1553 }
1554 \ProvideTextCommandDefault{\textdiv}{%
1555   \TextSymbolUnavailable\textdiv
1556 }
1557 \ProvideTextCommandDefault{\textlnot}{%
1558   \ensuremath{\text{lnot}}
1559 }
1560 \ProvideTextCommandDefault{\textmu}{%
1561   \ensuremath{\mu}
1562 }
1563 \ProvideTextCommandDefault{\textonehalf}{%
1564   \ensuremath{\frac{1}{2}}%
1565 }
1566 \ProvideTextCommandDefault{\textonequarter}{%
1567   \ensuremath{\frac{1}{4}}%
1568 }
1569 \ProvideTextCommandDefault{\textonesuperior}{%
1570   \ensuremath{{^1}}%
1571 }
1572 \ProvideTextCommandDefault{\textpm}{%
1573   \ensuremath{\pm}
1574 }
1575 \ProvideTextCommandDefault{\textthreequarters}{%
1576   \ensuremath{\frac{3}{4}}%
1577 }
1578 \ProvideTextCommandDefault{\textthreesuperior}{%

```

```

1579 \ensuremath{{}^3}%
1580 }
1581 \ProvideTextCommandDefault{\texttimes}{%
1582 \ensuremath{\times}
1583 }
1584 \ProvideTextCommandDefault{\texttwosuperior}{%
1585 \ensuremath{{}^2}%
1586 }
1587 \DeclareInputText{160}{\nobreakspace}
1588 \DeclareInputText{161}{\textquotedblright}
1589 \DeclareInputText{162}{\textcent}
1590 \DeclareInputText{163}{\textsterling}
1591 \DeclareInputText{164}{\textcurrency}
1592 \DeclareInputText{165}{\textquotedblbase}
1593 \DeclareInputText{166}{\textbrokenbar}
1594 \DeclareInputText{167}{\textsection}
1595 \DeclareInputText{168}{\textcircledcirc}
1596 \DeclareInputText{169}{\textcopyright}
1597 \DeclareInputText{170}{\textcircledR}
1598 \DeclareInputText{171}{\guillemotleft}
1599 \DeclareInputText{172}{\textlnot}
1600 \DeclareInputText{173}{\textminus}
1601 \DeclareInputText{174}{\textregistered}
1602 \DeclareInputText{175}{\textAE}
1603 \DeclareInputText{176}{\textdegree}
1604 \DeclareInputText{177}{\textpm}
1605 \DeclareInputText{178}{\texttwosuperior}
1606 \DeclareInputText{179}{\textthreesuperior}
1607 \DeclareInputText{180}{\textquotedblleft}
1608 \DeclareInputText{181}{\textmu}
1609 \DeclareInputText{182}{\textparagraph}
1610 \DeclareInputText{183}{\textperiodcentered}
1611 \DeclareInputText{184}{\textcircledo}
1612 \DeclareInputText{185}{\textonesuperior}
1613 \DeclareInputText{186}{\textcircledr}
1614 \DeclareInputText{187}{\textemotright}
1615 \DeclareInputText{188}{\textonequarter}
1616 \DeclareInputText{189}{\textonehalf}
1617 \DeclareInputText{190}{\textthreequarters}
1618 \DeclareInputText{191}{\textae}
1619 \DeclareInputText{192}{\textkA}
1620 \DeclareInputText{193}{\textkI}
1621 \DeclareInputText{194}{\texttabackludge{A}}
1622 \DeclareInputText{195}{\texttabackludge{C}}
1623 \DeclareInputText{196}{\text{"A}}
1624 \DeclareInputText{197}{\text'r A}
1625 \DeclareInputText{198}{\text{k E}}
1626 \DeclareInputText{199}{\texttabackludge{E}}
1627 \DeclareInputText{200}{\textv C}
1628 \DeclareInputText{201}{\texttabackludge'E}
1629 \DeclareInputText{202}{\texttabackludge'Z}
1630 \DeclareInputText{203}{\text.E}
1631 \DeclareInputText{204}{\textc G}
1632 \DeclareInputText{205}{\textc K}
1633 \DeclareInputText{206}{\texttabackludge{I}}
1634 \DeclareInputText{207}{\textc L}
1635 \DeclareInputText{208}{\textv S}
1636 \DeclareInputText{209}{\texttabackludge'N}
1637 \DeclareInputText{210}{\textc N}
1638 \DeclareInputText{211}{\texttabackludge'0}
1639 \DeclareInputText{212}{\texttabackludge=0}
1640 \DeclareInputText{213}{\text`0}

```

```

1641 \DeclareInputText{214}{\"O}
1642 \DeclareInputText{215}{\texttimes}
1643 \DeclareInputText{216}{\k U}
1644 \DeclareInputText{217}{\L}
1645 \DeclareInputText{218}{\@tabacckludge'S}
1646 \DeclareInputText{219}{\@tabacckludge=U}
1647 \DeclareInputText{220}{\"U}
1648 \DeclareInputText{221}{\.Z}
1649 \DeclareInputText{222}{\v Z}
1650 \DeclareInputText{223}{\ss}
1651 \DeclareInputText{224}{\k a}
1652 \DeclareInputText{225}{\k i}
1653 \DeclareInputText{226}{\@tabacckludge=a}
1654 \DeclareInputText{227}{\@tabacckludge'c}
1655 \DeclareInputText{228}{\"a}
1656 \DeclareInputText{229}{\r a}
1657 \DeclareInputText{230}{\k e}
1658 \DeclareInputText{231}{\@tabacckludge=e}
1659 \DeclareInputText{232}{\v c}
1660 \DeclareInputText{233}{\@tabacckludge'e}
1661 \DeclareInputText{234}{\@tabacckludge'z}
1662 \DeclareInputText{235}{\.e}
1663 \DeclareInputText{236}{\v g}
1664 \DeclareInputText{237}{\c k}
1665 \DeclareInputText{238}{\@tabacckludge=\i}
1666 \DeclareInputText{239}{\c l}
1667 \DeclareInputText{240}{\v s}
1668 \DeclareInputText{241}{\@tabacckludge'n}
1669 \DeclareInputText{242}{\c n}
1670 \DeclareInputText{243}{\@tabacckludge'o}
1671 \DeclareInputText{244}{\@tabacckludge=o}
1672 \DeclareInputText{245}{\`o}
1673 \DeclareInputText{246}{\"o}
1674 \DeclareInputText{247}{\textdiv}
1675 \DeclareInputText{248}{\k u}
1676 \DeclareInputText{249}{\l}
1677 \DeclareInputText{250}{\@tabacckludge's}
1678 \DeclareInputText{251}{\@tabacckludge=u}
1679 \DeclareInputText{252}{\"u}
1680 \DeclareInputText{253}{\.z}
1681 \DeclareInputText{254}{\v z}
1682 \DeclareInputText{255}{\textquoteright}
1683 \RestoreAtCatcode
1684 
```

2.5.12 Encoding iso-8859-14

```

1685 <*iso - 8859 - 14>
1686 \ProvidesFile{x-iso-8859-14.def}%
1687 [2009/12/15 v1.5 Input encoding iso-8859-14 (inputenx)]%
1688 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1689 \makeatletter
1690 \DeclareInputText{160}{\nobreakspace}
1691 \DeclareInputText{161}{\.B}
1692 \DeclareInputText{162}{\.b}
1693 \DeclareInputText{163}{\textsterling}
1694 \DeclareInputText{164}{\.C}
1695 \DeclareInputText{165}{\.c}
1696 \DeclareInputText{166}{\.D}
1697 \DeclareInputText{167}{\textsection}
1698 \DeclareInputText{168}{\@tabacckludge'W}
1699 \DeclareInputText{169}{\textcopyright}
1700 \DeclareInputText{170}{\@tabacckludge'W}
1701 \DeclareInputText{171}{\.d}

```

```

1702 \DeclareInputText{172}{\@tabacckludge`Y}
1703 \DeclareInputText{173}{\`-}
1704 \DeclareInputText{174}{\textregistered}
1705 \DeclareInputText{175}{\"Y}
1706 \DeclareInputText{176}{\.F}
1707 \DeclareInputText{177}{\.f}
1708 \DeclareInputText{178}{\.G}
1709 \DeclareInputText{179}{\.g}
1710 \DeclareInputText{180}{\.M}
1711 \DeclareInputText{181}{\.m}
1712 \DeclareInputText{182}{\textparagraph}
1713 \DeclareInputText{183}{\.P}
1714 \DeclareInputText{184}{\@tabacckludge`w}
1715 \DeclareInputText{185}{\.p}
1716 \DeclareInputText{186}{\@tabacckludge`w}
1717 \DeclareInputText{187}{\.S}
1718 \DeclareInputText{188}{\@tabacckludge`y}
1719 \DeclareInputText{189}{\."W}
1720 \DeclareInputText{190}{\."w}
1721 \DeclareInputText{191}{\.s}
1722 \DeclareInputText{192}{\@tabacckludge`A}
1723 \DeclareInputText{193}{\@tabacckludge`A}
1724 \DeclareInputText{194}{\.^A}
1725 \DeclareInputText{195}{\.^A}
1726 \DeclareInputText{196}{\."A}
1727 \DeclareInputText{197}{\r A}
1728 \DeclareInputText{198}{\AE}
1729 \DeclareInputText{199}{\c C}
1730 \DeclareInputText{200}{\@tabacckludge`E}
1731 \DeclareInputText{201}{\@tabacckludge`E}
1732 \DeclareInputText{202}{\.^E}
1733 \DeclareInputText{203}{\."E}
1734 \DeclareInputText{204}{\@tabacckludge`I}
1735 \DeclareInputText{205}{\@tabacckludge`I}
1736 \DeclareInputText{206}{\.^I}
1737 \DeclareInputText{207}{\."I}
1738 \DeclareInputText{208}{\.^W}
1739 \DeclareInputText{209}{\.^N}
1740 \DeclareInputText{210}{\@tabacckludge`O}
1741 \DeclareInputText{211}{\@tabacckludge`O}
1742 \DeclareInputText{212}{\.^O}
1743 \DeclareInputText{213}{\.\"O}
1744 \DeclareInputText{214}{\."O}
1745 \DeclareInputText{215}{\.T}
1746 \DeclareInputText{216}{\\"O}
1747 \DeclareInputText{217}{\@tabacckludge`U}
1748 \DeclareInputText{218}{\@tabacckludge`U}
1749 \DeclareInputText{219}{\.^U}
1750 \DeclareInputText{220}{\."U}
1751 \DeclareInputText{221}{\@tabacckludge`Y}
1752 \DeclareInputText{222}{\.^Y}
1753 \DeclareInputText{223}{\ss}
1754 \DeclareInputText{224}{\@tabacckludge`a}
1755 \DeclareInputText{225}{\@tabacckludge`a}
1756 \DeclareInputText{226}{\.^a}
1757 \DeclareInputText{227}{\.^a}
1758 \DeclareInputText{228}{\."a}
1759 \DeclareInputText{229}{\r a}
1760 \DeclareInputText{230}{\ae}
1761 \DeclareInputText{231}{\c c}
1762 \DeclareInputText{232}{\@tabacckludge`e}
1763 \DeclareInputText{233}{\@tabacckludge`e}

```

```

1764 \DeclareInputText{234}{\^e}
1765 \DeclareInputText{235}{\"e}
1766 \DeclareInputText{236}{\@tabacckludge`i}
1767 \DeclareInputText{237}{\@tabacckludge'i}
1768 \DeclareInputText{238}{\^i}
1769 \DeclareInputText{239}{\"i}
1770 \DeclareInputText{240}{\^w}
1771 \DeclareInputText{241}{\^n}
1772 \DeclareInputText{242}{\@tabacckludge'o}
1773 \DeclareInputText{243}{\@tabacckludge'o}
1774 \DeclareInputText{244}{\^o}
1775 \DeclareInputText{245}{\^o}
1776 \DeclareInputText{246}{\"o}
1777 \DeclareInputText{247}{\.t}
1778 \DeclareInputText{248}{\o}
1779 \DeclareInputText{249}{\@tabacckludge'u}
1780 \DeclareInputText{250}{\@tabacckludge'u}
1781 \DeclareInputText{251}{\^u}
1782 \DeclareInputText{252}{\"u}
1783 \DeclareInputText{253}{\@tabacckludge'y}
1784 \DeclareInputText{254}{\^y}
1785 \DeclareInputText{255}{\"y}
1786 \RestoreAtCatcode
1787 
```

2.5.13 Encoding iso-8859-15

```

1788 <iso - 8859 - 15>
1789 \ProvidesFile{x-iso-8859-15.def}%
1790 [2009/12/15 v1.5 Input encoding iso-8859-15 (inputenx)]%
1791 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1792 \makeatletter
1793 \ProvideTextCommandDefault{\textasciimacron}{%
1794   \@tabacckludge={}%
1795 }
1796 \ProvideTextCommandDefault{\textcent}{%
1797   \TextSymbolUnavailable\textcent
1798 }
1799 \ProvideTextCommandDefault{\textdegree}{%
1800   \ensuremath{\circ}%
1801 }
1802 \ProvideTextCommandDefault{\textdiv}{%
1803   \TextSymbolUnavailable\textdiv
1804 }
1805 \ProvideTextCommandDefault{\texteuro}{%
1806   \TextSymbolUnavailable\texteuro
1807 }
1808 \ProvideTextCommandDefault{\textlnot}{%
1809   \ensuremath{\neg}%
1810 }
1811 \ProvideTextCommandDefault{\textmu}{%
1812   \ensuremath{\mu}%
1813 }
1814 \ProvideTextCommandDefault{\textonesuperior}{%
1815   \ensuremath{\overset{1}{}}%
1816 }
1817 \ProvideTextCommandDefault{\textpm}{%
1818   \ensuremath{\pm}%
1819 }
1820 \ProvideTextCommandDefault{\textthreesuperior}{%
1821   \ensuremath{\overset{3}{}}%
1822 }
1823 \ProvideTextCommandDefault{\texttimes}{%
1824   \ensuremath{\times}%

```

```

1825 }
1826 \ProvideTextCommandDefault{\texttwosuperior}{%
1827   \ensuremath{{\texttwoonehalfsuperior}}%
1828 }
1829 \ProvideTextCommandDefault{\textyen}{%
1830   \TextSymbolUnavailable\textyen
1831 }
1832 \DeclareInputText{160}{\nobreakspace}
1833 \DeclareInputText{161}{\textexclamdown}
1834 \DeclareInputText{162}{\textcent}
1835 \DeclareInputText{163}{\textsterling}
1836 \DeclareInputText{164}{\texteuro}
1837 \DeclareInputText{165}{\textyen}
1838 \DeclareInputText{166}{\v{S}}
1839 \DeclareInputText{167}{\textsection}
1840 \DeclareInputText{168}{\v{s}}
1841 \DeclareInputText{169}{\textcopyright}
1842 \DeclareInputText{170}{\textordfeminine}
1843 \DeclareInputText{171}{\guillemotleft}
1844 \DeclareInputText{172}{\textlnot}
1845 \DeclareInputText{173}{\textminus}
1846 \DeclareInputText{174}{\textregistered}
1847 \DeclareInputText{175}{\textasciimacron}
1848 \DeclareInputText{176}{\textdegree}
1849 \DeclareInputText{177}{\textpm}
1850 \DeclareInputText{178}{\texttwosuperior}
1851 \DeclareInputText{179}{\textthreesuperior}
1852 \DeclareInputText{180}{\v{Z}}
1853 \DeclareInputText{181}{\textmu}
1854 \DeclareInputText{182}{\textparagraph}
1855 \DeclareInputText{183}{\textperiodcentered}
1856 \DeclareInputText{184}{\v{z}}
1857 \DeclareInputText{185}{\textonesuperior}
1858 \DeclareInputText{186}{\textordmasculine}
1859 \DeclareInputText{187}{\guillemotright}
1860 \DeclareInputText{188}{\OE}
1861 \DeclareInputText{189}{\oe}
1862 \DeclareInputText{190}{\textY}
1863 \DeclareInputText{191}{\textquestiondown}
1864 \DeclareInputText{192}{\@tabacckludge'A}
1865 \DeclareInputText{193}{\@tabacckludge'A}
1866 \DeclareInputText{194}{\textA}
1867 \DeclareInputText{195}{\text^A}
1868 \DeclareInputText{196}{\text" A}
1869 \DeclareInputText{197}{\textr A}
1870 \DeclareInputText{198}{\textAE}
1871 \DeclareInputText{199}{\textc C}
1872 \DeclareInputText{200}{\@tabacckludge'E}
1873 \DeclareInputText{201}{\@tabacckludge'E}
1874 \DeclareInputText{202}{\text^E}
1875 \DeclareInputText{203}{\text"E}
1876 \DeclareInputText{204}{\@tabacckludge'I}
1877 \DeclareInputText{205}{\@tabacckludge'I}
1878 \DeclareInputText{206}{\text^I}
1879 \DeclareInputText{207}{\text" I}
1880 \DeclareInputText{208}{\textDH}
1881 \DeclareInputText{209}{\text^N}
1882 \DeclareInputText{210}{\@tabacckludge'0}
1883 \DeclareInputText{211}{\@tabacckludge'0}
1884 \DeclareInputText{212}{\text^0}
1885 \DeclareInputText{213}{\text" 0}
1886 \DeclareInputText{214}{\text" 0}

```

```

1887 \DeclareInputText{215}{\textttimes}
1888 \DeclareInputText{216}{\textcircled{0}}
1889 \DeclareInputText{217}{\textcircled{@tabacckludge'U}}
1890 \DeclareInputText{218}{\textcircled{@tabacckludge'U}}
1891 \DeclareInputText{219}{\textcircled{\^U}}
1892 \DeclareInputText{220}{\textcircled{"U}}
1893 \DeclareInputText{221}{\textcircled{@tabacckludge'Y}}
1894 \DeclareInputText{222}{\textcircled{TH}}
1895 \DeclareInputText{223}{\textcircled{ss}}
1896 \DeclareInputText{224}{\textcircled{@tabacckludge'a}}
1897 \DeclareInputText{225}{\textcircled{@tabacckludge'a}}
1898 \DeclareInputText{226}{\textcircled{\^a}}
1899 \DeclareInputText{227}{\textcircled{\~a}}
1900 \DeclareInputText{228}{\textcircled{"a}}
1901 \DeclareInputText{229}{\textcircled{r a}}
1902 \DeclareInputText{230}{\textcircled{ae}}
1903 \DeclareInputText{231}{\textcircled{c c}}
1904 \DeclareInputText{232}{\textcircled{@tabacckludge'e}}
1905 \DeclareInputText{233}{\textcircled{@tabacckludge'e}}
1906 \DeclareInputText{234}{\textcircled{\^e}}
1907 \DeclareInputText{235}{\textcircled{"e}}
1908 \DeclareInputText{236}{\textcircled{@tabacckludge'i}}
1909 \DeclareInputText{237}{\textcircled{@tabacckludge'i}}
1910 \DeclareInputText{238}{\textcircled{\^i}}
1911 \DeclareInputText{239}{\textcircled{"i}}
1912 \DeclareInputText{240}{\textcircled{dh}}
1913 \DeclareInputText{241}{\textcircled{\^n}}
1914 \DeclareInputText{242}{\textcircled{@tabacckludge'o}}
1915 \DeclareInputText{243}{\textcircled{@tabacckludge'o}}
1916 \DeclareInputText{244}{\textcircled{\^o}}
1917 \DeclareInputText{245}{\textcircled{\~o}}
1918 \DeclareInputText{246}{\textcircled{"o}}
1919 \DeclareInputText{247}{\texttt{textdiv}}
1920 \DeclareInputText{248}{\textcircled{o}}
1921 \DeclareInputText{249}{\textcircled{@tabacckludge'u}}
1922 \DeclareInputText{250}{\textcircled{@tabacckludge'u}}
1923 \DeclareInputText{251}{\textcircled{\^u}}
1924 \DeclareInputText{252}{\textcircled{"u}}
1925 \DeclareInputText{253}{\textcircled{@tabacckludge'y}}
1926 \DeclareInputText{254}{\textcircled{th}}
1927 \DeclareInputText{255}{\textcircled{"y}}
1928 \RestoreAtCatcode
1929 </iso - 8859 - 15>

```

2.5.14 Encoding iso-8859-16

```

1930 <*iso - 8859 - 16>
1931 \ProvidesFile{x-iso-8859-16.def}%
1932 [2009/12/15 v1.5 Input encoding iso-8859-16 (inputenx)]%
1933 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
1934 \makeatletter
1935 \ProvideTextCommandDefault{\textcommabelow}[1]{%
1936   \hmode@bgroup
1937   \ooalign{%
1938     \null\#1\crcr
1939     \hidewidth
1940     \raise-.31ex\hbox{%
1941       \check@mathfonts
1942       \fontsize\ssf@size\z@
1943       \math@fontsfalse\selectfont,%
1944     }%
1945     \hidewidth
1946   }%
1947 \egroup

```

```

1948 }
1949 \ProvideTextCommandDefault{\textdegree}{%
1950   \ensuremath{{}^{\circ}}%
1951 }
1952 \ProvideTextCommandDefault{\texteuro}{%
1953   \TextSymbolUnavailable\texteuro
1954 }
1955 \ProvideTextCommandDefault{\textpm}{%
1956   \ensuremath{\pm}%
1957 }
1958 \DeclareInputText{160}{\nobreakspace}
1959 \DeclareInputText{161}{\k A}
1960 \DeclareInputText{162}{\k a}
1961 \DeclareInputText{163}{\L}
1962 \DeclareInputText{164}{\texteuro}
1963 \DeclareInputText{165}{\quotedblbase}
1964 \DeclareInputText{166}{\v S}
1965 \DeclareInputText{167}{\textsection}
1966 \DeclareInputText{168}{\v s}
1967 \DeclareInputText{169}{\textcopyright}
1968 \DeclareInputText{170}{\textcommabelow S}
1969 \DeclareInputText{171}{\guillemotleft}
1970 \DeclareInputText{172}{\@tabacckludge'Z}
1971 \DeclareInputText{173}{\textendash}
1972 \DeclareInputText{174}{\@tabacckludge'z}
1973 \DeclareInputText{175}{\textperiodcentered}
1974 \DeclareInputText{176}{\textdegree}
1975 \DeclareInputText{177}{\textpm}
1976 \DeclareInputText{178}{\v C}
1977 \DeclareInputText{179}{\textonequarter}
1978 \DeclareInputText{180}{\v Z}
1979 \DeclareInputText{181}{\textquotedblright}
1980 \DeclareInputText{182}{\textparagraph}
1981 \DeclareInputText{183}{\textperiodcentered}
1982 \DeclareInputText{184}{\v z}
1983 \DeclareInputText{185}{\v c}
1984 \DeclareInputText{186}{\textcommabelow s}
1985 \DeclareInputText{187}{\guillemotright}
1986 \DeclareInputText{188}{\OE}
1987 \DeclareInputText{189}{\oe}
1988 \DeclareInputText{190}{\textY}
1989 \DeclareInputText{191}{\textz}
1990 \DeclareInputText{192}{\@tabacckludge'A}
1991 \DeclareInputText{193}{\@tabacckludge'A}
1992 \DeclareInputText{194}{\textA}
1993 \DeclareInputText{195}{\textu A}
1994 \DeclareInputText{196}{\textA}
1995 \DeclareInputText{197}{\@tabacckludge'C}
1996 \DeclareInputText{198}{\textAE}
1997 \DeclareInputText{199}{\textc C}
1998 \DeclareInputText{200}{\@tabacckludge'E}
1999 \DeclareInputText{201}{\@tabacckludge'E}
2000 \DeclareInputText{202}{\textE}
2001 \DeclareInputText{203}{\textE}
2002 \DeclareInputText{204}{\@tabacckludge'I}
2003 \DeclareInputText{205}{\@tabacckludge'I}
2004 \DeclareInputText{206}{\textI}
2005 \DeclareInputText{207}{\textI}
2006 \DeclareInputText{208}{\textDJ}
2007 \DeclareInputText{209}{\@tabacckludge'N}
2008 \DeclareInputText{210}{\@tabacckludge'O}
2009 \DeclareInputText{211}{\@tabacckludge'O}

```

```

2010 \DeclareInputText{212}{\^O}
2011 \DeclareInputText{213}{\H O}
2012 \DeclareInputText{214}{\H O}
2013 \DeclareInputText{215}{\@tabacckludge'S}
2014 \DeclareInputText{216}{\H U}
2015 \DeclareInputText{217}{\@tabacckludge'U}
2016 \DeclareInputText{218}{\@tabacckludge'U}
2017 \DeclareInputText{219}{\^U}
2018 \DeclareInputText{220}{\H U}
2019 \DeclareInputText{221}{\k E}
2020 \DeclareInputText{222}{\textcommabelow T}
2021 \DeclareInputText{223}{\ss}
2022 \DeclareInputText{224}{\@tabacckludge'a}
2023 \DeclareInputText{225}{\@tabacckludge'a}
2024 \DeclareInputText{226}{\^a}
2025 \DeclareInputText{227}{\u a}
2026 \DeclareInputText{228}{\H a}
2027 \DeclareInputText{229}{\@tabacckludge'c}
2028 \DeclareInputText{230}{\ae}
2029 \DeclareInputText{231}{\c c}
2030 \DeclareInputText{232}{\@tabacckludge'e}
2031 \DeclareInputText{233}{\@tabacckludge'e}
2032 \DeclareInputText{234}{\^e}
2033 \DeclareInputText{235}{\H e}
2034 \DeclareInputText{236}{\@tabacckludge'\i}
2035 \DeclareInputText{237}{\@tabacckludge'\i}
2036 \DeclareInputText{238}{\^'\i}
2037 \DeclareInputText{239}{\H '\i}
2038 \DeclareInputText{240}{\dj}
2039 \DeclareInputText{241}{\@tabacckludge'n}
2040 \DeclareInputText{242}{\@tabacckludge'o}
2041 \DeclareInputText{243}{\@tabacckludge'o}
2042 \DeclareInputText{244}{\^o}
2043 \DeclareInputText{245}{\H o}
2044 \DeclareInputText{246}{\H o}
2045 \DeclareInputText{247}{\@tabacckludge's}
2046 \DeclareInputText{248}{\H u}
2047 \DeclareInputText{249}{\@tabacckludge'u}
2048 \DeclareInputText{250}{\@tabacckludge'u}
2049 \DeclareInputText{251}{\^u}
2050 \DeclareInputText{252}{\H u}
2051 \DeclareInputText{253}{\k e}
2052 \DeclareInputText{254}{\textcommabelow t}
2053 \DeclareInputText{255}{\H y}
2054 \RestoreAtCatcode
2055 /iso - 8859 - 16)

```

2.5.15 Encoding cp437

```

2056 <*cp437>
2057 \ProvidesFile{x-cp437.def}%
2058 [2009/12/15 v1.5 Input encoding cp437 (inputenx)]%
2059 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
2060 \makeatletter
2061 \ProvideTextCommandDefault{\textGamma}{%
2062 \ensuremath\Gamma
2063 }
2064 \ProvideTextCommandDefault{\textOmega}{%
2065 \ensuremath\Omega
2066 }
2067 \ProvideTextCommandDefault{\textPhi}{%
2068 \ensuremath\Phi
2069 }
2070 \ProvideTextCommandDefault{\textSigma}{%

```

```

2071 \ensuremath\Sigma
2072 }
2073 \ProvideTextCommandDefault{\textTheta}{%
2074 \ensuremath\Theta
2075 }
2076 \ProvideTextCommandDefault{\textAlpha}{%
2077 \ensuremath\alpha
2078 }
2079 \ProvideTextCommandDefault{\textApprox}{%
2080 \ensuremath\approx
2081 }
2082 \ProvideTextCommandDefault{\textBlackSquare}{%
2083 \vrule \width .3em \height .4em \depth -.1em\relax
2084 }
2085 \ProvideTextCommandDefault{\textCent}{%
2086 \TextSymbolUnavailable{textcent}
2087 }
2088 \ProvideTextCommandDefault{\textDegree}{%
2089 \ensuremath{^\circ}%
2090 }
2091 \ProvideTextCommandDefault{\textDelta}{%
2092 \ensuremath\delta
2093 }
2094 \ProvideTextCommandDefault{\textDiv}{%
2095 \TextSymbolUnavailable{textdiv}
2096 }
2097 \ProvideTextCommandDefault{\textEpsilon}{%
2098 \ensuremath\varepsilon
2099 }
2100 \ProvideTextCommandDefault{\textEquivalence}{%
2101 \ensuremath\equiv
2102 }
2103 \ProvideTextCommandDefault{\textFlorin}{%
2104 \textit{f}%
2105 }
2106 \ProvideTextCommandDefault{\textGreaterEqual}{%
2107 \ensuremath\geq
2108 }
2109 \ProvideTextCommandDefault{\textInfinity}{%
2110 \ensuremath\infty
2111 }
2112 \ProvideTextCommandDefault{\textIntersection}{%
2113 \ensuremath\cap
2114 }
2115 \ProvideTextCommandDefault{\textLessEqual}{%
2116 \ensuremath\leq
2117 }
2118 \ProvideTextCommandDefault{\textLnot}{%
2119 \ensuremath\neg
2120 }
2121 \ProvideTextCommandDefault{\textMu}{%
2122 \ensuremath\mu
2123 }
2124 \ProvideTextCommandDefault{\textNsuperior}{%
2125 \ensuremath{^n}%
2126 }
2127 \ProvideTextCommandDefault{\textOneHalf}{%
2128 \ensuremath{\frac{1}{2}}%
2129 }
2130 \ProvideTextCommandDefault{\textOneQuarter}{%
2131 \ensuremath{\frac{1}{4}}%
2132 }

```

```

2133 \ProvideTextCommandDefault{\textpeseta}{%
2134   Pt%
2135 }
2136 \ProvideTextCommandDefault{\textphi}{%
2137   \ensuremath\phi
2138 }
2139 \ProvideTextCommandDefault{\textpi}{%
2140   \ensuremath\pi
2141 }
2142 \ProvideTextCommandDefault{\textpm}{%
2143   \ensuremath\pm
2144 }
2145 \ProvideTextCommandDefault{\textrevlogicalnot}{%
2146   \begingroup
2147     \@ifundefined{reflectbox}{%
2148       \TextSymbolUnavailable\textrevlogicalnot
2149     }{%
2150       \def\@revlogicalnot##1##2{%
2151         \reflectbox{##1##2}%
2152       }%
2153       \ensuremath{\mathpalette\@revlogicalnot\lnot}%
2154     }%
2155   \endgroup
2156 }
2157 \ProvideTextCommandDefault{\textsigma}{%
2158   \ensuremath\sigma
2159 }
2160 \ProvideTextCommandDefault{\textsurd}{%
2161   \ensuremath\surd
2162 }
2163 \ProvideTextCommandDefault{\texttau}{%
2164   \ensuremath\tau
2165 }
2166 \ProvideTextCommandDefault{\texttwosuperior}{%
2167   \ensuremath{{}^2}%
2168 }
2169 \ProvideTextCommandDefault{\textyen}{%
2170   \TextSymbolUnavailable\textyen
2171 }
2172 \DeclareInputText{128}{\c C}
2173 \DeclareInputText{129}{\"u}
2174 \DeclareInputText{130}{\@tabacckludge'e}
2175 \DeclareInputText{131}{\^a}
2176 \DeclareInputText{132}{\"a}
2177 \DeclareInputText{133}{\@tabacckludge'a}
2178 \DeclareInputText{134}{\r a}
2179 \DeclareInputText{135}{\c c}
2180 \DeclareInputText{136}{\^e}
2181 \DeclareInputText{137}{\"e}
2182 \DeclareInputText{138}{\@tabacckludge'e}
2183 \DeclareInputText{139}{\"i}
2184 \DeclareInputText{140}{\^i}
2185 \DeclareInputText{141}{\@tabacckludge'i}
2186 \DeclareInputText{142}{\"A}
2187 \DeclareInputText{143}{\r A}
2188 \DeclareInputText{144}{\@tabacckludge'E}
2189 \DeclareInputText{145}{\ae}
2190 \DeclareInputText{146}{\AE}
2191 \DeclareInputText{147}{\^o}
2192 \DeclareInputText{148}{\"o}
2193 \DeclareInputText{149}{\@tabacckludge'o}
2194 \DeclareInputText{150}{\^u}

```

```
2195 \DeclareInputText{151}{\@tabacckludge{'u}}
2196 \DeclareInputText{152}{\"y}
2197 \DeclareInputText{153}{\"O}
2198 \DeclareInputText{154}{\"U}
2199 \DeclareInputText{155}{\textcent}
2200 \DeclareInputText{156}{\textsterling}
2201 \DeclareInputText{157}{\textyen}
2202 \DeclareInputText{158}{\textpeseta}
2203 \DeclareInputText{159}{\textflorin}
2204 \DeclareInputText{160}{\@tabacckludge{'a}}
2205 \DeclareInputText{161}{\@tabacckludge{'i}}
2206 \DeclareInputText{162}{\@tabacckludge{'o}}
2207 \DeclareInputText{163}{\@tabacckludge{'u}}
2208 \DeclareInputText{164}{\`n}
2209 \DeclareInputText{165}{\^N}
2210 \DeclareInputText{166}{\textordfeminine}
2211 \DeclareInputText{167}{\textordmasculine}
2212 \DeclareInputText{168}{\textquestiondown}
2213 \DeclareInputText{169}{\textrevlogicalnot}
2214 \DeclareInputText{170}{\textlnot}
2215 \DeclareInputText{171}{\textonehalf}
2216 \DeclareInputText{172}{\textonequarter}
2217 \DeclareInputText{173}{\textexclamdown}
2218 \DeclareInputText{174}{\guillemotleft}
2219 \DeclareInputText{175}{\guillemotright}
2220 \DeclareInputText{176}{\textltshade}
2221 \DeclareInputText{177}{\textshade}
2222 \DeclareInputText{178}{\textdkshade}
2223 \DeclareInputText{179}{\textSFxi}
2224 \DeclareInputText{180}{\textSFix}
2225 \DeclareInputText{181}{\textSFix}
2226 \DeclareInputText{182}{\textSFxx}
2227 \DeclareInputText{183}{\textSFxxi}
2228 \DeclareInputText{184}{\textSFxxii}
2229 \DeclareInputText{185}{\textSFxxiii}
2230 \DeclareInputText{186}{\textSFxxiv}
2231 \DeclareInputText{187}{\textSFxxv}
2232 \DeclareInputText{188}{\textSFxxvi}
2233 \DeclareInputText{189}{\textSFxxvii}
2234 \DeclareInputText{190}{\textSFxxviii}
2235 \DeclareInputText{191}{\textSFiii}
2236 \DeclareInputText{192}{\textSFii}
2237 \DeclareInputText{193}{\textSFvii}
2238 \DeclareInputText{194}{\textSFvi}
2239 \DeclareInputText{195}{\textSFviii}
2240 \DeclareInputText{196}{\textSFx}
2241 \DeclareInputText{197}{\textSFv}
2242 \DeclareInputText{198}{\textSFxxxvi}
2243 \DeclareInputText{199}{\textSFxxxvii}
2244 \DeclareInputText{200}{\textSFxxxviii}
2245 \DeclareInputText{201}{\textSFxxxix}
2246 \DeclareInputText{202}{\textSFxl}
2247 \DeclareInputText{203}{\textSFxli}
2248 \DeclareInputText{204}{\textSFxlili}
2249 \DeclareInputText{205}{\textSFxlili}
2250 \DeclareInputText{206}{\textSFxliv}
2251 \DeclareInputText{207}{\textSFxlv}
2252 \DeclareInputText{208}{\textSFxlvi}
2253 \DeclareInputText{209}{\textSFxlvii}
2254 \DeclareInputText{210}{\textSFxlviii}
2255 \DeclareInputText{211}{\textSFxlix}
2256 \DeclareInputText{212}{\textSF1}
```

```

2257 \DeclareInputText{213}{\textSfli}
2258 \DeclareInputText{214}{\textSflii}
2259 \DeclareInputText{215}{\textSfliii}
2260 \DeclareInputText{216}{\textSfiv}
2261 \DeclareInputText{217}{\textSfiv}
2262 \DeclareInputText{218}{\textSfi}
2263 \DeclareInputText{219}{\textblock}
2264 \DeclareInputText{220}{\textdnblock}
2265 \DeclareInputText{221}{\textlfblock}
2266 \DeclareInputText{222}{\textrtblock}
2267 \DeclareInputText{223}{\textupblock}
2268 \DeclareInputText{224}{\textalpha}
2269 \DeclareInputText{225}{\ss}
2270 \DeclareInputText{226}{\textGamma}
2271 \DeclareInputText{227}{\textpi}
2272 \DeclareInputText{228}{\textSigma}
2273 \DeclareInputText{229}{\textsigma}
2274 \DeclareInputText{230}{\textmu}
2275 \DeclareInputText{231}{\texttau}
2276 \DeclareInputText{232}{\textPhi}
2277 \DeclareInputText{233}{\textTheta}
2278 \DeclareInputText{234}{\textOmega}
2279 \DeclareInputText{235}{\textdelta}
2280 \DeclareInputText{236}{\textinfinity}
2281 \DeclareInputText{237}{\textphi}
2282 \DeclareInputText{238}{\textepsilon}
2283 \DeclareInputText{239}{\textintersection}
2284 \DeclareInputText{240}{\textequivalence}
2285 \DeclareInputText{241}{\textpm}
2286 \DeclareInputText{242}{\textgreaterorequal}
2287 \DeclareInputText{243}{\textlessequal}
2288 \DeclareInputText{246}{\textdiv}
2289 \DeclareInputText{247}{\textapproxeq}
2290 \DeclareInputText{248}{\textdegree}
2291 \DeclareInputText{249}{\textbullet}
2292 \DeclareInputText{250}{\textperiodcentered}
2293 \DeclareInputText{251}{\textsurd}
2294 \DeclareInputText{252}{\textnsuperior}
2295 \DeclareInputText{253}{\texttwosuperior}
2296 \DeclareInputText{254}{\textblacksquare}
2297 \DeclareInputText{255}{\nobreakspace}
2298 \RestoreAtCatcode
2299 
```

2.5.16 Encoding cp850

```

2300 <*cp850>
2301 \ProvidesFile{x-cp850.def}%
2302 [2009/12/15 v1.5 Input encoding cp850 (inputenx)]%
2303 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
2304 \makeatletter
2305 \ProvideTextCommandDefault{\textasciiaacute}{%
2306   \@tabacckludge'{}%
2307 }
2308 \ProvideTextCommandDefault{\textasciidieresis}{%
2309   \"{}%
2310 }
2311 \ProvideTextCommandDefault{\textasciimacron}{%
2312   \@tabacckludge={}}%
2313 }
2314 \ProvideTextCommandDefault{\textblacksquare}{%
2315   \vrule \width .3em \height .4em \depth -.1em\relax
2316 }
2317 \ProvideTextCommandDefault{\textbrokenbar}{%

```

```

2318 \TextSymbolUnavailable{textbrokenbar}
2319 }
2320 \ProvideTextCommandDefault{\textcent}{%
2321 \TextSymbolUnavailable{textcent}
2322 }
2323 \ProvideTextCommandDefault{\textcurrency}{%
2324 \TextSymbolUnavailable{textcurrency}
2325 }
2326 \ProvideTextCommandDefault{\textdbllowline}{%
2327 \begingroup
2328 \sbox0{\textunderscore}%
2329 \leavevmode
2330 \ifdim\dp0<.2ex\relax
2331 \rlap{\raisebox{-.2ex}[0pt]{\textunderscore}}%
2332 \else
2333 \rlap{\raisebox{.2ex}[0pt]{\textunderscore}}%
2334 \fi
2335 \textunderscore
2336 \endgroup
2337 }
2338 \ProvideTextCommandDefault{\textdegree}{%
2339 \ensuremath{{}^{\circ}}%
2340 }
2341 \ProvideTextCommandDefault{\textdiv}{%
2342 \TextSymbolUnavailable{textdiv}
2343 }
2344 \ProvideTextCommandDefault{\textflorin}{%
2345 \textit{f}%
2346 }
2347 \ProvideTextCommandDefault{\textlnot}{%
2348 \ensuremath{\backslash\not}%
2349 }
2350 \ProvideTextCommandDefault{\textmu}{%
2351 \ensuremath{\mu}%
2352 }
2353 \ProvideTextCommandDefault{\textonehalf}{%
2354 \ensuremath{\frac{1}{2}}%
2355 }
2356 \ProvideTextCommandDefault{\textonequarter}{%
2357 \ensuremath{\frac{1}{4}}%
2358 }
2359 \ProvideTextCommandDefault{\textonesuperior}{%
2360 \ensuremath{{}^1}%
2361 }
2362 \ProvideTextCommandDefault{\textpm}{%
2363 \ensuremath{\pm}%
2364 }
2365 \ProvideTextCommandDefault{\textthreequarters}{%
2366 \ensuremath{\frac{3}{4}}%
2367 }
2368 \ProvideTextCommandDefault{\textthreesuperior}{%
2369 \ensuremath{{}^3}%
2370 }
2371 \ProvideTextCommandDefault{\texttimes}{%
2372 \ensuremath{\times}%
2373 }
2374 \ProvideTextCommandDefault{\texttwosuperior}{%
2375 \ensuremath{{}^2}%
2376 }
2377 \ProvideTextCommandDefault{\textyen}{%
2378 \TextSymbolUnavailable{textyen}
2379 }

```

```
2380 \DeclareInputText{128}{\c C}
2381 \DeclareInputText{129}{\"u}
2382 \DeclareInputText{130}{\@tabacckludge'e}
2383 \DeclareInputText{131}{\^a}
2384 \DeclareInputText{132}{\"a}
2385 \DeclareInputText{133}{\@tabacckludge'a}
2386 \DeclareInputText{134}{\r a}
2387 \DeclareInputText{135}{\c c}
2388 \DeclareInputText{136}{\^e}
2389 \DeclareInputText{137}{\"e}
2390 \DeclareInputText{138}{\@tabacckludge'e}
2391 \DeclareInputText{139}{\"i}
2392 \DeclareInputText{140}{\^i}
2393 \DeclareInputText{141}{\@tabacckludge'\i}
2394 \DeclareInputText{142}{\"A}
2395 \DeclareInputText{143}{\r A}
2396 \DeclareInputText{144}{\@tabacckludge'E}
2397 \DeclareInputText{145}{\ae}
2398 \DeclareInputText{146}{\AE}
2399 \DeclareInputText{147}{\^o}
2400 \DeclareInputText{148}{\"o}
2401 \DeclareInputText{149}{\@tabacckludge'o}
2402 \DeclareInputText{150}{\^u}
2403 \DeclareInputText{151}{\@tabacckludge'u}
2404 \DeclareInputText{152}{\"y}
2405 \DeclareInputText{153}{\"O}
2406 \DeclareInputText{154}{\"U}
2407 \DeclareInputText{155}{\o}
2408 \DeclareInputText{156}{\textsterling}
2409 \DeclareInputText{157}{\O}
2410 \DeclareInputText{158}{\texttimes}
2411 \DeclareInputText{159}{\textflorin}
2412 \DeclareInputText{160}{\@tabacckludge'a}
2413 \DeclareInputText{161}{\@tabacckludge'i}
2414 \DeclareInputText{162}{\@tabacckludge'o}
2415 \DeclareInputText{163}{\@tabacckludge'u}
2416 \DeclareInputText{164}{\^n}
2417 \DeclareInputText{165}{\~N}
2418 \DeclareInputText{166}{\textordfeminine}
2419 \DeclareInputText{167}{\textordmasculine}
2420 \DeclareInputText{168}{\textquestiondown}
2421 \DeclareInputText{169}{\textregistered}
2422 \DeclareInputText{170}{\textlnot}
2423 \DeclareInputText{171}{\textonehalf}
2424 \DeclareInputText{172}{\textonequarter}
2425 \DeclareInputText{173}{\textexclamdown}
2426 \DeclareInputText{174}{\guillemotleft}
2427 \DeclareInputText{175}{\guillemotright}
2428 \DeclareInputText{176}{\textltshade}
2429 \DeclareInputText{177}{\textshade}
2430 \DeclareInputText{178}{\textdkshade}
2431 \DeclareInputText{179}{\textSFxi}
2432 \DeclareInputText{180}{\textSFix}
2433 \DeclareInputText{181}{\@tabacckludge'A}
2434 \DeclareInputText{182}{\^A}
2435 \DeclareInputText{183}{\@tabacckludge'A}
2436 \DeclareInputText{184}{\textcopyright}
2437 \DeclareInputText{185}{\textSFxxiii}
2438 \DeclareInputText{186}{\textSFxxiv}
2439 \DeclareInputText{187}{\textSFxxv}
2440 \DeclareInputText{188}{\textSFxxvi}
2441 \DeclareInputText{189}{\textcent}
```

```
2442 \DeclareInputText{190}{\textyen}
2443 \DeclareInputText{191}{\textSFii}
2444 \DeclareInputText{192}{\textSFii}
2445 \DeclareInputText{193}{\textSFvii}
2446 \DeclareInputText{194}{\textSFvi}
2447 \DeclareInputText{195}{\textSFviii}
2448 \DeclareInputText{196}{\textSFx}
2449 \DeclareInputText{197}{\textSFv}
2450 \DeclareInputText{198}{\textasciitilde{a}}
2451 \DeclareInputText{199}{\textasciitilde{A}}
2452 \DeclareInputText{200}{\textSFxxxviii}
2453 \DeclareInputText{201}{\textSFxxxix}
2454 \DeclareInputText{202}{\textSFxl}
2455 \DeclareInputText{203}{\textSFxli}
2456 \DeclareInputText{204}{\textSFxlii}
2457 \DeclareInputText{205}{\textSFxliii}
2458 \DeclareInputText{206}{\textSFxliv}
2459 \DeclareInputText{207}{\textcurrency}
2460 \DeclareInputText{208}{\textdh}
2461 \DeclareInputText{209}{\textDH}
2462 \DeclareInputText{210}{\textasciitilde{E}}
2463 \DeclareInputText{211}{\text{"E}}
2464 \DeclareInputText{212}{\text{@tabacckludge'E}}
2465 \DeclareInputText{213}{\text{i}}
2466 \DeclareInputText{214}{\text{@tabacckludge'I}}
2467 \DeclareInputText{215}{\textasciitilde{I}}
2468 \DeclareInputText{216}{\text{"I}}
2469 \DeclareInputText{217}{\text{textSFiv}}
2470 \DeclareInputText{218}{\text{textSFi}}
2471 \DeclareInputText{219}{\text{textblock}}
2472 \DeclareInputText{220}{\text{textdnblock}}
2473 \DeclareInputText{221}{\text{textbrokenbar}}
2474 \DeclareInputText{222}{\text{@tabacckludge'I}}
2475 \DeclareInputText{223}{\text{textupblock}}
2476 \DeclareInputText{224}{\text{@tabacckludge'0}}
2477 \DeclareInputText{225}{\text{ss}}
2478 \DeclareInputText{226}{\textasciitilde{0}}
2479 \DeclareInputText{227}{\text{@tabacckludge'0}}
2480 \DeclareInputText{228}{\textasciitilde{o}}
2481 \DeclareInputText{229}{\textasciitilde{0}}
2482 \DeclareInputText{230}{\text{textmu}}
2483 \DeclareInputText{231}{\text{th}}
2484 \DeclareInputText{232}{\text{TH}}
2485 \DeclareInputText{233}{\text{@tabacckludge'U}}
2486 \DeclareInputText{234}{\textasciitilde{U}}
2487 \DeclareInputText{235}{\text{@tabacckludge'U}}
2488 \DeclareInputText{236}{\text{@tabacckludge'y}}
2489 \DeclareInputText{237}{\text{@tabacckludge'Y}}
2490 \DeclareInputText{238}{\text{textasciimacron}}
2491 \DeclareInputText{239}{\text{textasciiacute}}
2492 \DeclareInputText{240}{\text{-}}
2493 \DeclareInputText{241}{\text{textpm}}
2494 \DeclareInputText{242}{\text{textdbllowline}}
2495 \DeclareInputText{243}{\text{textthreequarters}}
2496 \DeclareInputText{244}{\text{textparagraph}}
2497 \DeclareInputText{245}{\text{textsection}}
2498 \DeclareInputText{246}{\text{textdiv}}
2499 \DeclareInputText{247}{\text{c\textbackslash\textspace}}
2500 \DeclareInputText{248}{\text{textdegree}}
2501 \DeclareInputText{249}{\text{textasciidieresis}}
2502 \DeclareInputText{250}{\text{textperiodcentered}}
2503 \DeclareInputText{251}{\text{textonesuperior}}
```

```

2504 \DeclareInputText{252}{\textthreesuperior}
2505 \DeclareInputText{253}{\texttwosuperior}
2506 \DeclareInputText{254}{\textblacksquare}
2507 \DeclareInputText{255}{\nobreakspace}
2508 \RestoreAtCatcode
2509 
```

2.5.17 Encoding cp852

```

2510 <*cp852>
2511 \ProvidesFile{x-cp852.def}%
2512 [2009/12/15 v1.5 Input encoding cp852 (inputenx)]%
2513 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
2514 \makeatletter
2515 \ProvideTextCommandDefault{\textacutedbl}{%
2516   \H{}%
2517 }
2518 \ProvideTextCommandDefault{\textasciiacute}{%
2519   \@tabacckludge'{}%
2520 }
2521 \ProvideTextCommandDefault{\textasciibreve}{%
2522   \u{}%
2523 }
2524 \ProvideTextCommandDefault{\textasciicaron}{%
2525   \v{}%
2526 }
2527 \ProvideTextCommandDefault{\textasciidieresis}{%
2528   \"{}%
2529 }
2530 \ProvideTextCommandDefault{\textblacksquare}{%
2531   \vrule \width .3em \height .4em \depth -.1em\relax
2532 }
2533 \ProvideTextCommandDefault{\textcurrency}{%
2534   \TextSymbolUnavailable{textcurrency}
2535 }
2536 \ProvideTextCommandDefault{\textdegree}{%
2537   \ensuremath{{}^{\circ}}%
2538 }
2539 \ProvideTextCommandDefault{\textdiv}{%
2540   \TextSymbolUnavailable{textdiv}
2541 }
2542 \ProvideTextCommandDefault{\textlnot}{%
2543   \ensuremath{\text{lnot}}
2544 }
2545 \ProvideTextCommandDefault{\texttimes}{%
2546   \ensuremath{\times}
2547 }
2548 \DeclareInputText{128}{\c C}
2549 \DeclareInputText{129}{\u}
2550 \DeclareInputText{130}{\@tabacckludge'e}
2551 \DeclareInputText{131}{\^a}
2552 \DeclareInputText{132}{\"a}
2553 \DeclareInputText{133}{\r u}
2554 \DeclareInputText{134}{\@tabacckludge'c}
2555 \DeclareInputText{135}{\c c}
2556 \DeclareInputText{136}{\l}
2557 \DeclareInputText{137}{\"e}
2558 \DeclareInputText{138}{\H O}
2559 \DeclareInputText{139}{\H o}
2560 \DeclareInputText{140}{\^i}
2561 \DeclareInputText{141}{\@tabacckludge'Z}
2562 \DeclareInputText{142}{\"A}
2563 \DeclareInputText{143}{\@tabacckludge'C}
2564 \DeclareInputText{144}{\@tabacckludge'E}

```

```
2565 \DeclareInputText{145}{\@tabacckludge'L}
2566 \DeclareInputText{146}{\@tabacckludge'1}
2567 \DeclareInputText{147}{\^o}
2568 \DeclareInputText{148}{\"o}
2569 \DeclareInputText{149}{\v L}
2570 \DeclareInputText{150}{\v l}
2571 \DeclareInputText{151}{\@tabacckludge'S}
2572 \DeclareInputText{152}{\@tabacckludge's}
2573 \DeclareInputText{153}{\"O}
2574 \DeclareInputText{154}{\"U}
2575 \DeclareInputText{155}{\v T}
2576 \DeclareInputText{156}{\v t}
2577 \DeclareInputText{157}{\L}
2578 \DeclareInputText{158}{\textttimes}
2579 \DeclareInputText{159}{\v c}
2580 \DeclareInputText{160}{\@tabacckludge'a}
2581 \DeclareInputText{161}{\@tabacckludge'\i}
2582 \DeclareInputText{162}{\@tabacckludge'o}
2583 \DeclareInputText{163}{\@tabacckludge'u}
2584 \DeclareInputText{164}{\k A}
2585 \DeclareInputText{165}{\k a}
2586 \DeclareInputText{166}{\v Z}
2587 \DeclareInputText{167}{\v z}
2588 \DeclareInputText{168}{\k E}
2589 \DeclareInputText{169}{\k e}
2590 \DeclareInputText{170}{\textlnot}
2591 \DeclareInputText{171}{\@tabacckludge'z}
2592 \DeclareInputText{172}{\v C}
2593 \DeclareInputText{173}{\c s}
2594 \DeclareInputText{174}{\guillemotleft}
2595 \DeclareInputText{175}{\guillemotright}
2596 \DeclareInputText{176}{\textltshade}
2597 \DeclareInputText{177}{\textshade}
2598 \DeclareInputText{178}{\textdkshade}
2599 \DeclareInputText{179}{\textSFxi}
2600 \DeclareInputText{180}{\textSFix}
2601 \DeclareInputText{181}{\@tabacckludge'A}
2602 \DeclareInputText{182}{\^A}
2603 \DeclareInputText{183}{\v E}
2604 \DeclareInputText{184}{\c S}
2605 \DeclareInputText{185}{\textSFxxiii}
2606 \DeclareInputText{186}{\textSFxxiv}
2607 \DeclareInputText{187}{\textSFxxv}
2608 \DeclareInputText{188}{\textSFxxvi}
2609 \DeclareInputText{189}{\.Z}
2610 \DeclareInputText{190}{\.z}
2611 \DeclareInputText{191}{\textSFiii}
2612 \DeclareInputText{192}{\textSFii}
2613 \DeclareInputText{193}{\textSFvii}
2614 \DeclareInputText{194}{\textSFvi}
2615 \DeclareInputText{195}{\textSFviii}
2616 \DeclareInputText{196}{\textSFx}
2617 \DeclareInputText{197}{\textSFv}
2618 \DeclareInputText{198}{\u A}
2619 \DeclareInputText{199}{\u a}
2620 \DeclareInputText{200}{\textSFxxxviii}
2621 \DeclareInputText{201}{\textSFxxxxix}
2622 \DeclareInputText{202}{\textSFxl}
2623 \DeclareInputText{203}{\textSFxli}
2624 \DeclareInputText{204}{\textSFxlii}
2625 \DeclareInputText{205}{\textSFxliii}
2626 \DeclareInputText{206}{\textSFxliv}
```

```

2627 \DeclareInputText{207}{\textcurrency}
2628 \DeclareInputText{208}{\dj}
2629 \DeclareInputText{209}{\DJ}
2630 \DeclareInputText{210}{\v D}
2631 \DeclareInputText{211}{\^E}
2632 \DeclareInputText{212}{\v d}
2633 \DeclareInputText{213}{\v N}
2634 \DeclareInputText{214}{\@tabacckludge'I}
2635 \DeclareInputText{215}{\^I}
2636 \DeclareInputText{216}{\v e}
2637 \DeclareInputText{217}{\textSFiv}
2638 \DeclareInputText{218}{\textSFi}
2639 \DeclareInputText{219}{\textblock}
2640 \DeclareInputText{220}{\textdmblock}
2641 \DeclareInputText{221}{\c T}
2642 \DeclareInputText{222}{\r U}
2643 \DeclareInputText{223}{\textupblock}
2644 \DeclareInputText{224}{\@tabacckludge'0}
2645 \DeclareInputText{225}{\ss}
2646 \DeclareInputText{226}{\^0}
2647 \DeclareInputText{227}{\@tabacckludge'N}
2648 \DeclareInputText{228}{\@tabacckludge'n}
2649 \DeclareInputText{229}{\v n}
2650 \DeclareInputText{230}{\v S}
2651 \DeclareInputText{231}{\v s}
2652 \DeclareInputText{232}{\@tabacckludge'R}
2653 \DeclareInputText{233}{\@tabacckludge'U}
2654 \DeclareInputText{234}{\@tabacckludge'r}
2655 \DeclareInputText{235}{\H U}
2656 \DeclareInputText{236}{\@tabacckludge'y}
2657 \DeclareInputText{237}{\@tabacckludge'Y}
2658 \DeclareInputText{238}{\c t}
2659 \DeclareInputText{239}{\textasciiacute}
2660 \DeclareInputText{240}{\`-}
2661 \DeclareInputText{241}{\textacutedbl}
2662 \DeclareInputText{242}{\k{}}
2663 \DeclareInputText{243}{\textasciicaron}
2664 \DeclareInputText{244}{\textasciibreve}
2665 \DeclareInputText{245}{\textsection}
2666 \DeclareInputText{246}{\textdiv}
2667 \DeclareInputText{247}{\c\ }
2668 \DeclareInputText{248}{\textdegree}
2669 \DeclareInputText{249}{\textasciidieresis}
2670 \DeclareInputText{250}{\.{.}}
2671 \DeclareInputText{251}{\H u}
2672 \DeclareInputText{252}{\v R}
2673 \DeclareInputText{253}{\v r}
2674 \DeclareInputText{254}{\textblacksquare}
2675 \DeclareInputText{255}{\nobreakspace}
2676 \RestoreAtCatcode
2677 
```

2.5.18 Encoding cp855

```

2678 {*cp855}
2679 \ProvidesFile{x-cp855.def}%
2680 [2009/12/15 v1.5 Input encoding cp855 (inputenx)]%
2681 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
2682 \makeatletter
2683 \ProvideTextCommandDefault{\textblacksquare}{%
2684 \vrule \width .3em \height .4em \depth -.1em\relax
2685 }
2686 \ProvideTextCommandDefault{\textcurrency}{%
2687 \TextSymbolUnavailable\textcurrency

```

```

2688 }
2689 \ProvideTextCommandDefault{\textnumero}{%
2690   N%
2691   \bgroup
2692     \check@mathfonts
2693     \fontsize\sf@size\z@
2694     \math@fontsfalset
2695     \selectfont
2696     \ooalign{%
2697       \raise0.5ex\hbox{o}%
2698     }%
2699     \hline
2700   }%
2701 \egroup
2702 }

2703 \DeclareInputText{128}{\cyrdje}
2704 \DeclareInputText{129}{\CYRDJE}
2705 \DeclareInputText{130}{\@tabacckludge'\cyrq}
2706 \DeclareInputText{131}{\@tabacckludge'\CYRG}
2707 \DeclareInputText{132}{\cyrq}
2708 \DeclareInputText{133}{\CYRYO}
2709 \DeclareInputText{134}{\cyrie}
2710 \DeclareInputText{135}{\CYRIE}
2711 \DeclareInputText{136}{\cyrdze}
2712 \DeclareInputText{137}{\CYRDZE}
2713 \DeclareInputText{138}{\cyrrii}
2714 \DeclareInputText{139}{\CYRII}
2715 \DeclareInputText{140}{\cyrqi}
2716 \DeclareInputText{141}{\CYRQI}
2717 \DeclareInputText{142}{\cyrje}
2718 \DeclareInputText{143}{\CYRJE}
2719 \DeclareInputText{144}{\cyrjlje}
2720 \DeclareInputText{145}{\CYRLJE}
2721 \DeclareInputText{146}{\cyrnje}
2722 \DeclareInputText{147}{\CYRNJE}
2723 \DeclareInputText{148}{\cyrtshe}
2724 \DeclareInputText{149}{\CYRTSHE}
2725 \DeclareInputText{150}{\@tabacckludge'\cyrk}
2726 \DeclareInputText{151}{\@tabacckludge'\CYRK}
2727 \DeclareInputText{152}{\cyrushrt}
2728 \DeclareInputText{153}{\CYRUSHRT}
2729 \DeclareInputText{154}{\cyrdzhe}
2730 \DeclareInputText{155}{\CYRDZHE}
2731 \DeclareInputText{156}{\cyrq}
2732 \DeclareInputText{157}{\CYRYU}
2733 \DeclareInputText{158}{\cyrhrdsn}
2734 \DeclareInputText{159}{\CYRHRSN}
2735 \DeclareInputText{160}{\cyrqa}
2736 \DeclareInputText{161}{\CYRA}
2737 \DeclareInputText{162}{\cyrb}
2738 \DeclareInputText{163}{\CYRB}
2739 \DeclareInputText{164}{\cyrcc}
2740 \DeclareInputText{165}{\CYRC}
2741 \DeclareInputText{166}{\cyrd}
2742 \DeclareInputText{167}{\CYRD}
2743 \DeclareInputText{168}{\cyre}
2744 \DeclareInputText{169}{\CYRE}
2745 \DeclareInputText{170}{\cyrf}
2746 \DeclareInputText{171}{\CYRF}
2747 \DeclareInputText{172}{\cyrq}
2748 \DeclareInputText{173}{\CYRG}
2749 \DeclareInputText{174}{\guillemotleft}

```

```
2750 \DeclareInputText{175}{\guillemotright}
2751 \DeclareInputText{176}{\textltshade}
2752 \DeclareInputText{177}{\textshade}
2753 \DeclareInputText{178}{\textdkshade}
2754 \DeclareInputText{179}{\textSFxi}
2755 \DeclareInputText{180}{\textSFix}
2756 \DeclareInputText{181}{\cyrh}
2757 \DeclareInputText{182}{\CYRH}
2758 \DeclareInputText{183}{\cyri}
2759 \DeclareInputText{184}{\CYRI}
2760 \DeclareInputText{185}{\textSFxxiii}
2761 \DeclareInputText{186}{\textSFxxiv}
2762 \DeclareInputText{187}{\textSFxxv}
2763 \DeclareInputText{188}{\textSFxxvi}
2764 \DeclareInputText{189}{\cyrishrt}
2765 \DeclareInputText{190}{\CYRISHRT}
2766 \DeclareInputText{191}{\textSFiii}
2767 \DeclareInputText{192}{\textSFii}
2768 \DeclareInputText{193}{\textSFvii}
2769 \DeclareInputText{194}{\textSFvi}
2770 \DeclareInputText{195}{\textSFviii}
2771 \DeclareInputText{196}{\textSFx}
2772 \DeclareInputText{197}{\textSFv}
2773 \DeclareInputText{198}{\cyrk}
2774 \DeclareInputText{199}{\CYRK}
2775 \DeclareInputText{200}{\textSFxxxviii}
2776 \DeclareInputText{201}{\textSFxxxix}
2777 \DeclareInputText{202}{\textSFxl}
2778 \DeclareInputText{203}{\textSFxli}
2779 \DeclareInputText{204}{\textSFxlii}
2780 \DeclareInputText{205}{\textSFxlivi}
2781 \DeclareInputText{206}{\textSFxliv}
2782 \DeclareInputText{207}{\textcurrency}
2783 \DeclareInputText{208}{\cyr1}
2784 \DeclareInputText{209}{\CYRL}
2785 \DeclareInputText{210}{\cyrn}
2786 \DeclareInputText{211}{\CYRM}
2787 \DeclareInputText{212}{\cyrn}
2788 \DeclareInputText{213}{\CYRN}
2789 \DeclareInputText{214}{\cyro}
2790 \DeclareInputText{215}{\CYRO}
2791 \DeclareInputText{216}{\cyp}
2792 \DeclareInputText{217}{\textSFiv}
2793 \DeclareInputText{218}{\textSFi}
2794 \DeclareInputText{219}{\textblock}
2795 \DeclareInputText{220}{\textdnblock}
2796 \DeclareInputText{221}{\CYRP}
2797 \DeclareInputText{222}{\cyrya}
2798 \DeclareInputText{223}{\textupblock}
2799 \DeclareInputText{224}{\CYRYA}
2800 \DeclareInputText{225}{\cyrr}
2801 \DeclareInputText{226}{\CYRR}
2802 \DeclareInputText{227}{\cyrs}
2803 \DeclareInputText{228}{\CYRS}
2804 \DeclareInputText{229}{\cyrt}
2805 \DeclareInputText{230}{\CYRT}
2806 \DeclareInputText{231}{\cyrn}
2807 \DeclareInputText{232}{\CYRU}
2808 \DeclareInputText{233}{\cyrzh}
2809 \DeclareInputText{234}{\CYRZH}
2810 \DeclareInputText{235}{\cyrv}
2811 \DeclareInputText{236}{\CYRV}
```

```

2812 \DeclareInputText{237}{\cyrstfn}
2813 \DeclareInputText{238}{\CYRSFTSN}
2814 \DeclareInputText{239}{\textnumero}
2815 \DeclareInputText{240}{\textendash}
2816 \DeclareInputText{241}{\cyrery}
2817 \DeclareInputText{242}{\CYRERY}
2818 \DeclareInputText{243}{\cyrz}
2819 \DeclareInputText{244}{\CYRZ}
2820 \DeclareInputText{245}{\cyrsh}
2821 \DeclareInputText{246}{\CYRSH}
2822 \DeclareInputText{247}{\cyrerev}
2823 \DeclareInputText{248}{\CYREREV}
2824 \DeclareInputText{249}{\cyrshch}
2825 \DeclareInputText{250}{\CYRSHCH}
2826 \DeclareInputText{251}{\cyrch}
2827 \DeclareInputText{252}{\CYRCH}
2828 \DeclareInputText{253}{\textsection}
2829 \DeclareInputText{254}{\textblacksquare}
2830 \DeclareInputText{255}{\nobreakspace}
2831 \RestoreAtCatcode
2832 
```

2.5.19 Encoding cp858

```

2833 <*cp858>
2834 \ProvidesFile{x-cp858.def}%
2835 [2009/12/15 v1.5 Input encoding cp858 (inputenx)]%
2836 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
2837 \makeatletter
2838 \ProvideTextCommandDefault{\textasciiacute}{%
2839   \tabackludge'{}%
2840 }
2841 \ProvideTextCommandDefault{\textasciidieresis}{%
2842   \{}%
2843 }
2844 \ProvideTextCommandDefault{\textasciimacron}{%
2845   \tabackludge={}%
2846 }
2847 \ProvideTextCommandDefault{\textblacksquare}{%
2848   \vrule \width .3em \height .4em \depth -.1em \relax
2849 }
2850 \ProvideTextCommandDefault{\textbrokenbar}{%
2851   \TextSymbolUnavailable\textbrokenbar
2852 }
2853 \ProvideTextCommandDefault{\textcent}{%
2854   \TextSymbolUnavailable\textcent
2855 }
2856 \ProvideTextCommandDefault{\textcurrency}{%
2857   \TextSymbolUnavailable\textcurrency
2858 }
2859 \ProvideTextCommandDefault{\textdbllowline}{%
2860   \begingroup
2861     \sbox0{\textunderscore}%
2862     \leavevmode
2863     \ifdim\dp0<.2ex\relax
2864       \rlap{\raisebox{-.2ex}[0pt]{\textunderscore}}%
2865     \else
2866       \rlap{\raisebox{.2ex}[0pt]{\textunderscore}}%
2867     \fi
2868     \textunderscore
2869   \endgroup
2870 }
2871 \ProvideTextCommandDefault{\textdegree}{%
2872   \ensuremath{{}^{\circ}}%

```

```

2873 }
2874 \ProvideTextCommandDefault{\textdiv}{%
2875   \TextSymbolUnavailable{textdiv}
2876 }
2877 \ProvideTextCommandDefault{\texteuro}{%
2878   \TextSymbolUnavailable{texteuro}
2879 }
2880 \ProvideTextCommandDefault{\textflorin}{%
2881   \textit{f}%
2882 }
2883 \ProvideTextCommandDefault{\textlnot}{%
2884   \ensuremath\lnot
2885 }
2886 \ProvideTextCommandDefault{\textmu}{%
2887   \ensuremath\mu
2888 }
2889 \ProvideTextCommandDefault{\textonehalf}{%
2890   \ensuremath{\frac{1}{2}}%
2891 }
2892 \ProvideTextCommandDefault{\textonequarter}{%
2893   \ensuremath{\frac{1}{4}}%
2894 }
2895 \ProvideTextCommandDefault{\textonesuperior}{%
2896   \ensuremath{{}^1}%
2897 }
2898 \ProvideTextCommandDefault{\textpm}{%
2899   \ensuremath\pm
2900 }
2901 \ProvideTextCommandDefault{\textthreequarters}{%
2902   \ensuremath{\frac{3}{4}}%
2903 }
2904 \ProvideTextCommandDefault{\textthreesuperior}{%
2905   \ensuremath{{}^3}%
2906 }
2907 \ProvideTextCommandDefault{\texttimes}{%
2908   \ensuremath\cdot
2909 }
2910 \ProvideTextCommandDefault{\texttwosuperior}{%
2911   \ensuremath{{}^2}%
2912 }
2913 \ProvideTextCommandDefault{\textyen}{%
2914   \TextSymbolUnavailable{textyen}
2915 }
2916 \DeclareInputText{128}{\c C}
2917 \DeclareInputText{129}{\"u}
2918 \DeclareInputText{130}{\@tabacckludge'e}
2919 \DeclareInputText{131}{\^a}
2920 \DeclareInputText{132}{\"a}
2921 \DeclareInputText{133}{\@tabacckludge'a}
2922 \DeclareInputText{134}{\r a}
2923 \DeclareInputText{135}{\c c}
2924 \DeclareInputText{136}{\^e}
2925 \DeclareInputText{137}{\"e}
2926 \DeclareInputText{138}{\@tabacckludge'e}
2927 \DeclareInputText{139}{\"i}
2928 \DeclareInputText{140}{\^i}
2929 \DeclareInputText{141}{\@tabacckludge'i}
2930 \DeclareInputText{142}{\"A}
2931 \DeclareInputText{143}{\r A}
2932 \DeclareInputText{144}{\@tabacckludge'E}
2933 \DeclareInputText{145}{\ae}
2934 \DeclareInputText{146}{\AE}

```

```
2935 \DeclareInputText{147}{\^o}
2936 \DeclareInputText{148}{\"o}
2937 \DeclareInputText{149}{\@tabacckludge`o}
2938 \DeclareInputText{150}{\^u}
2939 \DeclareInputText{151}{\@tabacckludge`u}
2940 \DeclareInputText{152}{\"y}
2941 \DeclareInputText{153}{\"O}
2942 \DeclareInputText{154}{\"U}
2943 \DeclareInputText{155}{\o}
2944 \DeclareInputText{156}{\textsterling}
2945 \DeclareInputText{157}{\O}
2946 \DeclareInputText{158}{\texttimes}
2947 \DeclareInputText{159}{\textflorin}
2948 \DeclareInputText{160}{\@tabacckludge`a}
2949 \DeclareInputText{161}{\@tabacckludge`\i}
2950 \DeclareInputText{162}{\@tabacckludge`o}
2951 \DeclareInputText{163}{\@tabacckludge`u}
2952 \DeclareInputText{164}{\`n}
2953 \DeclareInputText{165}{\`N}
2954 \DeclareInputText{166}{\textordfeminine}
2955 \DeclareInputText{167}{\textordmasculine}
2956 \DeclareInputText{168}{\textquestiondown}
2957 \DeclareInputText{169}{\textregistered}
2958 \DeclareInputText{170}{\textlnot}
2959 \DeclareInputText{171}{\textonehalf}
2960 \DeclareInputText{172}{\textonequarter}
2961 \DeclareInputText{173}{\textexclamdown}
2962 \DeclareInputText{174}{\guillemotleft}
2963 \DeclareInputText{175}{\guillemotright}
2964 \DeclareInputText{176}{\textltshade}
2965 \DeclareInputText{177}{\textshade}
2966 \DeclareInputText{178}{\textdkshade}
2967 \DeclareInputText{179}{\textSFxi}
2968 \DeclareInputText{180}{\textSFix}
2969 \DeclareInputText{181}{\@tabacckludge`A}
2970 \DeclareInputText{182}{\^A}
2971 \DeclareInputText{183}{\@tabacckludge`A}
2972 \DeclareInputText{184}{\textcopyright}
2973 \DeclareInputText{185}{\textSFxxiii}
2974 \DeclareInputText{186}{\textSFxxiv}
2975 \DeclareInputText{187}{\textSFxxv}
2976 \DeclareInputText{188}{\textSFxxvi}
2977 \DeclareInputText{189}{\textcent}
2978 \DeclareInputText{190}{\textyen}
2979 \DeclareInputText{191}{\textSFiii}
2980 \DeclareInputText{192}{\textSFii}
2981 \DeclareInputText{193}{\textSFvii}
2982 \DeclareInputText{194}{\textSFvi}
2983 \DeclareInputText{195}{\textSFviii}
2984 \DeclareInputText{196}{\textSFx}
2985 \DeclareInputText{197}{\textSFv}
2986 \DeclareInputText{198}{\`a}
2987 \DeclareInputText{199}{\^A}
2988 \DeclareInputText{200}{\textSFxxxviii}
2989 \DeclareInputText{201}{\textSFxxxxix}
2990 \DeclareInputText{202}{\textSFxl}
2991 \DeclareInputText{203}{\textSFxli}
2992 \DeclareInputText{204}{\textSFxlili}
2993 \DeclareInputText{205}{\textSFxlili}
2994 \DeclareInputText{206}{\textSFxliv}
2995 \DeclareInputText{207}{\textcurrency}
2996 \DeclareInputText{208}{\dh}
```

```

2997 \DeclareInputText{209}{\DH}
2998 \DeclareInputText{210}{\^E}
2999 \DeclareInputText{211}{\"E}
3000 \DeclareInputText{212}{\@tabacckludge'E}
3001 \DeclareInputText{213}{\texteuro}
3002 \DeclareInputText{214}{\@tabacckludge'I}
3003 \DeclareInputText{215}{\^I}
3004 \DeclareInputText{216}{\"I}
3005 \DeclareInputText{217}{\textSFiv}
3006 \DeclareInputText{218}{\textSFi}
3007 \DeclareInputText{219}{\textblock}
3008 \DeclareInputText{220}{\textdnblock}
3009 \DeclareInputText{221}{\textbrokenbar}
3010 \DeclareInputText{222}{\@tabacckludge'I}
3011 \DeclareInputText{223}{\textupblock}
3012 \DeclareInputText{224}{\@tabacckludge'0}
3013 \DeclareInputText{225}{\ss}
3014 \DeclareInputText{226}{\^0}
3015 \DeclareInputText{227}{\@tabacckludge'0}
3016 \DeclareInputText{228}{\^o}
3017 \DeclareInputText{229}{\^0}
3018 \DeclareInputText{230}{\textmu}
3019 \DeclareInputText{231}{\th}
3020 \DeclareInputText{232}{\TH}
3021 \DeclareInputText{233}{\@tabacckludge'U}
3022 \DeclareInputText{234}{\^U}
3023 \DeclareInputText{235}{\@tabacckludge'U}
3024 \DeclareInputText{236}{\@tabacckludge'y}
3025 \DeclareInputText{237}{\@tabacckludge'Y}
3026 \DeclareInputText{238}{\textasciimacron}
3027 \DeclareInputText{239}{\textasciacute}
3028 \DeclareInputText{240}{\`-}
3029 \DeclareInputText{241}{\textpm}
3030 \DeclareInputText{242}{\textdbllowline}
3031 \DeclareInputText{243}{\textthreequarters}
3032 \DeclareInputText{244}{\textparagraph}
3033 \DeclareInputText{245}{\textsection}
3034 \DeclareInputText{246}{\textdiv}
3035 \DeclareInputText{247}{\c`}
3036 \DeclareInputText{248}{\textdegree}
3037 \DeclareInputText{249}{\textasciidieresis}
3038 \DeclareInputText{250}{\textperiodcentered}
3039 \DeclareInputText{251}{\textonesuperior}
3040 \DeclareInputText{252}{\textthreesuperior}
3041 \DeclareInputText{253}{\texttwosuperior}
3042 \DeclareInputText{254}{\textblacksquare}
3043 \DeclareInputText{255}{\nobreakspace}
3044 \RestoreAtCatcode
3045 //cp858)

```

2.5.20 Encoding cp865

```

3046 <*cp865>
3047 \ProvidesFile{x-cp865.def}%
3048 [2009/12/15 v1.5 Input encoding cp865 (inputenx)]%
3049 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}%
3050 \makeatletter
3051 \ProvideTextCommandDefault{\textGamma}{%
3052 \ensuremath\Gamma
3053 }%
3054 \ProvideTextCommandDefault{\textOmega}{%
3055 \ensuremath\Omega
3056 }%
3057 \ProvideTextCommandDefault{\textPhi}{%

```

```

3058   \ensuremath{\Phi}
3059 }
3060 \ProvideTextCommandDefault{\textSigma}{%
3061   \ensuremath{\Sigma}
3062 }
3063 \ProvideTextCommandDefault{\textTheta}{%
3064   \ensuremath{\Theta}
3065 }
3066 \ProvideTextCommandDefault{\textAlpha}{%
3067   \ensuremath{\alpha}
3068 }
3069 \ProvideTextCommandDefault{\textApprox}{%
3070   \ensuremath{\approx}
3071 }
3072 \ProvideTextCommandDefault{\textBlackSquare}{%
3073   \vrule \width .3em \height .4em \depth -.1em \relax
3074 }
3075 \ProvideTextCommandDefault{\textCurrency}{%
3076   \TextSymbolUnavailable\textcurrency
3077 }
3078 \ProvideTextCommandDefault{\textDegree}{%
3079   \ensuremath{{}^{\circ}}
3080 }
3081 \ProvideTextCommandDefault{\textDelta}{%
3082   \ensuremath{\delta}
3083 }
3084 \ProvideTextCommandDefault{\textDiv}{%
3085   \TextSymbolUnavailable\textdiv
3086 }
3087 \ProvideTextCommandDefault{\textEpsilon}{%
3088   \ensuremath{\varepsilon}
3089 }
3090 \ProvideTextCommandDefault{\textEquivalence}{%
3091   \ensuremath{\equiv}
3092 }
3093 \ProvideTextCommandDefault{\textFlorin}{%
3094   \textit{f}
3095 }
3096 \ProvideTextCommandDefault{\textGreaterEqual}{%
3097   \ensuremath{\geq}
3098 }
3099 \ProvideTextCommandDefault{\textInfinity}{%
3100   \ensuremath{\infty}
3101 }
3102 \ProvideTextCommandDefault{\textIntersection}{%
3103   \ensuremath{\cap}
3104 }
3105 \ProvideTextCommandDefault{\textLessEqual}{%
3106   \ensuremath{\leq}
3107 }
3108 \ProvideTextCommandDefault{\textLnot}{%
3109   \ensuremath{\lnot}
3110 }
3111 \ProvideTextCommandDefault{\textMu}{%
3112   \ensuremath{\mu}
3113 }
3114 \ProvideTextCommandDefault{\textNsuperior}{%
3115   \ensuremath{{}^n}
3116 }
3117 \ProvideTextCommandDefault{\textOnehalf}{%
3118   \ensuremath{\frac{1}{2}}
3119 }

```

```

3120 \ProvideTextCommandDefault{\textonequarter}{%
3121   \ensuremath{\frac{1}{4}}%
3122 }
3123 \ProvideTextCommandDefault{\textpeseta}{%
3124   Pt\%%
3125 }
3126 \ProvideTextCommandDefault{\textphi}{%
3127   \ensuremath{\phi}%
3128 }
3129 \ProvideTextCommandDefault{\textpi}{%
3130   \ensuremath{\pi}%
3131 }
3132 \ProvideTextCommandDefault{\textpm}{%
3133   \ensuremath{\pm}%
3134 }
3135 \ProvideTextCommandDefault{\textrevlogicalnot}{%
3136   \begingroup
3137     \ifundefined{reflectbox}{%
3138       \TextSymbolUnavailable\textrevlogicalnot
3139     }{%
3140       \def\@revlogicalnot##1##2{%
3141         \reflectbox{\##1##2}%
3142       }%
3143       \ensuremath{\mathpalette\@revlogicalnot\lnot}%
3144     }%
3145   \endgroup
3146 }
3147 \ProvideTextCommandDefault{\textsigma}{%
3148   \ensuremath{\sigma}%
3149 }
3150 \ProvideTextCommandDefault{\textsurd}{%
3151   \ensuremath{\sqrt}%
3152 }
3153 \ProvideTextCommandDefault{\texttau}{%
3154   \ensuremath{\tau}%
3155 }
3156 \ProvideTextCommandDefault{\texttwosuperior}{%
3157   \ensuremath{\text{^2}}%
3158 }
3159 \DeclareInputText{128}{\c C}
3160 \DeclareInputText{129}{\"u}
3161 \DeclareInputText{130}{\@tabacckludge'e}
3162 \DeclareInputText{131}{\^a}
3163 \DeclareInputText{132}{\"a}
3164 \DeclareInputText{133}{\@tabacckludge'a}
3165 \DeclareInputText{134}{\r a}
3166 \DeclareInputText{135}{\c c}
3167 \DeclareInputText{136}{\^e}
3168 \DeclareInputText{137}{\"e}
3169 \DeclareInputText{138}{\@tabacckludge'e}
3170 \DeclareInputText{139}{\"i}
3171 \DeclareInputText{140}{\^i}
3172 \DeclareInputText{141}{\@tabacckludge'i}
3173 \DeclareInputText{142}{\"A}
3174 \DeclareInputText{143}{\r A}
3175 \DeclareInputText{144}{\@tabacckludge'E}
3176 \DeclareInputText{145}{\ae}
3177 \DeclareInputText{146}{\AE}
3178 \DeclareInputText{147}{\^o}
3179 \DeclareInputText{148}{\"o}
3180 \DeclareInputText{149}{\@tabacckludge'o}
3181 \DeclareInputText{150}{\^u}

```

```
3182 \DeclareInputText{151}{\@tabacckludge{'u}}
3183 \DeclareInputText{152}{\"y}
3184 \DeclareInputText{153}{\"O}
3185 \DeclareInputText{154}{\"U}
3186 \DeclareInputText{155}{\"o}
3187 \DeclareInputText{156}{\textsterling}
3188 \DeclareInputText{157}{\"O}
3189 \DeclareInputText{158}{\textpeseta}
3190 \DeclareInputText{159}{\textflorin}
3191 \DeclareInputText{160}{\@tabacckludge{'a}}
3192 \DeclareInputText{161}{\@tabacckludge{'i}}
3193 \DeclareInputText{162}{\@tabacckludge{'o}}
3194 \DeclareInputText{163}{\@tabacckludge{'u}}
3195 \DeclareInputText{164}{\`n}
3196 \DeclareInputText{165}{\^N}
3197 \DeclareInputText{166}{\textordfeminine}
3198 \DeclareInputText{167}{\textordmasculine}
3199 \DeclareInputText{168}{\textquestiondown}
3200 \DeclareInputText{169}{\textrevlogicalnot}
3201 \DeclareInputText{170}{\textlnot}
3202 \DeclareInputText{171}{\textonehalf}
3203 \DeclareInputText{172}{\textonequarter}
3204 \DeclareInputText{173}{\textexclamdown}
3205 \DeclareInputText{174}{\guillemotleft}
3206 \DeclareInputText{175}{\textcurrency}
3207 \DeclareInputText{176}{\textltshade}
3208 \DeclareInputText{177}{\textshade}
3209 \DeclareInputText{178}{\textdkshade}
3210 \DeclareInputText{179}{\textSFxi}
3211 \DeclareInputText{180}{\textSFix}
3212 \DeclareInputText{181}{\textSFix}
3213 \DeclareInputText{182}{\textSFxx}
3214 \DeclareInputText{183}{\textSFxxi}
3215 \DeclareInputText{184}{\textSFxxii}
3216 \DeclareInputText{185}{\textSFxxiii}
3217 \DeclareInputText{186}{\textSFxxiv}
3218 \DeclareInputText{187}{\textSFxxv}
3219 \DeclareInputText{188}{\textSFxxvi}
3220 \DeclareInputText{189}{\textSFxxvii}
3221 \DeclareInputText{190}{\textSFxxviii}
3222 \DeclareInputText{191}{\textSFiii}
3223 \DeclareInputText{192}{\textSFii}
3224 \DeclareInputText{193}{\textSFvii}
3225 \DeclareInputText{194}{\textSFvi}
3226 \DeclareInputText{195}{\textSFviii}
3227 \DeclareInputText{196}{\textSFx}
3228 \DeclareInputText{197}{\textSFv}
3229 \DeclareInputText{198}{\textSFxxxvi}
3230 \DeclareInputText{199}{\textSFxxxvii}
3231 \DeclareInputText{200}{\textSFxxxviii}
3232 \DeclareInputText{201}{\textSFxxxix}
3233 \DeclareInputText{202}{\textSFxl}
3234 \DeclareInputText{203}{\textSFxli}
3235 \DeclareInputText{204}{\textSFxlifi}
3236 \DeclareInputText{205}{\textSFxlifi}
3237 \DeclareInputText{206}{\textSFxliv}
3238 \DeclareInputText{207}{\textSFxlvi}
3239 \DeclareInputText{208}{\textSFxlvi}
3240 \DeclareInputText{209}{\textSFxlvii}
3241 \DeclareInputText{210}{\textSFxlviii}
3242 \DeclareInputText{211}{\textSFxlix}
3243 \DeclareInputText{212}{\textSF1}
```

```

3244 \DeclareInputText{213}{\textSfli}
3245 \DeclareInputText{214}{\textSflii}
3246 \DeclareInputText{215}{\textSfliii}
3247 \DeclareInputText{216}{\textSfiv}
3248 \DeclareInputText{217}{\textSfi}
3249 \DeclareInputText{218}{\textSfi}
3250 \DeclareInputText{219}{\textblock}
3251 \DeclareInputText{220}{\textdnblock}
3252 \DeclareInputText{221}{\textlfblock}
3253 \DeclareInputText{222}{\textrtblock}
3254 \DeclareInputText{223}{\textupblock}
3255 \DeclareInputText{224}{\textalpha}
3256 \DeclareInputText{225}{\ss}
3257 \DeclareInputText{226}{\textGamma}
3258 \DeclareInputText{227}{\textpi}
3259 \DeclareInputText{228}{\textSigma}
3260 \DeclareInputText{229}{\textsigma}
3261 \DeclareInputText{230}{\textmu}
3262 \DeclareInputText{231}{\texttau}
3263 \DeclareInputText{232}{\textPhi}
3264 \DeclareInputText{233}{\textTheta}
3265 \DeclareInputText{234}{\textOmega}
3266 \DeclareInputText{235}{\textdelta}
3267 \DeclareInputText{236}{\textinfinity}
3268 \DeclareInputText{237}{\textphi}
3269 \DeclareInputText{238}{\textepsilon}
3270 \DeclareInputText{239}{\textintersection}
3271 \DeclareInputText{240}{\textequivalence}
3272 \DeclareInputText{241}{\textpm}
3273 \DeclareInputText{242}{\textgreaterorequal}
3274 \DeclareInputText{243}{\textlessequal}
3275 \DeclareInputText{246}{\textdiv}
3276 \DeclareInputText{247}{\textapproxeq}
3277 \DeclareInputText{248}{\textdegree}
3278 \DeclareInputText{249}{\textbullet}
3279 \DeclareInputText{250}{\textperiodcentered}
3280 \DeclareInputText{251}{\textsurd}
3281 \DeclareInputText{252}{\textnsuperior}
3282 \DeclareInputText{253}{\texttwosuperior}
3283 \DeclareInputText{254}{\textblacksquare}
3284 \DeclareInputText{255}{\nobreakspace}
3285 \RestoreAtCatcode
3286 
```

2.5.21 Encoding cp866

```

3287 <*cp866>
3288 \ProvidesFile{x-cp866.def}%
3289 [2009/12/15 v1.5 Input encoding cp866 (inputenx)]%
3290 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
3291 \makeatletter
3292 \ProvideTextCommandDefault{\textblacksquare}{%
3293 \vrule \@width .3em \@height .4em \@depth -.1em\relax
3294 }
3295 \ProvideTextCommandDefault{\textcurrency}{%
3296 \TextSymbolUnavailable\textcurrency
3297 }
3298 \ProvideTextCommandDefault{\textdegree}{%
3299 \ensuremath{{}^{\circ}}%
3300 }
3301 \ProvideTextCommandDefault{\textnumero}{%
3302 N%
3303 \bgroup
3304 \check@mathfonts

```

```

3305   \fontsize\sf@size\z@
3306   \math@fontsfalse
3307   \selectfont
3308   \oalign{%
3309     \raise0.5ex\hbox{o}%
3310     \crcr
3311     \hline
3312   }%
3313 \egroup
3314 }
3315 \ProvideTextCommandDefault{\textsurd}{%
3316   \ensuremath\surd
3317 }
3318 \DeclareInputText{128}{\CYRA}
3319 \DeclareInputText{129}{\CYRB}
3320 \DeclareInputText{130}{\CYRV}
3321 \DeclareInputText{131}{\CYRG}
3322 \DeclareInputText{132}{\CYRD}
3323 \DeclareInputText{133}{\CYRE}
3324 \DeclareInputText{134}{\CYRZH}
3325 \DeclareInputText{135}{\CYRZ}
3326 \DeclareInputText{136}{\CYRI}
3327 \DeclareInputText{137}{\CYRISHRT}
3328 \DeclareInputText{138}{\CYRK}
3329 \DeclareInputText{139}{\CYRL}
3330 \DeclareInputText{140}{\CYRM}
3331 \DeclareInputText{141}{\CYRN}
3332 \DeclareInputText{142}{\CYRO}
3333 \DeclareInputText{143}{\CYRP}
3334 \DeclareInputText{144}{\CYRR}
3335 \DeclareInputText{145}{\CYRS}
3336 \DeclareInputText{146}{\CYRT}
3337 \DeclareInputText{147}{\CYRU}
3338 \DeclareInputText{148}{\CYRF}
3339 \DeclareInputText{149}{\CYRH}
3340 \DeclareInputText{150}{\CYRC}
3341 \DeclareInputText{151}{\CYRCH}
3342 \DeclareInputText{152}{\CYRSH}
3343 \DeclareInputText{153}{\CYRSHCH}
3344 \DeclareInputText{154}{\CYRHRDSN}
3345 \DeclareInputText{155}{\CYRERY}
3346 \DeclareInputText{156}{\CYRSFTSN}
3347 \DeclareInputText{157}{\CYREREV}
3348 \DeclareInputText{158}{\CYRYU}
3349 \DeclareInputText{159}{\CYRYA}
3350 \DeclareInputText{160}{\cyra}
3351 \DeclareInputText{161}{\cyrb}
3352 \DeclareInputText{162}{\cyrv}
3353 \DeclareInputText{163}{\cyrg}
3354 \DeclareInputText{164}{\cyrd}
3355 \DeclareInputText{165}{\cyre}
3356 \DeclareInputText{166}{\cyrzh}
3357 \DeclareInputText{167}{\cyrz}
3358 \DeclareInputText{168}{\cyri}
3359 \DeclareInputText{169}{\cyrishrt}
3360 \DeclareInputText{170}{\cyrk}
3361 \DeclareInputText{171}{\cyrl}
3362 \DeclareInputText{172}{\cyrm}
3363 \DeclareInputText{173}{\cyrn}
3364 \DeclareInputText{174}{\cyro}
3365 \DeclareInputText{175}{\cyrp}
3366 \DeclareInputText{176}{\textltshade}

```

```
3367 \DeclareInputText{177}{\textshade}
3368 \DeclareInputText{178}{\textdkshade}
3369 \DeclareInputText{179}{\textSxi}
3370 \DeclareInputText{180}{\textSfix}
3371 \DeclareInputText{181}{\textSfixix}
3372 \DeclareInputText{182}{\textSfixx}
3373 \DeclareInputText{183}{\textSfixxi}
3374 \DeclareInputText{184}{\textSfixxii}
3375 \DeclareInputText{185}{\textSfixxiii}
3376 \DeclareInputText{186}{\textSfixxiv}
3377 \DeclareInputText{187}{\textSfixxv}
3378 \DeclareInputText{188}{\textSfixxvi}
3379 \DeclareInputText{189}{\textSfixxvii}
3380 \DeclareInputText{190}{\textSfixxviii}
3381 \DeclareInputText{191}{\textSfiii}
3382 \DeclareInputText{192}{\textSfii}
3383 \DeclareInputText{193}{\textSfvii}
3384 \DeclareInputText{194}{\textSfvi}
3385 \DeclareInputText{195}{\textSfvi}
3386 \DeclareInputText{196}{\textSfx}
3387 \DeclareInputText{197}{\textSfv}
3388 \DeclareInputText{198}{\textSfixxvi}
3389 \DeclareInputText{199}{\textSfixxvii}
3390 \DeclareInputText{200}{\textSfixxviii}
3391 \DeclareInputText{201}{\textSfixxix}
3392 \DeclareInputText{202}{\textSfxl}
3393 \DeclareInputText{203}{\textSfxli}
3394 \DeclareInputText{204}{\textSfxlii}
3395 \DeclareInputText{205}{\textSfxliii}
3396 \DeclareInputText{206}{\textSfxliv}
3397 \DeclareInputText{207}{\textSfxlv}
3398 \DeclareInputText{208}{\textSfxlvii}
3399 \DeclareInputText{209}{\textSfxlviii}
3400 \DeclareInputText{210}{\textSfxlviii}
3401 \DeclareInputText{211}{\textSfxlix}
3402 \DeclareInputText{212}{\textSfl}
3403 \DeclareInputText{213}{\textSfli}
3404 \DeclareInputText{214}{\textSflii}
3405 \DeclareInputText{215}{\textSfliii}
3406 \DeclareInputText{216}{\textSfliiv}
3407 \DeclareInputText{217}{\textSfiv}
3408 \DeclareInputText{218}{\textSfi}
3409 \DeclareInputText{219}{\textblock}
3410 \DeclareInputText{220}{\textdnblock}
3411 \DeclareInputText{221}{\textlfblock}
3412 \DeclareInputText{222}{\textrtblock}
3413 \DeclareInputText{223}{\textupblock}
3414 \DeclareInputText{224}{\cyr}
3415 \DeclareInputText{225}{\crys}
3416 \DeclareInputText{226}{\cyrt}
3417 \DeclareInputText{227}{\cyrus}
3418 \DeclareInputText{228}{\cyrf}
3419 \DeclareInputText{229}{\cyrh}
3420 \DeclareInputText{230}{\cyrk}
3421 \DeclareInputText{231}{\cyrkh}
3422 \DeclareInputText{232}{\cyrsh}
3423 \DeclareInputText{233}{\cyrshch}
3424 \DeclareInputText{234}{\cyrhrdsn}
3425 \DeclareInputText{235}{\cyrery}
3426 \DeclareInputText{236}{\cyrfts}
3427 \DeclareInputText{237}{\cyrerev}
3428 \DeclareInputText{238}{\cyrus}
```

```

3429 \DeclareInputText{239}{\cyrya}
3430 \DeclareInputText{240}{\CYRYO}
3431 \DeclareInputText{241}{\cyryo}
3432 \DeclareInputText{242}{\CYRIE}
3433 \DeclareInputText{243}{\cyrie}
3434 \DeclareInputText{244}{\CYRYI}
3435 \DeclareInputText{245}{\cyryi}
3436 \DeclareInputText{246}{\CYRUSHRT}
3437 \DeclareInputText{247}{\cyrushrt}
3438 \DeclareInputText{248}{\textdegree}
3439 \DeclareInputText{249}{\textbullet}
3440 \DeclareInputText{250}{\textperiodcentered}
3441 \DeclareInputText{251}{\textsurd}
3442 \DeclareInputText{252}{\textnumero}
3443 \DeclareInputText{253}{\textcurrency}
3444 \DeclareInputText{254}{\textblacktriangle}
3445 \DeclareInputText{255}{\nobreakspace}
3446 \RestoreAtCatcode
3447 
```

2.5.22 Encoding cp1250

```

3448 <*cp1250>
3449 \ProvidesFile{x-cp1250.def}%
3450 [2009/12/15 v1.5 Input encoding cp1250 (inputenx)]%
3451 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
3452 \makeatletter
3453 \ProvideTextCommandDefault{\textacutedbl}{%
3454   \H{}%
3455 }
3456 \ProvideTextCommandDefault{\textasciiacute}{%
3457   \tabackludge'%
3458 }
3459 \ProvideTextCommandDefault{\textasciibreve}{%
3460   \u{}%
3461 }
3462 \ProvideTextCommandDefault{\textasciicaron}{%
3463   \v{}%
3464 }
3465 \ProvideTextCommandDefault{\textasciidieresis}{%
3466   "{}%
3467 }
3468 \ProvideTextCommandDefault{\textbrokenbar}{%
3469   \TextSymbolUnavailable\textbrokenbar
3470 }
3471 \ProvideTextCommandDefault{\textcurrency}{%
3472   \TextSymbolUnavailable\textcurrency
3473 }
3474 \ProvideTextCommandDefault{\textdegree}{%
3475   \ensuremath{{}^{\circ}}%
3476 }
3477 \ProvideTextCommandDefault{\textdiv}{%
3478   \TextSymbolUnavailable\textdiv
3479 }
3480 \ProvideTextCommandDefault{\texteuro}{%
3481   \TextSymbolUnavailable\texteuro
3482 }
3483 \ProvideTextCommandDefault{\textlnot}{%
3484   \ensuremath{\text{\textbackslash}not}%
3485 }
3486 \ProvideTextCommandDefault{\textmu}{%
3487   \ensuremath{\text{\textbackslash}\mu}%
3488 }
3489 \ProvideTextCommandDefault{\textpm}{%

```

```

3490 \ensuremath\pm
3491 }
3492 \ProvideTextCommandDefault{\textttimes}{%
3493 \ensuremath\times
3494 }
3495 \DeclareInputText{128}{\texteuro}
3496 \DeclareInputText{130}{\textquotingleft}
3497 \DeclareInputText{132}{\textquotedblleft}
3498 \DeclareInputText{133}{\textellipsis}
3499 \DeclareInputText{134}{\textdagger}
3500 \DeclareInputText{135}{\textdaggerdbl}
3501 \DeclareInputText{137}{\textperthousand}
3502 \DeclareInputText{138}{\textvS}
3503 \DeclareInputText{139}{\textguilsinglleft}
3504 \DeclareInputText{140}{\texttabacckludge'S}
3505 \DeclareInputText{141}{\textvT}
3506 \DeclareInputText{142}{\textvZ}
3507 \DeclareInputText{143}{\texttabacckludge'Z}
3508 \DeclareInputText{145}{\textquoteleft}
3509 \DeclareInputText{146}{\textquoteright}
3510 \DeclareInputText{147}{\textquotedblleft}
3511 \DeclareInputText{148}{\textquotedblright}
3512 \DeclareInputText{149}{\textbullet}
3513 \DeclareInputText{150}{\textendash}
3514 \DeclareInputText{151}{\textemdash}
3515 \DeclareInputText{153}{\texttrademark}
3516 \DeclareInputText{154}{\textvS}
3517 \DeclareInputText{155}{\textguilsinglright}
3518 \DeclareInputText{156}{\texttabacckludge's}
3519 \DeclareInputText{157}{\textvT}
3520 \DeclareInputText{158}{\textvZ}
3521 \DeclareInputText{159}{\texttabacckludge'z}
3522 \DeclareInputText{160}{\nobreakspace}
3523 \DeclareInputText{161}{\textasciicaron}
3524 \DeclareInputText{162}{\textasciibreve}
3525 \DeclareInputText{163}{\textL}
3526 \DeclareInputText{164}{\textcurrency}
3527 \DeclareInputText{165}{\textkA}
3528 \DeclareInputText{166}{\textbrokenbar}
3529 \DeclareInputText{167}{\textsection}
3530 \DeclareInputText{168}{\textasciidieresis}
3531 \DeclareInputText{169}{\textcopyright}
3532 \DeclareInputText{170}{\textcS}
3533 \DeclareInputText{171}{\textguillemotleft}
3534 \DeclareInputText{172}{\textlnot}
3535 \DeclareInputText{173}{\textminus}
3536 \DeclareInputText{174}{\textregistered}
3537 \DeclareInputText{175}{\textZ}
3538 \DeclareInputText{176}{\textdegree}
3539 \DeclareInputText{177}{\textpm}
3540 \DeclareInputText{178}{\textk{}}
3541 \DeclareInputText{179}{\textl}
3542 \DeclareInputText{180}{\textasciacute}
3543 \DeclareInputText{181}{\textmu}
3544 \DeclareInputText{182}{\textparagraph}
3545 \DeclareInputText{183}{\textperiodcentered}
3546 \DeclareInputText{184}{\textc\textl}
3547 \DeclareInputText{185}{\textk\texta}
3548 \DeclareInputText{186}{\textc\textS}
3549 \DeclareInputText{187}{\textguillemotright}
3550 \DeclareInputText{188}{\textvL}
3551 \DeclareInputText{189}{\textacutedbl}

```

```
3552 \DeclareInputText{190}{\v l}
3553 \DeclareInputText{191}{\.z}
3554 \DeclareInputText{192}{\@tabacckludge'R}
3555 \DeclareInputText{193}{\@tabacckludge'A}
3556 \DeclareInputText{194}{\^A}
3557 \DeclareInputText{195}{\u A}
3558 \DeclareInputText{196}{\"A}
3559 \DeclareInputText{197}{\@tabacckludge'L}
3560 \DeclareInputText{198}{\@tabacckludge'C}
3561 \DeclareInputText{199}{\c C}
3562 \DeclareInputText{200}{\v C}
3563 \DeclareInputText{201}{\@tabacckludge'E}
3564 \DeclareInputText{202}{\k E}
3565 \DeclareInputText{203}{\"E}
3566 \DeclareInputText{204}{\v E}
3567 \DeclareInputText{205}{\@tabacckludge'I}
3568 \DeclareInputText{206}{\^I}
3569 \DeclareInputText{207}{\v D}
3570 \DeclareInputText{208}{\DJ}
3571 \DeclareInputText{209}{\@tabacckludge'N}
3572 \DeclareInputText{210}{\v N}
3573 \DeclareInputText{211}{\@tabacckludge'0}
3574 \DeclareInputText{212}{\^0}
3575 \DeclareInputText{213}{\H 0}
3576 \DeclareInputText{214}{\"0}
3577 \DeclareInputText{215}{\texttimes}
3578 \DeclareInputText{216}{\v R}
3579 \DeclareInputText{217}{\r U}
3580 \DeclareInputText{218}{\@tabacckludge'U}
3581 \DeclareInputText{219}{\H U}
3582 \DeclareInputText{220}{\"U}
3583 \DeclareInputText{221}{\@tabacckludge'Y}
3584 \DeclareInputText{222}{\c T}
3585 \DeclareInputText{223}{\ss}
3586 \DeclareInputText{224}{\@tabacckludge'r}
3587 \DeclareInputText{225}{\@tabacckludge'a}
3588 \DeclareInputText{226}{\^a}
3589 \DeclareInputText{227}{\u a}
3590 \DeclareInputText{228}{\"a}
3591 \DeclareInputText{229}{\@tabacckludge'1}
3592 \DeclareInputText{230}{\@tabacckludge'c}
3593 \DeclareInputText{231}{\c c}
3594 \DeclareInputText{232}{\v c}
3595 \DeclareInputText{233}{\@tabacckludge'e}
3596 \DeclareInputText{234}{\k e}
3597 \DeclareInputText{235}{\"e}
3598 \DeclareInputText{236}{\v e}
3599 \DeclareInputText{237}{\@tabacckludge'\i}
3600 \DeclareInputText{238}{\^\i}
3601 \DeclareInputText{239}{\v d}
3602 \DeclareInputText{240}{\dj}
3603 \DeclareInputText{241}{\@tabacckludge'n}
3604 \DeclareInputText{242}{\v n}
3605 \DeclareInputText{243}{\@tabacckludge'o}
3606 \DeclareInputText{244}{\^o}
3607 \DeclareInputText{245}{\H o}
3608 \DeclareInputText{246}{\"o}
3609 \DeclareInputText{247}{\textdiv}
3610 \DeclareInputText{248}{\v r}
3611 \DeclareInputText{249}{\r u}
3612 \DeclareInputText{250}{\@tabacckludge'u}
3613 \DeclareInputText{251}{\H u}
```

```

3614 \DeclareInputText{252}{\"u}
3615 \DeclareInputText{253}{\@tabacckludge'y}
3616 \DeclareInputText{254}{\c t}
3617 \DeclareInputText{255}{\.{.}}
3618 \RestoreAtCatcode
3619 //cp1250}

```

2.5.23 Encoding cp1251

```

3620 <*cp1251>
3621 \ProvidesFile{x-cp1251.def}%
3622 [2009/12/15 v1.5 Input encoding cp1251 (inputenx)]%
3623 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
3624 \makeatletter
3625 \ProvideTextCommandDefault{\textbrokenbar}{%
3626 \TextSymbolUnavailable\textbrokenbar
3627 }
3628 \ProvideTextCommandDefault{\textcurrency}{%
3629 \TextSymbolUnavailable\textcurrency
3630 }
3631 \ProvideTextCommandDefault{\textdegree}{%
3632 \ensuremath{{^\circ}}%
3633 }
3634 \ProvideTextCommandDefault{\texteuro}{%
3635 \TextSymbolUnavailable\texteuro
3636 }
3637 \ProvideTextCommandDefault{\textlnot}{%
3638 \ensuremath{\text{\lnot}}%
3639 }
3640 \ProvideTextCommandDefault{\textmu}{%
3641 \ensuremath{\mu}%
3642 }
3643 \ProvideTextCommandDefault{\textnumero}{%
3644 N%
3645 \bgroup
3646 \check@mathfonts
3647 \fontsize@sf@size\z@%
3648 \math@fontsf@lse
3649 \selectfont
3650 \oalign{%
3651 \raise0.5ex\hbox{o}}%
3652 \crcr
3653 \hline
3654 }%
3655 \egroup
3656 }
3657 \ProvideTextCommandDefault{\textpm}{%
3658 \ensuremath{\pm}%
3659 }
3660 \DeclareInputText{128}{\CYRDJE}
3661 \DeclareInputText{129}{\@tabacckludge'\CYRG}
3662 \DeclareInputText{130}{\quotesinglbase}
3663 \DeclareInputText{131}{\@tabacckludge'\cyrg}
3664 \DeclareInputText{132}{\quotedblbase}
3665 \DeclareInputText{133}{\textellipsis}
3666 \DeclareInputText{134}{\textdagger}
3667 \DeclareInputText{135}{\textdaggerdbl}
3668 \DeclareInputText{136}{\texteuro}
3669 \DeclareInputText{137}{\textperthousand}
3670 \DeclareInputText{138}{\CYRLJE}
3671 \DeclareInputText{139}{\guilsinglleft}
3672 \DeclareInputText{140}{\CYRNJE}
3673 \DeclareInputText{141}{\@tabacckludge'\CYRK}
3674 \DeclareInputText{142}{\CYRTSHE}

```

```
3675 \DeclareInputText{143}{\CYRDZHE}
3676 \DeclareInputText{144}{\cyrdje}
3677 \DeclareInputText{145}{\textquotelleft}
3678 \DeclareInputText{146}{\textquoteright}
3679 \DeclareInputText{147}{\textquotedblleft}
3680 \DeclareInputText{148}{\textquotedblright}
3681 \DeclareInputText{149}{\textbullet}
3682 \DeclareInputText{150}{\textendash}
3683 \DeclareInputText{151}{\textemdash}
3684 \DeclareInputText{153}{\texttrademark}
3685 \DeclareInputText{154}{\cyr1je}
3686 \DeclareInputText{155}{\guilsinglright}
3687 \DeclareInputText{156}{\cyrnje}
3688 \DeclareInputText{157}{\at{tabacckludge}\cyrk}
3689 \DeclareInputText{158}{\cyrtshe}
3690 \DeclareInputText{159}{\cyrdzhe}
3691 \DeclareInputText{160}{\nobreakspace}
3692 \DeclareInputText{161}{\CYRUSHRT}
3693 \DeclareInputText{162}{\cyrushrt}
3694 \DeclareInputText{163}{\CYRJE}
3695 \DeclareInputText{164}{\textcurrency}
3696 \DeclareInputText{165}{\CYRGUP}
3697 \DeclareInputText{166}{\textbrokenbar}
3698 \DeclareInputText{167}{\textsection}
3699 \DeclareInputText{168}{\CYRYO}
3700 \DeclareInputText{169}{\textcopyright}
3701 \DeclareInputText{170}{\CYRIE}
3702 \DeclareInputText{171}{\guillemotleft}
3703 \DeclareInputText{172}{\textlnot}
3704 \DeclareInputText{173}{\textminus}
3705 \DeclareInputText{174}{\textregistered}
3706 \DeclareInputText{175}{\CYRYI}
3707 \DeclareInputText{176}{\textdegree}
3708 \DeclareInputText{177}{\textpm}
3709 \DeclareInputText{178}{\CYRII}
3710 \DeclareInputText{179}{\cyrii}
3711 \DeclareInputText{180}{\cyrgup}
3712 \DeclareInputText{181}{\textmu}
3713 \DeclareInputText{182}{\textparagraph}
3714 \DeclareInputText{183}{\textperiodcentered}
3715 \DeclareInputText{184}{\cyryo}
3716 \DeclareInputText{185}{\textnumero}
3717 \DeclareInputText{186}{\cyrie}
3718 \DeclareInputText{187}{\guillemotright}
3719 \DeclareInputText{188}{\cyrje}
3720 \DeclareInputText{189}{\CYRDZE}
3721 \DeclareInputText{190}{\cyrdze}
3722 \DeclareInputText{191}{\cyryi}
3723 \DeclareInputText{192}{\CYRA}
3724 \DeclareInputText{193}{\CYRB}
3725 \DeclareInputText{194}{\CYRV}
3726 \DeclareInputText{195}{\CYRG}
3727 \DeclareInputText{196}{\CYRD}
3728 \DeclareInputText{197}{\CYRE}
3729 \DeclareInputText{198}{\CYRZH}
3730 \DeclareInputText{199}{\CYRZ}
3731 \DeclareInputText{200}{\CYRI}
3732 \DeclareInputText{201}{\CYRISHRT}
3733 \DeclareInputText{202}{\CYRK}
3734 \DeclareInputText{203}{\CYRL}
3735 \DeclareInputText{204}{\CYRM}
3736 \DeclareInputText{205}{\CYRN}
```

```

3737 \DeclareInputText{206}{\CYRO}
3738 \DeclareInputText{207}{\CYRP}
3739 \DeclareInputText{208}{\CYRR}
3740 \DeclareInputText{209}{\CYRS}
3741 \DeclareInputText{210}{\CYRT}
3742 \DeclareInputText{211}{\CYRU}
3743 \DeclareInputText{212}{\CYRF}
3744 \DeclareInputText{213}{\CYRH}
3745 \DeclareInputText{214}{\CYRC}
3746 \DeclareInputText{215}{\CYRCH}
3747 \DeclareInputText{216}{\CYRSH}
3748 \DeclareInputText{217}{\CYRSHCH}
3749 \DeclareInputText{218}{\CYRHRDSN}
3750 \DeclareInputText{219}{\CYRERY}
3751 \DeclareInputText{220}{\CYRSFTSN}
3752 \DeclareInputText{221}{\CYREREV}
3753 \DeclareInputText{222}{\CYRYU}
3754 \DeclareInputText{223}{\CYRYA}
3755 \DeclareInputText{224}{\cyla}
3756 \DeclareInputText{225}{\cyrb}
3757 \DeclareInputText{226}{\cyrv}
3758 \DeclareInputText{227}{\cyrg}
3759 \DeclareInputText{228}{\cyrd}
3760 \DeclareInputText{229}{\cyre}
3761 \DeclareInputText{230}{\cyrzh}
3762 \DeclareInputText{231}{\cyrz}
3763 \DeclareInputText{232}{\ciri}
3764 \DeclareInputText{233}{\cyrishrt}
3765 \DeclareInputText{234}{\cyrk}
3766 \DeclareInputText{235}{\cyr1}
3767 \DeclareInputText{236}{\cyrm}
3768 \DeclareInputText{237}{\cyrn}
3769 \DeclareInputText{238}{\cyro}
3770 \DeclareInputText{239}{\cyp}
3771 \DeclareInputText{240}{\cyrr}
3772 \DeclareInputText{241}{\crys}
3773 \DeclareInputText{242}{\cyrt}
3774 \DeclareInputText{243}{\cyrus}
3775 \DeclareInputText{244}{\cyrf}
3776 \DeclareInputText{245}{\cyrh}
3777 \DeclareInputText{246}{\cyrc}
3778 \DeclareInputText{247}{\cyrch}
3779 \DeclareInputText{248}{\cyrsh}
3780 \DeclareInputText{249}{\cyrshch}
3781 \DeclareInputText{250}{\cyrrdsn}
3782 \DeclareInputText{251}{\cyrery}
3783 \DeclareInputText{252}{\cyrsftsn}
3784 \DeclareInputText{253}{\cyrerev}
3785 \DeclareInputText{254}{\cyyu}
3786 \DeclareInputText{255}{\cyya}
3787 \RestoreAtCatcode
3788 {/cp1251}

```

2.5.24 Encoding cp1252

```

3789 {*cp1252}
3790 \ProvidesFile{x-cp1252.def}%
3791 [2009/12/15 v1.5 Input encoding cp1252 (inputenx)]%
3792 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}%
3793 \makeatletter
3794 \ProvideTextCommandDefault{\textasciiaacute}{%
3795 \tabackludge'{}%
3796 }%
3797 \ProvideTextCommandDefault{\textasciidieresis}{%

```

```

3798  \"{}%
3799 }
3800 \ProvideTextCommandDefault{\textasciimacron}{%
3801   \@tabacckludge={}
3802 }
3803 \ProvideTextCommandDefault{\textbrokenbar}{%
3804   \TextSymbolUnavailable\textbrokenbar
3805 }
3806 \ProvideTextCommandDefault{\textcent}{%
3807   \TextSymbolUnavailable\textcent
3808 }
3809 \ProvideTextCommandDefault{\textcurrency}{%
3810   \TextSymbolUnavailable\textcurrency
3811 }
3812 \ProvideTextCommandDefault{\textdegree}{%
3813   \ensuremath{{}^\circ}}
3814 }
3815 \ProvideTextCommandDefault{\textdiv}{%
3816   \TextSymbolUnavailable\textdiv
3817 }
3818 \ProvideTextCommandDefault{\texteuro}{%
3819   \TextSymbolUnavailable\texteuro
3820 }
3821 \ProvideTextCommandDefault{\textflorin}{%
3822   \textit{f}}
3823 }
3824 \ProvideTextCommandDefault{\textlnot}{%
3825   \ensuremath{\backslash\neg}}
3826 }
3827 \ProvideTextCommandDefault{\textmu}{%
3828   \ensuremath{\mu}}
3829 }
3830 \ProvideTextCommandDefault{\textonehalf}{%
3831   \ensuremath{\frac{1}{2}}}
3832 }
3833 \ProvideTextCommandDefault{\textonequarter}{%
3834   \ensuremath{\frac{1}{4}}}
3835 }
3836 \ProvideTextCommandDefault{\textonesuperior}{%
3837   \ensuremath{{}^1}}
3838 }
3839 \ProvideTextCommandDefault{\textpm}{%
3840   \ensuremath{\pm}}
3841 }
3842 \ProvideTextCommandDefault{\textthreequarters}{%
3843   \ensuremath{\frac{3}{4}}}
3844 }
3845 \ProvideTextCommandDefault{\textthreesuperior}{%
3846   \ensuremath{{}^3}}
3847 }
3848 \ProvideTextCommandDefault{\texttimes}{%
3849   \ensuremath{\times}}
3850 }
3851 \ProvideTextCommandDefault{\texttwosuperior}{%
3852   \ensuremath{{}^2}}
3853 }
3854 \ProvideTextCommandDefault{\textyen}{%
3855   \TextSymbolUnavailable\textyen
3856 }
3857 \DeclareInputText{128}{\texteuro}
3858 \DeclareInputText{130}{\textquotingleft\textquoteright}
3859 \DeclareInputText{131}{\textflorin}

```

```
3860 \DeclareInputText{132}{\quotedblbase}
3861 \DeclareInputText{133}{\textellipsis}
3862 \DeclareInputText{134}{\textdagger}
3863 \DeclareInputText{135}{\textdaggerdbl}
3864 \DeclareInputText{136}{\textasciicircum}
3865 \DeclareInputText{137}{\textperthousand}
3866 \DeclareInputText{138}{\v{S}}
3867 \DeclareInputText{139}{\guilsinglleft}
3868 \DeclareInputText{140}{\OE}
3869 \DeclareInputText{142}{\v{Z}}
3870 \DeclareInputText{145}{\textquotleft}
3871 \DeclareInputText{146}{\textquotright}
3872 \DeclareInputText{147}{\textquotedblleft}
3873 \DeclareInputText{148}{\textquotedblright}
3874 \DeclareInputText{149}{\textbullet}
3875 \DeclareInputText{150}{\textendash}
3876 \DeclareInputText{151}{\textemdash}
3877 \DeclareInputText{152}{\textasciitilde}
3878 \DeclareInputText{153}{\texttrademark}
3879 \DeclareInputText{154}{\v{s}}
3880 \DeclareInputText{155}{\guilsinglright}
3881 \DeclareInputText{156}{\oe}
3882 \DeclareInputText{158}{\v{z}}
3883 \DeclareInputText{159}{\Y}
3884 \DeclareInputText{160}{\nobreakspace}
3885 \DeclareInputText{161}{\textexclamdown}
3886 \DeclareInputText{162}{\textcent}
3887 \DeclareInputText{163}{\textsterling}
3888 \DeclareInputText{164}{\textcurrency}
3889 \DeclareInputText{165}{\textyen}
3890 \DeclareInputText{166}{\textbrokenbar}
3891 \DeclareInputText{167}{\textsection}
3892 \DeclareInputText{168}{\textasciidieresis}
3893 \DeclareInputText{169}{\textcopyright}
3894 \DeclareInputText{170}{\textordfeminine}
3895 \DeclareInputText{171}{\guillemotleft}
3896 \DeclareInputText{172}{\textlnot}
3897 \DeclareInputText{173}{\textminus}
3898 \DeclareInputText{174}{\textregistered}
3899 \DeclareInputText{175}{\textasciimacron}
3900 \DeclareInputText{176}{\textdegree}
3901 \DeclareInputText{177}{\textpm}
3902 \DeclareInputText{178}{\texttwosuperior}
3903 \DeclareInputText{179}{\textthreesuperior}
3904 \DeclareInputText{180}{\textasciacute}
3905 \DeclareInputText{181}{\textmu}
3906 \DeclareInputText{182}{\textparagraph}
3907 \DeclareInputText{183}{\textperiodcentered}
3908 \DeclareInputText{184}{\c{\text{c}}}
3909 \DeclareInputText{185}{\textonesuperior}
3910 \DeclareInputText{186}{\textordmasculine}
3911 \DeclareInputText{187}{\guillemotright}
3912 \DeclareInputText{188}{\textonequarter}
3913 \DeclareInputText{189}{\textonehalf}
3914 \DeclareInputText{190}{\textthreequarters}
3915 \DeclareInputText{191}{\textquestiondown}
3916 \DeclareInputText{192}{\texttabackludge'A}
3917 \DeclareInputText{193}{\texttabackludge'A}
3918 \DeclareInputText{194}{\textasciicircum'A}
3919 \DeclareInputText{195}{\textasciicircum'A}
3920 \DeclareInputText{196}{\textasciicircum'A}
3921 \DeclareInputText{197}{\textasciicircum'A}
```

```

3922 \DeclareInputText{198}{\AE}
3923 \DeclareInputText{199}{\c C}
3924 \DeclareInputText{200}{\@tabacckludge'E}
3925 \DeclareInputText{201}{\@tabacckludge'E}
3926 \DeclareInputText{202}{\^E}
3927 \DeclareInputText{203}{\"E}
3928 \DeclareInputText{204}{\@tabacckludge'I}
3929 \DeclareInputText{205}{\@tabacckludge'I}
3930 \DeclareInputText{206}{\^I}
3931 \DeclareInputText{207}{\"I}
3932 \DeclareInputText{208}{\DH}
3933 \DeclareInputText{209}{\^N}
3934 \DeclareInputText{210}{\@tabacckludge'0}
3935 \DeclareInputText{211}{\@tabacckludge'0}
3936 \DeclareInputText{212}{\^0}
3937 \DeclareInputText{213}{\^0}
3938 \DeclareInputText{214}{\"0}
3939 \DeclareInputText{215}{\texttimes}
3940 \DeclareInputText{216}{\O}
3941 \DeclareInputText{217}{\@tabacckludge'U}
3942 \DeclareInputText{218}{\@tabacckludge'U}
3943 \DeclareInputText{219}{\^U}
3944 \DeclareInputText{220}{\"U}
3945 \DeclareInputText{221}{\@tabacckludge'Y}
3946 \DeclareInputText{222}{\TH}
3947 \DeclareInputText{223}{\ss}
3948 \DeclareInputText{224}{\@tabacckludge'a}
3949 \DeclareInputText{225}{\@tabacckludge'a}
3950 \DeclareInputText{226}{\^a}
3951 \DeclareInputText{227}{\`a}
3952 \DeclareInputText{228}{\"a}
3953 \DeclareInputText{229}{\r a}
3954 \DeclareInputText{230}{\ae}
3955 \DeclareInputText{231}{\c c}
3956 \DeclareInputText{232}{\@tabacckludge'e}
3957 \DeclareInputText{233}{\@tabacckludge'e}
3958 \DeclareInputText{234}{\^e}
3959 \DeclareInputText{235}{\"e}
3960 \DeclareInputText{236}{\@tabacckludge'i}
3961 \DeclareInputText{237}{\@tabacckludge'i}
3962 \DeclareInputText{238}{\^i}
3963 \DeclareInputText{239}{\"i}
3964 \DeclareInputText{240}{\dh}
3965 \DeclareInputText{241}{\^n}
3966 \DeclareInputText{242}{\@tabacckludge'o}
3967 \DeclareInputText{243}{\@tabacckludge'o}
3968 \DeclareInputText{244}{\^o}
3969 \DeclareInputText{245}{\`o}
3970 \DeclareInputText{246}{\"o}
3971 \DeclareInputText{247}{\textdiv}
3972 \DeclareInputText{248}{\o}
3973 \DeclareInputText{249}{\@tabacckludge'u}
3974 \DeclareInputText{250}{\@tabacckludge'u}
3975 \DeclareInputText{251}{\^u}
3976 \DeclareInputText{252}{\"u}
3977 \DeclareInputText{253}{\@tabacckludge'y}
3978 \DeclareInputText{254}{\th}
3979 \DeclareInputText{255}{\"y}
3980 \RestoreAtCatcode
3981 
```

2.5.25 Encoding cp1257

```
3982 <*cp1257>
```

```

3983 \ProvidesFile{x-cp1257.def}%
3984   [2009/12/15 v1.5 Input encoding cp1257 (inputenx)]%
3985 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
3986 \makeatletter
3987 \ProvideTextCommandDefault{\textasciiacute}{%
3988   \@tabacckludge'{}%
3989 }
3990 \ProvideTextCommandDefault{\textasciicaron}{%
3991   \v{}%
3992 }
3993 \ProvideTextCommandDefault{\textasciidieresis}{%
3994   \"{}%
3995 }
3996 \ProvideTextCommandDefault{\textasciimacron}{%
3997   \@tabacckludge={}}%
3998 }
3999 \ProvideTextCommandDefault{\textbrokenbar}{%
4000   \TextSymbolUnavailable\textbrokenbar
4001 }
4002 \ProvideTextCommandDefault{\textcent}{%
4003   \TextSymbolUnavailable\textcent
4004 }
4005 \ProvideTextCommandDefault{\textcurrency}{%
4006   \TextSymbolUnavailable\textcurrency
4007 }
4008 \ProvideTextCommandDefault{\textdegree}{%
4009   \ensuremath{{^\circ}}%
4010 }
4011 \ProvideTextCommandDefault{\textdiv}{%
4012   \TextSymbolUnavailable\textdiv
4013 }
4014 \ProvideTextCommandDefault{\texteuro}{%
4015   \TextSymbolUnavailable\texteuro
4016 }
4017 \ProvideTextCommandDefault{\textlnot}{%
4018   \ensuremath{\backslash\neg}
4019 }
4020 \ProvideTextCommandDefault{\textmu}{%
4021   \ensuremath{\mu}
4022 }
4023 \ProvideTextCommandDefault{\textonehalf}{%
4024   \ensuremath{\frac{1}{2}}%
4025 }
4026 \ProvideTextCommandDefault{\textonequarter}{%
4027   \ensuremath{\frac{1}{4}}%
4028 }
4029 \ProvideTextCommandDefault{\textonesuperior}{%
4030   \ensuremath{{^1}}%
4031 }
4032 \ProvideTextCommandDefault{\textpm}{%
4033   \ensuremath{\pm}
4034 }
4035 \ProvideTextCommandDefault{\textthreequarters}{%
4036   \ensuremath{\frac{3}{4}}%
4037 }
4038 \ProvideTextCommandDefault{\textthreesuperior}{%
4039   \ensuremath{{^3}}%
4040 }
4041 \ProvideTextCommandDefault{\textttimes}{%
4042   \ensuremath{\times}
4043 }
4044 \ProvideTextCommandDefault{\texttwosuperior}{%

```

```

4045 \ensuremath{{}^2}\%
4046 }
4047 \DeclareInputText{128}{\texteuro}
4048 \DeclareInputText{130}{\quotesinglbase}
4049 \DeclareInputText{132}{\quotedblbase}
4050 \DeclareInputText{133}{\textellipsis}
4051 \DeclareInputText{134}{\textdagger}
4052 \DeclareInputText{135}{\textdaggerdbl}
4053 \DeclareInputText{137}{\textperthousand}
4054 \DeclareInputText{139}{\guilsinglleft}
4055 \DeclareInputText{141}{\textasciidieresis}
4056 \DeclareInputText{142}{\textasciicaron}
4057 \DeclareInputText{143}{\c{c}}
4058 \DeclareInputText{145}{\textquotelleft}
4059 \DeclareInputText{146}{\textquoteright}
4060 \DeclareInputText{147}{\textquotedblleft}
4061 \DeclareInputText{148}{\textquotedblright}
4062 \DeclareInputText{149}{\textbullet}
4063 \DeclareInputText{150}{\textendash}
4064 \DeclareInputText{151}{\textemdash}
4065 \DeclareInputText{153}{\texttrademark}
4066 \DeclareInputText{155}{\guilsinglright}
4067 \DeclareInputText{157}{\textasciimacron}
4068 \DeclareInputText{158}{\k{}}
4069 \DeclareInputText{160}{\nobreakspace}
4070 \DeclareInputText{162}{\textcent}
4071 \DeclareInputText{163}{\textsterling}
4072 \DeclareInputText{164}{\textcurrency}
4073 \DeclareInputText{166}{\textbrokenbar}
4074 \DeclareInputText{167}{\textsection}
4075 \DeclareInputText{168}{\textcircled{0}}
4076 \DeclareInputText{169}{\textcopyright}
4077 \DeclareInputText{170}{\c{R}}
4078 \DeclareInputText{171}{\guillemotleft}
4079 \DeclareInputText{172}{\textlnot}
4080 \DeclareInputText{173}{\textminus}
4081 \DeclareInputText{174}{\textregistered}
4082 \DeclareInputText{175}{\textAE}
4083 \DeclareInputText{176}{\textdegree}
4084 \DeclareInputText{177}{\textpm}
4085 \DeclareInputText{178}{\texttwosuperior}
4086 \DeclareInputText{179}{\textthreesuperior}
4087 \DeclareInputText{180}{\textasciiacute}
4088 \DeclareInputText{181}{\textmu}
4089 \DeclareInputText{182}{\textparagraph}
4090 \DeclareInputText{183}{\textperiodcentered}
4091 \DeclareInputText{184}{\textcircled{o}}
4092 \DeclareInputText{185}{\textonesuperior}
4093 \DeclareInputText{186}{\c{r}}
4094 \DeclareInputText{187}{\guillemotright}
4095 \DeclareInputText{188}{\textonequarter}
4096 \DeclareInputText{189}{\textonehalf}
4097 \DeclareInputText{190}{\textthreequarters}
4098 \DeclareInputText{191}{\textae}
4099 \DeclareInputText{192}{\textk{A}}
4100 \DeclareInputText{193}{\textk{I}}
4101 \DeclareInputText{194}{\texttabackludge{A}}
4102 \DeclareInputText{195}{\texttabackludge{'C}}
4103 \DeclareInputText{196}{\text"{}A}
4104 \DeclareInputText{197}{\textr{A}}
4105 \DeclareInputText{198}{\textk{E}}
4106 \DeclareInputText{199}{\texttabackludge{E}}

```

```

4107 \DeclareInputText{200}{\v C}
4108 \DeclareInputText{201}{\@tabacckludge'E}
4109 \DeclareInputText{202}{\@tabacckludge'Z}
4110 \DeclareInputText{203}{\.E}
4111 \DeclareInputText{204}{\c G}
4112 \DeclareInputText{205}{\c K}
4113 \DeclareInputText{206}{\@tabacckludge=I}
4114 \DeclareInputText{207}{\c L}
4115 \DeclareInputText{208}{\v S}
4116 \DeclareInputText{209}{\@tabacckludge'N}
4117 \DeclareInputText{210}{\c N}
4118 \DeclareInputText{211}{\@tabacckludge'0}
4119 \DeclareInputText{212}{\@tabacckludge=0}
4120 \DeclareInputText{213}{\^0}
4121 \DeclareInputText{214}{\"0}
4122 \DeclareInputText{215}{\texttimes}
4123 \DeclareInputText{216}{\k U}
4124 \DeclareInputText{217}{\L}
4125 \DeclareInputText{218}{\@tabacckludge'S}
4126 \DeclareInputText{219}{\@tabacckludge=U}
4127 \DeclareInputText{220}{\"U}
4128 \DeclareInputText{221}{\.Z}
4129 \DeclareInputText{222}{\v Z}
4130 \DeclareInputText{223}{\ss}
4131 \DeclareInputText{224}{\k a}
4132 \DeclareInputText{225}{\k i}
4133 \DeclareInputText{226}{\@tabacckludge=a}
4134 \DeclareInputText{227}{\@tabacckludge'c}
4135 \DeclareInputText{228}{\"a}
4136 \DeclareInputText{229}{\r a}
4137 \DeclareInputText{230}{\k e}
4138 \DeclareInputText{231}{\@tabacckludge=e}
4139 \DeclareInputText{232}{\v c}
4140 \DeclareInputText{233}{\@tabacckludge'e}
4141 \DeclareInputText{234}{\@tabacckludge'z}
4142 \DeclareInputText{235}{\.e}
4143 \DeclareInputText{236}{\v g}
4144 \DeclareInputText{237}{\c k}
4145 \DeclareInputText{238}{\@tabacckludge=\i}
4146 \DeclareInputText{239}{\c l}
4147 \DeclareInputText{240}{\v s}
4148 \DeclareInputText{241}{\@tabacckludge'n}
4149 \DeclareInputText{242}{\c n}
4150 \DeclareInputText{243}{\@tabacckludge'o}
4151 \DeclareInputText{244}{\@tabacckludge=o}
4152 \DeclareInputText{245}{\^o}
4153 \DeclareInputText{246}{\"o}
4154 \DeclareInputText{247}{\textdiv}
4155 \DeclareInputText{248}{\k u}
4156 \DeclareInputText{249}{\l}
4157 \DeclareInputText{250}{\@tabacckludge's}
4158 \DeclareInputText{251}{\@tabacckludge=u}
4159 \DeclareInputText{252}{\"u}
4160 \DeclareInputText{253}{\.z}
4161 \DeclareInputText{254}{\v z}
4162 \DeclareInputText{255}{\.{.}}
4163 \RestoreAtCatcode
4164 </cp1257>

```

2.5.26 Encoding dec-mcs

```

4165 <*dec - mcs>
4166 \ProvidesFile{x-dec-mcs.def}%
4167 [2009/12/15 v1.5 Input encoding dec-mcs (inputenx)]%

```

```

4168 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
4169 \makeatletter
4170 \ProvideTextCommandDefault{\textcent}{%
4171   \TextSymbolUnavailable\textcent
4172 }
4173 \ProvideTextCommandDefault{\textcurrency}{%
4174   \TextSymbolUnavailable\textcurrency
4175 }
4176 \ProvideTextCommandDefault{\textdegree}{%
4177   \ensuremath{{^\circ}}%
4178 }
4179 \ProvideTextCommandDefault{\textmu}{%
4180   \ensuremath{\mu}
4181 }
4182 \ProvideTextCommandDefault{\textonehalf}{%
4183   \ensuremath{\frac{1}{2}}%
4184 }
4185 \ProvideTextCommandDefault{\textonequarter}{%
4186   \ensuremath{\frac{1}{4}}%
4187 }
4188 \ProvideTextCommandDefault{\textonesuperior}{%
4189   \ensuremath{{^1}}%
4190 }
4191 \ProvideTextCommandDefault{\textpm}{%
4192   \ensuremath{\pm}
4193 }
4194 \ProvideTextCommandDefault{\textthreesuperior}{%
4195   \ensuremath{{^3}}%
4196 }
4197 \ProvideTextCommandDefault{\texttwosuperior}{%
4198   \ensuremath{{^2}}%
4199 }
4200 \ProvideTextCommandDefault{\textyen}{%
4201   \TextSymbolUnavailable\textyen
4202 }
4203 \DeclareInputText{161}{\textexclamdown}
4204 \DeclareInputText{162}{\textcent}
4205 \DeclareInputText{163}{\textsterling}
4206 \DeclareInputText{165}{\textyen}
4207 \DeclareInputText{167}{\textsection}
4208 \DeclareInputText{168}{\textcurrency}
4209 \DeclareInputText{169}{\textcopyright}
4210 \DeclareInputText{170}{\textordfeminine}
4211 \DeclareInputText{171}{\guillemotleft}
4212 \DeclareInputText{176}{\textdegree}
4213 \DeclareInputText{177}{\textpm}
4214 \DeclareInputText{178}{\texttwosuperior}
4215 \DeclareInputText{179}{\textthreesuperior}
4216 \DeclareInputText{181}{\textmu}
4217 \DeclareInputText{182}{\textparagraph}
4218 \DeclareInputText{183}{\textperiodcentered}
4219 \DeclareInputText{185}{\textonesuperior}
4220 \DeclareInputText{186}{\textordmasculine}
4221 \DeclareInputText{187}{\guillemotright}
4222 \DeclareInputText{188}{\textonequarter}
4223 \DeclareInputText{189}{\textonehalf}
4224 \DeclareInputText{191}{\textquestiondown}
4225 \DeclareInputText{192}{\@tabacckludge'A}
4226 \DeclareInputText{193}{\@tabacckludge'A}
4227 \DeclareInputText{194}{\textasciicircum A}
4228 \DeclareInputText{195}{\textasciitilde A}
4229 \DeclareInputText{196}{\textasciicaron A}

```

```

4230 \DeclareInputText{197}{\r A}
4231 \DeclareInputText{198}{\AE}
4232 \DeclareInputText{199}{\c C}
4233 \DeclareInputText{200}{\@tabacckludge'E}
4234 \DeclareInputText{201}{\@tabacckludge'E}
4235 \DeclareInputText{202}{\^E}
4236 \DeclareInputText{203}{\"E}
4237 \DeclareInputText{204}{\@tabacckludge'I}
4238 \DeclareInputText{205}{\@tabacckludge'I}
4239 \DeclareInputText{206}{\^I}
4240 \DeclareInputText{207}{\"I}
4241 \DeclareInputText{209}{\^N}
4242 \DeclareInputText{210}{\@tabacckludge'0}
4243 \DeclareInputText{211}{\@tabacckludge'0}
4244 \DeclareInputText{212}{\^0}
4245 \DeclareInputText{213}{\^0}
4246 \DeclareInputText{214}{\"0}
4247 \DeclareInputText{215}{\OE}
4248 \DeclareInputText{216}{\O}
4249 \DeclareInputText{217}{\@tabacckludge'U}
4250 \DeclareInputText{218}{\@tabacckludge'U}
4251 \DeclareInputText{219}{\^U}
4252 \DeclareInputText{220}{\"U}
4253 \DeclareInputText{221}{\"Y}
4254 \DeclareInputText{223}{\ss}
4255 \DeclareInputText{224}{\@tabacckludge'a}
4256 \DeclareInputText{225}{\@tabacckludge'a}
4257 \DeclareInputText{226}{\^a}
4258 \DeclareInputText{227}{\^a}
4259 \DeclareInputText{228}{\"a}
4260 \DeclareInputText{229}{\r a}
4261 \DeclareInputText{230}{\ae}
4262 \DeclareInputText{231}{\c c}
4263 \DeclareInputText{232}{\@tabacckludge'e}
4264 \DeclareInputText{233}{\@tabacckludge'e}
4265 \DeclareInputText{234}{\^e}
4266 \DeclareInputText{235}{\"e}
4267 \DeclareInputText{236}{\@tabacckludge'i}
4268 \DeclareInputText{237}{\@tabacckludge'i}
4269 \DeclareInputText{238}{\^i}
4270 \DeclareInputText{239}{\"i}
4271 \DeclareInputText{241}{\^n}
4272 \DeclareInputText{242}{\@tabacckludge'o}
4273 \DeclareInputText{243}{\@tabacckludge'o}
4274 \DeclareInputText{244}{\^o}
4275 \DeclareInputText{245}{\^o}
4276 \DeclareInputText{246}{\"o}
4277 \DeclareInputText{247}{\oe}
4278 \DeclareInputText{248}{\o}
4279 \DeclareInputText{249}{\@tabacckludge'u}
4280 \DeclareInputText{250}{\@tabacckludge'u}
4281 \DeclareInputText{251}{\^u}
4282 \DeclareInputText{252}{\"u}
4283 \DeclareInputText{253}{\"y}
4284 \RestoreAtCatcode
4285 //dec - mcs)

```

2.5.27 Encoding koi8-r

```

4286 <*koi8 - r>
4287 \ProvidesFile{x-koi8-r.def}%
4288 [2009/12/15 v1.5 Input encoding koi8-r (inputenx)]%
4289 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}%
4290 \makeatletter

```

```

4291 \ProvideTextCommandDefault{\textapproxequal}{%
4292   \ensuremath\approx
4293 }
4294 \ProvideTextCommandDefault{\textblacksquare}{%
4295   \vrule \width .3em \height .4em \depth -.1em\relax
4296 }
4297 \ProvideTextCommandDefault{\textdegree}{%
4298   \ensuremath{{}^{\circ}}%
4299 }
4300 \ProvideTextCommandDefault{\textdiv}{%
4301   \TextSymbolUnavailable\textdiv
4302 }
4303 \ProvideTextCommandDefault{\textgreaterequal}{%
4304   \ensuremath\geq
4305 }
4306 \ProvideTextCommandDefault{\textlessequal}{%
4307   \ensuremath\leq
4308 }
4309 \ProvideTextCommandDefault{\textsurd}{%
4310   \ensuremath\surd
4311 }
4312 \ProvideTextCommandDefault{\texttwosuperior}{%
4313   \ensuremath{{}^{\text{2}}}}%
4314 }
4315 \DeclareInputText{128}{\textSFx}
4316 \DeclareInputText{129}{\textSFxi}
4317 \DeclareInputText{130}{\textSFi}
4318 \DeclareInputText{131}{\textSFiii}
4319 \DeclareInputText{132}{\textSFii}
4320 \DeclareInputText{133}{\textSFiv}
4321 \DeclareInputText{134}{\textSFviii}
4322 \DeclareInputText{135}{\textSFix}
4323 \DeclareInputText{136}{\textSFvi}
4324 \DeclareInputText{137}{\textSFvii}
4325 \DeclareInputText{138}{\textSFv}
4326 \DeclareInputText{139}{\textupblock}
4327 \DeclareInputText{140}{\textdmblock}
4328 \DeclareInputText{141}{\textblock}
4329 \DeclareInputText{142}{\textlfblock}
4330 \DeclareInputText{143}{\textrtblock}
4331 \DeclareInputText{144}{\textltshade}
4332 \DeclareInputText{145}{\textshade}
4333 \DeclareInputText{146}{\textdkshade}
4334 \DeclareInputText{148}{\textblacksquare}
4335 \DeclareInputText{149}{\textbullet}
4336 \DeclareInputText{150}{\textsurd}
4337 \DeclareInputText{151}{\textapproxequal}
4338 \DeclareInputText{152}{\textlessequal}
4339 \DeclareInputText{153}{\textgreaterequal}
4340 \DeclareInputText{154}{\nobreakspace}
4341 \DeclareInputText{156}{\textdegree}
4342 \DeclareInputText{157}{\texttwosuperior}
4343 \DeclareInputText{158}{\textperiodcentered}
4344 \DeclareInputText{159}{\textdiv}
4345 \DeclareInputText{160}{\textSFxlifi}
4346 \DeclareInputText{161}{\textSFxxiv}
4347 \DeclareInputText{162}{\textSFli}
4348 \DeclareInputText{163}{\textcyryo}
4349 \DeclareInputText{164}{\textSFlii}
4350 \DeclareInputText{165}{\textSFxxxix}
4351 \DeclareInputText{166}{\textSFxxii}
4352 \DeclareInputText{167}{\textSFxxi}

```

```
4353 \DeclareInputText{168}{\textSFxxv}
4354 \DeclareInputText{169}{\textSF1}
4355 \DeclareInputText{170}{\textSFxlix}
4356 \DeclareInputText{171}{\textSFxxxviii}
4357 \DeclareInputText{172}{\textSFxxxvii}
4358 \DeclareInputText{173}{\textSFxxxvii}
4359 \DeclareInputText{174}{\textSFxxvi}
4360 \DeclareInputText{175}{\textSFxxxvi}
4361 \DeclareInputText{176}{\textSFxxxvii}
4362 \DeclareInputText{177}{\textSFxlii}
4363 \DeclareInputText{178}{\textSFxix}
4364 \DeclareInputText{179}{\textCYRYO}
4365 \DeclareInputText{180}{\textSFxx}
4366 \DeclareInputText{181}{\textSFxxiii}
4367 \DeclareInputText{182}{\textSFxlvii}
4368 \DeclareInputText{183}{\textSFxlviii}
4369 \DeclareInputText{184}{\textSFxli}
4370 \DeclareInputText{185}{\textSFxlv}
4371 \DeclareInputText{186}{\textSFxlvi}
4372 \DeclareInputText{187}{\textSFxl}
4373 \DeclareInputText{188}{\textSFliv}
4374 \DeclareInputText{189}{\textSFliii}
4375 \DeclareInputText{190}{\textSFxliv}
4376 \DeclareInputText{191}{\textcopyright}
4377 \DeclareInputText{192}{\textcyryu}
4378 \DeclareInputText{193}{\textcyra}
4379 \DeclareInputText{194}{\textcyrb}
4380 \DeclareInputText{195}{\textcyrc}
4381 \DeclareInputText{196}{\textcyrd}
4382 \DeclareInputText{197}{\textcyre}
4383 \DeclareInputText{198}{\textcyrf}
4384 \DeclareInputText{199}{\textcyrg}
4385 \DeclareInputText{200}{\textcyrh}
4386 \DeclareInputText{201}{\textcyri}
4387 \DeclareInputText{202}{\textcyrishrt}
4388 \DeclareInputText{203}{\textcyrk}
4389 \DeclareInputText{204}{\textcyr1}
4390 \DeclareInputText{205}{\textcyrm}
4391 \DeclareInputText{206}{\textcyrn}
4392 \DeclareInputText{207}{\textcyro}
4393 \DeclareInputText{208}{\textcyp}
4394 \DeclareInputText{209}{\textcyrya}
4395 \DeclareInputText{210}{\textcyrr}
4396 \DeclareInputText{211}{\textcrys}
4397 \DeclareInputText{212}{\textcyrt}
4398 \DeclareInputText{213}{\textcyru}
4399 \DeclareInputText{214}{\textcyrzh}
4400 \DeclareInputText{215}{\textcyrv}
4401 \DeclareInputText{216}{\textcrysftsn}
4402 \DeclareInputText{217}{\textcyrery}
4403 \DeclareInputText{218}{\textcyrz}
4404 \DeclareInputText{219}{\textcyrsh}
4405 \DeclareInputText{220}{\textcyrerev}
4406 \DeclareInputText{221}{\textcyrshch}
4407 \DeclareInputText{222}{\textcyrch}
4408 \DeclareInputText{223}{\textcyrhrdsn}
4409 \DeclareInputText{224}{\textCYRYU}
4410 \DeclareInputText{225}{\textCYRA}
4411 \DeclareInputText{226}{\textCYRB}
4412 \DeclareInputText{227}{\textCYRC}
4413 \DeclareInputText{228}{\textCYRD}
4414 \DeclareInputText{229}{\textCYRE}
```

```

4415 \DeclareInputText{230}{\CYRF}
4416 \DeclareInputText{231}{\CYRG}
4417 \DeclareInputText{232}{\CYRH}
4418 \DeclareInputText{233}{\CYRI}
4419 \DeclareInputText{234}{\CYRISHRT}
4420 \DeclareInputText{235}{\CYRK}
4421 \DeclareInputText{236}{\CYRL}
4422 \DeclareInputText{237}{\CYRM}
4423 \DeclareInputText{238}{\CYRN}
4424 \DeclareInputText{239}{\CYRO}
4425 \DeclareInputText{240}{\CYRP}
4426 \DeclareInputText{241}{\CYRYA}
4427 \DeclareInputText{242}{\CYRR}
4428 \DeclareInputText{243}{\CYRS}
4429 \DeclareInputText{244}{\CYRT}
4430 \DeclareInputText{245}{\CYRU}
4431 \DeclareInputText{246}{\CYRZH}
4432 \DeclareInputText{247}{\CYRV}
4433 \DeclareInputText{248}{\CYRSFTSN}
4434 \DeclareInputText{249}{\CYRERY}
4435 \DeclareInputText{250}{\CYRZ}
4436 \DeclareInputText{251}{\CYRSH}
4437 \DeclareInputText{252}{\CYREREV}
4438 \DeclareInputText{253}{\CYRSHCH}
4439 \DeclareInputText{254}{\CYRCH}
4440 \DeclareInputText{255}{\CYRHRDSN}
4441 \RestoreAtCatcode
4442 {/koi8-r}

```

2.5.28 Encoding mac-centeuro

```

4443 {*mac - centeuro}
4444 \ProvidesFile{x-mac-centeuro.def}%
4445 [2009/12/15 v1.5 Input encoding mac-centeuro (inputenx)]%
4446 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
4447 \makeatletter
4448 \ProvideTextCommandDefault{\textasciicaron}{%
4449   \v{}%
4450 }
4451 \ProvideTextCommandDefault{\textasciidieresis}{%
4452   \v{}%
4453 }
4454 \ProvideTextCommandDefault{\textdegree}{%
4455   \ensuremath{\circ}%
4456 }
4457 \ProvideTextCommandDefault{\textdiv}{%
4458   \TextSymbolUnavailable\textdiv
4459 }
4460 \ProvideTextCommandDefault{\textgreaterequal}{%
4461   \ensuremath{\geq}%
4462 }
4463 \ProvideTextCommandDefault{\textincrement}{%
4464   \ensuremath{\Delta}%
4465 }
4466 \ProvideTextCommandDefault{\textlessequal}{%
4467   \ensuremath{\leq}%
4468 }
4469 \ProvideTextCommandDefault{\textlnot}{%
4470   \ensuremath{\lnot}%
4471 }
4472 \ProvideTextCommandDefault{\textlozenge}{%
4473   \ensuremath{\diamond}%
4474 }
4475 \ProvideTextCommandDefault{\textnotequal}{%

```

```

4476  \ensuremath\negq
4477 }
4478 \ProvideTextCommandDefault{\textpartial}{%
4479  \ensuremath\partial
4480 }
4481 \ProvideTextCommandDefault{\textsummation}{%
4482  \ensuremath\Sigma
4483 }
4484 \ProvideTextCommandDefault{\textsurd}{%
4485  \ensuremath\surd
4486 }
4487 \DeclareInputText{128}{\"A}
4488 \DeclareInputText{129}{\@tabackludge=A}
4489 \DeclareInputText{130}{\@tabackludge=a}
4490 \DeclareInputText{131}{\@tabackludge'E}
4491 \DeclareInputText{132}{\k A}
4492 \DeclareInputText{133}{\"O}
4493 \DeclareInputText{134}{\@tabackludge'a}
4494 \DeclareInputText{135}{\@tabackludge'a}
4495 \DeclareInputText{136}{\k a}
4496 \DeclareInputText{137}{\v C}
4497 \DeclareInputText{138}{\"a}
4498 \DeclareInputText{139}{\v c}
4499 \DeclareInputText{140}{\@tabackludge'C}
4500 \DeclareInputText{141}{\@tabackludge'c}
4501 \DeclareInputText{142}{\@tabackludge'e}
4502 \DeclareInputText{143}{\@tabackludge'Z}
4503 \DeclareInputText{144}{\@tabackludge'z}
4504 \DeclareInputText{145}{\v D}
4505 \DeclareInputText{146}{\@tabackludge'i}
4506 \DeclareInputText{147}{\v d}
4507 \DeclareInputText{148}{\@tabackludge=E}
4508 \DeclareInputText{149}{\@tabackludge=e}
4509 \DeclareInputText{150}{\.E}
4510 \DeclareInputText{151}{\@tabackludge'o}
4511 \DeclareInputText{152}{\.e}
4512 \DeclareInputText{153}{\^o}
4513 \DeclareInputText{154}{\"o}
4514 \DeclareInputText{155}{\~o}
4515 \DeclareInputText{156}{\@tabackludge'u}
4516 \DeclareInputText{157}{\v E}
4517 \DeclareInputText{158}{\v e}
4518 \DeclareInputText{159}{\"u}
4519 \DeclareInputText{160}{\textdagger}
4520 \DeclareInputText{161}{\textdegree}
4521 \DeclareInputText{162}{\k E}
4522 \DeclareInputText{163}{\textsterling}
4523 \DeclareInputText{164}{\textsection}
4524 \DeclareInputText{165}{\textbullet}
4525 \DeclareInputText{166}{\textparagraph}
4526 \DeclareInputText{167}{\ss}
4527 \DeclareInputText{168}{\textregistered}
4528 \DeclareInputText{169}{\textcopyright}
4529 \DeclareInputText{170}{\texttrademark}
4530 \DeclareInputText{171}{\k e}
4531 \DeclareInputText{172}{\textasciidierepsilon}
4532 \DeclareInputText{173}{\textnotequal}
4533 \DeclareInputText{174}{\v g}
4534 \DeclareInputText{175}{\k I}
4535 \DeclareInputText{176}{\k i}
4536 \DeclareInputText{177}{\@tabackludge=I}
4537 \DeclareInputText{178}{\textlessequal}

```

```
4538 \DeclareInputText{179}{\textgreater=equal}
4539 \DeclareInputText{180}{\@tabacckludge=i}
4540 \DeclareInputText{181}{\c K}
4541 \DeclareInputText{182}{\textpartial}
4542 \DeclareInputText{183}{\textsummation}
4543 \DeclareInputText{184}{\l}
4544 \DeclareInputText{185}{\c L}
4545 \DeclareInputText{186}{\c l}
4546 \DeclareInputText{187}{\v L}
4547 \DeclareInputText{188}{\v l}
4548 \DeclareInputText{189}{\@tabacckludge'L}
4549 \DeclareInputText{190}{\@tabacckludge'l}
4550 \DeclareInputText{191}{\c N}
4551 \DeclareInputText{192}{\c n}
4552 \DeclareInputText{193}{\@tabacckludge'N}
4553 \DeclareInputText{194}{\textlnot}
4554 \DeclareInputText{195}{\texttsurd}
4555 \DeclareInputText{196}{\@tabacckludge'n}
4556 \DeclareInputText{197}{\v N}
4557 \DeclareInputText{198}{\textincrement}
4558 \DeclareInputText{199}{\guillemotleft}
4559 \DeclareInputText{200}{\guillemotright}
4560 \DeclareInputText{201}{\textellipsis}
4561 \DeclareInputText{202}{\nobreakspace}
4562 \DeclareInputText{203}{\v n}
4563 \DeclareInputText{204}{\H O}
4564 \DeclareInputText{205}{\^O}
4565 \DeclareInputText{206}{\H o}
4566 \DeclareInputText{207}{\@tabacckludge=O}
4567 \DeclareInputText{208}{\textendash}
4568 \DeclareInputText{209}{\textemdash}
4569 \DeclareInputText{210}{\textquotedblleft}
4570 \DeclareInputText{211}{\textquotedblright}
4571 \DeclareInputText{212}{\textquotelleft}
4572 \DeclareInputText{213}{\textquoteright}
4573 \DeclareInputText{214}{\textdiv}
4574 \DeclareInputText{215}{\textlozenge}
4575 \DeclareInputText{216}{\@tabacckludge=o}
4576 \DeclareInputText{217}{\@tabacckludge'R}
4577 \DeclareInputText{218}{\@tabacckludge'r}
4578 \DeclareInputText{219}{\v R}
4579 \DeclareInputText{220}{\guilsinglleft}
4580 \DeclareInputText{221}{\guilsinglright}
4581 \DeclareInputText{222}{\v r}
4582 \DeclareInputText{223}{\c R}
4583 \DeclareInputText{224}{\c r}
4584 \DeclareInputText{225}{\v S}
4585 \DeclareInputText{226}{\quotesinglbase}
4586 \DeclareInputText{227}{\quotedblbase}
4587 \DeclareInputText{228}{\v s}
4588 \DeclareInputText{229}{\@tabacckludge'S}
4589 \DeclareInputText{230}{\@tabacckludge's}
4590 \DeclareInputText{231}{\@tabacckludge'A}
4591 \DeclareInputText{232}{\v T}
4592 \DeclareInputText{233}{\v t}
4593 \DeclareInputText{234}{\@tabacckludge'I}
4594 \DeclareInputText{235}{\v Z}
4595 \DeclareInputText{236}{\v z}
4596 \DeclareInputText{237}{\@tabacckludge=U}
4597 \DeclareInputText{238}{\@tabacckludge'0}
4598 \DeclareInputText{239}{\^O}
4599 \DeclareInputText{240}{\@tabacckludge=u}
```

```

4600 \DeclareInputText{241}{\r U}
4601 \DeclareInputText{242}{\@tabacckludge'U}
4602 \DeclareInputText{243}{\r u}
4603 \DeclareInputText{244}{\H U}
4604 \DeclareInputText{245}{\H u}
4605 \DeclareInputText{246}{\k U}
4606 \DeclareInputText{247}{\k u}
4607 \DeclareInputText{248}{\@tabacckludge'Y}
4608 \DeclareInputText{249}{\@tabacckludge'y}
4609 \DeclareInputText{250}{\c k}
4610 \DeclareInputText{251}{\.Z}
4611 \DeclareInputText{252}{\L}
4612 \DeclareInputText{253}{\.z}
4613 \DeclareInputText{254}{\c G}
4614 \DeclareInputText{255}{\textasciicaron}
4615 \RestoreAtCatcode
4616 {/mac - centeuro}

```

2.5.29 Encoding mac-cyrillic

```

4617 {*mac - cyrillic}
4618 \ProvidesFile{x-mac-cyrillic.def}%
4619 [2009/12/15 v1.5 Input encoding mac-cyrillic (inputenx)]%
4620 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
4621 \makeatletter
4622 \ProvideTextCommandDefault{\textapproxequal}{%
4623 \ensuremath\approx
4624 }
4625 \ProvideTextCommandDefault{\textdegree}{%
4626 \ensuremath{\circ}
4627 }
4628 \ProvideTextCommandDefault{\textdiv}{%
4629 \TextSymbolUnavailable\textdiv
4630 }
4631 \ProvideTextCommandDefault{\texteuro}{%
4632 \TextSymbolUnavailable\texteuro
4633 }
4634 \ProvideTextCommandDefault{\textflorin}{%
4635 \textit{f}}
4636 }
4637 \ProvideTextCommandDefault{\textgreaterequal}{%
4638 \ensuremath\geq
4639 }
4640 \ProvideTextCommandDefault{\textincrement}{%
4641 \ensuremath\Delta
4642 }
4643 \ProvideTextCommandDefault{\textinfinity}{%
4644 \ensuremath\infty
4645 }
4646 \ProvideTextCommandDefault{\textlesseqn}{%
4647 \ensuremath\leq
4648 }
4649 \ProvideTextCommandDefault{\textlnot}{%
4650 \ensuremath\lnot
4651 }
4652 \ProvideTextCommandDefault{\textmu}{%
4653 \ensuremath\mu
4654 }
4655 \ProvideTextCommandDefault{\textnotequal}{%
4656 \ensuremath\neq
4657 }
4658 \ProvideTextCommandDefault{\textnumero}{%
4659 N%
4660 \bgroup

```

```

4661      \check@mathfonts
4662      \fontsize{sf@size}{z@}
4663      \math@fontsfalse
4664      \selectfont
4665      \ooalign{%
4666          \raise0.5ex\hbox{o}%
4667          \crcr
4668          \hline
4669      }%
4670  \egroup
4671 }
4672 \ProvideTextCommandDefault{\textpm}{%
4673   \ensuremath\pm
4674 }
4675 \ProvideTextCommandDefault{\textsurd}{%
4676   \ensuremath\surd
4677 }
4678 \DeclareInputText{128}{\CYRA}
4679 \DeclareInputText{129}{\CYRB}
4680 \DeclareInputText{130}{\CYRV}
4681 \DeclareInputText{131}{\CYRG}
4682 \DeclareInputText{132}{\CYRD}
4683 \DeclareInputText{133}{\CYRE}
4684 \DeclareInputText{134}{\CYRZH}
4685 \DeclareInputText{135}{\CYRZ}
4686 \DeclareInputText{136}{\CYRI}
4687 \DeclareInputText{137}{\CYRISHRT}
4688 \DeclareInputText{138}{\CYRK}
4689 \DeclareInputText{139}{\CYRL}
4690 \DeclareInputText{140}{\CYRM}
4691 \DeclareInputText{141}{\CYRN}
4692 \DeclareInputText{142}{\CYRO}
4693 \DeclareInputText{143}{\CYRP}
4694 \DeclareInputText{144}{\CYRR}
4695 \DeclareInputText{145}{\CYRS}
4696 \DeclareInputText{146}{\CYRT}
4697 \DeclareInputText{147}{\CYRU}
4698 \DeclareInputText{148}{\CYRF}
4699 \DeclareInputText{149}{\CYRH}
4700 \DeclareInputText{150}{\CYRC}
4701 \DeclareInputText{151}{\CYRCH}
4702 \DeclareInputText{152}{\CYRSH}
4703 \DeclareInputText{153}{\CYRSHCH}
4704 \DeclareInputText{154}{\CYRHRDSN}
4705 \DeclareInputText{155}{\CYRERY}
4706 \DeclareInputText{156}{\CYRSFTSN}
4707 \DeclareInputText{157}{\CYREREV}
4708 \DeclareInputText{158}{\CYRYU}
4709 \DeclareInputText{159}{\CYRYA}
4710 \DeclareInputText{160}{\textdagger}
4711 \DeclareInputText{161}{\textdegree}
4712 \DeclareInputText{162}{\CYRGUP}
4713 \DeclareInputText{163}{\textsterling}
4714 \DeclareInputText{164}{\textsection}
4715 \DeclareInputText{165}{\textbullet}
4716 \DeclareInputText{166}{\textparagraph}
4717 \DeclareInputText{167}{\CYRII}
4718 \DeclareInputText{168}{\textregistered}
4719 \DeclareInputText{169}{\textcopyright}
4720 \DeclareInputText{170}{\texttrademark}
4721 \DeclareInputText{171}{\CYRDJE}
4722 \DeclareInputText{172}{\cyrdje}

```

```
4723 \DeclareInputText{173}{\textnotequal}
4724 \DeclareInputText{174}{\@tabacckludge'\CYRG}
4725 \DeclareInputText{175}{\@tabacckludge'\cyrg}
4726 \DeclareInputText{176}{\textinfinity}
4727 \DeclareInputText{177}{\textpm}
4728 \DeclareInputText{178}{\textlessequal}
4729 \DeclareInputText{179}{\textgreaterequal}
4730 \DeclareInputText{180}{\cyrii}
4731 \DeclareInputText{181}{\textmu}
4732 \DeclareInputText{182}{\cyrgup}
4733 \DeclareInputText{183}{\CYRJE}
4734 \DeclareInputText{184}{\CYRIE}
4735 \DeclareInputText{185}{\cyrie}
4736 \DeclareInputText{186}{\CYRYI}
4737 \DeclareInputText{187}{\cyryi}
4738 \DeclareInputText{188}{\CYRLJE}
4739 \DeclareInputText{189}{\cyrlye}
4740 \DeclareInputText{190}{\CYRNJE}
4741 \DeclareInputText{191}{\cyrnje}
4742 \DeclareInputText{192}{\cyrje}
4743 \DeclareInputText{193}{\CYRDZE}
4744 \DeclareInputText{194}{\textlnot}
4745 \DeclareInputText{195}{\textsurd}
4746 \DeclareInputText{196}{\textflorin}
4747 \DeclareInputText{197}{\textapproxequal}
4748 \DeclareInputText{198}{\textincrement}
4749 \DeclareInputText{199}{\guillemotleft}
4750 \DeclareInputText{200}{\guillemotright}
4751 \DeclareInputText{201}{\textellipsis}
4752 \DeclareInputText{202}{\nobreakspace}
4753 \DeclareInputText{203}{\CYRTSHE}
4754 \DeclareInputText{204}{\cyrtshe}
4755 \DeclareInputText{205}{\@tabacckludge'\CYRK}
4756 \DeclareInputText{206}{\@tabacckludge'\cyrk}
4757 \DeclareInputText{207}{\cyrdze}
4758 \DeclareInputText{208}{\textendash}
4759 \DeclareInputText{209}{\textemdash}
4760 \DeclareInputText{210}{\textquotedblleft}
4761 \DeclareInputText{211}{\textquotedblright}
4762 \DeclareInputText{212}{\textquotelleft}
4763 \DeclareInputText{213}{\textquoteright}
4764 \DeclareInputText{214}{\textdiv}
4765 \DeclareInputText{215}{\quotedblbase}
4766 \DeclareInputText{216}{\CYRUSHRT}
4767 \DeclareInputText{217}{\cyrushrt}
4768 \DeclareInputText{218}{\CYRDZHE}
4769 \DeclareInputText{219}{\cyrdzhe}
4770 \DeclareInputText{220}{\textnumero}
4771 \DeclareInputText{221}{\CYRYO}
4772 \DeclareInputText{222}{\cyryo}
4773 \DeclareInputText{223}{\cyrya}
4774 \DeclareInputText{224}{\cyra}
4775 \DeclareInputText{225}{\cyrb}
4776 \DeclareInputText{226}{\cyrv}
4777 \DeclareInputText{227}{\cyrg}
4778 \DeclareInputText{228}{\cyrd}
4779 \DeclareInputText{229}{\cyre}
4780 \DeclareInputText{230}{\cyrzh}
4781 \DeclareInputText{231}{\cyrz}
4782 \DeclareInputText{232}{\cyri}
4783 \DeclareInputText{233}{\cyrishrt}
4784 \DeclareInputText{234}{\cyrk}
```

```

4785 \DeclareInputText{235}{\cyr1}
4786 \DeclareInputText{236}{\cyrm}
4787 \DeclareInputText{237}{\cyrn}
4788 \DeclareInputText{238}{\cyro}
4789 \DeclareInputText{239}{\cyp}
4790 \DeclareInputText{240}{\cyrp}
4791 \DeclareInputText{241}{\cyrp}
4792 \DeclareInputText{242}{\cyrp}
4793 \DeclareInputText{243}{\cyrp}
4794 \DeclareInputText{244}{\cyrp}
4795 \DeclareInputText{245}{\cyrh}
4796 \DeclareInputText{246}{\cyrh}
4797 \DeclareInputText{247}{\cyrch}
4798 \DeclareInputText{248}{\cyrsh}
4799 \DeclareInputText{249}{\cyrshch}
4800 \DeclareInputText{250}{\cyrhrdsn}
4801 \DeclareInputText{251}{\cyrery}
4802 \DeclareInputText{252}{\cyrfsns}
4803 \DeclareInputText{253}{\cyrerev}
4804 \DeclareInputText{254}{\cyrlyu}
4805 \DeclareInputText{255}{\texteuro}
4806 \RestoreAtCatcode
4807 /mac – cyrillic

```

2.5.30 Encoding mac-roman

```

4808 <*mac – roman>
4809 \ProvidesFile{x-mac-roman.def}%
4810 [2009/12/15 v1.5 Input encoding mac-roman (inputenx)]%
4811 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
4812 \makeatletter
4813 \ProvideTextCommandDefault{\textOmega}{%
4814 \ensuremath\Omega
4815 }
4816 \ProvideTextCommandDefault{\textacute}{%
4817 \H{}%
4818 }
4819 \ProvideTextCommandDefault{\textapprox}{%
4820 \ensuremath\approx
4821 }
4822 \ProvideTextCommandDefault{\textasciiaacute}{%
4823 \tabacckludge'{}%
4824 }
4825 \ProvideTextCommandDefault{\textasciibreve}{%
4826 \u{}%
4827 }
4828 \ProvideTextCommandDefault{\textasciicaron}{%
4829 \v{}%
4830 }
4831 \ProvideTextCommandDefault{\textasciidieresis}{%
4832 "{}%
4833 }
4834 \ProvideTextCommandDefault{\textasciimacron}{%
4835 \tabacckludge={}%
4836 }
4837 \ProvideTextCommandDefault{\textcent}{%
4838 \TextSymbolUnavailable\textcent
4839 }
4840 \ProvideTextCommandDefault{\textdegree}{%
4841 \ensuremath{{}^\circ}%
4842 }
4843 \ProvideTextCommandDefault{\textdiv}{%
4844 \TextSymbolUnavailable\textdiv
4845 }

```

```

4846 \ProvideTextCommandDefault{\texteuro}{%
4847   \TextSymbolUnavailable\texteuro
4848 }
4849 \ProvideTextCommandDefault{\textflorin}{%
4850   \textit{f}%
4851 }
4852 \ProvideTextCommandDefault{\textfractionsolidus}{%
4853   /%
4854 }
4855 \ProvideTextCommandDefault{\textgreaterequal}{%
4856   \ensuremath\geq
4857 }
4858 \ProvideTextCommandDefault{\textincrement}{%
4859   \ensuremath\Delta
4860 }
4861 \ProvideTextCommandDefault{\textinfinity}{%
4862   \ensuremath\infty
4863 }
4864 \ProvideTextCommandDefault{\textintegral}{%
4865   \ensuremath\int
4866 }
4867 \ProvideTextCommandDefault{\textlessequal}{%
4868   \ensuremath\leq
4869 }
4870 \ProvideTextCommandDefault{\textlnot}{%
4871   \ensuremath\lnot
4872 }
4873 \ProvideTextCommandDefault{\textlozenge}{%
4874   \ensuremath\diamond
4875 }
4876 \ProvideTextCommandDefault{\textmu}{%
4877   \ensuremath\mu
4878 }
4879 \ProvideTextCommandDefault{\textnotequal}{%
4880   \ensuremath\neq
4881 }
4882 \ProvideTextCommandDefault{\textpartial}{%
4883   \ensuremath\partial
4884 }
4885 \ProvideTextCommandDefault{\textpi}{%
4886   \ensuremath\pi
4887 }
4888 \ProvideTextCommandDefault{\textpm}{%
4889   \ensuremath\pm
4890 }
4891 \ProvideTextCommandDefault{\textproduct}{%
4892   \ensuremath\prod
4893 }
4894 \ProvideTextCommandDefault{\textsummation}{%
4895   \ensuremath\Sigma
4896 }
4897 \ProvideTextCommandDefault{\textsurd}{%
4898   \ensuremath\surd
4899 }
4900 \ProvideTextCommandDefault{\textyen}{%
4901   \TextSymbolUnavailable\textyen
4902 }
4903 \DeclareInputText{128}{\"A}
4904 \DeclareInputText{129}{\r A}
4905 \DeclareInputText{130}{\c C}
4906 \DeclareInputText{131}{\@tabacckludge'E}
4907 \DeclareInputText{132}{\^N}

```

```
4908 \DeclareInputText{133}{\"0}
4909 \DeclareInputText{134}{\"U}
4910 \DeclareInputText{135}{\@tabacckludge'a}
4911 \DeclareInputText{136}{\@tabacckludge'a}
4912 \DeclareInputText{137}{\^a}
4913 \DeclareInputText{138}{\"a}
4914 \DeclareInputText{139}{\~a}
4915 \DeclareInputText{140}{\r a}
4916 \DeclareInputText{141}{\c c}
4917 \DeclareInputText{142}{\@tabacckludge'e}
4918 \DeclareInputText{143}{\@tabacckludge'e}
4919 \DeclareInputText{144}{\^e}
4920 \DeclareInputText{145}{\"e}
4921 \DeclareInputText{146}{\@tabacckludge'i}
4922 \DeclareInputText{147}{\@tabacckludge'\i}
4923 \DeclareInputText{148}{\^i}
4924 \DeclareInputText{149}{\"i}
4925 \DeclareInputText{150}{\^n}
4926 \DeclareInputText{151}{\@tabacckludge'o}
4927 \DeclareInputText{152}{\@tabacckludge'o}
4928 \DeclareInputText{153}{\^o}
4929 \DeclareInputText{154}{\"o}
4930 \DeclareInputText{155}{\~o}
4931 \DeclareInputText{156}{\@tabacckludge'u}
4932 \DeclareInputText{157}{\@tabacckludge'u}
4933 \DeclareInputText{158}{\^u}
4934 \DeclareInputText{159}{\"u}
4935 \DeclareInputText{160}{\textdagger}
4936 \DeclareInputText{161}{\textdegree}
4937 \DeclareInputText{162}{\textcent}
4938 \DeclareInputText{163}{\textsterling}
4939 \DeclareInputText{164}{\textsection}
4940 \DeclareInputText{165}{\textbullet}
4941 \DeclareInputText{166}{\textparagraph}
4942 \DeclareInputText{167}{\ss}
4943 \DeclareInputText{168}{\textregistered}
4944 \DeclareInputText{169}{\textcopyright}
4945 \DeclareInputText{170}{\texttrademark}
4946 \DeclareInputText{171}{\textasciicircum}
4947 \DeclareInputText{172}{\textasciitilde}
4948 \DeclareInputText{173}{\textnot}
4949 \DeclareInputText{174}{\AE}
4950 \DeclareInputText{175}{\O}
4951 \DeclareInputText{176}{\textinfinity}
4952 \DeclareInputText{177}{\textpm}
4953 \DeclareInputText{178}{\textleq}
4954 \DeclareInputText{179}{\textgeq}
4955 \DeclareInputText{180}{\textyen}
4956 \DeclareInputText{181}{\textmu}
4957 \DeclareInputText{182}{\textpartial}
4958 \DeclareInputText{183}{\textsummation}
4959 \DeclareInputText{184}{\textproduct}
4960 \DeclareInputText{185}{\textpi}
4961 \DeclareInputText{186}{\textintegral}
4962 \DeclareInputText{187}{\textordfeminine}
4963 \DeclareInputText{188}{\textordmasculine}
4964 \DeclareInputText{189}{\textOmega}
4965 \DeclareInputText{190}{\ae}
4966 \DeclareInputText{191}{\o}
4967 \DeclareInputText{192}{\textquestiondown}
4968 \DeclareInputText{193}{\textexclamdown}
4969 \DeclareInputText{194}{\textlnot}
```

```

4970 \DeclareInputText{195}{\textsurd}
4971 \DeclareInputText{196}{\textflorin}
4972 \DeclareInputText{197}{\textapproxeq}
4973 \DeclareInputText{198}{\textincrement}
4974 \DeclareInputText{199}{\guillemotleft}
4975 \DeclareInputText{200}{\guillemotright}
4976 \DeclareInputText{201}{\textellipsis}
4977 \DeclareInputText{202}{\nobreakspace}
4978 \DeclareInputText{203}{\@tabacckludge'A}
4979 \DeclareInputText{204}{\^A}
4980 \DeclareInputText{205}{\~O}
4981 \DeclareInputText{206}{\OE}
4982 \DeclareInputText{207}{\oe}
4983 \DeclareInputText{208}{\textendash}
4984 \DeclareInputText{209}{\textemdash}
4985 \DeclareInputText{210}{\textquotedblleft}
4986 \DeclareInputText{211}{\textquotedblright}
4987 \DeclareInputText{212}{\textquotleft}
4988 \DeclareInputText{213}{\textquotright}
4989 \DeclareInputText{214}{\textdiv}
4990 \DeclareInputText{215}{\textlozenge}
4991 \DeclareInputText{216}{\texty}
4992 \DeclareInputText{217}{\textY}
4993 \DeclareInputText{218}{\textfractionsolidus}
4994 \DeclareInputText{219}{\texteuro}
4995 \DeclareInputText{220}{\guilsinglleft}
4996 \DeclareInputText{221}{\guilsinglright}
4997 \DeclareInputText{222}{\textfi}
4998 \DeclareInputText{223}{\textfl}
4999 \DeclareInputText{224}{\textdaggerdbl}
5000 \DeclareInputText{225}{\textperiodcentered}
5001 \DeclareInputText{226}{\textquotingleft}
5002 \DeclareInputText{227}{\textquoteright}
5003 \DeclareInputText{228}{\textperthousand}
5004 \DeclareInputText{229}{\^A}
5005 \DeclareInputText{230}{\^E}
5006 \DeclareInputText{231}{\@tabacckludge'A}
5007 \DeclareInputText{232}{\^E}
5008 \DeclareInputText{233}{\@tabacckludge'E}
5009 \DeclareInputText{234}{\@tabacckludge'I}
5010 \DeclareInputText{235}{\^I}
5011 \DeclareInputText{236}{\^I}
5012 \DeclareInputText{237}{\@tabacckludge'I}
5013 \DeclareInputText{238}{\@tabacckludge'0}
5014 \DeclareInputText{239}{\^O}
5015 \DeclareInputText{241}{\@tabacckludge'0}
5016 \DeclareInputText{242}{\@tabacckludge'U}
5017 \DeclareInputText{243}{\^U}
5018 \DeclareInputText{244}{\@tabacckludge'U}
5019 \DeclareInputText{245}{\texti}
5020 \DeclareInputText{246}{\textasciicircum}
5021 \DeclareInputText{247}{\textasciitilde}
5022 \DeclareInputText{248}{\textasciimacron}
5023 \DeclareInputText{249}{\textasciibreve}
5024 \DeclareInputText{250}{\.{.}}
5025 \DeclareInputText{251}{\r{}}
5026 \DeclareInputText{252}{\c{} }
5027 \DeclareInputText{253}{\textacutedbl}
5028 \DeclareInputText{254}{\k{}}
5029 \DeclareInputText{255}{\textasciicaron}
5030 \RestoreAtCatcode
5031 </mac – roman>

```

2.5.31 Encoding nextstep

```
5032 {*nextstep}
5033 \ProvidesFile{x-nextstep.def}%
5034 [2009/12/15 v1.5 Input encoding nextstep (inputenx)]%
5035 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
5036 \makeatletter
5037 \ProvideTextCommandDefault{\textacutedbl}{%
5038   \H{}%
5039 }
5040 \ProvideTextCommandDefault{\textasciiacute}{%
5041   \@tabacckludge'{}%
5042 }
5043 \ProvideTextCommandDefault{\textasciibreve}{%
5044   \u{}%
5045 }
5046 \ProvideTextCommandDefault{\textasciicaron}{%
5047   \v{}%
5048 }
5049 \ProvideTextCommandDefault{\textasciidieresis}{%
5050   \\"{}%
5051 }
5052 \ProvideTextCommandDefault{\textasciigrave}{%
5053   \@tabacckludge`{}%
5054 }
5055 \ProvideTextCommandDefault{\textasciimacron}{%
5056   \@tabacckludge={}%
5057 }
5058 \ProvideTextCommandDefault{\textbrokenbar}{%
5059   \TextSymbolUnavailable\textbrokenbar
5060 }
5061 \ProvideTextCommandDefault{\textcent}{%
5062   \TextSymbolUnavailable\textcent
5063 }
5064 \ProvideTextCommandDefault{\textcurrency}{%
5065   \TextSymbolUnavailable\textcurrency
5066 }
5067 \ProvideTextCommandDefault{\textdiv}{%
5068   \TextSymbolUnavailable\textdiv
5069 }
5070 \ProvideTextCommandDefault{\textflorin}{%
5071   \textit{f}%
5072 }
5073 \ProvideTextCommandDefault{\textfractionsolidus}{%
5074   /%
5075 }
5076 \ProvideTextCommandDefault{\textlnot}{%
5077   \ensuremath\lnot
5078 }
5079 \ProvideTextCommandDefault{\textmu}{%
5080   \ensuremath\mu
5081 }
5082 \ProvideTextCommandDefault{\textonehalf}{%
5083   \ensuremath{\frac{1}{2}}%
5084 }
5085 \ProvideTextCommandDefault{\textonequarter}{%
5086   \ensuremath{\frac{1}{4}}%
5087 }
5088 \ProvideTextCommandDefault{\textonesuperior}{%
5089   \ensuremath{\overset{1}{}}%
5090 }
5091 \ProvideTextCommandDefault{\textpm}{%
5092   \ensuremath\pm
```

```

5093 }
5094 \ProvideTextCommandDefault{\textthreequarters}{%
5095   \ensuremath{\frac{3}{4}}%
5096 }
5097 \ProvideTextCommandDefault{\textthreesuperior}{%
5098   \ensuremath{\overset{3}{\text{t}}\!}%
5099 }
5100 \ProvideTextCommandDefault{\textttimes}{%
5101   \ensuremath{\text{\tt t}\times\text{\tt t}}\!%
5102 }
5103 \ProvideTextCommandDefault{\texttwosuperior}{%
5104   \ensuremath{\overset{2}{\text{t}}\!}%
5105 }
5106 \ProvideTextCommandDefault{\textyen}{%
5107   \TextSymbolUnavailable\textyen
5108 }
5109 \DeclareInputText{128}{\nobreakspace}
5110 \DeclareInputText{129}{\@tabacckludge'A}
5111 \DeclareInputText{130}{\@tabacckludge'A}
5112 \DeclareInputText{131}{\^A}
5113 \DeclareInputText{132}{\`A}
5114 \DeclareInputText{133}{\"A}
5115 \DeclareInputText{134}{\r A}
5116 \DeclareInputText{135}{\c C}
5117 \DeclareInputText{136}{\@tabacckludge'E}
5118 \DeclareInputText{137}{\@tabacckludge'E}
5119 \DeclareInputText{138}{\^E}
5120 \DeclareInputText{139}{\"E}
5121 \DeclareInputText{140}{\@tabacckludge'I}
5122 \DeclareInputText{141}{\@tabacckludge'I}
5123 \DeclareInputText{142}{\^I}
5124 \DeclareInputText{143}{\"I}
5125 \DeclareInputText{144}{\DH}
5126 \DeclareInputText{145}{\^N}
5127 \DeclareInputText{146}{\@tabacckludge'0}
5128 \DeclareInputText{147}{\@tabacckludge'0}
5129 \DeclareInputText{148}{\^0}
5130 \DeclareInputText{149}{\`0}
5131 \DeclareInputText{150}{\"0}
5132 \DeclareInputText{151}{\@tabacckludge'U}
5133 \DeclareInputText{152}{\@tabacckludge'U}
5134 \DeclareInputText{153}{\^U}
5135 \DeclareInputText{154}{\"U}
5136 \DeclareInputText{155}{\@tabacckludge'Y}
5137 \DeclareInputText{156}{\TH}
5138 \DeclareInputText{157}{\textmu}
5139 \DeclareInputText{158}{\textttimes}
5140 \DeclareInputText{159}{\textdiv}
5141 \DeclareInputText{160}{\textcopyright}
5142 \DeclareInputText{161}{\textexclamdown}
5143 \DeclareInputText{162}{\textcent}
5144 \DeclareInputText{163}{\textsterling}
5145 \DeclareInputText{164}{\textfractionsolidus}
5146 \DeclareInputText{165}{\textyen}
5147 \DeclareInputText{166}{\textflorin}
5148 \DeclareInputText{167}{\textsection}
5149 \DeclareInputText{168}{\textcurrency}
5150 \DeclareInputText{169}{\textquoteright}
5151 \DeclareInputText{170}{\textquotedblleft}
5152 \DeclareInputText{171}{\guillemotleft}
5153 \DeclareInputText{172}{\guilsinglleft}
5154 \DeclareInputText{173}{\guilsinglright}

```

```
5155 \DeclareInputText{174}{\fi}
5156 \DeclareInputText{175}{\fl}
5157 \DeclareInputText{176}{\textregistered}
5158 \DeclareInputText{177}{\textendash}
5159 \DeclareInputText{178}{\textdagger}
5160 \DeclareInputText{179}{\textdaggerdbl}
5161 \DeclareInputText{180}{\textperiodcentered}
5162 \DeclareInputText{181}{\textbrokenbar}
5163 \DeclareInputText{182}{\textparagraph}
5164 \DeclareInputText{183}{\textbullet}
5165 \DeclareInputText{184}{\textquotingleftbase}
5166 \DeclareInputText{185}{\textquoterightbase}
5167 \DeclareInputText{186}{\textquoterightbright}
5168 \DeclareInputText{187}{\guillemotright}
5169 \DeclareInputText{188}{\textellipsis}
5170 \DeclareInputText{189}{\textperthousand}
5171 \DeclareInputText{190}{\textlnot}
5172 \DeclareInputText{191}{\textquestiondown}
5173 \DeclareInputText{192}{\textonesuperior}
5174 \DeclareInputText{193}{\textasciigrave}
5175 \DeclareInputText{194}{\textasciacute}
5176 \DeclareInputText{195}{\textasciicircum}
5177 \DeclareInputText{196}{\textasciitilde}
5178 \DeclareInputText{197}{\textasciimacron}
5179 \DeclareInputText{198}{\textasciibreve}
5180 \DeclareInputText{199}{\textasciidieresis}
5181 \DeclareInputText{200}{\textasciidieresis}
5182 \DeclareInputText{201}{\texttwosuperior}
5183 \DeclareInputText{202}{\textr}
5184 \DeclareInputText{203}{\textc}
5185 \DeclareInputText{204}{\textthreesuperior}
5186 \DeclareInputText{205}{\textacutedbl}
5187 \DeclareInputText{206}{\textk}
5188 \DeclareInputText{207}{\textasciicaron}
5189 \DeclareInputText{208}{\textemdash}
5190 \DeclareInputText{209}{\textpm}
5191 \DeclareInputText{210}{\textonequarter}
5192 \DeclareInputText{211}{\textonehalf}
5193 \DeclareInputText{212}{\textthreequarters}
5194 \DeclareInputText{213}{\textatbacckludge'a}
5195 \DeclareInputText{214}{\textatbacckludge'a}
5196 \DeclareInputText{215}{\texta}
5197 \DeclareInputText{216}{\texta}
5198 \DeclareInputText{217}{\texta}
5199 \DeclareInputText{218}{\textr\texta}
5200 \DeclareInputText{219}{\textc\textc}
5201 \DeclareInputText{220}{\textatbacckludge'e}
5202 \DeclareInputText{221}{\textatbacckludge'e}
5203 \DeclareInputText{222}{\texte}
5204 \DeclareInputText{223}{\texte}
5205 \DeclareInputText{224}{\textatbacckludge'i}
5206 \DeclareInputText{225}{\textAE}
5207 \DeclareInputText{226}{\textatbacckludge'i}
5208 \DeclareInputText{227}{\textordfeminine}
5209 \DeclareInputText{228}{\texti}
5210 \DeclareInputText{229}{\texti}
5211 \DeclareInputText{230}{\textdh}
5212 \DeclareInputText{231}{\textn}
5213 \DeclareInputText{232}{\textL}
5214 \DeclareInputText{233}{\textO}
5215 \DeclareInputText{234}{\textOE}
5216 \DeclareInputText{235}{\textordmasculine}
```

```

5217 \DeclareInputText{236}{\@tabacckludge{o}}
5218 \DeclareInputText{237}{\@tabacckludge{o}}
5219 \DeclareInputText{238}{\^o}
5220 \DeclareInputText{239}{\~o}
5221 \DeclareInputText{240}{\"o}
5222 \DeclareInputText{241}{\ae}
5223 \DeclareInputText{242}{\@tabacckludge{u}}
5224 \DeclareInputText{243}{\@tabacckludge{u}}
5225 \DeclareInputText{244}{\^u}
5226 \DeclareInputText{245}{\i}
5227 \DeclareInputText{246}{\"u}
5228 \DeclareInputText{247}{\@tabacckludge{y}}
5229 \DeclareInputText{248}{\l}
5230 \DeclareInputText{249}{\o}
5231 \DeclareInputText{250}{\oe}
5232 \DeclareInputText{251}{\ss}
5233 \DeclareInputText{252}{\th}
5234 \DeclareInputText{253}{\"y}
5235 \RestoreAtCatcode
5236{/nextstep}

```

2.5.32 Non-Unicode additions

```

5237 <*mac – roman>
5238 \ProvideTextCommandDefault{\textapplelogo}{%
5239   \TextSymbolUnavailable\textapplelogo
5240 }
5241 \DeclareInputText{240}{\textapplelogo}
5242{/mac – roman}

```

2.6 Additions for utf8enc.dfu

```

5243 <*dfu>
5244 \ProvidesFile{ix-utf8enc.dfu}%
5245 [2009/12/15 v1.5 Additions of inputenx for utf8enc.dfu]%
5246 \DeclareUnicodeCharacter{00A0}{\nobreakspace}
5247 \DeclareUnicodeCharacter{00AD}{‐}
5248 \DeclareUnicodeCharacter{0100}{\@tabacckludge=A}
5249 \DeclareUnicodeCharacter{0101}{\@tabacckludge=a}
5250 \DeclareUnicodeCharacter{0108}{\^C}
5251 \DeclareUnicodeCharacter{0109}{\`c}
5252 \DeclareUnicodeCharacter{010A}{\.C}
5253 \DeclareUnicodeCharacter{010B}{\.c}
5254 \DeclareUnicodeCharacter{0112}{\@tabacckludge=E}
5255 \DeclareUnicodeCharacter{0113}{\@tabacckludge=e}
5256 \DeclareUnicodeCharacter{0116}{\.E}
5257 \DeclareUnicodeCharacter{0117}{\.e}
5258 \DeclareUnicodeCharacter{011C}{\^G}
5259 \DeclareUnicodeCharacter{011D}{\`g}
5260 \DeclareUnicodeCharacter{0120}{\.G}
5261 \DeclareUnicodeCharacter{0121}{\.g}
5262 \DeclareUnicodeCharacter{0122}{\c G}
5263 \DeclareUnicodeCharacter{0123}{\v g}
5264 \DeclareUnicodeCharacter{0124}{\^H}
5265 \DeclareUnicodeCharacter{0125}{\`h}
5266 \DeclareUnicodeCharacter{0126}{\textmalteseH}
5267 \DeclareUnicodeCharacter{0127}{\textmalteseh}
5268 \DeclareUnicodeCharacter{0128}{\^I}
5269 \DeclareUnicodeCharacter{0129}{\`i}
5270 \DeclareUnicodeCharacter{012A}{\@tabacckludge=I}
5271 \DeclareUnicodeCharacter{012B}{\@tabacckludge=\i}
5272 \DeclareUnicodeCharacter{012E}{\k I}
5273 \DeclareUnicodeCharacter{012F}{\k i}
5274 \DeclareUnicodeCharacter{0134}{\^J}

```

```

5275 \DeclareUnicodeCharacter{0135}{\^j}
5276 \DeclareUnicodeCharacter{0136}{\c K}
5277 \DeclareUnicodeCharacter{0137}{\c k}
5278 \DeclareUnicodeCharacter{0138}{\textkra}
5279 \DeclareUnicodeCharacter{013B}{\c l}
5280 \DeclareUnicodeCharacter{013C}{\c l}
5281 \DeclareUnicodeCharacter{0145}{\c N}
5282 \DeclareUnicodeCharacter{0146}{\c n}
5283 \DeclareUnicodeCharacter{014C}{\@tabacckludge=0}
5284 \DeclareUnicodeCharacter{014D}{\@tabacckludge=o}
5285 \DeclareUnicodeCharacter{0156}{\c R}
5286 \DeclareUnicodeCharacter{0157}{\c r}
5287 \DeclareUnicodeCharacter{015C}{\^S}
5288 \DeclareUnicodeCharacter{015D}{\^s}
5289 \DeclareUnicodeCharacter{0166}{\textTstroke}
5290 \DeclareUnicodeCharacter{0167}{\texttstroke}
5291 \DeclareUnicodeCharacter{0168}{\^U}
5292 \DeclareUnicodeCharacter{0169}{\~u}
5293 \DeclareUnicodeCharacter{016A}{\@tabacckludge=U}
5294 \DeclareUnicodeCharacter{016B}{\@tabacckludge=u}
5295 \DeclareUnicodeCharacter{016C}{\u U}
5296 \DeclareUnicodeCharacter{016D}{\u u}
5297 \DeclareUnicodeCharacter{0172}{\k U}
5298 \DeclareUnicodeCharacter{0173}{\k u}
5299 \DeclareUnicodeCharacter{0174}{\^W}
5300 \DeclareUnicodeCharacter{0175}{\^w}
5301 \DeclareUnicodeCharacter{0176}{\^Y}
5302 \DeclareUnicodeCharacter{0177}{\^y}
5303 \DeclareUnicodeCharacter{1E02}{\.B}
5304 \DeclareUnicodeCharacter{1E03}{\.b}
5305 \DeclareUnicodeCharacter{1E0A}{\.D}
5306 \DeclareUnicodeCharacter{1E0B}{\.d}
5307 \DeclareUnicodeCharacter{1E1E}{\.F}
5308 \DeclareUnicodeCharacter{1E1F}{\.f}
5309 \DeclareUnicodeCharacter{1E40}{\.M}
5310 \DeclareUnicodeCharacter{1E41}{\.m}
5311 \DeclareUnicodeCharacter{1E56}{\.P}
5312 \DeclareUnicodeCharacter{1E57}{\.p}
5313 \DeclareUnicodeCharacter{1E60}{\.S}
5314 \DeclareUnicodeCharacter{1E61}{\.s}
5315 \DeclareUnicodeCharacter{1E6A}{\.T}
5316 \DeclareUnicodeCharacter{1E6B}{\.t}
5317 \DeclareUnicodeCharacter{1E80}{\@tabacckludge'W}
5318 \DeclareUnicodeCharacter{1E81}{\@tabacckludge'w}
5319 \DeclareUnicodeCharacter{1E82}{\@tabacckludge'W}
5320 \DeclareUnicodeCharacter{1E83}{\@tabacckludge'w}
5321 \DeclareUnicodeCharacter{1E84}{\ "W}
5322 \DeclareUnicodeCharacter{1E85}{\ "w}
5323 \DeclareUnicodeCharacter{1EF2}{\@tabacckludge'Y}
5324 \DeclareUnicodeCharacter{1EF3}{\@tabacckludge'y}
5325 \DeclareUnicodeCharacter{0218}{\textcommabelow S}
5326 \DeclareUnicodeCharacter{0219}{\textcommabelow s}
5327 \DeclareUnicodeCharacter{021A}{\textcommabelow T}
5328 \DeclareUnicodeCharacter{021B}{\textcommabelow t}
5329 \DeclareUnicodeCharacter{02CB}{\textasciigrave}
5330 \DeclareUnicodeCharacter{02D9}{\.\{\}}
5331 \DeclareUnicodeCharacter{02DA}{\r\{\}}
5332 \DeclareUnicodeCharacter{02DB}{\k\{\}}
5333 \DeclareUnicodeCharacter{0393}{\textGamma}
5334 \DeclareUnicodeCharacter{0398}{\textTheta}
5335 \DeclareUnicodeCharacter{03A3}{\textSigma}
5336 \DeclareUnicodeCharacter{03A6}{\textPhi}

```

```
5337 \DeclareUnicodeCharacter{03A9}{\textOmega}
5338 \DeclareUnicodeCharacter{03B1}{\textalpha}
5339 \DeclareUnicodeCharacter{03B2}{\textbeta}
5340 \DeclareUnicodeCharacter{03B4}{\textdelta}
5341 \DeclareUnicodeCharacter{03B5}{\textepsilon}
5342 \DeclareUnicodeCharacter{03C0}{\textpi}
5343 \DeclareUnicodeCharacter{03C3}{\textsigma}
5344 \DeclareUnicodeCharacter{03C4}{\texttau}
5345 \DeclareUnicodeCharacter{03C6}{\textphi}
5346 \DeclareUnicodeCharacter{0403}{\textcircled{tabackludge}'\CYRG}
5347 \DeclareUnicodeCharacter{040C}{\textcircled{tabackludge}'\CYRK}
5348 \DeclareUnicodeCharacter{0453}{\textcircled{tabackludge}'\cyrg}
5349 \DeclareUnicodeCharacter{045C}{\textcircled{tabackludge}'\cyrk}
5350 \DeclareUnicodeCharacter{05D0}{\hebalef}
5351 \DeclareUnicodeCharacter{05D1}{\hebbet}
5352 \DeclareUnicodeCharacter{05D2}{\hebgimel}
5353 \DeclareUnicodeCharacter{05D3}{\hebdalat}
5354 \DeclareUnicodeCharacter{05D4}{\hebbe}
5355 \DeclareUnicodeCharacter{05D5}{\hebvav}
5356 \DeclareUnicodeCharacter{05D6}{\hebzayin}
5357 \DeclareUnicodeCharacter{05D7}{\hebheth}
5358 \DeclareUnicodeCharacter{05D8}{\hebtet}
5359 \DeclareUnicodeCharacter{05D9}{\hebyod}
5360 \DeclareUnicodeCharacter{05DA}{\hebfinalkaf}
5361 \DeclareUnicodeCharacter{05DB}{\hebkaf}
5362 \DeclareUnicodeCharacter{05DC}{\heblamed}
5363 \DeclareUnicodeCharacter{05DD}{\hebfinalmem}
5364 \DeclareUnicodeCharacter{05DE}{\hebmem}
5365 \DeclareUnicodeCharacter{05DF}{\hebfinalnun}
5366 \DeclareUnicodeCharacter{05E0}{\hebnun}
5367 \DeclareUnicodeCharacter{05E1}{\hebsamekh}
5368 \DeclareUnicodeCharacter{05E2}{\hebayin}
5369 \DeclareUnicodeCharacter{05E3}{\hebfinalpe}
5370 \DeclareUnicodeCharacter{05F4}{\hebpe}
5371 \DeclareUnicodeCharacter{05E5}{\hebfinaltsadi}
5372 \DeclareUnicodeCharacter{05E6}{\hebtsadi}
5373 \DeclareUnicodeCharacter{05E7}{\hebqof}
5374 \DeclareUnicodeCharacter{05E8}{\hebreish}
5375 \DeclareUnicodeCharacter{05E9}{\hebshin}
5376 \DeclareUnicodeCharacter{05EA}{\hebtav}
5377 \DeclareUnicodeCharacter{2015}{\texthorizontalbar}
5378 \DeclareUnicodeCharacter{2017}{\textdbllowline}
5379 \DeclareUnicodeCharacter{207F}{\textnsuperior}
5380 \DeclareUnicodeCharacter{20A7}{\textpeseta}
5381 \DeclareUnicodeCharacter{2202}{\textpartial}
5382 \DeclareUnicodeCharacter{2206}{\textincrement}
5383 \DeclareUnicodeCharacter{2208}{\textelement}
5384 \DeclareUnicodeCharacter{220F}{\textproduct}
5385 \DeclareUnicodeCharacter{2211}{\textsummation}
5386 \DeclareUnicodeCharacter{2219}{\textbullet}
5387 \DeclareUnicodeCharacter{221A}{\textsurd}
5388 \DeclareUnicodeCharacter{221E}{\textinfinity}
5389 \DeclareUnicodeCharacter{2227}{\textcap}
5390 \DeclareUnicodeCharacter{2229}{\textintersection}
5391 \DeclareUnicodeCharacter{222B}{\textintegral}
5392 \DeclareUnicodeCharacter{222E}{\textcontourintegral}
5393 \DeclareUnicodeCharacter{2248}{\textapproxequal}
5394 \DeclareUnicodeCharacter{2260}{\textnotequal}
5395 \DeclareUnicodeCharacter{2261}{\textequivalence}
5396 \DeclareUnicodeCharacter{2264}{\textlessequal}
5397 \DeclareUnicodeCharacter{2265}{\textgreaterequal}
5398 \DeclareUnicodeCharacter{2310}{\textrevlogicalnot}
```

```

5399 \DeclareUnicodeCharacter{25A0}{\textblacksquare}
5400 \DeclareUnicodeCharacter{25CA}{\textlozenge}
5401 \DeclareUnicodeCharacter{FB01}{fi}
5402 \DeclareUnicodeCharacter{FB02}{f1}
5403 \DeclareUnicodeCharacter{2500}{\textSFx}
5404 \DeclareUnicodeCharacter{2502}{\textSFxi}
5405 \DeclareUnicodeCharacter{250C}{\textSFii}
5406 \DeclareUnicodeCharacter{2510}{\textSFiii}
5407 \DeclareUnicodeCharacter{2514}{\textSFii}
5408 \DeclareUnicodeCharacter{2518}{\textSFiv}
5409 \DeclareUnicodeCharacter{251C}{\textSFviii}
5410 \DeclareUnicodeCharacter{2524}{\textSFix}
5411 \DeclareUnicodeCharacter{252C}{\textSFvi}
5412 \DeclareUnicodeCharacter{2534}{\textSFvii}
5413 \DeclareUnicodeCharacter{253C}{\textSFv}
5414 \DeclareUnicodeCharacter{2550}{\textSFxlivi}
5415 \DeclareUnicodeCharacter{2551}{\textSFxxiv}
5416 \DeclareUnicodeCharacter{2552}{\textSFli}
5417 \DeclareUnicodeCharacter{2553}{\textSFlii}
5418 \DeclareUnicodeCharacter{2554}{\textSFxxxix}
5419 \DeclareUnicodeCharacter{2555}{\textSFxxii}
5420 \DeclareUnicodeCharacter{2556}{\textSFxxi}
5421 \DeclareUnicodeCharacter{2557}{\textSFxxv}
5422 \DeclareUnicodeCharacter{2558}{\textSF1}
5423 \DeclareUnicodeCharacter{2559}{\textSFxl ix}
5424 \DeclareUnicodeCharacter{255A}{\textSFxxxviii}
5425 \DeclareUnicodeCharacter{255B}{\textSFxxviii}
5426 \DeclareUnicodeCharacter{255C}{\textSFxxvii}
5427 \DeclareUnicodeCharacter{255D}{\textSFxxvi}
5428 \DeclareUnicodeCharacter{255E}{\textSFxxxvi}
5429 \DeclareUnicodeCharacter{255F}{\textSFxxxvii}
5430 \DeclareUnicodeCharacter{2560}{\textSFxl ii}
5431 \DeclareUnicodeCharacter{2561}{\textSFxix}
5432 \DeclareUnicodeCharacter{2562}{\textSFxx}
5433 \DeclareUnicodeCharacter{2563}{\textSFxxiii}
5434 \DeclareUnicodeCharacter{2564}{\textSFxl vii}
5435 \DeclareUnicodeCharacter{2565}{\textSFxl viii}
5436 \DeclareUnicodeCharacter{2566}{\textSFxli}
5437 \DeclareUnicodeCharacter{2567}{\textSFxl v}
5438 \DeclareUnicodeCharacter{2568}{\textSFxl vi}
5439 \DeclareUnicodeCharacter{2569}{\textSFxl}
5440 \DeclareUnicodeCharacter{256A}{\textSFliv}
5441 \DeclareUnicodeCharacter{256B}{\textSFlii}
5442 \DeclareUnicodeCharacter{256C}{\textSFxl iv}
5443 \DeclareUnicodeCharacter{2580}{\textupblock}
5444 \DeclareUnicodeCharacter{2584}{\textdnblock}
5445 \DeclareUnicodeCharacter{2588}{\textblock}
5446 \DeclareUnicodeCharacter{258C}{\textlfblock}
5447 \DeclareUnicodeCharacter{2590}{\textrtblock}
5448 \DeclareUnicodeCharacter{2591}{\textltshade}
5449 \DeclareUnicodeCharacter{2592}{\textshade}
5450 \DeclareUnicodeCharacter{2593}{\textdkshade}
5451 
```

2.7 Name list

```

5452 <*name>
5453 \ProvidesFile{ix-name.def}%
5454 [2009/12/15 v1.5 Name list (inputenx)]%

```

*List omitted here, see *ix-name.def*.*

```
5455 
```

2.8 Mapping Slot, UC to Encodings

```

5456 <*slot>
5457 \ProvidesFile{ix-slot.def}%
5458 [2009/12/15 v1.5 SLOT and UC to Encodings (inputenx)]%
      List omitted here, see ix-slot.def.
5459 </slot>
```

2.9 Mapping UC to LICR

```

5460 <*uc>
5461 \ProvidesFile{ix-uc.def}%
5462 [2009/12/15 v1.5 UC to LICR (inputenx)]%
5463 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
5464 \makeatletter
      List omitted here, see ix-uc.def.
5465 \RestoreAtCatcode
5466 </uc>
```

2.10 Math meaning declarations

Package `inpmath` already declares math meanings for LICRs. Here are some more. One goal is to use the input characters in math that were defined in the standard L^AT_EX encodings using `\DeclareInputMath`.

```

5467 <*math>
5468 \ProvidesFile{ix-math.def}%
5469 [2009/12/15 v1.5 Math list (inputenx)]%
5470 \edef\RestoreAtCatcode{\catcode64=\the\catcode64\relax}
5471 \makeatletter
      The next math meaning for \ss looks a little funny. But it is useful for input
      characters, where most encodings share in practice the same slot for \ss and
      \beta. Thus we do not need two encodings such as cp437de.def and cp437.def.
5472 \DeclareMathMeaning{\ss}{\beta}
5473 \DeclareMathMeaning{\textalpha}{\alpha}
5474 \DeclareMathMeaning{\textapprox}{\approx}
5475 \DeclareMathMeaning{\textbardbl}{\Vert} = \lvert
5476 \DeclareMathMeaning{\textbeta}{\beta}
5477 \DeclareMathMeaning{\textbullet}{\bullet}
5478 \DeclareMathMeaning{\textcap}{\cap}
5479 \DeclareMathMeaning{\textcontourintegral}{\oint}
5480 \DeclareMathMeaning{\textcopyright}{\nfss@text{\textcopyright}}
5481 \DeclareMathMeaning{\textcup}{\cup}
5482 \DeclareMathMeaning{\textdagger}{\dagger}
5483 \DeclareMathMeaning{\textdaggerdbl}{\ddagger}
5484 \DeclareMathMeaning{\textdegree}{\circ}
5485 \DeclareMathMeaning{\textdelta}{\delta}
5486 \DeclareMathMeaning{\textdollar}{\mathdollar}
5487 \DeclareMathMeaning{\textepsilon}{\varepsilon}
5488 \DeclareMathMeaning{\textequivalence}{\equiv}
5489 \DeclareMathMeaning{\textbraceleft}{\lbrace}
5490 \DeclareMathMeaning{\textbraceright}{\rbrace}
5491 \DeclareMathMeaning{\textdiv}{\div}
5492 \DeclareMathMeaning{\textdownarrow}{\downarrow}
5493 \DeclareMathMeaning{\textelement}{\in}
5494 \DeclareMathMeaning{\textellipsis}{\mathellipsis}
5495 \DeclareMathMeaning{\textGamma}{\Gamma}
5496 \DeclareMathMeaning{\textgreater}{\geq}
5497 \DeclareMathMeaning{\textincrement}{\Delta}
5498 \DeclareMathMeaning{\textinfinity}{\infty}
5499 \DeclareMathMeaning{\textintegral}{\int}
5500 \DeclareMathMeaning{\textintersection}{\cap}
5501 \DeclareMathMeaning{\textlangle}{\langle}
5502 \DeclareMathMeaning{\textleftarrow}{\leftarrow}
```

```

5503 \DeclareMathMeaning{\textlessequal}{\leq}
5504 \DeclareMathMeaning{\textlnot}{\lnot}
5505 \DeclareMathMeaning{\textlogicalnot}{\lnot}
5506 \DeclareMathMeaning{\textlozenge}{\diamond}
5507 \DeclareMathMeaning{\textmu}{\mu}
5508 \DeclareMathMeaning{\textnotequal}{\neq}
5509 \DeclareMathMeaning{\textnsuperior}{^n}
5510 \DeclareMathMeaning{\textohm}{\Omega}
5511 \DeclareMathMeaning{\textOmega}{\Omega}
5512 \DeclareMathMeaning{\textonehalf}{\frac{1}{2}}
5513 \DeclareMathMeaning{\textonequarter}{\frac{1}{4}}
5514 \DeclareMathMeaning{\textonesuperior}{^1}
5515 \DeclareMathMeaning{\textopenbullet}{\circ}
5516 \DeclareMathMeaning{\textparagraph}{\mathparagraph}
5517 \DeclareMathMeaning{\textpartial}{\partial}
5518 \DeclareMathMeaning{\textPhi}{\Phi}
5519 \DeclareMathMeaning{\textphi}{\phi}
5520 \DeclareMathMeaning{\textpi}{\pi}
5521 \DeclareMathMeaning{\textproduct}{\prod}
5522 \DeclareMathMeaning{\textrangle}{\rangle}
5523 \DeclareMathMeaning{\textrevlogicalnot}{\nfss@text{\textrevlogicalnot}}
5524 \DeclareMathMeaning{\textrightarrow}{\rightarrow}
5525 \DeclareMathMeaning{\textsection}{\mathsection}
5526 \DeclareMathMeaning{\textSigma}{\Sigma}
5527 \DeclareMathMeaning{\textsigma}{\sigma}
5528 \DeclareMathMeaning{\textsterling}{\mathsterling}
5529 \DeclareMathMeaning{\textsummation}{\sum}
5530 \DeclareMathMeaning{\textsurd}{\surd}
5531 \DeclareMathMeaning{\texttau}{\tau}
5532 \DeclareMathMeaning{\textTheta}{\Theta}
5533 \DeclareMathMeaning{\textthreequarters}{\frac{3}{4}}
5534 \DeclareMathMeaning{\textthreesuperior}{^3}
5535 \DeclareMathMeaning{\texttwosuperior}{^2}
5536 \DeclareMathMeaning{\textuparrow}{\uparrow}
5537 \RestoreAtCatcode
5538 

```

2.11 Documentation files

2.11.1 List of known LICR commands

This is the list of commands for use in LICR that are already defined by standard L^AT_EX without extra packages.

```

5539 /*licrcmds*/
5540 % List of known LICR commands of inputenx 2009/12/15 v1.5
5541 %
5542 % Format: \LICRcmd{<command>}{<type>}
5543 % Types:
5544 %   Accent:   <command> was defined by \DeclareTextAccentDefault
5545 %   Command:  <command> was defined by \DeclareTextCommandDefault
5546 %   Symbol:   <command> was defined by \DeclareTextSymbolDefault
5547 %   Internal: for \@tabacckludge
5548 %   Extra:    additional commands
5549 %
5550 % Entries derived from the 2ekernel part
5551 % of ltoutenc.dtx 2005/11/08 v1.99h.
5552 %
5553 \LICRcmd{\ }{Extra}
5554 \LICRcmd{"}{Composite}
5555 \LICRcmd{'}{Composite}
5556 \LICRcmd{-}{Extra}
5557 \LICRcmd{.}{Composite}

```

```
5558 \LICRcmd{\=}{Accent}
5559 \LICRcmd{@tabacckludge}{Internal}
5560 \LICRcmd{AE}{Symbol}
5561 \LICRcmd{DH}{Symbol}
5562 \LICRcmd{DJ}{Symbol}
5563 \LICRcmd{H}{Composite}
5564 \LICRcmd{IJ}{Symbol}
5565 \LICRcmd{L}{Symbol}
5566 \LICRcmd{NG}{Symbol}
5567 \LICRcmd{O}{Symbol}
5568 \LICRcmd{OE}{Symbol}
5569 \LICRcmd{SS}{Symbol}
5570 \LICRcmd{TH}{Symbol}
5571 \LICRcmd{`}{Composite}
5572 \LICRcmd{'}{Composite}
5573 \LICRcmd{ae}{Symbol}
5574 \LICRcmd{b}{Command}
5575 \LICRcmd{c}{Composite}
5576 \LICRcmd{d}{Command}
5577 \LICRcmd{dh}{Symbol}
5578 \LICRcmd{dj}{Symbol}
5579 \LICRcmd{guillemotleft}{Symbol}
5580 \LICRcmd{guillemotright}{Symbol}
5581 \LICRcmd{guilsinglleft}{Symbol}
5582 \LICRcmd{guilsinglright}{Symbol}
5583 \LICRcmd{i}{Symbol}
5584 \LICRcmd{ij}{Symbol}
5585 \LICRcmd{j}{Symbol}
5586 \LICRcmd{k}{CompositeCommand}
5587 \LICRcmd{l}{Symbol}
5588 \LICRcmd{ng}{Symbol}
5589 \LICRcmd{nobreakspace}{Extra}
5590 \LICRcmd{o}{Symbol}
5591 \LICRcmd{oe}{Symbol}
5592 \LICRcmd{quotedblbase}{Symbol}
5593 \LICRcmd{quotesinglbase}{Symbol}
5594 \LICRcmd{r}{Composite}
5595 \LICRcmd{ss}{Symbol}
5596 \LICRcmd{t}{Accent}
5597 \LICRcmd{textasciicircum}{Symbol}
5598 \LICRcmd{textasciitilde}{Symbol}
5599 \LICRcmd{textasteriskcentered}{Symbol}
5600 \LICRcmd{textbackslash}{Symbol}
5601 \LICRcmd{textbar}{Symbol}
5602 \LICRcmd{textbardbl}{Symbol}
5603 \LICRcmd{textbigcircle}{Symbol}
5604 \LICRcmd{textbraceleft}{Symbol}
5605 \LICRcmd{textbraceright}{Symbol}
5606 \LICRcmd{textbullet}{Symbol}
5607 \LICRcmd{textcircled}{Command}
5608 \LICRcmd{textcompwordmark}{Symbol}
5609 \LICRcmd{textcopyright}{CommandDefault}
5610 \LICRcmd{textdagger}{Symbol}
5611 \LICRcmd{textdaggerdbl}{Symbol}
5612 \LICRcmd{textdollar}{Symbol}
5613 \LICRcmd{textellipsis}{CommandDefault}
5614 \LICRcmd{textemdash}{Symbol}
5615 \LICRcmd{textendash}{Symbol}
5616 \LICRcmd{textexclamdown}{Symbol}
5617 \LICRcmd{textgreater}{Symbol}
5618 \LICRcmd{textless}{Symbol}
5619 \LICRcmd{textogonekcentered}{Command}
```

```

5620 \LICRcmd{\textordfeminine}{CommandDefault}
5621 \LICRcmd{\textordmasculine}{CommandDefault}
5622 \LICRcmd{\textparagraph}{Symbol}
5623 \LICRcmd{\textperiodcentered}{Symbol}
5624 \LICRcmd{\textpertenthousand}{Command}
5625 \LICRcmd{\textperthousand}{Command}
5626 \LICRcmd{\textquestiondown}{Symbol}
5627 \LICRcmd{\textquotedbl}{Symbol}
5628 \LICRcmd{\textquotedblleft}{Symbol}
5629 \LICRcmd{\textquotedblright}{Symbol}
5630 \LICRcmd{\textquoteright}{Symbol}
5631 \LICRcmd{\textregistered}{CommandDefault}
5632 \LICRcmd{\textsection}{Symbol}
5633 \LICRcmd{\textsterling}{Symbol}
5635 \LICRcmd{\texttrademark}{CommandDefault}
5636 \LICRcmd{\textunderscore}{Symbol}
5637 \LICRcmd{\textvisiblespace}{Symbol}
5638 \LICRcmd{\th}{Symbol}
5639 \LICRcmd{\u}{Composite}
5640 \LICRcmd{\v}{Composite}
5641 \LICRcmd{\~}{Composite}
5642 
```

2.11.2 Commented additions for utf8enc.dfu

```

5643 <*dfudoc>
5644 % inputenx-utf8enc.txt 2009/12/15 v1.5
5645 % Commented additions for utf8enc.dfu
5646

```

List omitted here, see `inputenx-utf8enc.txt`.
 5647

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/inputenx.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/inputenx.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for TeX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

3.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex inputenx.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

inputenx.sty	→ tex/latex/oberdiek/inputenx.sty
ix-alias.def	→ tex/latex/oberdiek/ix-alias.def
ix-math.def	→ tex/latex/oberdiek/ix-math.def
ix-name.def	→ tex/latex/oberdiek/ix-name.def
ix-slot.def	→ tex/latex/oberdiek/ix-slot.def
ix-uc.def	→ tex/latex/oberdiek/ix-uc.def
ix-utf8enc.dfu	→ tex/latex/oberdiek/ix-utf8enc.dfu
x-ascii.def	→ tex/latex/oberdiek/x-ascii.def
x-atarist.def	→ tex/latex/oberdiek/x-atarist.def
x-iso-8859-1.def	→ tex/latex/oberdiek/x-iso-8859-1.def
x-iso-8859-2.def	→ tex/latex/oberdiek/x-iso-8859-2.def
x-iso-8859-3.def	→ tex/latex/oberdiek/x-iso-8859-3.def
x-iso-8859-4.def	→ tex/latex/oberdiek/x-iso-8859-4.def
x-iso-8859-5.def	→ tex/latex/oberdiek/x-iso-8859-5.def
x-iso-8859-8.def	→ tex/latex/oberdiek/x-iso-8859-8.def
x-iso-8859-9.def	→ tex/latex/oberdiek/x-iso-8859-9.def
x-iso-8859-10.def	→ tex/latex/oberdiek/x-iso-8859-10.def
x-iso-8859-13.def	→ tex/latex/oberdiek/x-iso-8859-13.def
x-iso-8859-14.def	→ tex/latex/oberdiek/x-iso-8859-14.def
x-iso-8859-15.def	→ tex/latex/oberdiek/x-iso-8859-15.def
x-iso-8859-16.def	→ tex/latex/oberdiek/x-iso-8859-16.def
x-cp437.def	→ tex/latex/oberdiek/x-cp437.def
x-cp850.def	→ tex/latex/oberdiek/x-cp850.def
x-cp852.def	→ tex/latex/oberdiek/x-cp852.def
x-cp855.def	→ tex/latex/oberdiek/x-cp855.def
x-cp858.def	→ tex/latex/oberdiek/x-cp858.def
x-cp865.def	→ tex/latex/oberdiek/x-cp865.def
x-cp866.def	→ tex/latex/oberdiek/x-cp866.def
x-cp1250.def	→ tex/latex/oberdiek/x-cp1250.def
x-cp1251.def	→ tex/latex/oberdiek/x-cp1251.def
x-cp1252.def	→ tex/latex/oberdiek/x-cp1252.def
x-cp1257.def	→ tex/latex/oberdiek/x-cp1257.def
x-dec-mcs.def	→ tex/latex/oberdiek/x-dec-mcs.def
x-koi8-r.def	→ tex/latex/oberdiek/x-koi8-r.def
x-mac-centeuro.def	→ tex/latex/oberdiek/x-mac-centeuro.def
x-mac-cyrillic.def	→ tex/latex/oberdiek/x-mac-cyrillic.def
x-mac-roman.def	→ tex/latex/oberdiek/x-mac-roman.def
x-nextstep.def	→ tex/latex/oberdiek/x-nextstep.def
inputenx.pdf	→ doc/latex/oberdiek/inputenx.pdf
inputenx-licrcmds.txt	→ doc/latex/oberdiek/inputenx-licrcmds.txt
inputenx-utf8enc.txt	→ doc/latex/oberdiek/inputenx-utf8enc.txt
inputenx.dtx	→ source/latex/oberdiek/inputenx.dtx

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your Te_EX distribution (te_ET_EX, mik_ET_EX, ...) relies on file name databases, you must refresh these. For example, te_ET_EX users run `texhash` or `mktexlsr`.

3.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk inputenx.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-T_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
\latex \let\install=y\input{inputenx.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex inputenx.dtx
makeindex -s gind.ist inputenx.idx
pdflatex inputenx.dtx
makeindex -s gind.ist inputenx.idx
pdflatex inputenx.dtx
```

4 References

- [1] Frank Mittelbach, Michel Goossens, *The L^AT_EX Companion*, second edition, April 2004.
- [2] Alan Jeffrey, Frank Mittelbach, *inputenc.sty*, 2006/05/05 v1.1b. [CTAN:macros/latex/base/inputenc.dtx](#)
- [3] Heiko Oberdiek, *The selinput package*, 2007/06/16 v1.1. [CTAN:macros/latex/contrib/oberdiek/selinput.pdf](#)
- [4] Heiko Oberdiek, *The pmboxdraw package*, 2006/05/03 v1.0. [CTAN:macros/latex/contrib/oberdiek/pmboxdraw.pdf](#)
- [5] Wikipedia, *Dash*. <http://en.wikipedia.org/wiki/Dash>

4.1 Mappings to Unicode

- [6] Philippe Verdy, Bruno Haible, *AtariST to Unicode*, 22th April 2005. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/MISC/ATARIST.TXT>
- [7] Ken Whistler, *ISO/IEC 8859-1:1998 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-1.TXT>
- [8] Ken Whistler, *ISO/IEC 8859-2:1999 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-2.TXT>
- [9] Ken Whistler, *ISO/IEC 8859-3:1999 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-3.TXT>
- [10] Ken Whistler, *ISO/IEC 8859-4:1998 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-4.TXT>
- [11] Ken Whistler, *ISO/IEC 8859-5:1998 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-5.TXT>
- [12] Ken Whistler, *ISO/IEC 8859-8:1999 to Unicode*, 3rd January 2000. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-8.TXT>
- [13] Ken Whistler, *ISO/IEC 8859-9:1999 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-9.TXT>
- [14] Ken Whistler, *ISO/IEC 8859-15:1999 to Unicode*, 27th July 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-15.TXT>
- [15] Ken Whistler, *ISO/IEC 8859-16:2001 to Unicode*, 26th July 2001. <ftp://ftp.unicode.org/Public/MAPPINGS/ISO8859/8859-16.TXT>
- [16] Helmut Richter, *KOI8-R (RFC1486) to Unicode*, 18th August 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/MISC/KOI8-R.TXT>
- [17] Apple Computer, *Map (external version) from MAC OS Central European character set to Unicode 2.1 and later*, 4th April 2005. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/APPLE/CENTEURO.TXT>
- [18] Apple Computer, *Map (external version) from MAC OS Cyrillic character set to Unicode 2.1 and later*, 5th April 2005. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/APPLE/CYRILLIC.TXT>
- [19] Apple Computer, *Map (external version) from MAC OS Roman character set to Unicode 2.1 and later*, 5th April 2005. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/APPLE/ROMAN.TXT>
- [20] Apple Computer, *Map (external version) from MAC OS Ukrainian character set to Unicode 2.1 and later*, 5th April 2005. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/APPLE/UKRAINE.TXT>
- [21] Rick McGowan, *NextStep Encoding to Unicode*, 23rd September 1999. <ftp://ftp.unicode.org/Public/MAPPINGS/VENDORS/NEXT/NEXTSTEP.TXT>

5 History

[2006/03/05 v1.0]

- First version.

[2007/04/11 v1.1]

- Some Cyrillic encodings added: cp855, cp866, cp1251, koi8-r, mac-cyrillic
- x-mac-ce renamed to x-mac-centeuro.

[2007/06/16 v1.2]

- Documentation update.

[2007/08/16 v1.3]

- Fix for U+0135: $\wedge j \rightarrow \wedge\wedge j$ (Behnam Tabatabai).

[2009/08/13 v1.4]

- Encodings for Atari (atarist) and ISO 8859-8 added.
- Support for horizontal bar (U+2015) and double low line (U+2017) added.

[2009/12/15 v1.5]

- Aliases clean7bit, ascii-print, ascii-printable added for x-ascii.

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\wedge "	218, 320, 323, 328, 330, 333, 339, 343, 344, 345, 456, 545, 552, 556, 563, 569, 577, 584, 588, 595, 601, 604, 625, 675, 682, 693, 699, 707, 714, 725, 731, 749, 813, 820, 824, 830, 836, 843, 850, 854, 860, 866, 887, 946, 953, 964, 970, 978, 985, 996, 1002, 1134, 1268, 1357, 1364, 1368, 1375, 1381, 1389, 1396, 1400, 1407, 1413, 1416, 1475, 1482, 1486, 1493, 1499, 1507, 1514, 1518, 1525, 1531, 1623, 1641, 1647, 1655, 1673, 1679, 1705, 1719, 1720, 1726, 1733, 1737, 1744, 1750, 1758, 1765, 1769, 1776, 1782, 1785, 1862, 1868, 1875, 1879, 1886, 1892, 1900, 1907, 1911, 1918, 1924, 1927, 1988, 1994, 2001, 2005, 2012, 2018, 2026, 2033, 2037, 2044, 2050, 2053, 2173, 2176, 2181, 2183, 2186, 2192, 2196, 2197, 2198, 2309, 2381, 2384, 2389, 2391, 2394, 2400, 2404, 2405, 2406, 2463, 2468, 2528, 2549, 2552, 2557, 2562, 2568, 2573, 2574, 2631, 2842, 2917, 2920, 2925, 2927, 2930, 2936, 2940, 2941, 2942, 2999,	3004, 3160, 3163, 3168, 3170, 3173, 3179, 3183, 3184, 3185, 3466, 3558, 3565, 3576, 3582, 3590, 3597, 3608, 3614, 3798, 3883, 3920, 3927, 3931, 3938, 3944, 3952, 3959, 3963, 3970, 3976, 3979, 3994, 4103, 4121, 4127, 4135, 4153, 4159, 4229, 4236, 4240, 4246, 4252, 4253, 4259, 4266, 4270, 4276, 4282, 4283, 4452, 4487, 4492, 4493, 4497, 4513, 4518, 4832, 4903, 4908, 4909, 4913, 4920, 4924, 4929, 4934, 4991, 4992, 5007, 5011, 5050, 5114, 5120, 5124, 5131, 5135, 5198, 5204, 5210, 5221, 5227, 5234, 5321, 5322, 5554 \wedge ' 5555 \wedge - .. 522, 652, 793, 923, 1040, 1211, 1334, 1452, 1600, 1703, 1845, 1971, 2492, 2660, 2815, 3028, 3535, 3704, 3897, 4080, 5247, 5556 \wedge 654, 670, 734, 789, 794, 809, 814, 829, 844, 859, 869, 954, 986, 1005, 1382, 1483, 1515, 1630, 1648, 1662, 1680, 1691, 1692, 1694, 1695, 1696, 1701, 1706, 1707, 1708, 1709, 1710, 1711, 1713, 1715, 1717, 1721, 1745, 1777, 1973, 1989, 2609, 2610, 2670,

3537, 3553, 3617, 4110, 4128,
 4142, 4160, 4162, 4509, 4511,
 4610, 4612, 5024, 5180, 5252,
 5253, 5256, 5257, 5260, 5261,
 5303, 5304, 5305, 5306, 5307,
 5308, 5309, 5310, 5311, 5312,
 5313, 5314, 5315, 5316, 5330, 5557
 $\backslash=$ 5558
 $\backslash@M$ 47, 53
 $\backslash@depth$ 2083, 2315,
 2531, 2684, 2848, 3073, 3293, 4295
 $\backslash@ehc$ 37
 $\backslash@empty$ 10, 20, 39, 40, 41, 78, 80, 89, 97
 $\backslash@for$ 87
 $\backslash@height$ 2083, 2315,
 2531, 2684, 2848, 3073, 3293, 4295
 $\backslash@ifundefined$ 11, 291, 2147, 3137
 $\backslash@notprerr$ 100
 $\backslash@onelevel@sanitize$ 9, 58, 61
 $\backslash@revlogicalnot$
 . 294, 297, 2150, 2153, 3140, 3143
 $\backslash@tabacckludge$
 . 215, 221, 321, 324, 329, 332,
 335, 340, 342, 351, 352, 353,
 354, 373, 453, 459, 541, 542,
 549, 550, 553, 554, 559, 560,
 566, 567, 570, 573, 574, 581,
 582, 585, 586, 591, 592, 598,
 599, 602, 616, 645, 651, 661,
 667, 671, 672, 676, 677, 680,
 684, 688, 690, 697, 700, 703,
 704, 708, 709, 712, 716, 720,
 722, 729, 732, 743, 810, 811,
 817, 818, 821, 822, 826, 827,
 833, 834, 840, 841, 847, 848,
 851, 852, 856, 857, 863, 864,
 881, 890, 920, 936, 942, 943,
 951, 955, 957, 960, 968, 972,
 974, 975, 983, 987, 989, 992,
 1000, 1004, 1030, 1039, 1110,
 1119, 1131, 1137, 1265, 1271,
 1353, 1354, 1361, 1362, 1365,
 1366, 1371, 1372, 1378, 1379,
 1385, 1386, 1393, 1394, 1397,
 1398, 1403, 1404, 1410, 1411,
 1441, 1443, 1453, 1457, 1459,
 1469, 1471, 1472, 1480, 1484,
 1489, 1490, 1497, 1500, 1503,
 1504, 1512, 1516, 1521, 1522,
 1529, 1532, 1621, 1622, 1626,
 1628, 1629, 1633, 1636, 1638,
 1639, 1645, 1646, 1653, 1654,
 1658, 1660, 1661, 1665, 1668,
 1670, 1671, 1677, 1678, 1698,
 1700, 1702, 1714, 1716, 1718,
 1722, 1723, 1730, 1731, 1734,
 1735, 1740, 1741, 1747, 1748,
 1751, 1754, 1755, 1762, 1763,
 1766, 1767, 1772, 1773, 1779,
 1780, 1783, 1794, 1864, 1865,
 1872, 1873, 1876, 1877, 1882,
 1883, 1889, 1890, 1893, 1896,
 1897, 1904, 1905, 1908, 1909,
 1914, 1915, 1921, 1922, 1925,
 1970, 1972, 1990, 1991, 1995,
 1998, 1999, 2002, 2003, 2007,
 2008, 2009, 2013, 2015, 2016,
 2022, 2023, 2027, 2030, 2031,
 2034, 2035, 2039, 2040, 2041,
 2045, 2047, 2048, 2174, 2177,
 2182, 2185, 2188, 2193, 2195,
 2204, 2205, 2206, 2207, 2306,
 2312, 2382, 2385, 2390, 2393,
 2396, 2401, 2403, 2412, 2413,
 2414, 2415, 2433, 2435, 2464,
 2466, 2474, 2476, 2479, 2485,
 2487, 2488, 2489, 2519, 2550,
 2554, 2561, 2563, 2564, 2565,
 2566, 2571, 2572, 2580, 2581,
 2582, 2583, 2591, 2601, 2634,
 2644, 2647, 2648, 2652, 2653,
 2654, 2656, 2657, 2705, 2706,
 2725, 2726, 2839, 2845, 2918,
 2921, 2926, 2929, 2932, 2937,
 2939, 2948, 2949, 2950, 2951,
 2969, 2971, 3000, 3002, 3010,
 3012, 3015, 3021, 3023, 3024,
 3025, 3161, 3164, 3169, 3172,
 3175, 3180, 3182, 3191, 3192,
 3193, 3194, 3457, 3504, 3507,
 3518, 3521, 3554, 3555, 3559,
 3560, 3563, 3567, 3571, 3573,
 3580, 3583, 3586, 3587, 3591,
 3592, 3595, 3599, 3603, 3605,
 3612, 3615, 3661, 3663, 3673,
 3688, 3795, 3801, 3916, 3917,
 3924, 3925, 3928, 3929, 3934,
 3935, 3941, 3942, 3945, 3948,
 3949, 3956, 3957, 3960, 3961,
 3966, 3967, 3973, 3974, 3977,
 3988, 3997, 4101, 4102, 4106,
 4108, 4109, 4113, 4116, 4118,
 4119, 4125, 4126, 4133, 4134,
 4138, 4140, 4141, 4145, 4148,
 4150, 4151, 4157, 4158, 4225,
 4226, 4233, 4234, 4237, 4238,
 4242, 4243, 4249, 4250, 4255,
 4256, 4263, 4264, 4267, 4268,
 4272, 4273, 4279, 4280, 4488,
 4489, 4490, 4494, 4499, 4500,
 4501, 4502, 4503, 4505, 4507,
 4508, 4510, 4515, 4536, 4539,
 4548, 4549, 4552, 4555, 4566,
 4575, 4576, 4577, 4588, 4589,
 4590, 4593, 4596, 4597, 4599,
 4601, 4607, 4608, 4724, 4725,
 4755, 4756, 4823, 4835, 4906,
 4910, 4911, 4917, 4918, 4921,
 4922, 4926, 4927, 4931, 4932,
 4978, 5006, 5008, 5009, 5012,
 5013, 5015, 5016, 5018, 5041,
 5053, 5056, 5110, 5111, 5117,
 5118, 5121, 5122, 5127, 5128,
 5132, 5133, 5136, 5194, 5195,

5201, 5202, 5205, 5207, 5217,	4152, 4228, 4241, 4245, 4258,
5218, 5223, 5224, 5228, 5248,	4271, 4275, 4514, 4564, 4907,
5249, 5254, 5255, 5270, 5271,	4914, 4925, 4930, 4979, 4980,
5283, 5284, 5293, 5294, 5317,	5113, 5126, 5130, 5197, 5212,
5318, 5319, 5320, 5323, 5324,	5220, 5268, 5269, 5291, 5292, 5641
5346, 5347, 5348, 5349, 5547, 5559	
\@width 2083, 2315,	\sqcup 533, 663, 803, 934,
2531, 2684, 2848, 3073, 3293, 4295	1222, 1345, 2499, 2667, 3035,
\^ 322, 327, 331, 338, 341, 543, 551,	3546, 3908, 4057, 5026, 5184, 5553
555, 561, 568, 575, 583, 587,	
593, 600, 673, 685, 691, 705,	
717, 723, 786, 792, 801, 807,	
812, 815, 819, 823, 828, 832,	
835, 838, 842, 845, 849, 853,	
858, 862, 865, 868, 944, 956,	
962, 969, 976, 988, 994, 1001,	
1355, 1363, 1367, 1373, 1380,	
1387, 1395, 1399, 1405, 1412,	
1473, 1485, 1491, 1498, 1505,	
1517, 1523, 1530, 1724, 1732,	
1736, 1738, 1742, 1749, 1752,	
1756, 1764, 1768, 1770, 1774,	
1781, 1784, 1866, 1874, 1878,	
1884, 1891, 1898, 1906, 1910,	
1916, 1923, 1992, 2000, 2004,	
2010, 2017, 2024, 2032, 2036,	
2042, 2049, 2175, 2180, 2184,	
2191, 2194, 2383, 2388, 2392,	
2399, 2402, 2434, 2462, 2467,	
2478, 2486, 2551, 2560, 2567,	
2602, 2635, 2646, 2919, 2924,	
2928, 2935, 2938, 2970, 2998,	
3003, 3014, 3022, 3162, 3167,	
3171, 3178, 3181, 3556, 3568,	
3574, 3588, 3600, 3606, 3918,	
3926, 3930, 3936, 3943, 3950,	
3958, 3962, 3968, 3975, 4227,	
4235, 4239, 4244, 4251, 4257,	
4265, 4269, 4274, 4281, 4512,	
4598, 4912, 4919, 4923, 4928,	
4933, 5004, 5005, 5010, 5014,	
5017, 5112, 5119, 5123, 5129,	
5134, 5196, 5203, 5209, 5219,	
5225, 5250, 5251, 5258, 5259,	
5264, 5265, 5274, 5275, 5287,	
5288, 5299, 5300, 5301, 5302, 5571	
\` 5572	
\ 5475	
\^ 355, 356, 367, 368, 374,	
375, 544, 558, 562, 576, 590,	
594, 825, 855, 915, 931, 945,	
963, 971, 977, 995, 1003, 1356,	
1370, 1374, 1388, 1402, 1406,	
1444, 1460, 1474, 1492, 1494,	
1506, 1524, 1526, 1640, 1672,	
1725, 1739, 1743, 1757, 1771,	
1775, 1867, 1881, 1885, 1899,	
1913, 1917, 2208, 2209, 2416,	
2417, 2450, 2451, 2480, 2481,	
2952, 2953, 2986, 2987, 3016,	
3017, 3195, 3196, 3919, 3933,	
3937, 3951, 3965, 3969, 4120,	
\cap 227, 260, 2113, 3103, 5478, 5500	
\catcode 191, 450, 610, 740, 875, 1011,	
1128, 1262, 1422, 1540, 1688,	
1791, 1933, 2059, 2303, 2513,	
2681, 2836, 3049, 3290, 3451,	
3623, 3792, 3985, 4168, 4289,	
4446, 4620, 4811, 5035, 5463, 5470	
\check@mathfonts 1016, 1941, 2692, 3304, 3646, 4661	

\circ

\circirc

\circr

\circrcr

\csname

\cup

\CurrentInputEncodingName

\CurrentInputEncodingOption

\CurrentOption

\CYRA

\cyra

\CYRB

\cyrb

\CYRC

\cyrc

\CYRCH

\cyrch

\CYRD

\cyrd

\CYRDJE

\cyrdje

\CYRDZE

\cyrdze

\CYRDZHE

\cyrdzhe

\CYRE

\cyre

\CYREREV

\cyrerev

\CYRERY

\cyrery

\CYRF

\cyrf

\CYRG

\cyrg

\CYRGUP

\cyrgup

\CYRH

\cyrh

\CYRHDSEN

\cyrhdSEN

\CYRI

\cyri

\CYRIE

\cyrie

\CYRII

\cyrii

\CYRISHRT

\cyrishrt

\CYRJE

\cyrje

\CYRK

\cyrk

\CYRL

\cyrL

\CYRLJE

\cyrLje

\CYRM

\cym

\CYRN

\cyrn

\CYRNJE

\cyrnje

\CYRO

\cyrO

\cyro

\CYRP

\cyp

\CYRR

\cyrR

\cyrr

\CYRS

\crys

\CYRSFTSN

\crysftsn

\CYRSH

\cyrsh

\CYRSHCH

\cyrshch

\CYRT

\cyrt

\CYRTSHE

\cyrtshe

\CYRU

\cyrU

\cyru

\CYRUSHRT

\cyrushrt

\CYRV

\cyrV

\cyrv

\CYRYA

\carya

\CYRYI

\caryi

\CYRYO

\caryo

\CYRYU

\caryu

\CYRZ

\cyrZ

\cyrz

\CYRZH

\cyrzh

D

\d

\dagger

\ddagger

```

\DeclareInputText . . . . 319, 320,
321, 322, 323, 324, 325, 326,
327, 328, 329, 330, 331, 332,
333, 334, 335, 336, 337, 338,
339, 340, 341, 342, 343, 344,
345, 346, 347, 348, 349, 350,
351, 352, 353, 354, 355, 356,
357, 358, 359, 360, 361, 362,
363, 364, 365, 366, 367, 368,
369, 370, 371, 372, 373, 374,
375, 376, 377, 378, 379, 380,
381, 382, 383, 384, 385, 386,
387, 388, 389, 390, 391, 392,
393, 394, 395, 396, 397, 398,
399, 400, 401, 402, 403, 404,
405, 406, 407, 408, 409, 410,
411, 412, 413, 414, 415, 416,
417, 418, 419, 420, 421, 422,
423, 424, 425, 426, 427, 428,
429, 430, 431, 432, 433, 434,
435, 436, 437, 438, 439, 440,
441, 442, 443, 444, 509, 510,
511, 512, 513, 514, 515, 516,
517, 518, 519, 520, 521, 522,
523, 524, 525, 526, 527, 528,
529, 530, 531, 532, 533, 534,
535, 536, 537, 538, 539, 540,
541, 542, 543, 544, 545, 546,
547, 548, 549, 550, 551, 552,
553, 554, 555, 556, 557, 558,
559, 560, 561, 562, 563, 564,
565, 566, 567, 568, 569, 570,
571, 572, 573, 574, 575, 576,
577, 578, 579, 580, 581, 582,
583, 584, 585, 586, 587, 588,
589, 590, 591, 592, 593, 594,
595, 596, 597, 598, 599, 600,
601, 602, 603, 604, 639, 640,
641, 642, 643, 644, 645, 646,
647, 648, 649, 650, 651, 652,
653, 654, 655, 656, 657, 658,
659, 660, 661, 662, 663, 664,
665, 666, 667, 668, 669, 670,
671, 672, 673, 674, 675, 676,
677, 678, 679, 680, 681, 682,
683, 684, 685, 686, 687, 688,
689, 690, 691, 692, 693, 694,
695, 696, 697, 698, 699, 700,
701, 702, 703, 704, 705, 706,
707, 708, 709, 710, 711, 712,
713, 714, 715, 716, 717, 718,
719, 720, 721, 722, 723, 724,
725, 726, 727, 728, 729, 730,
731, 732, 733, 734, 781, 782,
783, 784, 785, 786, 787, 788,
789, 790, 791, 792, 793, 794,
795, 796, 797, 798, 799, 800,
801, 802, 803, 804, 805, 806,
807, 808, 809, 810, 811, 812,
813, 814, 815, 816, 817, 818,
819, 820, 821, 822, 823, 824,
825, 826, 827, 828, 829, 830,
831, 832, 833, 834, 835, 836,
837, 838, 839, 840, 841, 842,
843, 844, 845, 846, 847, 848,
849, 850, 851, 852, 853, 854,
855, 856, 857, 858, 859, 860,
861, 862, 863, 864, 865, 866,
867, 868, 869, 910, 911, 912,
913, 914, 915, 916, 917, 918,
919, 920, 921, 922, 923, 924,
925, 926, 927, 928, 929, 930,
931, 932, 933, 934, 935, 936,
937, 938, 939, 940, 941, 942,
943, 944, 945, 946, 947, 948,
949, 950, 951, 952, 953, 954,
955, 956, 957, 958, 959, 960,
961, 962, 963, 964, 965, 966,
967, 968, 969, 970, 971, 972,
973, 974, 975, 976, 977, 978,
979, 980, 981, 982, 983, 984,
985, 986, 987, 988, 989, 990,
991, 992, 993, 994, 995, 996,
997, 998, 999, 1000, 1001, 1002,
1003, 1004, 1005, 1027, 1028,
1029, 1030, 1031, 1032, 1033,
1034, 1035, 1036, 1037, 1038,
1039, 1040, 1041, 1042, 1043,
1044, 1045, 1046, 1047, 1048,
1049, 1050, 1051, 1052, 1053,
1054, 1055, 1056, 1057, 1058,
1059, 1060, 1061, 1062, 1063,
1064, 1065, 1066, 1067, 1068,
1069, 1070, 1071, 1072, 1073,
1074, 1075, 1076, 1077, 1078,
1079, 1080, 1081, 1082, 1083,
1084, 1085, 1086, 1087, 1088,
1089, 1090, 1091, 1092, 1093,
1094, 1095, 1096, 1097, 1098,
1099, 1100, 1101, 1102, 1103,
1104, 1105, 1106, 1107, 1108,
1109, 1110, 1111, 1112, 1113,
1114, 1115, 1116, 1117, 1118,
1119, 1120, 1121, 1122, 1199,
1200, 1201, 1202, 1203, 1204,
1205, 1206, 1207, 1208, 1209,
1210, 1211, 1212, 1213, 1214,
1215, 1216, 1217, 1218, 1219,
1220, 1221, 1222, 1223, 1224,
1225, 1226, 1227, 1228, 1229,
1230, 1231, 1232, 1233, 1234,
1235, 1236, 1237, 1238, 1239,
1240, 1241, 1242, 1243, 1244,
1245, 1246, 1247, 1248, 1249,
1250, 1251, 1252, 1253, 1254,
1255, 1256, 1321, 1322, 1323,
1324, 1325, 1326, 1327, 1328,
1329, 1330, 1331, 1332, 1333,
1334, 1335, 1336, 1337, 1338,
1339, 1340, 1341, 1342, 1343,
1344, 1345, 1346, 1347, 1348,
1349, 1350, 1351, 1352, 1353,
1354, 1355, 1356, 1357, 1358,
1359, 1360, 1361, 1362, 1363,
```

1364, 1365, 1366, 1367, 1368,
1369, 1370, 1371, 1372, 1373,
1374, 1375, 1376, 1377, 1378,
1379, 1380, 1381, 1382, 1383,
1384, 1385, 1386, 1387, 1388,
1389, 1390, 1391, 1392, 1393,
1394, 1395, 1396, 1397, 1398,
1399, 1400, 1401, 1402, 1403,
1404, 1405, 1406, 1407, 1408,
1409, 1410, 1411, 1412, 1413,
1414, 1415, 1416, 1439, 1440,
1441, 1442, 1443, 1444, 1445,
1446, 1447, 1448, 1449, 1450,
1451, 1452, 1453, 1454, 1455,
1456, 1457, 1458, 1459, 1460,
1461, 1462, 1463, 1464, 1465,
1466, 1467, 1468, 1469, 1470,
1471, 1472, 1473, 1474, 1475,
1476, 1477, 1478, 1479, 1480,
1481, 1482, 1483, 1484, 1485,
1486, 1487, 1488, 1489, 1490,
1491, 1492, 1493, 1494, 1495,
1496, 1497, 1498, 1499, 1500,
1501, 1502, 1503, 1504, 1505,
1506, 1507, 1508, 1509, 1510,
1511, 1512, 1513, 1514, 1515,
1516, 1517, 1518, 1519, 1520,
1521, 1522, 1523, 1524, 1525,
1526, 1527, 1528, 1529, 1530,
1531, 1532, 1533, 1534, 1587,
1588, 1589, 1590, 1591, 1592,
1593, 1594, 1595, 1596, 1597,
1598, 1599, 1600, 1601, 1602,
1603, 1604, 1605, 1606, 1607,
1608, 1609, 1610, 1611, 1612,
1613, 1614, 1615, 1616, 1617,
1618, 1619, 1620, 1621, 1622,
1623, 1624, 1625, 1626, 1627,
1628, 1629, 1630, 1631, 1632,
1633, 1634, 1635, 1636, 1637,
1638, 1639, 1640, 1641, 1642,
1643, 1644, 1645, 1646, 1647,
1648, 1649, 1650, 1651, 1652,
1653, 1654, 1655, 1656, 1657,
1658, 1659, 1660, 1661, 1662,
1663, 1664, 1665, 1666, 1667,
1668, 1669, 1670, 1671, 1672,
1673, 1674, 1675, 1676, 1677,
1678, 1679, 1680, 1681, 1682,
1690, 1691, 1692, 1693, 1694,
1695, 1696, 1697, 1698, 1699,
1700, 1701, 1702, 1703, 1704,
1705, 1706, 1707, 1708, 1709,
1710, 1711, 1712, 1713, 1714,
1715, 1716, 1717, 1718, 1719,
1720, 1721, 1722, 1723, 1724,
1725, 1726, 1727, 1728, 1729,
1730, 1731, 1732, 1733, 1734,
1735, 1736, 1737, 1738, 1739,
1740, 1741, 1742, 1743, 1744,
1745, 1746, 1747, 1748, 1749,
1750, 1751, 1752, 1753, 1754,
1755, 1756, 1757, 1758, 1759,
1760, 1761, 1762, 1763, 1764,
1765, 1766, 1767, 1768, 1769,
1770, 1771, 1772, 1773, 1774,
1775, 1776, 1777, 1778, 1779,
1780, 1781, 1782, 1783, 1784,
1785, 1832, 1833, 1834, 1835,
1836, 1837, 1838, 1839, 1840,
1841, 1842, 1843, 1844, 1845,
1846, 1847, 1848, 1849, 1850,
1851, 1852, 1853, 1854, 1855,
1856, 1857, 1858, 1859, 1860,
1861, 1862, 1863, 1864, 1865,
1866, 1867, 1868, 1869, 1870,
1871, 1872, 1873, 1874, 1875,
1876, 1877, 1878, 1879, 1880,
1881, 1882, 1883, 1884, 1885,
1886, 1887, 1888, 1889, 1890,
1891, 1892, 1893, 1894, 1895,
1896, 1897, 1898, 1899, 1900,
1901, 1902, 1903, 1904, 1905,
1906, 1907, 1908, 1909, 1910,
1911, 1912, 1913, 1914, 1915,
1916, 1917, 1918, 1919, 1920,
1921, 1922, 1923, 1924, 1925,
1926, 1927, 1958, 1959, 1960,
1961, 1962, 1963, 1964, 1965,
1966, 1967, 1968, 1969, 1970,
1971, 1972, 1973, 1974, 1975,
1976, 1977, 1978, 1979, 1980,
1981, 1982, 1983, 1984, 1985,
1986, 1987, 1988, 1989, 1990,
1991, 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004, 2005,
2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015,
2016, 2017, 2018, 2019, 2020,
2021, 2022, 2023, 2024, 2025,
2026, 2027, 2028, 2029, 2030,
2031, 2032, 2033, 2034, 2035,
2036, 2037, 2038, 2039, 2040,
2041, 2042, 2043, 2044, 2045,
2046, 2047, 2048, 2049, 2050,
2051, 2052, 2053, 2172, 2173,
2174, 2175, 2176, 2177, 2178,
2179, 2180, 2181, 2182, 2183,
2184, 2185, 2186, 2187, 2188,
2189, 2190, 2191, 2192, 2193,
2194, 2195, 2196, 2197, 2198,
2199, 2200, 2201, 2202, 2203,
2204, 2205, 2206, 2207, 2208,
2209, 2210, 2211, 2212, 2213,
2214, 2215, 2216, 2217, 2218,
2219, 2220, 2221, 2222, 2223,
2224, 2225, 2226, 2227, 2228,
2229, 2230, 2231, 2232, 2233,
2234, 2235, 2236, 2237, 2238,
2239, 2240, 2241, 2242, 2243,
2244, 2245, 2246, 2247, 2248,
2249, 2250, 2251, 2252, 2253,
2254, 2255, 2256, 2257, 2258,

2259, 2260, 2261, 2262, 2263,
2264, 2265, 2266, 2267, 2268,
2269, 2270, 2271, 2272, 2273,
2274, 2275, 2276, 2277, 2278,
2279, 2280, 2281, 2282, 2283,
2284, 2285, 2286, 2287, 2288,
2289, 2290, 2291, 2292, 2293,
2294, 2295, 2296, 2297, 2380,
2381, 2382, 2383, 2384, 2385,
2386, 2387, 2388, 2389, 2390,
2391, 2392, 2393, 2394, 2395,
2396, 2397, 2398, 2399, 2400,
2401, 2402, 2403, 2404, 2405,
2406, 2407, 2408, 2409, 2410,
2411, 2412, 2413, 2414, 2415,
2416, 2417, 2418, 2419, 2420,
2421, 2422, 2423, 2424, 2425,
2426, 2427, 2428, 2429, 2430,
2431, 2432, 2433, 2434, 2435,
2436, 2437, 2438, 2439, 2440,
2441, 2442, 2443, 2444, 2445,
2446, 2447, 2448, 2449, 2450,
2451, 2452, 2453, 2454, 2455,
2456, 2457, 2458, 2459, 2460,
2461, 2462, 2463, 2464, 2465,
2466, 2467, 2468, 2469, 2470,
2471, 2472, 2473, 2474, 2475,
2476, 2477, 2478, 2479, 2480,
2481, 2482, 2483, 2484, 2485,
2486, 2487, 2488, 2489, 2490,
2491, 2492, 2493, 2494, 2495,
2496, 2497, 2498, 2499, 2500,
2501, 2502, 2503, 2504, 2505,
2506, 2507, 2548, 2549, 2550,
2551, 2552, 2553, 2554, 2555,
2556, 2557, 2558, 2559, 2560,
2561, 2562, 2563, 2564, 2565,
2566, 2567, 2568, 2569, 2570,
2571, 2572, 2573, 2574, 2575,
2576, 2577, 2578, 2579, 2580,
2581, 2582, 2583, 2584, 2585,
2586, 2587, 2588, 2589, 2590,
2591, 2592, 2593, 2594, 2595,
2596, 2597, 2598, 2599, 2600,
2601, 2602, 2603, 2604, 2605,
2606, 2607, 2608, 2609, 2610,
2611, 2612, 2613, 2614, 2615,
2616, 2617, 2618, 2619, 2620,
2621, 2622, 2623, 2624, 2625,
2626, 2627, 2628, 2629, 2630,
2631, 2632, 2633, 2634, 2635,
2636, 2637, 2638, 2639, 2640,
2641, 2642, 2643, 2644, 2645,
2646, 2647, 2648, 2649, 2650,
2651, 2652, 2653, 2654, 2655,
2656, 2657, 2658, 2659, 2660,
2661, 2662, 2663, 2664, 2665,
2666, 2667, 2668, 2669, 2670,
2671, 2672, 2673, 2674, 2675,
2703, 2704, 2705, 2706, 2707,
2708, 2709, 2710, 2711, 2712,
2713, 2714, 2715, 2716, 2717,
2718, 2719, 2720, 2721, 2722,
2723, 2724, 2725, 2726, 2727,
2728, 2729, 2730, 2731, 2732,
2733, 2734, 2735, 2736, 2737,
2738, 2739, 2740, 2741, 2742,
2743, 2744, 2745, 2746, 2747,
2748, 2749, 2750, 2751, 2752,
2753, 2754, 2755, 2756, 2757,
2758, 2759, 2760, 2761, 2762,
2763, 2764, 2765, 2766, 2767,
2768, 2769, 2770, 2771, 2772,
2773, 2774, 2775, 2776, 2777,
2778, 2779, 2780, 2781, 2782,
2783, 2784, 2785, 2786, 2787,
2788, 2789, 2790, 2791, 2792,
2793, 2794, 2795, 2796, 2797,
2798, 2799, 2800, 2801, 2802,
2803, 2804, 2805, 2806, 2807,
2808, 2809, 2810, 2811, 2812,
2813, 2814, 2815, 2816, 2817,
2818, 2819, 2820, 2821, 2822,
2823, 2824, 2825, 2826, 2827,
2828, 2829, 2830, 2916, 2917,
2918, 2919, 2920, 2921, 2922,
2923, 2924, 2925, 2926, 2927,
2928, 2929, 2930, 2931, 2932,
2933, 2934, 2935, 2936, 2937,
2938, 2939, 2940, 2941, 2942,
2943, 2944, 2945, 2946, 2947,
2948, 2949, 2950, 2951, 2952,
2953, 2954, 2955, 2956, 2957,
2958, 2959, 2960, 2961, 2962,
2963, 2964, 2965, 2966, 2967,
2968, 2969, 2970, 2971, 2972,
2973, 2974, 2975, 2976, 2977,
2978, 2979, 2980, 2981, 2982,
2983, 2984, 2985, 2986, 2987,
2988, 2989, 2990, 2991, 2992,
2993, 2994, 2995, 2996, 2997,
2998, 2999, 3000, 3001, 3002,
3003, 3004, 3005, 3006, 3007,
3008, 3009, 3010, 3011, 3012,
3013, 3014, 3015, 3016, 3017,
3018, 3019, 3020, 3021, 3022,
3023, 3024, 3025, 3026, 3027,
3028, 3029, 3030, 3031, 3032,
3033, 3034, 3035, 3036, 3037,
3038, 3039, 3040, 3041, 3042,
3043, 3159, 3160, 3161, 3162,
3163, 3164, 3165, 3166, 3167,
3168, 3169, 3170, 3171, 3172,
3173, 3174, 3175, 3176, 3177,
3178, 3179, 3180, 3181, 3182,
3183, 3184, 3185, 3186, 3187,
3188, 3189, 3190, 3191, 3192,
3193, 3194, 3195, 3196, 3197,
3198, 3199, 3200, 3201, 3202,
3203, 3204, 3205, 3206, 3207,
3208, 3209, 3210, 3211, 3212,
3213, 3214, 3215, 3216, 3217,
3218, 3219, 3220, 3221, 3222,
3223, 3224, 3225, 3226, 3227,

3228, 3229, 3230, 3231, 3232,
3233, 3234, 3235, 3236, 3237,
3238, 3239, 3240, 3241, 3242,
3243, 3244, 3245, 3246, 3247,
3248, 3249, 3250, 3251, 3252,
3253, 3254, 3255, 3256, 3257,
3258, 3259, 3260, 3261, 3262,
3263, 3264, 3265, 3266, 3267,
3268, 3269, 3270, 3271, 3272,
3273, 3274, 3275, 3276, 3277,
3278, 3279, 3280, 3281, 3282,
3283, 3284, 3318, 3319, 3320,
3321, 3322, 3323, 3324, 3325,
3326, 3327, 3328, 3329, 3330,
3331, 3332, 3333, 3334, 3335,
3336, 3337, 3338, 3339, 3340,
3341, 3342, 3343, 3344, 3345,
3346, 3347, 3348, 3349, 3350,
3351, 3352, 3353, 3354, 3355,
3356, 3357, 3358, 3359, 3360,
3361, 3362, 3363, 3364, 3365,
3366, 3367, 3368, 3369, 3370,
3371, 3372, 3373, 3374, 3375,
3376, 3377, 3378, 3379, 3380,
3381, 3382, 3383, 3384, 3385,
3386, 3387, 3388, 3389, 3390,
3391, 3392, 3393, 3394, 3395,
3396, 3397, 3398, 3399, 3400,
3401, 3402, 3403, 3404, 3405,
3406, 3407, 3408, 3409, 3410,
3411, 3412, 3413, 3414, 3415,
3416, 3417, 3418, 3419, 3420,
3421, 3422, 3423, 3424, 3425,
3426, 3427, 3428, 3429, 3430,
3431, 3432, 3433, 3434, 3435,
3436, 3437, 3438, 3439, 3440,
3441, 3442, 3443, 3444, 3445,
3495, 3496, 3497, 3498, 3499,
3500, 3501, 3502, 3503, 3504,
3505, 3506, 3507, 3508, 3509,
3510, 3511, 3512, 3513, 3514,
3515, 3516, 3517, 3518, 3519,
3520, 3521, 3522, 3523, 3524,
3525, 3526, 3527, 3528, 3529,
3530, 3531, 3532, 3533, 3534,
3535, 3536, 3537, 3538, 3539,
3540, 3541, 3542, 3543, 3544,
3545, 3546, 3547, 3548, 3549,
3550, 3551, 3552, 3553, 3554,
3555, 3556, 3557, 3558, 3559,
3560, 3561, 3562, 3563, 3564,
3565, 3566, 3567, 3568, 3569,
3570, 3571, 3572, 3573, 3574,
3575, 3576, 3577, 3578, 3579,
3580, 3581, 3582, 3583, 3584,
3585, 3586, 3587, 3588, 3589,
3590, 3591, 3592, 3593, 3594,
3595, 3596, 3597, 3598, 3599,
3600, 3601, 3602, 3603, 3604,
3605, 3606, 3607, 3608, 3609,
3610, 3611, 3612, 3613, 3614,
3615, 3616, 3617, 3660, 3661,
3662, 3663, 3664, 3665, 3666,
3667, 3668, 3669, 3670, 3671,
3672, 3673, 3674, 3675, 3676,
3677, 3678, 3679, 3680, 3681,
3682, 3683, 3684, 3685, 3686,
3687, 3688, 3689, 3690, 3691,
3692, 3693, 3694, 3695, 3696,
3697, 3698, 3699, 3700, 3701,
3702, 3703, 3704, 3705, 3706,
3707, 3708, 3709, 3710, 3711,
3712, 3713, 3714, 3715, 3716,
3717, 3718, 3719, 3720, 3721,
3722, 3723, 3724, 3725, 3726,
3727, 3728, 3729, 3730, 3731,
3732, 3733, 3734, 3735, 3736,
3737, 3738, 3739, 3740, 3741,
3742, 3743, 3744, 3745, 3746,
3747, 3748, 3749, 3750, 3751,
3752, 3753, 3754, 3755, 3756,
3757, 3758, 3759, 3760, 3761,
3762, 3763, 3764, 3765, 3766,
3767, 3768, 3769, 3770, 3771,
3772, 3773, 3774, 3775, 3776,
3777, 3778, 3779, 3780, 3781,
3782, 3783, 3784, 3785, 3786,
3857, 3858, 3859, 3860, 3861,
3862, 3863, 3864, 3865, 3866,
3867, 3868, 3869, 3870, 3871,
3872, 3873, 3874, 3875, 3876,
3877, 3878, 3879, 3880, 3881,
3882, 3883, 3884, 3885, 3886,
3887, 3888, 3889, 3890, 3891,
3892, 3893, 3894, 3895, 3896,
3897, 3898, 3899, 3900, 3901,
3902, 3903, 3904, 3905, 3906,
3907, 3908, 3909, 3910, 3911,
3912, 3913, 3914, 3915, 3916,
3917, 3918, 3919, 3920, 3921,
3922, 3923, 3924, 3925, 3926,
3927, 3928, 3929, 3930, 3931,
3932, 3933, 3934, 3935, 3936,
3937, 3938, 3939, 3940, 3941,
3942, 3943, 3944, 3945, 3946,
3947, 3948, 3949, 3950, 3951,
3952, 3953, 3954, 3955, 3956,
3957, 3958, 3959, 3960, 3961,
3962, 3963, 3964, 3965, 3966,
3967, 3968, 3969, 3970, 3971,
3972, 3973, 3974, 3975, 3976,
3977, 3978, 3979, 4047, 4048,
4049, 4050, 4051, 4052, 4053,
4054, 4055, 4056, 4057, 4058,
4059, 4060, 4061, 4062, 4063,
4064, 4065, 4066, 4067, 4068,
4069, 4070, 4071, 4072, 4073,
4074, 4075, 4076, 4077, 4078,
4079, 4080, 4081, 4082, 4083,
4084, 4085, 4086, 4087, 4088,
4089, 4090, 4091, 4092, 4093,
4094, 4095, 4096, 4097, 4098,
4099, 4100, 4101, 4102, 4103,
4104, 4105, 4106, 4107, 4108,

4109, 4110, 4111, 4112, 4113,
4114, 4115, 4116, 4117, 4118,
4119, 4120, 4121, 4122, 4123,
4124, 4125, 4126, 4127, 4128,
4129, 4130, 4131, 4132, 4133,
4134, 4135, 4136, 4137, 4138,
4139, 4140, 4141, 4142, 4143,
4144, 4145, 4146, 4147, 4148,
4149, 4150, 4151, 4152, 4153,
4154, 4155, 4156, 4157, 4158,
4159, 4160, 4161, 4162, 4203,
4204, 4205, 4206, 4207, 4208,
4209, 4210, 4211, 4212, 4213,
4214, 4215, 4216, 4217, 4218,
4219, 4220, 4221, 4222, 4223,
4224, 4225, 4226, 4227, 4228,
4229, 4230, 4231, 4232, 4233,
4234, 4235, 4236, 4237, 4238,
4239, 4240, 4241, 4242, 4243,
4244, 4245, 4246, 4247, 4248,
4249, 4250, 4251, 4252, 4253,
4254, 4255, 4256, 4257, 4258,
4259, 4260, 4261, 4262, 4263,
4264, 4265, 4266, 4267, 4268,
4269, 4270, 4271, 4272, 4273,
4274, 4275, 4276, 4277, 4278,
4279, 4280, 4281, 4282, 4283,
4315, 4316, 4317, 4318, 4319,
4320, 4321, 4322, 4323, 4324,
4325, 4326, 4327, 4328, 4329,
4330, 4331, 4332, 4333, 4334,
4335, 4336, 4337, 4338, 4339,
4340, 4341, 4342, 4343, 4344,
4345, 4346, 4347, 4348, 4349,
4350, 4351, 4352, 4353, 4354,
4355, 4356, 4357, 4358, 4359,
4360, 4361, 4362, 4363, 4364,
4365, 4366, 4367, 4368, 4369,
4370, 4371, 4372, 4373, 4374,
4375, 4376, 4377, 4378, 4379,
4380, 4381, 4382, 4383, 4384,
4385, 4386, 4387, 4388, 4389,
4390, 4391, 4392, 4393, 4394,
4395, 4396, 4397, 4398, 4399,
4400, 4401, 4402, 4403, 4404,
4405, 4406, 4407, 4408, 4409,
4410, 4411, 4412, 4413, 4414,
4415, 4416, 4417, 4418, 4419,
4420, 4421, 4422, 4423, 4424,
4425, 4426, 4427, 4428, 4429,
4430, 4431, 4432, 4433, 4434,
4435, 4436, 4437, 4438, 4439,
4440, 4487, 4488, 4489, 4490,
4491, 4492, 4493, 4494, 4495,
4496, 4497, 4498, 4499, 4500,
4501, 4502, 4503, 4504, 4505,
4506, 4507, 4508, 4509, 4510,
4511, 4512, 4513, 4514, 4515,
4516, 4517, 4518, 4519, 4520,
4521, 4522, 4523, 4524, 4525,
4526, 4527, 4528, 4529, 4530,
4531, 4532, 4533, 4534, 4535,
4536, 4537, 4538, 4539, 4540,
4541, 4542, 4543, 4544, 4545,
4546, 4547, 4548, 4549, 4550,
4551, 4552, 4553, 4554, 4555,
4556, 4557, 4558, 4559, 4560,
4561, 4562, 4563, 4564, 4565,
4566, 4567, 4568, 4569, 4570,
4571, 4572, 4573, 4574, 4575,
4576, 4577, 4578, 4579, 4580,
4581, 4582, 4583, 4584, 4585,
4586, 4587, 4588, 4589, 4590,
4591, 4592, 4593, 4594, 4595,
4596, 4597, 4598, 4599, 4600,
4601, 4602, 4603, 4604, 4605,
4606, 4607, 4608, 4609, 4610,
4611, 4612, 4613, 4614, 4678,
4679, 4680, 4681, 4682, 4683,
4684, 4685, 4686, 4687, 4688,
4689, 4690, 4691, 4692, 4693,
4694, 4695, 4696, 4697, 4698,
4699, 4700, 4701, 4702, 4703,
4704, 4705, 4706, 4707, 4708,
4709, 4710, 4711, 4712, 4713,
4714, 4715, 4716, 4717, 4718,
4719, 4720, 4721, 4722, 4723,
4724, 4725, 4726, 4727, 4728,
4729, 4730, 4731, 4732, 4733,
4734, 4735, 4736, 4737, 4738,
4739, 4740, 4741, 4742, 4743,
4744, 4745, 4746, 4747, 4748,
4749, 4750, 4751, 4752, 4753,
4754, 4755, 4756, 4757, 4758,
4759, 4760, 4761, 4762, 4763,
4764, 4765, 4766, 4767, 4768,
4769, 4770, 4771, 4772, 4773,
4774, 4775, 4776, 4777, 4778,
4779, 4780, 4781, 4782, 4783,
4784, 4785, 4786, 4787, 4788,
4789, 4790, 4791, 4792, 4793,
4794, 4795, 4796, 4797, 4798,
4799, 4800, 4801, 4802, 4803,
4804, 4805, 4903, 4904, 4905,
4906, 4907, 4908, 4909, 4910,
4911, 4912, 4913, 4914, 4915,
4916, 4917, 4918, 4919, 4920,
4921, 4922, 4923, 4924, 4925,
4926, 4927, 4928, 4929, 4930,
4931, 4932, 4933, 4934, 4935,
4936, 4937, 4938, 4939, 4940,
4941, 4942, 4943, 4944, 4945,
4946, 4947, 4948, 4949, 4950,
4951, 4952, 4953, 4954, 4955,
4956, 4957, 4958, 4959, 4960,
4961, 4962, 4963, 4964, 4965,
4966, 4967, 4968, 4969, 4970,
4971, 4972, 4973, 4974, 4975,
4976, 4977, 4978, 4979, 4980,
4981, 4982, 4983, 4984, 4985,
4986, 4987, 4988, 4989, 4990,
4991, 4992, 4993, 4994, 4995,
4996, 4997, 4998, 4999, 5000,
5001, 5002, 5003, 5004, 5005,

5006, 5007, 5008, 5009, 5010,
 5011, 5012, 5013, 5014, 5015,
 5016, 5017, 5018, 5019, 5020,
 5021, 5022, 5023, 5024, 5025,
 5026, 5027, 5028, 5029, 5109,
 5110, 5111, 5112, 5113, 5114,
 5115, 5116, 5117, 5118, 5119,
 5120, 5121, 5122, 5123, 5124,
 5125, 5126, 5127, 5128, 5129,
 5130, 5131, 5132, 5133, 5134,
 5135, 5136, 5137, 5138, 5139,
 5140, 5141, 5142, 5143, 5144,
 5145, 5146, 5147, 5148, 5149,
 5150, 5151, 5152, 5153, 5154,
 5155, 5156, 5157, 5158, 5159,
 5160, 5161, 5162, 5163, 5164,
 5165, 5166, 5167, 5168, 5169,
 5170, 5171, 5172, 5173, 5174,
 5175, 5176, 5177, 5178, 5179,
 5180, 5181, 5182, 5183, 5184,
 5185, 5186, 5187, 5188, 5189,
 5190, 5191, 5192, 5193, 5194,
 5195, 5196, 5197, 5198, 5199,
 5200, 5201, 5202, 5203, 5204,
 5205, 5206, 5207, 5208, 5209,
 5210, 5211, 5212, 5213, 5214,
 5215, 5216, 5217, 5218, 5219,
 5220, 5221, 5222, 5223, 5224,
 5225, 5226, 5227, 5228, 5229,
 5230, 5231, 5232, 5233, 5234, 5241
\DeclareMathMeaning
 5472, 5473, 5474, 5475,
 5476, 5477, 5478, 5479, 5480,
 5481, 5482, 5483, 5484, 5485,
 5486, 5487, 5488, 5489, 5490,
 5491, 5492, 5493, 5494, 5495,
 5496, 5497, 5498, 5499, 5500,
 5501, 5502, 5503, 5504, 5505,
 5506, 5507, 5508, 5509, 5510,
 5511, 5512, 5513, 5514, 5515,
 5516, 5517, 5518, 5519, 5520,
 5521, 5522, 5523, 5524, 5525,
 5526, 5527, 5528, 5529, 5530,
 5531, 5532, 5533, 5534, 5535, 5536
\DeclareOption 77, 79
\DeclareTextAccentDefault 5544
\DeclareTextCommandDefault 5545
\DeclareTextSymbolDefault 5546
\DeclareUnicodeCharacter
 5246, 5247, 5248, 5249,
 5250, 5251, 5252, 5253, 5254,
 5255, 5256, 5257, 5258, 5259,
 5260, 5261, 5262, 5263, 5264,
 5265, 5266, 5267, 5268, 5269,
 5270, 5271, 5272, 5273, 5274,
 5275, 5276, 5277, 5278, 5279,
 5280, 5281, 5282, 5283, 5284,
 5285, 5286, 5287, 5288, 5289,
 5290, 5291, 5292, 5293, 5294,
 5295, 5296, 5297, 5298, 5299,
 5300, 5301, 5302, 5303, 5304,
 5305, 5306, 5307, 5308, 5309,
 5310, 5311, 5312, 5313, 5314,
 5315, 5316, 5317, 5318, 5319,
 5320, 5321, 5322, 5323, 5324,
 5325, 5326, 5327, 5328, 5329,
 5330, 5331, 5332, 5333, 5334,
 5335, 5336, 5337, 5338, 5339,
 5340, 5341, 5342, 5343, 5344,
 5345, 5346, 5347, 5348, 5349,
 5350, 5351, 5352, 5353, 5354,
 5355, 5356, 5357, 5358, 5359,
 5360, 5361, 5362, 5363, 5364,
 5365, 5366, 5367, 5368, 5369,
 5370, 5371, 5372, 5373, 5374,
 5375, 5376, 5377, 5378, 5379,
 5380, 5381, 5382, 5383, 5384,
 5385, 5386, 5387, 5388, 5389,
 5390, 5391, 5392, 5393, 5394,
 5395, 5396, 5397, 5398, 5399,
 5400, 5401, 5402, 5403, 5404,
 5405, 5406, 5407, 5408, 5409,
 5410, 5411, 5412, 5413, 5414,
 5415, 5416, 5417, 5418, 5419,
 5420, 5421, 5422, 5423, 5424,
 5425, 5426, 5427, 5428, 5429,
 5430, 5431, 5432, 5433, 5434,
 5435, 5436, 5437, 5438, 5439,
 5440, 5441, 5442, 5443, 5444,
 5445, 5446, 5447, 5448, 5449, 5450
\Delta 4464, 4641, 4859, 5497
\delta 239, 2092, 3082, 5485
\DH 557, 1487,
 1880, 2461, 2997, 3932, 5125, 5561
\dh 589, 1519,
 1912, 2460, 2996, 3964, 5211, 5577
\diamond 4473, 4874, 5506
\div 5491
\DJ 687, 958, 1448, 2006, 2629, 3570, 5562
\dj 719, 990, 1464, 2038, 2628, 3602, 5578
\do 87
\downarrow 5492
\dp 1152, 2330, 2863

E

\endcsname 13, 18, 39, 64, 186
\endinput 65
\endlinechar 47, 53
\ensuremath 194, 197, 200, 203, 206,
 209, 212, 224, 227, 233, 236,
 239, 245, 248, 254, 257, 260,
 263, 266, 269, 272, 275, 278,
 281, 284, 287, 297, 302, 305,
 308, 311, 314, 471, 477, 480,
 483, 486, 489, 492, 495, 498,
 501, 504, 631, 637, 755, 767,
 770, 773, 776, 779, 896, 905,
 1161, 1167, 1170, 1173, 1176,
 1179, 1182, 1185, 1188, 1191,
 1194, 1283, 1289, 1292, 1295,
 1298, 1301, 1304, 1307, 1310,
 1313, 1316, 1428, 1552, 1558,
 1561, 1564, 1567, 1570, 1573,
 1576, 1579, 1582, 1585, 1800,
 1809, 1812, 1815, 1818, 1821,

1824, 1827, 1950, 1956, 2062, 2065, 2068, 2071, 2074, 2077, 2080, 2089, 2092, 2098, 2101, 2107, 2110, 2113, 2116, 2119, 2122, 2125, 2128, 2131, 2137, 2140, 2143, 2153, 2158, 2161, 2164, 2167, 2339, 2348, 2351, 2354, 2357, 2360, 2363, 2366, 2369, 2372, 2375, 2537, 2543, 2546, 2872, 2884, 2887, 2890, 2893, 2896, 2899, 2902, 2905, 2908, 2911, 3052, 3055, 3058, 3061, 3064, 3067, 3070, 3079, 3082, 3088, 3091, 3097, 3100, 3103, 3106, 3109, 3112, 3115, 3118, 3121, 3127, 3130, 3133, 3143, 3148, 3151, 3154, 3157, 3299, 3316, 3475, 3484, 3487, 3490, 3493, 3632, 3638, 3641, 3658, 3813, 3825, 3828, 3831, 3834, 3837, 3840, 3843, 3846, 3849, 3852, 4009, 4018, 4021, 4024, 4027, 4030, 4033, 4036, 4039, 4042, 4045, 4177, 4180, 4183, 4186, 4189, 4192, 4195, 4198, 4292, 4298, 4304, 4307, 4310, 4313, 4455, 4461, 4464, 4467, 4470, 4473, 4476, 4479, 4482, 4485, 4623, 4626, 4638, 4641, 4644, 4647, 4650, 4653, 4656, 4673, 4676, 4814, 4820, 4841, 4856, 4859, 4862, 4865, 4868, 4871, 4874, 4877, 4880, 4883, 4886, 4889, 4892, 4895, 4898, 5077, 5080, 5083, 5086, 5089, 5092, 5095, 5098, 5101, 5104	2963, 3549, 3718, 3911, 4094, 4221, 4559, 4750, 4975, 5168, 5580 \guilsinglleft 3503, 3671, 3867, 4054, 4579, 4995, 5153, 5581 \guilsinglright 3517, 3686, 3880, 4066, 4580, 4996, 5154, 5582
	H
\H 613, 692, 698, 724, 730, 2011, 2014, 2043, 2046, 2516, 2558, 2559, 2655, 2671, 3454, 3575, 3581, 3607, 3613, 4563, 4565, 4603, 4604, 4817, 5038, 5563 \hbox 1021, 1940, 2697, 3309, 3651, 4666 \hebalef 385, 1230, 5350 \hebayin 400, 1248, 5368 \hebbet 386, 1231, 5351 \hebdalet 388, 1233, 5353 \hebfinalkaf 408, 1240, 5360 \hebfinalmem 409, 1243, 5363 \hebfinalnum 407, 1245, 5365 \hebfinalpe 410, 1249, 5369 \hebfinaltsadi 411, 1251, 5371 \hebgimel 387, 1232, 5352 \hebhe 389, 1234, 5354 \hebhet 392, 1237, 5357 \hebkaf 395, 1241, 5361 \heblamed 396, 1242, 5362 \hebmem 397, 1244, 5364 \hebnun 398, 1246, 5366 \hebpe 401, 1250, 5370 \hebqof 403, 1253, 5373 \hebresh 404, 1254, 5374 \hebsamekh 399, 1247, 5367 \hebshin 405, 1255, 5375 \hebtav 406, 1256, 5376 \hebtet 393, 1238, 5358 \hebtsadi 402, 1252, 5372 \hebvav 390, 1235, 5355 \hebyod 394, 1239, 5359 \hebzayin 391, 1236, 5356 \hidewidth 1939, 1945 \hline 1023, 2699, 3311, 3653, 4668 \hmode@bgroup 1936	
	I
\i 330, 331, 332, 352, 585, 586, 587, 588, 716, 717, 804, 851, 852, 853, 854, 931, 987, 988, 989, 1397, 1398, 1399, 1400, 1414, 1459, 1460, 1516, 1517, 1518, 1665, 1766, 1767, 1768, 1769, 1908, 1909, 1910, 1911, 2034, 2035, 2036, 2037, 2183, 2184, 2185, 2205, 2391, 2392, 2393, 2413, 2465, 2560, 2581, 2927, 2928, 2929, 2949, 3170, 3171, 3172, 3192, 3599, 3600, 3960, 3961, 3962, 3963, 4145, 4267, 4268, 4269, 4270, 4505, 4539, 4921, 4922, 4923, 4924, 5019, 5205, 5207, 5209, 5210, 5226, 5269, 5271, 5583	

\IEEX@DoLookup	15, 45		
\IEEX@enclist	78, 80, 81, 83, 87	5576, 5577, 5578, 5579, 5580,	
\IEEX@LookupEncoding	7, 88, 96	5581, 5582, 5583, 5584, 5585,	
\IEEX@mathtrue	77	5586, 5587, 5588, 5589, 5590,	
\IEEX@temp	57, 58, 59, 60, 61, 62, 64, 68	5591, 5592, 5593, 5594, 5595,	
\ifdim	1152, 2330, 2863	5596, 5597, 5598, 5599, 5600,	
\IfFileExists	27, 48, 62, 116	5601, 5602, 5603, 5604, 5605,	
\ifIEEX@math	76, 114	5606, 5607, 5608, 5609, 5610,	
\ifx	20, 59, 80, 89, 97, 100, 105	5611, 5612, 5613, 5614, 5615,	
\IJ	384, 5564	5616, 5617, 5618, 5619, 5620,	
\ij	383, 5584	5621, 5622, 5623, 5624, 5625,	
\in	245, 5493	5626, 5627, 5628, 5629, 5630,	
\infty	257, 2110, 3100, 4644, 4862, 5498	5631, 5632, 5633, 5634, 5635,	
\input	49, 51, 117, 119	5636, 5637, 5638, 5639, 5640, 5641	
\InputEncoding	95	\lnot	266, 297, 477,
\inputencoding	99	1167, 1289, 1558, 1809, 2119,	
\InputenxAlias	56, 125, 126,	2153, 2348, 2543, 2884, 3109,	
127, 128, 129, 130, 131, 132,	3143, 3484, 3638, 3825, 4018,		
133, 134, 135, 136, 137, 138,	4470, 4650, 4871, 5077, 5504, 5505		
139, 140, 141, 142, 143, 144,			
145, 146, 147, 148, 149, 150,			
151, 152, 153, 154, 155, 156,			
157, 158, 159, 160, 161, 162,			
163, 164, 165, 166, 167, 168,			
169, 170, 171, 172, 173, 174,			
175, 176, 177, 178, 179, 180, 181			
\int	4865, 5499		
		M	
		\makeatletter	
		. 192, 451, 611, 741, 876, 1012,	
		1129, 1263, 1423, 1541, 1689,	
		1792, 1934, 2060, 2304, 2514,	
		2682, 2837, 3050, 3291, 3452,	
		3624, 3793, 3986, 4169, 4290,	
		4447, 4621, 4812, 5036, 5464, 5471	
		\math@fontsfal	
		se . 1018, 1943, 2694, 3306, 3648, 4663	
		\mathdollar	
		5486	
		\mathellipsis	
		5494	
		\mathpalette	
		297, 2153, 3143	
		\mathparagraph	
		5516	
		\mathsection	
		5525	
		\mathsterling	
		5528	
		\mbox	
		1431	
		\MessageBreak	
		23, 29, 30, 34, 35, 68, 70	
		\mu	
		269, 480, 767, 1170,	
		1292, 1561, 1812, 2122, 2351,	
		2887, 3112, 3487, 3641, 3828,	
		4021, 4180, 4653, 4877, 5080, 5507	
		N	
		\NeedsTeXFormat	
		2	
		\neq	
		4476, 4656, 4880, 5508	
		\newcommand	
		95	
		\newif	
		76	
		\nfss@text	
		5480, 5523	
		\NG	
		939, 1454, 5566	
		\ng	
		941, 1470, 5588	
		\nobreakspace ..	
		509, 639, 781, 910,	
		1027, 1199, 1321, 1439, 1587,	
		1690, 1832, 1958, 2297, 2507,	
		2675, 2830, 3043, 3284, 3445,	
		3522, 3691, 3884, 4069, 4340,	
		4561, 4752, 4977, 5109, 5246, 5589	
		\null	
		1938	
		O	
		\o	
		369, 565, 966, 1377, 1495, 1595,	
		1746, 1888, 2409, 2945, 3188,	
		3940, 4075, 4248, 4950, 5214, 5567	

\o . 370, 597, 998, 1409, 1527, 1611,
1778, 1920, 2407, 2943, 3186,
3972, 4091, 4278, 4966, 5230, 5590
\OE 372, 1860,
1986, 3868, 4247, 4981, 5215, 5568
\oe 371, 1861,
1987, 3881, 4277, 4982, 5231, 5591
\oint 233, 5479
\Omega 197, 2065, 3055, 4814, 5510, 5511
\oalign
1020, 1937, 2696, 3308, 3650, 4665

P

\PackageError 33
\PackageInfo 28
\PackageWarning 21, 67
\partial 4479, 4883, 5517
\PassOptionsToPackage 91, 100, 102, 107
\Phi 200, 2068, 3058, 5518
\phi 281, 2137, 3127, 5519
\Pi 4892
\pi 284, 2140, 3130, 4886, 5520
\pm 287, 492, 1182,
1304, 1573, 1818, 1956, 2143,
2363, 2899, 3133, 3490, 3658,
3840, 4033, 4192, 4673, 4889, 5092
\ProcessOptions 86
\prod 5521
\providecommand 5, 6
\ProvidesFile
. 124, 184, 189, 448, 608, 738,
873, 1009, 1126, 1260, 1420,
1538, 1686, 1789, 1931, 2057,
2301, 2511, 2679, 2834, 3047,
3288, 3449, 3621, 3790, 3983,
4166, 4287, 4444, 4618, 4809,
5033, 5244, 5453, 5457, 5461, 5468
\ProvidesPackage 3
\ProvideTextCommandDefault
. 193, 196, 199,
202, 205, 208, 211, 214, 217,
220, 223, 226, 229, 232, 235,
238, 241, 244, 247, 250, 253,
256, 259, 262, 265, 268, 271,
274, 277, 280, 283, 286, 289,
301, 304, 307, 310, 313, 316,
452, 455, 458, 461, 464, 467,
470, 473, 476, 479, 482, 485,
488, 491, 494, 497, 500, 503,
506, 612, 615, 618, 621, 624,
627, 630, 633, 636, 742, 745,
748, 751, 754, 757, 760, 763,
766, 769, 772, 775, 778, 877,
880, 883, 886, 889, 892, 895,
898, 901, 904, 907, 1013, 1130,
1133, 1136, 1139, 1142, 1145,
1148, 1160, 1163, 1166, 1169,
1172, 1175, 1178, 1181, 1184,
1187, 1190, 1193, 1196, 1264,
1267, 1270, 1273, 1276, 1279,
1282, 1285, 1288, 1291, 1294,
1297, 1300, 1303, 1306, 1309,
1312, 1315, 1318, 1424, 1427,
1430, 1433, 1436, 1542, 1545,
1548, 1551, 1554, 1557, 1560,
1563, 1566, 1569, 1572, 1575,
1578, 1581, 1584, 1793, 1796,
1799, 1802, 1805, 1808, 1811,
1814, 1817, 1820, 1823, 1826,
1829, 1935, 1949, 1952, 1955,
2061, 2064, 2067, 2070, 2073,
2076, 2079, 2082, 2085, 2088,
2091, 2094, 2097, 2100, 2103,
2106, 2109, 2112, 2115, 2118,
2121, 2124, 2127, 2130, 2133,
2136, 2139, 2142, 2145, 2157,
2160, 2163, 2166, 2169, 2305,
2308, 2311, 2314, 2317, 2320,
2323, 2326, 2338, 2341, 2344,
2347, 2350, 2353, 2356, 2359,
2362, 2365, 2368, 2371, 2374,
2377, 2515, 2518, 2521, 2524,
2527, 2530, 2533, 2536, 2539,
2542, 2545, 2683, 2686, 2689,
2838, 2841, 2844, 2847, 2850,
2853, 2856, 2859, 2871, 2874,
2877, 2880, 2883, 2886, 2889,
2892, 2895, 2898, 2901, 2904,
2907, 2910, 2913, 3051, 3054,
3057, 3060, 3063, 3066, 3069,
3072, 3075, 3078, 3081, 3084,
3087, 3090, 3093, 3096, 3099,
3102, 3105, 3108, 3111, 3114,
3117, 3120, 3123, 3126, 3129,
3132, 3135, 3147, 3150, 3153,
3156, 3292, 3295, 3298, 3301,
3315, 3453, 3456, 3459, 3462,
3465, 3468, 3471, 3474, 3477,
3480, 3483, 3486, 3489, 3492,
3625, 3628, 3631, 3634, 3637,
3640, 3643, 3657, 3794, 3797,
3800, 3803, 3806, 3809, 3812,
3815, 3818, 3821, 3824, 3827,
3830, 3833, 3836, 3839, 3842,
3845, 3848, 3851, 3854, 3987,
3990, 3993, 3996, 3999, 4002,
4005, 4008, 4011, 4014, 4017,
4020, 4023, 4026, 4029, 4032,
4035, 4038, 4041, 4044, 4170,
4173, 4176, 4179, 4182, 4185,
4188, 4191, 4194, 4197, 4200,
4291, 4294, 4297, 4300, 4303,
4306, 4309, 4312, 4448, 4451,
4454, 4457, 4460, 4463, 4466,
4469, 4472, 4475, 4478, 4481,
4484, 4622, 4625, 4628, 4631,
4634, 4637, 4640, 4643, 4646,
4649, 4652, 4655, 4658, 4672,
4675, 4813, 4816, 4819, 4822,
4825, 4828, 4831, 4834, 4837,
4840, 4843, 4846, 4849, 4852,
4855, 4858, 4861, 4864, 4867,
4870, 4873, 4876, 4879, 4882,
4885, 4888, 4891, 4894, 4897,
4900, 5037, 5040, 5043, 5046,

	T
\t	5596
\tau	308, 2164, 3154, 5531
\textacutedbl	612, 668, 2515, 2661, 3453, 3551, 4816, 5027, 5037, 5186
\textalpha	208, 415, 2076, 2268, 3066, 3255, 5338, 5473
\textapplelogo	5238, 5239, 5241
\textapproxequal	211, 436, 2079, 2289, 3069, 3276, 4291, 4337, 4622, 4747, 4819, 4972, 5393, 5474
\textasciacute	214, 377, 452, 529, 615, 659, 742, 799, 880, 930, 1130, 1218, 1264, 1341, 2305, 2491, 2518, 2659, 2838, 3027, 3456, 3542, 3794, 3904, 3987, 4087, 4822, 4946, 5040, 5175
\textasciibreve	618, 641, 745, 783, 2521, 2664, 3459, 3524, 4825, 5023, 5043, 5179
\textasciicaron 621, 662, 883, 933, 2524, 2663, 3462, 3523, 3990, 4056, 4448, 4614, 4828, 5029, 5046, 5188
\textasciicircum	3864, 5020, 5176, 5597
\textasciidieresis 217, 376, 455, 517, 624, 647, 748, 788, 886, 918, 1133, 1206, 1267, 1329, 2308, 2501, 2527, 2669, 2841, 3037, 3465, 3530, 3797, 3892, 3993, 4055, 4451, 4531, 4831, 4947, 5049, 5181
\textasciigrave	5052, 5174, 5329
\textasciimacron	220, 444, 458, 524, 889, 925, 1136, 1213, 1270, 1336, 1793, 1847, 2311, 2490, 2844, 3026, 3800, 3899, 3996, 4067, 4834, 5022, 5055, 5178
\textasciitilde	3877, 5021, 5177, 5598
\textasteriskcentered	5599
\textbackslash	5600
\textbar	5601
\textbardbl	5475, 5602
\textbeta	223, 416, 5339, 5476
\textbigcircle	5603
\textblacksquare	2082, 2296, 2314, 2506, 2530, 2674, 2683, 2829, 2847, 3042, 3072, 3283, 3292, 3444, 4294, 4334, 5399
\textblock	2263, 2471, 2639, 2794, 3007, 3250, 3409, 4328, 5445
\textbraceleft	5489, 5604
\textbraceright	5490, 5605
\textbrokenbar	461, 462, 515, 1139, 1140, 1204, 1273, 1274, 1327, 1542, 1543, 1593, 2317, 2318, 2473, 2850, 2851, 3009, 3468, 3469, 3528, 3625, 3626, 3697, 3803, 3804, 3890, 3999, 4000, 4073, 5058, 5059, 5162
\textbullet 438, 2291, 3278, 3439, 3512,
\sbox	1150, 2328, 2861
\selectfont	1019, 1943, 2695, 3307, 3649, 4664
\sf@size ..	1017, 2693, 3305, 3647, 4662
\Sigma	203, 2071, 3061, 4482, 4895, 5526
\sigma	302, 2158, 3148, 5527
\SS	5569
\ss	349, 572, 702, 839, 973, 1384, 1502, 1650, 1753, 1895, 2021, 2269, 2477, 2645, 3013, 3256, 3585, 3947, 4130, 4254, 4526, 4942, 5232, 5472, 5595
\ssf@size	1942
\sum	5529
\surd	305, 2161, 3151, 3316, 4310, 4485, 4676, 4898, 5530
S	

3681, 3874, 4062, 4335, 4524,
4715, 4940, 5164, 5386, 5477, 5606
\textcap 226, 413, 5389, 5478
\textcent 229, 230, 346, 464, 465, 511,
1142, 1143, 1200, 1276, 1277,
1323, 1545, 1546, 1589, 1796,
1797, 1834, 2085, 2086, 2199,
2320, 2321, 2441, 2853, 2854,
2977, 3806, 3807, 3886, 4002,
4003, 4070, 4170, 4171, 4204,
4837, 4838, 4937, 5061, 5062, 5143
\textcircled 5607
\textcommabelow . 1935, 1968, 1984,
2020, 2052, 5325, 5326, 5327, 5328
\textcompwordmark 5608
\textcontourintegral
..... 232, 427, 5392, 5479
\textcopyright 380,
518, 1207, 1330, 1596, 1699,
1841, 1967, 2436, 2972, 3531,
3700, 3893, 4076, 4209, 4376,
4528, 4719, 4944, 5141, 5480, 5609
\textcup 5481
\textcurrency 467, 468, 513, 627, 628,
643, 751, 752, 785, 892, 893,
914, 1145, 1146, 1202, 1279,
1280, 1325, 1548, 1549, 1591,
2323, 2324, 2459, 2533, 2534,
2627, 2686, 2687, 2782, 2856,
2857, 2995, 3075, 3076, 3206,
3295, 3296, 3443, 3471, 3472,
3526, 3628, 3629, 3695, 3809,
3810, 3888, 4005, 4006, 4072,
4173, 4174, 4208, 5064, 5065, 5149
\textdagger
.. 378, 3499, 3666, 3862, 4051,
4519, 4710, 4935, 5159, 5482, 5610
\textdaggerdbl 3500, 3667,
3863, 4052, 4999, 5160, 5483, 5611
\textdbllowline 1148,
1229, 2326, 2494, 2859, 3030, 5378
\textdegree
. 235, 437, 470, 525, 630, 655,
754, 795, 895, 926, 1160, 1214,
1282, 1337, 1427, 1455, 1551,
1603, 1799, 1848, 1949, 1974,
2088, 2290, 2338, 2500, 2536,
2668, 2871, 3036, 3078, 3277,
3298, 3438, 3474, 3538, 3631,
3707, 3812, 3900, 4008, 4083,
4176, 4212, 4297, 4341, 4454,
4520, 4625, 4711, 4840, 4936, 5484
\textdelta 238, 426,
2091, 2279, 3081, 3266, 5340, 5485
\textdiv 241, 242, 435, 473,
474, 596, 633, 634, 726, 757,
758, 861, 898, 899, 997, 1163,
1164, 1224, 1285, 1286, 1408,
1554, 1555, 1674, 1802, 1803,
1919, 2094, 2095, 2288, 2341,
2342, 2498, 2539, 2540, 2666,
2874, 2875, 3034, 3084, 3085,
3275, 3477, 3478, 3609, 3815,
3816, 3971, 4011, 4012, 4154,
4300, 4301, 4344, 4457, 4458,
4573, 4628, 4629, 4764, 4843,
4844, 4989, 5067, 5068, 5140, 5491
\textdkshade 2222, 2430, 2598,
2753, 2966, 3209, 3368, 4333, 5450
\textdnblock 2264, 2472, 2640,
2795, 3008, 3251, 3410, 4327, 5444
\textdollar 5486, 5612
\textdownarrow 5492
\textelement 244, 429, 5383, 5493
\textellipsis 3498, 3665, 3861, 4050,
4560, 4751, 4976, 5169, 5494, 5613
\textemdash 3514, 3683, 3876,
4064, 4568, 4759, 4984, 5189, 5614
\textendash 3513, 3682, 3875,
4063, 4567, 4758, 4983, 5158, 5615
\textepsilon
2097, 2282, 3087, 3269, 5341, 5487
\textequivalence 247, 431,
2100, 2284, 3090, 3271, 5395, 5488
\texteuro 1805,
1806, 1836, 1952, 1953, 1962,
2877, 2878, 3001, 3480, 3481,
3495, 3634, 3635, 3668, 3818,
3819, 3857, 4014, 4015, 4047,
4631, 4632, 4805, 4846, 4847, 4994
\textexcldown 364, 510,
1322, 1833, 2217, 2425, 2961,
3204, 3885, 4203, 4968, 5142, 5616
\textflorin 250, 350,
2103, 2203, 2344, 2411, 2880,
2947, 3093, 3190, 3821, 3859,
4634, 4746, 4849, 4971, 5070, 5147
\textfractionsolidus
..... 4852, 4993, 5073, 5145
\textGamma 193, 417,
2061, 2270, 3051, 3257, 5333, 5495
\textgreater 5617
\textgreaterequal
. 253, 433, 2106, 2286, 3096,
3273, 4303, 4339, 4460, 4538,
4637, 4729, 4855, 4954, 5397, 5496
\texthorizontalbar .. 1430, 1468, 5377
\textincrement 4463, 4557,
4640, 4748, 4858, 4973, 5382, 5497
\textinfinity 256,
414, 2109, 2280, 3099, 3267,
4643, 4726, 4861, 4951, 5388, 5498
\textintegral .. 4864, 4961, 5391, 5499
\textintersection 259, 430,
2112, 2283, 3102, 3270, 5390, 5500
\textit 251, 2104, 2345,
2881, 3094, 3822, 4635, 4850, 5071
\textkra 901,
902, 912, 1433, 1434, 1534, 5278
\textlang 5501
\textleftarrow 5502
\textless 5618
\textlesseqnall
. 262, 434, 2115, 2287, 3105,

3274, 4306, 4338, 4466, 4537,
 4646, 4728, 4867, 4953, 5396, 5503
`\textlfblock` 2265, 3252, 3411, 4329, 5446
`\textlnot` 265, 361, 476,
 521, 1166, 1210, 1288, 1333,
 1557, 1599, 1808, 1844, 2118,
 2214, 2347, 2422, 2542, 2590,
 2883, 2958, 3108, 3201, 3483,
 3534, 3637, 3703, 3824, 3896,
 4017, 4079, 4469, 4553, 4649,
 4744, 4870, 4969, 5076, 5171, 5504
`\textlogicalnot` 5505
`\textlozenge` 4472, 4574, 4873, 4990, 5400, 5506
`\textltshade` 2220, 2428, 2596,
 2751, 2964, 3207, 3366, 4331, 5448
`\textmalteseH` 760, 761, 782, 5266
`\textmalteseh` 763, 764, 796, 5267
`\textmu` 268, 421,
 479, 530, 766, 800, 1169, 1219,
 1291, 1342, 1560, 1608, 1811,
 1853, 2121, 2274, 2350, 2482,
 2886, 3018, 3111, 3261, 3486,
 3543, 3640, 3712, 3827, 3905,
 4020, 4088, 4179, 4216, 4652,
 4731, 4876, 4956, 5079, 5138, 5507
`\textnotequal` 4475, 4532,
 4655, 4723, 4879, 4948, 5394, 5508
`\textnsuperior` 271, 441,
 2124, 2294, 3114, 3281, 5379, 5509
`\textnumero` 1013, 1107, 2689, 2814,
 3301, 3442, 3643, 3716, 4658, 4770
`\textogonekcentered` 5619
`\textohm` 5510
`\textOmega` .. 196, 425, 2064, 2278,
 3054, 3265, 4813, 4964, 5337, 5511
`\textonehalf` 274, 362,
 482, 538, 769, 808, 1172, 1227,
 1294, 1350, 1563, 1616, 2127,
 2215, 2353, 2423, 2889, 2959,
 3117, 3202, 3830, 3913, 4023,
 4096, 4182, 4223, 5082, 5192, 5512
`\textonequarter` 277, 363, 485, 537, 1175, 1226,
 1297, 1349, 1566, 1615, 2130,
 2216, 2356, 2424, 2892, 2960,
 3120, 3203, 3833, 3912, 4026,
 4095, 4185, 4222, 5085, 5191, 5513
`\textonesuperior` 488, 534,
 1178, 1223, 1300, 1346, 1569,
 1612, 1814, 1857, 2359, 2503,
 2895, 3039, 3836, 3909, 4029,
 4092, 4188, 4219, 5088, 5173, 5514
`\textopenbullet` 5515
`\textordfeminine` 357, 519,
 1331, 1842, 2210, 2418, 2954,
 3197, 3894, 4210, 4962, 5208, 5620
`\textordmasculine` 358, 535,
 1347, 1858, 2211, 2419, 2955,
 3198, 3910, 4220, 4963, 5216, 5621
`\textparagraph` 379, 531, 1220, 1343, 1609,
 1712, 1854, 1980, 2496, 3032,
 3544, 3713, 3906, 4089, 4217,
 4525, 4716, 4941, 5163, 5516, 5622
`\textpartial` 4478, 4541, 4882, 4957, 5381, 5517
`\textperiodcentered` 439, 532,
 802, 1221, 1344, 1462, 1610,
 1855, 1981, 2292, 2502, 3038,
 3279, 3440, 3545, 3714, 3907,
 4090, 4218, 4343, 5000, 5161, 5623
`\textpertenthousand` 5624
`\textperthousand` 3501,
 3669, 3865, 4053, 5003, 5170, 5625
`\textpeseta` 2133, 2202, 3123, 3189, 5380
`\textPhi` 199, 423,
 2067, 2276, 3057, 3263, 5336, 5518
`\textphi` 280, 428,
 2136, 2281, 3126, 3268, 5345, 5519
`\textpi` 283, 418, 2139, 2271,
 3129, 3258, 4885, 4960, 5342, 5520
`\textpm` 286,
 432, 491, 526, 1181, 1215, 1303,
 1338, 1572, 1604, 1817, 1849,
 1955, 1975, 2142, 2285, 2362,
 2493, 2898, 3029, 3132, 3272,
 3489, 3539, 3657, 3708, 3839,
 3901, 4032, 4084, 4191, 4213,
 4672, 4727, 4888, 4952, 5091, 5190
`\textproduct` ... 4891, 4959, 5384, 5521
`\textquestiondown` 359, 540,
 1352, 1863, 2212, 2420, 2956,
 3199, 3915, 4224, 4967, 5172, 5626
`\textquotedbl` 5627
`\textquotedblleft` 1607, 3510, 3679, 3872,
 4060, 4569, 4760, 4985, 5151, 5628
`\textquotedblright` 1588, 1979, 3511, 3680, 3873,
 4061, 4570, 4761, 4986, 5167, 5629
`\textquotefont` 3508, 3677,
 3870, 4058, 4571, 4762, 4987, 5630
`\textquoteright` 1682, 3509, 3678, 3871,
 4059, 4572, 4763, 4988, 5150, 5631
`\texttriangle` 5522
`\textregistered` 381, 523,
 1212, 1335, 1601, 1704, 1846,
 2421, 2957, 3536, 3705, 3898,
 4081, 4527, 4718, 4943, 5157, 5632
`\textrevlogicalnot` 289, 292, 360, 2145, 2148,
 2213, 3135, 3138, 3200, 5398, 5523
`\textrightarrow` 5524
`\textrtblock` 2266, 3253, 3412, 4330, 5447
`\textsection` 412,
 516, 646, 787, 917, 1120, 1205,
 1328, 1446, 1594, 1697, 1839,
 1965, 2497, 2665, 2828, 3033,

3529, 3698, 3891, 4074, 4207,
4523, 4714, 4939, 5148, 5525, 5633
\text{SFi} 2262, 2470, 2638,
2793, 3006, 3249, 3408, 4317, 5405
\text{SFii} 2236, 2444, 2612,
2767, 2980, 3223, 3382, 4319, 5407
\text{SFiii} 2235, 2443, 2611,
2766, 2979, 3222, 3381, 4318, 5406
\text{SFiv} 2261, 2469, 2637,
2792, 3005, 3248, 3407, 4320, 5408
\text{SFix} 2224, 2432, 2600,
2755, 2968, 3211, 3370, 4322, 5410
\text{SF1} . 2256, 3243, 3402, 4354, 5422
\text{SFli} 2257, 3244, 3403, 4347, 5416
\text{SFlii} 2258, 3245, 3404, 4349, 5417
\text{SFlii} 2259, 3246, 3405, 4374, 5441
\text{SFliv} 2260, 3247, 3406, 4373, 5440
\text{SFv} 2241, 2449, 2617,
2772, 2985, 3228, 3387, 4325, 5413
\text{SFvi} 2238, 2446, 2614,
2769, 2982, 3225, 3384, 4323, 5411
\text{SFvii} 2237, 2445, 2613,
2768, 2981, 3224, 3383, 4324, 5412
\text{SFviii} 2239, 2447, 2615,
2770, 2983, 3226, 3385, 4321, 5409
\text{SFx} 2240, 2448, 2616,
2771, 2984, 3227, 3386, 4315, 5403
\text{SFxi} 2223, 2431, 2599,
2754, 2967, 3210, 3369, 4316, 5404
\text{SFxix} 2225, 3212, 3371, 4363, 5431
\text{SFxl} 2246, 2454, 2622,
2777, 2990, 3233, 3392, 4372, 5439
\text{SFxli} 2247, 2455, 2623,
2778, 2991, 3234, 3393, 4369, 5436
\text{SFxlii} 2248, 2456, 2624,
2779, 2992, 3235, 3394, 4362, 5430
\text{SFxlili} 2249, 2457, 2625,
2780, 2993, 3236, 3395, 4345, 5414
\text{SFxliv} 2250, 2458, 2626,
2781, 2994, 3237, 3396, 4375, 5442
\text{SFxlrix} 2255, 3242, 3401, 4355, 5423
\text{SFxlv} 2251, 3238, 3397, 4370, 5437
\text{SFxlvi} 2252, 3239, 3398, 4371, 5438
\text{SFxlvii}
.... 2253, 3240, 3399, 4367, 5434
\text{SFxlviii}
.... 2254, 3241, 3400, 4368, 5435
\text{SFxx} 2226, 3213, 3372, 4365, 5432
\text{SFxxi} 2227, 3214, 3373, 4352, 5420
\text{SFxxii} 2228, 3215, 3374, 4351, 5419
\text{SFxxiii} 2229, 2437, 2605,
2760, 2973, 3216, 3375, 4366, 5433
\text{SFxxiv} 2230, 2438, 2606,
2761, 2974, 3217, 3376, 4346, 5415
\text{SFxxv} 2231, 2439, 2607,
2762, 2975, 3218, 3377, 4353, 5421
\text{SFxxvi} 2232, 2440, 2608,
2763, 2976, 3219, 3378, 4359, 5427
\text{SFxxvii}
.... 2233, 3220, 3379, 4358, 5426
\text{SFxxviii}
.... 2234, 3221, 3380, 4357, 5425
\text{SFxxxix} 2245, 2453, 2621,
2776, 2989, 3232, 3391, 4350, 5418
\text{SFxxxvi}
.... 2242, 3229, 3388, 4360, 5428
\text{SFxxxvii}
.... 2243, 3230, 3389, 4361, 5429
\text{SFxxxviii} .. 2244, 2452, 2620,
2775, 2988, 3231, 3390, 4356, 5424
\text{textshade} 2221, 2429, 2597,
2752, 2965, 3208, 3367, 4332, 5449
\text{Sigma} 202, 419,
2070, 2272, 3060, 3259, 5335, 5526
\text{sigma} 301, 420,
2157, 2273, 3147, 3260, 5343, 5527
\text{sterling}
... 347, 512, 784, 1201, 1324,
1590, 1693, 1835, 2200, 2408,
2944, 3187, 3887, 4071, 4205,
4522, 4713, 4938, 5144, 5528, 5634
\text{summation}
4481, 4542, 4894, 4958, 5385, 5529
\text{surd} 304, 440,
2160, 2293, 3150, 3280, 3315,
3441, 4309, 4336, 4484, 4554,
4675, 4745, 4897, 4970, 5387, 5530
\text{SymbolUnavailable}
.... 230, 242, 292, 317, 462,
465, 468, 474, 507, 628, 634,
752, 758, 761, 764, 878, 893,
899, 902, 908, 1140, 1143, 1146,
1164, 1197, 1274, 1277, 1280,
1286, 1319, 1425, 1434, 1437,
1543, 1546, 1549, 1555, 1797,
1803, 1806, 1830, 1953, 2086,
2095, 2148, 2170, 2318, 2321,
2324, 2342, 2378, 2534, 2540,
2687, 2851, 2854, 2857, 2875,
2878, 2914, 3076, 3085, 3138,
3296, 3469, 3472, 3478, 3481,
3626, 3629, 3635, 3804, 3807,
3810, 3816, 3819, 3855, 4000,
4003, 4006, 4012, 4015, 4171,
4174, 4201, 4301, 4458, 4629,
4632, 4838, 4844, 4847, 4901,
5059, 5062, 5065, 5068, 5107, 5239
\text{tau} 307, 422,
2163, 2275, 3153, 3262, 5344, 5531
\text{Theta} 205, 424,
2073, 2277, 3063, 3264, 5334, 5532
\text{threequarters} 494, 539, 1184,
1228, 1306, 1351, 1575, 1617,
2365, 2495, 2901, 3031, 3842,
3914, 4035, 4097, 5094, 5193, 5533
\text{threesuperior}
. 310, 443, 497, 528, 772, 798,
1187, 1217, 1309, 1340, 1578,
1606, 1820, 1851, 2368, 2504,
2904, 3040, 3845, 3903, 4038,
4086, 4194, 4215, 5097, 5185, 5534
\text{times} 500, 564, 636,
694, 775, 831, 904, 965, 1190,
1208, 1312, 1376, 1581, 1642,

	1823, 1887, 2371, 2410, 2545, 2578, 2907, 2946, 3492, 3577, 3848, 3939, 4041, 4122, 5100, 5139	1191, 1313, 1582, 1824, 2372, 2546, 2908, 3493, 3849, 4042, 5101
	\texttrademark 382, 3515, 3684, 3878, 4065, 4529, 4720, 4945, 5635	U
	\textTstroke 877, 878, 922, 1424, 1425, 1450, 5289	\u 619, 674, 706, 746, 791, 806, 837, 867, 1369, 1401, 1993, 2025, 2522, 2618, 2619, 3460, 3557, 3589, 4826, 5044, 5295, 5296, 5639
	\texttstroke 907, 908, 938, 1436, 1437, 1466, 5290	\uparrow 5536
	\texttwosuperior 313, 442, 503, 527, 778, 797, 1193, 1216, 1315, 1339, 1584, 1605, 1826, 1850, 2166, 2295, 2374, 2505, 2910, 3041, 3156, 3282, 3851, 3902, 4044, 4085, 4197, 4214, 4312, 4342, 5103, 5182, 5535	V
	\textunderscore 1150, 1153, 1155, 1157, 2328, 2331, 2333, 2335, 2861, 2864, 2866, 2868, 5636	\v 622, 644, 648, 650, 653, 660, 664, 666, 669, 679, 683, 686, 689, 695, 711, 715, 718, 721, 727, 884, 919, 924, 935, 937, 940, 950, 982, 1449, 1451, 1458, 1465, 1467, 1479, 1511, 1627, 1635, 1649, 1659, 1663, 1667, 1681, 1838, 1840, 1852, 1856, 1964, 1966, 1976, 1978, 1982, 1983, 2525, 2569, 2570, 2575, 2576, 2579, 2586, 2587, 2592, 2603, 2630, 2632, 2633, 2636, 2649, 2650, 2651, 2672, 2673, 3463, 3502, 3505, 3506, 3516, 3519, 3520, 3550, 3552, 3562, 3566, 3569, 3572, 3578, 3594, 3598, 3601, 3604, 3610, 3866, 3869, 3879, 3882, 3991, 4107, 4115, 4129, 4139, 4143, 4147, 4161, 4449, 4496, 4498, 4504, 4506, 4516, 4517, 4533, 4546, 4547, 4556, 4562, 4578, 4581, 4584, 4587, 4591, 4592, 4594, 4595, 4829, 5047, 5263, 5640
	\TH 571, 1501, 1894, 2484, 3020, 3946, 5137, 5570	\varepsilon 2098, 3088, 5487
	\th 603, 1533, 1926, 2483, 3019, 3978, 5233, 5638	\Vert 5475
	\the . . . 191, 450, 610, 740, 875, 1011, 1128, 1262, 1422, 1540, 1688, 1791, 1933, 2059, 2303, 2513, 2681, 2836, 3049, 3290, 3451, 3623, 3792, 3985, 4168, 4289, 4446, 4620, 4811, 5035, 5463, 5470	\vrule 2083, 2315, 2531, 2684, 2848, 3073, 3293, 4295
	\Theta 206, 2074, 3064, 5532	Z
	\times 501, 637, 776, 905,	\z@ . 1017, 1942, 2693, 3305, 3647, 4662