

The `intcalc` package

Heiko Oberdiek
<heiko.oberdiek at googlemail.com>

2007/09/27 v1.1

Abstract

This package provides expandable arithmetic operations with integers.

Contents

1 Documentation	2
1.1 Introduction	2
1.2 Conditions	2
1.2.1 Preconditions	2
1.2.2 Postconditions	3
1.3 Error handling	3
1.4 Operations	3
1.4.1 Num	3
1.4.2 Inv, Abs, Sgn	4
1.4.3 Min, Max, Cmp	4
1.4.4 Inc, Dec, Add, Sub	5
1.4.5 Shl, Shr	5
1.4.6 Mul, Sqr, Fac, Pow	5
1.4.7 Div, Mod	6
1.5 Interface for programmer	6
2 Implementation	7
2.1 Reload check and package identification	7
2.2 Catcodes	8
2.3 Macros independent of ε - T_EX	9
2.3.1 Abs, Sgn	9
2.3.2 Min, Max, Cmp	10
2.3.3 Fac	10
2.4 Implementation based on ε - T_EX	11
2.4.1 Num	11
2.4.2 Inv, Abs, Sgn	11
2.4.3 Min, Max, Cmp	11
2.4.4 Inc, Dec	12
2.4.5 Add, Sub	12
2.4.6 Shl, Shr	12
2.4.7 Mul, Sqr, Fac	13
2.4.8 Pow	13
2.4.9 Div, Mod	14
2.5 Implementation without ε - T_EX	17
2.5.1 Num	17
2.5.2 Inv, Abs, Sgn	17
2.5.3 Min, Max, Cmp	18
2.5.4 Inc, Dec	18
2.5.5 Add, Sub	20

2.5.6	Shl, Shr	27
2.5.7	\InCa@Tim	29
2.5.8	Mul	32
2.5.9	Sqr, Fac	34
2.5.10	Pow	34
2.5.11	Div	36
2.5.12	Mod	40
2.5.13	Help macros	41
3	Test	41
3.1	Catcode checks for loading	41
3.2	Macro tests	43
3.2.1	Preamble with test macro definitions	43
3.2.2	Time	46
3.2.3	Test 4: additional mod/div operations	47
3.2.4	Test sets	48
4	Installation	56
4.1	Download	56
4.2	Bundle installation	57
4.3	Package installation	57
4.4	Refresh file name databases	57
4.5	Some details for the interested	57
5	History	58
	[2007/09/09 v1.0]	58
	[2007/09/27 v1.1]	58
6	Index	58

1 Documentation

1.1 Introduction

Package `intcalc` defines arithmetic operations that deal with integers. Integers mean numbers in \TeX . The same restrictions apply, the range is limited to $[-2147483647, 2147483647]$.

The operations have the form of macros that take one or two integers as parameter and return the integer result. The macro name is a three letter operation name prefixed by the package name, e.g. `\intcalcAdd{10}{43}` returns 53.

The macros are fully expandable, exactly two expansion steps generate the result. Therefore the operations may be used nearly everywhere in \TeX , even inside `\number`, `\csname`, file names, or other expandable contexts.

The package contains two implementations of the operations. If $\varepsilon\text{-}\text{\TeX}$ is detected then the macros are implemented using its features (`\numexpr`). Otherwise the slower implementation without $\varepsilon\text{-}\text{\TeX}$'s help is chosen.

1.2 Conditions

1.2.1 Preconditions

- Arguments can be anything that \TeX interprets as “number”. Examples: plain numbers, count or length register, macros that expands to a number.
- The arguments are limited to the range -2147483647 until 2147483647. These numbers belong to the range. Note that some operations have additional restrictions to the range.

- The argument may be expressions that `\numexpr` understands if ε - \TeX is available.
- The resulting number must fit in the allowed range.

1.2.2 Postconditions

Additional properties of the macros apart from calculating a correct result (of course \odot):

- The macros are fully expandable. Thus they can be used inside `\edef`, `\csname`, after `\number`, for example.
- Furthermore exactly two expansion steps calculate the result.
- The number consists of one optional minus sign and one to ten digits. The first digit is larger than zero for numbers that consists of more than one digit.

In short, the number format is exactly the same as `\number` generates. And the tokens (minus sign, digits) have catcode 12 (other).

- Call by value is simulated. First the arguments are converted to numbers. Then these numbers are used in the calculations.

Remember that arguments may contain expensive macros or ε - \TeX expressions. This strategy avoids multiple evaluations of such arguments.

1.3 Error handling

There are two kinds of errors if a precondition is violated: Some errors are detected by the macros, example: division by zero. In this cases an undefined control sequence is called and causes a \TeX error message, example: `\IntCalcError:DivisionByZero`. The name of the control sequence contains the reason for the error. The \TeX error may be ignored. Then the operation returns zero as result. Because the macros are supposed to work in expandible contexts. A traditional error message, however, is not expandable and would break these contexts.

If a number exceeds the range of -2147483647 until 2147483647, then \TeX throws an error “Number too big” and recovers by using biggest allowed value. Example for the negative number -3000000000 is replaced by -2147483647.

1.4 Operations

Some definition equations below use the function Int that converts a real number to an integer. The number is truncated that means rounding to zero:

$$\text{Int}(x) := \begin{cases} \lfloor x \rfloor & \text{if } x \geq 0 \\ \lceil x \rceil & \text{otherwise} \end{cases}$$

1.4.1 Num

`\intcalcNum {\langle x \rangle}`

Macro `\intcalcNum` converts its argument to a normalized integer number without unnecessary leading zeros or signs. The result matches the regular expression:

`0|-[1-9] [0-9]*`

1.4.2 Inv, Abs, Sgn

`\intcalcInv { $\langle x \rangle$ }`

Macro `\intcalcInv` switches the sign.

$$\text{Inv}(x) := -x$$

`\intcalcAbs { $\langle x \rangle$ }`

Macro `\intcalcAbs` returns the absolute value of integer $\langle x \rangle$.

$$\text{Abs}(x) := |x|$$

`\intcalcSgn { $\langle x \rangle$ }`

Macro `\intcalcSgn` encodes the sign of $\langle x \rangle$ as number.

$$\text{Sgn}(x) := \begin{cases} -1 & \text{if } x < 0 \\ 0 & \text{if } x = 0 \\ 1 & \text{if } x > 0 \end{cases}$$

These return values can easily be distinguished by `\ifcase`:

```
\ifcase\intcalcSgn{<x>}
  $x=0$ 
  \or
  $x>0$ 
  \else
  $x<0$ 
  \fi
```

1.4.3 Min, Max, Cmp

`\intcalcMin { $\langle x \rangle$ } { $\langle y \rangle$ }`

Macro `\intcalcMin` returns the smaller of the two integers.

$$\text{Min}(x, y) := \begin{cases} x & \text{if } x < y \\ y & \text{otherwise} \end{cases}$$

`\intcalcMax { $\langle x \rangle$ } { $\langle y \rangle$ }`

Macro `\intcalcMax` returns the larger of the two integers.

$$\text{Max}(x, y) := \begin{cases} x & \text{if } x > y \\ y & \text{otherwise} \end{cases}$$

`\intcalcCmp { $\langle x \rangle$ } { $\langle y \rangle$ }`

Macro `\intcalcCmp` encodes the comparison result as number:

$$\text{Cmp}(x, y) := \begin{cases} -1 & \text{if } x < y \\ 0 & \text{if } x = y \\ 1 & \text{if } x > y \end{cases}$$

These values can be distinguished by `\ifcase`:

```
\ifcase\intcalcCmp{<x>}{<y>}
  $x=y$
\or
  $x>y$
\else
  $x<y$
\fi
```

1.4.4 Inc, Dec, Add, Sub

`\intcalcInc {<x>}`

Macro `\intcalcInc` increments $\langle x \rangle$ by one.

$$\text{Inc}(x) := x + 1$$

`\intcalcDec {<x>}`

Macro `\intcalcDec` decrements $\langle x \rangle$ by one.

$$\text{Dec}(x) := x - 1$$

`\intcalcAdd {<x>} {<y>}`

Macro `\intcalcAdd` adds the two numbers.

$$\text{Add}(x, y) := x + y$$

`\intcalcSub {<x>} {<y>}`

Macro `\intcalcSub` calculates the difference.

$$\text{Sub}(x, y) := x - y$$

1.4.5 Shl, Shr

`\intcalcShl {<x>}`

Macro `\intcalcShl` implements shifting to the left that means the number is multiplied by two. Overflow is possible. The sign is preserved.

$$\text{Shl}(x) := x * 2$$

`\intcalcShr {<x>}`

Macro `\intcalcShr` implements shifting to the right. That is equivalent to an integer division by two. The sign is preserved.

$$\text{Shr}(x) := \text{Int}(x/2)$$

1.4.6 Mul, Sqr, Fac, Pow

`\intcalcMul {<x>} {<y>}`

Macro `\intcalcMul` calculates the product of $\langle x \rangle$ and $\langle y \rangle$.

$$\text{Mul}(x, y) := x * y$$

```
\intcalcSqr {\langle x \rangle}
```

Macro `\intcalcSqr` returns the square product.

$$\text{Sqr}(x) := x^2$$

```
\intcalcFac {\langle x \rangle}
```

Macro `\intcalcFac` returns the factorial of $\langle x \rangle$. Negative numbers are not permitted.

$$\text{Fac}(x) := x! \quad \text{for } x \geq 0$$

$$(0! = 1)$$

```
\intcalcPow Mx My
```

Macro `\intcalcPow` calculates the value of $\langle x \rangle$ to the power of $\langle y \rangle$. The error “division by zero” is thrown if $\langle x \rangle$ is zero and $\langle y \rangle$ is negative. permitted:

$$\text{Pow}(x, y) := \text{Int}(x^y) \quad \text{for } x \neq 0 \text{ or } y \geq 0$$

$$(0^0 = 1)$$

1.4.7 Div, Mod

```
\intcalcDiv {\langle x \rangle} {\langle y \rangle}
```

Macro `\intcalcDiv` performs an integer division. Argument $\langle y \rangle$ must not be zero.

$$\text{Div}(x, y) := \text{Int}(x/y) \quad \text{for } y \neq 0$$

```
\intcalcMod {\langle x \rangle} {\langle y \rangle}
```

Macro `\intcalcMod` gets the remainder of the integer division. The sign follows the divisor $\langle y \rangle$. Argument $\langle y \rangle$ must not be zero.

$$\text{Mod}(x, y) := x \% y \quad \text{for } y \neq 0$$

The result ranges:

$$\begin{aligned} -|y| < \text{Mod}(x, y) &\leq 0 && \text{for } y < 0 \\ 0 \leq \text{Mod}(x, y) &< y && \text{for } y \geq 0 \end{aligned}$$

1.5 Interface for programmer

If the programmer can ensure some more properties about the arguments of the operations, then the following macros are a little more efficient.

In general numbers must obey the following constraints:

- Plain number: digit tokens only, no command tokens.
- Non-negative. Signs are forbidden.
- Arguments and the result must fit in range 0 .. 2147483647.
- Delimited by exclamation mark. Curly braces around the number are not allowed and will break the code.

`\IntCalcInc <number> !`

Incrementation, range: 0 .. 2147483646.

`\IntCalcDec <number> !`

Decrementation, range: 1 .. 2147483647.

`\IntCalcAdd <number A> ! <number B> !`

Addition, $A \geq B$.

`\IntCalcSub <number A> ! <number B> !`

Subtraction, $A \geq B$.

`\IntCalcShl <number> !`

Left shift (multiplication with two), range: 0 .. 1073741823.

`\IntCalcShr <number> !`

Right shift (integer division by two).

`\IntCalcMul <number A> ! <number B> !`

Multiplication, $A \geq B$.

`\IntCalcDiv <number A> ! <number B> !`

Division operation.

`\IntCalcMod <number A> ! <number B> !`

Modulo operation.

2 Implementation

1 `(*package)`

2.1 Reload check and package identification

Reload check, especially if the package is not used with L^AT_EX.

```
2 \begingroup\catcode61\catcode48\catcode32=10\relax%
3   \catcode13=5 % ^M
4   \endlinechar=13 %
5   \catcode35=6 % #
6   \catcode39=12 % '
7   \catcode44=12 % ,
8   \catcode45=12 % -
9   \catcode46=12 % .
10  \catcode58=12 % :
11  \catcode64=11 % @
12  \catcode123=1 % {
13  \catcode125=2 % }
```

```

14 \expandafter\let\expandafter\x\csname ver@intcalc.sty\endcsname
15 \ifx\x\relax % plain-TeX, first loading
16 \else
17   \def\empty{}%
18   \ifx\x\empty % LaTeX, first loading,
19     % variable is initialized, but \ProvidesPackage not yet seen
20   \else
21     \expandafter\ifx\csname PackageInfo\endcsname\relax
22       \def\x#1#2{%
23         \immediate\write-1{Package #1 Info: #2.}%
24       }%
25   \else
26     \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
27   \fi
28   \x{intcalc}{The package is already loaded}%
29   \aftergroup\endinput
30 \fi
31 \fi
32 \endgroup%

```

Package identification:

```

33 \begingroup\catcode61\catcode48\catcode32=10\relax%
34   \catcode13=5 % ^M
35   \endlinechar=13 %
36   \catcode35=6 %
37   \catcode39=12 %
38   \catcode40=12 %
39   \catcode41=12 %
40   \catcode44=12 %
41   \catcode45=12 %
42   \catcode46=12 %
43   \catcode47=12 %
44   \catcode58=12 %
45   \catcode64=11 %
46   \catcode91=12 %
47   \catcode93=12 %
48   \catcode123=1 %
49   \catcode125=2 %
50 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
51   \def\x#1#2#3[#4]{\endgroup
52     \immediate\write-1{Package: #3 #4}%
53     \xdef#1[#4]%
54   }%
55 \else
56   \def\x#1#2[#3]{\endgroup
57     #2[#3]%
58     \ifx#1\undefined
59       \xdef#1[#3]%
60     \fi
61     \ifx#1\relax
62       \xdef#1[#3]%
63     \fi
64   }%
65 \fi
66 \expandafter\x\csname ver@intcalc.sty\endcsname
67 \ProvidesPackage{intcalc}%
68 [2007/09/27 v1.1 Expandable integer calculations (HO)]%

```

2.2 Catcodes

```

69 \begingroup\catcode61\catcode48\catcode32=10\relax%
70   \catcode13=5 % ^M
71   \endlinechar=13 %

```

```

72  \catcode123=1 % {
73  \catcode125=2 % }
74  \catcode64=11 % @
75  \def\x{\endgroup
76  \expandafter\edef\csname InCa@AtEnd\endcsname{%
77    \endlinechar=\the\endlinechar\relax
78    \catcode13=\the\catcode13\relax
79    \catcode32=\the\catcode32\relax
80    \catcode35=\the\catcode35\relax
81    \catcode61=\the\catcode61\relax
82    \catcode64=\the\catcode64\relax
83    \catcode123=\the\catcode123\relax
84    \catcode125=\the\catcode125\relax
85  }%
86 }%
87 \x\catcode61\catcode48\catcode32=10\relax%
88 \catcode13=5 % ^^M
89 \endlinechar=13 %
90 \catcode35=6 % #
91 \catcode64=11 % @
92 \catcode123=1 % {
93 \catcode125=2 % }
94 \def\TMP@EnsureCode#1#2{%
95   \edef\InCa@AtEnd{%
96     \InCa@AtEnd
97     \catcode#1=\the\catcode#1\relax
98   }%
99   \catcode#1=#2\relax
100 }%
101 \TMP@EnsureCode{33}{12}!%
102 \TMP@EnsureCode{40}{12}(%
103 \TMP@EnsureCode{41}{12})%
104 \TMP@EnsureCode{42}{12}*%
105 \TMP@EnsureCode{43}{12}+%
106 \TMP@EnsureCode{45}{12}-%
107 \TMP@EnsureCode{47}{12}/%
108 \TMP@EnsureCode{58}{11}: (letter!)%
109 \TMP@EnsureCode{60}{12}<%
110 \TMP@EnsureCode{62}{12}>%
111 \TMP@EnsureCode{63}{14}? (comment!)%
112 \edef\InCa@AtEnd{\InCa@AtEnd\noexpand\endinput}%
113 \begingroup\expandafter\expandafter\expandafter\endgroup
114 \expandafter\ifx\csname InCa@TestMode\endcsname\relax
115 \else
116   \catcode63=9 % ? (ignore)
117 \fi
118 ? \let\InCa@TestMode\InCa@TestMode

```

2.3 Macros independent of ε -TeX

2.3.1 Abs, Sgn

\InCa@Abs

```

119 \def\InCa@Abs#1#2!{%
120   \ifx#1-%
121     #2%
122   \else
123     #1#2%
124   \fi
125 }

```

\InCa@Sgn

```
126 \def\InCa@Sgn#1#2!{%
```

```

127  \ifx#1-%
128    -1%
129  \else
130    \ifx#10%
131      0%
132  \else
133    1%
134  \fi
135 \fi
136 }

```

2.3.2 Min, Max, Cmp

\InCa@Min

```

137 \def\InCa@Min#1!#2!{%
138   \ifnum#1<#2 %
139     #1%
140   \else
141     #2%
142   \fi
143 }

```

\InCa@Max

```

144 \def\InCa@Max#1!#2!{%
145   \ifnum#1>#2 %
146     #1%
147   \else
148     #2%
149   \fi
150 }

```

\InCa@Cmp

```

151 \def\InCa@Cmp#1!#2!{%
152   \ifnum#1=#2 %
153     0%
154   \else
155     \ifnum#1<#2 %
156       -%
157     \fi
158     1%
159   \fi
160 }

```

2.3.3 Fac

\InCa@Fac It does not make much sense to calculate the faculty by an general algorithm. The allowed range of arguments is too low because of the limited integer domain.

```

161 \def\InCa@Fac#1!{%
162   \ifcase#1 1% 0!
163   \or 1% 1!
164   \or 2% 2!
165   \or 6% 3!
166   \or 24% 4!
167   \or 120% 5!
168   \or 720% 6!
169   \or 5040% 7!
170   \or 40320% 8!
171   \or 362880% 9!
172   \or 3628800% 10!
173   \or 39916800% 11!
174   \or 479001600% 12!

```

```

175  \else
176    \ifnum#1<\z@
177      0\IntCalcError:FacNegative%
178    \else
179      0\IntCalcError:FacOverflow%
180    \fi
181  \fi
182 }

```

2.4 Implementation based on ε -TeX

Only `\numexpr` is used from ε -TeX.

```

183 \begingroup\expandafter\expandafter\expandafter\endgroup
184 \expandafter\ifx\csname numexpr\endcsname\relax
185 \else

```

2.4.1 Num

```
\intcalcNum
186 \def\intcalcNum#1{%
187   \the\numexpr#1\relax
188 }%
```

2.4.2 Inv, Abs, Sgn

```
\intcalcInv
189 \def\intcalcInv#1{%
190   \number-\intcalcNum{#1} %
191 }%
```



```
\intcalcAbs
192 \def\intcalcAbs#1{%
193   \number\expandafter\InCa@Abs\the\numexpr#1! %
194 }%
```



```
\intcalcSgn
195 \def\intcalcSgn#1{%
196   \number\expandafter\InCa@Sgn\the\numexpr#1! %
197 }%
```

2.4.3 Min, Max, Cmp

```
\intcalcMin
198 \def\intcalcMin#1#2{%
199   \number\expandafter\InCa@Min
200   \the\numexpr#1\expandafter!%
201   \the\numexpr#2! %
202 }%
```



```
\intcalcMax
203 \def\intcalcMax#1#2{%
204   \number\expandafter\InCa@Max
205   \the\numexpr#1\expandafter!%
206   \the\numexpr#2! %
207 }%
```



```
\intcalcCmp
208 \def\intcalcCmp#1#2{%
209   \number\expandafter\InCa@Cmp
210   \the\numexpr#1\expandafter!\the\numexpr#2! %
211 }%
```

2.4.4 Inc, Dec

```
\intcalcInc
212  \def\intcalcInc#1{%
213    \the\numexpr#1+1\relax
214  }%
\intcalcDec
215  \def\intcalcDec#1{%
216    \the\numexpr#1-1\relax
217  }%
\IntCalcInc
218  \def\IntCalcInc#1!{%
219    \the\numexpr#1+1\relax
220  }%
\IntCalcDec
221  \def\IntCalcDec#1!{%
222    \the\numexpr#1-1\relax
223  }%
```

2.4.5 Add, Sub

```
\intcalcAdd
224  \def\intcalcAdd#1#2{%
225    \the\numexpr#1+(#2)\relax
226  }%
\intcalcSub
227  \def\intcalcSub#1#2{%
228    \the\numexpr#1-(#2)\relax
229  }%
\IntCalcAdd
230  \def\IntCalcAdd#1!#2!{%
231    \the\numexpr#1+#2\relax
232  }%
\IntCalcSub
233  \def\IntCalcSub#1!#2!{%
234    \the\numexpr#1-#2\relax
235  }%
```

2.4.6 Shl, Shr

```
\intcalcShl
236  \def\intcalcShl#1{%
237    \the\numexpr(#1)*2\relax
238  }%
\intcalcShr
239  \def\intcalcShr#1{%
240    \number\expandafter\InCa@Shr\the\numexpr#1! %
241  }%
\IntCalcShl
242  \def\IntCalcShl#1!{%
243    \the\numexpr#1*2\relax
244  }%
```

```

\IntCalcShr
245 \def\IntCalcShr#1!{%
246   \the\numexpr\ifodd#1 (#1-1)\else#1\fi/2\relax
247 }%

\InCa@Shr
248 \def\InCa@Shr#1#2!{%
249   \ifx#1-%
250     -\InCa@Shr#2!%
251   \else
252     \ifodd#1#2 %
253       \the\numexpr(#1#2-1)/2\relax
254     \else
255       \the\numexpr#1#2/2\relax
256     \fi
257   \fi
258 }%

```

2.4.7 Mul, Sqr, Fac

```

\intcalcMul
259 \def\intcalcMul#1#2!{%
260   \the\numexpr(#1)*(#2)\relax
261 }%

\IntCalcMul
262 \def\IntCalcMul#1!#2!{%
263   \the\numexpr#1*#2\relax
264 }%

\intcalcSqr
265 \def\intcalcSqr#1{%
266   \number\expandafter\InCa@Sqr\the\numexpr#1! %
267 }%

\InCa@Sqr
268 \def\InCa@Sqr#1!{%
269   \the\numexpr#1*#1\relax
270 }%

\intcalcFac
271 \def\intcalcFac#1{%
272   \number\expandafter\InCa@Fac\the\numexpr#1! %
273 }%

```

2.4.8 Pow

```

\intcalcPow
274 \def\intcalcPow#1#2!{%
275   \number\expandafter\InCa@Pow
276   \the\numexpr#1\expandafter!%
277   \the\numexpr#2! %
278 }%

\InCa@Pow
279 \def\InCa@Pow#1#2!#3#4!{%
280   \ifcase#3#4 % power = 0
281     1%
282   \or % power = 1
283     #1#2%

```

```

284      \or % power = 2
285          \the\numexpr#1#2*#1#2\relax
286      \else
287          \ifcase#1#2 % basis = 0, power <> 0
288              0%
289              \ifx#3-% power < 0
290                  0\IntCalcError:DivisionByZero%
291              \fi
292          \or
293              1% basis = 1
294          \else
295              \ifnum#1#2=\m@ne % basis = -1
296                  \ifodd#3#4 %
297                      -%
298                  \fi
299                  1%
300              \else % |basis| > 1
301                  \ifx#3-% power < 0
302                      0%
303                  \else % power > 2
304                      \InCa@PowRec#1#2!#3#4!1!
305                  \fi
306              \fi
307          \fi
308      \fi
309  }%
310
\InCa@PowRec Pow(b, p) {
    PowRec(b, p, 1)
}
PowRec(b, p, r) {
    if p == 1 then
        return r*b
    else
        ifodd p then
            return PowRec(b*b, (p-1)/2, r*b) % p div 2 = (p-1)/2
        else
            return PowRec(b*b, (p-1)/2, r)
        fi
    fi
}
\def\InCa@PowRec#1!#2!#3!{%
311     \ifnum#2=\@ne
312         \the\numexpr#1*#3\relax
313     \else
314         \ifodd#2 %
315             \expandafter\InCa@PowRec
316             \the\numexpr#1*#1\expandafter!%
317             \the\numexpr(#2-1)/2\expandafter!%
318             \the\numexpr#1*#3\expandafter\expandafter\expandafter!%
319         \else
320             \expandafter\InCa@PowRec
321             \the\numexpr#1*#1\expandafter!%
322             \the\numexpr(#2-1)/2\expandafter!%
323             \number#3\expandafter\expandafter\expandafter!%
324         \fi
325     \fi
326 }%

```

2.4.9 Div, Mod

\divide truncates, ε - \TeX 's \numexpr rounds the result of a division. The rounding method is called “Symmetric Arithmetic Rounding” or “Round-Half-Up”

(“Kaufmännisches Runden” in German):

```
1 = 3 divide 2 = 1.5 = numexpr 3/2 = 2
-1 = -3 divide 2 = -1.5 = numexpr -3/2 = -2
```

Macro `\intcalcDiv` follows TeX and truncates. The calculation is done by the following formula:

$$\text{Div}(X, Y) = (X - (Y - 1)/2)/Y \quad \text{for } X, Y > 0 \quad (1)$$

The operator ‘/’ is `\numexpr`’s division.

```
\intcalcDiv
327  \def\intcalcDiv#1#2{%
328    \number\expandafter\InCa@Div
329    \the\numexpr#1\expandafter!%
330    \the\numexpr#2! %
331  }%
332
\InCa@Div
332  \def\InCa@Div#1#!#2!{%
333    \ifcase#2 %
334      0\IntCalcError:DivisionByZero%
335    \else
336      \ifcase#1 %
337        0%
338      \else
339        \expandafter\InCa@@Div
340        \romannumeral 0%
341        \ifnum#1<\z@
342          \expandafter-\number-#1%
343        \else
344          \expandafter+\number#1%
345        \fi
346        \expandafter!%
347        \romannumeral 0%
348        \ifnum#2<\z@
349          \expandafter-\number-#2%
350        \else
351          \expandafter+\number#2%
352        \fi
353        !%
354      \fi
355    \fi
356  }%
357
\IntCalcDiv
357  \def\InCa@Temp#1{%
358    \def\IntCalcDiv##1##2##2!{%
359      \number
360      \ifcase##2 %
361        0\IntCalcError:DivisionByZero%
362      \else
363        \ifcase##1 %
364          0%
365        \else
366          \the\numexpr##1-(##2-1)/2)/##2\relax
367        \fi
368      \fi
369      ##1%
370    }%
371  }%
372  \InCa@Temp{ }%
```

```

\InCa@@Div
373 \def\InCa@@Div#1#2!#3#4!{%
374   #1#3%
375   \the\numexpr(#2-(#4-1)/2)/#4\relax
376 }%

\intcalcMod
377 \def\intcalcMod#1#2{%
378   \number\expandafter\InCa@Mod
379   \the\numexpr#1\expandafter!%
380   \the\numexpr#2! %
381 }%

\InCa@Mod
382 \def\InCa@Mod#1!#2!{%
383   \ifcase#2 %
384     0\IntCalcError:DivisionByZero%
385   \else
386     \ifcase#1 %
387       0%
388     \else
389       \expandafter\InCa@@Mod
390       \romannumeral 0%
391       \ifnum#1<\z@
392         \expandafter-\number-#1%
393       \else
394         \expandafter+\number#1%
395       \fi
396       \expandafter!%
397       \romannumeral 0%
398       \ifnum#2<\z@
399         \expandafter-\number-#2%
400       \else
401         \expandafter+\number#2%
402       \fi
403       !%
404     \fi
405   \fi
406 }%

\IntCalcMod
407 \def\InCa@Temp#1{%
408   \def\IntCalcMod##1##2!{%
409     \number
410     \ifcase##2 %
411       0\IntCalcError:DivisionByZero%
412     \else
413       \ifcase##1 %
414         0%
415       \else
416         \the\numexpr##1-(##1-(##2-1)/2)/##2*##2\relax
417       \fi
418     \fi
419     #1%
420   }%
421 }%
422 \InCa@Temp{ }%

\InCa@@Mod
423 \def\InCa@@Mod#1#2!#3#4!{%
424   \if#3+%

```

```

425      \if#1+%
426          \the\numexpr#2-\InCa@@Div+#2!+#4!*#4\relax
427      \else
428          \expandafter\InCa@ModX
429          \the\numexpr-#2+\InCa@@Div+#2!+#4!*#4!#4!%
430      \fi
431  \else
432      -%
433  \if#1+%
434      \expandafter\InCa@ModX
435      \the\numexpr-#2+\InCa@@Div+#2!+#4!*#4!#4!%
436  \else
437      \the\numexpr#2-\InCa@@Div+#2!+#4!*#4\relax
438  \fi
439 \fi
440 }%

```

\InCa@ModX

```

441 \def\InCa@ModX#1!#2!{%
442     \ifcase#1 %
443         0%
444     \else
445         \the\numexpr#1+#2\relax
446     \fi
447 }%

```

```

448 \expandafter\InCa@AtEnd
449 \fi%

```

2.5 Implementation without ε -**T_EX**

2.5.1 Num

```
\intcalcNum
450 \def\intcalcNum#1{%
451     \number\expandafter\InCa@FirstOfOne\number#1! %
452 }
```

2.5.2 Inv, Abs, Sgn

```
\intcalcInv
453 \def\intcalcInv#1{%
454     \number\expandafter\InCa@FirstOfOne\number-#1! %
455 }
```

\InCa@FirstOfOne

```
456 \def\InCa@FirstOfOne#1!{#1}
```

\intcalcAbs

```
457 \def\intcalcAbs#1{%
458     \number\expandafter\InCa@Abs\number#1! %
459 }
```

\intcalcSgn

```
460 \def\intcalcSgn#1{%
461     \number\expandafter\InCa@Sgn\number#1! %
462 }
```

2.5.3 Min, Max, Cmp

```
\intcalcMin
463 \def\intcalcMin#1#2{%
464   \number\expandafter\InCa@Min
465   \number\number#1\expandafter!\number#2! %
466 }

\intcalcMax
467 \def\intcalcMax#1#2{%
468   \number\expandafter\InCa@Max
469   \number\number#1\expandafter!\number#2! %
470 }

\intcalcCmp
471 \def\intcalcCmp#1#2{%
472   \number\expandafter\InCa@Cmp
473   \number\number#1\expandafter!\number#2! %
474 }%
```

2.5.4 Inc, Dec

```
\intcalcInc
475 \def\intcalcInc#1{%
476   \number\expandafter\InCa@IncSwitch\number#1! %
477 }

\InCa@IncSwitch
478 \def\InCa@IncSwitch#1#2!{%
479   \ifx#1-%
480     -%
481     \csname InCa@Empty%
482     \InCa@Dec#2!%
483   \else
484     \csname InCa@Empty%
485     \InCa@Inc#1#2!%
486   \fi
487 }

\intcalcDec
488 \def\intcalcDec#1{%
489   \number\expandafter\InCa@DecSwitch\number#1! %
490 }

\InCa@DecSwitch
491 \def\InCa@DecSwitch#1#2!{%
492   \ifx#1-%
493     -%
494     \csname InCa@Empty%
495     \expandafter\InCa@Inc#2!%
496   \else
497     \ifx#10%
498       -1%
499     \else
500       \csname InCa@Empty%
501       \InCa@Dec#1#2!%
502     \fi
503   \fi
504 }
```

```

\IntCalcInc
505 \def\IntCalcInc#1{%
506   \number\csname InCa@Empty\InCa@Inc#1! %
507 }

\IntCalcDec
508 \def\IntCalcDec#1{%
509   \number\csname InCa@Empty\InCa@Dec#1! %
510 }

\InCa@Inc
511 \def\InCa@Inc#1#2{%
512   \ifx#2!%
513     \csname InCa@IncDigit#1\endcsname%
514   \else
515     \csname InCa@IncDigit#1%
516     \expandafter\InCa@Inc\expandafter#2%
517   \fi
518 }

\InCa@IncDigit[0-8]
519 \def\InCa@Temp#1#2{%
520   \expandafter\def\csname InCa@IncDigit#1\endcsname##1{%
521     \endcsname
522     0%
523     \ifcase##1 %
524       #1%
525     \else
526       #2%
527     \fi
528   }%
529 }
530 \InCa@Temp 01
531 \InCa@Temp 12
532 \InCa@Temp 23
533 \InCa@Temp 34
534 \InCa@Temp 45
535 \InCa@Temp 56
536 \InCa@Temp 67
537 \InCa@Temp 78
538 \InCa@Temp 89

\InCa@IncDigit9
539 \expandafter\def\csname InCa@IncDigit9\endcsname#1{%
540   \expandafter\endcsname
541   \ifcase#1 %
542     09%
543   \else
544     10%
545   \fi
546 }

\InCa@Dec
547 \def\InCa@Dec#1#2{%
548   \ifx#2!%
549     \csname InCa@DecDigit#1\endcsname%
550   \else
551     \csname InCa@DecDigit#1%
552     \expandafter\InCa@Dec\expandafter#2%
553   \fi
554 }

```

```

\InCa@DecDigit[1-9]
555 \def\InCa@Temp#1#2{%
556   \expandafter\def\csname InCa@DecDigit#1\endcsname##1{%
557     \endcsname
558     0%
559     \ifcase##1 %
560       #1%
561     \else
562       #2%
563     \fi
564   }%
565 }
566 \InCa@Temp 98
567 \InCa@Temp 87
568 \InCa@Temp 76
569 \InCa@Temp 65
570 \InCa@Temp 54
571 \InCa@Temp 43
572 \InCa@Temp 32
573 \InCa@Temp 21
574 \InCa@Temp 10

\InCa@DecDigit0
575 \expandafter\def\csname InCa@DecDigit0\endcsname##1{%
576   \expandafter\endcsname
577   \ifcase#1 %
578     00%
579   \else
580     19%
581   \fi
582 }

```

2.5.5 Add, Sub

```

\intcalcAdd
583 \def\intcalcAdd#1#2{%
584   \number
585   \expandafter\InCa@AddSwitch
586   \number\number#1\expandafter!%
587   \number#2! %
588 }

\intcalcSub
589 \def\intcalcSub#1#2{%
590   \number
591   \expandafter\InCa@AddSwitch
592   \number\number#1\expandafter!%
593   \number-\number#2! %
594 }

```

\InCa@AddSwitch Decision table for \InCa@AddSwitch. The sign of negative numbers can be removed by a simple \gobble instead of the more expensive \number-.

$x < 0$	$y < 0$	$x < y$	-	Add($-x, -y$)
		else		Add($-y, -x$)
else	$y < 0$	$-x > y$	-	Sub($-x, y$)
		else	+	Sub($y, -x$)
else	$x > -y$	$x > -y$	+	Sub($x, -y$)
		else	-	Sub($-y, x$)
	else	$x > y$	+	Add(x, y)
	else	else		Add(y, x)

```

595 \def\InCa@AddSwitch#1!#2!{%
596   \ifnum#1<\z@
597     \ifnum#2<\z@
598       -%
599       \ifnum#1<#2 %
600         \expandafter\InCa@Add\number-#1\expandafter!%
601         \@gobble#2!%
602       \else
603         \expandafter\InCa@Add\number-#2\expandafter!%
604         \@gobble#1!%
605       \fi
606     \else
607       \ifnum-#1>#2 %
608         -%
609         \expandafter\InCa@Sub\@gobble#1!#2!%
610       \else
611         \expandafter\InCa@Sub\number#2\expandafter!%
612         \@gobble#1!%
613       \fi
614     \fi
615   \else
616     \ifnum#2<\z@
617       \ifnum#1>-#2 %
618         \expandafter\InCa@Sub\number#1\expandafter!%
619         \@gobble#2!%
620       \else
621         -%
622         \expandafter\InCa@Sub\@gobble#2!#1!%
623       \fi
624     \else
625       \ifnum#1>#2 %
626         \InCa@Add#1!#2!%
627       \else
628         \InCa@Add#2!#1!%
629       \fi
630     \fi
631   \fi
632 }

\IntCalcAdd
633 \def\IntCalcAdd#1!#2!{%
634   \number\InCa@Add#1!#2! %
635 }

\IntCalcSub
636 \def\IntCalcSub#1!#2!{%
637   \number\InCa@Sub#1!#2! %
638 }

\InCa@Space
639 \begingroup
640   \def\x#1{\endgroup
641     \let\InCa@Space= #1%
642   }%
643 \x{ }

\InCa@Add
644 \def\InCa@Add#1!#2!{%
645   \ifcase#2 %
646     #1%
647   \else
648     \InCa@Add#1!#2!00000000\InCa@Space

```

```

649   \fi
650 }

\InCa@Sub
651 \def\InCa@Sub#1!#2!{%
652   \ifnum#1=#2 %
653   0%
654   \else
655     \InCa@@Sub#1!#2!00000000\InCa@Space
656   \fi
657 }

\InCa@@Add
658 \def\InCa@@Add#1!#2#3!{%
659   \ifx\InCa@Empty#3\InCa@Empty
660     \cReturnAfterElseFi{%
661       \InCa@@Add!!#1!#2%
662     }%
663   \else
664     \cReturnAfterFi{%
665       \InCa@@Add#1!#3!#2%
666     }%
667   \fi
668 }

\InCa@@Sub
669 \def\InCa@@Sub#1!#2#3!{%
670   \ifx\InCa@Empty#3\InCa@Empty
671     \cReturnAfterElseFi{%
672       \InCa@@Sub!!#1!#2%
673     }%
674   \else
675     \cReturnAfterFi{%
676       \InCa@@Sub#1!#3!#2%
677     }%
678   \fi
679 }

\InCa@@@Add
680 \def\InCa@@@Add#1!#2!#3#4!#5{%
681   \ifx\InCa@Empty#4\InCa@Empty
682     \csname InCa@Empty%
683     \cReturnAfterElseFi{%
684       \InCa@ProcessAdd#1#3!#5#2%
685     }%
686   \else
687     \cReturnAfterFi{%
688       \InCa@@@Add#1#3!#5#2!#4!%
689     }%
690   \fi
691 }

\InCa@@@Sub
692 \def\InCa@@@Sub#1!#2!#3#4!#5{%
693   \ifx\InCa@Empty#4\InCa@Empty
694     \csname @gobble%
695     \cReturnAfterElseFi{%
696       \InCa@ProcessSub#1#3!#5#2%
697     }%
698   \else
699     \cReturnAfterFi{%

```

```

700      \InCa@@@Sub#1#3!#5#2!#4!%
701      }%
702      \fi
703 }

\InCa@ProcessAdd

704 \def\InCa@ProcessAdd#1#2!#3#4{%
705   \ifx\InCa@Empty#2\InCa@Empty
706     \csname InCa@AddDigit#1\endcsname#3%
707     \romannumeral0#4%
708   \else
709     \csname InCa@AddDigit#1\csname InCa@DigitCarry#3%
710     \@ReturnAfterFi{%
711       \InCa@ProcessAdd#2!#4%
712     }%
713   \fi
714 }

\InCa@ProcessSub

715 \def\InCa@ProcessSub#1#2!#3#4{%
716   \ifx\InCa@Empty#2\InCa@Empty
717     \csname InCa@SubDigit#1\endcsname#3%
718     \romannumeral0#4%
719   \else
720     \csname InCa@SubDigit#1\csname InCa@DigitCarry#3%
721     \@ReturnAfterFi{%
722       \InCa@ProcessSub#2!#4%
723     }%
724   \fi
725 }

\InCa@DigitCarry[0-9]

726 \def\InCa@Temp#1#2{%
727   \expandafter\def\csname InCa@DigitCarry#1\endcsname##1{%
728     \ifcase##1 %
729       \endcsname#1%
730     \else
731       \endcsname#2%
732     \fi
733   }%
734 }
735 \InCa@Temp 01
736 \InCa@Temp 12
737 \InCa@Temp 23
738 \InCa@Temp 34
739 \InCa@Temp 45
740 \InCa@Temp 56
741 \InCa@Temp 67
742 \InCa@Temp 78
743 \InCa@Temp 89
744 \InCa@Temp 9{{10}}


\InCa@AddDigit0

745 \expandafter\def\csname InCa@AddDigit0\endcsname#1{%
746   \ifnum#1>9 %
747     \endcsname10%
748   \else
749     \endcsname0#1%
750   \fi
751 }

```

```

\InCa@AddDigit[1-9]

752 \def\InCa@Temp#1#2#3{%
753   \expandafter\def\csname InCa@AddDigit#1\endcsname##1{%
754     \ifnum##1>#2 %
755       \endcsname 1%
756     \else
757       \endcsname 0%
758     \fi
759     \ifcase##1 #1% 0
760     #3%
761     \else #1% 10
762     \fi
763   }%
764 }
765 \InCa@Temp 18{%
766   \or 2% 1
767   \or 3% 2
768   \or 4% 3
769   \or 5% 4
770   \or 6% 5
771   \or 7% 6
772   \or 8% 7
773   \or 9% 8
774   \or 0% 9
775 }%
776 \InCa@Temp 27{%
777   \or 3% 1
778   \or 4% 2
779   \or 5% 3
780   \or 6% 4
781   \or 7% 5
782   \or 8% 6
783   \or 9% 7
784   \or 0% 8
785   \or 1% 9
786 }%
787 \InCa@Temp 36{%
788   \or 4% 1
789   \or 5% 2
790   \or 6% 3
791   \or 7% 4
792   \or 8% 5
793   \or 9% 6
794   \or 0% 7
795   \or 1% 8
796   \or 2% 9
797 }%
798 \InCa@Temp 45{%
799   \or 5% 1
800   \or 6% 2
801   \or 7% 3
802   \or 8% 4
803   \or 9% 5
804   \or 0% 6
805   \or 1% 7
806   \or 2% 8
807   \or 3% 9
808 }%
809 \InCa@Temp 54{%
810   \or 6% 1
811   \or 7% 2
812   \or 8% 3

```

```

813   \or 9% 4
814   \or 0% 5
815   \or 1% 6
816   \or 2% 7
817   \or 3% 8
818   \or 4% 9
819 }%
820 \InCa@Temp 63{%
821   \or 7% 1
822   \or 8% 2
823   \or 9% 3
824   \or 0% 4
825   \or 1% 5
826   \or 2% 6
827   \or 3% 7
828   \or 4% 8
829   \or 5% 9
830 }%
831 \InCa@Temp 72{%
832   \or 8% 1
833   \or 9% 2
834   \or 0% 3
835   \or 1% 4
836   \or 2% 5
837   \or 3% 6
838   \or 4% 7
839   \or 5% 8
840   \or 6% 9
841 }%
842 \InCa@Temp 81{%
843   \or 9% 1
844   \or 0% 2
845   \or 1% 3
846   \or 2% 4
847   \or 3% 5
848   \or 4% 6
849   \or 5% 7
850   \or 6% 8
851   \or 7% 9
852 }%
853 \InCa@Temp 90{%
854   \or 0% 1
855   \or 1% 2
856   \or 2% 3
857   \or 3% 4
858   \or 4% 5
859   \or 5% 6
860   \or 6% 7
861   \or 7% 8
862   \or 8% 9
863 }%

```

\InCa@SubDigit[0-9]

```

864 \def\InCa@Temp#1#2{%
865   \expandafter\def\csname InCa@SubDigit#1\endcsname##1{%
866     \ifnum##1>#1 %
867       \endcsname 1%
868     \else
869       \endcsname 0%
870     \fi
871     \ifcase##1 #1% 0
872     #2%
873     \else #1% 10

```

```

874      \fi
875  }%
876 }
877 \InCa@Temp 0{%
878   \or 9% 1
879   \or 8% 2
880   \or 7% 3
881   \or 6% 4
882   \or 5% 5
883   \or 4% 6
884   \or 3% 7
885   \or 2% 8
886   \or 1% 9
887 }
888 \InCa@Temp 1{%
889   \or 0% 1
890   \or 9% 2
891   \or 8% 3
892   \or 7% 4
893   \or 6% 5
894   \or 5% 6
895   \or 4% 7
896   \or 3% 8
897   \or 2% 9
898 }
899 \InCa@Temp 2{%
900   \or 1% 1
901   \or 0% 2
902   \or 9% 3
903   \or 8% 4
904   \or 7% 5
905   \or 6% 6
906   \or 5% 7
907   \or 4% 8
908   \or 3% 9
909 }
910 \InCa@Temp 3{%
911   \or 2% 1
912   \or 1% 2
913   \or 0% 3
914   \or 9% 4
915   \or 8% 5
916   \or 7% 6
917   \or 6% 7
918   \or 5% 8
919   \or 4% 9
920 }
921 \InCa@Temp 4{%
922   \or 3% 1
923   \or 2% 2
924   \or 1% 3
925   \or 0% 4
926   \or 9% 5
927   \or 8% 6
928   \or 7% 7
929   \or 6% 8
930   \or 5% 9
931 }
932 \InCa@Temp 5{%
933   \or 4% 1
934   \or 3% 2
935   \or 2% 3

```

```

936   \or 1% 4
937   \or 0% 5
938   \or 9% 6
939   \or 8% 7
940   \or 7% 8
941   \or 6% 9
942 }
943 \InCa@Temp 6{%
944   \or 5% 1
945   \or 4% 2
946   \or 3% 3
947   \or 2% 4
948   \or 1% 5
949   \or 0% 6
950   \or 9% 7
951   \or 8% 8
952   \or 7% 9
953 }
954 \InCa@Temp 7{%
955   \or 6% 1
956   \or 5% 2
957   \or 4% 3
958   \or 3% 4
959   \or 2% 5
960   \or 1% 6
961   \or 0% 7
962   \or 9% 8
963   \or 8% 9
964 }
965 \InCa@Temp 8{%
966   \or 7% 1
967   \or 6% 2
968   \or 5% 3
969   \or 4% 4
970   \or 3% 5
971   \or 2% 6
972   \or 1% 7
973   \or 0% 8
974   \or 9% 9
975 }
976 \InCa@Temp 9{%
977   \or 8% 1
978   \or 7% 2
979   \or 6% 3
980   \or 5% 4
981   \or 4% 5
982   \or 3% 6
983   \or 2% 7
984   \or 1% 8
985   \or 0% 9
986 }

```

2.5.6 Shl, Shr

```

\intcalcShl
987 \def\intcalcShl#1{%
988   \number\expandafter\InCa@ShlSwitch\number#1! %
989 }

\InCa@ShlSwitch
990 \def\InCa@ShlSwitch#1#2!{%
991   \ifx#1-%

```

```

992      -\csname InCa@Empty%
993      \InCa@Shl#2!%
994  \else
995      \csname InCa@Empty%
996      \InCa@Shl#1#2!%
997  \fi
998 }

\IntCalcShl
999 \def\IntCalcShl#1!{%
1000   \number
1001   \csname InCa@Empty%
1002   \InCa@Shl#1! %
1003 }

\IntCal@ShlDigit
1004 \def\InCa@Shl#1#2{%
1005   \ifx#2!%
1006     \csname InCa@ShlDigit#1\endcsname%
1007   \else
1008     \csname InCa@ShlDigit#1%
1009     \c@ReturnAfterFi{%
1010       \InCa@Shl#2%
1011     }%
1012   \fi
1013 }

\InCa@ShlDigit0
1014 \expandafter\def\csname InCa@ShlDigit0\endcsname{%
1015   \endcsname%
1016 }

\InCa@ShlDigit[1-9]
1017 \def\InCa@Temp#1#2#3#4#5{%
1018   \expandafter\def\csname InCa@ShlDigit#1\endcsname##1{%
1019     \expandafter\endcsname
1020     \ifcase##1 %
1021       #2#3%
1022     \else
1023       #4#5%
1024     \fi
1025   }%
1026 }
1027 \InCa@Temp 10203
1028 \InCa@Temp 20405
1029 \InCa@Temp 30607
1030 \InCa@Temp 40809
1031 \InCa@Temp 51011
1032 \InCa@Temp 61213
1033 \InCa@Temp 71415
1034 \InCa@Temp 81617
1035 \InCa@Temp 91819

\intcalcShr
1036 \def\intcalcShr#1{%
1037   \number\expandafter\InCa@ShrSwitch\number#1! %
1038 }

\InCa@ShrSwitch
1039 \def\InCa@ShrSwitch#1#2!{%
1040   \ifx#1-%

```

```

1041      -\InCa@Shr#2!%
1042      \else
1043      \InCa@Shr#1#2!%
1044      \fi
1045 }

\IntCalcShr

1046 \def\IntCalcShr#1{%
1047   \number\InCa@Shr#1! %
1048 }

\InCa@Shr

1049 \def\InCa@Shr#1#2{%
1050   \InCa@ShrDigit#1!%
1051   \ifx#2!%
1052   \else
1053     \QReturnAfterFi{%
1054       \ifodd#1 %
1055         \QReturnAfterElseFi{%
1056           \InCa@Shr{1#2}%
1057         }%
1058       \else
1059         \expandafter\InCa@Shr\expandafter#2%
1060       \fi
1061     }%
1062   \fi
1063 }

1064 \def\InCa@ShrDigit#1{%
1065   \ifcase#1 0%
1066     \or 0% 1
1067     \or 1% 2
1068     \or 1% 3
1069     \or 2% 4
1070     \or 2% 5
1071     \or 3% 6
1072     \or 3% 7
1073     \or 4% 8
1074     \or 4% 9
1075     \or 5% 10
1076     \or 5% 11
1077     \or 6% 12
1078     \or 6% 13
1079     \or 7% 14
1080     \or 7% 15
1081     \or 8% 16
1082     \or 8% 17
1083     \or 9% 18
1084     \or 9% 19
1085   \fi
1086 }

```

2.5.7 \InCa@Tim

\InCa@Tim Macro \InCa@Tim implements “Number *times* digit”.

```

1087 \def\InCa@Temp#1{%
1088   \def\InCa@Tim##1##2{%
1089     \number
1090     \ifcase##2 % 0
1091       0%
1092     \or % 1
1093       ##1%

```

```

1094      \else % 2-9
1095          \csname InCa@Empty%
1096          \InCa@ProcessTim##2##1!%
1097      \fi
1098      #1%
1099  }%
1100 }
1101 \InCa@Temp{ }

\InCa@ProcessTim

1102 \def\InCa@ProcessTim#1#2#3{%
1103     \ifx#3!%
1104         \csname InCa@TimDigit#2\endcsname#10%
1105     \else
1106         \csname InCa@TimDigit#2\csname InCa@Param#1%
1107         \@ReturnAfterFi{%
1108             \InCa@ProcessTim#1#3%
1109         }%
1110     \fi
1111 }

\InCa@Param[0-9]

1112 \def\InCa@Temp#1{%
1113     \expandafter\def\csname InCa@Param#1\endcsname{%
1114         \endcsname#1%
1115     }%
1116 }
1117 \InCa@Temp 0%
1118 \InCa@Temp 1%
1119 \InCa@Temp 2%
1120 \InCa@Temp 3%
1121 \InCa@Temp 4%
1122 \InCa@Temp 5%
1123 \InCa@Temp 6%
1124 \InCa@Temp 7%
1125 \InCa@Temp 8%
1126 \InCa@Temp 9%

\InCa@TimDigit0

1127 \expandafter\def\csname InCa@TimDigit0\endcsname#1#2{%
1128     \endcsname
1129     0#2%
1130 }

\InCa@TimDigit1

1131 \expandafter\def\csname InCa@TimDigit1\endcsname#1#2{%
1132     \ifcase#2 %
1133         \endcsname 0#1%
1134     \else
1135         \csname InCa@AddDigit#1\endcsname #2%
1136     \fi
1137 }

\InCa@TimDigit[2-9]

1138 \def\InCa@Temp#1#2{%
1139     \expandafter\def\csname InCa@TimDigit#1\endcsname##1{%
1140         \expandafter\InCa@TimDigitCarry
1141         \number
1142         \ifcase##1 0% 0
1143             #2%
1144         \fi

```

```

1145      !%
1146  }%
1147 }
1148 \InCa@Temp 2{%
1149   \or 2% 1
1150   \or 4% 2
1151   \or 6% 3
1152   \or 8% 4
1153   \or 10% 5
1154   \or 12% 6
1155   \or 14% 7
1156   \or 16% 8
1157   \or 18% 9
1158 }
1159 \InCa@Temp 3{%
1160   \or 3% 1
1161   \or 6% 2
1162   \or 9% 3
1163   \or 12% 4
1164   \or 15% 5
1165   \or 18% 6
1166   \or 21% 7
1167   \or 24% 8
1168   \or 27% 9
1169 }
1170 \InCa@Temp 4{%
1171   \or 4% 1
1172   \or 8% 2
1173   \or 12% 3
1174   \or 16% 4
1175   \or 20% 5
1176   \or 24% 6
1177   \or 28% 7
1178   \or 32% 8
1179   \or 36% 9
1180 }
1181 \InCa@Temp 5{%
1182   \or 5% 1
1183   \or 10% 2
1184   \or 15% 3
1185   \or 20% 4
1186   \or 25% 5
1187   \or 30% 6
1188   \or 35% 7
1189   \or 40% 8
1190   \or 45% 9
1191 }
1192 \InCa@Temp 6{%
1193   \or 6% 1
1194   \or 12% 2
1195   \or 18% 3
1196   \or 24% 4
1197   \or 30% 5
1198   \or 36% 6
1199   \or 42% 7
1200   \or 48% 8
1201   \or 54% 9
1202 }
1203 \InCa@Temp 7{%
1204   \or 7% 1
1205   \or 14% 2
1206   \or 21% 3

```

```

1207  \or 28% 4
1208  \or 35% 5
1209  \or 42% 6
1210  \or 49% 7
1211  \or 56% 8
1212  \or 63% 9
1213 }
1214 \InCa@Temp 8{%
1215  \or 8% 1
1216  \or 16% 2
1217  \or 24% 3
1218  \or 32% 4
1219  \or 40% 5
1220  \or 48% 6
1221  \or 56% 7
1222  \or 64% 8
1223  \or 72% 9
1224 }
1225 \InCa@Temp 9{%
1226  \or 9% 1
1227  \or 18% 2
1228  \or 27% 3
1229  \or 36% 4
1230  \or 45% 5
1231  \or 54% 6
1232  \or 63% 7
1233  \or 72% 8
1234  \or 81% 9
1235 }

\InCa@TimDigitCarry
1236 \def\InCa@TimDigitCarry#1!{%
1237  \ifnum#1<10 %
1238    \csname InCa@AddDigit#1\expandafter\endcsname
1239  \else
1240    \c@ReturnAfterFi{%
1241      \InCa@@TimDigitCarry#1!%
1242    }%
1243  \fi
1244 }

\InCa@@TimDigitCarry
1245 \def\InCa@@TimDigitCarry#1#2!#3{%
1246  \csname InCa@DigitCarry#1%
1247  \csname InCa@AddDigit#2\endcsname #3%
1248 }


```

2.5.8 Mul

```

\intcalcMul
1249 \def\intcalcMul#1#2{%
1250  \number
1251    \expandafter\InCa@MulSwitch
1252    \number\number#1\expandafter!%
1253    \number#2! %
1254 }


```

\InCa@MulSwitch Decision table for \InCa@MulSwitch.

$x < 0$	$y < 0$	$x < y$	+	Mul($-x, -y$)
		else		Mul($-y, -x$)
	$y > 0$	$-x > y$	-	Mul($-x, y$)
		else		Mul($y, -x$)
else	$y < 0$	$x > -y$	-	Mul($x, -y$)
		else		Mul($-y, x$)
	else	$x > y$	+	Mul(x, y)
		else		Mul(y, x)

```

1255 \def\InCa@MulSwitch#1!#2!{%
1256   \ifnum#1<\z@
1257     \ifnum#2<\z@
1258       \ifnum#1<#2 %
1259         \expandafter\InCa@Mul\number-#1\expandafter!%
1260         \@gobble#2!%
1261       \else
1262         \expandafter\InCa@Mul\number-#2\expandafter!%
1263         \@gobble#1!%
1264       \fi
1265     \else
1266       %
1267       \ifnum-#1>#2 %
1268         \expandafter\InCa@Mul\@gobble#1!#2!%
1269       \else
1270         \expandafter\InCa@Mul\number#2\expandafter!%
1271         \@gobble#1!%
1272       \fi
1273     \fi
1274   \else
1275     \ifnum#2<\z@
1276       %
1277       \ifnum#1>-#2 %
1278         \expandafter\InCa@Mul\number#1\expandafter!%
1279         \@gobble#2!%
1280       \else
1281         \expandafter\InCa@Mul\@gobble#2!#1!%
1282       \fi
1283     \else
1284       \ifnum#1>#2 %
1285         \InCa@Mul#1!#2!%
1286       \else
1287         \InCa@Mul#2!#1!%
1288       \fi
1289     \fi
1290   \fi
1291 }

\IntCalcMul

1292 \def\IntCalcMul#1!#2!{%
1293   \number\InCa@Mul#1!#2! %
1294 }

\InCa@Mul

1295 \def\InCa@Mul#1!#2!{%
1296   \ifcase#2 %
1297     0%
1298   \or
1299     #1%
1300   \or
1301     \csname InCa@Empty%
1302     \expandafter\InCa@Shl#1!%

```

```

1303  \else
1304    \ifnum#2<10 %
1305      \InCa@Tim{#1}#2%
1306    \else
1307      \InCa@ProcessMul!#2!#1!%
1308    \fi
1309  \fi
1310 }

\InCa@Mul

1311 \def\InCa@ProcessMul#1!#2#3!#4!{%
1312   \ifx\InCa@Empty#3\InCa@Empty
1313     \expandafter\InCa@Add\number
1314     #10\expandafter\expandafter\expandafter!%
1315     \InCa@Tim{#4}#2!%
1316   \else
1317     \ifx\InCa@Empty#1\InCa@Empty
1318       \expandafter\expandafter\expandafter\InCa@ProcessMul
1319       \InCa@Tim{#4}#2!%
1320       #3!#4!%
1321     \else
1322       \expandafter\InCa@ProcessMul\number
1323       \expandafter\InCa@Add\number%
1324       #10\expandafter\expandafter\expandafter!%
1325       \InCa@Tim{#4}#2!%
1326       #3!#4!%
1327     \fi
1328   \fi
1329 }

```

2.5.9 Sqr, Fac

```

\intcalcSqr

1330 \def\intcalcSqr#1{%
1331   \number\expandafter\InCa@Sqr\number#1! %
1332 }

\InCa@Sqr

1333 \def\InCa@Sqr#1#2!{%
1334   \ifx#1-%
1335     \InCa@Mul#2!#2!%
1336   \else
1337     \InCa@Mul#1#2!#1#2!%
1338   \fi
1339 }


```

```

\intcalcFac

1340 \def\intcalcFac#1{%
1341   \number\expandafter\InCa@Fac\number#1! %
1342 }

```

2.5.10 Pow

```

\intcalcPow

1343 \def\intcalcPow#1#2{%
1344   \number\expandafter\InCa@Pow
1345   \number\number#1\expandafter!%
1346   \number#2! %
1347 }

```

```

\InCa@Pow
1348 \def\InCa@Pow#1#2!#3#4!{%
1349   \ifcase#3#4 % power = 0
1350     1%
1351   \or % power = 1
1352     #1#2%
1353   \or % power = 2
1354     \ifx#1-%
1355       \InCa@Mul#2!#2!%
1356     \else
1357       \InCa@Mul#1#2!#1#2!%
1358     \fi
1359   \else
1360     \ifcase#1#2 % basis = 0, power <> 0
1361       0%
1362       \ifx#3-% power < 0
1363         0\IntCalcError:DivisionByZero%
1364       \fi
1365     \or
1366       1% basis = 1
1367     \else
1368       \ifnum#1#2=\m@ne % basis = -1
1369         \ifodd#3#4 %
1370           -%
1371         \fi
1372         1%
1373       \else % |basis| > 1
1374         \ifx#3-% power < 0
1375           0%
1376         \else % power > 2
1377           \ifx#1-% basis < 0
1378             \ifodd#3#4 %
1379               -%
1380             \fi
1381             \InCa@PowRec#2!#3#4!1!%
1382           \else
1383             \InCa@PowRec#1#2!#3#4!1!%
1384           \fi
1385         \fi
1386       \fi
1387     \fi
1388   \fi
1389 }

\InCa@PowRec
1390 Pow(b, p) {
1391   PowRec(b, p, 1)
1392 }
1393 PowRec(b, p, r) {
1394   if p == 1 then
1395     return r
1396   else
1397     ifodd p then
1398       return PowRec(b*b, p div 2, r*b) % p div 2 = (p-1)/2
1399     else
1400       return PowRec(b*b, p div 2, r)
1401     fi
1402   fi
1403 }
1404
1405 \def\InCa@PowRec#1!#2!#3!{%
1406   \ifnum#2=\@ne
1407     \ifnum#1>#3 %
1408       \InCa@Mul#1!#3!%

```

```

1394     \else
1395         \InCa@Mul#3!#1!%
1396     \fi
1397 \else
1398     \expandafter\InCa@PowRec
1399     \number\InCa@Mul#1!#1!\expandafter!%
1400     \number\intcalcShr{#2}\expandafter!%
1401     \number
1402     \ifodd#2 %
1403         \ifnum#1>#3 %
1404             \InCa@Mul#1!#3!%
1405         \else
1406             \InCa@Mul#3!#1!%
1407         \fi
1408     \else
1409         #3%
1410     \fi
1411     \expandafter!%
1412 \fi
1413 }

```

2.5.11 Div

```

\intcalcDiv
1414 \def\intcalcDiv#1#2{%
1415   \number\expandafter\InCa@Div
1416   \number\number#1\expandafter!%
1417   \number#2! %
1418 }

\InCa@Div
1419 \def\InCa@Div#1!#2!{%
1420   \ifcase#2 %
1421     0\IntCalcError:DivisionByZero%
1422   \else
1423     \ifcase#1 %
1424       0%
1425     \else
1426       \expandafter\InCa@DivSwitch
1427       \number#1\expandafter!%
1428       \number#2!%
1429     \fi
1430   \fi
1431 }

\IntCalcDiv
1432 \def\InCa@Temp#1{%
1433   \def\IntCalcDiv##1##2!{%
1434     \number
1435     \ifcase##2 %
1436       0\IntCalcError:DivisionByZero%
1437     \else
1438       \ifcase##1 %
1439         0%
1440       \else
1441         \InCa@Div##1##2!%
1442       \fi
1443     \fi
1444     #1%
1445   }%
1446 }
1447 \InCa@Temp{ }%

```

\InCa@DivSwitch Decision table for \InCa@DivSwitch.

$x < 0$	$y < 0$	+	$\text{Div}(-x, -y)$
	else	-	$\text{Div}(-x, y)$
else	$y < 0$	-	$\text{Div}(x, -y)$
	else	+	$\text{Div}(x, y)$

```

1448 \def\InCa@DivSwitch#1!#2!{%
1449   \ifnum#1<\z@
1450     \ifnum#2<\z@
1451       \expandafter\InCa@@Div\number-#1\expandafter!%
1452       \@gobble#2!%
1453     \else
1454       -%
1455     \expandafter\InCa@@Div@\gobble#1!#2!%
1456   \fi
1457 \else
1458   \ifnum#2<\z@
1459     -%
1460     \expandafter\InCa@@Div\number#1\expandafter!%
1461     \@gobble#2!%
1462   \else
1463     \InCa@@Div#1!#2!%
1464   \fi
1465 \fi
1466 }

\InCa@@Div

1467 \def\InCa@@Div#1!#2!{%
1468   \ifnum#1>#2 %
1469     \ifcase#2 % 0 already catched
1470 ?      \IntCalcError:ThisCannotHappen%
1471     \or % 1
1472       #1%
1473     \or % 2
1474       \InCa@Shr#1!%
1475   \else
1476     \InCa@DivStart!#1!#2!#2!%
1477   \fi
1478 \else
1479   \ifnum#1=#2 %
1480     1%
1481   \else
1482     0%
1483   \fi
1484 \fi
1485 }

\InCa@DivStart

1486 \def\InCa@DivStart#1!#2#3!#4#5{%
1487   \ifx#5!%
1488     \@ReturnAfterElseFi{%
1489       \InCa@DivStartI{#1#2}#3=!%
1490     }%
1491   \else
1492     \@ReturnAfterFi{%
1493       \InCa@DivStart{#1#2}!#3!#5%
1494     }%
1495   \fi
1496 }

```

\InCa@StartI

```

1497 \def\InCa@DivStartI#1!#2!{%
1498   \expandafter\InCa@DivStartII
1499   \number#2\expandafter\expandafter\expandafter!%
1500   \intcalcShl{#2}!%
1501   #1!%
1502 }

\InCa@StartII
1503 \def\InCa@DivStartII#1!#2!{%
1504   \expandafter\InCa@DivStartIII
1505   \number#1\expandafter!%
1506   \number#2\expandafter\expandafter\expandafter!%
1507   \intcalcShl{#2}!%
1508 }

\InCa@StartIII
1509 \def\InCa@DivStartIII#1!#2!#3!{%
1510   \expandafter\InCa@DivStartIV
1511   \number#1\expandafter!%
1512   \number#2\expandafter!%
1513   \number#3\expandafter!%
1514   \number\InCa@Add#3!#2!\expandafter\expandafter\expandafter!%
1515   \intcalcShl{#3}!%
1516 }

\InCa@StartIV
1517 \def\InCa@DivStartIV#1!#2!#3!#4!#5!#6!{%
1518   \InCa@ProcessDiv#6!#1!#2!#3!#4!#5!/%
1519 }

\InCa@ProcessDiv
1520 \def\InCa@ProcessDiv#1#2#3!#4!#5!#6!#7!#8!#9!{%
1521   #9%
1522   \ifnum#1<#4 % 0
1523     0%
1524     \ifx#2=%
1525     \else
1526       \InCa@ProcessDiv{#1#2}#3!#4!#5!#6!#7!#8!%
1527     \fi
1528   \else % 1-9
1529     \ifnum#1<#5 % 1
1530       %
1531       \ifx#2=%
1532       \else
1533         \expandafter\InCa@ProcessDiv\expandafter{%
1534           \number\InCa@Sub#1!#4!%
1535           #2%
1536           }#3!#4!#5!#6!#7!#8!%
1537       \fi
1538   \else % 2-9
1539     \ifnum#1<#7 % 2 3 4 5
1540       \ifnum#1<#6 % 2 3
1541         \oReturnAfterElseFi{%
1542           \expandafter\InCa@@ProcessDiv
1543           \number\InCa@Sub#1!#5!!%
1544           23%
1545         }%
1546       \else % 4 5
1547         \oReturnAfterFi{%
1548           \expandafter\InCa@@ProcessDiv
1549           \number\InCa@Sub#1!#6!!%
1550           45%

```

```

1551      }%
1552      \fi
1553      #2#3!#4!#5!#6!#7!#8!%
1554      \else % 6 7 8 9
1555      \ifnum#1<#8 % 6 7
1556          \@ReturnAfterElseFi{%
1557              \expandafter\InCa@@ProcessDiv
1558              \number\InCa@Sub#1!#7!!%
1559              67%
1560          }%
1561      \else % 8 9
1562          \@ReturnAfterFi{%
1563              \expandafter\InCa@@ProcessDiv
1564              \number\InCa@Sub#1!#8!!%
1565              89%
1566          }%
1567          \fi
1568          #2#3!#4!#5!#6!#7!#8!%
1569      \fi
1570      \fi
1571      \fi
1572      \ifx#2=%
1573          \expandafter\@gobble
1574      \fi
1575  /%
1576 }

\InCa@@ProcessDiv

1577 \def\InCa@@ProcessDiv#1!#2#3#4#5!#6!{%
1578     \ifnum#1<#6 %
1579         #2%
1580         \@ReturnAfterElseFi{%
1581             \ifx#4=%
1582                 \expandafter\InCa@CleanupIV
1583             \else
1584                 \@ReturnAfterFi{%
1585                     \InCa@ProcessDiv{#1#4}#5!#6!%
1586                 }%
1587             \fi
1588         }%
1589     \else
1590         #3%
1591         \@ReturnAfterFi{%
1592             \ifx#4=%
1593                 \expandafter\InCa@CleanupIV
1594             \else
1595                 \@ReturnAfterFi{%
1596                     \expandafter\InCa@ProcessDiv\expandafter{%
1597                         \number\InCa@Sub#1!#6! %
1598                         #4%
1599                         }#5!#6!%
1600                     }%
1601                 \fi
1602             }%
1603             \fi
1604         }%
1605 \def\InCa@CleanupIV#1!#2!#3!#4!{}}

```

2.5.12 Mod

\intcalcMod

```

1606 \def\intcalcMod#1#2{%
1607   \number\expandafter\InCa@Mod
1608   \number\number#1\expandafter!%
1609   \number#2! %
1610 }

```

\intcalc@Mod Pseudocode/decision table for \intcalc@Mod.

```

if      y = 0    DivisionByZero
elseif  y < 0   - Mod(-x, -y)
elseif  x = 0   0
elseif  y = 1   0
elseif  y = 2   ifodd(x) ? 1 : 0
elseif  x < 0   z ← x - (x/y) * y;  (z < 0) ? z + y : z
else      x - (x/y) * y

```

```

1611 \def\InCa@Mod#1#!#2!{%
1612   \ifcase#2 %
1613     0\IntCalcError:DivisionByZero%
1614   \else
1615     \ifnum#2<\z@
1616       -%
1617       \expandafter\InCa@Mod
1618       \number-#1\expandafter!%
1619       \number-#2!%
1620   \else
1621     \ifcase#1 %
1622       0%
1623     \else
1624       \ifcase#2 % 0 already catched
1625         \IntCalcError:ThisCannotHappen%
1626       \or % 1
1627         0%
1628       \or % 2
1629         \ifodd#1 1\else 0\fi
1630     \else
1631       \ifnum#1<\z@
1632         \expandafter\InCa@ModShift
1633         \number-%
1634         \expandafter\InCa@Sub
1635         \number@gobble#1\expandafter!%
1636         \number\intcalcMul{#2}{%
1637           \expandafter\InCa@Div\@gobble#1#!#2!%
1638         }!%
1639       !#2!%
1640     \else
1641       \expandafter\InCa@Sub\number#1\expandafter!%
1642       \number\intcalcMul{#2}{\InCa@Div#1#!#2!}!%
1643     \fi
1644   \fi
1645   \fi
1646 \fi
1647 \fi
1648 }

```

\IntCalcMod

```

1649 \def\InCa@Temp#1{%
1650   \def\IntCalcMod##1##2!{%

```

```

1651      \number
1652      \ifcase##2 %
1653          0\IntCalcError:DivisionByZero%
1654      \else
1655          \ifcase##1 %
1656              0%
1657      \else
1658          \ifcase##2 % 0 already catched
1659              \IntCalcError:ThisCannotHappen
1660          \or % 1
1661              0%
1662          \or % 2
1663              \ifodd ##1 1\else 0\fi
1664      \else
1665          \expandafter\InCa@Sub\number##1\expandafter!%
1666          \number\intcalcMul{##2}{\InCa@Div##1##2!}!%
1667      \fi
1668      \fi
1669      \fi
1670      #1%
1671  }%
1672 }
1673 \InCa@Temp{ }%

```

\InCa@ModShift

```

1674 \def\InCa@ModShift#1#2!{%
1675   \ifnum#1<\z@
1676     \expandafter\InCa@Sub\number#2\expandafter!%
1677     \gobble#1!%
1678   \else
1679     #1%
1680   \fi
1681 }

```

2.5.13 Help macros

```

\InCa@Empty
1682 \def\InCa@Empty{}

\gobble
1683 \expandafter\ifx\csname@gobble\endcsname\relax
1684   \long\def@gobble#1{}%
1685 \fi

@returnAfterFi
1686 \long\def@returnAfterFi#1\fi{\fi#1}%

@returnAfterElseFi
1687 \long\def@returnAfterElseFi#1\else#2\fi{\fi#1}%
1688 \InCa@AtEnd%
1689 
```

3 Test

3.1 Catcode checks for loading

```

1690 {*test1}
1691 \catcode`\\=1 %
1692 \catcode`\\=2 %

```

```

1693 \catcode`#=6 %
1694 \catcode`@=11 %
1695 \expandafter\ifx\csname count@\endcsname\relax
1696   \countdef\count@=255 %
1697 \fi
1698 \expandafter\ifx\csname @gobble\endcsname\relax
1699   \long\def\@gobble#1{}%
1700 \fi
1701 \expandafter\ifx\csname @firstofone\endcsname\relax
1702   \long\def\@firstofone#1{#1}%
1703 \fi
1704 \expandafter\ifx\csname loop\endcsname\relax
1705   \expandafter\@firstofone
1706 \else
1707   \expandafter\@gobble
1708 \fi
1709 {%
1710   \def\loop#1\repeat{%
1711     \def\body{#1}%
1712     \iterate
1713   }%
1714   \def\iterate{%
1715     \body
1716     \let\next\iterate
1717   \else
1718     \let\next\relax
1719   \fi
1720   \next
1721 }%
1722 \let\repeat=\fi
1723 }%
1724 \def\RestoreCatcodes(){}
1725 \count@=0 %
1726 \loop
1727   \edef\RestoreCatcodes{%
1728     \RestoreCatcodes
1729     \catcode\the\count@=\the\catcode\count@\relax
1730   }%
1731 \ifnum\count@<255 %
1732   \advance\count@ 1 %
1733 \repeat
1734
1735 \def\RangeCatcodeInvalid#1#2{%
1736   \count@=#1\relax
1737   \loop
1738     \catcode\count@=15 %
1739   \ifnum\count@<#2\relax
1740     \advance\count@ 1 %
1741   \repeat
1742 }%
1743 \def\RangeCatcodeCheck#1#2#3{%
1744   \count@=#1\relax
1745   \loop
1746     \ifnum#3=\catcode\count@
1747     \else
1748       \errmessage{%
1749         Character \the\count@\space
1750         with wrong catcode \the\catcode\count@\space
1751         instead of \number#3%
1752       }%
1753     \fi
1754   \ifnum\count@<#2\relax

```

```

1755     \advance\count@ 1 %
1756     \repeat
1757 }
1758 \def\space{ }
1759 \expandafter\ifx\csname LoadCommand\endcsname\relax
1760   \def\LoadCommand{\input intcalc.sty\relax}%
1761 \fi
1762 \def\Test{%
1763   \RangeCatcodeInvalid{0}{47}%
1764   \RangeCatcodeInvalid{58}{64}%
1765   \RangeCatcodeInvalid{91}{96}%
1766   \RangeCatcodeInvalid{123}{255}%
1767   \catcode`\@=12 %
1768   \catcode`\|=0 %
1769   \catcode`\#=14 %
1770   \LoadCommand
1771   \RangeCatcodeCheck{0}{36}{15}%
1772   \RangeCatcodeCheck{37}{37}{14}%
1773   \RangeCatcodeCheck{38}{47}{15}%
1774   \RangeCatcodeCheck{48}{57}{12}%
1775   \RangeCatcodeCheck{58}{63}{15}%
1776   \RangeCatcodeCheck{64}{64}{12}%
1777   \RangeCatcodeCheck{65}{90}{11}%
1778   \RangeCatcodeCheck{91}{91}{15}%
1779   \RangeCatcodeCheck{92}{92}{0}%
1780   \RangeCatcodeCheck{93}{96}{15}%
1781   \RangeCatcodeCheck{97}{122}{11}%
1782   \RangeCatcodeCheck{123}{255}{15}%
1783   \RestoreCatcodes
1784 }
1785 \Test
1786 \csname @@end\endcsname
1787 \end
1788 
```

3.2 Macro tests

3.2.1 Preamble with test macro definitions

```

1789 {*test2 | test4}
1790 \NeedsTeXFormat{LaTeX2e}
1791 \nofiles
1792 \documentclass{article}
1793 <noetex> \let\SavedNumexpr\numexpr
1794 <noetex> \let\numexpr\UNDEFINED
1795 \makeatletter
1796 \chardef\InCa@TestMode=1 %
1797 \makeatother
1798 \usepackage[intcalc]{2007/09/27}
1799 <noetex> \let\numexpr\SavedNumexpr
1800 \usepackage[qstest]
1801 \IncludeTests{*}
1802 \LogTests{log}{*}{*}
1803 
```

/test2 | test4)

1804 {*test2}

1805 \newcommand*\TestSpaceAtEnd[1]{%

1806 <noetex> \let\SavedNumexpr\numexpr

1807 <noetex> \let\numexpr\UNDEFINED

1808 \edef\resultA{\#1}%

1809 \edef\resultB{\#1 }%

1810 <noetex> \let\numexpr\SavedNumexpr

1811 \Expect*\{\resultA\space\}*\{\resultB\}%

1812 }

```

1813 \newcommand*{\TestResult}[2]{%
1814 <noetex> \let\SavedNumexpr\numexpr
1815 <noetex> \let\numexpr\UNDEFINED
1816 \edef\result{\#1}%
1817 <noetex> \let\numexpr\SavedNumexpr
1818 \Expect*{\result}{\#2}%
1819 }
1820 \newcommand*{\TestResultTwoExpansions}[2]{%
1821 <*noetex>
1822 \begingroup
1823 \let\numexpr\UNDEFINED
1824 \expandafter\expandafter\expandafter
1825 \endgroup
1826 </noetex>
1827 \expandafter\expandafter\expandafter\Expect
1828 \expandafter\expandafter\expandafter{\#1}{\#2}%
1829 }
1830 \newcount\TestCount
1831 <etex> \newcommand*{\TestArg}[1]{\numexpr#1\relax}
1832 <noetex> \newcommand*{\TestArg}[1]{\#1}
1833 \newcommand*{\TestTeXDivide}[2]{%
1834 \TestCount=\TestArg{\#1}\relax
1835 \divide\TestCount by \TestArg{\#2}\relax
1836 \Expect*{\intcalcDiv{\#1}{\#2}}{\the\TestCount}%
1837 }
1838 \newcommand*{\Test}[2]{%
1839 \TestResult{\#1}{\#2}%
1840 \TestResultTwoExpansions{\#1}{\#2}%
1841 \TestSpaceAtEnd{\#1}%
1842 }
1843 \newcommand*{\TestExch}[2]{\Test{\#2}{\#1}}
1844 \newcommand*{\TestInv}[2]{%
1845 \Test{\intcalcInv{\#1}}{\#2}%
1846 }
1847 \newcommand*{\TestNum}[2]{%
1848 \Test{\intcalcNum{\#1}}{\#2}%
1849 }
1850 \newcommand*{\TestAbs}[2]{%
1851 \Test{\intcalcAbs{\#1}}{\#2}%
1852 }
1853 \newcommand*{\TestSgn}[2]{%
1854 \Test{\intcalcSgn{\#1}}{\#2}%
1855 }
1856 \newcommand*{\TestMin}[3]{%
1857 \Test{\intcalcMin{\#1}{\#2}}{\#3}%
1858 }
1859 \newcommand*{\TestMax}[3]{%
1860 \Test{\intcalcMax{\#1}{\#2}}{\#3}%
1861 }
1862 \newcommand*{\TestCmp}[3]{%
1863 \Test{\intcalcCmp{\#1}{\#2}}{\#3}%
1864 }
1865 \newcommand*{\TestInc}[2]{%
1866 \Test{\intcalcInc{\#1}}{\#2}%
1867 \ifnum\intcalcNum{\#1}>-1 %
1868 \edef\x{%
1869 \noexpand\Test{%
1870 \noexpand\IntCalcInc\intcalcNum{\#1}!%
1871 }{\#2}%
1872 }%
1873 \x
1874 \fi

```

```

1875 }
1876 \newcommand*{\TestDec}[2]{%
1877   \Test{\intcalcDec{\#1}}{\#2}%
1878   \ifnum\intcalcNum{\#1}>0 %
1879     \edef\x{%
1880       \noexpand\Test{%
1881         \noexpand\IntCalcDec\intcalcNum{\#1}!%
1882       }{\#2}%
1883     }%
1884   \x
1885 }
1886 }

1887 \newcommand*{\TestAdd}[3]{%
1888   \Test{\intcalcAdd{\#1}{\#2}}{\#3}%
1889   \ifnum\intcalcNum{\#1}>0 %
1890     \ifnum\intcalcNum{\#2}>0 %
1891       \ifnum\intcalcCmp{\#1}{\#2}>0 %
1892         \edef\x{%
1893           \noexpand\Test{%
1894             \noexpand\IntCalcAdd
1895             \intcalcNum{\#1}!\intcalcNum{\#2}!%
1896           }{\#3}%
1897         }%
1898       \x
1899     \else
1900       \edef\x{%
1901         \noexpand\Test{%
1902           \noexpand\IntCalcAdd
1903           \intcalcNum{\#2}!\intcalcNum{\#1}!%
1904         }{\#3}%
1905       }%
1906     \x
1907   \fi
1908 }
1909 }

1910 }

1911 \newcommand*{\TestSub}[3]{%
1912   \Test{\intcalcSub{\#1}{\#2}}{\#3}%
1913   \ifnum\intcalcNum{\#1}>0 %
1914     \ifnum\intcalcNum{\#2}>0 %
1915       \ifnum\intcalcCmp{\#1}{\#2}>0 %
1916         \edef\x{%
1917           \noexpand\Test{%
1918             \noexpand\IntCalcSub
1919             \intcalcNum{\#1}!\intcalcNum{\#2}!%
1920           }{\#3}%
1921         }%
1922       \x
1923     \fi
1924   \fi
1925 }

1926 }

1927 \newcommand*{\TestShl}[2]{%
1928   \Test{\intcalcShl{\#1}}{\#2}%
1929   \edef\x{%
1930     \noexpand\Test{%
1931       \noexpand\IntCalcShl\intcalcAbs{\#1}!%
1932     }{\intcalcAbs{\#2}}%
1933   }%
1934   \x
1935 }

1936 \newcommand*{\TestShr}[2]{%

```

```

1937 \Test{\intcalcShr{#1}{#2}%
1938 \edef\x{%
1939   \noexpand\Test{%
1940     \noexpand\IntCalcShr\intcalcAbs{#1}!%
1941   }{\intcalcAbs{#2}}%
1942 }%
1943 \x
1944 }
1945 \newcommand*\TestMul[3]{%
1946   \Test{\intcalcMul{#1}{#2}}{#3}%
1947 \edef\x{%
1948   \noexpand\Test{%
1949     \noexpand\IntCalcMul\intcalcAbs{#1}!\intcalcAbs{#2}!%
1950   }{\intcalcAbs{#3}}%
1951 }%
1952 \x
1953 }
1954 \newcommand*\TestSqr[2]{%
1955   \Test{\intcalcSqr{#1}}{#2}%
1956 }
1957 \newcommand*\TestFac[2]{%
1958   \expandafter\TestExch\expandafter{\the\numexpr#2}{\intcalcFac{#1}}%
1959 }
1960 \newcommand*\TestPow[3]{%
1961   \Test{\intcalcPow{#1}{#2}}{#3}%
1962 }
1963 \newcommand*\TestDiv[3]{%
1964   \Test{\intcalcDiv{#1}{#2}}{#3}%
1965 \TestTeXDivide{#1}{#2}%
1966 \edef\x{%
1967   \noexpand\Test{%
1968     \noexpand\IntCalcDiv\intcalcAbs{#1}!\intcalcAbs{#2}!%
1969   }{\intcalcAbs{#3}}%
1970 }%
1971 }
1972 \newcommand*\TestMod[3]{%
1973   \Test{\intcalcMod{#1}{#2}}{#3}%
1974 \ifcase\ifcase\intcalcSgn{#1} 0%
1975   \or
1976     \ifcase\intcalcSgn{#2} 1%
1977     \or 0%
1978     \else 1%
1979     \fi
1980   \else
1981     \ifcase\intcalcSgn{#2} 1%
1982     \or 1%
1983     \else 0%
1984     \fi
1985   \fi\relax
1986 \edef\x{%
1987   \noexpand\Test{%
1988     \noexpand\IntCalcMod
1989     \intcalcAbs{#1}!\intcalcAbs{#2}!%
1990   }{\intcalcAbs{#3}}%
1991 }%
1992 \x
1993 \fi
1994 }
1995 
```

3.2.2 Time

```

1996 /*test2)
1997 \begingroup\expandafter\expandafter\expandafter\endgroup

```

```

1998 \expandafter\ifx\csname pdfresettimer\endcsname\relax
1999 \else
2000   \makeatletter
2001   \newcount\SummaryTime
2002   \newcount\TestTime
2003   \SummaryTime=\z@
2004   \newcommand*\PrintTime[2]{%
2005     \typeout{%
2006       [Time #1: \strip@pt\dimexpr\number#2sp\relax\space s]%
2007     }%
2008   }%
2009   \newcommand*\StartTime[1]{%
2010     \renewcommand*{\TimeDescription}{#1}%
2011     \pdfresettimer
2012   }%
2013   \newcommand*\TimeDescription{}%
2014   \newcommand*\StopTime{%
2015     \TestTime=\pdfelapsedtime
2016     \global\advance\SummaryTime\TestTime
2017     \PrintTime\TimeDescription\TestTime
2018   }%
2019   \let\saved@qstest\qstest
2020   \let\saved@endqstest\endqstest
2021   \def\qstest#1#2{%
2022     \saved@qstest{#1}{#2}%
2023     \StartTime{#1}%
2024   }%
2025   \def\endqstest{%
2026     \StopTime
2027     \saved@endqstest
2028   }%
2029   \AtEndDocument{%
2030     \PrintTime{summary}\SummaryTime
2031   }%
2032   \makeatother
2033 \fi
2034 
```

3.2.3 Test 4: additional mod/div operations

```

2035 {*test4}
2036 \newcommand*\TestDo[2]{%
2037   \ifcase\numexpr#2\relax
2038   \else
2039     \edef\temp{\intcalcMod{#1}{#2}}%
2040     \Expect*{%
2041       \the\numexpr
2042       \intcalcMul{%
2043         \intcalcDiv{\intcalcAbs{#1}}{\intcalcAbs{#2}}%
2044       }{\intcalcAbs{#2}}%
2045       +\intcalcMod{\intcalcAbs{#1}}{\intcalcAbs{#2}}\relax
2046     }*{\the\numexpr\intcalcAbs{#1}\relax}%
2047   \fi
2048 }
2049 \newcommand*\TestOne[2]{%
2050   \TestDo{#1}{#1}%
2051 }
2052 \newcommand*\TestTwo[3]{%
2053   \TestDo{#1}{#2}%
2054   \TestDo{#2}{#1}%
2055 }
2056 \let\TestNum\TestOne
2057 \let\TestInv\TestOne
2058 \let\TestAbs\TestOne

```

```

2059 \let\TestSgn\TestOne
2060 \let\TestMin\TestTwo
2061 \let\TestMax\TestTwo
2062 \let\TestCmp\TestTwo
2063 \let\TestInc\TestOne
2064 \let\TestDec\TestOne
2065 \let\TestAdd\TestTwo
2066 \let\TestSub\TestTwo
2067 \let\TestShl\TestOne
2068 \let\TestShr\TestOne
2069 \let\TestMul\TestTwo
2070 \let\TestSqr\TestOne
2071 \def\TestFac#1#2{}
2072 \let\TestPow\TestTwo
2073 \let\TestDiv\TestTwo
2074 \let\TestMod\TestTwo
2075 
```

3.2.4 Test sets

```

2076 {*test2 | test4}
2077 \makeatletter
2078
2079 \begin{qstest}{num}{num}%
2080   \TestNum{0}{0}%
2081   \TestNum{1}{1}%
2082   \TestNum{-1}{-1}%
2083   \TestNum{10}{10}%
2084   \TestNum{-10}{-10}%
2085   \TestNum{2147483647}{2147483647}%
2086   \TestNum{-2147483647}{-2147483647}%
2087   \TestNum{ 0 }{0}%
2088   \TestNum{ 1 }{1}%
2089   \TestNum{--1}{1}%
2090   \TestNum{ - + - + 4 }{4}%
2091   \TestNum{\z@}{0}%
2092   \TestNum{\@ne}{1}%
2093   \TestNum{\m@ne}{-1}%
2094 {*etex}
2095   \TestNum{-10+30}{20}%
2096   \TestNum{10-30}{-20}%
2097 
```

2098 \end{qstest}

2099

```

2100 \begin{qstest}{inv}{inv}%
2101   \TestInv{0}{0}%
2102   \TestInv{1}{-1}%
2103   \TestInv{-1}{1}%
2104   \TestInv{10}{-10}%
2105   \TestInv{-10}{10}%
2106   \TestInv{2147483647}{-2147483647}%
2107   \TestInv{-2147483647}{2147483647}%
2108   \TestInv{ 0 }{0}%
2109   \TestInv{ 1 }{-1}%
2110   \TestInv{--1}{-1}%
2111   \TestInv{\z@}{0}%
2112   \TestInv{\@ne}{-1}%
2113   \TestInv{\m@ne}{1}%
2114 {*etex}
2115   \TestInv{-10+30}{-20}%
2116   \TestInv{10-30}{20}%
2117 
```

2118 \end{qstest}

2119

```

2120 \begin{qstest}{abs}{abs}%
2121   \TestAbs{0}{0}%
2122   \TestAbs{1}{1}%
2123   \TestAbs{-1}{1}%
2124   \TestAbs{10}{10}%
2125   \TestAbs{-10}{10}%
2126   \TestAbs{2147483647}{2147483647}%
2127   \TestAbs{-2147483647}{2147483647}%
2128   \TestAbs{ 0 }{0}%
2129   \TestAbs{ 1 }{1}%
2130   \TestAbs{--1}{1}%
2131   \TestAbs{\z@}{0}%
2132   \TestAbs{\@ne}{1}%
2133   \TestAbs{\m@ne}{1}%
2134 {*etex}
2135   \TestAbs{-10+30}{20}%
2136   \TestAbs{10-30}{20}%
2137 
2138 \end{qstest}
2139
2140 \begin{qstest}{sign}{sign}%
2141   \TestSgn{0}{0}%
2142   \TestSgn{1}{1}%
2143   \TestSgn{-1}{-1}%
2144   \TestSgn{10}{1}%
2145   \TestSgn{-10}{-1}%
2146   \TestSgn{2147483647}{1}%
2147   \TestSgn{-2147483647}{-1}%
2148   \TestSgn{ 0 }{0}%
2149   \TestSgn{ 2 }{1}%
2150   \TestSgn{ -2 }{-1}%
2151   \TestSgn{--2}{1}%
2152   \TestSgn{\z@}{0}%
2153   \TestSgn{\@ne}{1}%
2154   \TestSgn{\m@ne}{-1}%
2155 {*etex}
2156   \TestSgn{-10+30}{1}%
2157   \TestSgn{10-30}{-1}%
2158 
2159 \end{qstest}
2160
2161 \begin{qstest}{min}{min}%
2162   \TestMin{0}{1}{0}%
2163   \TestMin{1}{0}{0}%
2164   \TestMin{-10}{-20}{-20}%
2165   \TestMin{ 1 }{ 2 }{1}%
2166   \TestMin{ 2 }{ 1 }{1}%
2167   \TestMin{1}{1}{1}%
2168   \TestMin{\z@}{\@ne}{0}%
2169   \TestMin{\@ne}{\m@ne}{-1}%
2170 {*etex}
2171   \TestMin{1+2}{3+4}{3}%
2172 
2173 \end{qstest}
2174
2175 \begin{qstest}{max}{max}%
2176   \TestMax{0}{1}{1}%
2177   \TestMax{1}{0}{1}%
2178   \TestMax{-10}{-20}{-10}%
2179   \TestMax{ 1 }{ 2 }{2}%
2180   \TestMax{ 2 }{ 1 }{2}%
2181   \TestMax{1}{1}{1}%

```

```

2182  \TestMax{\z@}{\@ne}{1}%
2183  \TestMax{\@ne}{\m@ne}{1}%
2184 {*etex}
2185  \TestMax{1+2}{3+4}{7}%
2186 
```

```
2187 \end{qstest}
```

```
2188
```

```
2189 \begin{qstest}{cmp}{cmp}%
2190  \TestCmp{0}{0}{0}%
2191  \TestCmp{-21}{17}{-1}%
2192  \TestCmp{3}{4}{-1}%
2193  \TestCmp{-10}{-10}{0}%
2194  \TestCmp{-10}{-11}{1}%
2195  \TestCmp{100}{5}{1}%
2196  \TestCmp{2147483647}{-2147483647}{1}%
2197  \TestCmp{-2147483647}{2147483647}{-1}%
2198  \TestCmp{2147483647}{2147483647}{0}%
2199  \TestCmp{\z@}{\@ne}{-1}%
2200  \TestCmp{\@ne}{\m@ne}{1}%
2201  \TestCmp{ 4 }{ 5 }{-1}%
2202  \TestCmp{ -3 }{ -7 }{1}%
2203 {*etex}
2204  \TestCmp{1+2}{3+4}{-1}%
2205 
```

```
2206 \end{qstest}
```

```
2207
```

```
2208 \begin{qstest}{fac}{fac}%
2209  \TestFac{0}{1}%
2210  \TestFac{1}{1}%
2211  \TestFac{2}{2}%
2212  \TestFac{3}{2*3}%
2213  \TestFac{4}{2*3*4}%
2214  \TestFac{5}{2*3*4*5}%
2215  \TestFac{6}{2*3*4*5*6}%
2216  \TestFac{7}{2*3*4*5*6*7}%
2217  \TestFac{8}{2*3*4*5*6*7*8}%
2218  \TestFac{9}{2*3*4*5*6*7*8*9}%
2219  \TestFac{10}{2*3*4*5*6*7*8*9*10}%
2220  \TestFac{11}{2*3*4*5*6*7*8*9*10*11}%
2221  \TestFac{12}{2*3*4*5*6*7*8*9*10*11*12}%
2222 \end{qstest}
```

```
2223
```

```
2224 \begin{qstest}{inc}{inc}%
2225  \TestInc{0}{1}%
2226  \TestInc{1}{2}%
2227  \TestInc{-1}{0}%
2228  \TestInc{10}{11}%
2229  \TestInc{-10}{-9}%
2230  \TestInc{999}{1000}%
2231  \TestInc{-1000}{-999}%
2232  \TestInc{129}{130}%
2233  \TestInc{2147483646}{2147483647}%
2234  \TestInc{-2147483647}{-2147483646}%
2235 \end{qstest}
```

```
2236
```

```
2237 \begin{qstest}{dec}{dec}%
2238  \TestDec{0}{-1}%
2239  \TestDec{1}{0}%
2240  \TestDec{-1}{-2}%
2241  \TestDec{10}{9}%
2242  \TestDec{-10}{-11}%
2243  \TestDec{1000}{999}%
```

```

2244 \TestDec{-999}{-1000}%
2245 \TestDec{130}{129}%
2246 \TestDec{2147483647}{2147483646}%
2247 \TestDec{-2147483646}{-2147483647}%
2248 \end{qstest}
2249
2250 \begin{qstest}{add}{add}%
2251 \TestAdd{0}{0}{0}%
2252 \TestAdd{1}{0}{1}%
2253 \TestAdd{0}{1}{1}%
2254 \TestAdd{1}{2}{3}%
2255 \TestAdd{-1}{-1}{-2}%
2256 \TestAdd{2147483646}{1}{2147483647}%
2257 \TestAdd{-2147483647}{2147483647}{0}%
2258 \TestAdd{20}{-5}{15}%
2259 \TestAdd{-4}{-1}{-5}%
2260 \TestAdd{-1}{-4}{-5}%
2261 \TestAdd{-4}{1}{-3}%
2262 \TestAdd{-1}{4}{3}%
2263 \TestAdd{4}{-1}{3}%
2264 \TestAdd{1}{-4}{-3}%
2265 \TestAdd{-4}{-1}{-5}%
2266 \TestAdd{-1}{-4}{-5}%
2267 \TestAdd{ -4 }{ -1 }{ -5 }%
2268 \TestAdd{ -1 }{ -4 }{ -5 }%
2269 \TestAdd{ -4 }{ 1 }{ -3 }%
2270 \TestAdd{ -1 }{ 4 }{ 3 }%
2271 \TestAdd{ 4 }{ -1 }{ 3 }%
2272 \TestAdd{ 1 }{ -4 }{ -3 }%
2273 \TestAdd{ -4 }{ -1 }{ -5 }%
2274 \TestAdd{ -1 }{ -4 }{ -5 }%
2275 \TestAdd{876543210}{111111111}{987654321}%
2276 \TestAdd{999999999}{2}{1000000001}%
2277 {*etex}
2278 \TestAdd{100}{50+150}{300}%
2279 \TestAdd{2147483647}{10-2147483647}{10}%
2280 
2281 \end{qstest}
2282
2283 \begin{qstest}{sub}{sub}%
2284 \TestSub{0}{0}{0}%
2285 \TestSub{1}{0}{1}%
2286 \TestSub{1}{2}{-1}%
2287 \TestSub{-1}{-1}{0}%
2288 \TestSub{2147483646}{-1}{2147483647}%
2289 \TestSub{-2147483647}{-2147483647}{0}%
2290 \TestSub{-4}{-1}{-3}%
2291 \TestSub{-1}{-4}{3}%
2292 \TestSub{-4}{1}{-5}%
2293 \TestSub{-1}{4}{-5}%
2294 \TestSub{4}{-1}{5}%
2295 \TestSub{1}{-4}{5}%
2296 \TestSub{-4}{-1}{-3}%
2297 \TestSub{-1}{-4}{3}%
2298 \TestSub{ -4 }{ -1 }{ -3 }%
2299 \TestSub{ -1 }{ -4 }{ 3 }%
2300 \TestSub{ -4 }{ 1 }{ -5 }%
2301 \TestSub{ -1 }{ 4 }{ -5 }%
2302 \TestSub{ 4 }{ -1 }{ 5 }%
2303 \TestSub{ 1 }{ -4 }{ 5 }%
2304 \TestSub{ -4 }{ -1 }{ -3 }%
2305 \TestSub{ -1 }{ -4 }{ 3 }%

```

```

2306  \TestSub{1000000000}{2}{999999998}%
2307  \TestSub{987654321}{111111111}{876543210}%
2308 {*etex}
2309  \TestSub{100}{50+150}{-100}%
2310  \TestSub{2147483647}{-10+2147483647}{10}%
2311 
```

```
2312 \end{qstest}
```

```
2313
```

```
2314 \begin{qstest}{shl}{shl}
```

```
2315  \TestShl{0}{0}%
2316  \TestShl{1}{2}%
2317  \TestShl{5621}{11242}%
2318  \TestShl{1073741823}{2147483646}%
2319  \TestShl{-1}{-2}%
2320  \TestShl{-5621}{-11242}%
2321 
```

```
2322 \end{qstest}
```

```
2323 \begin{qstest}{shr}{shr}
```

```
2324  \TestShr{0}{0}%
2325  \TestShr{1}{0}%
2326  \TestShr{2}{1}%
2327  \TestShr{3}{1}%
2328  \TestShr{4}{2}%
2329  \TestShr{5}{2}%
2330  \TestShr{6}{3}%
2331  \TestShr{7}{3}%
2332  \TestShr{8}{4}%
2333  \TestShr{9}{4}%
2334  \TestShr{10}{5}%
2335  \TestShr{11}{5}%
2336  \TestShr{12}{6}%
2337  \TestShr{13}{6}%
2338  \TestShr{14}{7}%
2339  \TestShr{15}{7}%
2340  \TestShr{16}{8}%
2341  \TestShr{17}{8}%
2342  \TestShr{18}{9}%
2343  \TestShr{19}{9}%
2344  \TestShr{20}{10}%
2345  \TestShr{21}{10}%
2346  \TestShr{22}{11}%
2347  \TestShr{11241}{5620}%
2348  \TestShr{73054202}{36527101}%
2349  \TestShr{2147483646}{1073741823}%
2350  \TestShr{-1}{0}%
2351  \TestShr{-2}{-1}%
2352  \TestShr{-3}{-1}%
2353  \TestShr{-11241}{-5620}%
2354 
```

```
2355 \end{qstest}
```

```
2356 \begin{qstest}{mul}{mul}
```

```
2357  \TestMul{0}{0}{0}%
2358  \TestMul{1}{0}{0}%
2359  \TestMul{0}{1}{0}%
2360  \TestMul{1}{1}{1}%
2361  \TestMul{3}{1}{3}%
2362  \TestMul{1}{-3}{-3}%
2363  \TestMul{-4}{-5}{20}%
2364  \TestMul{3}{7}{21}%
2365  \TestMul{7}{3}{21}%
2366  \TestMul{3}{-7}{-21}%
2367  \TestMul{7}{-3}{-21}%
```

```

2368  \TestMul{-3}{7}{-21}%
2369  \TestMul{-7}{3}{-21}%
2370  \TestMul{-3}{-7}{21}%
2371  \TestMul{-7}{-3}{21}%
2372  \TestMul{12}{11}{132}%
2373  \TestMul{999}{333}{332667}%
2374  \TestMul{1000}{4321}{4321000}%
2375  \TestMul{12345}{173955}{2147474475}%
2376  \TestMul{1073741823}{2}{2147483646}%
2377  \TestMul{2}{1073741823}{2147483646}%
2378  \TestMul{-1073741823}{2}{-2147483646}%
2379  \TestMul{2}{-1073741823}{-2147483646}%
2380 {*etex}
2381  \TestMul{2+3}{5+7}{60}%
2382  \TestMul{2147483647}{2147483647}{2147483647}%
2383 
2384 \end{qstest}
2385
2386 \begin{qstest}{sqr}{sqr}
2387  \TestSqr{0}{0}%
2388  \TestSqr{1}{1}%
2389  \TestSqr{2}{4}%
2390  \TestSqr{3}{9}%
2391  \TestSqr{4}{16}%
2392  \TestSqr{9}{81}%
2393  \TestSqr{10}{100}%
2394  \TestSqr{46340}{2147395600}%
2395  \TestSqr{-1}{1}%
2396  \TestSqr{-2}{4}%
2397  \TestSqr{-46340}{2147395600}%
2398 \end{qstest}
2399
2400 \begin{qstest}{pow}{pow}
2401  \TestPow{-2}{0}{1}%
2402  \TestPow{-1}{0}{1}%
2403  \TestPow{0}{0}{1}%
2404  \TestPow{1}{0}{1}%
2405  \TestPow{2}{0}{1}%
2406  \TestPow{3}{0}{1}%
2407  \TestPow{-2}{1}{-2}%
2408  \TestPow{-1}{1}{-1}%
2409  \TestPow{1}{1}{1}%
2410  \TestPow{2}{1}{2}%
2411  \TestPow{3}{1}{3}%
2412  \TestPow{-2}{2}{4}%
2413  \TestPow{-1}{2}{1}%
2414  \TestPow{0}{2}{0}%
2415  \TestPow{1}{2}{1}%
2416  \TestPow{2}{2}{4}%
2417  \TestPow{3}{2}{9}%
2418  \TestPow{0}{1}{0}%
2419  \TestPow{1}{-2}{1}%
2420  \TestPow{1}{-1}{1}%
2421  \TestPow{-1}{-2}{1}%
2422  \TestPow{-1}{-1}{-1}%
2423  \TestPow{-1}{3}{-1}%
2424  \TestPow{-1}{4}{1}%
2425  \TestPow{-2}{-1}{0}%
2426  \TestPow{-2}{-2}{0}%
2427  \TestPow{2}{3}{8}%
2428  \TestPow{2}{4}{16}%
2429  \TestPow{2}{5}{32}%

```

```

2430 \TestPow{2}{6}{64}%
2431 \TestPow{2}{7}{128}%
2432 \TestPow{2}{8}{256}%
2433 \TestPow{2}{9}{512}%
2434 \TestPow{2}{10}{1024}%
2435 \TestPow{-2}{3}{-8}%
2436 \TestPow{-2}{4}{16}%
2437 \TestPow{-2}{5}{-32}%
2438 \TestPow{-2}{6}{64}%
2439 \TestPow{-2}{7}{-128}%
2440 \TestPow{-2}{8}{256}%
2441 \TestPow{-2}{9}{-512}%
2442 \TestPow{-2}{10}{1024}%
2443 \TestPow{3}{3}{27}%
2444 \TestPow{3}{4}{81}%
2445 \TestPow{3}{5}{243}%
2446 \TestPow{-3}{3}{-27}%
2447 \TestPow{-3}{4}{81}%
2448 \TestPow{-3}{5}{-243}%
2449 \TestPow{2}{30}{1073741824}%
2450 \TestPow{-3}{19}{-1162261467}%
2451 \TestPow{5}{13}{1220703125}%
2452 \TestPow{-7}{11}{-1977326743}%
2453 \end{qstest}
2454
2455 \begin{qstest}{div}{div}
2456 \TestDiv{1}{1}{1}%
2457 \TestDiv{2}{1}{2}%
2458 \TestDiv{-2}{1}{-2}%
2459 \TestDiv{2}{-1}{-2}%
2460 \TestDiv{-2}{-1}{2}%
2461 \TestDiv{15}{2}{7}%
2462 \TestDiv{-16}{2}{-8}%
2463 \TestDiv{1}{2}{0}%
2464 \TestDiv{1}{3}{0}%
2465 \TestDiv{2}{3}{0}%
2466 \TestDiv{-2}{3}{0}%
2467 \TestDiv{2}{-3}{0}%
2468 \TestDiv{-2}{-3}{0}%
2469 \TestDiv{13}{3}{4}%
2470 \TestDiv{-13}{3}{4}%
2471 \TestDiv{-13}{3}{-4}%
2472 \TestDiv{-6}{5}{-1}%
2473 \TestDiv{-5}{5}{-1}%
2474 \TestDiv{-4}{5}{0}%
2475 \TestDiv{-3}{5}{0}%
2476 \TestDiv{-2}{5}{0}%
2477 \TestDiv{-1}{5}{0}%
2478 \TestDiv{0}{5}{0}%
2479 \TestDiv{1}{5}{0}%
2480 \TestDiv{2}{5}{0}%
2481 \TestDiv{3}{5}{0}%
2482 \TestDiv{4}{5}{0}%
2483 \TestDiv{5}{5}{1}%
2484 \TestDiv{6}{5}{1}%
2485 \TestDiv{-5}{4}{-1}%
2486 \TestDiv{-4}{4}{-1}%
2487 \TestDiv{-3}{4}{0}%
2488 \TestDiv{-2}{4}{0}%
2489 \TestDiv{-1}{4}{0}%
2490 \TestDiv{0}{4}{0}%
2491 \TestDiv{1}{4}{0}%

```

```

2492 \TestDiv{2}{4}{0}%
2493 \TestDiv{3}{4}{0}%
2494 \TestDiv{4}{4}{1}%
2495 \TestDiv{5}{4}{1}%
2496 \TestDiv{12345}{678}{18}%
2497 \TestDiv{32372}{5952}{5}%
2498 \TestDiv{284271294}{18162}{15651}%
2499 \TestDiv{217652429}{12561}{17327}%
2500 \TestDiv{462028434}{5439}{84947}%
2501 \TestDiv{2147483647}{1000}{2147483}%
2502 \TestDiv{2147483647}{-1000}{-2147483}%
2503 \TestDiv{-2147483647}{1000}{-2147483}%
2504 \TestDiv{-2147483647}{-1000}{2147483}%
2505 \end{qstest}
2506
2507 \begin{qstest}{mod}{mod}
2508   \TestMod{-6}{5}{4}%
2509   \TestMod{-5}{5}{0}%
2510   \TestMod{-4}{5}{1}%
2511   \TestMod{-3}{5}{2}%
2512   \TestMod{-2}{5}{3}%
2513   \TestMod{-1}{5}{4}%
2514   \TestMod{0}{5}{0}%
2515   \TestMod{1}{5}{1}%
2516   \TestMod{2}{5}{2}%
2517   \TestMod{3}{5}{3}%
2518   \TestMod{4}{5}{4}%
2519   \TestMod{5}{5}{0}%
2520   \TestMod{6}{5}{1}%
2521   \TestMod{-5}{4}{3}%
2522   \TestMod{-4}{4}{0}%
2523   \TestMod{-3}{4}{1}%
2524   \TestMod{-2}{4}{2}%
2525   \TestMod{-1}{4}{3}%
2526   \TestMod{0}{4}{0}%
2527   \TestMod{1}{4}{1}%
2528   \TestMod{2}{4}{2}%
2529   \TestMod{3}{4}{3}%
2530   \TestMod{4}{4}{0}%
2531   \TestMod{5}{4}{1}%
2532   \TestMod{-6}{-5}{-1}%
2533   \TestMod{-5}{-5}{0}%
2534   \TestMod{-4}{-5}{-4}%
2535   \TestMod{-3}{-5}{-3}%
2536   \TestMod{-2}{-5}{-2}%
2537   \TestMod{-1}{-5}{-1}%
2538   \TestMod{0}{-5}{0}%
2539   \TestMod{1}{-5}{-4}%
2540   \TestMod{2}{-5}{-3}%
2541   \TestMod{3}{-5}{-2}%
2542   \TestMod{4}{-5}{-1}%
2543   \TestMod{5}{-5}{0}%
2544   \TestMod{6}{-5}{-4}%
2545   \TestMod{-5}{-4}{-1}%
2546   \TestMod{-4}{-4}{0}%
2547   \TestMod{-3}{-4}{-3}%
2548   \TestMod{-2}{-4}{-2}%
2549   \TestMod{-1}{-4}{-1}%
2550   \TestMod{0}{-4}{0}%
2551   \TestMod{1}{-4}{-3}%
2552   \TestMod{2}{-4}{-2}%
2553   \TestMod{3}{-4}{-1}%

```

```

2554  \TestMod{4}{-4}{0}%
2555  \TestMod{5}{-4}{-3}%
2556  \TestMod{2147483647}{1000}{647}%
2557  \TestMod{2147483647}{-1000}{-353}%
2558  \TestMod{-2147483647}{1000}{353}%
2559  \TestMod{-2147483647}{-1000}{-647}%
2560  \TestMod{ 0 }{ 4 }{0}%
2561  \TestMod{ 1 }{ 4 }{1}%
2562  \TestMod{ -1 }{ 4 }{3}%
2563  \TestMod{ 0 }{ -4 }{0}%
2564  \TestMod{ 1 }{ -4 }{-3}%
2565  \TestMod{ -1 }{ -4 }{-1}%
2566 {*etex}
2567  \TestMod{1+2}{1+3}{3}%
2568  \TestMod{1-2}{1+3}{3}%
2569  \TestMod{1-2}{1-4}{-1}%
2570  \TestMod{1+2}{1-4}{0}%
2571  \TestMod{1+2}{1-5}{-1}%
2572 /etex
2573 \end{qstest}
2574 /test2 | test4

2575 {*test2}
2576 \newcommand*\TestError}[2]{%
2577  \begingroup
2578   \expandafter\def\csname IntCalcError:#1\endcsname{}%
2579   \Expect*{\#2}{0}%
2580   \expandafter\def\csname IntCalcError:#1\endcsname{ERROR}%
2581   \Expect*{\#2}{0ERROR}%
2582  \endgroup
2583 }
2584 \begin{qstest}{error}{error}
2585  \TestError{FacNegative}{\intcalcFac{-1}}%
2586  \TestError{FacNegative}{\intcalcFac{-2147483647}}%
2587  \TestError{FacOverflow}{\intcalcFac{13}}%
2588  \TestError{FacOverflow}{\intcalcFac{2147483647}}%
2589  \TestError{DivisionByZero}{\intcalcPow{0}{-1}}%
2590  \TestError{DivisionByZero}{\intcalcDiv{1}{0}}%
2591  \TestError{DivisionByZero}{\intcalcMod{1}{0}}%
2592  \TestError{DivisionByZero}{\IntCalcDiv1!0!}%
2593  \TestError{DivisionByZero}{\IntCalcMod1!0!}%
2594 \end{qstest}
2595 /test2

2596 {*test2 | test4}
2597 \begin{document}
2598 \end{document}
2599 /test2 | test4

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/intcalc.dtx](http://CTAN.mirror/macros/latex/contrib/oberdiek/intcalc.dtx) The source file.

[CTAN:macros/latex/contrib/oberdiek/intcalc.pdf](http://CTAN.mirror/macros/latex/contrib/oberdiek/intcalc.pdf) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for *TeX* Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the *TDS* tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain *TeX*:

```
tex intcalc.dtx
```

TDS. Now the different files must be moved into the different directories in your installation *TDS* tree (also known as `texmf` tree):

<code>intcalc.sty</code>	→ <code>tex/generic/oberdiek/intcalc.sty</code>
<code>intcalc.pdf</code>	→ <code>doc/latex/oberdiek/intcalc.pdf</code>
<code>test/intcalc-test1.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test1.tex</code>
<code>test/intcalc-test2.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test2.tex</code>
<code>test/intcalc-test3.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test3.tex</code>
<code>test/intcalc-test4.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test4.tex</code>
<code>intcalc.dtx</code>	→ <code>source/latex/oberdiek/intcalc.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`’s *TDS* installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your *TeX* distribution (`teTeX`, `mikTeX`, ...) relies on file name databases, you must refresh these. For example, `teTeX` users run `texhash` or `mktexlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk intcalc.pdf unpack_files output .
```

Unpacking with L^AT_EX. The .dtx chooses its action depending on the format:

plain T_EX: Run docstrip and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for docstrip (really, docstrip does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{intcalc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the .dtx or the .drv to generate the documentation. The process can be configured by the configuration file ltxdoc.cfg. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex intcalc.dtx
makeindex -s gind.ist intcalc.idx
pdflatex intcalc.dtx
makeindex -s gind.ist intcalc.idx
pdflatex intcalc.dtx
```

5 History

[2007/09/09 v1.0]

- First version.

[2007/09/27 v1.1]

- \intcalcNum added.
- \intcalcShl and \intcalcShr allow negative numbers. The sign is preserved.
- Reuse \@gobble instead of own macro \IntCalc@Gobble.
- Small fixes.
- Shorter internal prefix.
- Some programmer's interface.

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
\#	1693 . 664, 675, 687, 699, 710, 721,
\%	1769 1009, 1053, 1107, 1240, 1492,
\@	1694, 1767 1547, 1562, 1584, 1591, 1595, 1686
\@ReturnAfterFi	\@firstofone 1702, 1705
.....	660, 671, 683, 695, \@gobble 601, 604, 609, 612, 619, 622,
1055, 1488, 1541, 1556, 1580, <u>1687</u>	1260, 1263, 1268, 1271, 1279,

\begin{c}{}	1281, 1452, 1455, 1461, 1573, 1635, 1637, 1677, 1683, 1699, 1707	753, 755, 757, 865, 867, 869, 1006, 1014, 1015, 1018, 1019, 1104, 1113, 1114, 1127, 1128, 1131, 1133, 1135, 1139, 1238, 1247, 1683, 1695, 1698, 1701, 1704, 1759, 1786, 1998, 2578, 2580
\cne	311, 1391, 2092, 2112, 2132, 2153, 2168, 2169, 2182, 2183, 2199, 2200	\endinput 29, 112
\cundefined 58	\endlinechar 4, 35, 71, 77, 89
\\"{} 1768	\endqstest 2020, 2025
\{ 1691	\errmessage 1748
\} 1692	\Expect 1811, 1818, 1827, 1836, 2040, 2579, 2581
A		
\advance 1732, 1740, 1755, 2016	
\aftergroup 29	
\AtEndDocument 2029	
B		
\begin{b}{}	2079, 2100, 2120, 2140, 2161, 2175, 2189, 2208, 2224, 2237, 2250, 2283, 2314, 2323, 2356, 2386, 2400, 2455, 2507, 2584, 2597	\if 424, 425, 433
\body 1711, 1715	\ifcase 162, 280, 287, 333, 336, 360, 363, 383, 386, 410, 413, 442, 523, 541, 559, 577, 645, 728, 759, 871, 1020, 1065, 1090, 1132, 1142, 1296, 1349, 1360, 1420, 1423, 1435, 1438, 1469, 1612, 1621, 1624, 1652, 1655, 1658, 1974, 1976, 1981, 2037
C		
\catcode 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 69, 70, 72, 73, 74, 78, 79, 80, 81, 82, 83, 84, 87, 88, 90, 91, 92, 93, 97, 99, 116, 1691, 1692, 1693, 1694, 1729, 1738, 1746, 1750, 1767, 1768, 1769	\ifnum 138, 145, 152, 155, 176, 295, 311, 341, 348, 391, 398, 596, 597, 599, 607, 616, 617, 625, 652, 746, 754, 866, 1237, 1256, 1257, 1258, 1267, 1275, 1277, 1284, 1304, 1368, 1391, 1392, 1403, 1449, 1450, 1458, 1468, 1479, 1522, 1529, 1539, 1540, 1555, 1578, 1615, 1631, 1675, 1731, 1739, 1746, 1754, 1867, 1878, 1889, 1890, 1891, 1913, 1914, 1915
\chardef 1796	\ifodd 246, 252, 296, 314, 1054, 1369, 1378, 1402, 1629, 1663
\count@ 1696, 1725, 1729, 1731, 1732, 1736, 1738, 1739, 1740, 1744, 1746, 1749, 1750, 1754, 1755	\ifx 15, 18, 21, 50, 58, 61, 114, 120, 127, 130, 184, 249, 289, 301, 479, 492, 497, 512, 548, 659, 670, 681, 693, 705, 716, 991, 1005, 1040, 1051, 1103, 1312, 1317, 1334, 1354, 1362, 1374, 1377, 1487, 1524, 1531, 1572, 1581, 1592, 1683, 1695, 1698, 1701, 1704, 1759, 1998
\countdef 1696	\immediate 23, 52
\csname 14, 21, 50, 66, 76, 114, 184, 481, 484, 494, 500, 506, 509, 513, 515, 520, 539, 549, 551, 556, 575, 682, 694, 706, 709, 717, 720, 727, 745, 753, 865, 992, 995, 1001, 1006, 1008, 1014, 1018, 1095, 1104, 1106, 1113, 1127, 1131, 1135, 1139, 1238, 1246, 1247, 1301, 1683, 1695, 1698, 1701, 1704, 1759, 1786, 1998, 2578, 2580	\InCa@@Add 661, 680 \InCa@@Sub 672, 692 \InCa@@Add 648, 658 \InCa@@Div 339, 373, 426, 429, 435, 437, 1441, 1451, 1455, 1460, 1463, 1467
D		
\dimexpr 2006	\InCa@@Mod 389, 423
\divide 1835	\InCa@@ProcessDiv 1542, 1548, 1557, 1563, 1577
\documentclass 1792	\InCa@@Sub 655, 669 \InCa@@TestMode 118 \InCa@@TimDigitCarry 1241, 1245
E		
\empty 17, 18	\InCa@Abs 119, 193, 458 \InCa@Add 600, 603, 626, 628, 634, 644, 1313, 1323, 1514
\end 1787, 2098, 2118, 2138, 2159, 2173, 2187, 2206, 2222, 2235, 2248, 2281, 2312, 2321, 2354, 2384, 2398, 2453, 2505, 2573, 2594, 2598	\InCa@AddDigit0 745
\endcsname	14, 21, 50, 66, 76, 114, 184, 513, 520, 521, 539, 540, 549, 556, 557, 575, 576, 706, 717, 727, 729, 731, 745, 747, 749,	

\InCa@AddDigit[1-9] 752
 \InCa@AddSwitch 585, 591, 595
 \InCa@AtEnd 95, 96, 112, 448, 1688
 \InCa@CleanupIV 1582, 1593, 1605
 \InCa@Cmp 151, 209, 472
 \InCa@Dec 482, 501, 509, 547
 \InCa@DecDigit0 575
 \InCa@DecDigit[1-9] 555
 \InCa@DecSwitch 489, 491
 \InCa@DigitCarry[0-9] 726
 \InCa@Div 328,
 332, 1415, 1419, 1637, 1642, 1666
 \InCa@DivStart 1476, 1486
 \InCa@DivStartI 1489, 1497
 \InCa@DivStartII 1498, 1503
 \InCa@DivStartIII 1504, 1509
 \InCa@DivStartIV 1510, 1517
 \InCa@DivSwitch 1426, 1448
 \InCa@Empty 659, 670,
 681, 693, 705, 716, 1312, 1317, 1682
 \InCa@Fac 161, 272, 1341
 \InCa@First0fOne 451, 454, 456
 \InCa@Inc 485, 495, 506, 511
 \InCa@IncDigit9 539
 \InCa@IncDigit[0-8] 519
 \InCa@IncSwitch 476, 478
 \InCa@Max 144, 204, 468
 \InCa@Min 137, 199, 464
 \InCa@Mod 378, 382, 1607, 1611, 1617
 \InCa@ModShift 1632, 1674
 \InCa@ModX 428, 434, 441
 \InCa@Mul 1259, 1262, 1268, 1270,
 1278, 1281, 1285, 1287, 1293,
 1295, 1311, 1335, 1337, 1355,
 1357, 1393, 1395, 1399, 1404, 1406
 \InCa@MulSwitch 1251, 1255
 \InCa@Param[0-9] 1112
 \InCa@Pow 275, 279, 1344, 1348
 \InCa@PowRec 304, 310, 1381, 1383, 1390
 \InCa@ProcessAdd 684, 704
 \InCa@ProcessDiv 1518, 1520, 1585, 1596
 \InCa@ProcessMul 1307, 1311, 1318, 1322
 \InCa@ProcessSub 696, 715
 \InCa@ProcessTim 1096, 1102
 \InCa@Sgn 126, 196, 461
 \InCa@Shl
 993, 996, 1002, 1004, 1010, 1302
 \InCa@ShlDigit0 1014
 \InCa@ShlDigit[1-9] 1017
 \InCa@ShlSwitch 988, 990
 \InCa@Shr 240,
 248, 1041, 1043, 1047, 1049, 1474
 \InCa@ShrDigit 1050, 1064
 \InCa@ShrSwitch 1037, 1039
 \InCa@Space 639, 648, 655
 \InCa@Sqr 266, 268, 1331, 1333
 \InCa@StartI 1497
 \InCa@StartII 1503
 \InCa@StartIII 1509
 \InCa@StartIV 1517
 \InCa@Sub 609, 611, 618, 622, 637,
 651, 1534, 1543, 1549, 1558,
 1564, 1597, 1634, 1641, 1665, 1676
 \InCa@SubDigit[0-9] 864
 \InCa@Temp 357, 372,
 407, 422, 519, 530, 531, 532,
 533, 534, 535, 536, 537, 538,
 555, 566, 567, 568, 569, 570,
 571, 572, 573, 574, 726, 735,
 736, 737, 738, 739, 740, 741,
 742, 743, 744, 752, 765, 776,
 787, 798, 809, 820, 831, 842,
 853, 864, 877, 888, 899, 910,
 921, 932, 943, 954, 965, 976,
 1017, 1027, 1028, 1029, 1030,
 1031, 1032, 1033, 1034, 1035,
 1087, 1101, 1112, 1117, 1118,
 1119, 1120, 1121, 1122, 1123,
 1124, 1125, 1126, 1138, 1148,
 1159, 1170, 1181, 1192, 1203,
 1214, 1225, 1432, 1447, 1649, 1673
 \InCa@TestMode 118, 1796
 \InCa@Tim 1087, 1305, 1315, 1319, 1325
 \InCa@TimDigit0 1127
 \InCa@TimDigit1 1131
 \InCa@TimDigit[2-9] 1138
 \InCa@TimDigitCarry 1140, 1236
 \IncludeTests 1801
 \input 1760
 \IntCalc@ShlDigit 1004
 \intcalc@Mod 1611
 \intcalcAbs 4, 192,
 457, 1851, 1931, 1932, 1940,
 1941, 1949, 1950, 1968, 1969,
 1989, 1990, 2043, 2044, 2045, 2046
 \IntCalcAdd 7, 230, 633, 1894, 1902
 \intcalcAdd 5, 224, 583, 1888
 \intcalcCmp 4, 208, 471, 1863, 1891, 1915
 \IntCalcDec 7, 221, 508, 1881
 \intcalcDec 5, 215, 488, 1877
 \IntCalcDiv 7, 357, 1432, 1968, 2592
 \intcalcDiv 6,
 327, 1414, 1836, 1964, 2043, 2590
 \IntCalcError 177, 179, 290,
 334, 361, 384, 411, 1363, 1421,
 1436, 1470, 1613, 1625, 1653, 1659
 \intcalcFac 6, 271,
 1340, 1958, 2585, 2586, 2587, 2588
 \IntCalcInc 7, 218, 505, 1870
 \intcalcInc 5, 212, 475, 1866
 \intcalcInv 4, 189, 453, 1845
 \intcalcMax 4, 203, 467, 1860
 \intcalcMin 4, 198, 463, 1857
 \IntCalcMod 7, 407, 1649, 1988, 2593
 \intcalcMod 6,
 377, 1606, 1973, 2039, 2045, 2591
 \IntCalcMul 7, 262, 1292, 1949
 \intcalcMul 5, 259,
 1249, 1636, 1642, 1666, 1946, 2042
 \intcalcNum 3, 186, 190, 450, 1848,
 1867, 1870, 1878, 1881, 1889,
 1890, 1895, 1903, 1913, 1914, 1919

\intcalcPow . . .	6, 274, 1343, 1961, 2589	
\intcalcSgn	4, 195, 460, 1854, 1974, 1976, 1981	
\IntCalcShl	7, 242, 999, 1931	
\intcalcShl	5, 236, 987, 1500, 1507, 1515, 1928	
\IntCalcShr	7, 245, 1046, 1940	
\intcalcShr	5, 239, 1036, 1400, 1937	
\intcalcSqr	6, 265, 1330, 1955	
\IntCalcSub	7, 233, 636, 1918	
\intcalcSub	5, 227, 589, 1912	
\iterate	1712, 1714, 1716	
L		
\LoadCommand	1760, 1770	
\LogTests	1802	
\loop	1710, 1726, 1737, 1745	
M		
\m@ne	295, 1368, 2093, 2113, 2133, 2154, 2169, 2183, 2200	
\makeatletter	1795, 2000, 2077	
\makeatother	1797, 2032	
N		
\NeedsTeXFormat	1790	
\newcommand	1805, 1813, 1820, 1831, 1832, 1833, 1838, 1843, 1844, 1847, 1850, 1853, 1856, 1859, 1862, 1865, 1876, 1887, 1911, 1927, 1936, 1945, 1954, 1957, 1960, 1963, 1972, 2004, 2009, 2013, 2014, 2036, 2049, 2052, 2576	
\newcount	1830, 2001, 2002	
\next	1716, 1718, 1720	
\nofiles	1791	
\number	190, 193, 196, 199, 204, 209, 240, 266, 272, 275, 323, 328, 342, 344, 349, 351, 359, 378, 392, 394, 399, 401, 409, 451, 454, 458, 461, 464, 465, 468, 469, 472, 473, 476, 489, 506, 509, 584, 586, 587, 590, 592, 593, 600, 603, 611, 618, 634, 637, 988, 1000, 1037, 1047, 1089, 1141, 1250, 1252, 1253, 1259, 1262, 1270, 1278, 1293, 1313, 1322, 1323, 1331, 1341, 1344, 1345, 1346, 1399, 1400, 1401, 1415, 1416, 1417, 1427, 1428, 1434, 1451, 1460, 1499, 1505, 1506, 1511, 1512, 1513, 1514, 1534, 1543, 1549, 1558, 1564, 1597, 1607, 1608, 1609, 1618, 1619, 1633, 1635, 1636, 1641, 1642, 1651, 1665, 1666, 1676, 1751, 2006	
\numexpr	187, 193, 196, 200, 201, 205, 206, 210, 213, 216, 219, 222, 225, 228, 231, 234, 237, 240, 243, 246, 253, 255, 260, 263, 266, 269, 272, 276, 277, 285, 312, 316, 317, 318, 321,	
P		
\PackageInfo	26	
\pdfelapsetime	2015	
\pdfresettimer	2011	
\PrintTime	2004, 2017, 2030	
\ProvidesPackage	19, 67	
Q		
\qstest	2019, 2021	
R		
\RangeCatcodeCheck	1743, 1771, 1772, 1773, 1774, 1775, 1776, 1777, 1778, 1779, 1780, 1781, 1782	
\RangeCatcodeInvalid	1735, 1763, 1764, 1765, 1766	
\renewcommand	2010	
\repeat	1710, 1722, 1733, 1741, 1756	
\RestoreCatcodes	1724, 1727, 1728, 1783	
\result	1816, 1818	
\resultA	1808, 1811	
\resultB	1809, 1811	
\romannumeral	340, 347, 390, 397, 707, 718	
S		
\saved@endqstest	2020, 2027	
\saved@qstest	2019, 2022	
\SavedNumexpr		
	1793, 1799, 1806, 1810, 1814, 1817	
\space	1749, 1750, 1758, 1811, 2006	
\StartTime	2009, 2023	
\StopTime	2014, 2026	
\strip@pt	2006	
\SummaryTime	2001, 2003, 2016, 2030	
T		
\temp	2039	
\Test	1762, 1785, 1838, 1843, 1845, 1848, 1851, 1854, 1857, 1860, 1863, 1866, 1869, 1877, 1880, 1888, 1893, 1901, 1912, 1917, 1928, 1930, 1937, 1939, 1946, 1948, 1955, 1961, 1964, 1967, 1973, 1987	
\TestAbs	1850, 2058, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2135, 2136	
\TestAdd	1887, 2065, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2278, 2279	
\TestArg	1831, 1832, 1834, 1835	

\TestCmp 1862, 2062, 2190, 2191, 2192,
 2193, 2194, 2195, 2196, 2197,
 2198, 2199, 2200, 2201, 2202, 2204
 \TestCount 1830, 1834, 1835, 1836
 \TestDec 1876,
 2064, 2238, 2239, 2240, 2241,
 2242, 2243, 2244, 2245, 2246, 2247
 \TestDiv 1963, 2073, 2456, 2457, 2458,
 2459, 2460, 2461, 2462, 2463,
 2464, 2465, 2466, 2467, 2468,
 2469, 2470, 2471, 2472, 2473,
 2474, 2475, 2476, 2477, 2478,
 2479, 2480, 2481, 2482, 2483,
 2484, 2485, 2486, 2487, 2488,
 2489, 2490, 2491, 2492, 2493,
 2494, 2495, 2496, 2497, 2498,
 2499, 2500, 2501, 2502, 2503, 2504
 \TestDo 2036, 2050, 2053, 2054
 \TestError 2576, 2585, 2586, 2587,
 2588, 2589, 2590, 2591, 2592, 2593
 \TestExch 1843, 1958
 \TestFac .. 1957, 2071, 2209, 2210,
 2211, 2212, 2213, 2214, 2215,
 2216, 2217, 2218, 2219, 2220, 2221
 \TestInc 1865,
 2063, 2225, 2226, 2227, 2228,
 2229, 2230, 2231, 2232, 2233, 2234
 \TestInv 1844,
 2057, 2101, 2102, 2103, 2104,
 2105, 2106, 2107, 2108, 2109,
 2110, 2111, 2112, 2113, 2115, 2116
 \TestMax 1859, 2061, 2176, 2177, 2178,
 2179, 2180, 2181, 2182, 2183, 2185
 \TestMin 1856, 2060, 2162, 2163, 2164,
 2165, 2166, 2167, 2168, 2169, 2171
 \TestMod .. 1972, 2074, 2508, 2509,
 2510, 2511, 2512, 2513, 2514,
 2515, 2516, 2517, 2518, 2519,
 2520, 2521, 2522, 2523, 2524,
 2525, 2526, 2527, 2528, 2529,
 2530, 2531, 2532, 2533, 2534,
 2535, 2536, 2537, 2538, 2539,
 2540, 2541, 2542, 2543, 2544,
 2545, 2546, 2547, 2548, 2549,
 2550, 2551, 2552, 2553, 2554,
 2555, 2556, 2557, 2558, 2559,
 2560, 2561, 2562, 2563, 2564,
 2565, 2567, 2568, 2569, 2570, 2571
 \TestMul 1945,
 2069, 2357, 2358, 2359, 2360,
 2361, 2362, 2363, 2364, 2365,
 2366, 2367, 2368, 2369, 2370,
 2371, 2372, 2373, 2374, 2375,
 2376, 2377, 2378, 2379, 2381, 2382
 \TestNum 1847, 2056,
 2080, 2081, 2082, 2083, 2084,
 2085, 2086, 2087, 2088, 2089,
 2090, 2091, 2092, 2093, 2095, 2096
 \TestOne .. 2049, 2056, 2057, 2058,
 2059, 2063, 2064, 2067, 2068, 2070
 \TestPow 1960, 2072, 2401,
 2402, 2403, 2404, 2405, 2406,
 2407, 2408, 2409, 2410, 2411,
 2412, 2413, 2414, 2415, 2416,
 2417, 2418, 2419, 2420, 2421,
 2422, 2423, 2424, 2425, 2426,
 2427, 2428, 2429, 2430, 2431,
 2432, 2433, 2434, 2435, 2436,
 2437, 2438, 2439, 2440, 2441,
 2442, 2443, 2444, 2445, 2446,
 2447, 2448, 2449, 2450, 2451, 2452
 \TestResult 1813, 1839
 \TestResultTwoExpansions . 1820, 1840
 \TestSgn 1853, 2059,
 2141, 2142, 2143, 2144, 2145,
 2146, 2147, 2148, 2149, 2150,
 2151, 2152, 2153, 2154, 2156, 2157
 \TestShl 1927, 2067,
 2315, 2316, 2317, 2318, 2319, 2320
 \TestShr 1936,
 2068, 2324, 2325, 2326, 2327,
 2328, 2329, 2330, 2331, 2332,
 2333, 2334, 2335, 2336, 2337,
 2338, 2339, 2340, 2341, 2342,
 2343, 2344, 2345, 2346, 2347,
 2348, 2349, 2350, 2351, 2352, 2353
 \TestSpaceAtEnd 1805, 1841
 \TestSqr 1954, 2070,
 2387, 2388, 2389, 2390, 2391,
 2392, 2393, 2394, 2395, 2396, 2397
 \TestSub 1911, 2066,
 2284, 2285, 2286, 2287, 2288,
 2289, 2290, 2291, 2292, 2293,
 2294, 2295, 2296, 2297, 2298,
 2299, 2300, 2301, 2302, 2303,
 2304, 2305, 2306, 2307, 2309, 2310
 \TestTeXDivide 1833, 1965
 \TestTime 2002, 2015, 2016, 2017
 \TestTwo .. 2052, 2060, 2061, 2062,
 2065, 2066, 2069, 2072, 2073, 2074
 \the 77, 78,
 79, 80, 81, 82, 83, 84, 97, 187,
 193, 196, 200, 201, 205, 206,
 210, 213, 216, 219, 222, 225,
 228, 231, 234, 237, 240, 243,
 246, 253, 255, 260, 263, 266,
 269, 272, 276, 277, 285, 312,
 316, 317, 318, 321, 322, 329,
 330, 366, 375, 379, 380, 416,
 426, 429, 435, 437, 445, 1729,
 1749, 1750, 1836, 1958, 2041, 2046
 \TimeDescription ... 2010, 2013, 2017
 \TMP@EnsureCode
 94, 101, 102, 103, 104,
 105, 106, 107, 108, 109, 110, 111
 \typeout 2005

X	Z
\x 14, 15, 18, 22, 26, 28, 51, 56, 66, 75, 87, 640, 643, 1868, 1873, 1879, 1884, 1892, 1898, 1900, 1906, 1916, 1922, 1929, 1934, 1938, 1943, 1947, 1952, 1966, 1986, 1992	\z@ 176, 341, 348, 391, 398, 596, 597, 616, 1256, 1257, 1275, 1449, 1450, 1458, 1615, 1631, 1675, 2003, 2091, 2111, 2131, 2152, 2168, 2182, 2199