

# The `intcalc` package

Heiko Oberdiek

<[oberdiek@uni-freiburg.de](mailto:oberdiek@uni-freiburg.de)>

2007/09/27 v1.1

## Abstract

This package provides expandable arithmetic operations with integers.

## Contents

<b>1 Documentation</b>	<b>2</b>
1.1 Introduction . . . . .	2
1.2 Conditions . . . . .	2
1.2.1 Preconditions . . . . .	2
1.2.2 Postconditions . . . . .	3
1.3 Error handling . . . . .	3
1.4 Operations . . . . .	3
1.4.1 Num . . . . .	3
1.4.2 Inv, Abs, Sgn . . . . .	4
1.4.3 Min, Max, Cmp . . . . .	4
1.4.4 Inc, Dec, Add, Sub . . . . .	5
1.4.5 Shl, Shr . . . . .	5
1.4.6 Mul, Sqr, Fac, Pow . . . . .	5
1.4.7 Div, Mul . . . . .	6
1.5 Interface for programmer . . . . .	6
<b>2 Implementation</b>	<b>7</b>
2.1 Reload check and package identification . . . . .	7
2.2 Catcodes . . . . .	8
2.3 Macros independent of $\varepsilon$ - <b>T<sub>E</sub>X</b> . . . . .	9
2.3.1 Abs, Sgn . . . . .	9
2.3.2 Min, Max, Cmp . . . . .	9
2.3.3 Fac . . . . .	10
2.4 Implementation based on $\varepsilon$ - <b>T<sub>E</sub>X</b> . . . . .	10
2.4.1 Num . . . . .	11
2.4.2 Inv, Abs, Sgn . . . . .	11
2.4.3 Min, Max, Cmp . . . . .	11
2.4.4 Inc, Dec . . . . .	11
2.4.5 Add, Sub . . . . .	12
2.4.6 Shl, Shr . . . . .	12
2.4.7 Mul, Sqr, Fac . . . . .	13
2.4.8 Pow . . . . .	13
2.4.9 Div, Mod . . . . .	14
2.5 Implementation without $\varepsilon$ - <b>T<sub>E</sub>X</b> . . . . .	17
2.5.1 Num . . . . .	17
2.5.2 Inv, Abs, Sgn . . . . .	17
2.5.3 Min, Max, Cmp . . . . .	17
2.5.4 Inc, Dec . . . . .	18
2.5.5 Add, Sub . . . . .	20

2.5.6	Shl, Shr . . . . .	27
2.5.7	\InCa@Tim . . . . .	29
2.5.8	Mul . . . . .	32
2.5.9	Sqr, Fac . . . . .	34
2.5.10	Pow . . . . .	34
2.5.11	Div . . . . .	36
2.5.12	Mod . . . . .	39
2.5.13	Help macros . . . . .	41
<b>3</b>	<b>Test</b>	<b>41</b>
3.1	Catcode checks for loading . . . . .	41
3.2	Macro tests . . . . .	42
3.2.1	Preamble with test macro definitions . . . . .	42
3.2.2	Time . . . . .	46
3.2.3	Test 4: additional mod/div operations . . . . .	46
3.2.4	Test sets . . . . .	47
<b>4</b>	<b>Installation</b>	<b>56</b>
4.1	Download . . . . .	56
4.2	Bundle installation . . . . .	56
4.3	Package installation . . . . .	56
4.4	Refresh file name databases . . . . .	57
4.5	Some details for the interested . . . . .	57
<b>5</b>	<b>History</b>	<b>57</b>
	[2007/09/09 v1.0] . . . . .	57
	[2007/09/27 v1.1] . . . . .	57
<b>6</b>	<b>Index</b>	<b>58</b>

# 1 Documentation

## 1.1 Introduction

Package `intcalc` defines arithmetic operations that deal with integers. Integers mean numbers in  $\text{\TeX}$ . The same restrictions apply, the range is limited to  $[-2147483647, 2147483647]$ .

The operations have the form of macros that take one or two integers as parameter and return the integer result. The macro name is a three letter operation name prefixed by the package name, e.g. `\intcalcAdd{10}{43}` returns 53.

The macros are fully expandable, exactly two expansion steps generate the result. Therefore the operations may be used nearly everywhere in  $\text{\TeX}$ , even inside `\number`, `\csname`, file names, or other expandable contexts.

The package contains two implementations of the operations. If  $\varepsilon\text{-}\text{\TeX}$  is detected then the macros are implemented using its features (`\numexpr`). Otherwise the slower implementation without  $\varepsilon\text{-}\text{\TeX}$ 's help is chosen.

## 1.2 Conditions

### 1.2.1 Preconditions

- Arguments can be anything that  $\text{\TeX}$  interprets as “number”. Examples: plain numbers, count or length register, macros that expands to a number.
- The arguments are limited to the range -2147483647 until 2147483647. These numbers belong to the range. Note that some operations have additional restrictions to the range.

- The argument may be expressions that `\numexpr` understands if  $\varepsilon$ - $\text{\TeX}$  is available.
- The resulting number must fit in the allowed range.

### 1.2.2 Postconditions

Additional properties of the macros apart from calculating a correct result (of course  $\odot$ ):

- The macros are fully expandable. Thus they can be used inside `\edef`, `\csname`, after `\number`, for example.
- Furthermore exactly two expansion steps calculate the result.
- The number consists of one optional minus sign and one to ten digits. The first digit is larger than zero for numbers that consists of more than one digit.

In short, the number format is exactly the same as `\number` generates. And the tokens (minus sign, digits) have catcode 12 (other).

- Call by value is simulated. First the arguments are converted to numbers. Then these numbers are used in the calculations.

Remember that arguments may contain expensive macros or  $\varepsilon$ - $\text{\TeX}$  expressions. This strategy avoids multiple evaluations of such arguments.

## 1.3 Error handling

There are two kinds of errors if a precondition is violated: Some errors are detected by the macros, example: division by zero. In this cases an undefined control sequence is called and causes a  $\text{\TeX}$  error message, example: `\IntCalcError:DivisionByZero`. The name of the control sequence contains the reason for the error. The  $\text{\TeX}$  error may be ignored. Then the operation returns zero as result. Because the macros are supposed to work in expandible contexts. A traditional error message, however, is not expandable and would break these contexts.

If a number exceeds the range of -2147483647 until 2147483647, then  $\text{\TeX}$  throws an error “Number too big” and recovers by using biggest allowed value. Example for the negative number -3000000000 is replaced by -2147483647.

## 1.4 Operations

Some definition equations below use the function Int that converts a real number to an integer. The number is truncated that means rounding to zero:

$$\text{Int}(x) := \begin{cases} \lfloor x \rfloor & \text{if } x \geq 0 \\ \lceil x \rceil & \text{otherwise} \end{cases}$$

### 1.4.1 Num

`\intcalcNum {\langle x \rangle}`

Macro `\intcalcNum` converts its argument to a normalized integer number without unnecessary leading zeros or signs. The result matches the regular expression:

`0|-[1-9] [0-9]*`

### 1.4.2 Inv, Abs, Sgn

`\intcalcInv { $\langle x \rangle$ }`

Macro `\intcalcInv` switches the sign.

$$\text{Inv}(x) := -x$$

`\intcalcAbs { $\langle x \rangle$ }`

Macro `\intcalcAbs` returns the absolute value of integer  $\langle x \rangle$ .

$$\text{Abs}(x) := |x|$$

`\intcalcSgn { $\langle x \rangle$ }`

Macro `\intcalcSgn` encodes the sign of  $\langle x \rangle$  as number.

$$\text{Sgn}(x) := \begin{cases} -1 & \text{if } x < 0 \\ 0 & \text{if } x = 0 \\ 1 & \text{if } x > 0 \end{cases}$$

These return values can easily be distinguished by `\ifcase`:

```
\ifcase\intcalcSgn{<x>}
  $x=0$ 
  \or
  $x>0$ 
  \else
  $x<0$ 
  \fi
```

### 1.4.3 Min, Max, Cmp

`\intcalcMin { $\langle x \rangle$ } { $\langle y \rangle$ }`

Macro `\intcalcMin` returns the smaller of the two integers.

$$\text{Min}(x, y) := \begin{cases} x & \text{if } x < y \\ y & \text{otherwise} \end{cases}$$

`\intcalcMax { $\langle x \rangle$ } { $\langle y \rangle$ }`

Macro `\intcalcMax` returns the larger of the two integers.

$$\text{Max}(x, y) := \begin{cases} x & \text{if } x > y \\ y & \text{otherwise} \end{cases}$$

`\intcalcCmp { $\langle x \rangle$ } { $\langle y \rangle$ }`

Macro `\intcalcCmp` encodes the comparison result as number:

$$\text{Cmp}(x, y) := \begin{cases} -1 & \text{if } x < y \\ 0 & \text{if } x = y \\ 1 & \text{if } x > y \end{cases}$$

These values can be distinguished by `\ifcase`:

```
\ifcase\intcalcCmp{<x>}{<y>}
  $x=y$
\or
  $x>y$
\else
  $x<y$
\fi
```

#### 1.4.4 Inc, Dec, Add, Sub

`\intcalcInc {<x>}`

Macro `\intcalcInc` increments  $\langle x \rangle$  by one.

$$\text{Inc}(x) := x + 1$$

`\intcalcDec {<x>}`

Macro `\intcalcDec` decrements  $\langle x \rangle$  by one.

$$\text{Dec}(x) := x - 1$$

`\intcalcAdd {<x>} {<y>}`

Macro `\intcalcAdd` adds the two numbers.

$$\text{Add}(x, y) := x + y$$

`\intcalcSub {<x>} {<y>}`

Macro `\intcalcSub` calculates the difference.

$$\text{Sub}(x, y) := x - y$$

#### 1.4.5 Shl, Shr

`\intcalcShl {<x>}`

Macro `\intcalcShl` implements shifting to the left that means the number is multiplied by two. Overflow is possible. The sign is preserved.

$$\text{Shl}(x) := x * 2$$

`\intcalcShr {<x>}`

Macro `\intcalcShr` implements shifting to the right. That is equivalent to an integer division by two. The sign is preserved.

$$\text{Shr}(x) := \text{Int}(x/2)$$

#### 1.4.6 Mul, Sqr, Fac, Pow

`\intcalcMul {<x>} {<y>}`

Macro `\intcalcMul` calculates the product of  $\langle x \rangle$  and  $\langle y \rangle$ .

$$\text{Mul}(x, y) := x * y$$

```
\intcalcSqr {\langle x \rangle}
```

Macro `\intcalcSqr` returns the square product.

$$\text{Sqr}(x) := x^2$$

```
\intcalcFac {\langle x \rangle}
```

Macro `\intcalcFac` returns the factorial of  $\langle x \rangle$ . Negative numbers are not permitted.

$$\text{Fac}(x) := x! \quad \text{for } x \geq 0$$

$$(0! = 1)$$

```
\intcalcPow Mx My
```

Macro `\intcalcPow` calculates the value of  $\langle x \rangle$  to the power of  $\langle y \rangle$ . The error “division by zero” is thrown if  $\langle x \rangle$  is zero and  $\langle y \rangle$  is negative. permitted:

$$\text{Pow}(x, y) := \text{Int}(x^y) \quad \text{for } x \neq 0 \text{ or } y \geq 0$$

$$(0^0 = 1)$$

#### 1.4.7 Div, Mul

```
\intcalcDiv {\langle x \rangle} {\langle y \rangle}
```

Macro `\intcalcDiv` performs an integer division. Argument  $\langle y \rangle$  must not be zero.

$$\text{Div}(x, y) := \text{Int}(x/y) \quad \text{for } y \neq 0$$

```
\intcalcMod {\langle x \rangle} {\langle y \rangle}
```

Macro `\intcalcMod` gets the remainder of the integer division. The sign follows the divisor  $\langle y \rangle$ . Argument  $\langle y \rangle$  must not be zero.

$$\text{Mod}(x, y) := x \% y \quad \text{for } y \neq 0$$

The result ranges:

$$\begin{aligned} -|y| < \text{Mod}(x, y) &\leq 0 && \text{for } y < 0 \\ 0 \leq \text{Mod}(x, y) &< y && \text{for } y \geq 0 \end{aligned}$$

### 1.5 Interface for programmer

If the programmer can ensure some more properties about the arguments of the operations, then the following macros are a little more efficient.

In general numbers must obey the following constraints:

- Plain number: digit tokens only, no command tokens.
- Non-negative. Signs are forbidden.
- Arguments and the result must fit in range 0 .. 2147483647.
- Delimited by exclamation mark. Curly braces around the number are not allowed and will break the code.

`\IntCalcInc <number> !`

Incrementation, range: 0..2147483646.

`\IntCalcDec <number> !`

Decrementation, range: 1..2147483647.

`\IntCalcAdd <number A> ! <number B> !`

Addition,  $A \geq B$ .

`\IntCalcSub <number A> ! <number B> !`

Subtraction,  $A \geq B$ .

`\IntCalcShl <number> !`

Left shift (multiplication with two), range: 0..1073741823.

`\IntCalcShr <number> !`

Right shift (integer division by two).

`\IntCalcMul <number A> ! <number B> !`

Multiplication,  $A \geq B$ .

`\IntCalcDiv <number A> ! <number B> !`

Division operation.

`\IntCalcMod <number A> ! <number B> !`

Modulo operation.

## 2 Implementation

1 `<*package>`

### 2.1 Reload check and package identification

Reload check, especially if the package is not used with L<sup>A</sup>T<sub>E</sub>X.

```
2 \begingroup
3   \catcode44 12 % ,
4   \catcode45 12 % -
5   \catcode46 12 % .
6   \catcode58 12 % :
7   \catcode64 11 % @
8   \expandafter\let\expandafter\x\csname ver@intcalc.sty\endcsname
9   \ifcase 0%
10     \ifx\x\relax % plain
11     \else
12       \ifx\x\empty % LATEX
13     \else
```

```

14      1%
15      \fi
16      \fi
17  \else
18      \catcode35 6 % #
19      \catcode123 1 % {
20      \catcode125 2 % }
21      \expandafter\ifx\csname PackageInfo\endcsname\relax
22          \def\x#1#2{%
23              \immediate\write-1{Package #1 Info: #2.}%
24          }%
25  \else
26      \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
27      \fi
28      \x{intcalc}{The package is already loaded}%
29      \endgroup
30      \expandafter\endinput
31  \fi
32 \endgroup

```

Package identification:

```

33 \begingroup
34  \catcode35 6 % #
35  \catcode40 12 % (
36  \catcode41 12 % )
37  \catcode44 12 % ,
38  \catcode45 12 % -
39  \catcode46 12 % .
40  \catcode47 12 % /
41  \catcode58 12 % :
42  \catcode64 11 % @
43  \catcode123 1 % {
44  \catcode125 2 % }
45  \expandafter\ifx\csname ProvidesPackage\endcsname\relax
46      \def\x#1#2#3[#4]{\endgroup
47          \immediate\write-1{Package: #3 #4}%
48          \xdef#1[#4]%
49      }%
50  \else
51      \def\x#1#2[#3]{\endgroup
52          #2[#3]%
53          \ifx#1\relax
54              \xdef#1[#3]%
55          \fi
56      }%
57  \fi
58 \expandafter\x\csname ver@intcalc.sty\endcsname
59 \ProvidesPackage{intcalc}%
60 [2007/09/27 v1.1 Expandable integer calculations (HO)]

```

## 2.2 Catcodes

```

61 \begingroup
62  \catcode123 1 % {
63  \catcode125 2 % }
64  \def\x{\endgroup
65  \expandafter\edef\csname InCa@AtEnd\endcsname{%
66      \catcode35 \the\catcode35\relax
67      \catcode64 \the\catcode64\relax
68      \catcode123 \the\catcode123\relax
69      \catcode125 \the\catcode125\relax
70  }%
71 }%

```

```

72 \x
73 \catcode{35} 6 % #
74 \catcode{64} 11 % @
75 \catcode{123} 1 % {
76 \catcode{125} 2 % }
77 \def{\TMP@EnsureCode#1#2}{%
78   \edef{\InCa@AtEnd}{%
79     \InCa@AtEnd
80     \catcode{#1} \the\catcode{#1}\relax
81   }%
82   \catcode{#1} #2\relax
83 }%
84 \TMP@EnsureCode{33}{12}! %
85 \TMP@EnsureCode{40}{12}! (
86 \TMP@EnsureCode{41}{12}! )
87 \TMP@EnsureCode{42}{12}! *
88 \TMP@EnsureCode{43}{12}! +
89 \TMP@EnsureCode{45}{12}! -
90 \TMP@EnsureCode{47}{12}! /
91 \TMP@EnsureCode{58}{11}! : (letter!)
92 \TMP@EnsureCode{60}{12}! <
93 \TMP@EnsureCode{61}{12}! =
94 \TMP@EnsureCode{62}{12}! >
95 \TMP@EnsureCode{63}{14}! ? (comment!)
96 \begingroup\expandafter\expandafter\expandafter\endgroup
97 \expandafter\ifx\csname InCa@TestMode\endcsname\relax
98 \else
99   \catcode{63}=9 ! ? (ignore)
100 \fi
101 ? \let{\InCa@@TestMode}{\InCa@TestMode}

```

## 2.3 Macros independent of $\varepsilon$ -TEX

### 2.3.1 Abs, Sgn

\InCa@Abs

```

102 \def{\InCa@Abs#1#2}{%
103   \ifx{#1}{%
104     #2%
105   }%
106   \else
107     #1#2%
108   \fi
109 }

```

\InCa@Sgn

```

110 \def{\InCa@Sgn#1#2}{%
111   \ifx{#1}{%
112     -1%
113   }%
114   \else
115     \ifx{#1}{0}%
116     0%
117   \else
118     1%
119   \fi
120 }

```

### 2.3.2 Min, Max, Cmp

\InCa@Min

```

121 \def{\InCa@Min#1#2}{%
122   \ifnum{#1}<#2 %
123     #1%
124   \else
125     #2%
126   \fi
127 }

```

```

123  \else
124    #2%
125  \fi
126 }

\InCa@Max

127 \def\InCa@Max#1!#2!{%
128   \ifnum#1>#2 %
129     #1%
130   \else
131     #2%
132   \fi
133 }

\InCa@Cmp

134 \def\InCa@Cmp#1!#2!{%
135   \ifnum#1=#2 %
136     0%
137   \else
138     \ifnum#1<#2 %
139       -%
140     \fi
141     1%
142   \fi
143 }

```

### 2.3.3 Fac

\InCa@Fac It does not make much sense to calculate the faculty by an general algorithm. The allowed range of arguments is too low because of the limited integer domain.

```

144 \def\InCa@Fac#1!{%
145   \ifcase#1 1% 0!
146   \or 1% 1!
147   \or 2% 2!
148   \or 6% 3!
149   \or 24% 4!
150   \or 120% 5!
151   \or 720% 6!
152   \or 5040% 7!
153   \or 40320% 8!
154   \or 362880% 9!
155   \or 3628800% 10!
156   \or 39916800% 11!
157   \or 479001600% 12!
158   \else
159     \ifnum#1<\z@
160       0\IntCalcError:FacNegative%
161     \else
162       0\IntCalcError:FacOverflow%
163     \fi
164   \fi
165 }

```

## 2.4 Implementation based on $\varepsilon$ -TEX

Only \numexpr is used from  $\varepsilon$ -TEX.

```

166 \begingroup\expandafter\expandafter\expandafter\expandafter\endgroup
167 \expandafter\ifx\csname numexpr\endcsname\relax
168 \else

```

#### 2.4.1 Num

```
\intcalcNum
169  \def\intcalcNum#1{%
170    \the\numexpr#1\relax
171  }%
```

  

```
\intcalcInv
172  \def\intcalcInv#1{%
173    \number-\intcalcNum{#1} %
174  }%
```

  

```
\intcalcAbs
175  \def\intcalcAbs#1{%
176    \number\expandafter\InCa@Abs\the\numexpr#1! %
177  }%
```

  

```
\intcalcSgn
178  \def\intcalcSgn#1{%
179    \number\expandafter\InCa@Sgn\the\numexpr#1! %
180  }%
```

#### 2.4.3 Min, Max, Cmp

```
\intcalcMin
181  \def\intcalcMin#1#2{%
182    \number\expandafter\InCa@Min
183    \the\numexpr#1\expandafter!%
184    \the\numexpr#2! %
185  }%
```

  

```
\intcalcMax
186  \def\intcalcMax#1#2{%
187    \number\expandafter\InCa@Max
188    \the\numexpr#1\expandafter!%
189    \the\numexpr#2! %
190  }%
```

  

```
\intcalcCmp
191  \def\intcalcCmp#1#2{%
192    \number\expandafter\InCa@Cmp
193    \the\numexpr#1\expandafter!\the\numexpr#2! %
194  }%
```

#### 2.4.4 Inc, Dec

```
\intcalcInc
195  \def\intcalcInc#1{%
196    \the\numexpr#1+1\relax
197  }%
```

  

```
\intcalcDec
198  \def\intcalcDec#1{%
199    \the\numexpr#1-1\relax
200  }%
```

```

\IntCalcInc
201  \def\IntCalcInc#1!{%
202    \the\numexpr#1+1\relax
203  }%
\IntCalcDec
204  \def\IntCalcDec#1!{%
205    \the\numexpr#1-1\relax
206  }%

```

#### 2.4.5 Add, Sub

```

\intcalcAdd
207  \def\intcalcAdd#1#2{%
208    \the\numexpr#1+(#2)\relax
209  }%
\intcalcSub
210  \def\intcalcSub#1#2{%
211    \the\numexpr#1-(#2)\relax
212  }%
\IntCalcAdd
213  \def\IntCalcAdd#1!#2!{%
214    \the\numexpr#1+#2\relax
215  }%
\IntCalcSub
216  \def\IntCalcSub#1!#2!{%
217    \the\numexpr#1-#2\relax
218  }%

```

#### 2.4.6 Shl, Shr

```

\intcalcShl
219  \def\intcalcShl#1{%
220    \the\numexpr(#1)*2\relax
221  }%
\intcalcShr
222  \def\intcalcShr#1{%
223    \number\expandafter\InCa@Shr\the\numexpr#1! %
224  }%
\IntCalcShl
225  \def\IntCalcShl#1!{%
226    \the\numexpr#1*2\relax
227  }%
\IntCalcShr
228  \def\IntCalcShr#1!{%
229    \the\numexpr\ifodd#1 (#1-1)\else#1\fi/2\relax
230  }%
\InCa@Shr
231  \def\InCa@Shr#1#2!{%
232    \ifx#1-%
233      -\InCa@Shr#2!%
234    \else

```

```

235      \ifodd#1#2 %
236          \the\numexpr(#1#2-1)/2\relax
237      \else
238          \the\numexpr#1#2/2\relax
239      \fi
240  \fi
241 }%

```

#### 2.4.7 Mul, Sqr, Fac

```

\intcalcMul
242 \def\intcalcMul#1#2{%
243     \the\numexpr(#1)*(#2)\relax
244 }%

\IntCalcMul
245 \def\IntCalcMul#1!#2!{%
246     \the\numexpr#1*#2\relax
247 }%

\intcalcSqr
248 \def\intcalcSqr#1{%
249     \number\expandafter\InCa@Sqr\the\numexpr#1! %
250 }%

\InCa@Sqr
251 \def\InCa@Sqr#1!{%
252     \the\numexpr#1*#1\relax
253 }%

\intcalcFac
254 \def\intcalcFac#1{%
255     \number\expandafter\InCa@Fac\the\numexpr#1! %
256 }%

```

#### 2.4.8 Pow

```

\intcalcPow
257 \def\intcalcPow#1#2{%
258     \number\expandafter\InCa@Pow
259     \the\numexpr#1\expandafter!%
260     \the\numexpr#2! %
261 }%

\InCa@Pow
262 \def\InCa@Pow#1#2!#3#4!{%
263     \ifcase#3#4 % power = 0
264         1%
265     \or % power = 1
266         #1#2%
267     \or % power = 2
268         \the\numexpr#1#2*#1#2\relax
269     \else
270         \ifcase#1#2 % basis = 0, power <> 0
271             0%
272         \ifx#3-% power < 0
273             0\IntCalcError:DivisionByZero%
274         \fi
275     \or
276         1% basis = 1

```

```

277      \else
278          \ifnum#1#2=\m@ne % basis = -1
279              \ifodd#3#4 %
280                  %
281                  \fi
282                  1%
283          \else % |basis| > 1
284              \ifx#3-% power < 0
285                  0%
286          \else % power > 2
287              \InCa@PowRec#1#2!#3#4!1!
288          \fi
289          \fi
290          \fi
291      \fi
292  }%
293
\InCa@PowRec Pow(b, p) {
    PowRec(b, p, 1)
}
PowRec(b, p, r) {
    if p == 1 then
        return r*b
    else
        ifodd p then
            return PowRec(b*b, (p-1)/2, r*b) % p div 2 = (p-1)/2
        else
            return PowRec(b*b, (p-1)/2, r)
        fi
    fi
}
293 \def\InCa@PowRec#1!#2!#3!{%
294     \ifnum#2=\@ne
295         \the\numexpr#1*#3\relax
296     \else
297         \ifodd#2 %
298             \expandafter\InCa@PowRec
299             \the\numexpr#1*#1\expandafter!%
300             \the\numexpr(#2-1)/2\expandafter!%
301             \the\numexpr#1*#3\expandafter\expandafter\expandafter!%
302         \else
303             \expandafter\InCa@PowRec
304             \the\numexpr#1*#1\expandafter!%
305             \the\numexpr(#2-1)/2\expandafter!%
306             \number#3\expandafter\expandafter\expandafter!%
307         \fi
308     \fi
309 }%

```

#### 2.4.9 Div, Mod

$\text{\divide}$  truncates,  $\varepsilon\text{-}\text{\TeX}$ 's  $\text{\numexpr}$  rounds the result of a division. The rounding method is called “Symmetric Arithmetic Rounding” or “Round-Half-Up” (“Kaufmännisches Runden” in German):

```

1 = 3 divide 2 = 1.5 = numexpr 3/2 = 2
-1 = -3 divide 2 = -1.5 = numexpr -3/2 = -2

```

Macro  $\text{\intcalcDiv}$  follows  $\text{\TeX}$  and truncates. The calculation is done by the following formula:

$$\text{Div}(X, Y) = (X - (Y - 1)/2)/Y \quad \text{for } X, Y > 0 \quad (1)$$

The operator ‘/’ is  $\text{\numexpr}$ 's division.

```

\intcalcDiv
 310  \def\intcalcDiv#1#2{%
 311    \number\expandafter\InCa@Div
 312    \the\numexpr#1\expandafter!%
 313    \the\numexpr#2! %
 314  }%
\InCa@Div
 315  \def\InCa@Div#1#!#2!{%
 316    \ifcase#2 %
 317      0\IntCalcError:DivisionByZero%
 318    \else
 319      \ifcase#1 %
 320        0%
 321      \else
 322        \expandafter\InCa@@Div
 323        \romannumeral 0%
 324        \ifnum#1<\z@
 325          \expandafter-\number-#1%
 326        \else
 327          \expandafter+\number#1%
 328        \fi
 329        \expandafter!%
 330        \romannumeral 0%
 331        \ifnum#2<\z@
 332          \expandafter-\number-#2%
 333        \else
 334          \expandafter+\number#2%
 335        \fi
 336        !%
 337      \fi
 338    \fi
 339  }%
\IntCalcDiv
 340  \def\InCa@Temp#1{%
 341    \def\IntCalcDiv##1##2##2!{%
 342      \number
 343      \ifcase##2 %
 344        0\IntCalcError:DivisionByZero%
 345      \else
 346        \ifcase##1 %
 347          0%
 348        \else
 349          \the\numexpr##1-(##2-1)/2##2\relax
 350        \fi
 351      \fi
 352      #1%
 353    }%
 354  }%
 355  \InCa@Temp{ }%
\InCa@@Div
 356  \def\InCa@@Div#1#2#!#3#4!{%
 357    #1#3%
 358    \the\numexpr#2-(#4-1)/2##4\relax
 359  }%
\intcalcMod
 360  \def\intcalcMod#1#2{%
 361    \number\expandafter\InCa@Mod

```

```

362      \the\numexpr#1\expandafter!%
363      \the\numexpr#2! %
364  }%

\InCa@Mod
365  \def\InCa@Mod#1!#2!{%
366    \ifcase#2 %
367      0\IntCalcError:DivisionByZero%
368    \else
369      \ifcase#1 %
370        0%
371      \else
372        \expandafter\InCa@@Mod
373        \romannumeral 0%
374        \ifnum#1<\z@
375          \expandafter-\number-#1%
376        \else
377          \expandafter+\number#1%
378        \fi
379        \expandafter!%
380        \romannumeral 0%
381        \ifnum#2<\z@
382          \expandafter-\number-#2%
383        \else
384          \expandafter+\number#2%
385        \fi
386        !%
387      \fi
388    \fi
389  }%

\IntCalcMod
390  \def\InCa@Temp#1{%
391    \def\IntCalcMod##1##2##2!{%
392      \number
393      \ifcase##2 %
394        0\IntCalcError:DivisionByZero%
395      \else
396        \ifcase##1 %
397          0%
398        \else
399          \the\numexpr##1-(##1-(##2-1)/2)/##2##2\relax
400        \fi
401      \fi
402      #1%
403    }%
404  }%
405  \InCa@Temp{ }%

\InCa@@Mod
406  \def\InCa@@Mod#1#2!#3#4!{%
407    \if#3%
408      \if#1+%
409        \the\numexpr#2-\InCa@Div+#2!+#4!*#4\relax
410      \else
411        \expandafter\InCa@ModX
412        \the\numexpr-#2+\InCa@Div+#2!+#4!*#4!#4!%
413      \fi
414    \else
415      -%
416      \if#1+%
417        \expandafter\InCa@ModX

```

```

418      \the\numexpr#2+\InCa@@Div+#2!+#4!*#4!#4!%
419      \else
420      \the\numexpr#2-\InCa@@Div+#2!+#4!*#4\relax
421      \fi
422      \fi
423  }%
\\InCa@ModX

424 \def\InCa@ModX#1!#2!{%
425   \ifcase#1 %
426   0%
427   \else
428   \the\numexpr#1+#2\relax
429   \fi
430 }%
431 \InCa@AtEnd
432 \expandafter\endinput
433 \fi

```

## 2.5 Implementation without $\varepsilon$ -**TEX**

### 2.5.1 Num

```

\intcalcNum
434 \def\intcalcNum#1{%
435   \number\expandafter\InCa@FirstOfOne\number#1! %
436 }

```

### 2.5.2 Inv, Abs, Sgn

```

\intcalcInv
437 \def\intcalcInv#1{%
438   \number\expandafter\InCa@FirstOfOne\number-#1! %
439 }
\\InCa@FirstOfOne

440 \def\InCa@FirstOfOne#1!{#1}

```

```

\intcalcAbs
441 \def\intcalcAbs#1{%
442   \number\expandafter\InCa@Abs\number#1! %
443 }

```

```

\intcalcSgn
444 \def\intcalcSgn#1{%
445   \number\expandafter\InCa@Sgn\number#1! %
446 }

```

### 2.5.3 Min, Max, Cmp

```

\intcalcMin
447 \def\intcalcMin#1#2{%
448   \number\expandafter\InCa@Min
449   \number\number#1\expandafter!\number#2! %
450 }

```

```

\intcalcMax
451 \def\intcalcMax#1#2{%
452   \number\expandafter\InCa@Max
453   \number\number#1\expandafter!\number#2! %
454 }

```

```

\intcalcCmp

455 \def\intcalcCmp#1#2{%
456   \number\expandafter\InCa@Cmp
457   \number\number#1\expandafter!\number#2! %
458 }%

2.5.4 Inc, Dec

\intcalcInc

459 \def\intcalcInc#1{%
460   \number\expandafter\InCa@IncSwitch\number#1! %
461 }

\InCa@IncSwitch

462 \def\InCa@IncSwitch#1#2!{%
463   \ifx#1-%
464     -%
465     \csname InCa@Empty%
466     \InCa@Dec#2!%
467   \else
468     \csname InCa@Empty%
469     \InCa@Inc#1#2!%
470   \fi
471 }

\intcalcDec

472 \def\intcalcDec#1{%
473   \number\expandafter\InCa@DecSwitch\number#1! %
474 }

\InCa@DecSwitch

475 \def\InCa@DecSwitch#1#2!{%
476   \ifx#1-%
477     -%
478     \csname InCa@Empty%
479     \expandafter\InCa@Inc#2!%
480   \else
481     \ifx#10%
482       -1%
483     \else
484       \csname InCa@Empty%
485       \InCa@Dec#1#2!%
486     \fi
487   \fi
488 }

\IntCalcInc

489 \def\IntCalcInc#1!{%
490   \number\csname InCa@Empty\InCa@Inc#1! %
491 }

\IntCalcDec

492 \def\IntCalcDec#1!{%
493   \number\csname InCa@Empty\InCa@Dec#1! %
494 }

\InCa@Inc

495 \def\InCa@Inc#1#2{%
496   \ifx#2!%
497     \csname InCa@IncDigit#1\endcsname%

```

```

498 \else
499   \csname InCa@IncDigit#1%
500   \expandafter\InCa@Inc\expandafter#2%
501 \fi
502 }

\InCa@IncDigit[0-8]
503 \def\InCa@Temp#1#2{%
504   \expandafter\def\csname InCa@IncDigit#1\endcsname##1{%
505     \endcsname
506     0%
507     \ifcase##1 %
508       #1%
509     \else
510       #2%
511     \fi
512   }%
513 }
514 \InCa@Temp 01
515 \InCa@Temp 12
516 \InCa@Temp 23
517 \InCa@Temp 34
518 \InCa@Temp 45
519 \InCa@Temp 56
520 \InCa@Temp 67
521 \InCa@Temp 78
522 \InCa@Temp 89

\InCa@IncDigit9
523 \expandafter\def\csname InCa@IncDigit9\endcsname#1{%
524   \expandafter\endcsname
525   \ifcase#1 %
526     09%
527   \else
528     10%
529   \fi
530 }

\InCa@Dec
531 \def\InCa@Dec#1#2{%
532   \ifx#2!%
533     \csname InCa@DecDigit#1\endcsname%
534   \else
535     \csname InCa@DecDigit#1%
536     \expandafter\InCa@Dec\expandafter#2%
537   \fi
538 }

\InCa@DecDigit[1-9]
539 \def\InCa@Temp#1#2{%
540   \expandafter\def\csname InCa@DecDigit#1\endcsname##1{%
541     \endcsname
542     0%
543     \ifcase##1 %
544       #1%
545     \else
546       #2%
547     \fi
548   }%
549 }
550 \InCa@Temp 98
551 \InCa@Temp 87

```

```

552 \InCa@Temp 76
553 \InCa@Temp 65
554 \InCa@Temp 54
555 \InCa@Temp 43
556 \InCa@Temp 32
557 \InCa@Temp 21
558 \InCa@Temp 10

\InCa@DecDigit0
 559 \expandafter\def\csname InCa@DecDigit0\endcsname#1{%
 560   \expandafter\endcsname
 561   \ifcase#1 %
 562     00%
 563   \else
 564     19%
 565   \fi
 566 }

```

### 2.5.5 Add, Sub

```

\intcalcAdd
 567 \def\intcalcAdd#1#2{%
 568   \number
 569   \expandafter\InCa@AddSwitch
 570   \number\number#1\expandafter!%
 571   \number#2! %
 572 }

\intcalcSub
 573 \def\intcalcSub#1#2{%
 574   \number
 575   \expandafter\InCa@AddSwitch
 576   \number\number#1\expandafter!%
 577   \number-\number#2! %
 578 }

```

\InCa@AddSwitch Decision table for \InCa@AddSwitch. The sign of negative numbers can be removed by a simple \gobble instead of the more expensive \number-.

$x < 0$	$y < 0$	$x < y$	-	Add( $-x, -y$ )
		else		Add( $-y, -x$ )
else	$y < 0$	$-x > y$	-	Sub( $-x, y$ )
		else	+	Sub( $y, -x$ )
else	$y > 0$	$x > -y$	+	Sub( $x, -y$ )
		else	-	Sub( $-y, x$ )
else	$y > 0$	$x > y$	+	Add( $x, y$ )
		else		Add( $y, x$ )

```

579 \def\InCa@AddSwitch#1#!#2!{%
580   \ifnum#1<\z@
581   \ifnum#2<\z@
582     -%
583   \ifnum#1<#2 %
584     \expandafter\InCa@Add\number-#1\expandafter!%
585     \gobble#2!%
586   \else
587     \expandafter\InCa@Add\number-#2\expandafter!%
588     \gobble#1!%
589   \fi
590 \else
591   \ifnum-#1>#2 %

```

```

592      -%
593      \expandafter\InCa@Sub\gobble#1!#2!%
594      \else
595      \expandafter\InCa@Sub\number#2\expandafter!%
596      \@gobble#1!%
597      \fi
598      \fi
599      \else
600      \ifnum#2<\z@ %
601      \ifnum#1>-#2 %
602      \expandafter\InCa@Sub\number#1\expandafter!%
603      \@gobble#2!%
604      \else
605      -%
606      \expandafter\InCa@Sub\gobble#2!#1!%
607      \fi
608      \else
609      \ifnum#1>#2 %
610      \InCa@Add#1!#2!%
611      \else
612      \InCa@Add#2!#1!%
613      \fi
614      \fi
615      \fi
616 }

\IntCalcAdd
617 \def\IntCalcAdd#1!#2!{%
618   \number\InCa@Add#1!#2! %
619 }

\IntCalcSub
620 \def\IntCalcSub#1!#2!{%
621   \number\InCa@Sub#1!#2! %
622 }

\InCa@Space
623 \begingroup
624   \def\x#1{\endgroup
625   \let\InCa@Space= #1%
626 }
627 \x{ }

\InCa@Add
628 \def\InCa@Add#1!#2!{%
629   \ifcase#2 %
630   #1%
631   \else
632   \InCa@Add#1!#2!00000000\InCa@Space
633   \fi
634 }

\InCa@Sub
635 \def\InCa@Sub#1!#2!{%
636   \ifnum#1=#2 %
637   0%
638   \else
639   \InCa@Sub#1!#2!00000000\InCa@Space
640   \fi
641 }

```

```

\InCa@@Add
642 \def\InCa@@Add#1!#2#3!{%
643   \ifx\InCa@Empty#3\InCa@Empty
644     \oreturnAfterElseFi{%
645       \InCa@@Add!!#1!#2%
646     }%
647   \else
648     \oreturnAfterFi{%
649       \InCa@@Add#1!#3!#2%
650     }%
651   \fi
652 }

\InCa@@Sub
653 \def\InCa@@Sub#1!#2#3!{%
654   \ifx\InCa@Empty#3\InCa@Empty
655     \oreturnAfterElseFi{%
656       \InCa@@Sub!!#1!#2%
657     }%
658   \else
659     \oreturnAfterFi{%
660       \InCa@@Sub#1!#3!#2%
661     }%
662   \fi
663 }

\InCa@@@Add
664 \def\InCa@@@Add#1!#2!#3#4!#5{%
665   \ifx\InCa@Empty#4\InCa@Empty
666     \csname InCa@Empty%
667     \oreturnAfterElseFi{%
668       \InCa@ProcessAdd#1#3!#5#2%
669     }%
670   \else
671     \oreturnAfterFi{%
672       \InCa@@@Add#1#3!#5#2!#4!%
673     }%
674   \fi
675 }

\InCa@@@Sub
676 \def\InCa@@@Sub#1!#2!#3#4!#5{%
677   \ifx\InCa@Empty#4\InCa@Empty
678     \csname @gobble%
679     \oreturnAfterElseFi{%
680       \InCa@ProcessSub#1#3!#5#2%
681     }%
682   \else
683     \oreturnAfterFi{%
684       \InCa@@@Sub#1#3!#5#2!#4!%
685     }%
686   \fi
687 }

\InCa@ProcessAdd
688 \def\InCa@ProcessAdd#1#2!#3#4{%
689   \ifx\InCa@Empty#2\InCa@Empty
690     \csname InCa@AddDigit#1\endcsname#3%
691     \romannumeral0#4%
692   \else
693     \csname InCa@AddDigit#1\csname InCa@DigitCarry#3%

```

```

694     \@ReturnAfterFi{%
695         \InCa@ProcessAdd#2!#4%
696     }%
697     \fi
698 }

\InCa@ProcessSub

699 \def\InCa@ProcessSub#1#2!#3#4{%
700   \ifx\InCa@Empty#2\InCa@Empty
701     \csname InCa@SubDigit#1\endcsname#3%
702     \romannumeral0#4%
703   \else
704     \csname InCa@SubDigit#1\csname InCa@DigitCarry#3%
705     \@ReturnAfterFi{%
706       \InCa@ProcessSub#2!#4%
707     }%
708   \fi
709 }

\InCa@DigitCarry[0-9]

710 \def\InCa@Temp#1#2{%
711   \expandafter\def\csname InCa@DigitCarry#1\endcsname##1{%
712     \ifcase##1 %
713     \endcsname#1%
714   \else
715     \endcsname#2%
716   \fi
717 }%
718 }
719 \InCa@Temp 01
720 \InCa@Temp 12
721 \InCa@Temp 23
722 \InCa@Temp 34
723 \InCa@Temp 45
724 \InCa@Temp 56
725 \InCa@Temp 67
726 \InCa@Temp 78
727 \InCa@Temp 89
728 \InCa@Temp 9{{10}}


\InCa@AddDigit0

729 \expandafter\def\csname InCa@AddDigit0\endcsname#1{%
730   \ifnum#1>9 %
731   \endcsname10%
732   \else
733   \endcsname0#1%
734   \fi
735 }

\InCa@AddDigit[1-9]

736 \def\InCa@Temp#1#2#3{%
737   \expandafter\def\csname InCa@AddDigit#1\endcsname##1{%
738     \ifnum##1>#2 %
739     \endcsname 1%
740   \else
741     \endcsname 0%
742   \fi
743   \ifcase##1 #1% 0
744   #3%
745   \else #1% 10
746   \fi
747 }%

```

```

748 }
749 \InCa@Temp 18{%
750   \or 2% 1
751   \or 3% 2
752   \or 4% 3
753   \or 5% 4
754   \or 6% 5
755   \or 7% 6
756   \or 8% 7
757   \or 9% 8
758   \or 0% 9
759 }%
760 \InCa@Temp 27{%
761   \or 3% 1
762   \or 4% 2
763   \or 5% 3
764   \or 6% 4
765   \or 7% 5
766   \or 8% 6
767   \or 9% 7
768   \or 0% 8
769   \or 1% 9
770 }%
771 \InCa@Temp 36{%
772   \or 4% 1
773   \or 5% 2
774   \or 6% 3
775   \or 7% 4
776   \or 8% 5
777   \or 9% 6
778   \or 0% 7
779   \or 1% 8
780   \or 2% 9
781 }%
782 \InCa@Temp 45{%
783   \or 5% 1
784   \or 6% 2
785   \or 7% 3
786   \or 8% 4
787   \or 9% 5
788   \or 0% 6
789   \or 1% 7
790   \or 2% 8
791   \or 3% 9
792 }%
793 \InCa@Temp 54{%
794   \or 6% 1
795   \or 7% 2
796   \or 8% 3
797   \or 9% 4
798   \or 0% 5
799   \or 1% 6
800   \or 2% 7
801   \or 3% 8
802   \or 4% 9
803 }%
804 \InCa@Temp 63{%
805   \or 7% 1
806   \or 8% 2
807   \or 9% 3
808   \or 0% 4
809   \or 1% 5

```

```

810  \or 2% 6
811  \or 3% 7
812  \or 4% 8
813  \or 5% 9
814 }%
815 \InCa@Temp 72{%
816  \or 8% 1
817  \or 9% 2
818  \or 0% 3
819  \or 1% 4
820  \or 2% 5
821  \or 3% 6
822  \or 4% 7
823  \or 5% 8
824  \or 6% 9
825 }%
826 \InCa@Temp 81{%
827  \or 9% 1
828  \or 0% 2
829  \or 1% 3
830  \or 2% 4
831  \or 3% 5
832  \or 4% 6
833  \or 5% 7
834  \or 6% 8
835  \or 7% 9
836 }%
837 \InCa@Temp 90{%
838  \or 0% 1
839  \or 1% 2
840  \or 2% 3
841  \or 3% 4
842  \or 4% 5
843  \or 5% 6
844  \or 6% 7
845  \or 7% 8
846  \or 8% 9
847 }%
848 \def\InCa@Temp#1#2{%
849  \expandafter\def\csname InCa@SubDigit#1\endcsname##1{%
850    \ifnum##1>#1 %
851    \endcsname 1%
852  \else
853    \endcsname 0%
854  \fi
855  \ifcase##1 #1% 0
856  #2%
857  \else #1% 10
858  \fi
859 }%
860 }
861 \InCa@Temp 0{%
862  \or 9% 1
863  \or 8% 2
864  \or 7% 3
865  \or 6% 4
866  \or 5% 5
867  \or 4% 6
868  \or 3% 7
869  \or 2% 8
870  \or 1% 9

```

```

871 }
872 \InCa@Temp 1{%
873   \or 0% 1
874   \or 9% 2
875   \or 8% 3
876   \or 7% 4
877   \or 6% 5
878   \or 5% 6
879   \or 4% 7
880   \or 3% 8
881   \or 2% 9
882 }
883 \InCa@Temp 2{%
884   \or 1% 1
885   \or 0% 2
886   \or 9% 3
887   \or 8% 4
888   \or 7% 5
889   \or 6% 6
890   \or 5% 7
891   \or 4% 8
892   \or 3% 9
893 }
894 \InCa@Temp 3{%
895   \or 2% 1
896   \or 1% 2
897   \or 0% 3
898   \or 9% 4
899   \or 8% 5
900   \or 7% 6
901   \or 6% 7
902   \or 5% 8
903   \or 4% 9
904 }
905 \InCa@Temp 4{%
906   \or 3% 1
907   \or 2% 2
908   \or 1% 3
909   \or 0% 4
910   \or 9% 5
911   \or 8% 6
912   \or 7% 7
913   \or 6% 8
914   \or 5% 9
915 }
916 \InCa@Temp 5{%
917   \or 4% 1
918   \or 3% 2
919   \or 2% 3
920   \or 1% 4
921   \or 0% 5
922   \or 9% 6
923   \or 8% 7
924   \or 7% 8
925   \or 6% 9
926 }
927 \InCa@Temp 6{%
928   \or 5% 1
929   \or 4% 2
930   \or 3% 3
931   \or 2% 4
932   \or 1% 5

```

```

933 \or 0% 6
934 \or 9% 7
935 \or 8% 8
936 \or 7% 9
937 }
938 \InCa@Temp 7{%
939 \or 6% 1
940 \or 5% 2
941 \or 4% 3
942 \or 3% 4
943 \or 2% 5
944 \or 1% 6
945 \or 0% 7
946 \or 9% 8
947 \or 8% 9
948 }
949 \InCa@Temp 8{%
950 \or 7% 1
951 \or 6% 2
952 \or 5% 3
953 \or 4% 4
954 \or 3% 5
955 \or 2% 6
956 \or 1% 7
957 \or 0% 8
958 \or 9% 9
959 }
960 \InCa@Temp 9{%
961 \or 8% 1
962 \or 7% 2
963 \or 6% 3
964 \or 5% 4
965 \or 4% 5
966 \or 3% 6
967 \or 2% 7
968 \or 1% 8
969 \or 0% 9
970 }

```

### 2.5.6 Shl, Shr

```

\intcalcShl
971 \def\intcalcShl#1{%
972 \number\expandafter\InCa@ShlSwitch\number#1! %
973 }

\InCa@ShlSwitch
974 \def\InCa@ShlSwitch#1#2!{%
975 \ifx#1-%
976 -\csname InCa@Empty%
977 \InCa@Shl#2!%
978 \else
979 \csname InCa@Empty%
980 \InCa@Shl#1#2!%
981 \fi
982 }

\IntCalcShl
983 \def\IntCalcShl#1!{%
984 \number
985 \csname InCa@Empty%
986 \InCa@Shl#1! %

```

```

987 }

\IntCal@ShlDigit
988 \def\InCa@Shl#1#2{%
989   \ifx#2!%
990     \csname InCa@ShlDigit#1\endcsname%
991   \else
992     \csname InCa@ShlDigit#1%
993     \QReturnAfterFi%
994     \InCa@Shl#2%
995   }%
996 \fi
997 }

\InCa@ShlDigit0
998 \expandafter\def\csname InCa@ShlDigit0\endcsname{%
999   \endcsname%
1000 }

\InCa@ShlDigit[1-9]
1001 \def\InCa@Temp#1#2#3#4#5{%
1002   \expandafter\def\csname InCa@ShlDigit#1\endcsname##1{%
1003     \expandafter\endcsname
1004     \ifcase##1 %
1005       #2#3%
1006     \else
1007       #4#5%
1008     \fi
1009   }%
1010 }
1011 \InCa@Temp 10203
1012 \InCa@Temp 20405
1013 \InCa@Temp 30607
1014 \InCa@Temp 40809
1015 \InCa@Temp 51011
1016 \InCa@Temp 61213
1017 \InCa@Temp 71415
1018 \InCa@Temp 81617
1019 \InCa@Temp 91819

\intcalcShr
1020 \def\intcalcShr#1{%
1021   \number\expandafter\InCa@ShrSwitch\number#1! %
1022 }

\InCa@ShrSwitch
1023 \def\InCa@ShrSwitch#1#2!{%
1024   \ifx#1-%
1025     -\InCa@Shr#2!%
1026   \else
1027     \InCa@Shr#1#2!%
1028   \fi
1029 }

\IntCalcShr
1030 \def\IntCalcShr#1!{%
1031   \number\InCa@Shr#1! %
1032 }

\InCa@Shr
1033 \def\InCa@Shr#1#2{%

```

```

1034   \InCa@ShrDigit#1!%
1035   \ifx#2!%
1036   \else
1037     \@ReturnAfterFi{%
1038       \ifodd#1 %
1039         \@ReturnAfterElseFi{%
1040           \InCa@Shr{1#2}%
1041         }%
1042       \else
1043         \expandafter\InCa@Shr\expandafter#2%
1044       \fi
1045     }%
1046   \fi
1047 }

1048 \def\InCa@ShrDigit#1{%
1049   \ifcase#1 0% 0
1050   \or 0% 1
1051   \or 1% 2
1052   \or 1% 3
1053   \or 2% 4
1054   \or 2% 5
1055   \or 3% 6
1056   \or 3% 7
1057   \or 4% 8
1058   \or 4% 9
1059   \or 5% 10
1060   \or 5% 11
1061   \or 6% 12
1062   \or 6% 13
1063   \or 7% 14
1064   \or 7% 15
1065   \or 8% 16
1066   \or 8% 17
1067   \or 9% 18
1068   \or 9% 19
1069   \fi
1070 }

```

### 2.5.7 \InCa@Tim

\InCa@Tim Macro \InCa@Tim implements “Number *times* digit”.

```

1071 \def\InCa@Temp#1{%
1072   \def\InCa@Tim##1##2{%
1073     \number
1074     \ifcase##2 % 0
1075       0%
1076     \or % 1
1077       ##1%
1078     \else % 2-9
1079       \csname InCa@Empty%
1080       \InCa@ProcessTim##2##1!%
1081     \fi
1082     #1%
1083   }%
1084 }
1085 \InCa@Temp{ }

```

\InCa@ProcessTim

```

1086 \def\InCa@ProcessTim#1#2#3{%
1087   \ifx#3!%
1088     \csname InCa@TimDigit#2\endcsname#10%

```

```

1089 \else
1090   \csname InCa@TimDigit#2\csname InCa@Param#1%
1091   \@ReturnAfterFi{%
1092     \InCa@ProcessTim#1#3%
1093   }%
1094 \fi
1095 }

\InCa@Param[0-9]
1096 \def\InCa@Temp#1{%
1097   \expandafter\def\csname InCa@Param#1\endcsname{%
1098     \endcsname#1%
1099   }%
1100 }
1101 \InCa@Temp 0%
1102 \InCa@Temp 1%
1103 \InCa@Temp 2%
1104 \InCa@Temp 3%
1105 \InCa@Temp 4%
1106 \InCa@Temp 5%
1107 \InCa@Temp 6%
1108 \InCa@Temp 7%
1109 \InCa@Temp 8%
1110 \InCa@Temp 9%

\InCa@TimDigit0
1111 \expandafter\def\csname InCa@TimDigit0\endcsname#1#2{%
1112   \endcsname
1113   0#2%
1114 }

\InCa@TimDigit1
1115 \expandafter\def\csname InCa@TimDigit1\endcsname#1#2{%
1116   \ifcase#2 %
1117     \endcsname 0#1%
1118   \else
1119     \csname InCa@AddDigit#1\endcsname #2%
1120   \fi
1121 }

\InCa@TimDigit[2-9]
1122 \def\InCa@Temp#1#2{%
1123   \expandafter\def\csname InCa@TimDigit#1\endcsname##1{%
1124     \expandafter\InCa@TimDigitCarry
1125     \number
1126       \ifcase##1 0% 0
1127         #2%
1128       \fi
1129       !%
1130   }%
1131 }
1132 \InCa@Temp 2{%
1133   \or 2% 1
1134   \or 4% 2
1135   \or 6% 3
1136   \or 8% 4
1137   \or 10% 5
1138   \or 12% 6
1139   \or 14% 7
1140   \or 16% 8
1141   \or 18% 9
1142 }

```

```

1143 \InCa@Temp 3{%
1144   \or 3% 1
1145   \or 6% 2
1146   \or 9% 3
1147   \or 12% 4
1148   \or 15% 5
1149   \or 18% 6
1150   \or 21% 7
1151   \or 24% 8
1152   \or 27% 9
1153 }
1154 \InCa@Temp 4{%
1155   \or 4% 1
1156   \or 8% 2
1157   \or 12% 3
1158   \or 16% 4
1159   \or 20% 5
1160   \or 24% 6
1161   \or 28% 7
1162   \or 32% 8
1163   \or 36% 9
1164 }
1165 \InCa@Temp 5{%
1166   \or 5% 1
1167   \or 10% 2
1168   \or 15% 3
1169   \or 20% 4
1170   \or 25% 5
1171   \or 30% 6
1172   \or 35% 7
1173   \or 40% 8
1174   \or 45% 9
1175 }
1176 \InCa@Temp 6{%
1177   \or 6% 1
1178   \or 12% 2
1179   \or 18% 3
1180   \or 24% 4
1181   \or 30% 5
1182   \or 36% 6
1183   \or 42% 7
1184   \or 48% 8
1185   \or 54% 9
1186 }
1187 \InCa@Temp 7{%
1188   \or 7% 1
1189   \or 14% 2
1190   \or 21% 3
1191   \or 28% 4
1192   \or 35% 5
1193   \or 42% 6
1194   \or 49% 7
1195   \or 56% 8
1196   \or 63% 9
1197 }
1198 \InCa@Temp 8{%
1199   \or 8% 1
1200   \or 16% 2
1201   \or 24% 3
1202   \or 32% 4
1203   \or 40% 5
1204   \or 48% 6

```

```

1205  \or 56% 7
1206  \or 64% 8
1207  \or 72% 9
1208 }
1209 \InCa@Temp 9{%
1210  \or 9% 1
1211  \or 18% 2
1212  \or 27% 3
1213  \or 36% 4
1214  \or 45% 5
1215  \or 54% 6
1216  \or 63% 7
1217  \or 72% 8
1218  \or 81% 9
1219 }

\InCa@TimDigitCarry
1220 \def\InCa@TimDigitCarry#1!{%
1221  \ifnum#1<10 %
1222    \csname InCa@AddDigit#1\expandafter\endcsname
1223  \else
1224    \c@ReturnAfterFi{%
1225      \InCa@@TimDigitCarry#1!%
1226    }%
1227  \fi
1228 }

\InCa@@TimDigitCarry
1229 \def\InCa@@TimDigitCarry#1#2!#3{%
1230  \csname InCa@DigitCarry#1%
1231  \csname InCa@AddDigit#2\endcsname #3%
1232 }

```

### 2.5.8 Mul

```

\intcalcMul
1233 \def\intcalcMul#1#2{%
1234  \number
1235  \expandafter\InCa@MulSwitch
1236  \number\number#1\expandafter!%
1237  \number#2! %
1238 }

```

\InCa@MulSwitch Decision table for \InCa@MulSwitch.

$x < 0$	$y < 0$	$x < y$	+	$\text{Mul}(-x, -y)$
		else		$\text{Mul}(-y, -x)$
	else	$-x > y$	-	$\text{Mul}(-x, y)$
		else		$\text{Mul}(y, -x)$
else	$y < 0$	$x > -y$	-	$\text{Mul}(x, -y)$
		else		$\text{Mul}(-y, x)$
	else	$x > y$	+	$\text{Mul}(x, y)$
		else		$\text{Mul}(y, x)$

```

1239 \def\InCa@MulSwitch#1!#2!{%
1240  \ifnum#1<\z@
1241    \ifnum#2<\z@
1242      \ifnum#1<#2 %
1243        \expandafter\InCa@Mul\number-#1\expandafter!%
1244        \c@gobble#2!%
1245      \else

```

```

1246      \expandafter\InCa@Mul\number-\#2\expandafter!%
1247      \gobble#1!%
1248      \fi
1249  \else
1250      -%
1251      \ifnum-\#1>\#2 %
1252          \expandafter\InCa@Mul\gobble#1!\#2!%
1253  \else
1254      \expandafter\InCa@Mul\number\#2\expandafter!%
1255      \gobble#1!%
1256      \fi
1257  \fi
1258 \else
1259     \ifnum\#2<\z@
1260         -%
1261         \ifnum\#1>-\#2 %
1262             \expandafter\InCa@Mul\number\#1\expandafter!%
1263             \gobble\#2!%
1264         \else
1265             \expandafter\InCa@Mul\gobble\#2!\#1!%
1266         \fi
1267     \else
1268         \ifnum\#1>\#2 %
1269             \InCa@Mul\#1!\#2!%
1270         \else
1271             \InCa@Mul\#2!\#1!%
1272         \fi
1273     \fi
1274 \fi
1275 }

\IntCalcMul
1276 \def\IntCalcMul#1!#2!{%
1277     \number\InCa@Mul\#1!\#2! %
1278 }

\InCa@Mul
1279 \def\InCa@Mul#1!#2!{%
1280     \ifcase\#2 %
1281         0%
1282     \or
1283         #1%
1284     \or
1285         \csname InCa@Empty%
1286         \expandafter\InCa@Shl\#1!%
1287     \else
1288         \ifnum\#2<10 %
1289             \InCa@Tim{\#1}\#2%
1290         \else
1291             \InCa@ProcessMul\#2!\#1!%
1292         \fi
1293     \fi
1294 }

\InCa@Mul
1295 \def\InCa@ProcessMul#1!#2#3!#4!{%
1296     \ifx\InCa@Empty\#3\InCa@Empty
1297         \expandafter\InCa@Add\number
1298         \#10\expandafter\expandafter\expandafter!%
1299         \InCa@Tim{\#4}\#2!%
1300     \else
1301         \ifx\InCa@Empty\#1\InCa@Empty

```

```

1302      \expandafter\expandafter\expandafter\InCa@ProcessMul
1303      \InCa@Tim{\#4}#2!%
1304      #3!#4!%
1305      \else
1306      \expandafter\InCa@ProcessMul\number
1307      \expandafter\InCa@Add\number%
1308      #10\expandafter\expandafter\expandafter!%
1309      \InCa@Tim{\#4}#2!%
1310      #3!#4!%
1311      \fi
1312  \fi
1313 }

```

### 2.5.9 Sqr, Fac

```

\intcalcSqr
1314 \def\intcalcSqr#1{%
1315   \number\expandafter\InCa@Sqr\number#1! %
1316 }

\InCa@Sqr
1317 \def\InCa@Sqr#1#2!{%
1318   \ifx#1-%
1319     \InCa@Mul#2!#2!%
1320   \else
1321     \InCa@Mul#1#2!#1#2!%
1322   \fi
1323 }

\intcalcFac
1324 \def\intcalcFac#1{%
1325   \number\expandafter\InCa@Fac\number#1! %
1326 }

```

### 2.5.10 Pow

```

\intcalcPow
1327 \def\intcalcPow#1#2!{%
1328   \number\expandafter\InCa@Pow
1329   \number\number#1\expandafter!%
1330   \number#2! %
1331 }

\InCa@Pow
1332 \def\InCa@Pow#1#2!#3#4!{%
1333   \ifcase#3#4 % power = 0
1334     1%
1335   \or % power = 1
1336     #1#2%
1337   \or % power = 2
1338     \ifx#1-%
1339       \InCa@Mul#2!#2!%
1340     \else
1341       \InCa@Mul#1#2!#1#2!%
1342     \fi
1343   \else
1344     \ifcase#1#2 % basis = 0, power <> 0
1345       0%
1346     \ifx#3-% power < 0
1347       0\IntCalcError:DivisionByZero%
1348     \fi

```

```

1349      \or
1350          1% basis = 1
1351      \else
1352          \ifnum#1#2=\m@ne % basis = -1
1353              \ifodd#3#4 %
1354                  %
1355              \fi
1356              1%
1357      \else % |basis| > 1
1358          \ifx#3-% power < 0
1359              0%
1360          \else % power > 2
1361              \ifx#1-% basis < 0
1362                  \ifodd#3#4 %
1363                      %
1364                  \fi
1365                  \InCa@PowRec#2!#3#4!1!
1366          \else
1367              \InCa@PowRec#1#2!#3#4!1!
1368          \fi
1369      \fi
1370  \fi
1371 \fi
1372 \fi
1373 }

\InCa@PowRec Pow(b, p) {
    PowRec(b, p, 1)
}
PowRec(b, p, r) {
    if p == 1 then
        return r
    else
        ifodd p then
            return PowRec(b*b, p div 2, r*b) % p div 2 = (p-1)/2
        else
            return PowRec(b*b, p div 2, r)
        fi
    fi
}
}

1374 \def\InCa@PowRec#1!#2!#3!{%
1375     \ifnum#2=\@ne
1376         \ifnum#1>#3 %
1377             \InCa@Mul#1!#3!
1378         \else
1379             \InCa@Mul#3!#1!
1380         \fi
1381     \else
1382         \expandafter\InCa@PowRec
1383         \number\InCa@Mul#1!#1!\expandafter!
1384         \number\intcalcShr{#2}\expandafter!
1385         \number
1386         \ifodd#2 %
1387             \ifnum#1>#3 %
1388                 \InCa@Mul#1!#3!
1389             \else
1390                 \InCa@Mul#3!#1!
1391             \fi
1392         \else
1393             #3%
1394         \fi
1395         \expandafter!
1396     \fi

```

1397 }

### 2.5.11 Div

```
\intcalcDiv
1398 \def\intcalcDiv#1#2{%
1399   \number\expandafter\InCa@Div
1400   \number\number#1\expandafter!%
1401   \number#2! %
1402 }

\InCa@Div
1403 \def\InCa@Div#1!#2!{%
1404   \ifcase#2 %
1405     0\IntCalcError:DivisionByZero%
1406   \else
1407     \ifcase#1 %
1408       0%
1409     \else
1410       \expandafter\InCa@DivSwitch
1411       \number#1\expandafter!%
1412       \number#2!%
1413     \fi
1414   \fi
1415 }

\IntCalcDiv
1416 \def\InCa@Temp#1{%
1417   \def\IntCalcDiv##1##2!{%
1418     \number
1419     \ifcase##2 %
1420       0\IntCalcError:DivisionByZero%
1421     \else
1422       \ifcase##1 %
1423         0%
1424       \else
1425         \InCa@@Div##1##2!%
1426       \fi
1427     \fi
1428     #1%
1429   }%
1430 }
1431 \InCa@Temp{ }%
```

\InCa@DivSwitch Decision table for \InCa@DivSwitch.

$x < 0$	$y < 0$	+	$\text{Div}(-x, -y)$
	else	-	$\text{Div}(-x, y)$
else	$y < 0$	-	$\text{Div}(x, -y)$
	else	+	$\text{Div}(x, y)$

```
1432 \def\InCa@DivSwitch#1!#2!{%
1433   \ifnum#1<\z@
1434     \ifnum#2<\z@
1435       \expandafter\InCa@@Div\number-#1\expandafter!%
1436       \gobble#2!%
1437     \else
1438       -%
1439     \expandafter\InCa@@Div\gobble#1!#2!%
1440   \fi
1441 }
```

```

1442      \ifnum#2<\z@%
1443          -%
1444          \expandafter\InCa@@Div\number#1\expandafter!%
1445          \gobble#2!%
1446      \else%
1447          \InCa@@Div#1!#2!%
1448      \fi%
1449  \fi%
1450 }

\InCa@@Div

1451 \def\InCa@@Div#1!#2!{%
1452     \ifnum#1>#2 %
1453         \ifcase#2 % 0 already catched
1454 ?         \IntCalcError:ThisCannotHappen%
1455         \or % 1
1456             #1%
1457         \or % 2
1458             \InCa@Shr#1!%
1459         \else%
1460             \InCa@DivStart!#1!#2!#2!%
1461         \fi%
1462     \else%
1463         \ifnum#1=#2 %
1464             1%
1465         \else%
1466             0%
1467         \fi%
1468     \fi%
1469 }

\InCa@DivStart

1470 \def\InCa@DivStart#1!#2#3!#4#5{%
1471     \ifx#5!%
1472         \@ReturnAfterElseFi{%
1473             \InCa@DivStartI{#1#2}#3=!=%
1474         }%
1475     \else%
1476         \@ReturnAfterFi{%
1477             \InCa@DivStart{#1#2}!#3!#5%
1478         }%
1479     \fi%
1480 }

\InCa@StartI

1481 \def\InCa@DivStartI#1!#2!{%
1482     \expandafter\InCa@DivStartII
1483     \number#2\expandafter\expandafter\expandafter!%
1484     \intcalcShl{#2}!%
1485     #1!%
1486 }

\InCa@StartII

1487 \def\InCa@DivStartII#1!#2!{%
1488     \expandafter\InCa@DivStartIII
1489     \number#1\expandafter!%
1490     \number#2\expandafter\expandafter\expandafter!%
1491     \intcalcShl{#2}!%
1492 }

\InCa@StartIII

```

```

1493 \def\InCa@DivStartIII#1!#2!#3!{%
1494   \expandafter\InCa@DivStartIV
1495   \number#1\expandafter!%
1496   \number#2\expandafter!%
1497   \number#3\expandafter!%
1498   \number\InCa@Add#3!#2!\expandafter\expandafter\expandafter!%
1499   \intcalcShl{#3}!%
1500 }

\InCa@StartIV

1501 \def\InCa@DivStartIV#1!#2!#3!#4!#5!#6!{%
1502   \InCa@ProcessDiv#6!#1!#2!#3!#4!#5!/%
1503 }

\InCa@ProcessDiv

1504 \def\InCa@ProcessDiv#1#2#3!#4!#5!#6!#7!#8!#9/{%
1505   #9%
1506   \ifnum#1<#4 % 0
1507     0%
1508     \ifx#2=%
1509     \else
1510       \InCa@ProcessDiv{#1#2}#3!#4!#5!#6!#7!#8!%
1511     \fi
1512   \else % 1-9
1513     \ifnum#1<#5 % 1
1514       1%
1515       \ifx#2=%
1516       \else
1517         \expandafter\InCa@ProcessDiv\expandafter{%
1518           \number\InCa@Sub#1!#4!%
1519           #2%
1520         }#3!#4!#5!#6!#7!#8!%
1521       \fi
1522     \else % 2-9
1523       \ifnum#1<#7 % 2 3 4 5
1524         \ifnum#1<#6 % 2 3
1525           \ReturnAfterElseFi{%
1526             \expandafter\InCa@@ProcessDiv
1527             \number\InCa@Sub#1!#5!!%
1528             23%
1529           }%
1530         \else % 4 5
1531           \ReturnAfterFi{%
1532             \expandafter\InCa@@ProcessDiv
1533             \number\InCa@Sub#1!#6!!%
1534             45%
1535           }%
1536         \fi
1537         #2#3!#4!#5!#6!#7!#8!%
1538       \else % 6 7 8 9
1539         \ifnum#1<#8 % 6 7
1540           \ReturnAfterElseFi{%
1541             \expandafter\InCa@@ProcessDiv
1542             \number\InCa@Sub#1!#7!!%
1543             67%
1544           }%
1545         \else % 8 9
1546           \ReturnAfterFi{%
1547             \expandafter\InCa@@ProcessDiv
1548             \number\InCa@Sub#1!#8!!%
1549             89%
1550           }%

```

```

1551      \fi
1552      #2#3!#4!#5!#6!#7!#8!%
1553      \fi
1554      \fi
1555 \fi
1556 \ifx#2=%
1557   \expandafter\@gobble
1558 \fi
1559 %}
1560 }

\InCa@@ProcessDiv
1561 \def\InCa@@ProcessDiv#1!#2#3#4#5!#6!{%
1562   \ifnum#1<#6 %
1563     #2%
1564     \@ReturnAfterElseFi{%
1565       \ifx#4=%
1566         \expandafter\InCa@CleanupIV
1567       \else
1568         \@ReturnAfterFi{%
1569           \InCa@ProcessDiv{#1#4}#5!#6!%
1570         }%
1571       \fi
1572     }%
1573   \else
1574     #3%
1575   \@ReturnAfterFi{%
1576     \ifx#4=%
1577       \expandafter\InCa@CleanupIV
1578     \else
1579       \@ReturnAfterFi{%
1580         \expandafter\InCa@ProcessDiv\expandafter{%
1581           \number\InCa@Sub#1!#6! %
1582           #4%
1583         }#5!#6!%
1584       }%
1585     \fi
1586   }%
1587   \fi
1588 }

\InCa@CleanupIV
1589 \def\InCa@CleanupIV#1!#2!#3!#4!{}}

```

### 2.5.12 Mod

```

\intcalcMod
1590 \def\intcalcMod#1#2{%
1591   \number\expandafter\InCa@Mod
1592   \number\number#1\expandafter!%
1593   \number#2! %
1594 }

\intcalc@Mod Pseudocode/decision table for \intcalc@Mod.

      if       $y = 0$   DivisionByZero
      elseif  $y < 0$    $- \text{Mod}(-x, -y)$ 
      elseif  $x = 0$   0
      elseif  $y = 1$   0
      elseif  $y = 2$   ifodd( $x$ ) ? 1 : 0
      elseif  $x < 0$    $z \leftarrow x - (x/y) * y;$    $(z < 0) ? z + y : z$ 
      else         $x - (x/y) * y$ 

```

```

1595 \def\InCa@Mod#1!#2!{%
1596   \ifcase#2 %
1597     0\IntCalcError:DivisionByZero%
1598   \else
1599     \ifnum#2<\z@
1600       -%
1601       \expandafter\InCa@Mod
1602       \number-#1\expandafter!%
1603       \number-#2!%
1604   \else
1605     \ifcase#1 %
1606       0%
1607     \else
1608       \ifcase#2 % 0 already catched
1609         \IntCalcError:ThisCannotHappen%
1610         \or % 1
1611           0%
1612         \or % 2
1613           \ifodd#1 1\else 0\fi
1614     \else
1615       \ifnum#1<\z@
1616         \expandafter\InCa@ModShift
1617         \number-%
1618         \expandafter\InCa@Sub
1619         \number\@gobble#1\expandafter!%
1620         \number\intcalcMul{#2}{%
1621           \expandafter\InCa@Div\@gobble#1!#2!%
1622         }!%
1623         !#2!%
1624     \else
1625       \expandafter\InCa@Sub\number#1\expandafter!%
1626       \number\intcalcMul{#2}{\InCa@Div#1!#2!}!%
1627     \fi
1628   \fi
1629 \fi
1630 \fi
1631 \fi
1632 }

\IntCalcMod

1633 \def\InCa@Temp#1{%
1634   \def\IntCalcMod##1##2!{%
1635     \number
1636     \ifcase##2 %
1637       0\IntCalcError:DivisionByZero%
1638     \else
1639       \ifcase##1 %
1640         0%
1641       \else
1642         \ifcase##2 % 0 already catched
1643           \IntCalcError:ThisCannotHappen
1644           \or % 1
1645             0%
1646           \or % 2
1647             \ifodd ##1 1\else 0\fi
1648           \else
1649             \expandafter\InCa@Sub\number##1\expandafter!%
1650             \number\intcalcMul{##2}{\InCa@Div##1##2!}!%
1651           \fi
1652         \fi
1653       \fi
1654       #1%
1655     }%

```

```

1656 }
1657 \InCa@Temp{ }%
\\InCa@ModShift
1658 \def\InCa@ModShift#1!#2!{%
1659   \ifnum#1<\z@
1660     \expandafter\InCa@Sub\number#2\expandafter!%
1661     \gobble#1!%
1662   \else
1663     #1%
1664   \fi
1665 }

```

### 2.5.13 Help macros

```

\\InCa@Empty
1666 \def\InCa@Empty{}%
\\gobble
1667 \expandafter\ifx\csname@gobble\endcsname\relax
1668   \long\def\gobble#1{}%
1669 \fi

```

```

\\@ReturnAfterFi
1670 \long\def\\@ReturnAfterFi#1\fi{\fi#1}%

```

```

\\@ReturnAfterElseFi
1671 \long\def\\@ReturnAfterElseFi#1\else#2\fi{\fi#1}%
1672 \\InCa@AtEnd
1673 </package>

```

## 3 Test

### 3.1 Catcode checks for loading

```

1674 <*test1>
1675 \catcode`\\=1 %
1676 \catcode`\\}=2 %
1677 \catcode`\\#=6 %
1678 \catcode`\\@=11 %
1679 \expandafter\ifx\csname count@\endcsname\relax
1680   \countdef\count@=255 %
1681 \fi
1682 \expandafter\ifx\csname @firstofone\endcsname\relax
1683   \long\def\\@firstofone#1{}%
1684 \fi
1685 \expandafter\ifx\csname @firstofone\endcsname\relax
1686   \long\def\\@firstofone#1{#1}%
1687 \fi
1688 \expandafter\ifx\csname loop\endcsname\relax
1689   \expandafter\\@firstofone
1690 \else
1691   \expandafter\\@gobble
1692 \fi
1693 {%
1694   \def\\loop#1\\repeat{%
1695     \def\\body{#1}%
1696     \iterate
1697   }%

```

```

1698 \def\iterate{%
1699   \body
1700   \let\next\iterate
1701   \else
1702   \let\next\relax
1703   \fi
1704   \next
1705 }%
1706 \let\repeat=\fi
1707 }%
1708 \def\RestoreCatcodes{}%
1709 \count@=0 %
1710 \loop
1711   \edef\RestoreCatcodes{%
1712     \RestoreCatcodes
1713     \catcode{\the\count@}=\the\catcode\count@\relax
1714   }%
1715 \ifnum\count@<255 %
1716   \advance\count@ 1 %
1717 \repeat
1718
1719 \def\RangeCatcodeInvalid#1#2{%
1720   \count@=#1\relax
1721   \loop
1722   \catcode\count@=15 %
1723   \ifnum\count@<#2\relax
1724   \advance\count@ 1 %
1725   \repeat
1726 }
1727 \def\Test{%
1728   \RangeCatcodeInvalid{0}{47}%
1729   \RangeCatcodeInvalid{58}{64}%
1730   \RangeCatcodeInvalid{91}{96}%
1731   \RangeCatcodeInvalid{123}{255}%
1732   \catcode`@=12 %
1733   \catcode`\\"=0 %
1734   \catcode`\{=1 %
1735   \catcode`\}=2 %
1736   \catcode`\#=6 %
1737   \catcode`\[=12 %
1738   \catcode`\]=12 %
1739   \catcode`\%=14 %
1740   \catcode`\ =10 %
1741   \catcode`13=5 %
1742   \input intcalc.sty\relax
1743   \RestoreCatcodes
1744 }
1745 \Test
1746 \csname @@end\endcsname
1747 \end
1748 </test1>

```

## 3.2 Macro tests

### 3.2.1 Preamble with test macro definitions

```

1749 <*test2 | test4>
1750 \NeedsTeXFormat{LaTeX2e}
1751 \nofiles
1752 \documentclass{article}
1753 <noetex>\let\SavedNumexpr\numexpr
1754 <noetex>\let\numexpr\UNDEFINED
1755 \makeatletter

```

```

1756 \chardef\InCa@TestMode=1 %
1757 \makeatother
1758 \usepackage{intcalc} [2007/09/27]
1759 <noetex> \let\numexpr\SavedNumexpr
1760 \usepackage{qstest}
1761 \IncludeTests{*}
1762 \LogTests{log}{*}{*}
1763 </test2 | test4>
1764 <*test2>
1765 \newcommand*\TestSpaceAtEnd[1]{%
1766 <noetex> \let\SavedNumexpr\numexpr
1767 <noetex> \let\numexpr\UNDEFINED
1768 \edef\resultA{\#1}%
1769 \edef\resultB{\#1 }%
1770 <noetex> \let\numexpr\SavedNumexpr
1771 \Expect*\{\resultA\space\}\{\resultB\}%
1772 }
1773 \newcommand*\TestResult[2]{%
1774 <noetex> \let\SavedNumexpr\numexpr
1775 <noetex> \let\numexpr\UNDEFINED
1776 \edef\result{\#1}%
1777 <noetex> \let\numexpr\SavedNumexpr
1778 \Expect*\{\result\}\{\#2\}%
1779 }
1780 \newcommand*\TestResultTwoExpansions[2]{%
1781 <*noetex>
1782 \begingroup
1783 \let\numexpr\UNDEFINED
1784 \expandafter\expandafter\expandafter
1785 \endgroup
1786 </noetex>
1787 \expandafter\expandafter\expandafter\Expect
1788 \expandafter\expandafter\expandafter{\#1}{\#2}%
1789 }
1790 \newcount\TestCount
1791 <etex> \newcommand*\TestArg[1]{\numexpr#1\relax}
1792 <noetex> \newcommand*\TestArg[1]{\#1}
1793 \newcommand*\TestTeXDivide[2]{%
1794 \TestCount=\TestArg{\#1}\relax
1795 \divide\TestCount by \TestArg{\#2}\relax
1796 \Expect*\{ \intcalcDiv{\#1}{\#2} \}\{\the\TestCount\}%
1797 }
1798 \newcommand*\Test[2]{%
1799 \TestResult{\#1}{\#2}%
1800 \TestResultTwoExpansions{\#1}{\#2}%
1801 \TestSpaceAtEnd{\#1}%
1802 }
1803 \newcommand*\TestExch[2]{\Test{\#2}{\#1}}
1804 \newcommand*\TestInv[2]{%
1805 \Test{\intcalcInv{\#1}}{\#2}%
1806 }
1807 \newcommand*\TestNum[2]{%
1808 \Test{\intcalcNum{\#1}}{\#2}%
1809 }
1810 \newcommand*\TestAbs[2]{%
1811 \Test{\intcalcAbs{\#1}}{\#2}%
1812 }
1813 \newcommand*\TestSgn[2]{%
1814 \Test{\intcalcSgn{\#1}}{\#2}%
1815 }
1816 \newcommand*\TestMin[3]{%
1817 \Test{\intcalcMin{\#1}{\#2}}{\#3}%

```

```

1818 }
1819 \newcommand*{\TestMax}[3]{%
1820   \Test{\intcalcMax{#1}{#2}}{#3}%
1821 }
1822 \newcommand*{\TestCmp}[3]{%
1823   \Test{\intcalcCmp{#1}{#2}}{#3}%
1824 }
1825 \newcommand*{\TestInc}[2]{%
1826   \Test{\intcalcInc{#1}}{#2}%
1827   \ifnum\intcalcNum{#1}>-1 %
1828     \edef\x{%
1829       \noexpand\Test{%
1830         \noexpand\IntCalcInc\intcalcNum{#1}!%
1831       }{#2}%
1832     }%
1833     \x
1834   \fi
1835 }
1836 \newcommand*{\TestDec}[2]{%
1837   \Test{\intcalcDec{#1}}{#2}%
1838   \ifnum\intcalcNum{#1}>0 %
1839     \edef\x{%
1840       \noexpand\Test{%
1841         \noexpand\IntCalcDec\intcalcNum{#1}!%
1842       }{#2}%
1843     }%
1844     \x
1845   \fi
1846 }
1847 \newcommand*{\TestAdd}[3]{%
1848   \Test{\intcalcAdd{#1}}{#2}{#3}%
1849   \ifnum\intcalcNum{#1}>0 %
1850     \ifnum\intcalcNum{#2}> 0 %
1851       \ifnum\intcalcCmp{#1}{#2}>0 %
1852         \edef\x{%
1853           \noexpand\Test{%
1854             \noexpand\IntCalcAdd
1855             \intcalcNum{#1}!\intcalcNum{#2}!%
1856           }{#3}%
1857         }%
1858         \x
1859       \else
1860         \edef\x{%
1861           \noexpand\Test{%
1862             \noexpand\IntCalcAdd
1863             \intcalcNum{#2}!\intcalcNum{#1}!%
1864           }{#3}%
1865         }%
1866         \x
1867       \fi
1868     \fi
1869   \fi
1870 }
1871 \newcommand*{\TestSub}[3]{%
1872   \Test{\intcalcSub{#1}}{#2}{#3}%
1873   \ifnum\intcalcNum{#1}>0 %
1874     \ifnum\intcalcNum{#2}> 0 %
1875       \ifnum\intcalcCmp{#1}{#2}>0 %
1876         \edef\x{%
1877           \noexpand\Test{%
1878             \noexpand\IntCalcSub
1879             \intcalcNum{#1}!\intcalcNum{#2}!%

```

```

1880      }{#3}%
1881      }%
1882      \x
1883      \fi
1884      \fi
1885      \fi
1886 }
1887 \newcommand*{\TestShl}[2]{%
1888   \Test{\intcalcShl{#1}{#2}}%
1889   \edef\x{%
1890     \noexpand\Test{%
1891       \noexpand\IntCalcShl\intcalcAbs{#1}!%
1892       }{\intcalcAbs{#2}}%
1893     }%
1894   \x
1895 }
1896 \newcommand*{\TestShr}[2]{%
1897   \Test{\intcalcShr{#1}{#2}}%
1898   \edef\x{%
1899     \noexpand\Test{%
1900       \noexpand\IntCalcShr\intcalcAbs{#1}!%
1901       }{\intcalcAbs{#2}}%
1902     }%
1903   \x
1904 }
1905 \newcommand*{\TestMul}[3]{%
1906   \Test{\intcalcMul{#1}{#2}}{#3}%
1907   \edef\x{%
1908     \noexpand\Test{%
1909       \noexpand\IntCalcMul\intcalcAbs{#1}!\intcalcAbs{#2}!%
1910       }{\intcalcAbs{#3}}%
1911     }%
1912   \x
1913 }
1914 \newcommand*{\TestSqr}[2]{%
1915   \Test{\intcalcSqr{#1}}{#2}%
1916 }
1917 \newcommand*{\TestFac}[2]{%
1918   \expandafter\TestExch\expandafter{\the\numexpr#2}{\intcalcFac{#1}}%
1919 }
1920 \newcommand*{\TestPow}[3]{%
1921   \Test{\intcalcPow{#1}{#2}}{#3}%
1922 }
1923 \newcommand*{\TestDiv}[3]{%
1924   \Test{\intcalcDiv{#1}{#2}}{#3}%
1925   \TestTeXDivide{#1}{#2}%
1926   \edef\x{%
1927     \noexpand\Test{%
1928       \noexpand\IntCalcDiv\intcalcAbs{#1}!\intcalcAbs{#2}!%
1929       }{\intcalcAbs{#3}}%
1930     }%
1931 }
1932 \newcommand*{\TestMod}[3]{%
1933   \Test{\intcalcMod{#1}{#2}}{#3}%
1934   \ifcase\ifcase\intcalcSgn{#1} 0%
1935     \or
1936     \ifcase\intcalcSgn{#2} 1%
1937     \or 0%
1938     \else 1%
1939     \fi
1940   \else
1941     \ifcase\intcalcSgn{#2} 1%

```

```

1942      \or 1%
1943      \else 0%
1944      \fi
1945      \fi\relax
1946      \edef\x{%
1947          \noexpand\Test{%
1948              \noexpand\IntCalcMod
1949              \intcalcAbs{#1}!\intcalcAbs{#2}!%
1950          }{\intcalcAbs{#3}}%
1951      }%
1952      \x
1953      \fi
1954 }
1955 
```

### 3.2.2 Time

```

1956 <*test2>
1957 \begingroup\expandafter\expandafter\expandafter\endgroup
1958 \expandafter\ifx\csname pdfreftime\endcsname\relax
1959 \else
1960     \makeatletter
1961     \newcount\SummaryTime
1962     \newcount\TestTime
1963     \SummaryTime=\z@
1964     \newcommand*\PrintTime[2]{%
1965         \typeout{%
1966             [Time #1: \strip@pt\dimexpr\number#2sp\relax\space s]%
1967         }%
1968     }%
1969     \newcommand*\StartTime[1]{%
1970         \renewcommand*\TimeDescription{#1}%
1971         \pdfreftime
1972     }%
1973     \newcommand*\TimeDescription{}%
1974     \newcommand*\StopTime{%
1975         \TestTime=\pdfeclapsedtime
1976         \global\advance\SummaryTime\TestTime
1977         \PrintTime\TimeDescription\TestTime
1978     }%
1979     \let\saved@qstest\qstest
1980     \let\saved@endqstest\endqstest
1981     \def\qstest#1#2{%
1982         \saved@qstest{#1}{#2}%
1983         \StartTime{#1}%
1984     }%
1985     \def\endqstest{%
1986         \StopTime
1987         \saved@endqstest
1988     }%
1989     \AtEndDocument{%
1990         \PrintTime{summary}\SummaryTime
1991     }%
1992     \makeatother
1993 \fi
1994 
```

### 3.2.3 Test 4: additional mod/div operations

```

1995 <*test4>
1996 \newcommand*\TestDo[2]{%
1997     \ifcase\numexpr#2\relax
1998     \else
1999         \edef\temp{\intcalcMod{#1}{#2}}%
2000         \Expect*{%

```

```

2001      \the\numexpr
2002      \intcalcMul{%
2003          \intcalcDiv{\intcalcAbs{#1}}{\intcalcAbs{#2}}\%
2004      }{\intcalcAbs{#2}}\%
2005      +\intcalcMod{\intcalcAbs{#1}}{\intcalcAbs{#2}}\relax
2006      }*\{\the\numexpr\intcalcAbs{#1}\relax\}%
2007  \fi
2008 }
2009 \newcommand*{\TestOne}[2]{%
2010   \TestDo{#1}{#1}%
2011 }
2012 \newcommand*{\TestTwo}[3]{%
2013   \TestDo{#1}{#2}%
2014   \TestDo{#2}{#1}%
2015 }
2016 \let\TestNum\TestOne
2017 \let\TestInv\TestOne
2018 \let\TestAbs\TestOne
2019 \let\TestSgn\TestOne
2020 \let\TestMin\TestTwo
2021 \let\TestMax\TestTwo
2022 \let\TestCmp\TestTwo
2023 \let\TestInc\TestOne
2024 \let\TestDec\TestOne
2025 \let\TestAdd\TestTwo
2026 \let\TestSub\TestTwo
2027 \let\TestShl\TestOne
2028 \let\TestShr\TestOne
2029 \let\TestMul\TestTwo
2030 \let\TestSqr\TestOne
2031 \def\TestFac#1#2{}
2032 \let\TestPow\TestTwo
2033 \let\TestDiv\TestTwo
2034 \let\TestMod\TestTwo
2035 
```

### 3.2.4 Test sets

```

2036 <*test2 | test4>
2037 \makeatletter
2038
2039 \begin{qstest}{num}{num}%
2040   \TestNum{0}{0}%
2041   \TestNum{1}{1}%
2042   \TestNum{-1}{-1}%
2043   \TestNum{10}{10}%
2044   \TestNum{-10}{-10}%
2045   \TestNum{2147483647}{2147483647}%
2046   \TestNum{-2147483647}{-2147483647}%
2047   \TestNum{ 0 }{0}%
2048   \TestNum{ 1 }{1}%
2049   \TestNum{--1}{1}%
2050   \TestNum{ - + - + 4 }{4}%
2051   \TestNum{\z@}{0}%
2052   \TestNum{\@ne}{1}%
2053   \TestNum{\m@ne}{-1}%
2054 <*etex>
2055   \TestNum{-10+30}{20}%
2056   \TestNum{10-30}{-20}%
2057 
```

2058 \end{qstest}

2059

2060 \begin{qstest}{inv}{inv}%

2061 \TestInv{0}{0}%

```

2062  \TestInv{1}{-1}%
2063  \TestInv{-1}{1}%
2064  \TestInv{10}{-10}%
2065  \TestInv{-10}{10}%
2066  \TestInv{2147483647}{-2147483647}%
2067  \TestInv{-2147483647}{2147483647}%
2068  \TestInv{ 0 }{0}%
2069  \TestInv{ 1 }{-1}%
2070  \TestInv{--1}{-1}%
2071  \TestInv{\z@}{0}%
2072  \TestInv{\@ne}{-1}%
2073  \TestInv{\m@ne}{1}%
2074 {*etex}
2075  \TestInv{-10+30}{-20}%
2076  \TestInv{10-30}{20}%
2077 
2078 \end{qstest}
2079
2080 \begin{qstest}{abs}{abs}%
2081  \TestAbs{0}{0}%
2082  \TestAbs{1}{1}%
2083  \TestAbs{-1}{1}%
2084  \TestAbs{10}{10}%
2085  \TestAbs{-10}{10}%
2086  \TestAbs{2147483647}{2147483647}%
2087  \TestAbs{-2147483647}{2147483647}%
2088  \TestAbs{ 0 }{0}%
2089  \TestAbs{ 1 }{1}%
2090  \TestAbs{--1}{1}%
2091  \TestAbs{\z@}{0}%
2092  \TestAbs{\@ne}{1}%
2093  \TestAbs{\m@ne}{1}%
2094 {*etex}
2095  \TestAbs{-10+30}{20}%
2096  \TestAbs{10-30}{20}%
2097 
2098 \end{qstest}
2099
2100 \begin{qstest}{sign}{sign}%
2101  \TestSgn{0}{0}%
2102  \TestSgn{1}{1}%
2103  \TestSgn{-1}{-1}%
2104  \TestSgn{10}{1}%
2105  \TestSgn{-10}{-1}%
2106  \TestSgn{2147483647}{1}%
2107  \TestSgn{-2147483647}{-1}%
2108  \TestSgn{ 0 }{0}%
2109  \TestSgn{ 2 }{1}%
2110  \TestSgn{ -2 }{-1}%
2111  \TestSgn{--2}{1}%
2112  \TestSgn{\z@}{0}%
2113  \TestSgn{\@ne}{1}%
2114  \TestSgn{\m@ne}{-1}%
2115 {*etex}
2116  \TestSgn{-10+30}{1}%
2117  \TestSgn{10-30}{-1}%
2118 
2119 \end{qstest}
2120
2121 \begin{qstest}{min}{min}%
2122  \TestMin{0}{1}{0}%
2123  \TestMin{1}{0}{0}%

```

```

2124  \TestMin{-10}{-20}{-20}%
2125  \TestMin{ 1 }{ 2 }{1}%
2126  \TestMin{ 2 }{ 1 }{1}%
2127  \TestMin{1}{1}{1}%
2128  \TestMin{\z@}{\One}{0}%
2129  \TestMin{\One}{\m@ne}{-1}%
2130 <*etex>
2131  \TestMin{1+2}{3+4}{3}%
2132 </etex>
2133 \end{qstest}
2134
2135 \begin{qstest}{max}{max}%
2136  \TestMax{0}{1}{1}%
2137  \TestMax{1}{0}{1}%
2138  \TestMax{-10}{-20}{-10}%
2139  \TestMax{ 1 }{ 2 }{2}%
2140  \TestMax{ 2 }{ 1 }{2}%
2141  \TestMax{1}{1}{1}%
2142  \TestMax{\z@}{\One}{1}%
2143  \TestMax{\One}{\m@ne}{1}%
2144 <*etex>
2145  \TestMax{1+2}{3+4}{7}%
2146 </etex>
2147 \end{qstest}
2148
2149 \begin{qstest}{cmp}{cmp}%
2150  \TestCmp{0}{0}{0}%
2151  \TestCmp{-21}{17}{-1}%
2152  \TestCmp{3}{4}{-1}%
2153  \TestCmp{-10}{-10}{0}%
2154  \TestCmp{-10}{-11}{1}%
2155  \TestCmp{100}{5}{1}%
2156  \TestCmp{2147483647}{-2147483647}{1}%
2157  \TestCmp{-2147483647}{2147483647}{-1}%
2158  \TestCmp{2147483647}{2147483647}{0}%
2159  \TestCmp{\z@}{\One}{-1}%
2160  \TestCmp{\One}{\m@ne}{1}%
2161  \TestCmp{ 4 }{ 5 }{-1}%
2162  \TestCmp{ -3 }{ -7 }{1}%
2163 <*etex>
2164  \TestCmp{1+2}{3+4}{-1}%
2165 </etex>
2166 \end{qstest}
2167
2168 \begin{qstest}{fac}{fac}
2169  \TestFac{0}{1}%
2170  \TestFac{1}{1}%
2171  \TestFac{2}{2}%
2172  \TestFac{3}{2*3}%
2173  \TestFac{4}{2*3*4}%
2174  \TestFac{5}{2*3*4*5}%
2175  \TestFac{6}{2*3*4*5*6}%
2176  \TestFac{7}{2*3*4*5*6*7}%
2177  \TestFac{8}{2*3*4*5*6*7*8}%
2178  \TestFac{9}{2*3*4*5*6*7*8*9}%
2179  \TestFac{10}{2*3*4*5*6*7*8*9*10}%
2180  \TestFac{11}{2*3*4*5*6*7*8*9*10*11}%
2181  \TestFac{12}{2*3*4*5*6*7*8*9*10*11*12}%
2182 \end{qstest}
2183
2184 \begin{qstest}{inc}{inc}%
2185  \TestInc{0}{1}%

```

```

2186  \TestInc{1}{2}%
2187  \TestInc{-1}{0}%
2188  \TestInc{10}{11}%
2189  \TestInc{-10}{-9}%
2190  \TestInc{999}{1000}%
2191  \TestInc{-1000}{-999}%
2192  \TestInc{129}{130}%
2193  \TestInc{2147483646}{2147483647}%
2194  \TestInc{-2147483647}{-2147483646}%
2195 \end{qstest}
2196
2197 \begin{qstest}{dec}{dec}%
2198  \TestDec{0}{-1}%
2199  \TestDec{1}{0}%
2200  \TestDec{-1}{-2}%
2201  \TestDec{10}{9}%
2202  \TestDec{-10}{-11}%
2203  \TestDec{1000}{999}%
2204  \TestDec{-999}{-1000}%
2205  \TestDec{130}{129}%
2206  \TestDec{2147483647}{2147483646}%
2207  \TestDec{-2147483646}{-2147483647}%
2208 \end{qstest}
2209
2210 \begin{qstest}{add}{add}%
2211  \TestAdd{0}{0}{0}%
2212  \TestAdd{1}{0}{1}%
2213  \TestAdd{0}{1}{1}%
2214  \TestAdd{1}{2}{3}%
2215  \TestAdd{-1}{-1}{-2}%
2216  \TestAdd{2147483646}{1}{2147483647}%
2217  \TestAdd{-2147483647}{2147483647}{0}%
2218  \TestAdd{20}{-5}{15}%
2219  \TestAdd{-4}{-1}{-5}%
2220  \TestAdd{-1}{-4}{-5}%
2221  \TestAdd{-4}{1}{-3}%
2222  \TestAdd{-1}{4}{3}%
2223  \TestAdd{4}{-1}{3}%
2224  \TestAdd{1}{-4}{-3}%
2225  \TestAdd{-4}{-1}{-5}%
2226  \TestAdd{-1}{-4}{-5}%
2227  \TestAdd{ -4 }{ -1 }{ -5 }%
2228  \TestAdd{ -1 }{ -4 }{ -5 }%
2229  \TestAdd{ -4 }{ 1 }{ -3 }%
2230  \TestAdd{ -1 }{ 4 }{ 3 }%
2231  \TestAdd{ 4 }{ -1 }{ 3 }%
2232  \TestAdd{ 1 }{ -4 }{ -3 }%
2233  \TestAdd{ -4 }{ -1 }{ -5 }%
2234  \TestAdd{ -1 }{ -4 }{ -5 }%
2235  \TestAdd{876543210}{111111111}{987654321}%
2236  \TestAdd{999999999}{2}{1000000001}%
2237 <*etex>
2238  \TestAdd{100}{50+150}{300}%
2239  \TestAdd{2147483647}{10-2147483647}{10}%
2240 </etex>
2241 \end{qstest}
2242
2243 \begin{qstest}{sub}{sub}
2244  \TestSub{0}{0}{0}%
2245  \TestSub{1}{0}{1}%
2246  \TestSub{1}{2}{-1}%
2247  \TestSub{-1}{-1}{0}%

```

```

2248 \TestSub{2147483646}{-1}{2147483647}%
2249 \TestSub{-2147483647}{-2147483647}{0}%
2250 \TestSub{-4}{-1}{-3}%
2251 \TestSub{-1}{-4}{3}%
2252 \TestSub{-4}{1}{-5}%
2253 \TestSub{-1}{4}{-5}%
2254 \TestSub{4}{-1}{5}%
2255 \TestSub{1}{-4}{5}%
2256 \TestSub{-4}{-1}{-3}%
2257 \TestSub{-1}{-4}{3}%
2258 \TestSub{ -4 }{ -1 }{ -3 }%
2259 \TestSub{ -1 }{ -4 }{ 3 }%
2260 \TestSub{ -4 }{ 1 }{ -5 }%
2261 \TestSub{ -1 }{ 4 }{ -5 }%
2262 \TestSub{ 4 }{ -1 }{ 5 }%
2263 \TestSub{ 1 }{ -4 }{ 5 }%
2264 \TestSub{ -4 }{ -1 }{ -3 }%
2265 \TestSub{ -1 }{ -4 }{ 3 }%
2266 \TestSub{1000000000}{2}{999999998}%
2267 \TestSub{987654321}{111111111}{876543210}%
2268 <*etex>
2269 \TestSub{100}{50+150}{-100}%
2270 \TestSub{2147483647}{-10+2147483647}{10}%
2271 </etex>
2272 \end{qstest}
2273
2274 \begin{qstest}{shl}{shl}
2275 \TestShl{0}{0}%
2276 \TestShl{1}{2}%
2277 \TestShl{5621}{11242}%
2278 \TestShl{1073741823}{2147483646}%
2279 \TestShl{-1}{-2}%
2280 \TestShl{-5621}{-11242}%
2281 \end{qstest}
2282
2283 \begin{qstest}{shr}{shr}
2284 \TestShr{0}{0}%
2285 \TestShr{1}{0}%
2286 \TestShr{2}{1}%
2287 \TestShr{3}{1}%
2288 \TestShr{4}{2}%
2289 \TestShr{5}{2}%
2290 \TestShr{6}{3}%
2291 \TestShr{7}{3}%
2292 \TestShr{8}{4}%
2293 \TestShr{9}{4}%
2294 \TestShr{10}{5}%
2295 \TestShr{11}{5}%
2296 \TestShr{12}{6}%
2297 \TestShr{13}{6}%
2298 \TestShr{14}{7}%
2299 \TestShr{15}{7}%
2300 \TestShr{16}{8}%
2301 \TestShr{17}{8}%
2302 \TestShr{18}{9}%
2303 \TestShr{19}{9}%
2304 \TestShr{20}{10}%
2305 \TestShr{21}{10}%
2306 \TestShr{22}{11}%
2307 \TestShr{11241}{5620}%
2308 \TestShr{73054202}{36527101}%
2309 \TestShr{2147483646}{1073741823}%

```

```

2310  \TestShr{-1}{0}%
2311  \TestShr{-2}{-1}%
2312  \TestShr{-3}{-1}%
2313  \TestShr{-11241}{-5620}%
2314 \end{qstest}
2315
2316 \begin{qstest}{mul}{mul}
2317  \TestMul{0}{0}{0}%
2318  \TestMul{1}{0}{0}%
2319  \TestMul{0}{1}{0}%
2320  \TestMul{1}{1}{1}%
2321  \TestMul{3}{1}{3}%
2322  \TestMul{1}{-3}{-3}%
2323  \TestMul{-4}{-5}{20}%
2324  \TestMul{3}{7}{21}%
2325  \TestMul{7}{3}{21}%
2326  \TestMul{3}{-7}{-21}%
2327  \TestMul{7}{-3}{-21}%
2328  \TestMul{-3}{7}{-21}%
2329  \TestMul{-7}{3}{-21}%
2330  \TestMul{-3}{-7}{21}%
2331  \TestMul{-7}{-3}{21}%
2332  \TestMul{12}{11}{132}%
2333  \TestMul{999}{333}{332667}%
2334  \TestMul{1000}{4321}{4321000}%
2335  \TestMul{12345}{173955}{2147474475}%
2336  \TestMul{1073741823}{2}{2147483646}%
2337  \TestMul{2}{1073741823}{2147483646}%
2338  \TestMul{-1073741823}{2}{-2147483646}%
2339  \TestMul{2}{-1073741823}{-2147483646}%
2340 <*etex>
2341  \TestMul{2+3}{5+7}{60}%
2342  \TestMul{2147483647}{2147483647/2147483647}{2147483647}%
2343 </etex>
2344 \end{qstest}
2345
2346 \begin{qstest}{sqr}{sqr}
2347  \TestSqr{0}{0}%
2348  \TestSqr{1}{1}%
2349  \TestSqr{2}{4}%
2350  \TestSqr{3}{9}%
2351  \TestSqr{4}{16}%
2352  \TestSqr{9}{81}%
2353  \TestSqr{10}{100}%
2354  \TestSqr{46340}{2147395600}%
2355  \TestSqr{-1}{1}%
2356  \TestSqr{-2}{4}%
2357  \TestSqr{-46340}{2147395600}%
2358 \end{qstest}
2359
2360 \begin{qstest}{pow}{pow}
2361  \TestPow{-2}{0}{1}%
2362  \TestPow{-1}{0}{1}%
2363  \TestPow{0}{0}{1}%
2364  \TestPow{1}{0}{1}%
2365  \TestPow{2}{0}{1}%
2366  \TestPow{3}{0}{1}%
2367  \TestPow{-2}{1}{-2}%
2368  \TestPow{-1}{1}{-1}%
2369  \TestPow{1}{1}{1}%
2370  \TestPow{2}{1}{2}%
2371  \TestPow{3}{1}{3}%

```

```

2372 \TestPow{-2}{2}{4}%
2373 \TestPow{-1}{2}{1}%
2374 \TestPow{0}{2}{0}%
2375 \TestPow{1}{2}{1}%
2376 \TestPow{2}{2}{4}%
2377 \TestPow{3}{2}{9}%
2378 \TestPow{0}{1}{0}%
2379 \TestPow{1}{-2}{1}%
2380 \TestPow{1}{-1}{1}%
2381 \TestPow{-1}{-2}{1}%
2382 \TestPow{-1}{-1}{-1}%
2383 \TestPow{-1}{3}{-1}%
2384 \TestPow{-1}{4}{1}%
2385 \TestPow{-2}{-1}{0}%
2386 \TestPow{-2}{-2}{0}%
2387 \TestPow{2}{3}{8}%
2388 \TestPow{2}{4}{16}%
2389 \TestPow{2}{5}{32}%
2390 \TestPow{2}{6}{64}%
2391 \TestPow{2}{7}{128}%
2392 \TestPow{2}{8}{256}%
2393 \TestPow{2}{9}{512}%
2394 \TestPow{2}{10}{1024}%
2395 \TestPow{-2}{3}{-8}%
2396 \TestPow{-2}{4}{16}%
2397 \TestPow{-2}{5}{-32}%
2398 \TestPow{-2}{6}{64}%
2399 \TestPow{-2}{7}{-128}%
2400 \TestPow{-2}{8}{256}%
2401 \TestPow{-2}{9}{-512}%
2402 \TestPow{-2}{10}{1024}%
2403 \TestPow{3}{3}{27}%
2404 \TestPow{3}{4}{81}%
2405 \TestPow{3}{5}{243}%
2406 \TestPow{-3}{3}{-27}%
2407 \TestPow{-3}{4}{81}%
2408 \TestPow{-3}{5}{-243}%
2409 \TestPow{2}{30}{1073741824}%
2410 \TestPow{-3}{19}{-1162261467}%
2411 \TestPow{5}{13}{1220703125}%
2412 \TestPow{-7}{11}{-1977326743}%
2413 \end{qstest}
2414
2415 \begin{qstest}{div}{div}
2416 \TestDiv{1}{1}{1}%
2417 \TestDiv{2}{1}{2}%
2418 \TestDiv{-2}{1}{-2}%
2419 \TestDiv{2}{-1}{-2}%
2420 \TestDiv{-2}{-1}{2}%
2421 \TestDiv{15}{2}{7}%
2422 \TestDiv{-16}{2}{-8}%
2423 \TestDiv{1}{2}{0}%
2424 \TestDiv{1}{3}{0}%
2425 \TestDiv{2}{3}{0}%
2426 \TestDiv{-2}{3}{0}%
2427 \TestDiv{2}{-3}{0}%
2428 \TestDiv{-2}{-3}{0}%
2429 \TestDiv{13}{3}{4}%
2430 \TestDiv{-13}{-3}{4}%
2431 \TestDiv{-13}{3}{-4}%
2432 \TestDiv{-6}{5}{-1}%
2433 \TestDiv{-5}{5}{-1}%

```

```

2434 \TestDiv{-4}{5}{0}%
2435 \TestDiv{-3}{5}{0}%
2436 \TestDiv{-2}{5}{0}%
2437 \TestDiv{-1}{5}{0}%
2438 \TestDiv{0}{5}{0}%
2439 \TestDiv{1}{5}{0}%
2440 \TestDiv{2}{5}{0}%
2441 \TestDiv{3}{5}{0}%
2442 \TestDiv{4}{5}{0}%
2443 \TestDiv{5}{5}{1}%
2444 \TestDiv{6}{5}{1}%
2445 \TestDiv{-5}{4}{-1}%
2446 \TestDiv{-4}{4}{-1}%
2447 \TestDiv{-3}{4}{0}%
2448 \TestDiv{-2}{4}{0}%
2449 \TestDiv{-1}{4}{0}%
2450 \TestDiv{0}{4}{0}%
2451 \TestDiv{1}{4}{0}%
2452 \TestDiv{2}{4}{0}%
2453 \TestDiv{3}{4}{0}%
2454 \TestDiv{4}{4}{1}%
2455 \TestDiv{5}{4}{1}%
2456 \TestDiv{12345}{678}{18}%
2457 \TestDiv{32372}{5952}{5}%
2458 \TestDiv{284271294}{18162}{15651}%
2459 \TestDiv{217652429}{12561}{17327}%
2460 \TestDiv{462028434}{5439}{84947}%
2461 \TestDiv{2147483647}{1000}{2147483}%
2462 \TestDiv{2147483647}{-1000}{-2147483}%
2463 \TestDiv{-2147483647}{1000}{-2147483}%
2464 \TestDiv{-2147483647}{-1000}{2147483}%
2465 \end{qstest}
2466
2467 \begin{qstest}{mod}{mod}
2468 \TestMod{-6}{5}{4}%
2469 \TestMod{-5}{5}{0}%
2470 \TestMod{-4}{5}{1}%
2471 \TestMod{-3}{5}{2}%
2472 \TestMod{-2}{5}{3}%
2473 \TestMod{-1}{5}{4}%
2474 \TestMod{0}{5}{0}%
2475 \TestMod{1}{5}{1}%
2476 \TestMod{2}{5}{2}%
2477 \TestMod{3}{5}{3}%
2478 \TestMod{4}{5}{4}%
2479 \TestMod{5}{5}{0}%
2480 \TestMod{6}{5}{1}%
2481 \TestMod{-5}{4}{3}%
2482 \TestMod{-4}{4}{0}%
2483 \TestMod{-3}{4}{1}%
2484 \TestMod{-2}{4}{2}%
2485 \TestMod{-1}{4}{3}%
2486 \TestMod{0}{4}{0}%
2487 \TestMod{1}{4}{1}%
2488 \TestMod{2}{4}{2}%
2489 \TestMod{3}{4}{3}%
2490 \TestMod{4}{4}{0}%
2491 \TestMod{5}{4}{1}%
2492 \TestMod{-6}{-5}{-1}%
2493 \TestMod{-5}{-5}{0}%
2494 \TestMod{-4}{-5}{-4}%
2495 \TestMod{-3}{-5}{-3}%

```

```

2496  \TestMod{-2}{-5}{-2}%
2497  \TestMod{-1}{-5}{-1}%
2498  \TestMod{0}{-5}{0}%
2499  \TestMod{1}{-5}{-4}%
2500  \TestMod{2}{-5}{-3}%
2501  \TestMod{3}{-5}{-2}%
2502  \TestMod{4}{-5}{-1}%
2503  \TestMod{5}{-5}{0}%
2504  \TestMod{6}{-5}{-4}%
2505  \TestMod{-5}{-4}{-1}%
2506  \TestMod{-4}{-4}{0}%
2507  \TestMod{-3}{-4}{-3}%
2508  \TestMod{-2}{-4}{-2}%
2509  \TestMod{-1}{-4}{-1}%
2510  \TestMod{0}{-4}{0}%
2511  \TestMod{1}{-4}{-3}%
2512  \TestMod{2}{-4}{-2}%
2513  \TestMod{3}{-4}{-1}%
2514  \TestMod{4}{-4}{0}%
2515  \TestMod{5}{-4}{-3}%
2516  \TestMod{2147483647}{1000}{647}%
2517  \TestMod{2147483647}{-1000}{-353}%
2518  \TestMod{-2147483647}{1000}{353}%
2519  \TestMod{-2147483647}{-1000}{-647}%
2520  \TestMod{ 0 }{ 4 }{0}%
2521  \TestMod{ 1 }{ 4 }{1}%
2522  \TestMod{ -1 }{ 4 }{3}%
2523  \TestMod{ 0 }{ -4 }{0}%
2524  \TestMod{ 1 }{ -4 }{-3}%
2525  \TestMod{ -1 }{ -4 }{-1}%
2526 {*etex}
2527  \TestMod{1+2}{1+3}{3}%
2528  \TestMod{1-2}{1+3}{3}%
2529  \TestMod{1-2}{1-4}{-1}%
2530  \TestMod{1+2}{1-4}{0}%
2531  \TestMod{1+2}{1-5}{-1}%
2532 
```

```

2533 \end{qstest}
2534 </test2 | test4>
2535
2536 {*test2}
2537 \newcommand*\{\TestError}[2]{%
2538   \begingroup
2539     \expandafter\def\csname IntCalcError:#1\endcsname{}%
2540     \Expect*{#2}{0}%
2541     \expandafter\def\csname IntCalcError:#1\endcsname{ERROR}%
2542     \Expect*{#2}{0ERROR }%
2543   \endgroup
2544 }
2545 \begin{qstest}{error}{error}
2546  \TestError{FacNegative}{\intcalcFac{-1}}%
2547  \TestError{FacNegative}{\intcalcFac{-2147483647}}%
2548  \TestError{FacOverflow}{\intcalcFac{13}}%
2549  \TestError{FacOverflow}{\intcalcFac{2147483647}}%
2550  \TestError{DivisionByZero}{\intcalcPow{0}{-1}}%
2551  \TestError{DivisionByZero}{\intcalcDiv{1}{0}}%
2552  \TestError{DivisionByZero}{\intcalcMod{1}{0}}%
2553  \TestError{DivisionByZero}{\IntCalcDiv1!0!}%
2554  \TestError{DivisionByZero}{\IntCalcMod1!0!}%
2555 \end{qstest}
2556 </test2>
2557

```

```

2558 {*test2 | test4}
2559 \begin{document}
2560 \end{document}
2561 
```

## 4 Installation

### 4.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/intcalc.dtx](http://CTAN:macros/latex/contrib/oberdiek/intcalc.dtx) The source file.

[CTAN:macros/latex/contrib/oberdiek/intcalc.pdf](http://CTAN:macros/latex/contrib/oberdiek/intcalc.pdf) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:macros/latex/contrib/oberdiek/oberdiek-tds.zip](http://CTAN:macros/latex/contrib/oberdiek/oberdiek-tds.zip)

TDS refers to the standard “A Directory Structure for T<sub>E</sub>X Files” ([CTAN:tds/tds.pdf](http://CTAN:tds/tds.pdf)). Directories with `texmf` in their name are usually organized this way.

### 4.2 Bundle installation

**Unpacking.** Unpack the `oberdiek-tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek-tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDSScripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 4.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T<sub>E</sub>X:

```
tex intcalc.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>intcalc.sty</code>	→ <code>tex/generic/oberdiek/intcalc.sty</code>
<code>intcalc.pdf</code>	→ <code>doc/latex/oberdiek/intcalc.pdf</code>
<code>test/intcalc-test1.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test1.tex</code>
<code>test/intcalc-test2.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test2.tex</code>
<code>test/intcalc-test3.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test3.tex</code>
<code>test/intcalc-test4.tex</code>	→ <code>doc/latex/oberdiek/test/intcalc-test4.tex</code>
<code>intcalc.dtx</code>	→ <code>source/latex/oberdiek/intcalc.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

---

<sup>1</sup>[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

## 4.4 Refresh file name databases

If your TeX distribution (teTeX, mikTeX, ...) relies on file name databases, you must refresh these. For example, teTeX users run `texhash` or `mktexlsr`.

## 4.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk intcalc.pdf unpack_files output .
```

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain-T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{intcalc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex intcalc.dtx
makeindex -s gind.ist intcalc.idx
pdflatex intcalc.dtx
makeindex -s gind.ist intcalc.idx
pdflatex intcalc.dtx
```

## 5 History

[2007/09/09 v1.0]

- First version.

[2007/09/27 v1.1]

- `\intcalcNum` added.
- `\intcalcShl` and `\intcalcShr` allow negative numbers. The sign is preserved.
- Reuse `\@gobble` instead of own macro `\IntCalc@Gobble`.
- Small fixes.
- Shorter internal prefix.
- Some programmer's interface.

## 6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\# . . . . .	1677, 1736
\% . . . . .	1739
\@ . . . . .	1678, 1732
\@ReturnAfterElseFi . . . . .	644, 655, 667, 679, 1039, 1472, 1525, 1540, 1564, <u>1671</u>
\@ReturnAfterFi . . . . .	648, 659, 671, 683, 694, 705, 993, 1037, 1091, 1224, 1476, 1531, 1546, 1568, 1575, 1579, <u>1670</u>
\@firstofone . . . . .	1686, 1689
\@gobble 585, 588, 593, 596, 603, 606, 1244, 1247, 1252, 1255, 1263, 1265, 1436, 1439, 1445, 1557, 1619, 1621, 1661, <u>1667</u> , 1683, 1691	
\@ne 294, 1375, 2052, 2072, 2092, 2113, 2128, 2129, 2142, 2143, 2159, 2160	
\[ . . . . .	1737
\\" . . . . .	1733
\{ . . . . .	1675, 1734
\} . . . . .	1676, 1735
\] . . . . .	1738
\_ . . . . .	1740
<b>A</b>	
\advance . . . . .	1716, 1724, 1976
\AtEndDocument . . . . .	1989
<b>B</b>	
\begin{ 2039, 2060, 2080, 2100, 2121, 2135, 2149, 2168, 2184, 2197, 2210, 2243, 2274, 2283, 2316, 2346, 2360, 2415, 2467, 2545, 2559	
\body . . . . .	1695, 1699
<b>C</b>	
\catcode . . . . .	3, 4, 5, 6, 7, 18, 19, 20, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 62, 63, 66, 67, 68, 69, 73, 74, 75, 76, 80, 82, 99, 1675, 1676, 1677, 1678, 1713, 1722, 1732, 1733, 1734, 1735, 1736, 1737, 1738, 1739, 1740, 1741
\chardef . . . . .	1756
\count@ . . . . .	1680, 1709, 1713, 1715, 1716, 1720, 1722, 1723, 1724
\countdef . . . . .	1680
\csname 8, 21, 45, 58, 65, 97, 167, 465, 468, 478, 484, 490, 493, 497, 499, 504, 523, 533, 535, 540, 559, 666, 678, 690, 693, 701, 704, 711, 729, 737, 849, 976, 979, 985, 990, 992, 998, 1002, 1079, 1088, 1090, 1097, 1111,	
<b>D</b>	
\dimexpr . . . . .	1966
\divide . . . . .	1795
\documentclass . . . . .	1752
<b>E</b>	
\empty . . . . .	12
\end . . . . .	1747, 2058, 2078, 2098, 2119, 2133, 2147, 2166, 2182, 2195, 2208, 2241, 2272, 2281, 2314, 2344, 2358, 2413, 2465, 2533, 2555, 2560
\endcsname . . . . .	8, 21, 45, 58, 65, 97, 167, 497, 504, 505, 523, 524, 533, 540, 541, 559, 560, 690, 701, 711, 713, 715, 729, 731, 733, 737, 739, 741, 849, 851, 853, 990, 998, 999, 1002, 1003, 1088, 1097, 1098, 1111, 1112, 1115, 1117, 1119, 1123, 1222, 1231, <u>1667</u> , 1679, 1682, 1685, 1688, 1746, 1958, 2539, 2541
\endinput . . . . .	30, 432
\endqstest . . . . .	1980, 1985
\Expect . . . . .	1771, <u>1778</u> , 1787, 1796, 2000, 2540, 2542
<b>I</b>	
\if . . . . .	407, 408, 416
\ifcase . . . . .	9, 145, 263, 270, 316, 319, 343, 346, 366, 369, 393, 396, 425, 507, 525, 543, 561, 629, 712, 743, 855, 1004, 1049, 1074, 1116, 1126, 1280, 1333, 1344, 1404, 1407, 1419, 1422, 1453, 1596, 1605, 1608, 1636, 1639, 1642, 1934, 1936, 1941, 1997
\ifnum . . . . .	121, 128, 135, 138, 159, 278, 294, 324, 331, 374, 381, 580, 581, 583, 591, 600, 601, 609, 636, 730, 738, 850, 1221, 1240, 1241, 1242, 1251, 1259, 1261, 1268, 1288, 1352, 1375, 1376, 1387, 1433, 1434, 1442, 1452, 1463, 1506, 1513, 1523, 1524, 1539, 1562, 1599, 1615, 1659, 1715, 1723, 1827, 1838, 1849, 1850, 1851, 1873, 1874, 1875
\ifodd . . . . .	229, 235, 279, 297, 1038, 1353, 1362, 1386, 1613, 1647
\ifx . . . . .	10, 12, 21, 45, 53, 97, 103, 110, 113, 167, 232, 272, 284, 463, 476,

481, 496, 532, 643, 654, 665,  
 677, 689, 700, 975, 989, 1024,  
 1035, 1087, 1296, 1301, 1318,  
 1338, 1346, 1358, 1361, 1471,  
 1508, 1515, 1556, 1565, 1576,  
 1667, 1679, 1682, 1685, 1688, 1958  
 \immediate ..... 23, 47  
 \InCa@Add ..... 645, 664  
 \InCa@Sub ..... 656, 676  
 \InCa@Add ..... 632, 642  
 \InCa@Div .....  
     . 322, 356, 409, 412, 418, 420,  
     1425, 1435, 1439, 1444, 1447, 1451  
 \InCa@Mod ..... 372, 406  
 \InCa@ProcessDiv .....  
     . 1526, 1532, 1541, 1547, 1561  
 \InCa@Sub ..... 639, 653  
 \InCa@TestMode ..... 101  
 \InCa@TimDigitCarry ..... 1225, 1229  
 \InCa@Abs ..... 102, 176, 442  
 \InCa@Add ..... 584, 587,  
     610, 612, 618, 628, 1297, 1307, 1498  
 \InCa@AddDigit0 ..... 729  
 \InCa@AddDigit[1-9] ..... 736  
 \InCa@AddSwitch ..... 569, 575, 579  
 \InCa@AtEnd ..... 78, 79, 431, 1672  
 \InCa@CleanupIV ..... 1566, 1577, 1589  
 \InCa@Cmp ..... 134, 192, 456  
 \InCa@Dec ..... 466, 485, 493, 531  
 \InCa@DecDigit0 ..... 559  
 \InCa@DecDigit[1-9] ..... 539  
 \InCa@DecSwitch ..... 473, 475  
 \InCa@DigitCarry[0-9] ..... 710  
 \InCa@Div ..... 311,  
     315, 1399, 1403, 1621, 1626, 1650  
 \InCa@DivStart ..... 1460, 1470  
 \InCa@DivStartI ..... 1473, 1481  
 \InCa@DivStartII ..... 1482, 1487  
 \InCa@DivStartIII ..... 1488, 1493  
 \InCa@DivStartIV ..... 1494, 1501  
 \InCa@DivSwitch ..... 1410, 1432  
 \InCa@Empty ..... 643, 654,  
     665, 677, 689, 700, 1296, 1301, 1666  
 \InCa@Fac ..... 144, 255, 1325  
 \InCa@FirstOfOne ..... 435, 438, 440  
 \InCa@Inc ..... 469, 479, 490, 495  
 \InCa@IncDigit9 ..... 523  
 \InCa@IncDigit[0-8] ..... 503  
 \InCa@IncSwitch ..... 460, 462  
 \InCa@Max ..... 127, 187, 452  
 \InCa@Min ..... 120, 182, 448  
 \InCa@Mod .. 361, 365, 1591, 1595, 1601  
 \InCa@ModShift ..... 1616, 1658  
 \InCa@ModX ..... 411, 417, 424  
 \InCa@Mul .. 1243, 1246, 1252, 1254,  
     1262, 1265, 1269, 1271, 1277,  
     1279, 1295, 1319, 1321, 1339,  
     1341, 1377, 1379, 1383, 1388, 1390  
 \InCa@MulSwitch ..... 1235, 1239  
 \InCa@Param[0-9] ..... 1096  
 \InCa@Pow ..... 258, 262, 1328, 1332  
 \InCa@PowRec 287, 293, 1365, 1367, 1374  
 \InCa@ProcessAdd ..... 668, 688  
 \InCa@ProcessDiv 1502, 1504, 1569, 1580  
 \InCa@ProcessMul 1291, 1295, 1302, 1306  
 \InCa@ProcessSub ..... 680, 699  
 \InCa@ProcessTim ..... 1080, 1086  
 \InCa@Sgn ..... 109, 179, 445  
 \InCa@Shl 977, 980, 986, 988, 994, 1286  
 \InCa@ShlDigit0 ..... 998  
 \InCa@ShlDigit[1-9] ..... 1001  
 \InCa@ShlSwitch ..... 972, 974  
 \InCa@Shr ..... 223,  
     231, 1025, 1027, 1031, 1033, 1458  
 \InCa@ShrDigit ..... 1034, 1048  
 \InCa@ShrSwitch ..... 1021, 1023  
 \InCa@Space ..... 623, 632, 639  
 \InCa@Sqr ..... 249, 251, 1315, 1317  
 \InCa@StartI ..... 1481  
 \InCa@StartII ..... 1487  
 \InCa@StartIII ..... 1493  
 \InCa@StartIV ..... 1501  
 \InCa@Sub .. 593, 595, 602, 606, 621,  
     635, 1518, 1527, 1533, 1542,  
     1548, 1581, 1618, 1625, 1649, 1660  
 \InCa@SubDigit[0-9] ..... 848  
 \InCa@Temp ..... 340, 355,  
     390, 405, 503, 514, 515, 516,  
     517, 518, 519, 520, 521, 522,  
     539, 550, 551, 552, 553, 554,  
     555, 556, 557, 558, 710, 719,  
     720, 721, 722, 723, 724, 725,  
     726, 727, 728, 736, 749, 760,  
     771, 782, 793, 804, 815, 826,  
     837, 848, 861, 872, 883, 894,  
     905, 916, 927, 938, 949, 960,  
     1001, 1011, 1012, 1013, 1014,  
     1015, 1016, 1017, 1018, 1019,  
     1071, 1085, 1096, 1101, 1102,  
     1103, 1104, 1105, 1106, 1107,  
     1108, 1109, 1110, 1122, 1132,  
     1143, 1154, 1165, 1176, 1187,  
     1198, 1209, 1416, 1431, 1633, 1657  
 \InCa@TestMode ..... 101, 1756  
 \InCa@Tim 1071, 1289, 1299, 1303, 1309  
 \InCa@TimDigit0 ..... 1111  
 \InCa@TimDigit1 ..... 1115  
 \InCa@TimDigit[2-9] ..... 1122  
 \InCa@TimDigitCarry ..... 1124, 1220  
 \IncludeTests ..... 1761  
 \input ..... 1742  
 \IntCalc@ShlDigit ..... 988  
 \intcalc@Mod ..... 1595  
 \intcalc@Abs ..... 4, 175,  
     441, 1811, 1891, 1892, 1900,  
     1901, 1909, 1910, 1928, 1929,  
     1949, 1950, 2003, 2004, 2005, 2006  
 \IntCalcAdd .. 7, 213, 617, 1854, 1862  
 \intcalcAdd ..... 5, 207, 567, 1848  
 \intcalcCmp 4, 191, 455, 1823, 1851, 1875  
 \IntCalcDec ..... 7, 204, 492, 1841  
 \intcalcDec ..... 5, 198, 472, 1837  
 \IntCalcDiv .. 7, 340, 1416, 1928, 2553

\intcalcDiv . . . . .	6, 310, 1398, 1796, 1924, 2003, 2551	577, 584, 587, 595, 602, 618, 621, 972, 984, 1021, 1031, 1073, 1125, 1234, 1236, 1237, 1243, 1246, 1254, 1262, 1277, 1297, 1306, 1307, 1315, 1325, 1328, 1329, 1330, 1383, 1384, 1385, 1399, 1400, 1401, 1411, 1412, 1418, 1435, 1444, 1483, 1489, 1490, 1495, 1496, 1497, 1498, 1518, 1527, 1533, 1542, 1548, 1581, 1591, 1592, 1593, 1602, 1603, 1617, 1619, 1620, 1625, 1626, 1635, 1649, 1650, 1660, 1966	
\IntCalcError . . . . .	160, 162, 273, 317, 344, 367, 394, 1347, 1405, 1420, 1454, 1597, 1609, 1637, 1643	\numexpr . . . . .	170, 176, 179, 183, 184, 188, 189, 193, 196, 199, 202, 205, 208, 211, 214, 217, 220, 223, 226, 229, 236, 238, 243, 246, 249, 252, 255, 259, 260, 268, 295, 299, 300, 301, 304, 305, 312, 313, 349, 358, 362, 363, 399, 409, 412, 418, 420, 428, 1753, 1754, 1759, 1766, 1767, 1770, 1774, 1775, 1777, 1783, 1791, 1918, 1997, 2001, 2006
\intcalcFac . . . . .	6, 254, 1324, 1918, 2546, 2547, 2548, 2549	P	
\IntCalcInc . . . . .	7, 201, 489, 1830	\PackageInfo . . . . .	26
\intcalcInc . . . . .	5, 195, 459, 1826	\pdfelapsedtime . . . . .	1975
\intcalcInv . . . . .	4, 172, 437, 1805	\pdfresettimer . . . . .	1971
\intcalcMax . . . . .	4, 186, 451, 1820	\PrintTime . . . . .	1964, 1977, 1990
\intcalcMin . . . . .	4, 181, 447, 1817	\ProvidesPackage . . . . .	59
\IntCalcMod . . . . .	7, 390, 1633, 1948, 2554	Q	
\intcalcMod . . . . .	6, 360, 1590, 1933, 1999, 2005, 2552	\qstest . . . . .	1979, 1981
\IntCalcMul . . . . .	7, 245, 1276, 1909	R	
\intcalcMul . . . . .	5, 242, 1233, 1620, 1626, 1650, 1906, 2002	\RangeCatcodeInvalid . . . . .	
\intcalcNum . . . . .	3, 169, 173, 434, 1808, 1827, 1830, 1838, 1841, 1849, 1850, 1855, 1863, 1873, 1874, 1879	....	1719, 1728, 1729, 1730, 1731
\intcalcPow . . . . .	6, 257, 1327, 1921, 2550	\renewcommand . . . . .	1970
\intcalcSgn . . . . .	4, 178, 444, 1814, 1934, 1936, 1941	\repeat . . . . .	1694, 1706, 1717, 1725
\IntCalcShl . . . . .	7, 225, 983, 1891	\RestoreCatcodes . . . . .	1708, 1711, 1712, 1743
\intcalcShl . . . . .	5, 219, 971, 1484, 1491, 1499, 1888	\result . . . . .	1776, 1778
\IntCalcShr . . . . .	7, 228, 1030, 1900	\resultA . . . . .	1768, 1771
\intcalcShr . . . . .	5, 222, 1020, 1384, 1897	\resultB . . . . .	1769, 1771
\intcalcSqr . . . . .	6, 248, 1314, 1915	\romannumeral . . . . .	
\IntCalcSub . . . . .	7, 216, 620, 1878	....	323, 330, 373, 380, 691, 702
\intcalcSub . . . . .	5, 210, 573, 1872	S	
\iterate . . . . .	1696, 1698, 1700	\saved@endqstest . . . . .	1980, 1987
L		\saved@qstest . . . . .	1979, 1982
\LogTests . . . . .	1762	\SavedNumexpr . . . . .	
\loop . . . . .	1694, 1710, 1721	1753, 1759, 1766, 1770, 1774, 1777	
M		\space . . . . .	1771, 1966
\m@ne . . . . .	278, 1352, 2053, 2073, 2093, 2114, 2129, 2143, 2160	\StartTime . . . . .	1969, 1983
\makeatletter . . . . .	1755, 1960, 2037	\StopTime . . . . .	1974, 1986
\makeatother . . . . .	1757, 1992	\strip@pt . . . . .	1966
N		\SummaryTime . . . . .	1961, 1963, 1976, 1990
\NeedsTeXFormat . . . . .	1750	T	
\newcommand . . . . .	1765, 1773, 1780, 1791, 1792, 1793, 1798, 1803, 1804, 1807, 1810, 1813, 1816, 1819, 1822, 1825, 1836, 1847, 1871, 1887, 1896, 1905, 1914, 1917, 1920, 1923, 1932, 1964, 1969, 1973, 1974, 1996, 2009, 2012, 2537	\temp . . . . .	1999
\newcount . . . . .	1790, 1961, 1962	\Test . . . . .	1727, 1745, 1798, 1803, 1805, 1808, 1811, 1814, 1817, 1820, 1823,
\next . . . . .	1700, 1702, 1704		
\nofiles . . . . .	1751		
\number . . . . .	173, 176, 179, 182, 187, 192, 223, 249, 255, 258, 306, 311, 325, 327, 332, 334, 342, 361, 375, 377, 382, 384, 392, 435, 438, 442, 445, 448, 449, 452, 453, 456, 457, 460, 473, 490, 493, 568, 570, 571, 574, 576,		

1826, 1829, 1837, 1840, 1848,  
 1853, 1861, 1872, 1877, 1888,  
 1890, 1897, 1899, 1906, 1908,  
 1915, 1921, 1924, 1927, 1933, 1947  
**\TestAbs** . . . . . 1810,  
 2018, 2081, 2082, 2083, 2084,  
 2085, 2086, 2087, 2088, 2089,  
 2090, 2091, 2092, 2093, 2095, 2096  
**\TestAdd** . . . . . 1847, 2025, 2211, 2212,  
 2213, 2214, 2215, 2216, 2217,  
 2218, 2219, 2220, 2221, 2222,  
 2223, 2224, 2225, 2226, 2227,  
 2228, 2229, 2230, 2231, 2232,  
 2233, 2234, 2235, 2236, 2238, 2239  
**\TestArg** . . . . . 1791, 1792, 1794, 1795  
**\TestCmp** 1822, 2022, 2150, 2151, 2152,  
 2153, 2154, 2155, 2156, 2157,  
 2158, 2159, 2160, 2161, 2162, 2164  
**\TestCount** . . . . . 1790, 1794, 1795, 1796  
**\TestDec** . . . . . . . . . . . 1836,  
 2024, 2198, 2199, 2200, 2201,  
 2202, 2203, 2204, 2205, 2206, 2207  
**\TestDiv** 1923, 2033, 2416, 2417, 2418,  
 2419, 2420, 2421, 2422, 2423,  
 2424, 2425, 2426, 2427, 2428,  
 2429, 2430, 2431, 2432, 2433,  
 2434, 2435, 2436, 2437, 2438,  
 2439, 2440, 2441, 2442, 2443,  
 2444, 2445, 2446, 2447, 2448,  
 2449, 2450, 2451, 2452, 2453,  
 2454, 2455, 2456, 2457, 2458,  
 2459, 2460, 2461, 2462, 2463, 2464  
**\TestDo** . . . . . 1996, 2010, 2013, 2014  
**\TestError** 2537, 2546, 2547, 2548,  
 2549, 2550, 2551, 2552, 2553, 2554  
**\TestExch** . . . . . 1803, 1918  
**\TestFac** . . . . . 1917, 2031, 2169, 2170,  
 2171, 2172, 2173, 2174, 2175,  
 2176, 2177, 2178, 2179, 2180, 2181  
**\TestInc** . . . . . . . . . . . 1825,  
 2023, 2185, 2186, 2187, 2188,  
 2189, 2190, 2191, 2192, 2193, 2194  
**\TestInv** . . . . . . . . . . . 1804,  
 2017, 2061, 2062, 2063, 2064,  
 2065, 2066, 2067, 2068, 2069,  
 2070, 2071, 2072, 2073, 2075, 2076  
**\TestMax** 1819, 2021, 2136, 2137, 2138,  
 2139, 2140, 2141, 2142, 2143, 2145  
**\TestMin** 1816, 2020, 2122, 2123, 2124,  
 2125, 2126, 2127, 2128, 2129, 2131  
**\TestMod** . . . . . 1932, 2034, 2468, 2469,  
 2470, 2471, 2472, 2473, 2474,  
 2475, 2476, 2477, 2478, 2479,  
 2480, 2481, 2482, 2483, 2484,  
 2485, 2486, 2487, 2488, 2489,  
 2490, 2491, 2492, 2493, 2494,  
 2495, 2496, 2497, 2498, 2499,  
 2500, 2501, 2502, 2503, 2504,  
 2505, 2506, 2507, 2508, 2509,  
 2510, 2511, 2512, 2513, 2514,  
 2515, 2516, 2517, 2518, 2519,  
 2520, 2521, 2522, 2523, 2524,  
 2525, 2527, 2528, 2529, 2530, 2531  
**\TestMul** . . . . . 1905,  
 2029, 2317, 2318, 2319, 2320,  
 2321, 2322, 2323, 2324, 2325,  
 2326, 2327, 2328, 2329, 2330,  
 2331, 2332, 2333, 2334, 2335,  
 2336, 2337, 2338, 2339, 2341, 2342  
**\TestNum** . . . . . 1807, 2016,  
 2040, 2041, 2042, 2043, 2044,  
 2045, 2046, 2047, 2048, 2049,  
 2050, 2051, 2052, 2053, 2055, 2056  
**\TestOne** . . . . . 2009, 2016, 2017, 2018,  
 2019, 2023, 2024, 2027, 2028, 2030  
**\TestPow** . . . . . 1920, 2032, 2361,  
 2362, 2363, 2364, 2365, 2366,  
 2367, 2368, 2369, 2370, 2371,  
 2372, 2373, 2374, 2375, 2376,  
 2377, 2378, 2379, 2380, 2381,  
 2382, 2383, 2384, 2385, 2386,  
 2387, 2388, 2389, 2390, 2391,  
 2392, 2393, 2394, 2395, 2396,  
 2397, 2398, 2399, 2400, 2401,  
 2402, 2403, 2404, 2405, 2406,  
 2407, 2408, 2409, 2410, 2411, 2412  
**\TestResult** . . . . . 1773, 1799  
**\TestResultTwoExpansions** . 1780, 1800  
**\TestSgn** . . . . . 1813, 2019,  
 2101, 2102, 2103, 2104, 2105,  
 2106, 2107, 2108, 2109, 2110,  
 2111, 2112, 2113, 2114, 2116, 2117  
**\TestShl** . . . . . 1887, 2027,  
 2275, 2276, 2277, 2278, 2279, 2280  
**\TestShr** . . . . . 1896,  
 2028, 2284, 2285, 2286, 2287,  
 2288, 2289, 2290, 2291, 2292,  
 2293, 2294, 2295, 2296, 2297,  
 2298, 2299, 2300, 2301, 2302,  
 2303, 2304, 2305, 2306, 2307,  
 2308, 2309, 2310, 2311, 2312, 2313  
**\TestSpaceAtEnd** . . . . . 1765, 1801  
**\TestSqr** . . . . . 1914, 2030,  
 2347, 2348, 2349, 2350, 2351,  
 2352, 2353, 2354, 2355, 2356, 2357  
**\TestSub** . . . . . 1871, 2026,  
 2244, 2245, 2246, 2247, 2248,  
 2249, 2250, 2251, 2252, 2253,  
 2254, 2255, 2256, 2257, 2258,  
 2259, 2260, 2261, 2262, 2263,  
 2264, 2265, 2266, 2267, 2269, 2270  
**\TestTeXDivide** . . . . . 1793, 1925  
**\TestTime** . . . . . 1962, 1975, 1976, 1977  
**\TestTwo** . . . . . 2012, 2020, 2021, 2022,  
 2025, 2026, 2029, 2032, 2033, 2034  
**\the** . . . . . . . . . . . 66, 67, 68,  
 69, 80, 170, 176, 179, 183, 184,  
 188, 189, 193, 196, 199, 202,  
 205, 208, 211, 214, 217, 220,  
 223, 226, 229, 236, 238, 243,  
 246, 249, 252, 255, 259, 260,  
 268, 295, 299, 300, 301, 304,  
 305, 312, 313, 349, 358, 362,  
 363, 399, 409, 412, 418, 420,

	428, 1713, 1796, 1918, 2001, 2006	<b>X</b>
\TimeDescription	... 1970, 1973, 1977	\x 8, 10, 12, 22, 26, 28, 46, 51, 58, 64,
\TMP@EnsureCode	..... 77, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95	72, 624, 627, 1828, 1833, 1839, 1844, 1852, 1858, 1860, 1866, 1876, 1882, 1889, 1894, 1898, 1903, 1907, 1912, 1926, 1946, 1952
\typeout	..... 1965	
		<b>Z</b>
		\z@ ..... 159, 324, 331, 374, 381, 580, 581, 600, 1240, 1241, 1259, 1433, 1434, 1442, 1599, 1615, 1659, 1963, 2051, 2071, 2091, 2112, 2128, 2142, 2159
<b>U</b>		
\UNDEFINED	1754, 1767, 1775, 1783	
\usepackage	..... 1758, 1760	
		<b>W</b>
\write	..... 23, 47	