

The `kvdefinekeys` package

Heiko Oberdiek*

2016/05/16 v1.4

Abstract

Package `kvdefinekeys` provides `\kv@define@key` to define keys the same way as `keyval`'s `\define@key`. However, it works also using `iniTeX`.

Contents

| | |
|---|----------|
| 1 Documentation | 1 |
| 1.1 Motivation | 1 |
| 2 Implementation | 2 |
| 2.1 Identification | 2 |
| 2.2 Package loading | 4 |
| 2.3 Provide key defining macro | 4 |
| 3 Installation | 5 |
| 3.1 Download | 5 |
| 3.2 Bundle installation | 5 |
| 3.3 Package installation | 5 |
| 3.4 Refresh file name databases | 5 |
| 3.5 Some details for the interested | 6 |
| 4 References | 6 |
| 5 History | 6 |
| [2010/03/01 v1.0] | 6 |
| [2010/08/19 v1.1] | 6 |
| [2011/01/30 v1.2] | 6 |
| [2011/04/07 v1.3] | 6 |
| [2016/05/16 v1.4] | 6 |
| 6 Index | 7 |

1 Documentation

1.1 Motivation

`\kvsetkeys` serves as replacement for `keyval`'s `\setkeys`. This package adds macros to define keys, closing the gap `\kvsetkeys` leaves.

*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

```
\kv@define@key {family} {key} [{default}]{definition}
```

Macro `\kv@define@key` reimplements `keyval`'s `\define@key`. Differences to the original:

- The defined keys also allow `\par` inside values.
- Shorthands of package `babel` are supported in family and key names.
- Macro `\kv@define@key` is made robust if ε -TeX's `\protected` or L^AT_EX's `\DeclareRobustCommand` are found.

2 Implementation

2.1 Identification

```
1 /*package)
```

Reload check, especially if the package is not used with L^AT_EX.

```
2 \begingroup\catcode61\catcode48\catcode32=10\relax%
3   \catcode13=5 % ^^M
4   \endlinechar=13 %
5   \catcode35=6 % #
6   \catcode39=12 % ,
7   \catcode44=12 % ,
8   \catcode45=12 % -
9   \catcode46=12 % .
10  \catcode58=12 % :
11  \catcode64=11 % @
12  \catcode123=1 % {
13  \catcode125=2 % }
14  \expandafter\let\expandafter\x\csname ver@kvdefinekeys.sty\endcsname
15  \ifx\x\relax % plain-TeX, first loading
16  \else
17    \def\empty{}%
18    \ifx\x\empty % LaTeX, first loading,
19      % variable is initialized, but \ProvidesPackage not yet seen
20    \else
21      \expandafter\ifx\csname PackageInfo\endcsname\relax
22        \def\x#1#2{%
23          \immediate\write-1{Package #1 Info: #2.}%
24        }%
25      \else
26        \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
27      \fi
28      \x{kvdefinekeys}{The package is already loaded}%
29      \aftergroup\endinput
30    \fi
31  \fi
32 \endgroup%
```

Package identification:

```
33 \begingroup\catcode61\catcode48\catcode32=10\relax%
34   \catcode13=5 % ^^M
35   \endlinechar=13 %
36   \catcode35=6 % #
37   \catcode39=12 % ,
38   \catcode40=12 % (
39   \catcode41=12 % )
```

```

40  \catcode44=12 % ,
41  \catcode45=12 % -
42  \catcode46=12 % .
43  \catcode47=12 % /
44  \catcode58=12 % :
45  \catcode64=11 % @
46  \catcode91=12 % [
47  \catcode93=12 % ]
48  \catcode123=1 % {
49  \catcode125=2 % }
50  \expandafter\ifx\csname ProvidesPackage\endcsname\relax
51    \def\x#1#2#3[#4]{\endgroup
52      \immediate\write-1{Package: #3 #4}%
53      \xdef#1[#4]%
54    }%
55  \else
56    \def\x#1#2[#3]{\endgroup
57      #2[#3]%
58      \ifx#1\@undefined
59        \xdef#1[#3]%
60      \fi
61      \ifx#1\relax
62        \xdef#1[#3]%
63      \fi
64    }%
65  \fi
66 \expandafter\x\csname ver@kvdefinekeys.sty\endcsname
67 \ProvidesPackage{kvdefinekeys}%
68 [2016/05/16 v1.4 Define keys (HO)]%
69 \begingroup\catcode61\catcode48\catcode32=10\relax%
70  \catcode13=5 % ^^M
71  \endlinechar=13 %
72  \catcode123=1 % {
73  \catcode125=2 % }
74  \catcode64=11 % @
75  \def\x{\endgroup
76  \expandafter\edef\csname KVD@AtEnd\endcsname{%
77    \endlinechar=\the\endlinechar\relax
78    \catcode13=\the\catcode13\relax
79    \catcode32=\the\catcode32\relax
80    \catcode35=\the\catcode35\relax
81    \catcode61=\the\catcode61\relax
82    \catcode64=\the\catcode64\relax
83    \catcode123=\the\catcode123\relax
84    \catcode125=\the\catcode125\relax
85  }%
86 }%
87 \x\catcode61\catcode48\catcode32=10\relax%
88 \catcode13=5 % ^^M
89 \endlinechar=13 %
90 \catcode35=6 % #
91 \catcode64=11 % @
92 \catcode123=1 % {
93 \catcode125=2 % }
94 \def\TMP@EnsureCode#1#2{%
95   \edef\KVD@AtEnd{%
96     \KVD@AtEnd
97     \catcode#1=\the\catcode#1\relax

```

```

98  }%
99  \catcode#1=#2\relax
100 }
101 \TMP@EnsureCode{42}{12}%
102 \TMP@EnsureCode{46}{12}%
103 \TMP@EnsureCode{47}{12}%
104 \TMP@EnsureCode{91}{12}%
105 \TMP@EnsureCode{93}{12}%
106 \edef\KVD@AtEnd{\KVD@AtEnd\noexpand\endinput}

```

2.2 Package loading

```

107 \begingroup\expandafter\expandafter\expandafter\endgroup
108 \expandafter\ifx\csname RequirePackage\endcsname\relax
109   \def\TMP@RequirePackage#1[#2]{%
110     \begingroup\expandafter\expandafter\expandafter\endgroup
111     \expandafter\ifx\csname ver@#1.sty\endcsname\relax
112       \input #1.sty\relax
113     \fi
114   }%
115   \TMP@RequirePackage{ltxcmds}[2010/03/01]%
116 \else
117   \RequirePackage{ltxcmds}[2010/03/01]%
118 \fi

```

2.3 Provide key defining macro

```

\kv@define@key
119 \ltx@ifundefined{protected}{%
120   \ltx@ifundefined{DeclareRobustCommand}{%
121     \def\kv@define@key#1#2{%
122   }{%
123     \ DeclareRobustCommand*{\kv@define@key}[2]{%
124   }{%
125   }{%
126     \protected\def\kv@define@key#1#2{%
127   }{%
128   }{%
129     \begingroup
130       \csname @safe@activestrue\endcsname
131       \let\ifin\csname\iftrue
132       \edef\KVD@temp{\endgroup
133         \noexpand\KVD@DefineKey{#1}{#2}}{%
134       }{%
135       \KVD@temp
136     }
}

\KVD@DefineKey
137 \def\KVD@DefineKey#1#2{%
138   \ltx@ifnextchar[{%
139     \KVD@DefineKeyWithDefault{#1}{#2}}{%
140   }{%
141     \long\expandafter\def\csname KV@#1@#2\endcsname##1{%
142   }{%
143   }
}

\KVD@DefineKeyWithDefault
144 \long\def\KVD@DefineKeyWithDefault#1#2[#3]{%
145   \expandafter\def\csname KV@#1@#2@default\expandafter\endcsname

```

```

146 \expandafter{%
147   \csname KV@#1@#2\endcsname{#3}%
148 }%
149 \long\expandafter\def\csname KV@#1@#2\endcsname##1%
150 }%
151 \KVD@AtEnd%
152 </package>

```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/kvdefinekeys.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/kvdefinekeys.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:pkg/tds](#)). Directories with `texmf` in their name are usually organized this way.

3.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain T_EX:

```
tex kvdefinekeys.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

kvdefinekeys.sty → tex/generic/oberdiek/kvdefinekeys.sty
kvdefinekeys.pdf → doc/latex/oberdiek/kvdefinekeys.pdf
kvdefinekeys.dtx → source/latex/oberdiek/kvdefinekeys.dtx

```

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your T_EX distribution (T_EX Live, MiK_TE_X, ...) relies on file name databases, you must refresh these. For example, T_EX Live users run `texhash` or `mktexlsr`.

¹[CTAN:pkg/kvdefinekeys](#)

3.5 Some details for the interested

Unpacking with L^AT_EX. The .dtx chooses its action depending on the format:

plain T_EX: Run docstrip and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for docstrip (really, docstrip does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{kvdefinekeys.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the .dtx or the .drv to generate the documentation. The process can be configured by the configuration file ltxdoc.cfg. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex kvdefinekeys.dtx
makeindex -s gind.ist kvdefinekeys.idx
pdflatex kvdefinekeys.dtx
makeindex -s gind.ist kvdefinekeys.idx
pdflatex kvdefinekeys.dtx
```

4 References

- [1] David Carlisle: *The keyval package*; 1999/03/16 v1.13; [CTAN:macros/latex/required/graphics/keyval.dtx](#).

5 History

[2010/03/01 v1.0]

- First version.

[2010/08/19 v1.1]

- Documentation fix, no code change.

[2011/01/30 v1.2]

- Already loaded package files are not input in plain T_EX.

[2011/04/07 v1.3]

- Support for package babel's shorthands added.
- `\kv@define@key` is made robust if available.

[2016/05/16 v1.4]

- Documentation updates.

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

| Symbols | | K |
|---|--------|--|
| \@undefined | 58 | \kv@define@key <i>2, 119</i> |
| | | \KVD@AtEnd <i>95, 96, 106, 151</i> |
| | | \KVD@DefineKey <i>133, 137</i> |
| | | \KVD@DefineKeyWithDefault . . <i>139, 144</i> |
| | | \KVD@temp <i>132, 135</i> |
| | | |
| | | L |
| | | \ltx@ifnextchar <i>138</i> |
| | | \ltx@IfUndefined <i>119, 120</i> |
| | | |
| | | P |
| | | \PackageInfo <i>26</i> |
| | | \protected <i>126</i> |
| | | \ProvidesPackage <i>19, 67</i> |
| | | |
| | | R |
| | | \RequirePackage <i>117</i> |
| | | |
| | | T |
| | | \the . . . <i>77, 78, 79, 80, 81, 82, 83, 84, 97</i> |
| | | \TMP@EnsureCode <i>94, 101, 102, 103, 104, 105</i> |
| | | \TMP@RequirePackage <i>109, 115</i> |
| | | |
| | | W |
| | | \write <i>23, 52</i> |
| | | |
| | | X |
| | | \x . <i>14, 15, 18, 22, 26, 28, 51, 56, 66, 75, 87</i> |
| | | |
| | | I |
| \ifincsname | 131 | |
| \iftrue | 131 | |
| \iffx . . . <i>15, 18, 21, 50, 58, 61, 108, 111</i> | | |
| \immediate | 23, 52 | |
| \input | 112 | |