

CTAN:macros/latex/contrib/oberdiek/

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2006/12/02

1 Overview

aliascnt (contents)	2006/09/25 v1.2 Alias counter	[pdf] [dtx]
alphalph (contents)	2006/05/30 v1.4 Converting numbers to letters	[pdf] [dtx]
attachfile2 (contents)	2006/08/16 v2.2 attach files into PDF	[pdf] [dtx]
auxhook (contents)	2006/05/31 v1.0 Hooks for auxiliary files	[pdf] [dtx]
bmpsize (contents)	2006/08/24 v1.0 Extract size and resolution data from bitmap files	[pdf] [dtx]
centernot (contents)	2006/12/02 v1.0 Centers the not symbol horizontally	[pdf] [dtx]
chemarr (contents)	2006/02/20 v1.2 Chemical reaction arrows	[pdf] [dtx]
classlist (contents)	2006/02/20 v1.2 Record loaded classes	[pdf] [dtx]
colonequals (contents)	2006/08/01 v1.0 Colon equals symbols	[pdf] [dtx]
dvipscol (contents)	2006/02/20 v1.1 Fix for dvips.def	[pdf] [dtx]
embedfile (contents)	2006/08/16 v1.0 embed files into PDF	[pdf] [dtx]
engord (contents)	2006/02/20 v1.2 Provides the ifpdf switch	[pdf] [dtx]

epstopdf (contents)	2006/08/26 v1.3 Conversion with epstopdf on the fly	[pdf] [dtx]
grffile (contents)	2006/11/30 v1.2 Extended file name support for graphics	[pdf] [dtx]
holtxdoc (contents)	2006/06/02 v0.7 Private additional ltxdoc support	[pdf] [dtx]
hypbmsec (contents)	2006/02/20 v2.2 Bookmarks in sectioning commands	[pdf] [dtx]
hypcap (contents)	2006/02/20 v1.5 Adjusting anchors of captions	[pdf] [dtx]
hypdestopt (contents)	2006/06/01 v2.0 Hyperref destination optimizer	[pdf] [dtx]
hypdoc (contents)	2006/06/02 v1.4 Hyper extensions for doc.sty	[pdf] [dtx]
ifdraft (contents)	2006/02/20 v1.2 Switch for option draft	[pdf] [dtx]
ifpdf (contents)	2006/02/20 v1.4 Provides the ifpdf switch	[pdf] [dtx]
ifvtex (contents)	2006/02/20 v1.1 Provides the ifpdf switch	[pdf] [dtx]
inputenx (contents)	2006/08/24 v1.0 Enhanced input encoding handling	[pdf] [dtx]
kvoptions (contents)	2006/08/22 v2.4 Connects package keyval with LATEX options	[pdf] [dtx]
kvsetkeys (contents)	2006/10/19 v1.1 Key value parser with default handler support	[pdf] [dtx]
makerobust (contents)	2006/03/18 v1.0 Making a macro robust	[pdf] [dtx]
pagesel (contents)	2006/03/07 v1.5 Selecting shipout output pages	[pdf] [dtx]
pdfcolmk (contents)	2006/02/20 v0.8 PDFtex COlor MarK	[pdf] [dtx]
pdfcrypt (contents)	2006/02/20 v0.8 Setting pdf encryption	[pdf] [dtx]
pdflscape (contents)	2006/04/24 v0.6 Landscape pages in PDF	[pdf] [dtx]

picture	2006/08/26 v1.0	[pdf] [dtx]
(contents)	Dimens for picture macros	
pmboxdraw	2006/05/03 v1.0	[pdf] [dtx]
(contents)	Poor man's box drawing characters	
refcount	2006/02/20 v3.0	[pdf] [dtx]
(contents)	Data extraction from references	
setouterhbox	2006/08/26 v1.4	[pdf] [dtx]
(contents)	Set hbox in outer horizontal mode	
settobox	2006/02/20 v1.2	[pdf] [dtx]
(contents)	Getting box sizes	
stackrel	2006/12/02 v1.0	[pdf] [dtx]
(contents)	Adding subscript option to stackrel	
tabularht	2006/02/20 v2.2	[pdf] [dtx]
(contents)	Tabular with height specification	
tabularkv	2006/02/20 v1.1	[pdf] [dtx]
(contents)	Key value interface for tabular parameters	
telprint	2006/08/16 v1.7	[pdf] [dtx]
(contents)	Formatting of German phone numbers	
twoopt	2006/02/20 v1.4	[pdf] [dtx]
(contents)	Definitions with two optional arguments	
zref	2006/09/08 v1.3	[pdf] [dtx]
(contents)	New reference scheme for L ^A T _E X 2 _{ε}	

2 Packages

The **aliascnt** package

Abstract

Package **aliascnt** introduces *alias counters* that share the same counter register and clear list.

1 User interface	1
1.1 Introduction	1
1.2 Syntax	1
2 Implementation	2
2.1 Identification	2
2.2 Create new alias counter	2
2.3 Counter clear list	3

3 Installation	3
3.1 Some details for the interested	4
4 Acknowledgment	4
5 References	4
6 History	4
[2006/02/20 v1.0]	4
[2006/08/16 v1.1]	5
[2006/09/25 v1.2]	5
7 Index	5

The `alphalph` package

Abstract

The package provides the new expandable commands `\alphalph` and `\AlphAlpha`. They are like `\number`, but the expansion consists of lowercase and uppercase letters respectively.

1 Usage	1
1.1 User commands	2
1.1.1 New commands like <code>\alphalph</code>	2
2 Implementation	2
2.1 Begin of package	2
2.2 Help macros	3
2.3 User commands	4
2.4 Conversion with standard TeX means	4
2.4.1 Convert the separated digits to the letter result	5
2.4.2 Addition by one	5
2.5 Conversion with ε-Tex features	7
2.6 Generic version	8
2.7 End of package	9
3 Installation	9
3.1 Some details for the interested	9
4 History	10
[1999/03/19 v0.1]	10
[1999/04/12 v1.0]	10
[1999/04/13 v1.1]	10
[1999/06/26 v1.2]	10
[2006/02/20 v1.3]	10
[2006/05/30 v1.4]	10
5 Index	11

The `attachfile2` package

Abstract

This package can be used to attach files to a PDF document. It is a further development of Scott Pakin's package `attachfile` for pdfTEX. Apart from bug fixes, package `attachfile2` adds support for `dvips`, some new options, gets and writes meta information data about the attached files.

1 Documentation	1
1.1 Introduction	1
1.1.1 Future development	2
1.2 User interface	3
1.2.1 New options	3
1.2.2 Perl script <code>pdfatfi.pl</code>	3
1.3 Changes to <code>attachfile</code>	3
2 Implementation	3
2.1 Package	3
2.2 Drivers	16
2.2.1 pdfTEX	16
2.2.2 dvips	18
2.3 Perl script <code>pdfatfi.pl</code>	26
3 Installation	29
3.1 Some details for the interested	29
4 References	30
5 History	30
[2005/02/23 v2.0]	30
[2005/10/07 v2.1]	31
[2006/08/17 v2.2]	31
6 Index	31

The `auxhook` package

Abstract

Package `auxhook` provides hooks for adding stuff at the begin of .aux files.

1 User interface	1
2 Implementation	2
2.1 Identification	2
2.2 Hook setup	2
2.3 User macros	2
2.4 Patches	3
2.4.1 <code>\document</code>	3
2.4.2 <code>\@include</code>	3
3 Installation	4
3.1 Some details for the interested	4
4 References	5
5 History	5
[2006/05/31 v1.0]	5
6 Index	5

The `bmpsize` package

Abstract

Package `bmpsize` analyzes bitmap images to extract size and resolution data. It adds this feature to the graphics package that now do not need separate bounding box files for bitmap images. Additionally the implementation for the inclusion of bitmap images in some drivers of package `graphicx` are rewritten to support options `viewport`, `trim` and `clip`.

1 Documentation	2
1.1 Introduction	2
1.2 Bitmap image parsers	2
1.2.1 User interface	2
1.2.2 Hints	3
1.2.3 Test program	3
1.2.4 Interface for programmers	4
1.3 Improved bitmap inclusion	4
2 Implementation	4
2.1 Basic package <code>bmpsize-base</code>	4
2.2 Bitmap formats	11
2.2.1 png	11
2.2.2 jpg	12
2.2.3 bmp	20
2.2.4 gif	21
2.2.5 tiff	22
2.2.6 pnm	26
2.2.7 pam	30
2.2.8 xpm	36
2.2.9 tga	40
2.2.10 pcx	42
2.2.11 msp	43
2.2.12 sgi	45
2.3 Package <code>bmpsize</code>	45
2.4 Drivers	48
2.4.1 dvips	48
2.4.2 dvipdfm	50
2.4.3 dvipdfmx	52
2.5 Test program <code>bmpsize-test.tex</code>	53
3 Installation	55
3.1 Some details for the interested	55

4 References	56
4.1 URLs for bitmap format descriptions	56
4.1.1 JPEG	56
4.1.2 PNG	56
4.1.3 GIF	56
4.1.4 BMP	56
4.1.5 PCX	56
4.1.6 MSP	56
4.1.7 TIFF	57
4.1.8 TGA	57
4.1.9 SGI	57
4.1.10 WMF	57
4.1.11 XPM	57
5 History	57
[2006/08/24 v1.0]	57
6 Index	57

The `centernot` package

Abstract

This package provides `\centernot` that prints the symbol `\not` on the following argument. Unlike `\not` the symbol is horizontally centered.

1	User interface	1
2	Implementation	1
3	Installation	2
3.1	Some details for the interested	2
4	History	3
	[2006/12/02 v1.0]	3
5	Index	3

The `chemarr` package

Abstract

Very often chemists need a longer version of reaction arrows (`\rightleftharpoons`) with the possibility to put text above and below. Analogous to `amsmath`'s `\xrightarrow` and `\xleftarrow` this package provides the macro `\xrightleftharpoons`.

1 Usage	1
1.1 Example	1
2 Implementation	2
3 Installation	3
3.1 Some details for the interested	3
4 History	4
[2001/06/21 v1.0]	4
[2001/06/22 v1.1]	4
[2006/02/20 v1.2]	4
5 Index	4

The `classlist` package

Abstract

This package records the loaded classes and stores them in a list.

1 Documentation	1
1.1 Background	1
1.2 Usage	1
2 Implementation	2
3 Installation	4
3.1 Some details for the interested	4
4 History	5
[2005/06/19 v1.0]	5
[2005/06/19 v1.1]	5
[2006/02/20 v1.2]	5
5 Index	5

The `colonequals` package

Abstract

Package `colonequals` defines poor man's symbols for math relation symbols such as "colon equals". The colon is centered around the horizontal math axis.

1 User interface	1
1.1 Introduction	1
1.2 Symbols	2
1.3 Fine tuning	2
1.3.1 Example	3
2 Implementation	3
2.1 Identification	3
2.2 Distance control	3
2.3 Centered colons	3
2.4 Combined symbols	4
3 Installation	5
3.1 Some details for the interested	5
4 References	6
5 History	6
[2006/08/01 v1.0]	6
6 Index	6

The dvipscol package

Abstract

Color support for dvips in dvips.def involves the color stack of dvips. The package tries to remove unnecessary uses of the stack to avoid the error “out of coor stack space”.

1 Documentation	1
1.1 Introduction	1
1.2 Usage	2
1.2.1 With ε - T_EX	2
1.2.2 Without ε - T_EX	2
2 Implementation	2
3 Installation	3
3.1 Some details for the interested	3
4 History	4
[2000/08/31 v1.0]	4
[2006/02/20 v1.1]	4
5 Index	4

The `embedfile` package

Abstract

This package embeds files to a PDF document. Currently pdfTEX $\zeta = 1.30$ in PDF mode is supported only.

1 Documentation	1
1.1 Introduction	1
1.1.1 Future development	2
1.2 User interface	2
1.3 Examples	3
1.3.1 plain-T _E X	3
1.4 Package <code>dtx-attach</code>	3
2 Implementation	4
2.1 Reload check and package identification	4
2.2 Tools	5
2.3 Check for recent pdfTEX in PDF mode	5
2.4 Key value definitions	6
2.5 Embed the file	6
3 Installation	9
3.1 Some details for the interested	9
4 References	10
5 History	10
[2006/08/16 v1.0]	10
6 Index	10

The `engord` package

Abstract

The package generates the suffix of English ordinal numbers. It can be used with plain and L^AT_EX formats.

1 Usage	1
1.1 Package options	2
1.2 Examples	2
2 Implementation	2
2.1 Reload check and identification	2
2.2 Help commands for plain compatibility	3
2.3 User macros	4
2.4 Suffix generation	5
3 Installation	6
3.1 Some details for the interested	7
4 History	7
[2000/05/23 v1.0]	7
[2003/04/28 v1.1]	7
[2006/02/20 v1.2]	7
5 Index	8

The **epstopdf** package

Abstract

This packages adds support of handling eps images to package `graphics` or `graphicx` with option `pdftex`. If an eps image is detected, `epstopdf` is automatically called to convert it to pdf format.

1	Usage	1
2	Implementation	2
2.1	Relead check and identification	2
2.2	Help macros for miniltx mode	2
2.3	Checks	3
2.4	Adding conversion support	3
3	Installation	4
3.1	Some details for the interested	4
4	History	5
[2001/01/06 v1.0]	5
[2001/02/04 v1.1]	5
[2006/02/20 v1.2]	5
[2006/08/26 v1.3]	5
5	Index	5

The **grffile** package

Abstract

The package extends the file name processing of package `graphics` to support a larger range of file names. For example, the file name may contain several dots. Or in case of pdfTeX in PDF mode the file name may contain spaces.

1 Usage	1
1.1 Option <code>multidot</code>	1
1.2 Option <code>babel</code>	2
1.3 Option <code>extendedchars</code>	2
1.4 Option <code>space</code>	2
1.5 General use	3
1.6 Default settings	3
2 Implementation	3
2.1 Identification	3
2.2 Catcode stuff	3
2.3 Options	4
3 Installation	6
3.1 Some details for the interested	7
4 References	7
5 History	8
[2004/07/18 v0.5]	8
[2006/08/15 v1.0]	8
[2006/08/17 v1.1]	8
[2006/11/30 v1.2]	8
6 Index	8

The `holtxdoc` package

Abstract

The package is used for the documentation of my packages in DTX format.
It contains some private macros and setup for my needs. Thus do not use it.
I have separated the part that may be useful for others in package `hypdoc`.

1 No usage	1
2 Implementation	2
2.1 Help macros	2
2.2 History	2
2.3 Formatting macros	2
2.4 Names	4
2.5 Setup	4
2.5.1 Package doc	4
2.5.2 Page layout	4
3 Installation	4
3.1 Some details for the interested	5
4 History	5
[1999/06/26 v0.3]	5
[2000/08/14 v0.4]	5
[2001/08/27 v0.5]	5
[2001/09/02 v0.6]	5
[2006/06/02 v0.7]	6
5 Index	6

The `hypbmsec` package

Abstract

This package expands the syntax of the sectioning commands. If the argument of the sectioning commands isn't usable as outline entry, a replacement for the bookmarks can be given.

1 Usage	1
1.1 Bookmarks restrictions	1
1.2 <code>\texorpdfstring</code>	2
1.3 Sectioning commands	2
1.4 Places for sectioning strings	2
1.5 Solution with optional arguments	2
1.6 Syntax	3
1.6.1 Star form	3
1.6.2 Without optional arguments	3
1.6.3 One optional argument	3
1.6.4 Two optional arguments	3
1.6.5 Optional argument in parentheses	3
1.7 Without <code>hyperref</code>	3
1.8 Protecting parentheses	4
2 Implementation	4
3 Installation	6
3.1 Some details for the interested	7
4 History	7
[1998/11/20 v1.0]	7
[1999/04/12 v2.0]	8
[2000/03/22 v2.1]	8
[2006/02/20 v2.2]	8
5 Index	8

The **hypcap** package

Abstract

This package tries a solution of the problem with hyperref, that links to floats points below the caption and not at the beginning of the float. Therefore this package divides the task into two part, the link setting with \capstart or automatically at the beginning of a float and the rest in the \caption command.

1 Usage	1
1.1 Package options	1
1.2 User commands	2
1.3 Limitations	2
2 Implementation	2
3 Installation	4
3.1 Some details for the interested	5
4 History	5
[1999/02/13 v1.0]	5
[2000/08/14 v1.1]	5
[2000/09/07 v1.2]	5
[2001/08/27 v1.3]	5
[2001/09/06 v1.4]	6
[2006/02/20 v1.5]	6
5 Index	6

The **hypdestopt** package

Abstract

Package `hypdestopt` supports `hyperref`'s pdftex driver. It removes unnecessary destinations and shortens the destination names or uses numbered destinations to get smaller PDF files.

1 User interface	1
1.1 Introduction	1
1.2 Requirements	2
1.3 Use	2
1.4 Limitations	2
1.5 Future	3
2 Implementation	3
2.1 Identification	3
2.2 Options	3
2.2.1 Option <i>verbose</i>	3
2.2.2 Options <i>num</i> and <i>name</i>	3
2.3 Check requirements	3
2.4 Preamble for auxiliary file	4
2.5 Generation of destination names	4
2.6 Assign destination names	5
2.7 Redefinition of <code>hyperref</code> 's hooks	6
2.7.1 Destination setting	7
2.7.2 Links	7
2.7.3 Outlines	7
3 Installation	8
3.1 Some details for the interested	9
4 References	9
5 History	9
[2006/06/01 v1.0]	9
[2006/06/01 v2.0]	9
6 Index	10

The `hypdoc` package

Abstract

This package adds hyper features to the package `doc` that is used in the documentation system of L^AT_EX 2 _{ε} . Bookmarks are added and references are linked as far as possible.

1 Features	1
2 Usage	2
2.1 Options	2
2.2 Simple example	2
2.3 Example <code>source2e.tex</code>	3
3 Implementation	3
4 Installation	11
4.1 Some details for the interested	11
5 History	12
[2002/05/10 v1.0]	12
[2006/02/20 v1.1]	12
[2006/04/27 v1.2]	12
[2006/06/01 v1.3]	12
[2006/06/02 v1.4]	12
6 Index	13

The **ifdraft** package

Abstract

The package provides an interface for selecting code depending on the options `draft` and `final`.

1 Usage	1
1.1 Package loading	1
1.2 User macros	1
2 Implementation	2
3 Installation	3
3.1 Some details for the interested	3
4 History	4
[1999/12/28 v1.0]	4
[2005/10/05 v1.1]	4
[2006/02/20 v1.2]	4
5 Index	4

The `ifpdf` package

Abstract

This package looks for pdfTeX in pdf mode and implements and sets the switch `\ifpdf`. The detection is based on `\pdfoutput` and the package will not change this value. It works with plain or LaTeX formats.

1 Documentation	1
1.1 Introduction	1
1.2 Usage	2
1.3 Specification	2
1.4 Future	3
2 Implementation	3
2.1 Reload check and package identification	3
2.2 Check for previously defined <code>\ifpdf</code>	4
2.3 <code>\ifpdf</code>	4
2.4 Protocol entry	4
3 Installation	5
3.1 Some details for the interested	5
4 History	6
[2001/06/14 v1.0]	6
[2001/07/14 v1.1]	6
[2001/09/26 v1.2]	6
[2005/07/22 v1.3]	6
[2006/02/20 v1.4]	6
5 Index	6

The `ifvtex` package

Abstract

This package looks for VTeX, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or L^AT_EX formats.

1	Usage	1
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Check for previously defined <code>\ifvtex</code>	3
2.3	<code>\ifvtex</code>	3
2.4	Mode and GeX switches	3
2.5	Protocol entry	4
3	Installation	4
3.1	Some details for the interested	5
4	History	5
[2001/09/26 v1.0]	5
[2006/02/20 v1.1]	5
5	Index	6

The `inputenx` package

Abstract

This package deals with input encodings. The first stage is already available. It provides input encodings using standard mappings and covers nearly all slots. Thus it serves as more up-to-date replacement for package `inputenc`.

1 Documentation	2
1.1 Definition files	2
1.2 Unicode	3
1.3 Math	3
1.4 ToDo	3
2 Implementation	4
2.1 Identification	4
2.2 Encoding names	4
2.2.1 Record current encoding names	4
2.2.2 Aliases for encoding names	4
2.3 Package options	5
2.3.1 Declare and process options	5
2.3.2 Load <code>inputenc</code> with encoding options	5
2.3.3 <code>\InputEncoding</code>	5
2.3.4 Option math	6
2.4 Alias encoding file	6
2.5 Encoding files	7
2.5.1 Encoding ascii	7
2.5.2 Encoding iso-8859-1	7
2.5.3 Encoding iso-8859-2	9
2.5.4 Encoding iso-8859-3	12
2.5.5 Encoding iso-8859-4	14
2.5.6 Encoding iso-8859-9	16
2.5.7 Encoding iso-8859-10	18
2.5.8 Encoding iso-8859-13	20
2.5.9 Encoding iso-8859-14	23
2.5.10 Encoding iso-8859-15	24
2.5.11 Encoding iso-8859-16	26
2.5.12 Encoding cp437	28
2.5.13 Encoding cp850	32
2.5.14 Encoding cp852	35
2.5.15 Encoding cp858	38
2.5.16 Encoding cp865	41
2.5.17 Encoding cp1250	45
2.5.18 Encoding cp1252	48
2.5.19 Encoding cp1257	51
2.5.20 Encoding mac-roman	54
2.5.21 Encoding mac-ce	57

2.5.22 Encoding nextstep	60
2.5.23 Encoding dec-mcs	63
2.5.24 Non-Unicode additions	65
2.6 Additions for <code>utf8enc.dfu</code>	65
2.7 Name list	68
2.8 Mapping Slot, UC to Encodings	68
2.9 Mapping UC to LICR	68
2.10 Math meaning declarations	68
2.11 Documentation files	70
2.11.1 List of known LICR commands	70
2.11.2 Commented additions for <code>utf8enc.dfu</code>	71
3 Installation	72
3.1 Some details for the interested	73
4 References	73
4.1 Mappings to Unicode	73
5 History	74
[2006/03/05 v1.0]	74
6 Index	74

The `kvoptions` package

Abstract

This package is intended for package authors who want to use options in key value format for their package options.

1	Introduction	2
1.1	The beginning	2
1.2	Overview	2
2	Usage	3
2.1	Process options	3
2.1.1	<code>\ProcessKeyvalOptions</code>	3
2.1.2	<code>\SetupKeyvalOptions</code>	3
2.2	Option declarations	3
2.2.1	<code>\DeclareStringOption</code>	4
2.2.2	<code>\DeclareBoolOption</code>	4
2.2.3	<code>\DeclareComplementaryOption</code>	5
2.2.4	<code>\DeclareVoidOption</code>	5
2.2.5	<code>\DeclareDefaultOption</code>	5
2.2.6	Dynamic options	5
2.2.7	<code>\DisableKeyvalOption</code>	6
2.3	Summary of internal macros	7
3	Example	7
4	Package options	9
4.1	Option patch	9
4.2	Option debugshow	10
5	Limitations	10
5.1	Compatibility	10
5.1.1	Option patch vs. package <code>xkvltxp</code>	10
5.2	Limitations	11
5.2.1	Option comparisons	11
5.2.2	Option list parsing with option patch	11
6	Implementation	11
6.1	Preamble	11
6.2	Option declaration macros	12
6.2.1	<code>\SetupKeyvalOptions</code>	12
6.2.2	<code>\DeclareBoolOption</code>	13
6.2.3	<code>\DeclareStringOption</code>	15
6.2.4	<code>\DeclareVoidOption</code>	16
6.2.5	<code>\DeclareDefaultOption</code>	17
6.3	Dynamic options	17
6.3.1	<code>\DisableKeyvalOption</code>	17

6.4	Process options	19
6.5	\ProcessKeyvalOptions	19
6.5.1	Helper macros	21
6.6	Patch	21
7	Installation	28
7.1	Some details for the interested	29
8	References	29
9	History	30
[0000/00/00 v0.0]	30
[2004/02/22 v1.0]	30
[2006/02/16 v2.0]	30
[2006/02/20 v2.1]	30
[2006/06/01 v2.2]	30
[2006/08/17 v2.3]	30
[2006/08/22 v2.4]	30
10	Index	31

The `kvsetkeys` package

Abstract

Package `kvsetkeys` provides `\kvsetkeys`, a variant of package `keyval`'s `\setkeys`. It allows to specify a handler that deals with unknown options. Active commas and equal signs may be used (e.g. see `babel`'s shorthands) and only one level of curly braces is removed from the values.

1 Documentation	1
1.1 Normalizing key value lists	2
1.2 Parsing key value lists	2
1.3 Processing key value pairs	3
1.4 Default family handler	3
1.5 Do it all	3
2 Example	3
3 Implementation	4
3.1 Identification	4
3.2 Normalizing key value lists	5
3.3 Parsing key value lists	8
3.4 Processing key value pairs	9
3.5 Error handling	9
3.6 Do it all	10
4 Installation	10
4.1 Some details for the interested	11
5 References	11
6 History	12
[2006/03/06 v1.0]	12
[2006/10/19 v1.1]	12
7 Index	12

The **makerobust** package

Abstract

Package `makerobust` provides `\MakeRobustCommand` that converts an existing macro to a robust one.

1 User interface	1
1.1 Example	2
2 Implementation	2
3 Installation	3
3.1 Some details for the interested	3
4 History	4
[2006/03/18 v1.0]	4
5 Index	4

The **pagesel** package

Abstract

Single pages or page areas can be selected for output.

1 Usage	1
1.1 Page selecting	2
1.1.1 Options for selecting pages	2
1.1.2 Examples	2
1.2 Auxiliary files	2
1.2.1 Options for handling auxiliary files	2
1.2.2 Package <code>hyperref</code>	2
2 Implementation	3
2.1 Package	3
2.2 AtBeginDvi hook support	6
3 Installation	7
3.1 Some details for the interested	7
4 History	8
[1999/03/01 v0.9]	8
[1999/04/05 v1.0]	8
[1999/04/13 v1.1]	8
[2003/06/05 v1.2]	8
[2006/02/20 v1.3]	9
[2006/03/02 v1.4]	9
[2006/03/07 v1.5]	9
5 Index	9

The `pdfcolmk` package

Abstract

This package tries a solution for the missing color stack of pdfTeX.

1 Documentation	1
1.1 Background	1
1.2 Limitations	2
1.3 Recommendation	2
1.4 Usage	2
1.5 Compatibility	2
2 Implementation	2
2.1 \marginpar fix	3
2.1.1 latex/base/latex.ltx	4
2.1.2 memoir.cls	5
2.1.3 poemscol/marn.sty, poemscol/newmarn.sty	6
2.1.4 refman/refart.cls, refnam/refrep.cls	7
2.2 Color fix	8
3 Installation	10
3.1 Some details for the interested	10
4 History	11
[2000/08/27 v0.1]	11
[2000/09/02 v0.2]	11
[2000/09/02 v0.3]	11
[2000/09/06 v0.4]	11
[2000/09/06 v0.5]	11
[2005/06/15 v0.6]	11
[2005/07/09 v0.7]	11
[2006/02/20 v0.8]	11
5 Index	11

The **pdfcrypt** package

Abstract

This package supports the setting of pdf encryption options for VTeX and some older versions of pdfTeX.

1 Documentation	1
1.1 Alternatives	2
1.2 Usage	2
1.2.1 Special characters	2
1.2.2 \nopdfcrypt	3
1.2.3 Configuration file	3
1.2.4 Support for plain-T _E X	3
1.3 Hints for pdfTeX	3
2 Implementation	3
2.1 Help macros for plain-T _E X	3
2.2 Package Identification and checks	5
2.3 Driver detection	5
2.4 Load package keyval	6
2.5 Define options	8
2.6 support of configuration file	12
2.7 Package options	12
3 Installation	12
3.1 Some details for the interested	13
4 History	13
[2001/04/02 v0.1]	13
[2001/07/19 v0.2]	13
[2001/07/19 v0.3]	14
[2001/07/19 v0.4]	14
[2001/08/05 v0.5]	14
[2001/08/09 v0.6]	14
[2001/10/28 v0.7]	14
[2006/02/20 v0.8]	14
5 Index	14

The `pdflscape` package

Abstract

Package `pdflscape` adds PDF support to the environment `landscape` of package `lscape` by setting the PDF page attribute `/Rotate`.

1 Documentation	1
1.1 Supported drivers	1
1.2 Caveat	2
1.3 Requirements	2
1.4 Usage	2
2 Implementation	2
2.1 Package identification	2
2.2 Driver options	2
2.3 Autodetection of driver	3
2.3.1 Driver <code>pdftex</code>	3
2.3.2 Driver <code>dvips</code>	3
2.3.3 Driver <code>dvipdfm</code>	3
2.4 Driver implementation	4
2.4.1 <code>pdfTEX</code>	4
2.4.2 PostScript driver	5
2.4.3 Driver <code>dvipdfm</code>	5
2.5 Driver independent stuff	5
3 Installation	6
3.1 Some details for the interested	7
4 History	7
[2001/01/15 v0.1]	7
[2001/02/04 v0.2]	7
[2004/05/11 v0.3]	8
[2004/05/12 v0.4]	8
[2006/02/20 v0.5]	8
[2006/04/24 v0.6]	8
5 Index	8

The `picture` package

Abstract

There are macro and environment arguments that expect numbers that will internally be multiplicated with `\unitlength`. This package extends the syntax of these arguments that dimens with calculation support can be added for these arguments.

1 User interface	1
1.1 Introduction	1
1.2 Options	2
1.3 Example	2
1.4 Supported packages	2
2 Implementation	2
2.1 Identification	2
2.2 Options	2
2.3 Calculation method	3
2.3.1 Method <code>calc</code>	3
2.3.2 Method <code>etex</code>	4
2.3.3 Method <code>plain</code>	4
2.3.4 Help macros	4
2.4 Redefinitions	5
2.4.1 L ^A T _E X base macros	5
2.4.2 Package <code>pspicture</code>	6
3 Installation	6
3.1 Some details for the interested	6
4 History	7
[2006/08/26 v1.0]	7
5 Index	7

The `pmbboxdraw` package

Abstract

Package `pmbboxdraw` declares box drawings characters of old code pages, e.g. cp437. It uses rules instead of using a font.

1 User interface	1
1.1 Introduction	1
1.2 Setup	2
1.3 Symbol list	2
2 Implementation	5
2.1 Identification	5
2.2 Dummy font encoding	5
2.3 Setup	5
2.4 Block elements	5
2.4.1 U+2580	5
2.4.2 U+2584	6
2.4.3 U+2588	6
2.4.4 U+258C	6
2.4.5 U+2590	6
2.4.6 U+2591	6
2.4.7 U+2592	7
2.4.8 U+2593	7
2.4.9 Color warning	7
2.5 Box drawing, light single lines	7
2.5.1 U+2500	7
2.5.2 U+2502	8
2.5.3 U+250C	8
2.5.4 U+2510	8
2.5.5 U+2514	9
2.5.6 U+2518	9
2.5.7 U+251C	9
2.5.8 U+2524	10
2.5.9 U+252C	10
2.5.10 U+2534	10
2.5.11 U+253C	11
2.6 Box drawing, double lines	11
2.6.1 U+2550	11
2.6.2 U+2551	12
2.6.3 U+2552	12
2.6.4 U+2553	12
2.6.5 U+2554	13
2.6.6 U+2555	13
2.6.7 U+2556	14
2.6.8 U+2557	14

2.6.9 U+2558	15
2.6.10 U+2559	15
2.6.11 U+255A	16
2.6.12 U+255B	17
2.6.13 U+255C	17
2.6.14 U+255D	17
2.6.15 U+255E	18
2.6.16 U+255F	18
2.6.17 U+2560	19
2.6.18 U+2561	20
2.6.19 U+2562	20
2.6.20 U+2563	20
2.6.21 U+2564	21
2.6.22 U+2565	22
2.6.23 U+2566	22
2.6.24 U+2567	22
2.6.25 U+2568	23
2.6.26 U+2569	23
2.6.27 U+256A	24
2.6.28 U+256B	24
2.6.29 U+256C	25
2.7 Unicode support file	25
3 Installation	26
3.1 Some details for the interested	27
4 References	27
5 History	28
[2006/03/14 v1.0]	28
6 Index	28

The `refcount` package

Abstract

References are not numbers, however they often store numerical data such as section or page numbers. `\ref` or `\pageref` cannot be used for counter assignments or calculations because they are not expandable, generate warnings, or can even be links. The package provides expandable macros to extract the data from references. Packages `hyperref`, `nameref`, `titleref`, and `babel` are supported.

1 Usage	1
1.1 Setting counters	1
1.2 Expandable commands	2
1.3 Undefined references	2
1.4 Notes	3
2 Implementation	3
3 Installation	5
3.1 Some details for the interested	5
4 History	6
[1998/04/08 v1.0]	6
[2000/09/07 v2.0]	6
[2006/06/20 v3.0]	6
5 Index	6

The `setouterhbox` package

Abstract

If math stuff is set in an `\hbox`, then TeX performs some optimization and omits the implicit penalties `\binoppenalty` and `\relpenalty`. This package tries to put stuff into an `\hbox` without getting lost of those penalties.

1 Documentation	1
1.1 Introduction	1
1.2 Acknowledgement	2
1.3 Usage	2
1.4 Option <code>hyperref</code>	3
1.5 Example	3
2 Implementation	3
2.1 Package start stuff	3
2.2 Main part	4
2.3 Environment support	7
2.4 Option <code>hyperref</code>	7
3 Installation	8
3.1 Some details for the interested	8
4 References	9
5 History	9
[2005/10/05 v1.0]	9
[2005/10/07 v1.1]	9
[2005/10/18 v1.2]	9
[2006/02/12 v1.3]	9
[2006/08/26 v1.4]	9
6 Index	10

The `settobox` package

Abstract

Commands are defined for getting box sizes similar to L^AT_EX's `\settowidth` commands.

1 Usage	1
1.1 Get box dimensions	1
1.2 Set box dimensions	2
1.3 Move box	2
1.4 Example	2
1.4.1 Short example	2
1.4.2 Test file that shows box manipulations	2
2 Implementation	4
3 Installation	6
3.1 Some details for the interested	6
4 History	7
[2000/02/11 v1.0]	7
[2000/09/07 v1.1]	7
[2006/02/20 v1.2]	7
5 Index	7

The `stackrel` package

Abstract

This package adds an optional argument to `\stackrel` for putting something below the relational symbol and defines `\stackbin` for binary symbols.

1	User interface	1
2	Implementation	1
3	Installation	2
3.1	Some details for the interested	3
4	History	3
	[2006/12/02 v1.0]	3
5	Index	4

The `tabularht` package

Abstract

This package defines some environments that adds a height specification to tabular and array.

1 Usage	1
1.1 Option <code>vlines</code>	2
1.2 Limitations	3
1.3 Compatibility	3
1.4 Examples	3
1.4.1 Example 1	3
1.4.2 Example 2	3
2 Implementation	4
2.1 Environments	4
2.2 Options	6
2.3 Option <code>vlines</code> , driver independent stuff	7
2.4 Driver pdftex	7
2.5 DVI drivers	10
3 Installation	13
3.1 Some details for the interested	13
4 History	14
[2005/09/22 v1.0]	14
[2005/10/16 v2.0]	14
[2005/10/18 v2.1]	14
[2006/02/20 v2.2]	14
5 Index	14

The **tabularkv** package

Abstract

This package adds a key value interface for tabular by the new environment **tabularkv**. Thus the TeX source code looks better by named parameters, especially if package **tabularht** is used.

1 Usage	1
1.1 Example	2
2 Implementation	2
3 Installation	3
3.1 Some details for the interested	3
4 History	4
[2005/09/22 v1.0]	4
[2006/02/20 v1.1]	4
5 Index	4

The **telprint** package

Abstract

Package `telprint` provides `\telprint` for formatting German phone numbers.

1 Documentation	1
1.1 Introduction	1
1.2 Short overview in English	1
1.2.1 Configuration	2
1.3 Documentation in German	2
2 Implementation	3
2.1 Reload check and package identification	3
3 Installation	6
3.1 Some details for the interested	6
4 History	7
[1996/11/28 v1.0]	7
[1997/09/16 v1.1]	7
[1997/10/16 v1.2]	7
[1997/12/09 v1.3]	7
[2004/11/02 v1.4]	7
[2005/09/30 v1.5]	7
[2006/02/12 v1.6]	7
[2006/08/26 v1.7]	7
5 Index	8

The `twoopt` package

Abstract

This package provides commands to define macros with two optional arguments.

1	Usage	1
2	Implementation	2
3	Installation	3
3.1	Some details for the interested	4
4	History	4
[1998/10/30 v1.0]	4
[1998/10/30 v1.1]	4
[1998/11/04 v1.2]	4
[1999/04/12 v1.3]	5
[2006/02/20 v1.4]	5
5	Index	5

The `zref` package

Abstract

Package `zref` tries to get rid of the restriction in L^AT_EX's reference system that only two properties are supported. The package implements an extensible referencing system, where properties are handled in a more flexible way. It offers an interface for macro programmers for the access to the system and some applications that uses the new reference scheme.

1	Introduction	2
1.1	Standard L ^A T _E X behaviour	3
1.2	Basic idea	3
1.3	Interfaces	3
2	Interface for programmers	4
2.1	Entities	4
2.2	Property list	4
2.3	Property	5
2.4	Reference generation	5
2.5	Data extraction	6
2.6	Setup	6
2.7	Declared properties	7
2.8	Wrapper for advanced situations	7
2.9	Counter for unique names	7
3	User interface	8
3.1	Module <code>user</code>	8
3.2	Module <code>abspage</code>	8
3.3	Module <code>lastpage</code>	9
3.4	Module <code>totpages</code>	9
3.5	Module <code>perpage</code>	9
3.6	Module <code>counter</code>	10
3.7	Module <code>titleref</code>	10
3.8	Module <code>savepos</code>	10
3.9	Module <code>dotfill</code>	11
3.10	Module <code>xr</code>	11
4	ToDo	12
5	Example	12
6	Implementation	14
6.1	Package <code>zref</code>	14
6.1.1	Identification	14
6.1.2	Load basic module	15
6.1.3	Process options	15
6.2	Module <code>base</code>	15

6.2.1	Prefixes	15
6.2.2	Identification	16
6.2.3	Utilities	16
6.2.4	Check for ε - T<small>E</small>X	16
6.2.5	Auxiliary file stuff	16
6.2.6	Property lists	17
6.2.7	Properties	18
6.2.8	Reference generation	19
6.2.9	Reference querying and extracting	21
6.2.10	Compatibility with babel	22
6.2.11	Unique counter support	23
6.2.12	Setup	23
6.3	Module user	24
6.4	Module abspage	24
6.5	Module counter	25
6.6	Module lastpage	25
6.7	Module totpages	25
6.8	Module perpage	26
6.9	Module titleref	28
6.9.1	Implementation	28
6.9.2	User interface	29
6.9.3	Patches for section and caption commands	30
6.10	Module xr	31
6.11	Module hyperref	35
6.12	Module savepos	36
6.12.1	Identification	36
6.12.2	Availability	36
6.12.3	Setup	36
6.12.4	User macros	36
6.13	Module dotfill	37
7	Installation	38
7.1	Some details for the interested	39
8	References	40
9	History	40
[2006/02/20 v1.0]	40
[2006/05/03 v1.1]	40
[2006/05/25 v1.2]	40
[2006/09/08 v1.3]	40
10	Index	40