

CTAN:macros/latex/contrib/oberdiek/

Heiko Oberdiek
<[ho-tex at tug.org](mailto:ho-tex@tug.org)>

2019/07/25

1 Overview

accsupp (contents)	2010/01/16 v0.3 Accessibility support by marked content	[pdf] [dtx]
aliascnt (contents)	2009/09/08 v1.3 Alias counters	[pdf] [dtx]
alphalph (contents)	2011/05/13 v2.4 Convert numbers to letters	[pdf] [dtx]
askinclude (contents)	2011/12/02 v2.2 Interactive asking of included files	[pdf] [dtx]
atbegshi (contents)	2011/10/05 v1.16 At begin shipout hook	[pdf] [dtx]
atenddvi (contents)	2007/04/17 v1.1 At end DVI hook	[pdf] [dtx]
attachfile2 (contents)	2019/07/24 v2.9 Attach files into PDF	[pdf] [dtx]
atveryend (contents)	2011/06/30 v1.8 Hooks at the very end of document	[pdf] [dtx]
auxhook (contents)	2011/03/04 v1.3 Hooks for auxiliary files	[pdf] [dtx]
bigintcalc (contents)	2012/04/08 v1.3 Expandable calculations on big integers	[pdf] [dtx]
bitset (contents)	2011/01/30 v1.1 Handle bit-vector datatype	[pdf] [dtx]
bmpsize (contents)	2009/09/04 v1.6 Extract size/resolution from bitmap files	[pdf] [dtx]

bookmark (contents)	2011/12/02 v1.24 PDF bookmarks	[pdf] [dtx]
catchfile (contents)	2011/03/01 v1.6 Catch the contents of a file	[pdf] [dtx]
centernot (contents)	2011/07/11 v1.3 Centers the not symbol horizontally	[pdf] [dtx]
chemarr (contents)	2006/02/20 v1.2 Arrows for chemical reactions	[pdf] [dtx]
classlist (contents)	2011/10/17 v1.4 Record classes used in a document	[pdf] [dtx]
colonequals (contents)	2006/08/01 v1.0 Colon equals symbols	[pdf] [dtx]
dvipscol (contents)	2008/08/11 v1.2 Alter the usage of the dvips color stack	[pdf] [dtx]
embedfile (contents)	2011/04/13 v2.6 Embed files into PDF	[pdf] [dtx]
engord (contents)	2010/03/01 v1.8 Provides English ordinal numbers	[pdf] [dtx]
enparen (contents)	2012/01/07 v1.0 Parentheses nesting	[pdf] [dtx]
eolgrab (contents)	2011/01/12 v1.0 Catch arguments delimited by end of line	[pdf] [dtx]
epstopdf (contents)	2010/02/09 v2.5 Conversion with epstopdf on the fly	[pdf] [dtx]
etexcmds (contents)	2011/02/16 v1.5 Avoid name clashes with ϵ -TeX commands	[pdf] [dtx]
fibnum (contents)	2012/04/08 v1.0 Fibonacci numbers	[pdf] [dtx]
flags (contents)	2007/09/30 v0.4 Setting/clearing of flags in bit fields	[pdf] [dtx]
getttitlestring (contents)	2010/12/03 v1.4 Cleanup title references	[pdf] [dtx]
grfext (contents)	2010/08/19 v1.1 Manage graphics extensions	[pdf] [dtx]
grffile (contents)	2012/04/05 v1.16 Extended file name support for graphics	[pdf] [dtx]

hobsub (contents)	2012/04/25 v1.12 Construct package bundles	[pdf] [dtx]
hologo (contents)	2012/04/26 v1.10 A logo collection with bookmark support	[pdf] [dtx]
holtxdoc (contents)	2012/03/21 v0.24 Private additional ltxdoc support	[pdf] [dtx]
hopatch (contents)	2011/06/24 v1.1 Wrapper for package hooks	[pdf] [dtx]
hycolor (contents)	2011/01/30 v1.7 Color options for hyperref/bookmark	[pdf] [dtx]
hybmsec (contents)	2007/04/11 v2.4 Bookmarks in sectioning commands	[pdf] [dtx]
hypcap (contents)	2011/02/16 v1.11 Adjusting the anchors of captions	[pdf] [dtx]
hypdestopt (contents)	2011/05/13 v2.3 Hyperref destination optimizer	[pdf] [dtx]
hypdoc (contents)	2011/08/19 v1.11 Hyper extensions for doc.sty	[pdf] [dtx]
hypgotoe (contents)	2007/10/30 v0.1 Links to embedded files	[pdf] [dtx]
hyphsubst (contents)	2008/06/09 v0.2 Substitute hyphenation patterns	[pdf] [dtx]
ifdraft (contents)	2008/08/11 v1.3 Detect class options draft and final	[pdf] [dtx]
iflang (contents)	2007/11/11 v1.5 Checks for the current language	[pdf] [dtx]
ifluatex (contents)	2010/03/01 v1.3 Provides the ifluatex switch	[pdf] [dtx]
ifpdf (contents)	2011/01/30 v2.3 Provides the ifpdf switch	[pdf] [dtx]
ifvtex (contents)	2010/03/01 v1.5 Detect V _T _E X and its facilities	[pdf] [dtx]
infwarerr (contents)	2010/04/08 v1.3 Providing info/warning/error messages	[pdf] [dtx]
inputenx (contents)	2011/05/27 v1.10 Enhanced input encoding handling	[pdf] [dtx]

intcalc (contents)	2007/09/27 v1.1 Expandable calculations with integers	[pdf] [dtx]
kvdefinekeys (contents)	2011/04/07 v1.3 Define keys	[pdf] [dtx]
kvoptions (contents)	2011/06/30 v3.11 Key value format for package options	[pdf] [dtx]
kvsetkeys (contents)	2012/04/25 v1.16 Key value parser	[pdf] [dtx]
letltxmacro (contents)	2010/09/02 v1.4 Let assignment for L ^A T _E X macros	[pdf] [dtx]
listingsutf8 (contents)	2011/11/10 v1.2 Allow UTF-8 in listings input	[pdf] [dtx]
ltxcmds (contents)	2011/11/09 v1.22 L ^A T _E X kernel commands for general use	[pdf] [dtx]
luacolor (contents)	2019/07/25 v1.12 Color support via LuaT _E X's attributes	[pdf] [dtx]
luatex (contents)	2019/07/25 v0.7 LuaT _E X basic definition package	[pdf] [dtx]
magicnum (contents)	2019/07/25 v1.6 Magic numbers	[pdf] [dtx]
makerobust (contents)	2006/03/18 v1.0 Make existing macro robust	[pdf] [dtx]
mleftright (contents)	2010/09/25 v1.0 Math left/right delim. as open/close	[pdf] [dtx]
pagegrid (contents)	2009/12/04 v1.4 Print page grid in background	[pdf] [dtx]
pagesel (contents)	2008/08/11 v1.8 Select pages of a document for output	[pdf] [dtx]
pdfcol (contents)	2007/12/12 v1.2 Handle new color stacks for pdfT _E X	[pdf] [dtx]
pdfcolfoot (contents)	2012/01/02 v1.2 Color stack for footnotes with pdfT _E X	[pdf] [dtx]
pdfcolmk (contents)	2008/08/11 v1.2 Color support for pdfT _E X via marks	[pdf] [dtx]
pdfcolparallel (contents)	2010/01/11 v1.3 Color stacks support for parallel	[pdf] [dtx]

pdfcolparcolumns (contents)	2010/01/11 v1.3 Color stacks for parcolumns	[pdf] [dtx]
pdfcrypt (contents)	2007/04/26 v1.0 Allows the setting of PDF encryption	[pdf] [dtx]
pdfescape (contents)	2011/11/25 v1.13 Implements pdfTeX's escape features	[pdf] [dtx]
pdfscape (contents)	2008/08/11 v0.10 Display of landscape pages in PDF	[pdf] [dtx]
pdfrender (contents)	2010/01/28 v1.2 Access to some PDF graphics parameters	[pdf] [dtx]
pdftexcmds (contents)	2019/07/25 v0.30 Utility functions of pdfTeX for LuaTeX	[pdf] [dtx]
picture (contents)	2009/10/11 v1.3 Dimens for picture macros	[pdf] [dtx]
pmbboxdraw (contents)	2011/03/24 v1.1 Poor man's box drawing characters	[pdf] [dtx]
protecteddef (contents)	2011/01/31 v1.0 Define protected commands	[pdf] [dtx]
refcount (contents)	2011/10/16 v3.4 Data extraction from label references	[pdf] [dtx]
rerunfilecheck (contents)	2011/04/15 v1.7 Rerun checks for auxiliary files	[pdf] [dtx]
resizegather (contents)	2010/03/01 v1.2 Resize overly large equations	[pdf] [dtx]
rotchiffre (contents)	2010/11/12 v1.0 Perform simple rotation ciphers	[pdf] [dtx]
scrindex (contents)	2008/08/11 v1.1 Package index with KOMA-Script classes	[pdf] [dtx]
selinput (contents)	2007/09/09 v1.2 Semi-automatic input encoding detection	[pdf] [dtx]
setouterhbox (contents)	2007/09/09 v1.7 Set hbox in outer horizontal mode	[pdf] [dtx]
settoibox (contents)	2008/08/11 v1.4 Assign box dimensions to length registers	[pdf] [dtx]
soulutf8 (contents)	2007/09/09 v1.0 Permit use of UTF-8 characters in soul	[pdf] [dtx]

stackrel (contents)	2007/11/11 v1.2 Adding subscript option to stackrel	[pdf] [dtx]
stampinclude (contents)	2008/07/14 v1.0 Include files based on time stamps	[pdf] [dtx]
stringenc (contents)	2011/12/02 v1.10 Convert strings between diff. encodings	[pdf] [dtx]
tabularht (contents)	2007/04/11 v2.5 Tabular with height specified	[pdf] [dtx]
tabularkv (contents)	2006/02/20 v1.1 Tabular with key value interface	[pdf] [dtx]
telprint (contents)	2008/08/11 v1.10 Format German phone numbers	[pdf] [dtx]
thepdfnumber (contents)	2011/11/24 v1.0 Print PDF numbers with minimal digits	[pdf] [dtx]
transparent (contents)	2007/01/08 v1.0 Transparency via pdfTeX's color stack	[pdf] [dtx]
twoopt (contents)	2008/08/11 v1.5 Definitions with two optional arguments	[pdf] [dtx]
uniquecounter (contents)	2011/01/30 v1.2 Provide unlimited unique counter	[pdf] [dtx]
zref (contents)	2012/04/04 v2.24 A new reference scheme for L ^A T _E X	[pdf] [dtx]

2 Packages

The accsupp package

Abstract

Since PDF 1.5 portions of a page can be marked for better accessibility support. For example, replacement texts or expansions of abbreviations can be provided. Package `accsupp` starts with providing a minimal low-level interface for programmers. Status is experimental.

1 Documentation	2
1.1 Macros	2
1.1.1 Feature options	2
1.1.2 Input methods	3
1.2 Workaround, option <code>space</code>	3
1.3 Driver options	3
1.3.1 Option <code>pdftex</code>	4
1.3.2 Option <code>luatex</code>	4

1.3.3	Option <code>dvipdfm</code>	4
1.3.4	Option <code>dvips</code>	4
1.3.5	Turning off page stream compression	4
2	Example	4
2.1	Example <code>\notparallel</code>	4
2.2	Example with <code>pdfstringdef</code>	5
3	Implementation	5
3.1	Package	5
3.2	Space setup	6
3.3	Driver detection and setup	6
3.4	Main macro	8
3.4.1	Input methods	9
3.5	Drivers	10
3.5.1	Driver <code>pdftex</code>	10
3.5.2	Driver <code>luatex</code>	10
3.5.3	Driver <code>dvipdfm</code>	11
3.5.4	Driver <code>dvips</code>	11
4	Test	11
4.1	Catcode checks for loading	11
5	Installation	12
5.1	Download	12
5.2	Bundle installation	12
5.3	Package installation	12
5.4	Refresh file name databases	13
5.5	Some details for the interested	13
6	Catalogue	13
7	References	14
8	History	14
	[2007/03/21 v0.1]	14
	[2007/11/14 v0.2]	14
	[2010/01/16 v0.3]	14
	[2016/05/16 v0.4]	14
	[2018/03/28 v0.5]	14
9	Index	15

The aliascnt package

Abstract

Package `aliascnt` introduces *alias counters* that share the same counter register and clear list.

1	User interface	2
1.1	Introduction	2
1.2	Syntax	2
2	Implementation	2
2.1	Identification	2
2.2	Create new alias counter	2
2.3	Counter clear list	3
3	Installation	4
3.1	Download	4
3.2	Bundle installation	4
3.3	Package installation	4
3.4	Refresh file name databases	4
3.5	Some details for the interested	5
4	Catalogue	5
5	Acknowledgement	6
6	References	6
7	History	6
	[2006/02/20 v1.0]	6
	[2006/08/16 v1.1]	6
	[2006/09/25 v1.2]	6
	[2009/09/08 v1.3]	6
	[2016/05/16 v1.4]	6
	[2018/09/07 v1.5]	6
8	Index	6

The alphaph package

Abstract

The package provides methods to represent numbers with a limited set of symbols. Both L^AT_EX and plain T_EX are supported.

1	Documentation	2
1.1	Introduction	2
1.2	Use cases	3
1.2.1	Number system based on symbols	3
1.2.2	Wrap symbols around	3
1.2.3	Multiple symbols	3
1.3	Glossary	4
1.4	Package usage	4
1.5	User commands	5
1.6	Programmer commands	5
1.7	Design principles	6
1.7.1	Number presentation commands	6
1.7.2	General usability	6
2	Implementation	6
2.1	Begin of package	6
2.2	Catcodes	7
2.3	Package loading	8
2.4	ε -T _E X detection	8
2.5	Help macros	9
2.6	Symbol provider	10
2.6.1	Alphabet	10
2.7	Finding number of symbols	10
2.8	Methods	12
2.8.1	Common methods	12
2.8.2	Method ‘alph’	12
2.8.3	Method ‘wrap’	13
2.8.4	Method ‘mult’	14
2.9	User interface	15
3	Test	16
3.1	Catcode checks for loading	16
4	Macro tests	18
5	Installation	21
5.1	Download	21
5.2	Bundle installation	22
5.3	Package installation	22
5.4	Refresh file name databases	22
5.5	Some details for the interested	22

6 Catalogue	23
7 History	23
[1999/03/19 v0.1]	23
[1999/04/12 v1.0]	24
[1999/04/13 v1.1]	24
[1999/06/26 v1.2]	24
[2006/02/20 v1.3]	24
[2006/05/30 v1.4]	24
[2007/04/11 v1.5]	24
[2007/09/09 v2.0]	24
[2008/08/11 v2.1]	24
[2010/03/01 v2.2]	24
[2010/04/18 v2.3]	24
[2011/05/13 v2.4]	25
[2016/05/16 v2.5]	25
8 Index	25

The askinclude package

Abstract

This package replaces `\includeonly` by an interactive user interface.

1	Documentation	2
1.1	User interface	2
1.2	Single asking mode	4
1.3	Regular expressions	4
1.3.1	Method <code>makematch</code>	4
1.3.2	Method <code>pdfmatch</code>	5
1.4	History	6
1.5	New features of version 2	6
1.6	Compatibility to version 1	7
2	Implementation	7
2.1	Header and catcodes	7
2.2	Delay action after preamble	8
2.3	Write entry in <code>.aux</code> file	8
2.4	Remember <code>\include</code> files	8
2.5	Redefine <code>\include</code>	9
2.6	Store answer and match method in <code>.aux</code> file	10
2.7	Support for <code>\@includeonly</code>	10
2.8	Stop if <code>\includeonly</code> is active	10
2.9	<code>\includeonly</code>	11
2.10	Options	11
2.11	Strings	12
2.12	Set defaults	12
2.13	Questions	13
2.13.1	Generic question header	13
2.13.2	Display files	13
2.13.3	Previous answer	14
2.13.4	Current regular expression support	14
2.13.5	Main question text	15
2.13.6	Main question	15
2.14	Evaluate answer of main question	16
2.15	Ask for each file	19
3	Test	20
3.1	Included files	20
3.2	Special test setup	21
3.3	Common start	21
3.4	First run tests	24
3.5	Second run tests	29
3.6	Compatibility for changing from old to new	33
3.7	Regular expressions	34
3.8	Common end	35

4	Installation	35
4.1	Download	35
4.2	Bundle installation	35
4.3	Package installation	35
4.4	Refresh file name databases	36
4.5	Some details for the interested	36
5	Catalogue	37
6	Acknowledgement	37
7	History	37
	[1991/11/05 v0.95]	37
	[1991/11/05 v0.99]	38
	[1991/11/07 v1.0]	38
	[1991/12/13 v1.1]	38
	[1994/11/02 v1.2e]	38
	[2007/10/15 v1.0 (askinc)]	38
	[2007/10/23 v2.0]	38
	[2008/08/11 v2.1]	38
	[2011/12/02 v2.2]	38
	[2016/05/14 v2.3]	38
	[2018/11/01 v2.4]	38
8	Index	39

The atbegshi package

Abstract

This package is a modern reimplementaion of package `everyshi` without the burden of compatibility. It makes use of ε -TeX's if available. Both \LaTeX and plain-TeX are supported.

1	Documentation	2
1.1	Examples	4
1.1.1	Example: circle in background	4
1.1.2	Example: adding TrimBox for dvipdfmx	5
2	Method of <code>\shipout</code> overloading	6
2.1	<code>\shipout</code>	6
2.2	<code>\afterassignment</code>	6
2.3	Test for direct or indirect boxes	7
2.3.1	With ε -TeX	7
2.3.2	Without ε -TeX	7
2.3.3	<code>\lastkern</code> method	8
2.4	Output	9
2.5	Separate box register	9
2.6	Summary	9
2.6.1	With ε -TeX	9
2.6.2	Without ε -TeX, traditional way	10
2.6.3	<code>\lastkern</code> method	10
3	Implementation	11
3.1	Reload check and package identification	11
3.2	Catcodes	12
3.3	Preparations	13
3.4	Additions to the shipout box	17
3.5	Positioning	19
3.6	Patches	20
3.6.1	Package <code>crop</code>	20
3.6.2	Package <code>everyshi</code>	22
3.6.3	Class <code>memoir</code>	23
4	Test	26
4.1	Catcode checks for loading	26
5	Installation	30
5.1	Download	30
5.2	Bundle installation	30
5.3	Package installation	30
5.4	Refresh file name databases	30
5.5	Some details for the interested	31
6	Catalogue	31

7 History	32
[2007/04/17 v1.0]	32
[2007/04/18 v1.1]	32
[2007/04/19 v1.2]	32
[2007/04/26 v1.3]	32
[2007/04/27 v1.4]	32
[2007/06/06 v1.5]	32
[2007/09/09 v1.6]	32
[2008/07/18 v1.7]	32
[2008/07/19 v1.8]	32
[2008/07/31 v1.9]	32
[2009/12/02 v1.10]	32
[2010/03/01 v1.11]	33
[2010/03/25 v1.12]	33
[2010/08/18 v1.13]	33
[2010/12/02 v1.14]	33
[2011/01/30 v1.15]	33
[2011/10/05 v1.16]	33
[2016/05/16 v1.17]	33
[2016/06/09 v1.18]	33
8 Index	33

The atenddvi package

Abstract

L^AT_EX offers `\AtBeginDvi`. This package `atenddvi` provides the counterpart `\AtEndDvi`. The execution of its argument is delayed to the end of the document at the end of the last page. Thus `\special` and `\write` remain effective, because they are put into the last page. This is the main difference to `\AtEndDocument`.

1	Documentation	1
2	Implementation	2
3	Installation	4
3.1	Download	4
3.2	Bundle installation	4
3.3	Package installation	4
3.4	Refresh file name databases	4
3.5	Some details for the interested	5
4	Catalogue	5
5	History	6
	[2007/03/20 v1.0]	6
	[2007/04/17 v1.1]	6
	[2016/05/16 v1.2]	6
6	Index	6

The attachfile2 package

Abstract

This package can be used to attach files to a PDF document. It is a further development of Scott Pakin's package `attachfile` for pdfTeX. Apart from bug fixes, package `attachfile2` adds support for `dvips`, some new options, gets and writes meta information data about the attached files.

1	Documentation	2
1.1	Introduction	2
1.1.1	Future development	2
1.2	User interface	3
1.2.1	New options	3
1.2.2	Option <code>color</code>	3
1.2.3	Perl script <code>pdfatfi.pl</code>	4
1.3	Changes to <code>attachfile</code>	4
2	Implementation	5
2.1	Package	5
2.1.1	Loading of packages	5
2.1.2	Value checking	5
2.1.3	Option declarations	7
2.1.4	Option calling	10
2.1.5	Evaluate driver options	10
2.1.6	Evaluate options <code>draft/final</code>	11
2.1.7	Load driver file	12
2.1.8	Graphics	12
2.1.9	Reading the <code>.atfi</code> file	15
2.1.10	Writing the <code>.atfi</code> file	17
2.1.11	Annotation appearance	18
2.2	Drivers	20
2.2.1	pdfTeX	20
2.3	luatex	23
2.3.1	dvips	25
2.3.2	dvipdfmx	33
2.4	Perl script <code>pdfatfi.pl</code>	37
3	Installation	40
3.1	Download	40
3.2	Bundle installation	41
3.3	Package installation	41
3.4	Refresh file name databases	41
3.5	Script installation	41
3.6	Some details for the interested	42
4	Catalogue	42

5	References	43
6	History	43
	[2005/02/23 v2.0]	43
	[2005/10/07 v2.1]	43
	[2006/08/17 v2.2]	43
	[2007/04/11 v2.3]	43
	[2008/07/29 v2.4]	43
	[2009/09/25 v2.5]	44
	[2010/09/27 v2.6]	44
	[2012/04/18 v2.7]	44
	[2016/05/16 v2.8]	44
	[2019/07/24 v2.9]	44
7	Index	44

The atveryend package

Abstract

This L^AT_EX package provides two hooks for `\end{document}` that are executed after the hook of `\AtEndDocument`. `\AfterLastShipout` can be used for code that is to be executed right after the last `\clearpage` before the `.aux` file is closed. `\AtVeryEndDocument` is used for code after closing and final reading of the `.aux` file.

1	Documentation	2
1.1	Related work	3
2	Implementation	3
2.1	Tools	4
2.2	Hooks	4
2.3	Redefining <code>\enddocument</code>	6
2.3.1	L ^A T _E X kernel	6
2.3.2	L ^A T _E X kernel 2011/06/27	7
2.3.3	Package <code>booklet</code> , file <code>2up.tex</code>	9
2.3.4	Class <code>dinbrief</code>	9
2.3.5	Class <code>combine</code>	10
2.3.6	Class <code>jpsj2</code>	11
2.3.7	Testing and redefining	12
2.4	Hack into <code>\enddocument</code>	13
2.5	Using hooks of other packages	14
2.5.1	Package <code>scrfile</code>	14
2.5.2	Package <code>etoolbox</code>	14
2.6	Class <code>letter</code>	14
3	Test	16
3.1	Catcode checks for loading	16
4	Installation	17
4.1	Download	17
4.2	Bundle installation	18
4.3	Package installation	18
4.4	Refresh file name databases	18
4.5	Some details for the interested	18
5	Catalogue	19
6	Acknowledgement	19
7	References	19

8 History	20
[2009/12/06 v1.0]	20
[2009/12/07 v1.1]	20
[2009/12/09 v1.2]	20
[2009/12/11 v1.3]	20
[2010/01/25 v1.4]	20
[2010/03/24 v1.5]	20
[2011/04/15 v1.6]	20
[2011/04/23 v1.7]	20
[2011/06/30 v1.8]	21
[2016/05/16 v1.9]	21
9 Index	21

The auxhook package

Abstract

Package `auxhook` provides hooks for adding stuff at the begin of `.aux` files.

1	User interface	1
2	Implementation	2
2.1	Identification	2
2.2	Hook setup	2
2.3	User macros	3
2.4	Patches	3
2.4.1	<code>\document</code>	3
2.4.2	<code>\@include</code>	4
3	Installation	4
3.1	Download	4
3.2	Bundle installation	5
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	5
4	Catalogue	6
5	References	6
6	History	6
[2006/05/31 v1.0]	6
[2007/04/06 v1.1]	6
[2009/12/14 v1.2]	6
[2011/03/04 v1.3]	6
[2016/05/16 v1.4]	7
7	Index	7

The bigintcalc package

Abstract

This package provides expandable arithmetic operations with big integers that can exceed \TeX 's number limits.

1	Documentation	2
1.1	Introduction	2
1.2	Conditions	2
1.2.1	Preconditions	2
1.2.2	Postconditions	3
1.3	Error handling	3
1.4	Operations	3
1.4.1	Num	3
1.4.2	Inv, Abs, Sgn	4
1.4.3	Min, Max, Cmp	4
1.4.4	Odd	5
1.4.5	Inc, Dec, Add, Sub	5
1.4.6	Shl, Shr	5
1.4.7	Mul, Sqr, Fac, Pow	6
1.4.8	Div, Mul	6
1.5	Interface for programmers	7
2	Implementation	8
2.1	Reload check and package identification	8
2.2	Catcodes	9
2.3	ε - \TeX detection	10
2.4	Help macros	10
2.5	Expand number	10
2.6	Normalize expanded number	11
2.7	Num	12
2.8	Inv, Abs, Sgn	12
2.9	Cmp, Min, Max	13
2.10	Odd	15
2.11	Inc, Dec	16
2.12	Add, Sub	19
2.13	Shl, Shr	24
2.14	$\backslash\text{BIC@Tim}$	27
2.15	Mul	29
2.16	Sqr	31
2.17	Fac	31
2.18	Pow	32
2.18.1	Help macros	34
2.18.2	Recursive calculation	35
2.19	Div	36
2.20	Mod	42

3	Test	45
3.1	Catcode checks for loading	45
3.2	Macro tests	46
3.2.1	Preamble with test macro definitions	46
3.2.2	Time	50
3.2.3	Test sets	50
4	Installation	59
4.1	Download	59
4.2	Bundle installation	60
4.3	Package installation	60
4.4	Refresh file name databases	60
4.5	Some details for the interested	60
5	Catalogue	61
6	History	61
[2007/09/27 v1.0]	61
[2007/11/11 v1.1]	61
[2011/01/30 v1.2]	61
[2012/04/08 v1.3]	62
[2016/05/16 v1.4]	62
7	Index	62

The bitset package

Abstract

This package defines and implements the data type bit set, a vector of bits. The size of the vector may grow dynamically. Individual bits can be manipulated.

1	Documentation	3
1.1	Introduction	3
1.2	Glossary	3
1.3	Design principles	4
1.4	Operator overview	5
1.5	Package loading	5
1.6	Operators	5
1.6.1	Miscellaneous	6
1.6.2	Import	6
1.6.3	Export	6
1.6.4	Logical operators	7
1.6.5	Shifting	7
1.6.6	Bit manipulation	7
1.6.7	Bit retrieval	8
1.6.8	Bit set properties	8
1.6.9	Queries	8
2	Implementation	9
2.1	Reload check and package identification	9
2.2	Catcodes	10
2.3	Package loading	11
2.4	Help macros	12
2.4.1	Number constant	12
2.4.2	General basic macros	12
2.4.3	Tail recursion	12
2.4.4	Check macros	12
2.5	Miscellaneous	13
2.6	Import	13
2.6.1	From binary number	13
2.6.2	From octal/hex number	14
2.6.3	From decimal number	16
2.7	Export	17
2.7.1	To binary number	17
2.7.2	To octal/hexadecimal number	18
2.7.3	To decimal number	20
2.8	Logical operators	23
2.8.1	\bitsetAnd	23
2.8.2	\bitsetAndNot	23
2.8.3	\bitsetOr	24
2.8.4	\bitsetXor	25

2.8.5	Shifting	26
2.8.6	<code>\bitsetShiftLeft</code>	26
2.8.7	<code>\bitsetShiftRight</code>	26
2.9	Bit manipulation	27
2.9.1	Clear operation	28
2.9.2	Set operation	29
2.9.3	Flip operation	29
2.9.4	Range operators	30
2.10	Bit retrieval	32
2.10.1	<code>\bitsetGet</code>	32
2.10.2	<code>\bitsetNextClearBit</code> , <code>\bitsetNextSetBit</code>	33
2.10.3	<code>\bitsetGetSetBitList</code>	35
2.11	Bit set properties	35
2.12	Queries	37
3	Test	38
3.1	Catcode checks for loading	38
3.2	Macro tests	40
3.2.1	Preamble	40
3.2.2	Time	40
3.2.3	Detection of unwanted space	41
3.2.4	Test macros	41
3.2.5	Test sets	42
4	Installation	57
4.1	Download	57
4.2	Bundle installation	57
4.3	Package installation	58
4.4	Refresh file name databases	58
4.5	Some details for the interested	58
5	Catalogue	59
6	History	59
	[2007/09/28 v1.0]	59
	[2011/01/30 v1.1]	59
	[2016/05/16 v1.2]	59
7	Index	59

The **bmpsize** package

Abstract

Package **bmpsize** analyzes bitmap images to extract size and resolution data. It adds this feature to the graphics package that now do not need separate bounding box files for bitmap images. Additionally the implementation for the inclusion of bitmap images in some drivers of package **graphicx** are rewritten to support options **viewport**, **trim** and **clip**.

1	Documentation	2
1.1	Introduction	2
1.2	Bitmap image parsers	3
1.2.1	User interface	3
1.2.2	Hints	3
1.2.3	Test program	4
1.2.4	Interface for programmers	4
1.3	Improved bitmap inclusion	4
2	Implementation	4
2.1	Basic package bmpsize-base	4
2.2	Bitmap formats	11
2.2.1	png	11
2.2.2	jpg	13
2.2.3	bmp	21
2.2.4	gif	22
2.2.5	tiff	23
2.2.6	pnm	27
2.2.7	pam	30
2.2.8	xpm	36
2.2.9	tga	41
2.2.10	pcx	43
2.2.11	msp	44
2.2.12	sgi	45
2.3	Package bmpsize	46
2.4	Drivers	48
2.4.1	dvips	48
2.4.2	dvipdfm and dvipdfmx	50
2.5	Test program bmpsize-test.tex	53
3	Installation	55
3.1	Download	55
3.2	Bundle installation	56
3.3	Package installation	56
3.4	Refresh file name databases	56
3.5	Some details for the interested	56
4	Catalogue	57

5	References	57
5.1	URLs for bitmap format descriptions	58
5.1.1	JPEG	58
5.1.2	PNG	58
5.1.3	GIF	58
5.1.4	BMP	58
5.1.5	PCX	58
5.1.6	MSP	58
5.1.7	TIFF	58
5.1.8	TGA	58
5.1.9	SGI	58
5.1.10	WMF	59
5.1.11	XPM	59
6	History	59
	[2006/08/24 v1.0]	59
	[2007/02/18 v1.1]	59
	[2007/04/11 v1.2]	59
	[2007/05/01 v1.3]	59
	[2007/11/11 v1.4]	59
	[2008/08/11 v1.5]	59
	[2009/09/04 v1.6]	59
	[2016/05/16 v1.7]	59
7	Index	60

The bookmark package

Abstract

This package implements a new bookmark (outline) organization for package `hyperref`. Bookmark properties such as style and color can now be set. Other action types are available (URI, GoToR, Named). The bookmarks are generated in the first compile run. Package `hyperref` uses two runs.

1	Documentation	3
1.1	Introduction	3
1.2	Options	3
1.2.1	Options <code>draft</code> and <code>final</code>	3
1.2.2	Driver options	4
1.2.3	Layout options	4
1.2.4	Action options	5
1.2.5	Level options	6
1.2.6	Style definitions	6
1.2.7	Hook support	6
1.3	Compatibility with <code>hyperref</code>	7
1.4	Adding bookmarks at the end	7
1.5	Limitations/Todos	8
2	Example	8
3	Implementation	10
3.1	Package	10
3.1.1	Requirements	10
3.1.2	Package options	11
3.1.3	Action options	16
3.1.4	Option <code>atend</code>	19
3.1.5	Option <code>style</code>	19
3.1.6	Options for source file location	21
3.1.7	Hook support	21
3.1.8	Driver setup and loading	21
3.1.9	Compatibility for <code>hyperref</code>	24
3.2	Driver for <code>dvipdfm</code>	25
3.3	Driver for <code>VTeX</code>	27
3.4	Driver for <code>pdfTeX</code>	32
3.5	Drivers with <code>pdfmark</code> specials	34
3.5.1	Driver <code>dvips</code>	34
3.5.2	Driver <code>dvipsone</code>	34
3.5.3	Driver <code>textures</code>	34
3.5.4	Common part	35
3.6	Common part for <code>pdfTeX</code> and <code>pdfmark</code>	37
3.6.1	Write auxiliary file	37
3.6.2	Read auxiliary data	39
3.7	Option <code>atend</code>	40

3.7.1	Hook	40
3.7.2	Drivers using hooks at end of document	40
3.7.3	Drivers using \AtEndDvi	41
4	Installation	41
4.1	Download	41
4.2	Bundle installation	41
4.3	Package installation	41
4.4	Refresh file name databases	42
4.5	Some details for the interested	42
5	Catalogue	42
6	References	43
7	History	43
[2007/02/19 v0.1]		43
[2007/02/20 v0.2]		43
[2007/02/21 v0.3]		43
[2007/02/22 v0.4]		43
[2007/03/02 v0.5]		44
[2007/03/03 v0.6]		44
[2007/03/07 v0.7]		44
[2007/04/09 v0.8]		44
[2007/04/25 v0.9]		44
[2007/05/29 v1.0]		44
[2007/07/13 v1.1]		44
[2007/09/25 v1.2]		44
[2008/08/08 v1.3]		44
[2008/09/13 v1.4]		44
[2009/08/13 v1.5]		45
[2009/12/06 v1.6]		45
[2009/12/07 v1.7]		45
[2009/12/17 v1.8]		45
[2010/03/30 v1.9]		45
[2010/04/03 v1.10]		45
[2010/04/04 v1.11]		45
[2010/04/08 v1.12]		45
[2010/07/23 v1.13]		45
[2010/09/02 v1.14]		45
[2010/09/25 v1.15]		45
[2010/10/19 v1.16]		45
[2010/10/25 v1.17]		46
[2010/11/05 v1.18]		46
[2011/03/20 v1.19]		46
[2011/04/13 v1.20]		46
[2011/04/21 v1.21]		46

[2011/05/13 v1.22]	46
[2011/09/19 v1.23]	46
[2011/12/02 v1.24]	46
[2016/05/16 v1.25]	46
[2016/05/17 v1.26]	46
[2019/06/04 v1.27]	46
8 Index	46

The catchfile package

Abstract

This package catches the contents of a file and puts it in a macro. It requires ε -TeX. Both L^AT_EX and plain-T_EX are supported.

1	Documentation	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Preparations	4
2.4	Looking for primitive <code>\input</code>	4
2.5	Input file check	5
2.6	Catch file contents	6
3	Test	7
3.1	Catcode checks for loading	7
3.2	L ^A T _E X	9
3.3	plain T _E X	10
4	Installation	12
4.1	Download	12
4.2	Bundle installation	12
4.3	Package installation	12
4.4	Refresh file name databases	12
4.5	Some details for the interested	13
5	Catalogue	13
6	History	14
	[2007/05/30 v1.0]	14
	[2007/09/09 v1.1]	14
	[2007/11/11 v1.2]	14
	[2010/03/01 v1.3]	14
	[2010/04/08 v1.4]	14
	[2010/04/28 v1.5]	14
	[2011/03/01 v1.6]	14
	[2016/05/16 v1.7]	14
7	Index	14

The centernot package

Abstract

This package provides `\centernot` that prints the symbol `\not` on the following argument. Unlike `\not` the symbol is horizontally centered.

1	User interface	1
2	Implementation	2
3	Installation	2
3.1	Download	2
3.2	Bundle installation	3
3.3	Package installation	3
3.4	Refresh file name databases	3
3.5	Some details for the interested	3
4	Catalogue	4
5	History	4
[2006/12/02 v1.0]	4
[2007/05/31 v1.1]	4
[2010/03/29 v1.2]	4
[2011/07/11 v1.3]	5
[2016/05/16 v1.4]	5
6	Index	5

The chemarr package

Abstract

Very often chemists need a longer version of reaction arrows (`\rightleftharpoons`) with the possibility to put text above and below. Analogous to `amsmath`'s `\xrightarrow` and `\xleftarrow` this package provides the macro `\xrightleftharpoons`.

1	Usage	1
1.1	Example	2
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	3
3.3	Package installation	3
3.4	Refresh file name databases	4
3.5	Some details for the interested	4
4	Catalogue	4
5	History	5
[2001/06/21 v1.0]	5
[2001/06/22 v1.1]	5
[2006/02/20 v1.2]	5
[2016/05/16 v1.3]	5
6	Index	5

The classlist package

Abstract

This package records the loaded classes and stores them in a list.

1	Documentation	1
1.1	Background	1
1.2	Usage	2
2	Implementation	2
3	Installation	4
3.1	Download	4
3.2	Bundle installation	4
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	5
4	Catalogue	5
5	History	6
[2005/06/19 v1.0]	6
[2005/06/19 v1.1]	6
[2006/02/20 v1.2]	6
[2008/08/11 v1.3]	6
[2011/10/17 v1.4]	6
[2016/05/16 v1.5]	7
6	Index	7

The colonequals package

Abstract

Package colonequals defines poor man’s symbols for math relation symbols such as “colon equals”. The colon is centered around the horizontal math axis.

1	User interface	1
1.1	Introduction	1
1.2	Symbols	2
1.3	Fine tuning	3
1.3.1	Example	3
2	Implementation	3
2.1	Identification	3
2.2	Distance control	3
2.3	Centered colons	3
2.4	Combined symbols	4
3	Installation	5
3.1	Download	5
3.2	Bundle installation	5
3.3	Package installation	5
3.4	Refresh file name databases	6
3.5	Some details for the interested	6
4	Catalogue	6
5	References	7
6	History	7
	[2006/08/01 v1.0]	7
	[2016/05/16 v1.1]	7
7	Index	7

The dvipscol package

Abstract

Color support for dvips in `dvips.def` involves the color stack of dvips. The package tries to remove unnecessary uses of the stack to avoid the error “out of coor stack space”.

1	Documentation	1
1.1	Introduction	1
1.2	Usage	2
1.2.1	With ε -T _E X	2
1.2.2	Without ε -T _E X	2
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	3
3.3	Package installation	3
3.4	Refresh file name databases	4
3.5	Some details for the interested	4
4	Catalogue	4
5	History	5
	[2000/08/31 v1.0]	5
	[2006/02/20 v1.1]	5
	[2008/08/11 v1.2]	5
	[2016/05/16 v1.3]	5
6	Index	5

The embedfile package

Abstract

This package embeds files to a PDF document. Currently the only supported driver is pdfTeX ≥ 1.30 in PDF mode.

1	Documentation	2
1.1	Introduction	2
1.1.1	Future development	2
1.2	User interface	3
1.3	Collection support (PDF 1.7)	4
1.4	Export of object references	5
1.4.1	Example	6
1.5	Examples	6
1.5.1	plain TeX	6
1.5.2	Collection example	6
1.6	Package dtx-attach	8
2	Implementation	8
2.1	Reload check and package identification	8
2.2	Catcodes	9
2.3	Tools	10
2.4	Check for recent pdfTeX in PDF mode	10
2.5	Strings	11
2.6	Switches	12
2.7	Key value definitions	12
2.8	Embed the file	17
3	Test	22
3.1	Catcode checks for loading	22
3.2	Simple test	24
3.3	Test for ini-TeX	24
4	Installation	25
4.1	Download	25
4.2	Bundle installation	25
4.3	Package installation	25
4.4	Refresh file name databases	26
4.5	Some details for the interested	26
5	Catalogue	26
6	References	27

7 History	27
[2006/08/16 v1.0]	27
[2007/04/11 v1.1]	27
[2007/09/09 v1.2]	27
[2007/10/28 v2.0]	27
[2007/10/29 v2.1]	27
[2007/11/11 v2.2]	27
[2007/11/25 v2.3]	28
[2009/09/25 v2.4]	28
[2010/03/01 v2.5]	28
[2011/04/13 v2.6]	28
[2016/05/15 v2.7]	28
[2018/11/01 v2.8]	28
8 Index	28

The engord package

Abstract

The package generates the suffix of English ordinal numbers. It can be used with plain and L^AT_EX formats.

1	Usage	2
1.1	Package options	2
1.2	Examples	2
2	Implementation	3
2.1	Reload check and identification	3
2.2	Help commands for plain compatibility	4
2.3	User macros	5
2.4	Suffix generation	6
3	Test	8
3.1	Catcode checks for loading	8
4	Installation	9
4.1	Download	9
4.2	Bundle installation	10
4.3	Package installation	10
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
5	Catalogue	11
6	History	11
	[2000/05/23 v1.0]	11
	[2003/04/28 v1.1]	11
	[2006/02/20 v1.2]	11
	[2007/04/11 v1.3]	12
	[2007/04/26 v1.4]	12
	[2007/09/09 v1.5]	12
	[2007/09/20 v1.6]	12
	[2008/08/11 v1.7]	12
	[2010/03/01 v1.8]	12
	[2016/05/16 v1.9]	12
7	Index	12

The enparen package

Abstract

The package defines macros to set parentheses that automatically change the symbols from inner to outer fences.

1	Documentation	2
1.1	User macros	2
1.2	Contexts	3
1.3	Options	3
1.4	Notes	4
2	Implementation	4
2.1	Resources	4
2.2	Contexts	4
2.2.1	Stack for contexts	5
2.2.2	Context user macros	5
2.3	Symbols	6
2.4	Main user macros	6
2.5	Options	8
2.6	Context settings	8
2.7	At end of document	8
3	Installation	9
3.1	Download	9
3.2	Bundle installation	9
3.3	Package installation	9
3.4	Refresh file name databases	10
3.5	Some details for the interested	10
4	References	10
5	History	10
	[2012/01/07 v1.0]	10
	[2016/05/16 v1.1]	10
6	Index	11

The eolgrab package

Abstract

This package implements a generic argument grabber to catch an argument that is delimited by the line end.

1	Documentation	2
1.1	Examples	2
1.1.1	Small L ^A T _E X document as example	4
1.1.2	L ^A T _E X document with environments	4
1.2	Limitations	4
2	Implementation	5
2.1	Reload check and package identification	5
2.2	Catcodes	6
2.3	Resources	6
2.4	Macro <code>\eolgrab</code>	7
3	Test	8
3.1	Catcode checks for loading	8
3.2	Tests for plain T _E X	10
4	Installation	10
4.1	Download	10
4.2	Bundle installation	10
4.3	Package installation	11
4.4	Refresh file name databases	11
4.5	Some details for the interested	11
5	Catalogue	12
6	References	12
7	History	12
	[2011/01/12 v1.0]	12
	[2016/05/16 v1.1]	12
8	Index	13

The epstopdf package

Abstract

This packages adds support of handling eps images to package `graphics` or `graphicx` with option `pdftex`. If an eps image is detected, `epstopdf` is automatically called to convert it to pdf format.

1	Documentation	2
1.1	Introduction	2
1.2	Requirements	2
1.3	Usage	3
1.4	Options	4
1.5	Configuration	5
1.5.1	System configuration file <code>epstopdf-sys.cfg</code>	5
1.5.2	User configuration file <code>epstopdf.cfg</code>	5
1.5.3	Conversion program	5
1.6	Other image formats	6
2	Implementation	6
2.1	Wrapper package	6
2.1.1	Option handling	8
2.2	Base package	8
2.3	Preparations	8
2.3.1	Relead check and identification	8
2.3.2	Catcodes	9
2.3.3	Load packages	10
2.4	Checks	10
2.5	Package loading	11
2.6	Options	11
2.6.1	Default setting	11
2.7	Make and verbose	11
2.8	Adding conversion support	12
2.9	Declare graphics rule	15
3	Test	16
3.1	Preface for standard catcode check	16
3.2	Catcode checks for loading	16
4	Installation	17
4.1	Download	17
4.2	Bundle installation	18
4.3	Package installation	18
4.4	Refresh file name databases	18
4.5	Some details for the interested	18
5	Catalogue	19

6 History	19
[2001/01/06 v1.0]	19
[2001/02/04 v1.1]	19
[2006/02/20 v1.2]	20
[2006/08/26 v1.3]	20
[2007/04/26 v1.4]	20
[2007/10/02 v1.5]	20
[2007/11/11 v1.6]	20
[2008/05/06 v1.7]	20
[2009/03/01 v1.8]	20
[2009/07/06 v1.9]	20
[2009/07/07 v1.10]	20
[2009/07/12 v2.0]	20
[2009/07/15 v2.1]	21
[2009/07/16 v2.2]	21
[2009/09/24 v2.3]	21
[2009/10/17 v2.4]	21
[2016/05/15 v2.5]	21
[2016/05/15 v2.6]	21
7 Index	21

The etexcmds package

Abstract

New primitive commands are introduced in ε -TeX. Sometimes the names collide with existing macros. This package solves this name clashes by adding a prefix to ε -TeX's commands. For example, ε -TeX's `\unexpanded` is provided as `\etex@unexpanded`.

1	Documentation	2
1.1	<code>\unexpanded</code>	2
1.2	<code>\expanded</code>	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Provide <code>\newif</code>	4
2.4	Load package <code>infwarerr</code>	4
2.5	<code>\unexpanded</code>	5
2.6	<code>\expanded</code>	5
3	Test	6
3.1	Catcode checks for loading	6
3.2	Macro tests	8
4	Installation	9
4.1	Download	9
4.2	Bundle installation	9
4.3	Package installation	10
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
5	Catalogue	11
6	History	11
	[2007/05/06 v1.0]	11
	[2007/09/09 v1.1]	11
	[2007/12/12 v1.2]	11
	[2010/01/28 v1.3]	11
	[2011/01/30 v1.4]	11
	[2011/02/16 v1.5]	12
	[2016/05/16 v1.6]	12
7	Index	12

The fibnum package

Abstract

The package `fibnum` provides expandable fibonacci numbers for both \LaTeX and plain \TeX .

1	Documentation	1
2	Implementation	3
2.1	Identification	3
2.2	Package resources	5
2.3	Setup precalculated values	5
2.4	Macros for precalculating values	6
2.5	Expandable calculations	7
3	Test	8
3.1	Catcode checks for loading	8
3.2	Test calculations	10
4	Installation	12
4.1	Download	12
4.2	Bundle installation	12
4.3	Package installation	12
4.4	Refresh file name databases	13
4.5	Some details for the interested	13
5	History	13
	[2012/04/08 v1.0]	13
	[2016/05/16 v1.1]	13
6	Index	13

The flags package

Abstract

Package `flags` allows the setting and clearing of flags in bit fields and converts the bit field into a decimal number. Currently the bit field is limited to 31 bits.

1	Documentation	1
1.1	User interface	2
1.2	Requirements	2
1.3	ToDo	2
2	Implementation	2
3	Installation	5
3.1	Download	5
3.2	Bundle installation	5
3.3	Package installation	6
3.4	Refresh file name databases	6
3.5	Some details for the interested	6
4	Catalogue	7
5	History	7
[2007/02/18 v0.1]	7
[2007/03/07 v0.2]	7
[2007/03/31 v0.3]	7
[2007/09/30 v0.4]	7
[2016/05/16 v0.5]	7
6	Index	8

The gettitlestring package

Abstract

The L^AT_EX package addresses packages that are dealing with references to titles (`\section`, `\caption`, ...). The package tries to remove `\label` and other commands from title strings.

1	Documentation	2
1.1	Macros	2
1.2	Options	2
2	Implementation	2
2.1	Options	4
2.2	<code>\GetTitleString</code>	4
2.2.1	Expand method	5
2.2.2	Non-expand method	6
3	Test	7
3.1	Catcode checks for loading	7
3.2	Test of non-expand method	9
4	Installation	10
4.1	Download	10
4.2	Bundle installation	10
4.3	Package installation	10
4.4	Refresh file name databases	10
4.5	Some details for the interested	11
5	Catalogue	11
6	References	12
7	History	12
	[2009/12/08 v1.0]	12
	[2009/12/12 v1.1]	12
	[2009/12/13 v1.2]	12
	[2009/12/18 v1.3]	12
	[2010/12/03 v1.4]	12
	[2016/05/16 v1.5]	12
8	Index	12

The grfext package

Abstract

This package provides macros for adding and reordering graphics extensions of package `graphics`.

1	Documentation	2
1.1	Introduction	2
1.2	User interface	2
1.3	Package loading	2
1.4	Option support for package <code>graphicx</code>	3
1.5	plain <code>T_EX</code>	3
2	Implementation	3
2.1	Relead check and identification	3
2.2	Catcodes	4
2.3	plain <code>T_EX</code>	5
2.4	Add	5
2.5	Check	6
2.6	Remove	7
2.7	Print	7
2.8	Defining options for package <code>graphicx</code>	7
3	Test	8
3.1	Catcode checks for loading	8
3.2	Macro tests	10
3.2.1	Preamble	10
3.2.2	Detection of unwanted space	10
3.2.3	Generic test macros	10
3.2.4	Test for <code>\AppendGraphicsExtensions</code>	10
3.2.5	Test for <code>\PrependGraphicsExtensions</code>	11
3.2.6	Test for <code>\RemoveGraphicsExtensions</code>	12
4	Installation	12
4.1	Download	12
4.2	Bundle installation	12
4.3	Package installation	13
4.4	Refresh file name databases	13
4.5	Some details for the interested	13
5	Catalogue	13
6	References	14
7	History	14
	[2007/09/30 v1.0]	14
	[2010/08/19 v1.1]	14
	[2016/05/16 v1.2]	14

The grffile package

Abstract

The package extends the file name processing of package `graphics` to support a larger range of file names. For example, the file name may contain several dots. Or in case of pdfTeX in PDF mode the file name may contain spaces.

1 Usage	2
1.1 Option <code>multidot</code>	2
1.2 Option <code>babel</code>	2
1.3 Option <code>extendedchars</code>	2
1.4 Option <code>encoding</code>	3
1.4.1 Option <code>inputencoding</code>	3
1.4.2 Option <code>filenameencoding</code>	3
1.4.3 Example	3
1.5 Option <code>space</code>	4
1.6 General use	4
1.7 Default settings	4
2 Implementation	5
2.1 Identification	5
2.2 Catcode stuff	5
2.3 Options	5
2.4 Fix <code>\Gin@ii</code> of package <code>graphicx</code>	12
3 Test	13
3.1 Multidot with default rule	13
4 Installation	14
4.1 Download	14
4.2 Bundle installation	14
4.3 Package installation	15
4.4 Refresh file name databases	15
4.5 Some details for the interested	15
5 Catalogue	15
6 References	16
7 History	16
[2004/07/18 v0.5]	16
[2006/08/15 v1.0]	16
[2006/08/17 v1.1]	16
[2006/11/30 v1.2]	16
[2007/04/11 v1.3]	17
[2007/06/13 v1.4]	17
[2007/08/16 v1.5]	17
[2007/11/11 v1.6]	17

[2007/11/24 v1.7]	17
[2008/08/11 v1.8]	17
[2008/10/13 v1.9]	17
[2009/09/25 v1.10]	17
[2010/01/28 v1.11]	17
[2010/08/26 v1.12]	17
[2010/12/09 v1.13]	17
[2011/10/04 v1.14]	17
[2011/10/17 v1.15]	17
[2012/04/05 v1.16]	18
[2016/05/16 v1.17]	18
[2017/06/30 v1.18]	18
8 Index	18

The hobsu package

Abstract

Package `hobsu` implements the idea of loading several packages in one big collection package.

1	Documentation	2
1.1	Usage	2
1.2	Supported features	3
1.3	Common limitations	3
1.4	Package <code>hobsu-generic</code>	3
1.5	Package <code>hobsu-hyperref</code>	3
1.6	Package <code>hobsu</code>	5
2	Implementation	6
2.1	Reload check and package identification	6
2.1.1	Package <code>hobsu</code>	6
2.1.2	Package <code>hobsu-generic</code>	7
2.1.3	Package <code>hobsu-hyperref</code>	8
2.2	Catcodes	9
2.3	Package <code>hobsu-hyperref</code> loads <code>hobsu-generic</code>	10
2.4	Preamble	10
2.5	End of preamble for subset packages	12
2.6	Package list	12
2.7	End of packages	13
3	Test	13
3.1	Catcode checks for loading	13
4	Installation	14
4.1	Download	14
4.2	Bundle installation	15
4.3	Package installation	15
4.4	Refresh file name databases	15
4.5	Some details for the interested	15
5	Catalogue	16
6	References	17
7	History	17
	[2011/01/30 v1.0]	17
	[2011/04/16 v1.1]	17
	[2011/04/17 v1.2]	17
	[2011/04/18 v1.3]	17
	[2011/04/23 v1.4]	17
	[2011/06/24 v1.5]	17
	[2011/06/30 v1.6]	17

[2011/07/01 v1.7]	17
[2011/07/28 v1.8]	17
[2011/08/22 v1.9]	17
[2011/10/16 v1.10]	17
[2011/11/29 v1.11]	17
[2012/04/25 v1.12]	18
[2012/05/28 v1.13]	18
[2016/05/16 v1.14]	18
8 Index	18

The hologo package

Abstract

This package starts a collection of logos with support for bookmarks strings.

1	Documentation	3
1.1	Logo macros	3
1.2	Setup macros	4
1.3	Options	4
1.4	Driver options	5
1.5	Font setup	5
1.5.1	Font order	6
1.6	Additional user macros	6
1.7	Supported contexts	7
1.8	Example	7
2	Implementation	9
2.1	Logo list	11
2.2	Load resources	12
2.3	Setup macros	13
2.4	Options	14
2.5	Break/no-break support	15
2.6	Font support	17
2.6.1	Font defaults	17
2.6.2	Font setup	19
2.7	Generic logo commands	19
2.7.1	<code>\hologo</code> and friends	20
2.7.2	<code>\hologoRobust</code> and friends	22
2.8	Helpers	24
2.8.1	Text subscript	25
2.9	TeX and friends	25
2.9.1	TeX	25
2.9.2	plain TeX	26
2.9.3	L ^A TeX	27
2.9.4	(L ^A)TeX	28
2.9.5	L ^A TeX 2 _ε	30
2.9.6	L ^A TeX3	31
2.9.7	L ^A TeXML	31
2.9.8	ε-TeX	32
2.9.9	iniTeX	33
2.9.10	virTeX	33
2.9.11	SLiTeX	33
2.9.12	LuaTeX	36
2.9.13	LuaL ^A TeX	36
2.9.14	X _q TeX, X _q L ^A TeX	37
2.9.15	pdfTeX, pdfL ^A TeX	41
2.9.16	VTeX	41

2.9.17	\mathcal{AMS} , ...	42
2.9.18	BibTeX	43
2.9.19	BibTeX8	45
2.9.20	ConTeXt	45
2.9.21	emTeX	46
2.9.22	ε_X TeX	46
2.9.23	MiKTeX	47
2.9.24	OzTeX and friends	48
2.9.25	PCTEX	49
2.9.26	PiCTEX	49
2.9.27	teTeX	50
2.9.28	TeX4ht	50
2.9.29	SageTeX	51
2.10	METAFONT and friends	51
2.11	Others	51
2.11.1	biber	51
2.11.2	KOMA-Script	52
2.11.3	L ^A X	53
2.11.4	$\mathcal{N}\mathcal{T}\mathcal{S}$	54
2.11.5	T _T H (TeX to HTML translator)	54
2.11.6	Hàn Thế Thành	54
2.12	Driver detection	55
2.12.1	Reflect box macros	58
3	Test	60
3.1	Catcode checks for loading	60
3.2	Spacefactor	62
3.3	Complete list	62
4	Installation	64
4.1	Download	64
4.2	Bundle installation	64
4.3	Package installation	64
4.4	Refresh file name databases	65
4.5	Some details for the interested	65
5	Catalogue	65
6	References	66
7	History	66
[2010/04/08 v1.0]		66
[2010/04/16 v1.1]		66
[2010/04/24 v1.2]		66
[2010/11/21 v1.3]		66
[2011/03/25 v1.4]		67
[2011/04/21 v1.5]		67

[2011/10/01 v1.6]	67
[2011/11/22 v1.7]	67
[2011/11/29 v1.8]	67
[2011/12/21 v1.9]	67
[2012/04/26 v1.10]	67
[2016/05/12 v1.11]	67
[2016/05/16 v1.12]	67
[2017/05/01 v1.13]	67
8 Index	68

The holtxdoc package

Abstract

The package is used for the documentation of my packages in DTX format.
It contains some private macros and setup for my needs. Thus do not use it.
I have separated the part that may be useful for others in package hypdoc.

1	No usage	2
2	Implementation	2
2.1	Help macros	2
2.2	Font setup for Lua ^A T _E X	2
2.3	Date	3
2.4	History	3
2.5	Formatting macros	4
2.6	Names	5
2.7	Setup	6
2.7.1	Package doc	6
2.7.2	Page layout	6
3	Installation	6
3.1	Download	6
3.2	Bundle installation	7
3.3	Package installation	7
3.4	Refresh file name databases	7
3.5	Some details for the interested	7
4	Catalogue	8
5	History	8
[1999/06/26 v0.3]		8
[2000/08/14 v0.4]		8
[2001/08/27 v0.5]		8
[2001/09/02 v0.6]		8
[2006/06/02 v0.7]		8
[2007/10/21 v0.8]		8
[2007/11/11 v0.9]		9
[2007/12/12 v0.10]		9
[2008/08/11 v0.11]		9
[2009/08/07 v0.12]		9
[2009/12/02 v0.13]		9
[2010/02/03 v0.14]		9
[2010/03/10 v0.15]		9
[2010/04/03 v0.16]		9
[2010/04/08 v0.17]		9
[2010/04/18 v0.18]		9
[2010/04/24 v0.19]		9

[2010/12/03 v0.20]	9
[2011/02/04 v0.21]	9
[2011/11/22 v0.22]	9
[2012/03/07 v0.23]	10
[2012/03/21 v0.24]	10
[2016/05/16 v0.25]	10
[2016/05/16 v0.26]	10
[2016/05/17 v0.27]	10
6 Index	10

The hopatch package

Abstract

This packages provides a wrapper to various package hooks provided by other packages or classes, but does not define own hooks.

1	Documentation	1
2	Implementation	3
2.1	Catcodes and package identification	3
2.2	Resources	4
2.3	Package patching	4
3	Test	5
3.1	Catcode checks for loading	6
4	Installation	8
4.1	Download	8
4.2	Bundle installation	8
4.3	Package installation	9
4.4	Refresh file name databases	9
4.5	Some details for the interested	9
5	Catalogue	9
6	References	10
7	History	10
	[2011/01/30 v1.0]	10
	[2011/06/24 v1.1]	10
	[2012/05/28 v1.2]	10
	[2016/05/16 v1.3]	11
8	Index	11

The hycolor package

Abstract

Package hycolor implements the color option stuff that is used by packages hyperref and bookmark. It is not intended as package for the user.

1	Documentation	2
1.1	Summary	2
2	Implementation	3
2.1	Normalization	3
2.1.1	Sanitize value of color option	3
2.1.2	Normalize result	4
2.2	Main algorithm for color options	5
2.3	Package bookmark	5
2.4	Utils	7
2.5	Package hyperref	8
2.5.1	Options Hyp.*color	8
2.5.2	Generic algorithm	10
2.5.3	Field options	12
2.5.4	Detection for naked RGB values	12
2.5.5	Options *bordercolor	14
2.6	Package attachfile2	15
2.7	Patch for package xcolor	17
2.7.1	Fix fragile \@frameb@x	20
3	Test	20
3.1	Test for package attachfile2	24
3.2	Test for package xcolor	26
3.2.1	Test for \@frameb@x/\fbox	27
4	Installation	28
4.1	Download	28
4.2	Bundle installation	28
4.3	Package installation	28
4.4	Refresh file name databases	29
4.5	Some details for the interested	29
5	Catalogue	29
6	History	30
	[2007/04/09 v1.0]	30
	[2007/04/11 v1.1]	30
	[2008/07/29 v1.2]	30
	[2008/08/01 v1.3]	30
	[2008/09/08 v1.4]	30
	[2009/10/02 v1.5]	30

[2009/12/12 v1.6]	30
[2011/01/30 v1.7]	30
[2016/05/16 v1.8]	30
7 Index	30

The hypbmsec package

Abstract

This package expands the syntax of the sectioning commands. If the argument of the sectioning commands isn't usable as outline entry, a replacement for the bookmarks can be given.

1	Usage	2
1.1	Bookmarks restrictions	2
1.2	<code>\texorpdfstring</code>	2
1.3	Sectioning commands	2
1.4	Places for sectioning strings	2
1.5	Solution with optional arguments	2
1.6	Syntax	3
1.6.1	Star form	3
1.6.2	Without optional arguments	3
1.6.3	One optional argument	3
1.6.4	Two optional arguments	3
1.6.5	Optional argument in parentheses	3
1.7	Without <code>hyperref</code>	3
1.8	Protecting parentheses	4
2	Implementation	4
3	Installation	7
3.1	Download	7
3.2	Bundle installation	7
3.3	Package installation	7
3.4	Refresh file name databases	7
3.5	Some details for the interested	8
4	Catalogue	8
5	History	9
	[1998/11/20 v1.0]	9
	[1999/04/12 v2.0]	9
	[2000/03/22 v2.1]	9
	[2006/02/20 v2.2]	9
	[2007/03/05 v2.3]	9
	[2007/04/11 v2.4]	9
	[2016/05/16 v2.5]	9
6	Index	9

The hypcap package

Abstract

This package tries a solution of the problem with hyperref, that links to floats points below the caption and not at the beginning of the float. Therefore this package divides the task into two part, the link setting with `\capstart` or automatically at the beginning of a float and the rest in the `\caption` command.

1	Usage	2
1.1	Package options	2
1.2	User commands	2
1.3	Limitations	3
2	Implementation	3
3	Installation	5
3.1	Download	5
3.2	Bundle installation	6
3.3	Package installation	6
3.4	Refresh file name databases	6
3.5	Some details for the interested	6
4	Catalogue	7
5	History	7
	[1999/02/13 v1.0]	7
	[2000/08/14 v1.1]	7
	[2000/09/07 v1.2]	7
	[2001/08/27 v1.3]	7
	[2001/09/06 v1.4]	8
	[2006/02/20 v1.5]	8
	[2007/02/19 v1.6]	8
	[2007/04/09 v1.7]	8
	[2008/04/14 v1.8]	8
	[2008/08/11 v1.9]	8
	[2008/09/08 v1.10]	8
	[2011/02/16 v1.11]	8
	[2016/05/16 v1.12]	8
6	Index	8

The hypdestopt package

Abstract

Package `hypdestopt` supports `hyperref`'s `pdfTeX` driver. It removes unnecessary destinations and shortens the destination names or uses numbered destinations to get smaller PDF files.

1	User interface	2
1.1	Introduction	2
1.2	Requirements	2
1.3	Use	2
1.4	Limitations	3
1.5	Future	3
2	Implementation	3
2.1	Identification	3
2.2	Options	3
2.2.1	Option <code>verbose</code>	3
2.2.2	Options <code>num</code> and <code>name</code>	4
2.3	Check requirements	4
2.4	Preamble for auxiliary file	4
2.5	Generation of destination names	5
2.6	Assign destination names	6
2.7	Redefinition of <code>hyperref</code> 's hooks	7
2.7.1	Destination setting	7
2.7.2	Links	8
2.7.3	Outlines of package <code>hyperref</code>	8
2.7.4	Outlines of package <code>bookmark</code>	9
3	Installation	9
3.1	Download	9
3.2	Bundle installation	9
3.3	Package installation	10
3.4	Refresh file name databases	10
3.5	Some details for the interested	10
4	Catalogue	11
5	References	11
6	History	11
	[2006/06/01 v1.0]	11
	[2006/06/01 v2.0]	11
	[2007/11/11 v2.1]	11
	[2008/08/08 v2.2]	12
	[2011/05/13 v2.3]	12
	[2016/05/16 v2.4]	12
	[2016/05/21 v2.5]	12

The hypdoc package

Abstract

This package adds hyper features to the package `doc` that is used in the documentation system of $\text{\LaTeX}2_{\epsilon}$. Bookmarks are added and references are linked as far as possible.

1	Features	2
2	Usage	3
2.1	Options	3
2.2	Simple example	3
2.3	Example <code>source2e.tex</code>	4
3	Implementation	4
3.1	Options	4
3.2	Package loading	4
3.2.1	Patch for bug latex/4096	5
3.3	Bookmarks	5
3.4	<code>\tableofcontents</code>	6
3.5	<code>\listoffigures</code>	6
3.6	<code>\listoftables</code>	7
3.7	<code>\thebibliography</code>	7
3.8	<code>\theindex</code>	7
3.9	<code>\theglossary</code>	8
3.10	Index	9
3.11	<code>\PrintDescribeMacro</code>	11
3.12	<code>\PrintMacroName</code>	11
3.13	<code>\theCodelineNo</code>	12
3.14	<code>\SpecialUsageIndex</code>	12
3.15	<code>\autoindex</code>	12
3.16	<code>\SpecialEnvIndex</code>	13
3.17	<code>\SortIndex</code>	13
3.18	<code>\@wrglossary</code>	13
3.19	<code>\MacroIndent</code>	13
4	Installation	14
4.1	Download	14
4.2	Bundle installation	14
4.3	Package installation	14
4.4	Refresh file name databases	15
4.5	Some details for the interested	15
5	Catalogue	15

6 History	16
[2002/05/10 v1.0]	16
[2006/02/20 v1.1]	16
[2006/04/27 v1.2]	16
[2006/06/01 v1.3]	16
[2006/06/02 v1.4]	16
[2007/04/11 v1.5]	16
[2007/11/12 v1.6]	16
[2009/12/10 v1.7]	16
[2010/02/03 v1.8]	17
[2010/03/26 v1.9]	17
[2011/05/05 v1.10]	17
[2011/08/19 v1.11]	17
[2016/05/16 v1.12]	17
[2016/10/02 v1.13]	17
[2018/09/07 v1.14]	17
7 Index	17

The hypgotoe package

Abstract

Experimental package for links to embedded files.

1	Documentation	1
1.1	Introduction	1
1.2	User interface	2
1.3	Example	2
2	Implementation	3
2.1	Identification	3
2.2	Load packages	3
2.3	Color support	3
2.4	Extend \href	4
2.5	Implement gotoe action	4
2.6	Keys for gotoe action	5
3	Installation	6
3.1	Download	6
3.2	Bundle installation	6
3.3	Package installation	6
3.4	Refresh file name databases	6
3.5	Some details for the interested	7
4	Catalogue	7
5	References	8
6	History	8
	[2007/10/30 v0.1]	8
	[2016/05/16 v0.2]	8
7	Index	8

The hyphsubst package

Abstract

A T_EX format file may include alternative hyphenation patterns for a language with a different name. If the naming convention follows `babel`'s rules, then the hyphenation patterns for a language can be replaced by the alternative hyphenation patterns, provided in the format file.

1	Documentation	2
1.1	In short	2
1.2	Longer version	2
1.3	L ^A T _E X	3
1.4	plain T _E X	3
2	Implementation	3
2.1	Reload check and package identification	3
2.2	Package	5
3	Test	6
3.1	Catcode checks for loading	6
3.2	Main tests	8
4	Installation	9
4.1	Download	9
4.2	Bundle installation	9
4.3	Package installation	9
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
5	Catalogue	10
6	History	11
	[2008/06/07 v0.1]	11
	[2008/06/09 v0.2]	11
	[2016/05/16 v0.3]	11
7	Index	11

The ifdraft package

Abstract

The package provides an interface for selecting code depending on the options `draft` and `final`.

1	Usage	1
1.1	Package loading	1
1.2	User macros	2
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	3
3.3	Package installation	4
3.4	Refresh file name databases	4
3.5	Some details for the interested	4
4	Catalogue	4
5	History	5
[1999/12/28 v1.0]	5
[2005/10/05 v1.1]	5
[2006/02/20 v1.2]	5
[2008/08/11 v1.3]	5
[2016/05/16 v1.4]	6
6	Index	6

The iflang package

Abstract

This package provides expandible checks for the current language based on macro `\language` or hyphenation patterns.

1	Documentation	2
2	Implementation	3
2.1	Reload check and package identification	3
2.2	Tools	4
2.2.1	Provide some basic macros of L ^A T _E X	4
2.2.2	Expandible existence check for macros	5
2.2.3	Macros for messages	5
2.2.4	Support for <code>etex.src</code>	5
2.3	<code>\IfLanguagePatterns</code>	6
2.4	<code>\IfLanguageName</code>	6
2.5	Check plausibility of <code>\language</code>	8
3	Test	8
3.1	Catcode checks for loading	8
3.2	Test with L ^A T _E X	10
3.3	Test with plain T _E X and ε -T _E X	11
3.4	Test with plain T _E X and without ε -T _E X/pdfT _E X	12
4	Installation	13
4.1	Download	13
4.2	Bundle installation	13
4.3	Package installation	13
4.4	Refresh file name databases	14
4.5	Some details for the interested	14
5	Catalogue	14
6	Acknowledgement	15
7	History	15
	[2007/04/10 v1.0]	15
	[2007/04/11 v1.1]	15
	[2007/04/12 v1.2]	15
	[2007/04/26 v1.3]	15
	[2007/09/09 v1.4]	15
	[2007/11/11 v1.5]	15
	[2016/05/16 v1.6]	15
	[2018/01/21 v1.7]	15
8	Index	15

The ifluatex package

Abstract

This package looks for L^AT_EX regardless of its mode and provides the switch `\ifluatex`. Also it makes `\luatexversion` available if it is not present. It works with plain- $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ or $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$.

1	Documentation	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Macro for error messages	4
2.4	Check for previously defined <code>\ifluatex</code>	4
2.5	<code>\ifluatex</code>	4
2.6	Lua $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ v0.39	5
2.7	Protocol entry	6
3	Test	6
3.1	Catcode checks for loading	6
4	Reload check for plain	8
5	Installation	8
5.1	Download	8
5.2	Bundle installation	8
5.3	Package installation	9
5.4	Refresh file name databases	9
5.5	Some details for the interested	9
6	Catalogue	10
7	History	10
	[2007/12/12 v1.0]	10
	[2009/04/10 v1.1]	10
	[2009/04/17 v1.2]	10
	[2010/03/01 v1.3]	10
	[2016/05/16 v1.4]	10
8	Index	11

The ifpdf package

Abstract

This package looks for pdfTEX in pdf mode and implements and sets the switch `\ifpdf`. The detection is based on `\pdfoutput` and the package will not change this value. It works with plain or L^AT_EX formats.

1	Introduction	2
2	Implementation	2

The `ifvtex` package

Abstract

This package looks for \TeX , implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or \LaTeX formats.

1	Usage	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Check for previously defined <code>\ifvtex</code>	4
2.4	Provide <code>\newif</code>	5
2.5	<code>\ifvtex</code>	5
2.6	Mode and GeX switches	5
2.7	Protocol entry	6
3	Test	6
3.1	Catcode checks for loading	6
4	Installation	8
4.1	Download	8
4.2	Bundle installation	8
4.3	Package installation	9
4.4	Refresh file name databases	9
4.5	Some details for the interested	9
5	Catalogue	9
6	History	10
	[2001/09/26 v1.0]	10
	[2006/02/20 v1.1]	10
	[2007/01/10 v1.2]	10
	[2007/09/09 v1.3]	10
	[2008/11/04 v1.4]	10
	[2010/03/01 v1.5]	10
	[2016/05/16 v1.6]	10
7	Index	11

The infwarerr package

Abstract

This package provides a complete set of macros for informations, warnings and error messages with support for plain- \TeX .

1	Documentation	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	\LaTeX detection	4
2.4	Version for \LaTeX	4
2.5	Version for plain \TeX	5
3	Test	8
3.1	Catcode checks for loading	8
3.2	Macro tests	9
4	Installation	13
4.1	Download	13
4.2	Bundle installation	13
4.3	Package installation	13
4.4	Refresh file name databases	14
4.5	Some details for the interested	14
5	Catalogue	14
6	History	15
	[2007/04/26 v1.0]	15
	[2007/06/14 v1.1]	15
	[2007/09/09 v1.2]	15
	[2010/04/08 v1.3]	15
	[2016/05/16 v1.4]	15
7	Index	15

The inputenx package

Abstract

This package provides input encodings using standard mappings and covers nearly all slots. Thus it serves as more uptodate replacement for package inputenc.

1	Documentation	3
1.1	Definition files	3
1.2	Unicode	4
1.3	Verbatim	4
1.4	Math	5
1.5	Setting the input encoding	5
1.5.1	Encoding as package option	5
1.5.2	\InputEncoding	5
1.5.3	Hooks	5
2	Implementation	6
2.1	Identification	6
2.2	Encoding names	6
2.2.1	Record current encoding names	6
2.2.2	Catcode settings for file reading	6
2.2.3	Aliases for encoding names	7
2.3	Package options	8
2.3.1	Declare and process options	8
2.3.2	Load inputenc with encoding options	8
2.3.3	\InputEncoding	8
2.3.4	Option math	9
2.4	Alias encoding file	9
2.5	Encoding files	10
2.5.1	Encoding ascii	10
2.5.2	Encoding verbatim	11
2.5.3	Encoding atarist	11
2.5.4	Encoding iso-8859-1	15
2.5.5	Encoding iso-8859-2	18
2.5.6	Encoding iso-8859-3	20
2.5.7	Encoding iso-8859-4	22
2.5.8	Encoding iso-8859-5	24
2.5.9	Encoding iso-8859-8	26
2.5.10	Encoding iso-8859-9	28
2.5.11	Encoding iso-8859-10	31
2.5.12	Encoding iso-8859-13	33
2.5.13	Encoding iso-8859-14	35
2.5.14	Encoding iso-8859-15	37
2.5.15	Encoding iso-8859-16	39
2.5.16	Encoding cp437	41
2.5.17	Encoding cp850	45

2.5.18	Encoding cp852	49
2.5.19	Encoding cp855	51
2.5.20	Encoding cp858	54
2.5.21	Encoding cp865	57
2.5.22	Encoding cp866	61
2.5.23	Encoding cp1250	64
2.5.24	Encoding cp1251	67
2.5.25	Encoding cp1252	69
2.5.26	Encoding cp1255	73
2.5.27	Encoding cp1257	75
2.5.28	Encoding dec-mcs	78
2.5.29	Encoding koi8-r	80
2.5.30	Encoding mac-centeuro	82
2.5.31	Encoding mac-cyrillic	85
2.5.32	Encoding mac-roman	88
2.5.33	Encoding nextstep	92
2.5.34	Non-Unicode additions	95
2.6	Additions for <code>utf8enc.dfu</code>	95
2.7	Name list	99
2.8	Mapping Slot, UC to Encodings	99
2.9	Mapping UC to LICR	100
2.10	Math meaning declarations	100
2.11	Documentation files	101
2.11.1	List of known LICR commands	101
2.11.2	Commented additions for <code>utf8enc.dfu</code>	103
3	Installation	103
3.1	Download	103
3.2	Bundle installation	103
3.3	Package installation	104
3.4	Refresh file name databases	105
3.5	Some details for the interested	105
4	Catalogue	105
5	References	106
5.1	Mappings to Unicode	106
6	History	107
[2006/03/05 v1.0]		107
[2007/04/11 v1.1]		107
[2007/06/16 v1.2]		107
[2007/08/16 v1.3]		107
[2009/08/13 v1.4]		107
[2009/12/15 v1.5]		107
[2010/01/11 v1.6]		107
[2011/02/08 v1.7]		107

[2011/04/10 v1.8]	108
[2011/04/26 v1.9]	108
[2011/05/27 v1.10]	108
[2016/05/16 v1.11]	108
7 Index	108

The intcalc package

Abstract

This package provides expandable arithmetic operations with integers.

1	Documentation	2
1.1	Introduction	2
1.2	Conditions	2
1.2.1	Preconditions	2
1.2.2	Postconditions	3
1.3	Error handling	3
1.4	Operations	3
1.4.1	Num	3
1.4.2	Inv, Abs, Sgn	4
1.4.3	Min, Max, Cmp	4
1.4.4	Inc, Dec, Add, Sub	5
1.4.5	Shl, Shr	5
1.4.6	Mul, Sqr, Fac, Pow	5
1.4.7	Div, Mod	6
1.5	Interface for programmer	6
2	Implementation	7
2.1	Reload check and package identification	7
2.2	Catcodes	8
2.3	Macros independent of ε -TeX	9
2.3.1	Abs, Sgn	9
2.3.2	Min, Max, Cmp	10
2.3.3	Fac	10
2.4	Implementation based on ε -TeX	11
2.4.1	Num	11
2.4.2	Inv, Abs, Sgn	11
2.4.3	Min, Max, Cmp	11
2.4.4	Inc, Dec	12
2.4.5	Add, Sub	12
2.4.6	Shl, Shr	12
2.4.7	Mul, Sqr, Fac	13
2.4.8	Pow	13
2.4.9	Div, Mod	14
2.5	Implementation without ε -TeX	17
2.5.1	Num	17
2.5.2	Inv, Abs, Sgn	17
2.5.3	Min, Max, Cmp	18
2.5.4	Inc, Dec	18
2.5.5	Add, Sub	20
2.5.6	Shl, Shr	27
2.5.7	<code>\InCa@Tim</code>	29
2.5.8	Mul	32

2.5.9	Sqr, Fac	34
2.5.10	Pow	34
2.5.11	Div	36
2.5.12	Mod	39
2.5.13	Help macros	41
3	Test	41
3.1	Catcode checks for loading	41
3.2	Macro tests	43
3.2.1	Preamble with test macro definitions	43
3.2.2	Time	46
3.2.3	Test 4: additional mod/div operations	47
3.2.4	Test sets	48
4	Installation	56
4.1	Download	56
4.2	Bundle installation	57
4.3	Package installation	57
4.4	Refresh file name databases	57
4.5	Some details for the interested	57
5	Catalogue	58
6	History	58
[2007/09/09 v1.0]		58
[2007/09/27 v1.1]		58
[2016/05/16 v1.2]		59
7	Index	59

The kvdefinekeys package

Abstract

Package kvdefinekeys provides `\kv@define@key` to define keys the same way as keyval's `\define@key`. However, it works also using ini-TeX.

1	Documentation	2
1.1	Motivation	2
2	Implementation	2
2.1	Identification	2
2.2	Package loading	4
2.3	Provide key defining macro	4
3	Test	5
3.1	Catcode checks for loading	5
4	Installation	6
4.1	Download	6
4.2	Bundle installation	7
4.3	Package installation	7
4.4	Refresh file name databases	7
4.5	Some details for the interested	7
5	Catalogue	8
6	References	8
7	History	8
	[2010/03/01 v1.0]	8
	[2010/08/19 v1.1]	8
	[2011/01/30 v1.2]	9
	[2011/04/07 v1.3]	9
	[2016/05/16 v1.4]	9
8	Index	9

The kvoptions package

Abstract

This package is intended for package authors who want to use options in key value format for their package options.

1	Introduction	3
1.1	The beginning	3
1.2	Overview	3
2	Usage	3
2.1	Process options	3
2.1.1	<code>\ProcessKeyvalOptions</code>	3
2.1.2	<code>\ProcessLocalKeyvalOptions</code>	4
2.1.3	<code>\SetupKeyvalOptions</code>	4
2.2	Option declarations	5
2.2.1	<code>\DeclareStringOption</code>	5
2.2.2	<code>\DeclareBoolOption</code>	5
2.2.3	<code>\DeclareComplementaryOption</code>	6
2.2.4	<code>\DeclareVoidOption</code>	6
2.2.5	<code>\DeclareDefaultOption</code>	6
2.2.6	Local options	7
2.2.7	Dynamic options	7
2.2.8	<code>\DisableKeyvalOption</code>	7
2.2.9	<code>\AddToKeyvalOption</code>	8
2.3	Global vs. local options	8
2.4	Summary of internal macros	9
2.5	plain <code>T_EX</code>	9
3	Example	9
4	Package options	11
4.1	Package <code>kvoptions-patch</code>	11
4.2	Option <code>debugshow</code>	12
5	Limitations	13
5.1	Compatibility	13
5.1.1	Package <code>kvoptions-patch</code> vs. package <code>xkvltxp</code>	13
5.2	Limitations	13
5.2.1	Option comparisons	13
5.2.2	Option list parsing with package <code>kvoptions-patch</code>	13
6	Implementation	14
6.1	Preamble	14
6.2	Option declaration macros	16
6.2.1	<code>\SetupKeyvalOptions</code>	16
6.2.2	<code>\DeclareBoolOption</code>	17

6.2.3	<code>\DeclareStringOption</code>	20
6.2.4	<code>\DeclareVoidOption</code>	20
6.2.5	<code>\DeclareDefaultOption</code>	21
6.2.6	<code>\DeclareLocalOptions</code>	22
6.3	Dynamic options	22
6.3.1	<code>\DisableKeyvalOption</code>	22
6.4	Change option code	24
6.4.1	<code>\AddToKeyvalOption</code>	24
6.5	Process options	25
6.5.1	Get global options	25
6.5.2	<code>\ProcessKeyvalOptions</code>	25
6.5.3	<code>\ProcessLocalKeyvalOptions</code>	28
6.5.4	Helper macros	29
6.6	plain \TeX	29
6.7	Package <code>kvoptions-patch</code>	30
7	Test	37
7.1	Preface for standard catcode check	37
7.2	Catcode checks for loading	38
8	Installation	41
8.1	Download	41
8.2	Bundle installation	41
8.3	Package installation	42
8.4	Refresh file name databases	42
8.5	Some details for the interested	42
9	Catalogue	43
10	References	43
11	History	44
	[0000/00/00 v0.0]	44
	[2004/02/22 v1.0]	44
	[2006/02/16 v2.0]	44
	[2006/02/20 v2.1]	44
	[2006/06/01 v2.2]	44
	[2006/08/17 v2.3]	44
	[2006/08/22 v2.4]	44
	[2007/04/11 v2.5]	45
	[2007/05/06 v2.6]	45
	[2007/06/11 v2.7]	45
	[2007/10/02 v2.8]	45
	[2007/10/11 v2.9]	45
	[2007/10/18 v3.0]	45
	[2009/04/10 v3.1]	45
	[2009/07/17 v3.2]	45

[2009/07/21 v3.3]	45
[2009/08/13 v3.4]	45
[2009/12/04 v3.5]	45
[2009/12/08 v3.6]	45
[2010/02/22 v3.7]	45
[2010/07/23 v3.8]	46
[2010/12/02 v3.9]	46
[2010/12/23 v3.10]	46
[2011/06/30 v3.11]	46
[2016/05/16 v3.12]	46
12 Index	46

The kvsetkeys package

Abstract

Package kvsetkeys provides `\kvsetkeys`, a variant of package keyval's `\setkeys`. It allows to specify a handler that deals with unknown options. Active commas and equal signs may be used (e.g. see `babel`'s shorthands) and only one level of curly braces is removed from the values.

1	Documentation	2
1.1	Motivation	2
1.2	Normalizing key value lists	3
1.3	Parsing key value lists	3
1.4	Processing key value pairs	4
1.4.1	Processing similar to <code>keyval</code>	4
1.4.2	Processing similar to <code>\setkeys*</code> of package <code>xkeyval</code>	4
1.5	Default family handler	5
1.6	Put it all together	5
1.7	Comma separated lists	6
2	Example	6
3	Implementation	7
3.1	Identification	7
3.2	Package loading	9
3.3	Check for ε -TeX	10
3.4	Generic help macros	10
3.5	Normalizing	10
3.6	Parsing key value lists	13
3.7	Parsing comma lists	14
3.8	Processing key value pairs	14
3.9	Error handling	17
3.10	Do it all	17
4	Test	18
4.1	Catcode checks for loading	18
4.2	Macro tests	20
4.2.1	Preamble	20
4.2.2	Time	20
4.2.3	Test sets	21
4.3	Tests for key value processing handler	24
5	Installation	25
5.1	Download	25
5.2	Bundle installation	25
5.3	Package installation	25
5.4	Refresh file name databases	26
5.5	Some details for the interested	26

6	Catalogue	26
7	References	27
8	History	27
	[2006/03/06 v1.0]	27
	[2006/10/19 v1.1]	27
	[2007/09/09 v1.2]	27
	[2007/09/29 v1.3]	27
	[2009/07/19 v1.4]	28
	[2009/07/30 v1.5]	28
	[2009/12/12 v1.6]	28
	[2009/12/22 v1.7]	28
	[2010/01/28 v1.8]	28
	[2010/03/01 v1.9]	28
	[2011/01/30 v1.10]	28
	[2011/03/03 v1.11]	28
	[2011/04/05 v1.12]	28
	[2011/04/07 v1.13]	28
	[2011/06/15 v1.14]	28
	[2011/10/18 v1.15]	28
	[2012/04/25 v1.16]	29
	[2016/05/16 v1.17]	29
9	Index	29

The letltxmacro package

Abstract

T_EX's `\let` assignment does not work for L^AT_EX macros with optional arguments or for macros that are defined as robust macros by `\DeclareRobustCommand`. This package defines `\LetLtxMacro` that also takes care of the involved internal macros.

1	Documentation	2
1.1	Supported macro definition commands	2
2	Implementation	2
2.1	Show cases	2
2.1.1	<code>letltxmacro-showcases.tex</code>	2
2.1.2	Result	4
2.2	Package	4
2.2.1	Catcodes and identification	4
2.2.2	Main macros	5
3	Test	8
3.1	Catcode checks for loading	8
3.2	Package tests	8
4	Installation	12
4.1	Download	12
4.2	Bundle installation	13
4.3	Package installation	13
4.4	Refresh file name databases	13
4.5	Some details for the interested	13
5	Catalogue	14
6	History	14
	[2008/06/09 v1.0]	14
	[2008/06/12 v1.1]	14
	[2008/06/13 v1.2]	15
	[2008/06/24 v1.3]	15
	[2010/09/02 v1.4]	15
	[2016/05/16 v1.5]	15
7	Index	15

The listingsutf8 package

Abstract

Package `listings` does not support files with multi-byte encodings such as UTF-8. In case of `\lstinputlisting` a simple workaround is possible if an one-byte encoding exists that the file can be converted to. Also ε -TeX and pdfTeX regardless of its mode are required.

1	Documentation	2
1.1	User interface	2
1.2	Future	2
2	Implementation	2
2.1	Catcodes and identification	2
2.2	Package options	3
2.3	Check prerequisites	3
2.4	Add support for UTF-8	4
2.4.1	Conversion	4
2.4.2	Convert CR/LF pairs to LF	4
2.4.3	Patch <code>\lst@InputListing</code>	5
3	Test	5
3.1	Catcode checks for loading	5
3.2	Test example for <code>latin1</code>	6
4	Installation	6
4.1	Download	6
4.2	Bundle installation	7
4.3	Package installation	7
4.4	Refresh file name databases	7
4.5	Some details for the interested	7
5	Catalogue	8
6	References	8
7	History	9
	[2007/10/22 v1.0]	9
	[2007/11/11 v1.1]	9
	[2011/11/10 v1.2]	9
	[2016/05/16 v1.3]	9
8	Index	9

The ltxcmds package

Abstract

The package `ltxcmds` exports some utility macros from the \LaTeX kernel into a separate namespace and also provides them for other formats such as `plain-TeX`.

1	Documentation	3
1.1	Introduction	3
1.2	Numbers	3
1.3	Scratch registers	3
1.4	Argument killers	3
1.5	Argument grabbers	4
1.6	List helpers	5
1.7	Tail recursion	5
1.8	Empty macro	5
1.9	Characters	6
1.10	Boolean switch	6
1.11	Command definitions	6
1.12	Stripping	6
1.13	File management	7
1.13.1	File extensions	7
1.13.2	Load check	7
1.13.3	Version date check	7
1.14	Macro additions	8
1.15	Next character detection	8
1.16	<code>\ltx@leavevmode</code> , <code>\ltx@mbox</code>	8
1.17	Expandable test for emptiness	9
1.18	Stripping spaces	9
1.19	Check for emptiness of boxes	9
2	Implementation	10
2.1	Identification	10
2.2	Numbers	11
2.3	Scratch registers	12
2.4	Argument killers	14
2.5	Argument grabbers	14
2.6	List helpers	15
2.7	Tail recursion	16
2.8	Empty macro	16
2.9	Characters	17
2.10	Boolean switch	17
2.11	Command definitions	18
2.12	Stripping	19
2.13	File management	19
2.13.1	File extensions	19
2.13.2	Load check	20

2.13.3	Version date check	20
2.14	Macro additions	21
2.15	Next character detection	22
2.16	<code>\ltx@leavevmode</code> , <code>\ltx@mbox</code>	23
2.17	Help macros	24
2.18	Expandable test for emptiness	24
2.18.1	Vanilla \TeX	24
2.18.2	With <code>\detokenize</code>	25
2.18.3	<code>\ltx@ifblank</code>	25
2.19	<code>\ltx@zapspace</code>	26
2.20	<code>\ltx@ifBoxEmpty</code>	26
3	Test	27
3.1	Catcode checks for loading	27
3.2	Test <code>\ltx@GobbleNum</code>	29
3.3	Test <code>\ltx@ifempty</code>	32
3.4	Test <code>\ltx@zap@space</code>	33
3.5	Test <code>\ltx@ifBoxEmpty</code>	34
3.6	Test for next character detection	36
3.7	Test for list helpers	39
4	Installation	40
4.1	Download	40
4.2	Bundle installation	40
4.3	Package installation	41
4.4	Refresh file name databases	41
4.5	Some details for the interested	41
5	Catalogue	42
6	References	42
7	History	43
	[2009/08/05 v1.0]	43
	[2009/12/12 v1.1]	43
	[2010/01/28 v1.2]	43
	[2010/03/01 v1.3]	43
	[2010/03/09 v1.4]	43
	[2010/04/08 v1.5]	43
	[2010/04/16 v1.6]	43
	[2010/04/26 v1.7]	44
	[2010/09/11 v1.8]	44
	[2010/10/25 v1.9]	44
	[2010/10/31 v1.10]	44
	[2010/11/12 v1.11]	44
	[2010/12/02 v1.12]	44
	[2010/12/04 v1.13]	44

[2010/12/07 v1.14]	44
[2010/12/12 v1.15]	44
[2011/02/04 v1.16]	44
[2011/02/05 v1.17]	44
[2011/03/16 v1.18]	44
[2011/04/14 v1.19]	45
[2011/04/18 v1.20]	45
[2011/08/22 v1.21]	45
[2011/11/09 v1.22]	45
[2016/05/16 v1.23]	45
8 Index	45

The luacolor package

Abstract

Package `luacolor` implements color support based on L^AT_EX's node attributes.

1	Documentation	2
1.1	Introduction	2
1.2	Usage	2
1.3	Limitations	2
2	Implementation	3
2.1	Catcodes and identification	3
2.2	Check for L ^A T _E X	4
2.3	Check for disabled colors	4
2.4	Load module and check version	4
2.5	Find driver	5
2.6	Attribute setting	5
2.7	Whatsit insertion	6
2.8	<code>\pdfxform</code> support	6
2.9	Lua module	6
2.9.1	Driver detection	7
2.9.2	Color strings	8
2.9.3	Attribute register	8
2.9.4	Whatsit insertion	8
3	Test	10
3.1	Catcode checks for loading	10
3.2	Driver detection	12
4	Installation	12
4.1	Download	12
4.2	Bundle installation	13
4.3	Package installation	13
4.4	Refresh file name databases	13
4.5	Some details for the interested	13
5	Catalogue	14
6	History	14
	[2007/12/12 v1.0]	14
	[2009/04/10 v1.1]	14
	[2010/03/09 v1.2]	14
	[2010/12/13 v1.3]	14
	[2011/03/29 v1.4]	15
	[2011/04/22 v1.5]	15
	[2011/04/23 v1.6]	15

[2011/10/22 v1.7]	15
[2011/11/01 v1.8]	15
[2016/05/13 v1.9]	15
[2016/05/16 v1.10]	15
[2018/11/22 v1.11]	15
[2019/07/25 v1.12]	15
7 Index	16

The luatex package

Abstract

This package manages the new and extended features and resources that L^AT_EX provides. Examples are attributes and catcode tables.

1	Documentation	2
1.1	Introduction	2
1.1.1	L ^A T _E X	2
1.1.2	plain T _E X	2
1.2	Register allocation	3
1.2.1	Register with 16 bit	3
1.2.2	Insertions	3
1.3	Attributes	3
1.4	Catcode tables	4
1.4.1	Interface proposal	4
1.5	Lua module loading	5
1.5.1	Package luatex-loader	6
2	Implementation	6
2.1	Reload check and package identification	6
2.2	Catcodes	7
2.3	Check for LuaT _E X	8
2.4	Provide LuaT _E X primitives	8
2.5	Inherit support for ε -T _E X	9
2.6	Adaption of ε -T _E X's register allocation	10
2.7	plain T _E X compatibility	10
2.8	Attributes	12
2.8.1	Allocation	12
2.8.2	Interface	12
2.9	Catcode tables	13
2.9.1	Allocation	13
2.9.2	\SetCatcodeRange	14
2.9.3	Predefined catcode tables	14
2.9.4	Number stack	15
2.9.5	Catcode regime macros	15
2.10	Lua module loader	15
2.11	Lua script	17
3	Test	18
3.1	Catcode checks for loading	18
3.2	Catcode tables	20
3.2.1	Predefined catcode tables	20
3.2.2	Catcode table number stack	20
3.2.3	Catcode table stack	21
3.2.4	Catcode regime macros	21
3.3	Attribute allocation	22
3.4	Short test for plain T _E X	22

4	Installation	23
4.1	Download	23
4.2	Bundle installation	23
4.3	Package installation	23
4.4	Refresh file name databases	24
4.5	Some details for the interested	24
5	Catalogue	24
6	History	25
[2007/12/12 v0.1]	25
[2009/04/10 v0.2]	25
[2009/12/02 v0.3]	25
[2010/03/09 v0.4]	25
[2016/05/10 v0.5]	25
[2016/05/16 v0.6]	25
[2019/07/25 v0.7]	25
7	Index	25

The magicnum package

Abstract

This packages allows to access magic numbers by a hierarchical name system.

1	Documentation	2
1.1	Introduction	2
1.2	User interface	2
1.2.1	<code>\magicnum</code>	2
1.2.2	Properties	3
1.3	Data	3
1.3.1	Category <code>tex.catcode</code>	3
1.3.2	Category <code>etex.grouptype</code>	3
1.3.3	Category <code>etex.ifttype</code>	4
1.3.4	Category <code>etex.nodetype</code>	4
1.3.5	Category <code>etex.interactionmode</code>	4
1.3.6	Category <code>luatex.pdfliteral.mode</code>	4
2	Implementation	4
2.1	Reload check and package identification	5
2.2	Catcodes	6
2.3	Check for previous definition	7
2.4	Without LuaTeX	7
2.5	With LuaTeX	7
2.6	Data	8
2.6.1	Plain data	8
2.6.2	Data for TeX	10
2.6.3	Lua module	12
3	Test	15
3.1	Catcode checks for loading	15
3.2	Test data	17
3.3	Small test for iniTeX	18
4	Installation	18
4.1	Download	18
4.2	Bundle installation	18
4.3	Package installation	18
4.4	Refresh file name databases	19
4.5	Some details for the interested	19
5	Catalogue	19

6 History	20
[2007/12/12 v1.0]	20
[2009/04/10 v1.1]	20
[2010/03/09 v1.2]	20
[2011/03/24 v1.3]	20
[2011/04/10 v1.4]	20
[2016/05/16 v1.5]	20
[2019/07/25 v1.6]	20
7 Index	21

The makerobust package

Abstract

Package makerobust provides `\MakeRobustCommand` that converts an existing macro to a robust one.

1	User interface	1
1.1	Example	2
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	3
3.3	Package installation	3
3.4	Refresh file name databases	4
3.5	Some details for the interested	4
4	Catalogue	4
5	History	5
	[2006/03/18 v1.0]	5
	[2016/05/16 v1.1]	5
6	Index	5

The mlefttright package

Abstract

TeX sets subformulas by `\left` and `\right` as inner formulas with additional surrounding spaces in some situations. This package provides `\mleft` and `\mright` that call `\left` and `\right`, but the delimiters will act as normal `\mathopen` and `\mathclose` delimiters without the additional space of an inner formula.

1	Documentation	1
1.1	Use	2
2	Implementation	2
3	Test	7
3.1	Catcode checks for loading	7
4	Installation	8
4.1	Download	8
4.2	Bundle installation	9
4.3	Package installation	9
4.4	Refresh file name databases	9
4.5	Some details for the interested	9
5	Catalogue	10
6	Acknowledgement	10
7	References	10
8	History	11
	[2010/09/25 v1.0]	11
	[2016/05/16 v1.1]	11
9	Index	11

The pagegrid package

Abstract

The L^AT_EX package prints a page grid in the background.

1	Documentation	2
1.1	Options	2
1.1.1	Options enable, disable	2
1.1.2	Grid origins	2
1.1.3	Grid unit	2
1.1.4	Color options	3
1.1.5	Arrow options	3
1.1.6	Miscellaneous options	3
2	Implementation	3
3	Test	10
3.1	Catcode checks for loading	10
4	Installation	11
4.1	Download	11
4.2	Bundle installation	12
4.3	Package installation	12
4.4	Refresh file name databases	12
4.5	Some details for the interested	12
5	Catalogue	13
6	Acknowledgement	13
7	History	13
	[2009/11/06 v1.0]	13
	[2009/11/06 v1.1]	13
	[2009/12/02 v1.2]	13
	[2009/12/03 v1.3]	14
	[2009/12/04 v1.4]	14
	[2016/05/16 v1.5]	14
8	Index	14

The pagesel package

Abstract

Single pages or page areas can be selected for output.

1	Usage	2
1.1	Page selecting	2
1.1.1	Options for selecting pages	2
1.1.2	Examples	2
1.2	Auxiliary files	2
1.2.1	Options for handling auxiliary files	3
1.2.2	Package <code>hyperref</code>	3
2	Implementation	3
2.1	Package	3
2.2	AtBeginDvi hook support	6
3	Installation	7
3.1	Download	7
3.2	Bundle installation	7
3.3	Package installation	8
3.4	Refresh file name databases	8
3.5	Some details for the interested	8
4	Catalogue	9
5	History	9
	[1999/03/01 v0.9]	9
	[1999/04/05 v1.0]	9
	[1999/04/13 v1.1]	9
	[2003/06/05 v1.2]	10
	[2006/02/20 v1.3]	10
	[2006/03/02 v1.4]	10
	[2006/03/07 v1.5]	10
	[2007/04/11 v1.6]	10
	[2007/04/12 v1.7]	10
	[2008/08/11 v1.8]	10
	[2016/05/16 v1.9]	10
6	Index	10

The pdfcol package

Abstract

Since version 1.40 pdfTeX supports color stacks. The driver file `pdftex.def` for package `color` defines and uses a main color stack since version v0.04b. Package `pdfcol` is intended for package writers. It defines macros for setting and maintaining new color stacks.

1	Documentation	2
1.1	Requirements	2
1.2	Interface	2
2	Implementation	3
2.1	Reload check and package identification	3
2.2	Catcodes	4
2.3	Check requirements	5
2.3.1	Check package <code>luacolor</code>	5
2.3.2	Check PDF mode	5
2.3.3	Check version of pdfTeX	6
2.3.4	Check <code>pdftex.def</code>	6
2.4	Enabled interface macros	6
2.5	Disabled interface macros	8
3	Test	9
3.1	Catcode checks for loading	9
3.2	Very simple test	10
3.3	Detection of package <code>luacolor</code>	11
4	Installation	11
4.1	Download	11
4.2	Bundle installation	12
4.3	Package installation	12
4.4	Refresh file name databases	12
4.5	Some details for the interested	12
5	Catalogue	13
6	History	13
	[2007/09/09 v1.0]	13
	[2007/12/09 v1.1]	13
	[2007/12/12 v1.2]	14
	[2016/05/16 v1.3]	14
	[2016/05/17 v1.4]	14
	[2018/11/01 v1.5]	14
7	Index	14

The pdfcolfoot package

Abstract

Since version 1.40 pdfT_EX supports several color stacks. This package uses a separate color stack for footnotes that can break across pages.

1	User interface	2
1.1	Other packages or classes	2
2	Interface for package or class writers	2
2.1	Macro <code>\pdfcolfoot@switch</code>	2
2.2	Macro <code>\pdfcolfoot@current</code>	2
3	Implementation	3
3.1	Identification	3
3.2	Load package <code>pdfcol</code>	3
3.3	Color stack for footnotes	3
3.4	Patch <code>\@makefntext</code>	3
3.5	Patch <code>\@makecol</code>	3
4	Test	6
5	Installation	6
5.1	Download	6
5.2	Bundle installation	6
5.3	Package installation	7
5.4	Refresh file name databases	7
5.5	Some details for the interested	7
6	Catalogue	7
7	References	8
8	History	8
	[2007/01/08 v1.0]	8
	[2007/09/09 v1.1]	8
	[2012/01/02 v1.2]	8
	[2016/05/16 v1.3]	8
9	Index	8

The pdfcolmk package

Abstract

This package tries a solution for the missing color stack of pdf \TeX .

1	Documentation	2
1.1	Introduction	2
1.2	Background	2
1.3	Limitations	2
1.4	Recommendation	2
1.5	Usage	2
1.6	Compatibility	2
2	Implementation	3
2.1	<code>\marginpar</code> fix	4
2.1.1	<code>latex/base/latex.ltx</code>	4
2.1.2	<code>memoir.cls</code>	5
2.1.3	<code>poemscol/marn.sty</code> , <code>poemscol/newmarn.sty</code>	6
2.1.4	<code>refman/refart.cls</code> , <code>refnam/refrep.cls</code>	7
2.2	Color fix	9
3	Installation	10
3.1	Download	10
3.2	Bundle installation	10
3.3	Package installation	11
3.4	Refresh file name databases	11
3.5	Some details for the interested	11
4	Catalogue	12
5	History	12
	[2000/08/27 v0.1]	12
	[2000/09/02 v0.2]	12
	[2000/09/02 v0.3]	12
	[2000/09/06 v0.4]	12
	[2000/09/06 v0.5]	13
	[2005/06/15 v0.6]	13
	[2005/07/09 v0.7]	13
	[2006/02/20 v0.8]	13
	[2007/01/01 v1.0]	13
	[2007/04/11 v1.1]	13
	[2008/08/11 v1.2]	13
	[2016/05/16 v1.3]	13
6	Index	13

The pdfcolparallel package

Abstract

This packages fixes bugs in `parallel` and improves color support by using several color stacks that are provided by pdfTEX since version 1.40.

1	Usage	2
1.1	Option <code>rulebetweencolor</code>	2
1.2	Future	2
2	Implementation	2
2.1	Identification	2
2.2	Load and fix package <code>parallel</code>	2
2.3	Color stack support	7
2.4	Redefinitions	7
3	Test	10
4	Installation	12
4.1	Download	12
4.2	Bundle installation	12
4.3	Package installation	12
4.4	Refresh file name databases	12
4.5	Some details for the interested	13
5	Catalogue	13
6	References	14
7	History	14
	[2007/09/09 v1.0]	14
	[2007/12/12 v1.1]	14
	[2008/08/11 v1.2]	14
	[2010/01/11 v1.3]	14
	[2016/05/16 v1.4]	14
8	Index	14

The pdfcolparcolumns package

Abstract

Since version 1.40 pdfTeX supports several color stacks. This package uses them to fix color problems in package parcolumns.

1	Usage	2
1.1	Option rulebetweencolor	2
1.2	Future	2
2	Implementation	2
2.1	Identification	2
2.2	Load packages	2
2.2.1	Package parcolumns	2
2.2.2	Package pdfcol	3
2.2.3	Package infwarerr	3
2.3	Color stack macros	3
2.4	Patches	3
2.4.1	Init stacks	3
2.4.2	Switch stack	3
2.4.3	Set current stack color	4
3	Test	6
4	Installation	7
4.1	Download	7
4.2	Bundle installation	7
4.3	Package installation	7
4.4	Refresh file name databases	7
4.5	Some details for the interested	8
5	Catalogue	8
6	References	9
7	History	9
	[2007/07/26 v1.0]	9
	[2007/09/09 v1.1]	9
	[2008/08/11 v1.2]	9
	[2010/01/11 v1.3]	9
	[2016/05/16 v1.4]	9
8	Index	9

The pdfcrypt package

Abstract

This package supports the setting of pdf encryption options for V_TE_X and some older versions of pdfT_EX.

1	Documentation	2
1.1	Alternatives	2
1.2	Usage	2
1.2.1	Special characters	3
1.2.2	\nopdfcrypt	3
1.2.3	Configuration file	3
1.2.4	Support for plain T _E X	3
1.3	Hints for pdfT _E X	3
2	Implementation	4
2.1	Help macros for plain T _E X	4
2.2	Package Identification and checks	5
2.3	Driver detection	5
2.4	Load package keyval	6
2.5	Define options	7
2.6	support of configuration file	11
2.7	Package options	11
3	Installation	12
3.1	Download	12
3.2	Bundle installation	12
3.3	Package installation	12
3.4	Refresh file name databases	12
3.5	Some details for the interested	13
4	Catalogue	13
5	History	14
	[2001/04/02 v0.1]	14
	[2001/07/19 v0.2]	14
	[2001/07/19 v0.3]	14
	[2001/07/19 v0.4]	14
	[2001/08/05 v0.5]	14
	[2001/08/09 v0.6]	14
	[2001/10/28 v0.7]	14
	[2006/02/20 v0.8]	14
	[2007/04/11 v0.9]	14
	[2007/04/26 v1.0]	15
	[2016/05/16 v1.1]	15
6	Index	15

The pdfescape package

Abstract

This package implements pdfTeX's escape features (`\pdfescapehex`, `\pdfunescapehex`, `\pdfescapeiname`, `\pdfescapestring`) using TeX or ϵ -TeX.

1	Documentation	2
1.1	Additional unescape macros	2
1.2	Sanitizing macro	3
2	Implementation	3
2.1	Reload check and package identification	3
2.2	Catcodes	4
2.3	Load package	5
2.4	Sanitizing	5
2.4.1	Space characters	6
2.4.2	Space normalization	6
2.5	<code>\EdefUnescapeName</code>	6
2.6	<code>\EdefUnescapeString</code>	8
2.7	User macros (pdfTeX analogues)	11
2.8	Help macros	12
2.8.1	Characters	12
2.8.2	Switch for ϵ -TeX	13
2.9	Conversions	13
2.9.1	Conversion to hex string	13
2.9.2	Character code to octal number	14
2.9.3	Unpack hex string	14
2.9.4	Conversion to PDF name	15
2.9.5	Conversion to PDF string	16
3	Test	17
3.1	Catcode checks for loading	17
3.2	Macro tests	19
3.3	Test with <code>\pdfescape...</code> commands	19
3.4	Test without <code>\pdfescape...</code> , with ϵ -TeX	19
3.5	Test without <code>\pdfescape...</code> and ϵ -TeX	19
3.6	Test with LuaTeX	19
3.7	Check/ensure test preconditions	19
3.7.1	Check <code>\pdfescape...</code>	19
3.7.2	Check ϵ -TeX	19
3.7.3	Check LuaTeX	20
3.8	Common part	20
3.8.1	Test for iniTeX	26

4	Installation	28
4.1	Download	28
4.2	Bundle installation	28
4.3	Package installation	29
4.4	Refresh file name databases	29
4.5	Some details for the interested	29
5	Catalogue	30
6	History	30
[2007/02/21 v1.0]	30
[2007/02/25 v1.1]	30
[2007/03/20 v1.2]	30
[2007/04/11 v1.3]	31
[2007/04/21 v1.4]	31
[2007/08/27 v1.5]	31
[2007/09/09 v1.6]	31
[2007/10/27 v1.7]	31
[2007/11/11 v1.8]	31
[2010/03/01 v1.9]	31
[2010/11/12 v1.10]	31
[2011/01/30 v1.11]	31
[2011/04/04 v1.12]	31
[2011/11/25 v1.13]	31
[2016/05/16 v1.14]	31
7	Index	31

The pdfscape package

Abstract

Package pdfscape adds PDF support to the environment landscape of package lscape by setting the PDF page attribute /Rotate.

1	Documentation	2
1.1	Supported drivers	2
1.2	Caveat	2
1.3	Requirements	2
1.4	Usage	2
2	Implementation	2
2.1	Package identification	2
2.2	Driver options	2
2.3	Autodetection of driver	3
2.3.1	Driver pdftex	3
2.3.2	Driver xetex	3
2.3.3	Detect driver based on \Gin@driver	4
2.3.4	Driver dvips	4
2.4	Driver implementation	4
2.4.1	pdfTeX	5
2.4.2	PostScript driver	5
2.4.3	Driver dvipdfm	6
2.5	Driver independent stuff	6
3	Test	7
3.1	Driver detection tests	7
3.2	Test for \PLS@CheckAngle	8
3.3	Test for rotate	9
4	Installation	10
4.1	Download	10
4.2	Bundle installation	10
4.3	Package installation	10
4.4	Refresh file name databases	11
4.5	Some details for the interested	11
5	Catalogue	11
6	History	12
	[2001/01/15 v0.1]	12
	[2001/02/04 v0.2]	12
	[2004/05/11 v0.3]	12
	[2004/05/12 v0.4]	12
	[2006/02/20 v0.5]	12
	[2006/04/24 v0.6]	12

[2007/04/11 v0.7]	13
[2007/04/17 v0.8]	13
[2007/10/21 v0.9]	13
[2008/08/11 v0.10]	13
[2016/05/14 v0.11]	13
7 Index	13

The pdfrender package

Abstract

The PDF format has some graphics parameter like line width or text rendering mode. This package provides an interface for setting these parameters.

1	Documentation	2
1.1	Usage	2
1.2	Macros	2
1.3	Parameters	2
1.3.1	Details	3
1.4	Color stack	4
2	Implementation	4
2.1	Look for pdfTeX, its mode and features	6
2.2	Enable color support of L ^A T _E X	8
2.3	Hook into \normalcolor	8
2.4	Declare and setup parameters	13
2.5	Fill and stroke color support	14
3	Test	18
3.1	Catcode checks for loading	18
3.2	Simple test file	19
3.3	Further tests	20
3.4	Compatibility with plain T _E X	22
4	Installation	22
4.1	Download	22
4.2	Bundle installation	22
4.3	Package installation	23
4.4	Refresh file name databases	23
4.5	Some details for the interested	23
5	Catalogue	24
6	Acknowledgement	24
7	References	24
8	History	25
	[2010/01/26 v1.0]	25
	[2010/01/27 v1.1]	25
	[2010/01/28 v1.2]	25
	[2016/05/14 v1.3]	25
	[2016/05/17 v1.4]	25
	[2018/11/01 v1.5]	25
9	Index	25

The pdftexcmds package

Abstract

LuaTeX provides most of the commands of pdfTeX 1.40. However a number of utility functions are removed. This package tries to fill the gap and implements some of the missing primitive using Lua.

1	Documentation	2
1.1	General principles	3
1.2	Macros	3
1.2.1	Strings	3
1.2.2	Files	4
1.2.3	Timekeeping	4
1.2.4	Miscellaneous	5
1.2.5	Additional macro: <code>\pdf@isprimitive</code>	6
1.2.6	Experimental	6
2	Implementation	7
2.1	Reload check and package identification	7
2.2	Catcodes	8
2.3	Load packages	9
2.4	Without LuaTeX	9
2.5	<code>\pdf@primitive</code> , <code>\pdf@ifprimitive</code>	11
2.5.1	Using LuaTeX's <code>tex.enableprimitives</code>	11
2.5.2	Trying various names to find the primitives	11
2.5.3	Result	12
2.6	<code>X_YTeX</code>	12
2.7	<code>\pdf@isprimitive</code>	13
2.8	<code>\pdf@draftmode</code>	14
2.9	Load Lua module	15
2.10	Lua functions	16
2.10.1	Helper macros	16
2.10.2	Strings	17
2.10.3	Files	18
2.10.4	Timekeeping	19
2.10.5	Shell escape	20
2.11	Lua module	21
2.11.1	Strings	21
2.11.2	Files	23
2.11.3	Timekeeping	25
2.11.4	Miscellaneous	25
3	Test	27
3.1	Catcode checks for loading	27
3.2	Test for <code>\pdf@isprimitive</code>	28
3.3	Test for <code>\pdf@shellescape</code>	29
3.4	Test for escape functions	30

4	Installation	32
4.1	Download	32
4.2	Bundle installation	33
4.3	Package installation	33
4.4	Refresh file name databases	33
4.5	Some details for the interested	33
5	Catalogue	34
6	History	34
[2007/11/11 v0.1]	34
[2007/11/12 v0.2]	34
[2007/12/12 v0.3]	35
[2009/04/10 v0.4]	35
[2009/09/22 v0.5]	35
[2009/09/23 v0.6]	35
[2009/12/12 v0.7]	35
[2010/03/01 v0.8]	35
[2010/04/01 v0.9]	35
[2010/11/04 v0.10]	35
[2010/11/11 v0.11]	35
[2011/01/30 v0.12]	35
[2011/03/04 v0.13]	35
[2011/04/10 v0.14]	35
[2011/04/16 v0.15]	35
[2011/04/22 v0.16]	36
[2011/06/29 v0.17]	36
[2011/07/01 v0.18]	36
[2011/07/28 v0.19]	36
[2011/11/29 v0.20]	36
[2016/05/10 v0.21]	36
[2016/05/21 v0.22]	36
[2016/10/02 v0.23]	36
[2017/01/29 v0.24]	36
[2017/03/19 v0.25]	36
[2018/01/21 v0.26]	36
[2018/01/30 v0.27]	36
[2018/09/07 v0.28]	36
[2018/09/10 v0.29]	36
[2019/07/25 v0.30]	37
7	Index	37

The picture package

Abstract

There are macro and environment arguments that expect numbers that will internally be multiplied with `\unitlength`. This package extends the syntax of these arguments that `dimens` with calculation support can be added for these arguments.

1	User interface	2
1.1	Introduction	2
1.2	Options	2
1.3	Example	2
1.4	Supported packages	2
2	Implementation	3
2.1	Identification	3
2.2	Options	3
2.3	Calculation method	3
2.3.1	Method <code>calc</code>	3
2.3.2	Method <code>etex</code>	4
2.3.3	Method <code>plain</code>	4
2.3.4	Help macros	4
2.4	Redefinitions	5
2.4.1	<code>L^AT_EX</code> base macros	6
2.4.2	Package <code>pspicture</code>	6
2.5	Check package loading order	6
3	Installation	7
3.1	Download	7
3.2	Bundle installation	7
3.3	Package installation	7
3.4	Refresh file name databases	8
3.5	Some details for the interested	8
4	Catalogue	8
5	History	9
	[2006/08/26 v1.0]	9
	[2007/04/11 v1.1]	9
	[2008/11/26 v1.2]	9
	[2009/10/11 v1.3]	9
	[2016/05/16 v1.4]	9
6	Index	9

The pmboxdraw package

Abstract

Package pmboxdraw declares box drawings characters of old code pages, e.g. cp437. It uses rules instead of using a font.

1	User interface	2
1.1	Introduction	2
1.2	Setup	2
1.3	Symbol list	3
2	Implementation	9
2.1	Initial stuff	9
2.2	Resources	11
2.3	Dummy font encoding	11
2.4	Setup	11
2.4.1	Options	11
2.4.2	Setup commands of version 1.0	13
2.5	Utils	14
2.6	Block elements	16
2.6.1	U+2580	16
2.6.2	U+2581	16
2.6.3	U+2582	16
2.6.4	U+2583	17
2.6.5	U+2584	17
2.6.6	U+2585	17
2.6.7	U+2586	17
2.6.8	U+2587	17
2.6.9	U+2588	17
2.6.10	U+2589	18
2.6.11	U+258A	18
2.6.12	U+258B	18
2.6.13	U+258C	18
2.6.14	U+258D	18
2.6.15	U+258E	18
2.6.16	U+258F	18
2.6.17	U+2590	19
2.6.18	U+2594	19
2.6.19	U+2595	19
2.7	Shade characters	19
2.7.1	U+2591	19
2.7.2	U+2592	20
2.7.3	U+2593	20
2.7.4	Color warning	20
2.8	Terminal graphics characters	20
2.8.1	U+2596	20
2.8.2	U+2597	21

2.8.3	U+2598	21
2.8.4	U+2599	21
2.8.5	U+259A	21
2.8.6	U+259B	21
2.8.7	U+259C	22
2.8.8	U+259D	22
2.8.9	U+259E	22
2.8.10	U+259F	22
2.9	Box drawing	22
2.9.1	U+2500	23
2.9.2	U+2501	23
2.9.3	U+2502	23
2.9.4	U+2503	24
2.9.5	U+250C	24
2.9.6	U+250D	24
2.9.7	U+250E	25
2.9.8	U+250F	25
2.9.9	U+2510	26
2.9.10	U+2511	26
2.9.11	U+2512	27
2.9.12	U+2513	27
2.9.13	U+2514	28
2.9.14	U+2515	28
2.9.15	U+2516	29
2.9.16	U+2517	29
2.9.17	U+2518	30
2.9.18	U+2519	30
2.9.19	U+251A	30
2.9.20	U+251B	31
2.9.21	U+251C	31
2.9.22	U+251D	32
2.9.23	U+251E	32
2.9.24	U+251F	33
2.9.25	U+2520	34
2.9.26	U+2521	34
2.9.27	U+2522	35
2.9.28	U+2523	35
2.9.29	U+2524	36
2.9.30	U+2525	36
2.9.31	U+2526	37
2.9.32	U+2527	37
2.9.33	U+2528	38
2.9.34	U+2529	38
2.9.35	U+252A	39
2.9.36	U+252B	39
2.9.37	U+252C	40

2.9.38	U+252D	40
2.9.39	U+252E	41
2.9.40	U+252F	42
2.9.41	U+2530	42
2.9.42	U+2531	43
2.9.43	U+2532	43
2.9.44	U+2533	44
2.9.45	U+2534	45
2.9.46	U+2535	45
2.9.47	U+2536	46
2.9.48	U+2537	47
2.9.49	U+2538	47
2.9.50	U+2539	47
2.9.51	U+253A	48
2.9.52	U+253B	49
2.9.53	U+253C	49
2.9.54	U+253D	50
2.9.55	U+253E	50
2.9.56	U+253F	51
2.9.57	U+2540	51
2.9.58	U+2541	52
2.9.59	U+2542	53
2.9.60	U+2543	53
2.9.61	U+2544	54
2.9.62	U+2545	54
2.9.63	U+2546	55
2.9.64	U+2547	56
2.9.65	U+2548	57
2.9.66	U+2549	57
2.9.67	U+254A	58
2.9.68	U+254B	58
2.10	Box drawing, double lines	59
2.10.1	U+2550	59
2.10.2	U+2551	60
2.10.3	U+2552	60
2.10.4	U+2553	61
2.10.5	U+2554	61
2.10.6	U+2555	62
2.10.7	U+2556	62
2.10.8	U+2557	63
2.10.9	U+2558	63
2.10.10	U+2559	64
2.10.11	U+255A	64
2.10.12	U+255B	65
2.10.13	U+255C	66
2.10.14	U+255D	66

2.10.15 U+255E	67
2.10.16 U+255F	68
2.10.17 U+2560	68
2.10.18 U+2561	69
2.10.19 U+2562	69
2.10.20 U+2563	70
2.10.21 U+2564	71
2.10.22 U+2565	71
2.10.23 U+2566	71
2.10.24 U+2567	72
2.10.25 U+2568	73
2.10.26 U+2569	73
2.10.27 U+256A	74
2.10.28 U+256B	74
2.10.29 U+256C	75
2.10.30 U+2574	75
2.10.31 U+2575	76
2.10.32 U+2576	76
2.10.33 U+2577	76
2.10.34 U+2578	77
2.10.35 U+2579	77
2.10.36 U+257A	77
2.10.37 U+257B	77
2.10.38 U+257C	78
2.10.39 U+257D	78
2.10.40 U+257E	78
2.10.41 U+257F	79
2.11 Box drawing, light single lines	79
2.12 Unicode support file	79
3 Test	82
3.1 Catcode checks for loading	82
4 Installation	84
4.1 Download	84
4.2 Bundle installation	84
4.3 Package installation	84
4.4 Refresh file name databases	84
4.5 Some details for the interested	85
5 Catalogue	85
6 References	86

7 History	86
[2006/05/03 v1.0]	86
[2011/03/24 v1.1]	86
[2016/05/16 v1.2]	86
[2019/02/28 v1.3]	86
8 Index	86

The protecteddef package

Abstract

This packages provides `\ProtectedDef` for defining robust macros for both plain `TEX` and `LATEX`. First `ε-TEX`'s `\protected` is tried, then `LATEX`'s `\DeclareRobustCommand` is used. Otherwise the macro is not made robust.

1	Documentation	1
1.1	The <code>L^AT_EX</code> 's way	2
1.2	The <code>ε-T_EX</code> 's way	2
1.3	The way of this package	2
1.4	Usage	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	4
2.3	Resources	4
3	Test	6
3.1	Catcode checks for loading	6
3.2	Test without <code>L^AT_EX</code> and <code>\protected</code>	8
4	Installation	11
4.1	Download	11
4.2	Bundle installation	11
4.3	Package installation	11
4.4	Refresh file name databases	11
4.5	Some details for the interested	12
5	Catalogue	12
6	History	13
	[2011/01/31 v1.0]	13
	[2016/05/16 v1.1]	13
7	Index	13

The **refcount** package

Abstract

References are not numbers, however they often store numerical data such as section or page numbers. `\ref` or `\pageref` cannot be used for counter assignments or calculations because they are not expandable, generate warnings, or can even be links. The package provides expandable macros to extract the data from references. Packages `hyperref`, `nameref`, `titleref`, and `babel` are supported.

1	Usage	2
1.1	Setting counters	2
1.2	Expandable commands	2
1.3	Undefined references	3
1.3.1	Check for undefined references	3
1.4	Notes	3
2	Implementation	3
2.1	Loading packages	5
2.2	Defining commands	5
2.3	<code>\setrefcountdefault</code>	7
2.4	<code>\refused</code>	7
2.5	Setting counters by reference data	7
2.5.1	Generic setting	7
2.5.2	User commands	8
2.6	Extracting references	8
2.7	Macros for checking undefined references	10
3	Test	11
3.1	Catcode checks for loading	11
3.2	Macro tests	12
3.3	Test with package <code>titleref</code>	15
4	Installation	17
4.1	Download	17
4.2	Bundle installation	17
4.3	Package installation	17
4.4	Refresh file name databases	18
4.5	Some details for the interested	18
5	Catalogue	18
6	History	19
	[1998/04/08 v1.0]	19
	[2000/09/07 v2.0]	19
	[2006/02/20 v3.0]	19
	[2008/08/11 v3.1]	20
	[2010/12/01 v3.2]	20

[2011/06/22 v3.3]	20
[2011/10/16 v3.4]	20
[2016/05/16 v3.5]	20
7 Index	20

The rerunfilecheck package

Abstract

The package provides additional rerun warnings if some auxiliary files have changed. It is based on MD5 checksum, provided by pdfTeX.

1	Documentation	2
1.1	Options	2
1.2	Interface for class/package authors	2
2	Implementation	3
2.1	Options	4
2.2	Check for checksum feature	4
2.3	Standard .aux files	5
2.4	Rerun check	7
3	Test	9
3.1	Catcode checks for loading	9
4	Installation	10
4.1	Download	10
4.2	Bundle installation	11
4.3	Package installation	11
4.4	Refresh file name databases	11
4.5	Some details for the interested	11
5	Catalogue	12
6	History	12
	[2009/12/10 v1.0]	12
	[2009/12/12 v1.1]	12
	[2009/12/18 v1.2]	12
	[2010/01/25 v1.3]	13
	[2010/02/22 v1.4]	13
	[2010/03/15 v1.5]	13
	[2010/03/16 v1.6]	13
	[2011/04/15 v1.7]	13
	[2016/05/16 v1.8]	13
7	Index	13

The **resizegather** package

Abstract

Equations that are too large are resized to fit the available space. The environment `gather` of package `amsmath` is supported. Also the environments `equation` and `displaymath` are redefined using `gather` and its starred version.

1	Documentation	1
1.1	Options	2
1.2	Options for packages <code>amsmath</code> or <code>graphics</code>	2
2	Implementation	3
3	Test	8
3.1	Catcode checks for loading	8
4	Installation	9
4.1	Download	9
4.2	Bundle installation	10
4.3	Package installation	10
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
5	Catalogue	11
6	Acknowledgement	11
7	History	11
	[2009/12/04 v1.0]	11
	[2009/12/05 v1.1]	11
	[2010/03/01 v1.2]	11
	[2016/05/16 v1.3]	12
8	Index	12

The rotchiffre package

Abstract

This package implements chiffres ROT13 with its variants ROT5, ROT18, and ROT47.

1	Documentation	2
1.1	Motivation	2
1.2	Usage	2
1.2.1	Examples	2
2	Implementation	3
2.1	Reload check and package identification	3
2.2	Catcodes	4
2.3	Loading resources	5
2.4	\EdefRot as robust macro	5
2.5	Set \lccode on a range of characters	5
2.6	Chiffres	6
2.6.1	ROT13	6
2.6.2	ROT5	7
2.6.3	ROT18	7
2.6.4	ROT47	7
2.7	\RotCh@rot with big char support	7
2.8	\RotCh@rot without big char support	8
3	Test	8
3.1	Catcode checks for loading	8
3.2	Macro tests	10
3.2.1	Preamble	10
3.2.2	ROT13	13
3.2.3	ROT5	13
3.2.4	ROT18	13
3.2.5	ROT47	13
3.2.6	Big chars	14
4	Installation	14
4.1	Download	14
4.2	Bundle installation	15
4.3	Package installation	15
4.4	Refresh file name databases	15
4.5	Some details for the interested	15
5	Catalogue	16
6	References	16

7 History	17
[2010/11/12 v1.0]	17
[2016/05/16 v1.1]	17
8 Index	17

The **scrindex** package

Abstract

This package redefines environment ‘theindex’ of package `index`, if a class from KOMA-Script is loaded. Also option `idxtotoc` is supported. Index preambles can be given either by means of package `index` or via the interface provided by KOMA-Script.

1	Documentation	1
1.1	Usage	2
1.2	Preambles	2
1.2.1	Class <code>scrartcl</code>	2
1.2.2	Classes <code>scrreprt</code> and <code>scrbook</code>	2
2	Implementation	3
3	Installation	6
3.1	Download	6
3.2	Bundle installation	6
3.3	Package installation	6
3.4	Refresh file name databases	7
3.5	Some details for the interested	7
4	Catalogue	7
5	History	8
	[2008/07/07 v1.0]	8
	[2008/08/11 v1.1]	8
	[2016/05/16 v1.2]	8
6	Index	8

The selinput package

Abstract

This package selects the input encoding by specifying between input characters and their glyph names.

1	Documentation	1
1.1	Introduction	1
1.2	User interface	2
1.3	Options	3
1.4	Encodings	3
2	Implementation	3
3	Test	7
4	Installation	9
4.1	Download	9
4.2	Bundle installation	9
4.3	Package installation	10
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
5	Catalogue	11
6	References	11
7	History	11
	[2007/06/16 v1.0]	11
	[2007/06/20 v1.1]	11
	[2007/09/09 v1.2]	11
	[2016/05/16 v1.3]	12
	[2016/05/17 v1.4]	12
8	Index	12

The `setouterhbox` package

Abstract

If math stuff is set in an `\hbox`, then TeX performs some optimization and omits the implicate penalties `\binoppenalty` and `\relpenalty`. This package tries to put stuff into an `\hbox` without getting lost of those penalties.

1	Documentation	2
1.1	Introduction	2
1.2	Acknowledgement	2
1.3	Usage	2
1.4	Option <code>hyperref</code>	3
1.5	Example	3
2	Implementation	4
2.1	Package start stuff	4
2.2	Interface macros	6
2.3	Main part	6
2.4	Environment support	8
2.5	Option <code>hyperref</code>	9
3	Test	9
3.1	Catcode checks for loading	9
3.2	Test with package <code>url</code>	11
4	Installation	11
4.1	Download	11
4.2	Bundle installation	12
4.3	Package installation	12
4.4	Refresh file name databases	12
4.5	Some details for the interested	12
5	Catalogue	13
6	References	13
7	History	14
	[2005/10/05 v1.0]	14
	[2005/10/07 v1.1]	14
	[2005/10/18 v1.2]	14
	[2006/02/12 v1.3]	14
	[2006/08/26 v1.4]	14
	[2007/04/26 v1.5]	14
	[2007/05/17 v1.6]	14
	[2007/09/09 v1.7]	14
	[2016/05/16 v1.8]	14
8	Index	14

The settobox package

Abstract

Commands are defined for getting box sizes similar to L^AT_EX's `\settowidth` commands.

1	Usage	2
1.1	Get box dimensions	2
1.2	Set box dimensions	2
1.3	Move box	2
1.4	Example	2
1.4.1	Short example	2
1.4.2	Test file that shows box manipulations	2
2	Implementation	4
3	Installation	6
3.1	Download	6
3.2	Bundle installation	6
3.3	Package installation	6
3.4	Refresh file name databases	7
3.5	Some details for the interested	7
4	Catalogue	7
5	History	8
[2000/02/11 v1.0]	8
[2000/09/07 v1.1]	8
[2006/02/20 v1.2]	8
[2007/04/11 v1.3]	8
[2008/08/11 v1.4]	8
[2016/05/16 v1.5]	8
6	Index	9

The soulutf8 package

Abstract

This package extends package `soul` and adds some support for UTF-8. Namely the input encodings `utf8.def` from package `inputenc` and package `ucs`'s `utf8x.def` are supported.

1	Documentation	2
1.1	Patch	2
1.2	Future	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	4
2.3	Loading packages	5
2.3.1	plain \TeX	5
2.3.2	\LaTeX	5
2.3.3	$\varepsilon\text{-TeX}$	6
2.4	Macro for redefinitions	6
2.5	Redefinition of <code>\SOUL@eval</code>	6
2.6	UTF-8 analysis	9
2.6.1	Help strings	9
2.6.2	Support for <code>utf8.def</code>	10
2.6.3	Support for <code>utf8x.def</code>	10
2.7	Actions for UTF-8 sequences	11
2.7.1	Redefinition of <code>\SOUL@splittoken</code>	12
2.8	Patches	12
3	Test	15
3.1	Catcode checks for loading	15
3.2	\LaTeX tests	16
3.2.1	Driver definitions	17
3.2.2	Test macros	19
3.2.3	Testing	22
4	Installation	22
4.1	Download	22
4.2	Bundle installation	23
4.3	Package installation	23
4.4	Refresh file name databases	23
4.5	Some details for the interested	24
5	Catalogue	24
6	References	25

7 History	25
[2007/09/09 v1.0]	25
[2016/05/16 v1.1]	25
8 Index	25

The stackrel package

Abstract

This package adds an optional argument to `\stackrel` for putting something below the relational symbol and defines `\stackbin` for binary symbols.

1	User interface	1
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	3
3.3	Package installation	3
3.4	Refresh file name databases	3
3.5	Some details for the interested	4
4	Catalogue	4
5	History	5
[2006/12/02 v1.0]	5
[2007/05/06 v1.1]	5
[2007/11/11 v1.2]	5
[2016/05/16 v1.3]	5
6	Index	6

The stampinclude package

Abstract

The package replaces `\includeonly` and selects the files for `\include` by inspecting the time stamp of the `.aux` file. The file is selected for inclusion if the `.aux` file does not yet exist or is older than the corresponding `.tex` file.

1	Documentation	1
1.1	Introduction	1
1.2	Usage	2
1.3	Limitations	2
1.3.1	Other file dependencies	2
1.3.2	<code>\include</code> dependencies	3
1.3.3	Summary	3
1.4	Requirements	3
2	Implementation	3
3	Installation	5
3.1	Download	5
3.2	Bundle installation	5
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	6
4	Catalogue	6
5	References	7
6	History	7
	[2008/07/14 v1.0]	7
	[2016/05/16 v1.1]	7
7	Index	7

The stringenc package

Abstract

This package provides `\StringEncodingConvert` for converting a string between different encodings. Both \LaTeX and plain- \TeX are supported.

1	Documentation	2
1.1	User interface	2
1.2	Supported encodings	3
2	Implementation	4
2.1	Reload check and package identification	4
2.2	Catcodes	5
2.3	Tools	6
2.4	Encoding aliases	16
2.5	Encoding files	18
2.5.1	UTF-32BE, UTF-32LE	18
2.5.2	UTF-8	21
2.5.3	UTF-16LE	26
2.5.4	PDFDocEncoding	26
2.5.5	ISO-8859-1	28
2.5.6	CP1252	29
2.5.7	US-ASCII	30
2.5.8	Encoding <code>ascii-print</code>	31
2.5.9	Clean7Bit	31
2.5.10	Other encodings (8 bit)	33
3	Test	75
3.1	Catcode checks for loading	75
3.2	Conversion tests	76
3.2.1	UTF8/16/32 encodings	78
3.2.2	ASCII	80
3.2.3	PDFDocEncoding	80
3.2.4	ISO-8859-1	81
3.2.5	CP1252	81
3.2.6	KOI8-R	81
3.2.7	DEC-MCS	81
3.3	Removal of byte order marks	82
4	Installation	82
4.1	Download	82
4.2	Bundle installation	82
4.3	Package installation	83
4.4	Refresh file name databases	84
4.5	Some details for the interested	84
5	Catalogue	85

6 History	85
[2007/06/14 v1.0]	85
[2007/06/16 v1.1]	86
[2007/09/09 v1.2]	86
[2007/10/22 v1.3]	86
[2007/11/11 v1.4]	86
[2007/11/25 v1.5]	86
[2008/10/27 v1.6]	86
[2009/12/15 v1.7]	86
[2010/03/01 v1.8]	86
[2011/07/26 v1.9]	86
[2011/12/02 v1.10]	86
[2016/05/16 v1.11]	86
7 Index	86

The tabularht package

Abstract

This package defines some environments that adds a height specification to tabular and array.

1	Usage	2
1.1	Option vlines	2
1.2	Limitations	3
1.3	Compatibility	3
1.4	Examples	3
1.4.1	Example 1	3
1.4.2	Example 2	3
2	Implementation	4
2.1	Environments	4
2.2	Options	6
2.3	Option vlines, driver independent stuff	7
2.4	Driver pdftex	7
2.5	DVI drivers	11
3	Installation	13
3.1	Download	13
3.2	Bundle installation	13
3.3	Package installation	14
3.4	Refresh file name databases	14
3.5	Some details for the interested	14
4	Catalogue	15
5	History	15
	[2005/09/22 v1.0]	15
	[2005/10/16 v2.0]	15
	[2005/10/18 v2.1]	15
	[2006/02/20 v2.2]	16
	[2006/12/22 v2.3]	16
	[2007/03/21 v2.4]	16
	[2007/04/11 v2.5]	16
	[2016/05/16 v2.6]	16
6	Index	16

The tabularkv package

Abstract

This package adds a key value interface for tabular by the new environment `tabularkv`. Thus the \TeX source code looks better by named parameters, especially if package `tabularht` is used.

1	Usage	1
1.1	Example	2
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	3
3.3	Package installation	3
3.4	Refresh file name databases	3
3.5	Some details for the interested	4
4	Catalogue	4
5	History	5
[2005/09/22 v1.0]	5
[2006/02/20 v1.1]	5
[2016/05/16 v1.2]	5
6	Index	5

The telprint package

Abstract

Package `telprint` provides `\telprint` for formatting German phone numbers.

1	Documentation	2
1.1	Introduction	2
1.2	Short overview in English	2
1.2.1	Configuration	2
1.3	Documentation in German	2
2	Implementation	3
2.1	Reload check and package identification	3
2.2	Catcodes	4
2.3	Package macros	5
3	Test	7
3.1	Catcode checks for loading	7
4	Installation	9
4.1	Download	9
4.2	Bundle installation	9
4.3	Package installation	9
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
5	Catalogue	10
6	History	11
	[1996/11/28 v1.0]	11
	[1997/09/16 v1.1]	11
	[1997/10/16 v1.2]	11
	[1997/12/09 v1.3]	11
	[2004/11/02 v1.4]	11
	[2005/09/30 v1.5]	11
	[2006/02/12 v1.6]	11
	[2006/08/26 v1.7]	12
	[2007/04/11 v1.8]	12
	[2007/09/09 v1.9]	12
	[2008/08/11 v1.10]	12
	[2016/05/16 v1.11]	12
7	Index	12

The thepdfnumber package

Abstract

The package converts real numbers to a minimal representation that is stripped from leading or trailing zeros, plus signs and decimal point if not necessary.

1	Documentation	2
1.1	Introduction	2
1.2	Usage	2
1.3	User macros	2
1.4	Input number	3
1.5	Error handling	3
2	Implementation	4
2.1	Reload check and package identification	4
2.2	Catcodes	5
2.3	Helper macros	6
2.4	Detect ϵ -TeX	6
2.5	User macro <code>\thepdfnumber</code>	6
2.5.1	State definitions for sign	7
2.5.2	State definitions for integer part	8
2.5.3	State definitions for decimal digits	9
2.6	Norm macro	11
2.6.1	State definitions for sign	11
2.6.2	State definitions for integer part	12
2.6.3	State definitions for decimal digits	13
3	Test	14
3.1	Catcode checks for loading	14
3.2	Macro tests	16
3.2.1	Preamble	16
3.2.2	Test with active catcodes	17
3.2.3	Test cases for <code>\thepdfnumber</code>	17
3.2.4	Test cases for <code>\thepdfnumberNormZeroOne</code>	18
4	Installation	19
4.1	Download	19
4.2	Bundle installation	19
4.3	Package installation	19
4.4	Refresh file name databases	19
4.5	Some details for the interested	20
5	History	20
	[2011/11/24 v1.0]	20
	[2016/05/16 v1.1]	20
6	Index	20

The transparent package

Abstract

Since version 1.40 pdfTeX supports several color stacks. This package shows, how a separate color stack can be used for transparency, a property besides color.

1	User interface	1
2	Implementation	2
2.1	Identification	2
2.2	Initial checks	2
2.2.1	Check for pdfTeX in PDF mode	2
2.2.2	Check pdfTeX or LuaTeX version	2
2.3	Compability with pgf	3
2.4	Transparency	3
3	Installation	5
3.1	Download	5
3.2	Bundle installation	5
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	6
4	Catalogue	6
5	History	7
[2007/01/08 v1.0]	7
[2016/05/16 v1.1]	7
[2018/09/10 v1.2]	7
[2018/11/18 v1.3]	7
6	Index	7

The twoopt package

Abstract

This package provides commands to define macros with two optional arguments.

1	Usage	1
2	Implementation	2
3	Installation	3
3.1	Download	3
3.2	Bundle installation	4
3.3	Package installation	4
3.4	Refresh file name databases	4
3.5	Some details for the interested	4
4	Catalogue	5
5	History	5
[1998/10/30 v1.0]	5
[1998/10/30 v1.1]	5
[1998/11/04 v1.2]	6
[1999/04/12 v1.3]	6
[2006/02/20 v1.4]	6
[2008/08/11 v1.5]	6
[2016/05/16 v1.6]	6
6	Index	6

The uniquecounter package

Abstract

This package provides a kind of counter that provides unique number values. Several counters can be created by different names. The numeric values are not limited.

1	Documentation	2
1.1	Example	2
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	4
3	Test	6
3.1	Catcode checks for loading	6
3.2	Macro tests	8
3.2.1	Test with L ^A T _E X	8
3.2.2	Test with plain-T _E X	9
4	Installation	10
4.1	Download	10
4.2	Bundle installation	11
4.3	Package installation	11
4.4	Refresh file name databases	11
4.5	Some details for the interested	11
5	Catalogue	12
6	History	12
	[2009/09/11 v1.0]	12
	[2009/12/18 v1.1]	12
	[2011/01/30 v1.2]	12
	[2016/05/16 v1.3]	13
7	Index	13

The zref package

Abstract

Package `zref` tries to get rid of the restriction in \LaTeX 's reference system that only two properties are supported. The package implements an extensible referencing system, where properties are handled in a more flexible way. It offers an interface for macro programmers for the access to the system and some applications that uses the new reference scheme.

1	Introduction	4
1.1	Standard \LaTeX behaviour	4
1.2	Basic idea	4
1.3	Interfaces	5
2	Interface for programmers	5
2.1	Entities	5
2.2	Property list	6
2.3	Property	6
2.4	Reference generation	7
2.5	Data extraction	7
2.6	Setup	8
2.7	Declared properties	9
2.8	Wrapper for advanced situations	10
2.9	Counter for unique names	10
3	User interface	10
3.1	Module <code>user</code>	10
3.2	Module <code>abspage</code>	11
3.3	Module <code>lastpage</code>	11
3.3.1	Tests for last page	12
3.3.2	Example	12
3.4	Module <code>thepage</code>	13
3.5	Module <code>nextpage</code>	13
3.5.1	Configuration	13
3.5.2	Example	14
3.6	Module <code>totpages</code>	14
3.7	Module <code>pagelayout</code>	15
3.8	Module <code>marks</code>	15
3.9	Module <code>runs</code>	16
3.10	Module <code>perpage</code>	16
3.11	Module <code>counter</code>	16
3.12	Module <code>titleref</code>	17
3.13	Module <code>savepos</code>	17
3.14	Module <code>dotfill</code>	18
3.15	Module <code>env</code>	18
3.16	Module <code>xr</code>	18

4	ToDo	19
5	Example	19
6	Implementation	22
6.1	Package <code>zref</code>	22
6.1.1	Identification	22
6.1.2	Load basic module	22
6.1.3	Process options	22
6.2	Module <code>base</code>	22
6.2.1	Prefixes	22
6.2.2	Identification	23
6.2.3	Utilities	23
6.2.4	Check for ε -TeX	24
6.2.5	Auxiliary file stuff	24
6.2.6	Property lists	25
6.2.7	Properties	29
6.2.8	Reference generation	31
6.2.9	Reference querying and extracting	34
6.2.10	Compatibility with <code>babel</code>	37
6.2.11	Unique counter support	38
6.2.12	Utilities	38
6.2.13	Setup	38
6.3	Module <code>user</code>	39
6.4	Module <code>abspage</code>	40
6.5	Module <code>counter</code>	41
6.6	Module <code>lastpage</code>	41
6.7	Module <code>thepage</code>	42
6.8	Module <code>nextpage</code>	43
6.9	Module <code>totpages</code>	45
6.10	Module <code>pagelayout</code>	45
6.10.1	Support for LuaTeX	45
6.10.2	Define layout properties	46
6.11	Module <code>pageattr</code>	48
6.12	Module <code>marks</code>	51
6.13	Module <code>runs</code>	53
6.14	Module <code>perpage</code>	53
6.15	Module <code>titleref</code>	56
6.15.1	Implementation	56
6.15.2	User interface	57
6.15.3	Patches for section and caption commands	58
6.15.4	Environment <code>description</code>	58
6.15.5	Class <code>memoir</code>	58
6.15.6	Class <code>beamer</code>	59
6.15.7	Package <code>titlesec</code>	59
6.15.8	Package <code>longtable</code>	60

6.15.9 Package listings	60
6.15.10 Theorems	60
6.16 Module <code>xr</code>	61
6.17 Module <code>hyperref</code>	68
6.18 Module <code>savepos</code>	68
6.18.1 Identification	68
6.18.2 Availability	69
6.18.3 Setup	69
6.18.4 User macros	69
6.19 Module <code>abspos</code>	70
6.19.1 Identification	70
6.19.2 Media	73
6.19.3 Paper	74
6.19.4 Origin	75
6.19.5 Header	76
6.19.6 Body	76
6.19.7 Footer	77
6.19.8 Marginal notes	77
6.19.9 Stock paper	78
6.20 Module <code>dotfill</code>	78
6.21 Module <code>env</code>	79
7 Test	80
7.1 <code>\zref@localaddprop</code>	80
7.2 Module <code>base</code>	80
7.3 Module <code>runs</code>	81
7.4 Module <code>titleref</code>	82
8 Installation	83
8.1 Download	83
8.2 Bundle installation	83
8.3 Package installation	83
8.4 Refresh file name databases	84
8.5 Some details for the interested	84
9 Catalogue	85
10 References	85
11 History	86
[2006/02/20 v1.0]	86
[2006/05/03 v1.1]	86
[2006/05/25 v1.2]	86
[2006/09/08 v1.3]	86
[2007/01/23 v1.4]	86
[2007/02/18 v1.5]	86
[2007/04/06 v1.6]	86

[2007/04/17 v1.7]	86
[2007/04/22 v1.8]	86
[2007/05/02 v1.9]	86
[2007/05/06 v2.0]	86
[2007/05/28 v2.1]	87
[2008/09/21 v2.2]	87
[2008/10/01 v2.3]	87
[2009/08/07 v2.4]	87
[2009/12/06 v2.5]	87
[2009/12/07 v2.6]	87
[2009/12/08 v2.7]	87
[2010/03/26 v2.8]	87
[2010/03/29 v2.9]	87
[2010/04/08 v2.10]	87
[2010/04/15 v2.11]	88
[2010/04/17 v2.12]	88
[2010/04/19 v2.13]	88
[2010/04/22 v2.14]	88
[2010/04/23 v2.15]	88
[2010/04/28 v2.16]	88
[2010/05/01 v2.17]	89
[2010/05/13 v2.18]	89
[2010/10/22 v2.19]	89
[2011/02/12 v2.20]	89
[2011/03/18 v2.21]	89
[2011/10/05 v2.22]	89
[2011/12/05 v2.23]	89
[2012/04/04 v2.24]	89
[2016/05/16 v2.25]	89
[2016/05/21 v2.26]	90
[2018/11/21 v2.27]	90

12 Index	90
-----------------	-----------