

The `pdfcolmk` package

Heiko Oberdiek

<oberdiek@uni-freiburg.de>

2006/02/20 v0.8

Abstract

This package tries a solution for the missing color stack of pdfTeX.

Contents

1 Documentation	1
1.1 Background	1
1.2 Limitations	2
1.3 Recommendation	2
1.4 Usage	2
1.5 Compatibility	2
2 Implementation	2
2.1 \marginpar fix	3
2.1.1 latex/base/latex.ltx	4
2.1.2 memoir.cls	5
2.1.3 poemscol/marn.sty, poemscol/newmarn.sty	6
2.1.4 refman/refart.cls, refnam/refrep.cls	7
2.2 Color fix	8
3 Installation	10
3.1 Some details for the interested	10
4 History	11
[2000/08/27 v0.1]	11
[2000/09/02 v0.2]	11
[2000/09/02 v0.3]	11
[2000/09/06 v0.4]	11
[2000/09/06 v0.5]	11
[2005/06/15 v0.6]	11
[2005/07/09 v0.7]	11
[2006/02/20 v0.8]	11
5 Index	11

1 Documentation

1.1 Background

After the Dante meeting (Clausthal 2000) I have started to experiment with the eTeX method of a *colour* mark. One of the major problems is the understanding of the output routine and the need to rewrite it because of missing hooks. Currently I have made some tests in onecolumn and twocolumn mode, but the state is experimental.

1.2 Limitations

- Mark limitations: page breaks in math.
- L^AT_EX's output routine is redefined.
 - Changes in the output routine of newer versions of L^AT_EX are not detected.
 - Packages that change the output routine are not supported.
- It does not support several independent text streams like footnotes.
- Limitations in float and marginpar support.

1.3 Recommendation

ε -T_EX (for additional mark register) Without ε -T_EX L^AT_EX's mark commands are redefined to store an additional color value.

1.4 Usage

Load after package color:

```
\usepackage[pdftex]{color}
\usepackage{pdfcolmk}
```

1.5 Compatibility

- Load the following packages after pdfcolmk:

mparhack.sty

- Load the following packages before pdfcolmk:

marn.sty
newmarn.sty

- Supported \c@addmarginpar patch:

latex/base/latex.ltx
memoir.cls
poemscol/marn.sty, poemscol/newmarn.sty
mparhack.sty

- Unsupported \c@addmarginpar patch:

lineno.sty
sttools/marginal.sty
revtex4.cls

2 Implementation

1 <*package>

Package identification.

```
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{pdfcolmk}%
4 [2006/02/20 v0.8 PDFtex COlor MarK (HO)]
5 \Qifundefined{ver@pdftex.def}{%
6   \PackageWarningNoLine{pdfcolmk}{%
7     Nothing to fix, because \string`pdftex.def`\string' not loaded%
8   }%
9 }
```

```

10 }{%
11 \@ifpackageloaded{color}{}{%
12   \PackageWarningNoLine{pdfcolmk}{%
13     Nothing to fix, because \string`color.sty`\string' not loaded%
14   }%
15   \endinput
16 }
17
18 \PackageInfo{pdfcolmk}{%
19   This package tries to simulate dvips's color stack\MessageBreak
20   for pdfTeX based on a mark register of e-TeX.\MessageBreak
21   It redefines LaTeX's output routine. Therefore\MessageBreak
22   use with care, no warranties%
23 }
24
25 \ifx\marks\@undefined
26
27   \let\pec@mark\mark
28   \let\pec@value\empty
29   \long\def\mark#1{%
30     \protected\xdef\pec@value{#1}%
31     \pec@setmark
32   }
33   \def\pec@setmark{%
34     \begingroup
35       \temptokena\expandafter{\pec@value}%
36       \pec@mark{{\current@color}\the\temptokena}%
37     \endgroup
38   }
39   \def\pec@getmark{%
40     \xdef\pec@botcolor{%
41       \expandafter\@firstofthree\botmark\@empty\@empty\@empty
42     }%
43   }
44   \long\def\@firstofthree#1#2#3{#1}%
45   \CheckCommand{\@leftmark}[2]{#1}
46   \CheckCommand{\@rightmark}[2]{#2}
47   \CheckCommand*{\leftmark}{%
48     \expandafter\@leftmark\botmark\@empty\@empty
49   }
50   \CheckCommand*{\rightmark}{%
51     \expandafter\@rightmark\firstmark\@empty\@empty
52   }
53   \long\def\@leftmark#1#2#3{#2}
54   \long\def\@rightmark#1#2#3{#3}
55   \g@addto@macro\leftmark\@empty
56   \g@addto@macro\rightmark\@empty
57
58 \else
59
60   \RequirePackage{etex}[1998/03/26]
61   \newmarks\pec@marks
62   \def\pec@setmark{\marks\pec@marks{\current@color}}
63   \def\pec@getmark{\xdef\pec@botcolor{\botmarks\pec@marks}}
64
65 \fi

```

2.1 \marginpar fix

```

66 \chardef\pec@result\z@
67 \def\pec@temp#1{%
68   \chardef\pec@result\@ne
69   \begingroup

```

```

70      \let\on@line\empty
71      \PackageInfo{pdfcolmk}{%
72          Patch for \string\addmarginpar\space applied (#1)%
73      }%
74  \endgroup
75 }

2.1.1 latex/base/latex.ltx

76 \def\pec@addmarginpar{%
77     \next\@marbox\currlist{%
78         \cons\@freelist\@marbox
79         \cons\@freelist\@currbox
80     }\@latexbug
81     \tempcnta\one
82     \if@twocolumn
83         \if@firstcolumn
84             \tempcnta\m@ne
85         \fi
86     \else
87         \if@mparswitch
88             \ifodd\c@page
89         \else
90             \tempcnta\m@ne
91         \fi
92     \fi
93     \if@reversemargin \tempcnta -\tempcnta \fi
94 \fi
95 \ifnum\tempcnta <\z@ \global\setbox\@marbox\box\currbox \fi
96 \tempdima\@parbottom
97 \advance\tempdima -\pageht
98 \advance\tempdima\ht\@marbox
99 \ifdim\tempdima >\z@
100     \clatex@warning{no@line{Marginpar on page \thepage\space moved}%
101 \else
102     \tempdima\z@
103 \fi
104 \global\@parbottom\pageht
105 \global\advance\@parbottom\tempdima
106 \global\advance\@parbottom\dp\@marbox
107 \global\advance\@parbottom\marginparpush
108 \advance\tempdima -\ht\@marbox
109 \global\setbox\@marbox\vbox{%
110     \vskip \tempdima
111     \box\@marbox
112 }%
113 \global\ht\@marbox \z@
114 \global\dp\@marbox \z@
115 \kern -\pagedp
116 \nointerlineskip
117 \hb@xt@\columnwidth{%
118     \ifnum \tempcnta >\z@
119         \hskip\columnwidth
120         \hskip\marginparsep
121     \else
122         \hskip -\marginparsep
123         \hskip -\marginparwidth
124     \fi
125     \box\@marbox \hss
126 }%
127 \nointerlineskip
128 \hbox{\vrule\height\z@ \width\z@ \depth\pagedp}%
129 }
130 \ifx\pec@addmarginpar\addmarginpar

```

```

131   \pec@temp{latex/base}%
132 \fi
2.1.2 memoir.cls
133 \def\pec@addmarginpar{%
134   \checkoddpage
135   \next\@marbox\@currlist{%
136     \cons\@freelist\@marbox
137     \cons\@freelist\@currbox
138   }\@latexbug
139   \tempcpta\@ne
140   \if@twocolumn
141     \if@firstcolumn
142       \tempcpta\m@ne
143     \fi
144   \else
145     \if@mparswitch
146       \ifoddpage
147       \else
148         \tempcpta\m@ne
149       \fi
150     \fi
151     \if@reversemargin
152       \tempcpta -\tempcpta
153     \fi
154   \fi
155   \ifnum\tempcpta <\z@
156     \global\setbox\@marbox\box\@currbox
157   \fi
158   \tempdima\@mparbottom
159   \advance\tempdima -\pageht
160   \advance\tempdima\ht\@marbox
161   \ifdim\tempdima >\z@
162     \@latex@warning@no@line{%
163       Marginpar on page \thepage\space moved by \the\tempdima
164     }%
165   \else
166     \tempdima\z@
167   \fi
168   \global\@mparbottom\pageht
169   \global\advance\@mparbottom\tempdima
170   \global\advance\@mparbottom\dp\@marbox
171   \global\advance\@mparbottom\marginparpush
172   \advance\tempdima -\ht\@marbox
173   \global\setbox\@marbox\vbox{%
174     \vskip\tempdima
175     \box\@marbox
176   }%
177   \global\ht\@marbox\z@
178   \global\dp\@marbox\z@
179   \kern-\pagedp
180   \nointerlineskip
181   \hb@xt@\columnwidth{%
182     \ifnum\tempcpta >\z@
183       \hskip\columnwidth
184       \hskip\marginparsep
185     \else
186       \hskip-\marginparsep
187       \hskip-\marginparwidth
188     \fi
189     \box\@marbox
190     \hss
191   }%

```

```

192  \nointerlineskip
193  \hbox{\vrule \height\z@ \width\z@ \depth\@pagedp}%
194 }%
195 \ifx\pec\addmarginpar\addmarginpar
196 \pec@temp{memoir.cls}%
197 \fi

```

2.1.3 poemscol/marn.sty, poemscol/newmarn.sty

```

198 \def\pec\addmarginpar{%
199   \@next \marbox\currlist{%
200     \@cons\freelist\marbox
201     \@cons\freelist\currbox
202   }\@latexbug
203   \global\advance\mpar@count\m@ne
204   \@ifundefined{@marn@\the\mpar@count }{%
205     \tempcnta\@ne % NO: use original LaTeX logic
206     \if@twocolumn
207       \if@firstcolumn
208         \tempcnta\m@ne
209       \fi
210     \else
211       \if@mparswitch
212         \ifodd\c@page
213         \else
214           \tempcnta\m@ne
215         \fi
216       \fi
217       \if@reversemargin
218         \tempcnta -\tempcnta
219       \fi
220     \fi
221   }%
222   \tempcnta % YES: use record from last time to decide side.
223   \nameuse{@marn@\the\mpar@count }%
224   \if@reversemargin -\fi \@ne
225 }%
226 \ifnum\tempcnta <\z@
227   \global\setbox\marbox\box\currbox
228   \global\let\marnbottom\mparbottoml
229 \else
230   \global\let\marnbottom\mparbottom
231 \fi
232 \tempdima\marnbottom\advance\tempdima -\pageht
233 \advance\tempdima\ht\marbox
234 \ifdim\tempdima >\z@
235   \@@warning{Marginpar on page \thepage\space moved}%
236 \else
237   \tempdima\z@
238 \fi
239 \global\marnbottom\pageht
240 \global\advance\marnbottom\tempdima
241 \global\advance\marnbottom\dp\marbox
242 \global\advance\marnbottom\marginparpush
243 \advance\tempdima -\ht\marbox
244 \global\ht\marbox\z@
245 \global\dp\marbox\z@
246 \vskip -\@pagedp
247 \vskip\tempdima\nointerlineskip
248 \hbox to\columnwidth{%
249   \ifnum\tempcnta >\z@
250     \hskip\columnwidth
251     \hskip\marginparsep
252   \else

```

```

253      \hskip -\marginparsep
254      \hskip -\marginparwidth
255      \fi
256      \if@filesw % record where this is for use next time:
257          \marn@log\cpar@count
258      \fi
259      \box\marbox
260      \hss
261  }%
262 \nobreak %% RmS 91/06/21 \nobreak added
263 \vskip -\tempdima
264 \nointerlineskip
265 \hbox{\vrule \height\z@\width\z@\depth\pagedp}%
266 }
267 \ifx\pec@addmarginpar\addmarginpar
268     \pec@temp{poemscol/(new)marn.sty}%
269 \fi

```

2.1.4 refman/refart.cls, refnam/refrep.cls

```

270 \def\pec@addmarginpar{%
271     \next\marbox\currlist{%
272         \cons\freelist\marbox
273         \cons\freelist\currbox
274     }\@latexbug
275     \tempcnta\ne
276     \if@twocolumn
277         \if@firstcolumn
278             \tempcnta\m@ne
279         \fi
280     \else
281         \tempcnta\m@ne
282     \fi
283     \ifnum\tempcnta <\z@
284         \global\setbox\marbox\box\currbox
285     \fi
286     \tempdima\mparbottom
287     \advance\tempdima -\pageht
288     \advance\tempdima\ht\marbox
289     \ifdim\tempdima >\z@
290         \@@warning{Marginpar on page \thepage\space moved}%
291     \else
292         \tempdima\z@
293     \fi
294     \global\mparbottom\pageht
295     \global\advance\mparbottom\tempdima
296     \global\advance\mparbottom\dp\marbox
297     \global\advance\mparbottom\marginparpush
298     \advance\tempdima -\ht\marbox
299     \global\setbox\marbox\vbox{%
300         \vskip \tempdima \box \marbox
301     }%
302     \global\ht\marbox \z@
303     \global\dp\marbox \z@
304     \kern -\pagedp
305     \nointerlineskip
306     \hb@xt@\columnwidth{%
307         \ifnum \tempcnta >\z@
308             \hskip\columnwidth
309             \hskip\marginparsep
310         \else
311             \hskip -\marginparsep
312             \hskip -\marginparwidth
313         \fi

```

```

314      \box\@marbox
315      \hss
316  }%
317  \nointerlineskip
318  \hbox{\vrule \height\z@ \width\z@ \depth\z@}%
319 }
320 \ifx\pec@addmarginpar\@addmarginpar
321   \pec@temp{ref(art|rep).cls}%
322 \fi
323
324 \ifcase\pec@result
325   \PackageInfo{pdfcolmk}{%
326     Fix for \string\@addmarginpar\space is omitted, %
327     because this variant\MessageBreak
328     of \string\@addmarginpar\space
329     is not recognized%
330   }%
331 \else
332   % apply patch for \@addmarginpar
333   \def\pec@PatchAddMarginpar#1\columnwidth#2#3\@nil{%
334     \pec@PatchAddMarginparI#2\@nil{#1}{#3}%
335   }%
336   \def\pec@PatchAddMarginparI#1\box\@marbox\hss#2\@nil#3#4{%
337     \def\@addmarginpar{%
338       #3%
339       \columnwidth{%
340         #1%
341         \pdfliteral{q}%
342         \rlap{%
343           \box\@marbox
344         }%
345         \pdfliteral{Q}%
346         \hss
347         #2%
348       }%
349       #4%
350     }%
351   }%
352   \expandafter\pec@PatchAddMarginpar\@addmarginpar\@nil
353 \fi

```

2.2 Color fix

```

354 \def\set@color{%
355   \pdfliteral{\current@color}%
356   \ifinner
357   \else
358     \pec@setmark
359   \fi
360   \aftergroup\reset@color
361 }
362 \def\reset@color{%
363   \pdfliteral{\current@color}%
364   \ifinner
365   \else
366     \pec@setmark
367   \fi
368 }
369
370 \let\pec@botcolor\current@color
371
372 \def\pec@PatchVBoxCCLV{%
373   \ifx\pec@botcolor\empty

```

```

374 \else
375   \setbox\@cclv\vbox{%
376     \pdfliteral{\pec@botcolor}%
377     \unvbox\@cclv
378   }%
379 \fi
380 \pec@getmark
381 }
382
383 \def\pec@PatchAlreadyInBox{%
384   \ifx\pec@botcolor\empty
385   \else
386     \pdfliteral{\pec@botcolor}%
387   \fi
388   \pec@getmark
389 }
390
391 \@ifclassloaded{memoir}{%
392   \expandafter\def\expandafter\mem@makecol\expandafter{%
393     \expandafter\pec@PatchVBoxCCLV
394     \mem@makecol
395   }%
396   \endinput
397 }{%
398
399 \@ifclassloaded{seminar}{%
400   \newcommand\pec@org@makeslide{%
401     \let\pec@org@makeslide\@makeslide
402   \def\@makeslide{%
403     \pec@PatchVBoxCCLV
404     \pec@org@makeslide
405   }%
406   \endinput
407 }{%
408
409 \long\def\pec@output#1{@specialoutput\else#2\pec@end{%
410   \begingroup
411   \def\x{\#2}%
412   \expandafter\endgroup
413   \ifx\x\empty
414     \PackageWarningNoLine{pdffcolmk}{%
415       Unexpected \string\output\space routine detected,%
416       \MessageBreak
417       loading of package stopped%
418     }%
419   \expandafter\endinput
420   \fi
421 }%
422 \expandafter\expandafter\expandafter\pec@output
423 \expandafter\@firstofone\the\output{@specialoutput\else\pec@end
424
425 \long\def\pec@output#1{@specialoutput\else#2\pec@end{%
426   \output{%
427     #1{@specialoutput\else
428     \pec@PatchVBoxCCLV
429     #2%
430   }%
431 }%
432 \expandafter\expandafter\expandafter\pec@output
433 \expandafter\@firstofone\the\output\pec@end
434 </package>

```

3 Installation

CTAN. This package is available on CTAN¹:

`CTAN:macros/latex/contrib/oberdiek/pdfcolmk.dtx` The source file.

`CTAN:macros/latex/contrib/oberdiek/pdfcolmk.pdf` Documentation.

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex pdfcolmk.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
pdfcolmk.sty  →  tex/latex/oberdiek/pdfcolmk.sty  
pdfcolmk.pdf →  doc/latex/oberdiek/pdfcolmk.pdf  
pdfcolmk.dtx  →  source/latex/oberdiek/pdfcolmk.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

Refresh file databases. If your T_EX distribution (teT_EX, mikT_EX, ...) rely on file databases, you must refresh these. For example, teT_EX users run `texhash` or `mktexlsr`.

3.1 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk pdfcolmk.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-T_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intension:

```
latex \install=y\input{pdfcolmk.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex pdfcolmk.dtx  
makeindex -s gind.ist pdfcolmk.idx  
pdflatex pdfcolmk.dtx  
makeindex -s gind.ist pdfcolmk.idx  
pdflatex pdfcolmk.dtx
```

¹<ftp://ftp.ctan.org/tex-archive/>

4 History

[2000/08/27 v0.1]

- First published version (`comp.text.tex`, `pdftex@tug.org`).

[2000/09/02 v0.2]

- Next try.

[2000/09/02 v0.3]

- Solution without ε -TEX added.

[2000/09/06 v0.4]

- Patch commands added.
- Patch for seminar.cls added.

[2000/09/06 v0.5]

- Bug fix: initialization of `\pec@value` added.

[2005/06/15 v0.6]

- Support for dded. See thread in `comp.text.tex` (Message-ID: `d86d3rkpV1@news.BelWue.DE`).

[2005/07/09 v0.7]

- Output support added for `memoir`, provided by Lars Madsen.

[2006/02/20 v0.8]

- Code is not changed.
- DTX framework.

5 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
<code>\@height</code>	128, 193, 265, 318
<code>\@warning</code>	235, 290
<code>\@addmarginpar</code>	72, 130, 195, 267, 320, 326, 328, 332, 337, 352
<code>\@ccclv</code>	375, 377
<code>\@cons</code>	78, 79, 136, 137, 200, 201, 272, 273
<code>\@currbox</code>	79, 95, 137, 156, 201, 227, 273, 284
<code>\@currlist</code>	77, 135, 199, 271
<code>\@depth</code>	128, 193, 265, 318
<code>\@empty</code>	41, 48, 51, 55, 56, 70, 373, 384, 413
<code>\@firstofone</code>	423, 433
<code>\@firstofthree</code>	41, 44
<code>\@freelist</code>	78, 79, 136, 137, 200, 201, 272, 273
<code>\@height</code>	128, 193, 265, 318
<code>\@ifclassloaded</code>	391, 399
<code>\@ifpackageloaded</code>	11
<code>\@ifundefined</code>	5, 204
<code>\@latex@warning@no@line</code>	100, 162
<code>\@latexbug</code>	80, 138, 202, 274
<code>\@leftmark</code>	45, 48, 53
<code>\@makeslide</code>	401, 402
<code>\@marbox</code>	77, 78, 95, 98, 106, 108, 109, 111, 113, 114, 125, 135, 136, 156, 160, 170, 172, 173, 175, 177, 178, 189, 199, 200, 227, 233, 241, 243, 244, 245, 259, 271, 272, 284, 288, 296, 298, 299, 300, 302, 303, 314, 336, 343
<code>\@marn@log</code>	257

\@marnbottom	
. 228, 230, 232, 239, 240, 241, 242	
\@mpar@count	203, 204, 223, 257
\@mparbottom	96, 104, 105,
106, 107, 158, 168, 169, 170,	
171, 230, 286, 294, 295, 296, 297	
\@mparbottoml	228
\@nameuse	223
\@ne	68, 81, 139, 205, 224, 275
\@next	77, 135, 199, 271
\@nil	333, 334, 336, 352
\@pagedp	115,
128, 179, 193, 246, 265, 304, 318	
\@pageht	97,
104, 159, 168, 232, 239, 287, 294	
\@rightmark	46, 51, 54
\@specialoutput	409, 423, 425, 427
\@tempcpta	81, 84, 90, 93,
95, 118, 139, 142, 148, 152, 155,	
182, 205, 208, 214, 218, 222,	
226, 249, 275, 278, 281, 283, 307	
\@tempdima	96,
97, 98, 99, 102, 105, 108, 110,	
158, 159, 160, 161, 163, 166,	
169, 172, 174, 232, 233, 234,	
237, 240, 243, 247, 263, 286,	
287, 288, 289, 292, 295, 298, 300	
\@temptokena	35, 36
\@undefined	25
\@width	128, 193, 265, 318
A	
\advance	97, 98, 105, 106, 107, 108,
159, 160, 169, 170, 171, 172,	
203, 232, 233, 240, 241, 242,	
243, 287, 288, 295, 296, 297, 298	
\aftergroup	360
B	
\botmark	41, 48
\botmarks	63
\box	95, 111, 125, 156, 175, 189,
227, 259, 284, 300, 314, 336, 343	
C	
\c@page	88, 212
\chardef	66, 68
\CheckCommand	45, 46, 47, 50
\checkoddpage	134
\columnwidth	117, 119, 181,
183, 248, 250, 306, 308, 333, 339	
\current@color	36, 62, 355, 363, 370
D	
\dp	106, 114, 170, 178, 241, 245, 296, 303
E	
\empty	28
\endinput	9, 15, 396, 406, 419
F	
\firstmark	51
G	
\g@addto@macro	55, 56
H	
\hb@xt@	117, 181, 306
\hbox	128, 193, 248, 265, 318
\hskip	119, 120, 122,
123, 183, 184, 186, 187, 250,	
251, 253, 254, 308, 309, 311, 312	
\hss	125, 190, 260, 315, 336, 346
\ht	98, 108, 113, 160, 172,
177, 233, 243, 244, 288, 298, 302	
I	
\if@filesw	256
\if@firstcolumn	83, 141, 207, 277
\if@mparswitch	87, 145, 211
\if@reversemargin	93, 151, 217, 224
\if@twocolumn	82, 140, 206, 276
\ifcase	324
\ifdim	99, 161, 234, 289
\ifinner	356, 364
\ifnum	95,
118, 155, 182, 226, 249, 283, 307	
\ifodd	88, 212
\ifodddpage	146
\ifx	25, 130, 195, 267, 320, 373, 384, 413
K	
\kern	115, 179, 304
L	
\leftmark	47, 55
M	
\m@ne	84,
90, 142, 148, 203, 208, 214, 278, 281	
\marginparpush	107, 171, 242, 297
\marginparsep	120,
122, 184, 186, 251, 253, 309, 311	
\marginparwidth	123, 187, 254, 312
\mark	27, 29
\marks	25, 62
\mem@makecol	392, 394
\MessageBreak	19, 20, 21, 327, 416
N	
\NeedsTeXFormat	2
\newcommand	400
\newmarks	61
\nobreak	262
\nointerlineskip	116,
127, 180, 192, 247, 264, 305, 317	
O	
\on@line	70
\output	415, 423, 426, 433
P	
\PackageInfo	18, 71, 325
\PackageWarningNoLine	6, 12, 414
\pdfliteral	341, 345, 355, 363, 376, 386
\pec@addmarginpar	76,
130, 133, 195, 198, 267, 270, 320	

\pec@botcolor	
... 40, 63, 370, 373, 376, 384, 386		
\pec@end	409, 423, 425, 433
\pec@getmark	39, 63, 380, 388
\pec@mark	27, 36
\pec@marks	61, 62, 63
\pec@org@makeslide	400, 401, 404
\pec@output	409, 422, 425, 432
\pec@PatchAddMarginpar	333, 352
\pec@PatchAddMarginparI	334, 336
\pec@PatchAlreadyInBox	383
\pec@PatchVBoxCCLV	..	372, 393, 403, 428
\pec@result	66, 68, 324
\pec@setmark	31, 33, 62, 358, 366
\pec@temp	67, 131, 196, 268, 321
\pec@value	28, 30, 35
\protected@xdef	30
\ProvidesPackage	3
 R		
\RequirePackage	60
\reset@color	360, 362
\rightmark	50, 56
\rlap	342
 S		
\set@color	354
 T		
\setbox	95, 109, 156, 173, 227, 284, 299, 375
\space	72, 100, 163, 235, 290, 326, 328, 415
 U		
\unvbox	377
 V		
\vbox	109, 173, 299, 375
\vrule	128, 193, 265, 318
\vskip	110, 174, 246, 247, 263, 300
 X		
\x	411, 413
 Z		
\z@	66, 95, 99, 102, 113, 114, 118, 128, 155, 161, 166, 177, 178, 182, 193, 226, 234, 237, 244, 245, 249, 265, 283, 289, 292, 302, 303, 307, 318