

# The `soulutf8` package

Heiko Oberdiek

<oberdiek@uni-freiburg.de>

2007/09/09 v1.0

## Abstract

This package extends package `soul` and adds some support for UTF-8. Namely the input encodings `utf8.def` from package `inputenc` and package `ucs`'s `utf8x.def` are supported.

## Contents

|  |           |
|--|-----------|
| <b>1 Documentation</b>                                     | <b>2</b>  |
| 1.1 Patch  | 2         |
| 1.2 Future   | 2         |
| <b>2 Implementation</b>                                    | <b>2</b>  |
| 2.1 Reload check and package identification                | 2         |
| 2.2 Catcodes   | 3         |
| 2.3 Loading packages                                       | 4         |
| 2.3.1 plain- <code>T<small>E</small>X</code>               | 4         |
| 2.3.2 <code>L<small>A</small>T<small>E</small>X</code>     | 5         |
| 2.3.3 $\varepsilon$ - <code>T<small>E</small>X</code>      | 5         |
| 2.4 Macro for redefinitions                                | 5         |
| 2.5 Redefinition of <code>\SOUL@eval</code>                | 6         |
| 2.6 UTF-8 analysis   | 9         |
| 2.6.1 Help strings   | 9         |
| 2.6.2 Support for <code>utf8.def</code>                    | 9         |
| 2.6.3 Support for <code>utf8x.def</code>                   | 10        |
| 2.7 Actions for UTF-8 sequences                            | 10        |
| 2.7.1 Redefinition of <code>\SOUL@splittoken</code>        | 11        |
| 2.8 Patches  | 12        |
| <b>3 Test</b>  | <b>14</b> |
| 3.1 Catcode checks for loading                             | 14        |
| 3.2 <code>L<small>A</small>T<small>E</small>X</code> tests | 16        |
| 3.2.1 Driver definitions                                   | 17        |
| 3.2.2 Test macros  | 18        |
| 3.2.3 Testing  | 21        |
| <b>4 Installation</b>                                      | <b>22</b> |
| 4.1 Download   | 22        |
| 4.2 Bundle installation                                    | 22        |
| 4.3 Package installation                                   | 22        |
| 4.4 Refresh file name databases                            | 23        |
| 4.5 Some details for the interested                        | 23        |
| <b>5 References</b>  | <b>24</b> |

|                             |           |
|-----------------------------|-----------|
| <b>6 History</b>            | <b>24</b> |
| [2007/09/09 v1.0] . . . . . | 24        |
| <b>7 Index</b>              | <b>24</b> |

# 1 Documentation

This package `soulutf8` does not have own options and does not define new user commands. Any option is passed to package `soul` [1] that is loaded first. Then some internal macros of `soul` are redefined to add support for UTF-8. The following input encodings are supported:

```
utf8    LATEX base   TDS:tex/latex/base/utf8.def [3]
utf8x   Package ucs   TDS:tex/latex/ucs/utf8x.def [2]
```

UTF-8 byte sequences are added as token group to a word, even if these UTF-8 characters are some kind of hyphen or space. As exception the following three Unicode characters are handled specially:

| Slot   | Name           | Action |
|--------|----------------|--------|
| U+00A0 | NO-BREAK SPACE | like ~ |
| U+2013 | EN DASH        | --     |
| U+2014 | EM DASH        | ---    |

## 1.1 Patch

Also package `soulutf8` tries to patch package `soul` to improve its behaviour:

- A problem with additional levels of curly braces is fixed. As advantage more implicit kernings are detected. However, the result may be incompatible with the original behaviour of package `soul` because of these respected implicit kernings.
- $\varepsilon$ -T<sub>E</sub>X, especially `\unexpanded` is supported. This allows a better protection of token groups (`\mbox{...}`, `math`, ...).

## 1.2 Future

Currently package `soul` does not seem to be maintained. Nevertheless if there will be a new version that adds support for UTF-8, then this package may become obsolete.

# 2 Implementation

1 `{*package}`

## 2.1 Reload check and package identification

Reload check, especially if the package is not used with L<sup>A</sup>T<sub>E</sub>X.

```
2 \begingroup
3   \catcode44 12 % ,
4   \catcode45 12 % -
5   \catcode46 12 % .
6   \catcode58 12 % :
7   \catcode64 11 % @
8   \expandafter\let\expandafter\x\csname ver@soulutf8.sty\endcsname
9   \ifcase 0%
10   \ifx\x\relax % plain
11   \else
```

```

12      \ifx\x\empty % LaTeX
13      \else
14          %
15      \fi
16  \fi
17 \else
18     \catcode35 6 % #
19     \catcode123 1 % {
20     \catcode125 2 % }
21     \expandafter\ifx\csname PackageInfo\endcsname\relax
22         \def\x#1#2{%
23             \immediate\write-1{Package #1 Info: #2.}%
24         }%
25     \else
26         \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
27     \fi
28     \x{soulutf8}{The package is already loaded}%
29     \endgroup
30     \expandafter\endinput
31 \fi
32 \endgroup

```

Package identification:

```

33 \begingroup
34   \catcode35 6 % #
35   \catcode40 12 % (
36   \catcode41 12 % )
37   \catcode44 12 % ,
38   \catcode45 12 % -
39   \catcode46 12 % .
40   \catcode47 12 % /
41   \catcode58 12 % :
42   \catcode64 11 % @
43   \catcode123 1 % {
44   \catcode125 2 % }
45   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
46       \def\x#1#2#3[#4]{\endgroup
47           \immediate\write-1{Package: #3 #4}%
48           \xdef#1[#4]%
49       }%
50   \else
51       \def\x#1#2[#3]{\endgroup
52           #2[#3]%
53           \ifx#1\relax
54               \xdef#1[#3]%
55           \fi
56       }%
57   \fi
58 \expandafter\x\csname ver@soulutf8.sty\endcsname
59 \ProvidesPackage{soulutf8}%
60 [2007/09/09 v1.0 Adding support for UTF-8 to soul (HO)]

```

## 2.2 Catcodes

```

61 \begingroup
62   \catcode123 1 % {
63   \catcode125 2 % }
64   \def\x{\endgroup
65   \expandafter\edef\csname SOuL@AtEnd\endcsname{%
66       \catcode35 \the\catcode35\relax
67       \catcode64 \the\catcode64\relax
68       \catcode123 \the\catcode123\relax
69       \catcode125 \the\catcode125\relax

```

```

70      }%
71  }%
72 \x
73 \catcode{35} 6 % #
74 \catcode{64} 11 % @
75 \catcode{123} 1 % {
76 \catcode{125} 2 % }
77 \def{\TMP@EnsureCode#1#2}{%
78   \edef{\SOUL@AtEnd}{%
79     \SOUL@AtEnd
80     \catcode{#1} \the\catcode{#1}\relax
81   }%
82   \catcode{#1} #2\relax
83 }%
84 \TMP@EnsureCode{10}{12}^^J
85 \TMP@EnsureCode{33}{12}!%
86 \TMP@EnsureCode{34}{12}"%
87 \TMP@EnsureCode{36}{3}$%
88 \TMP@EnsureCode{39}{12},%
89 \TMP@EnsureCode{40}{12}(%
90 \TMP@EnsureCode{41}{12})%
91 \TMP@EnsureCode{42}{12}*%
92 \TMP@EnsureCode{43}{12}+%
93 \TMP@EnsureCode{44}{12},%
94 \TMP@EnsureCode{45}{12}-%
95 \TMP@EnsureCode{46}{12}.%
96 \TMP@EnsureCode{47}{12}/%
97 \TMP@EnsureCode{58}{12}:%
98 \TMP@EnsureCode{60}{12}<%
99 \TMP@EnsureCode{61}{12}=%
100 \TMP@EnsureCode{62}{12}>%
101 \TMP@EnsureCode{94}{7}^%
102 \TMP@EnsureCode{96}{12}`%
103 \TMP@EnsureCode{126}\active ~%
104 \TMP@EnsureCode{128}{12}^^80%
105 \TMP@EnsureCode{147}{12}^^93%
106 \TMP@EnsureCode{148}{12}^^94%
107 \TMP@EnsureCode{160}{12}^^a0%
108 \TMP@EnsureCode{194}{12}^^c2%
109 \TMP@EnsureCode{226}{12}^^e2%

```

## 2.3 Loading packages

Package `soul` uses `\documentclass` to detect L<sup>A</sup>T<sub>E</sub>X.

```
110 \ifx\documentclass\undefined
```

### 2.3.1 plain-T<sub>E</sub>X

First we check, whether package `soul` is already loaded.

```
111 \expandafter\ifx\csname SOUL@\endcsname\relax
```

In case of plain-T<sub>E</sub>X package `soul` defines some macros in a simple manner that will break the definitions of `miniltx.tex`, for example. Therefore these macros are first saved and restored afterwards.

```

112 \let{\SOUL@orgDeclareRobustCommand}{\DeclareRobustCommand}
113 \let{\SOUL@orgnewcommand}{\newcommand}
114 \let{\SOUL@orgDeclareOption}{\DeclareOption}
115 \let{\SOUL@orgPackageError}{\PackageError}
116 \def{\SOUL@restorelatecmds}{%
117   \let{\DeclareRobustCommand}{\SOUL@orgDeclareRobustCommand}
118   \let{\newcommand}{\SOUL@orgnewcommand}
119   \let{\DeclareOption}{\SOUL@orgDeclareOption}
120   \let{\PackageError}{\SOUL@orgPackageError}

```

```

121      }%
122      \input soul.sty\relax
123      \SOUL@restorelatexcmds
124      \fi

\SOUL@error Package soul's use of \PackageError is replaced by \@PackageError of package
infwarerr.

125  \input infwarerr.sty\relax
126  \let\SOUL@orgSOUL@error\SOUL@error
127  \def\SOUL@error{%
128    \begingroup
129    \let\PackageError\@PackageError
130    \SOUL@orgSOUL@error
131    \endgroup
132  }%

133  \input etexcmds.sty\relax

\@onelvel@sanitize Define LATEX's \@onelvel@sanitize if not already available.

134  \expandafter\ifx\csname @onelvel@sanitize\endcsname\relax
135  \def\@onelvel@sanitize#1{%
136    \edef#1{%
137      \expandafter\strip@prefix\meaning#1%
138    }%
139  }%

\strip@prefix

140  \def\strip@prefix#1>{}{%
141  \fi
142 \else

```

### 2.3.2 L<sup>A</sup>T<sub>E</sub>X

```

143  \DeclareOption*{\PassOptionsToPackage{\CurrentOption}{soul}}%
144  \ProcessOptions\relax
145  \RequirePackage{soul}[2003/11/17]%
146  \RequirePackage{infwarerr}[2007/09/09]%
147  \RequirePackage{etexcmds}[2007/09/09]%
148 \fi

```

### 2.3.3 ε-T<sub>E</sub>X

In plain-T<sub>E</sub>X command \+ is an *outer* macro. Therefore numbers are used to avoid problems.

```

149 \ifetex@unexpanded
150  \catcode33=14 % '!': comment
151  \catcode43=9  % '+': ignore
152 \else
153  \catcode33=9  % '!': ignore
154  \catcode43=14 % '+': comment
155 \fi

```

## 2.4 Macro for redefinitions

```

\SOUL@redefine

156 \def\SOUL@redefine#1{%
157  \begingroup
158  \def\SOUL@cmd{#1}%
159  \afterassignment\SOUL@cmdcheck
160  \def\SOUL@temp
161 }

```

```

\SouL@cmdcheck
162 \def\SouL@cmdcheck{%
163   \expandafter\ifx\SouL@cmd\SouL@temp
164   \else
165     \edef\SouL@temp{\expandafter\string\SouL@cmd}%
166     \PackageWarningNoLine{soulutf8}{%
167       Command \SouL@temp* has changed.\MessageBreak
168       Supported versions of package ‘soul’: 2003/11/17.\MessageBreak
169       Depending on the unknown changes the redefinition\MessageBreak
170       of \SouL@temp* may not behave correctly}%
171   }%
172   \fi
173 \expandafter\endgroup
174 \expandafter\def\SouL@cmd
175 }

```

## 2.5 Redefinition of \SOUL@eval

- \SOUL@eval Macro \SOUL@eval is redefined to add detection of the first byte of a UTF-8 sequence. Because \SOUL@eval is overwritten, a warning is issued, if the contents of \SOUL@eval is not as expected.

```
176 \SOUL@redefine\SOUL@eval{%
```

First the expected definition.

```

177 \def\SOUL@n*##1{\SOUL@scan}%
178 \if\noexpand\SOUL@@\SOUL@spc
179 \else
180   \SOUL@ignorespacesfalse
181 \fi
182 \ifnum\SOUL@minus=\thr@@
183   \SOUL@flushminus
184 \else\ifnum\SOUL@comma=\tw@
185   \SOUL@flushcomma
186 \else\ifnum\SOUL@apo=\tw@
187   \SOUL@flushapo
188 \else\ifnum\SOUL@grave=\tw@
189   \SOUL@flushgrave
190 \fi\fi\fi\fi
191 \ifx\SOUL@@-\else\SOUL@flushminus\fi
192 \ifx\SOUL@@,\else\SOUL@flushcomma\fi
193 \ifx\SOUL@@'\else\SOUL@flushapo\fi
194 \ifx\SOUL@@`\'\else\SOUL@flushgrave\fi
195 \ifx\SOUL@@-%
196   \advance\SOUL@minus\@ne
197 \else\ifx\SOUL@@,%
198   \advance\SOUL@comma\@ne
199 \else\ifx\SOUL@@.^%
200   \advance\SOUL@apo\@ne
201 \else\ifx\SOUL@@.^%
202   \advance\SOUL@grave\@ne
203 \else
204   \SOUL@flushminus
205   \SOUL@flushcomma
206   \SOUL@flushapo
207   \SOUL@flushgrave
208   \ifx\SOUL@@\SOUL@stop
209     \def\SOUL@n*{%
210       \SOUL@doword
211       \SOUL@eventuallyexhyphen\null
212     }%
213   \else\ifx\SOUL@@\par
214     \def\SOUL@n*\par{\par\leavevmode\SOUL@scan}%

```

```

215      \else\if\noexpand\SOUL@@\SOUL@spc
216          \SOUL@doword
217          \SOUL@eventuallyexhyphen\null
218          \ifSOUL@ignorespaces
219          \else
220              \SOUL@everyyspace{}%
221          \fi
222          \def\SOUL@n* {\SOUL@scan}%
223      \else\ifx\SOUL@@\%
224          \SOUL@doword
225          \SOUL@eventuallyexhyphen\null
226          \SOUL@everyyspace{\unskip\nobreak\hfil\break}%
227          \SOUL@ignorespacestrue
228      \else\ifx\SOUL@@~%
229          \SOUL@doword
230          \SOUL@eventuallyexhyphen\null
231          \SOUL@everyyspace{\nobreak}%
232      \else\ifx\SOUL@@\slash
233          \SOUL@doword
234          \SOUL@eventuallyexhyphen{/}%
235          \SOUL@exhyphen{/}%
236      \else\ifx\SOUL@@\mbox
237          \def\SOUL@n*{\SOUL@addprotect}%
238      \else\ifx\SOUL@@\hbox
239          \def\SOUL@n*{\SOUL@addprotect}%
240      \else\ifx\SOUL@@\soulomit
241          \def\SOUL@n*\soulomit##1{%
242              \SOUL@doword
243              {\spaceskip\SOUL@spaceskip##1}%
244              \SOUL@scan
245          }%
246      \else\ifx\SOUL@@\break
247          \SOUL@doword
248          \break
249      \else\ifx\SOUL@@\linebreak
250          \SOUL@doword
251          \SOUL@everyyspace{\linebreak}%
252      \else\ifcat\bgroun\noexpand\SOUL@@
253          \def\SOUL@n*{\SOUL@addgroup}%
254      \else\ifcat$\noexpand\SOUL@@
255          \def\SOUL@n*{\SOUL@addmath}%
256      \else
257          \def\SOUL@n*{\SOUL@dotoken}%
258          \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
259      \fi\fi\fi\fi
260      \SOUL@n*%
261  }{%

```

Now the redefined version follows.

```

262  \def\SOUL@n*##1{\SOUL@scan}%
263  \if\noexpand\SOUL@@\SOUL@spc
264  \else
265      \SOUL@ignorespacesfalse
266  \fi
267  \ifnum\SOUL@minus=\thr@@
268      \SOUL@flushminus
269  \else\ifnum\SOUL@comma=\tw@
270      \SOUL@flushcomma
271  \else\ifnum\SOUL@apo=\tw@
272      \SOUL@flushapo
273  \else\ifnum\SOUL@grave=\tw@
274      \SOUL@flushgrave
275  \fi\fi\fi\fi

```

```

276  \ifx\SOUL@@-\else\SOUL@flushminus\fi
277  \ifx\SOUL@@,\else\SOUL@flushcomma\fi
278  \ifx\SOUL@@'\else\SOUL@flushapo\fi
279  \ifx\SOUL@@`'\else\SOUL@flushgrave\fi
280  \ifx\SOUL@@-%
281      \advance\SOUL@minus\@ne
282  \else\ifx\SOUL@@,%
283      \advance\SOUL@comma\@ne
284  \else\ifx\SOUL@@'%
285      \advance\SOUL@apo\@ne
286  \else\ifx\SOUL@@`%
287      \advance\SOUL@grave\@ne
288  \else
289      \SOUL@flushminus
290      \SOUL@flushcomma
291      \SOUL@flushapo
292      \SOUL@flushgrave
293      \ifx\SOUL@@\SOUL@stop
294          \def\SOUL@n*{%
295              \SOUL@doword
296              \SOUL@eventuallyexhyphen\null
297          }%
298      \else\ifx\SOUL@@\par
299          \def\SOUL@n*\par{\par\leavevmode\SOUL@scan}%
300      \else\if\noexpand\SOUL@@\SOUL@spc
301          \SOUL@doword
302          \SOUL@eventuallyexhyphen\null
303          \ifSOUL@ignorespaces
304          \else
305              \SOUL@everyyspace{}%
306          \fi
307          \def\SOUL@n* {\SOUL@scan}%
308      \else\ifx\SOUL@@\%
309          \SOUL@doword
310          \SOUL@eventuallyexhyphen\null
311          \SOUL@everyyspace{\unskip\nobreak\hfil\break}%
312          \SOUL@ignorespacestrue
313      \else\ifx\SOUL@@~%
314          \SOUL@doword
315          \SOUL@eventuallyexhyphen\null
316          \SOUL@everyyspace{\nobreak}%
317      \else\ifx\SOUL@@\slash
318          \SOUL@doword
319          \SOUL@eventuallyexhyphen{/}%
320          \SOUL@exhyphen{/}%
321      \else\ifx\SOUL@@\mbox
322          \def\SOUL@n*{\SOUL@addprotect}%
323      \else\ifx\SOUL@@\hbox
324          \def\SOUL@n*{\SOUL@addprotect}%
325      \else\ifx\SOUL@@\soulomit
326          \def\SOUL@n*{\soulomit##1}%
327          \SOUL@doword
328          {\spaceskip\SOUL@spaceskip##1}%
329          \SOUL@scan
330      }%
331      \else\ifx\SOUL@@\break
332          \SOUL@doword
333          \break
334      \else\ifx\SOUL@@\linebreak
335          \SOUL@doword
336          \SOUL@everyyspace{\linebreak}%
337      \else\ifcat\bgroup\noexpand\SOUL@@

```

```

338     \def\SOUL@n*{\SOUL@addgroup{}}
339     \else\ifcat$\"noexpand\SOUL@@
340         \def\SOUL@n*{\SOUL@addmath}%
341     \else
342         \SOUL@analyzeutfviii
343         \ifcase\Soul@octets
344             \SOUL@analyzeutfviiix
345         \fi
346         \ifcase\Soul@octets
347             \def\SOUL@n*{\SOUL@dotoken}%
348             \or % 1
349             \or % 2
350             \def\SOUL@n*{\SOUL@addtwooctets}%
351             \or % 3
352             \def\SOUL@n*{\SOUL@addthreeoctets}%
353             \or % 4
354             \def\SOUL@n*{\SOUL@addfouroctets}%
355         \fi
356         \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
357     \fi\fi\fi\fi
358     \SOUL@n*%
359 }

```

## 2.6 UTF-8 analysis

### 2.6.1 Help strings

```

360 \def\Soul@defsanitizedstring#1#2{%
361   \expandafter\def\csname Soul@string#1\endcsname{#2}%
362   \expandafter\@onellevel@sanitize\csname Soul@string#1\endcsname
363 }
364 \Soul@defsanitizedstring{UTFviii}{UTFviii@}
365 \Soul@defsanitizedstring{octets}{@octets}
366 \Soul@defsanitizedstring{two}{two}
367 \Soul@defsanitizedstring{three}{three}
368 \Soul@defsanitizedstring{four}{four}
369 \Soul@defsanitizedstring{macrocolon}{macro:}
370 \Soul@defsanitizedstring{csnameu}{csname u8-}
371 \Soul@defsanitizedstring{undeferr}{utf@viii@undeferr}
372 \def\Soul@stringendash{^\^e2^\^80^\^93}
373 \def\Soul@stringemdash{^\^e2^\^80^\^94}
374 \def\Soul@stringnobreakspace{^\^c2^\^a0}
375 \edef\Soul@charhash{\string #}
376 \edef\Soul@chartwo{\string 2}
377 \edef\Soul@charthree{\string 3}
378 \def\Soul@empty{}

```

### 2.6.2 Support for utf8.def

```

\Soul@analyzeutfviii
379 \begingroup
380   \edef\x{\endgroup
381   \def\noexpand\Soul@analyzeutfviiif{%
382     \noexpand\expandafter\noexpand\SOUL@checkutfviii
383     \noexpand\meaning\noexpand\SOUL@@
384     \Soul@stringUTFviii\Soul@stringoctets
385     \noexpand\@nil
386   }%
387   \def\noexpand\Soul@checkutfviii
388     ##1\Soul@stringUTFviii##2\Soul@stringoctets##3\noexpand\@nil
389 }%
390 \x{%

```

```

391 \def\S0uL@temp{#2}%
392 \chardef\S0uL@octets=%
393     \ifx\S0uL@temp\S0uL@stringtwo
394         \tw@
395     \else\ifx\S0uL@temp\S0uL@stringthree
396         \thr@@
397     \else\ifx\S0uL@temp\S0uL@stringfour
398         4 %
399     \else
400         \z@
401     \fi\fi\fi
402 }

```

### 2.6.3 Support for utf8x.def

\S0uL@analyzeutfviiix

```

403 \begingroup
404   \edef\x{\endgroup
405   \def\noexpand\S0uL@analyzeutfviiix{%
406     \noexpand\expandafter\noexpand\S0uL@checkutfviiix
407     \noexpand\meaning\noexpand\SOUL@@
408     \S0uL@stringmacrocolon\S0uL@charhash1{}{}{}{}%
409     \S0uL@stringcsnameu\S0uL@stringundeferr
410     \noexpand\@nil
411   }%

```

\S0uL@checkutfviiix

```

412   \def\noexpand\S0uL@checkutfviiix
413     ##1\S0uL@stringmacrocolon\S0uL@charhash1##2##3##4##5##6%
414     \S0uL@stringcsnameu##7\S0uL@stringundeferr##8\noexpand\@nil
415   }%
416 \x{%
417   \def\S0uL@temp{#7}%
418   \ifx\S0uL@temp\S0uL@empty
419     \chardef\S0uL@octets=\z@
420   \else
421     \def\S0uL@temp{#5}%
422     \ifx\S0uL@temp\S0uL@charthree
423       \chardef\S0uL@octets=4 %
424     \else
425       \def\S0uL@temp{#3}%
426       \ifx\S0uL@temp\S0uL@chartwo
427         \chardef\S0uL@octets=\thr@@
428       \else
429         \chardef\S0uL@octets=\tw@
430       \fi
431     \fi
432   \fi
433 }

```

## 2.7 Actions for UTF-8 sequences

\S0uL@addtwooctets

```

434 \def\S0uL@addtwooctets#1#2{%
435   \def\S0uL@temp{#1#2}%
436   \onelevel@sanitize\S0uL@temp
437   \ifx\S0uL@temp\S0uL@stringnobreakspace
438     \SOUL@doword
439     \SOUL@eventuallyexhyphen\null
440     \SOUL@everyspace{\nobreak}%
441     \let\S0uL@next\SOUL@scan

```

```

442     \else
443         \def\SOuL@next{%
444 !           \SOUL@addtoken{{\noexpand#1\noexpand#2}}%
445 +           \SOUL@addtoken{{\etex@unexpanded{#1#2}}}%
446     }%
447     \fi
448     \SOuL@next
449 }

\SOUl@addthreeoctets

450 \def\SOuL@addthreeoctets#1#2#3{%
451   \def\SOuL@temp{#1#2#3}%
452   \onelevel@sanitize\SOuL@temp
453   \ifx\SOuL@temp\SOuL@stringendash
454     \SOUL@doword
455     \SOUL@eventuallyexhyphen{-}%
456     \SOUL@exhyphen{--}%
457     \let\SOuL@next\SOUL@scan
458   \else
459     \ifx\SOuL@temp\SOuL@stringemdash
460       \SOUL@doword
461       \SOUL@eventuallyexhyphen{-}%
462       \SOUL@exhyphen{---}%
463       \let\SOuL@next\SOUL@scan
464   \else
465     \def\SOuL@next{%
466 !       \SOUL@addtoken{{\noexpand#1\noexpand#2\noexpand#3}}%
467 +       \SOUL@addtoken{{\etex@unexpanded{#1#2#3}}}%
468     }%
469     \fi
470   \fi
471   \SOuL@next
472 }

\SOUl@addfouroctets

473 \def\SOuL@addfouroctets#1#2#3#4{%
474 ! \SOUL@addtoken{{\noexpand#1\noexpand#2\noexpand#3\noexpand#4}}%
475 + \SOUL@addtoken{{\etex@unexpanded{#1#2#3#4}}}%
476 }

```

### 2.7.1 Redefinition of \SOUL@splittoken

\SOUL@splittoken Macro \SOUL@splittoken separates the first token or token group from a word and redefines the word to contain the remaining tokens. However if the remaining tokens are a token group, then the curly braces will be removed and the token group is splitted by the next call of \SOUL@splittoken. The redefinition avoids the removal of curly braces around the remaining tokens.

```

477 \SOuL@redefine\SOUL@splittoken#1#2\SOUL@stop{%
478   \global\SOUL@token={#1}%
479   \global\SOUL@word={#2}%
480 }#1{%
481   \global\SOUL@token={#1}%
482   \SOuL@remainingtoken\relax
483 }

```

\SOuL@remainingtoken

```

484 \def\SOuL@remainingtoken#1\SOUL@stop{%
485   \global\SOUL@word=\expandafter{\@gobble#1}%
486 }

```

## 2.8 Patches

The fixed `\SOUL@splittoken` allows to remove the double sets of curly braces in other macros of package soul. The benefit is that implicite kernings are more often detected and fixes a bug in package soul. The disadvantage is incompatibility. The width of the resulting strings may change.

```
\SOUL@flushcomma
487 \SOUL@redefine\SOUL@flushcomma{%
488   \ifcase\SOUL@comma
489   \or
490     \edef\x{\SOUL@word={\the\SOUL@word,}}\x
491   \or
492     \edef\x{\SOUL@word={\the\SOUL@word{, ,}}}\x
493   \fi
494   \SOUL@comma\z@
495 }{%
496   \ifcase\SOUL@comma
497   \or
498     \edef\x{\SOUL@word={\the\SOUL@word,}}\x
499   \or
500     \edef\x{\SOUL@word={\the\SOUL@word{, ,}}}\x
501   \fi
502   \SOUL@comma\z@
503 }

\SOUL@flushapo
504 \SOUL@redefine\SOUL@flushapo{%
505   \ifcase\SOUL@apo
506   \or
507     \edef\x{\SOUL@word={\the\SOUL@word'}}\x
508   \or
509     \edef\x{\SOUL@word={\the\SOUL@word{''}}}\x
510   \fi
511   \SOUL@apo\z@
512 }{%
513   \ifcase\SOUL@apo
514   \or
515     \edef\x{\SOUL@word={\the\SOUL@word'}}\x
516   \or
517     \edef\x{\SOUL@word={\the\SOUL@word{''}}}\x
518   \fi
519   \SOUL@apo\z@
520 }

\SOUL@flushgrave
521 \SOUL@redefine\SOUL@flushgrave{%
522   \ifcase\SOUL@grave
523   \or
524     \edef\x{\SOUL@word={\the\SOUL@word'}}\x
525   \or
526     \edef\x{\SOUL@word={\the\SOUL@word{''}}}\x
527   \fi
528   \SOUL@grave\z@
529 }{%
530   \ifcase\SOUL@grave
531   \or
532     \edef\x{\SOUL@word={\the\SOUL@word'}}\x
533   \or
534     \edef\x{\SOUL@word={\the\SOUL@word{''}}}\x
535   \fi
536   \SOUL@grave\z@
537 }
```

```

\SOUL@addgroup
538 \SOUL@redefine\SOUL@addgroup#1#2{%
539   {%
540     \let\protect\noexpand
541     \edef\x{%
542       \global\SOUL@word={%
543         \the\SOUL@word
544         {{\noexpand#1#2}}{%
545           }{%
546         }{%
547           \x
548         }{%
549           \SOUL@scan
550         }#1#2{%
551           \begingroup
552             \let\protect\noexpand
553             \edef\x{\endgroup
554               \SOUL@word={%
555                 \the\SOUL@word
556                 {{\noexpand#1{#2}}}{%
557                   {\etex@unexpanded{{#1{#2}}}}{%
558                     }{%
559                   }{%
560                     \x
561                     \SOUL@scan
562                   }
563 \SOUL@redefine\SOUL@addmath$#1${%
564   {%
565     \let\protect\noexpand
566     \edef\x{%
567       \global\SOUL@word={%
568         \the\SOUL@word
569         {{\hbox{$#1$}}}{%
570           }{%
571         }{%
572           \x
573         }{%
574           \SOUL@scan
575         }$#1${%
576           \begingroup
577             \let\protect\noexpand
578             \edef\x{\endgroup
579               \SOUL@word={%
580                 \the\SOUL@word
581                 {{\hbox{$#1$}}}{%
582                   {\etex@unexpanded{{\hbox{$#1$}}}}{%
583                     }{%
584                   }{%
585                     \x
586                     \SOUL@scan
587                   }
588 \SOUL@redefine\SOUL@addprotect#1#2{%
589   {%
590     \let\protect\noexpand
591     \edef\x{%
592       \global\SOUL@word={%
593         \the\SOUL@word
594         {{\hbox{#2}}}{%

```

```

595      }%
596      }%
597      \x
598      }%
599      \SOUL@scan
600 }#1#2{%
601   \begingroup
602   \let\protect\noexpand
603   \edef\x{\endgroup
604     \SOUL@word=}{%
605     \the\SOUL@word
606   !   {\hbox{\#2}}%
607 +   {\etex@unexpanded{\hbox{\#2}}}%
608   }%
609   }%
610   \x
611   \SOUL@scan
612 }

\SOUl@addtoken

613 + \SOuL@redefine\SOUl@addtoken#1{%
614 +   \edef\x{%
615 +     \SOUL@word=}{%
616 +     \the\SOUL@word
617 +     \noexpand#1%
618 +   }%
619 +   }%
620 +   \x
621 +   \SOUL@scan
622 + }#1{%
623 +   \edef\x{%
624 +     \SOUL@word=}{%
625 +     \the\SOUL@word
626 +     \etex@unexpanded{\#1}%
627 +   }%
628 +   }%
629 +   \x
630 +   \SOUL@scan
631 + }%

632 \SOuL@AtEnd
633 
```

### 3 Test

#### 3.1 Catcode checks for loading

```

634 <*test1>
635 \catcode`\'=1 %
636 \catcode`'=2 %
637 \catcode`#=6 %
638 \catcode`@=11 %
639 \expandafter\ifx\csname count@\endcsname\relax
640   \countdef\count@=255 %
641 \fi
642 \expandafter\ifx\csname @gobble\endcsname\relax
643   \long\def\@gobble#1{}%
644 \fi
645 \expandafter\ifx\csname @firstofone\endcsname\relax
646   \long\def\@firstofone#1{\#1}%
647 \fi

```

```

648 \expandafter\ifx\csname loop\endcsname\relax
649   \expandafter\@firstofone
650 \else
651   \expandafter\@gobble
652 \fi
653 {%
654   \def\loop#1\repeat{%
655     \def\body{\#1}%
656     \iterate
657   }%
658   \def\iterate{%
659     \body
660     \let\next\iterate
661   \else
662     \let\next\relax
663   \fi
664   \next
665 }%
666 \let\repeat=\fi
667 }%
668 \def\RestoreCatcodes{}%
669 \count@=0 %
670 \loop
671   \edef\RestoreCatcodes{%
672     \RestoreCatcodes
673     \catcode`\the\count@=\the\catcode\count@\relax
674   }%
675 \ifnum\count@<255 %
676   \advance\count@ 1 %
677 \repeat
678
679 \def\RangeCatcodeInvalid#1#2{%
680   \count@=#1\relax
681   \loop
682     \catcode\count@=15 %
683   \ifnum\count@<#2\relax
684     \advance\count@ 1 %
685   \repeat
686 }
687 \expandafter\ifx\csname LoadCommand\endcsname\relax
688   \def\LoadCommand{\input soulutf8.sty\relax}%
689 \fi
690 \def\Test{%
691   \RangeCatcodeInvalid{0}{47}%
692   \RangeCatcodeInvalid{58}{64}%
693   \RangeCatcodeInvalid{91}{96}%
694   \RangeCatcodeInvalid{123}{255}%
695   \catcode`@=12 %
696   \catcode`\\=0 %
697   \catcode`'=1 %
698   \catcode`}=2 %
699   \catcode`#=6 %
700   \catcode`[=12 %
701   \catcode`]=12 %
702   \catcode`%=14 %
703   \catcode`\_ =10 %
704   \catcode`13=5 %
705   \LoadCommand
706   \RestoreCatcodes
707 }
708 \Test
709 \csname @@end\endcsname

```

```

710 \end
711 </test1>
3.2 LATEX tests
712 <*test2 | test3 | test4 | test5>
713 <noetex> \let\SavedUnexpanded\unexpanded
714 <noetex> \let\unexpanded\UNDEFINED
715 \NeedsTeXFormat{LaTeX2e}
716 \documentclass{article}
717 \usepackage[T1]{fontenc}
718 \usepackage{lmodern}
719 \usepackage{textcomp}
720 \usepackage[ngerman]{babel}
721 \expandafter\def\csname ver@hypdestopt.sty\endcsname{}
722 \usepackage[unicode]{hyperref}
723 \usepackage{bookmark}
724 \usepackage{color}
725 \usepackage{soul}[2003/11/17]
726 \makeatletter
727 \newcommand*{\@ifDefined}[1]{%
728   \@ifundefined{#1}{%
729     \@latex@error{%
730       \expandafter\noexpand\csname#1\endcsname undefined}%
731   }\@ehc
732 }%
733 }%
734 \newcommand*{\SaveOrg}[1]{%
735   \@ifdefinable{ORG@SOUL@#1}{%
736     \@ifDefined{SOUL@#1}{%
737       \expandafter\let\csname ORG@SOUL@#1\expandafter\endcsname
738         \csname SOUL@#1\endcsname
739     }%
740   }%
741 }%
742 \newcommand*{\RestoreOrg}[1]{%
743   \@ifDefined{ORG@SOUL@#1}{%
744     \@ifDefined{SOUL@#1}{%
745       \expandafter\let\csname SOUL@#1\expandafter\endcsname
746         \csname ORG@SOUL@#1\endcsname
747     }%
748   }%
749 }%
750 \makeatother
751 \SaveOrg{eval}
752 \SaveOrg{splittoken}
753 \SaveOrg{flushcomma}
754 \SaveOrg{flushapo}
755 \SaveOrg{grave}
756 \SaveOrg{addgroup}
757 \SaveOrg{addmath}
758 \SaveOrg{addprotect}
759 \SaveOrg{addtoken}
760 \usepackage{soulutf8}[2007/09/09]
761 <noetex> \let\unexpanded\SavedUnexpanded

```

Input encoding utf8.

```

762 <*utf8>
763 \usepackage[utf8]{inputenc}
764 \DeclareUnicodeCharacter{00A0}{\nobreakspace}
765 </utf8>

```

Input encoding utf8x. Package ucs has a nasty bug, that it redefines \show.

```

766 <utf8x>
767 \let\origshow\show
768 \usepackage[utf8x]{inputenc}
769 \AtBeginDocument{%
770   \let\show\origshow
771 }
772 
```

### 3.2.1 Driver definitions

```
773 \makeatletter
```

\an The definition for \an is taken from the documentation of package soul.

```

774 \DeclareRobustCommand*\an{%
775   \def\SOUL@preamble{$^{\text{\tiny P}}$}%
776   \def\SOUL@everyspace##1{##1\textrtt{\char`\\ }\linebreak[2]}%
777   \def\SOUL@postamble{$^{\text{\tiny E}}$}%
778   \def\SOUL@everyhyphen{$^{\text{\tiny -}}$\linebreak[1]}%
779   \def\SOUL@everyexhyphen##1{##1$^{\text{\tiny -}}$}%
780   \def\SOUL@everyssyllable{$^{\text{\tiny S}}$}%
781   \def\SOUL@everytoken{\the\SOUL@token$^{\text{\tiny T}}$}%
782   \def\SOUL@everylowerthan{$^{\text{\tiny L}}$}%
783   \SOUL@%
784 }
```

\sy The definition for \sy is taken from the documentation of package soul.

```

785 \DeclareRobustCommand*\sy{%
786   \SOUL@setup
787   \def\SOUL@preamble{%
788     \lefthyphenmin=\z@%
789     \righthypenmin=\z@%
790   }%
791   \def\SOUL@everyspace##1{##1\space}%
792   \def\SOUL@everyssyllable{\the\SOUL@syllable}%
793   \def\SOUL@everyhyphen{%
794     \discretionary{%
795       \SOUL@setkern\SOUL@hyphkern
796       \SOUL@sethyphenchar
797     }{%
798       \hbox{\kern1pt$\cdot$}%
799     }%
800   }%
801   \def\SOUL@everyexhyphen##1{%
802     \SOUL@setkern\SOUL@hyphkern
803     \hbox{##1}%
804     \discretionary{}{%
805       \SOUL@setkern\SOUL@charkern
806     }%
807   }%
808   \SOUL@%
809 }
```

\soulH

```

810 \DeclareRobustCommand*\soulH{%
811   \def\SOUL@preamble{%
812     \gdef\SOULH{}%
813     \soulHadd{}%
814   }%
815   \def\SOUL@everyspace##1{%
816     \soulHadd{S}{}%
817   }%
818   \def\SOUL@postamble{%
819     \soulHadd{}{}%
```

```

820  }%
821  \def\SOUL@everyhyphen{%
822    \soulHadd{Hy}%
823  }%
824  \def\SOUL@everyexhyphen##1{%
825    \soulHadd{Exhy}%
826  }%
827  \def\SOUL@everysyllable{%
828    \soulHadd{Sy}%
829  }%
830  \def\SOUL@everytoken{%
831    \soulHadd{T}%
832  }%
833  \def\SOUL@everylowerthan{%
834    \soulHadd{<}%
835  }%
836  \SOUL@
837 }
838 \newcommand*{\soulHadd}[1]{%
839   #1%
840   \expandafter\gdef\expandafter\soulHstring\expandafter{%
841     \soulHstring
842     #1%
843   }%
844 }

```

### 3.2.2 Test macros

```

845 \usepackage{qstest}
846 \IncludeTests{*}
847 \LogTests{log}{*}{*}
848 \newsavebox\boxA
849 \newsavebox\boxB
850 \newsavebox\boxC

\TestDriver
851 \newcommand*{\TestDriver}[4]{%
852   \subsection{Driver #1}%
853   \@PackageInfo{soulutf8-test}{* Driver #1}%
854   \expandafter\let\expandafter\testdriver\csname #1\endcsname
855   \def\teststringA{#3}%
856   \def\teststringB{#4}%
857   \begin{qstest}{string-#2-driver-#1}{string,#2,driver,#1}%
858     \@PackageInfo{soulutf8-test}{* Version: soulutf8}%
859     \global\let\soulHstring\empty
860     \setbox0=\hbox{\expandafter\testdriver\expandafter{\teststringA}}%
861     \let\HstringA\soulHstring
862     \SetTestVBox{\boxA}{\teststringA}%
863   %
864   \@PackageInfo{soulutf8-test}{* Version: soul + patch}%
865   \global\let\soulHstring\empty
866   \RestoreOrg{eval}%
867   \setbox2=\hbox{\expandafter\testdriver\expandafter{\teststringB}}%
868   \let\HstringB\soulHstring
869   \SetTestVBox{\boxB}{\teststringB}%
870   %
871   \@PackageInfo{soulutf8-test}{* Version: original soul}%
872   \global\let\soulHstring\empty
873   \RestoreOrg{splittoken}%
874   \RestoreOrg{flushcomma}%
875   \RestoreOrg{flushapo}%
876   \RestoreOrg{grave}%

```

```

877      \RestoreOrg{addgroup}%
878      \RestoreOrg{addmath}%
879      \RestoreOrg{addprotect}%
880      \RestoreOrg{addtoken}%
881      \setbox4=\hbox{\expandafter\testdriver\expandafter{\teststringB}}%
882      \let\HstringC\soulHstring
883      \SetTestVBox{\boxC}{\teststringB}%
884      %
885      \TestInfo{0}{soulutf8}%
886      \TestInfo{2}{soul + patch}%
887      \TestInfo{4}{original soul}%
888      \TestInfoVBox
889      \showboxdepth=\maxdimen
890      \showboxbreadth=\maxdimen
891      \tracingonline=\@ne
892      \Expect*\{\HstringA\}*\{\HstringB\}%
893      \Expect*\{\HstringA\}*\{\HstringC\}%
894      \Expect*\{\the\wd0\}*\{\the\wd2\}%
895      \ifdim\wd0=\wd2 %
896      \else
897          \showbox0 %
898          \showbox2 %
899      \fi
900      \Expect*\{\the\ht0\}*\{\the\ht2\}%
901      \Expect*\{\the\dp0\}*\{\the\dp2\}%
902      \Expect*\{\the\wd\boxB\}*\{\the\wd\boxA\}%
903      \Expect*\{\the\wd\boxC\}*\{\the\wd\boxA\}%
904      \Expect*\{\the\ht\boxB\}*\{\the\ht\boxA\}%
905      \ifdim\ht\boxB=\ht\boxA
906      \else
907          \showbox\boxA
908          \showbox\boxB
909      \fi
910      \Expect*\{\the\ht\boxC\}*\{\the\ht\boxA\}%
911      \Expect*\{\the\dp\boxB\}*\{\the\dp\boxA\}%
912      \Expect*\{\the\dp\boxC\}*\{\the\dp\boxA\}%
913      \end{qstest}%
914 }

\SetTestVBox

915 \newcommand*{\SetTestVBox}[2]{%
916     \setbox#1=\vbox{%
917         \hsize=0pt\relax
918         \hfuzz=100mm\relax
919         \expandafter\testdriver\expandafter{\#2}%
920     }%
921 }

\TestInfo

922 \newcommand*{\TestInfo}[2]{%
923     \par
924     \noindent
925     \copy#1\relax
926     \hfill
927     \begingroup
928         \small
929         \ifdim\wd0=\wd2\relax
930             \ifdim\wd0=\wd4\relax
931             \else
932                 \ifnum#1=2 %
933                     \raisebox{.5\baselineskip}[0pt][0pt]{%
934                         \llap{$\}$ }%

```

```

935      \rlap{width = \the\wd#1\relax\space$\{$}%
936      \phantom{width = 999.99999pt}%
937      \qquad
938      }%
939      \else
940      \ifnum#1=4 %
941          \rlap{width = \the\wd#1}%
942          \phantom{width = 999.99999pt}%
943          \qquad
944      \fi
945      \fi
946      \fi
947      \else
948          \begingroup
949              \bfseries
950              \rlap{width = \the\wd#1}%
951              \phantom{width = 999.99999pt}%
952          \endgroup
953          \qquad
954      \fi
955      \rlap{(#2)}%
956      \phantom{(original soul)}%
957  \endgroup
958  \par
959 }

\TestInfoVBox
960 \newcommand*{\TestInfoVBox}{%
961   \par
962   \noindent
963   \mbox{\vrule\relax\space\copy\boxA}%
964   \ifdim\ht\boxA=\ht\boxB
965   \else
966     \hfill
967     \begingroup
968       \small
969       \rlap{(soulutf8)}%
970       \phantom{(soulutf8)}%
971     \endgroup
972     \par
973     \noindent
974     \mbox{\vrule\relax\space\copy\boxB}%
975     \hfill
976     \begingroup
977       \small
978       \rlap{(soul)}%
979       \phantom{(soulutf8)}%
980     \endgroup
981   \fi
982   \par
983 }

\Test
984 \makeatletter
985 \newcommand*{\Test}[3]{%
986   \clearpage
987   \begingroup
988     \def\linebreak{\textbackslash linebreak }%
989     \def\\{\textbackslash\textbackslash\textbackslash}%
990     \def\soulomit##1{%
991       \textbackslash soulomit\textbraceleft##1\textbraceright
992     }%

```

```

993     \def\mbox##1{%
994         \textbackslash mbox\textbraceleft##1\textbraceright
995     }%
996     \def\abc{\textbackslash abc abc }%
997     \def\texttt##1{%
998         \textbackslash texttt\textbraceleft##1\textbraceright
999     }%
1000    \def\c##1{%
1001        \textbackslash c\textbraceleft##1\textbraceright
1002    }%
1003  {*utf8x}
1004      \count@=128 %
1005      \loop
1006      \ifnum\count@<256 %
1007          \lccode`~=\count@
1008          \lowercase{%
1009              \def~{\noexpand~}%
1010          }%
1011          \advance\count@\@ne
1012      \repeat
1013  /utf8x
1014      \csname protected@edef\endcsname\x{\endgroup
1015      \noexpand\section{String #1: #2}%
1016  }%
1017  \x
1018  \TestDriver{so}{#1}{#2}{#3}%
1019  \TestDriver{caps}{#1}{#2}{#3}%
1020  \TestDriver{ul}{#1}{#2}{#3}%
1021  \TestDriver{st}{#1}{#2}{#3}%
1022  \TestDriver{hl}{#1}{#2}{#3}%
1023  \TestDriver{an}{#1}{#2}{#3}%
1024  \TestDriver{sy}{#1}{#2}{#3}%
1025  \TestDriver{soulH}{#1}{#2}{#3}%
1026 }
1027 \makeatother

```

### 3.2.3 Testing

```

1028 \begin{document}
1029   \Test A{}{%
1030   \Test B{Hello World}{Hello World}%
1031   \Test C{%
1032     Umlauts: ^c3^84^c3^96^c3^9c^c3^a4^c3^b6^c3^bc^c3^9f%
1033   }{%
1034     Umlauts: "A"0"U"a"u\ss
1035   }%
1036   \Test D{Euro: ^e2^82^ac}{Euro: \texteuro}%
1037   \Test E{Stra^c3^9fe}{Stra\ss e}%
1038   \Test F{R^c3^b6mer}{R\"omer}%
1039   \Test G{A^e2^80^93B^e2^80^94C}{A--B---C}%
1040   \Test H{X^c2^a0Y}{X~Y}%
1041   \Test I{A^c5^a4}{A\v T}%
1042   \Test J{A,B,,C,,,D,,,E}{A,B,,C,,,D,,,E}%
1043   \Test K{A'B'C'D'E}{A'B'C'D'E}%
1044   \Test L{A'B'C'D'E}{A'B'C'D'E}%
1045   \Test M{A$x$B}{A$x$B}%
1046   \Test N{A\mbox{abc}B}{A\mbox{abc}B}%
1047   \Test O{,TA'}{,,TA'}%
1048   \Test P{!Hola?'!}{!Hola?'!}%
1049   \Test Q{re-sent\slash x}{re-sent\slash x}%
1050   \Test R{new\\line}{new\\line}%
1051   \Test S{foo\\linebreak bar}{foo\\linebreak bar}%
1052   \Test T{Virchow{sche}}{Virchow{sche}}%

```

```

1053  \Test U{A\soulomit{foo}B}{A\soulomit{foo}B}%
1054  \Test V{A\texttt{xyz}B}{A\texttt{xyz}B}%
1055  \Test W{ffi}{ffi}%
1056  \Test X{f{}f{}i}{f{}f{}i}%
1057  \Test Y{f\mbox{}f\mbox{}i}{f\mbox{}f\mbox{}i}%
1058  \Test Z{\c{"a}}{\c{"a}}%
1059 <*test2 | test3>
1060  \let\abcx\UNDEFINED
1061  \def\abc{%
1062    \begingroup
1063      \def\abcx{x}%
1064      \abcx
1065    \endgroup
1066  }%
1067  \Test{AA}{[{x\abc x}]}{{xxx}}%
1068 </test2 | test3>
1069 \end{document}
1070 </test2 | test3 | test4 | test5>

```

## 4 Installation

### 4.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/soulutf8.dtx](http://CTAN:macros/latex/contrib/oberdiek/soulutf8.dtx) The source file.

[CTAN:macros/latex/contrib/oberdiek/soulutf8.pdf](http://CTAN:macros/latex/contrib/oberdiek/soulutf8.pdf) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](http://CTAN:install/macros/latex/contrib/oberdiek.tds.zip)

*TDS* refers to the standard “A Directory Structure for TeX Files” ([CTAN:tds/tds.pdf](http://CTAN:tds/tds.pdf)). Directories with `texmf` in their name are usually organized this way.

### 4.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDSScripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 4.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-Tex:

```
tex soulutf8.dtx
```

---

<sup>1</sup>[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
soulutf8.sty           → tex/generic/oberdiek/soulutf8.sty
soulutf8.pdf          → doc/latex/oberdiek/soulutf8.pdf
test/soulutf8-test1.tex → doc/latex/oberdiek/test/soulutf8-test1.tex
test/soulutf8-test2.tex → doc/latex/oberdiek/test/soulutf8-test2.tex
test/soulutf8-test3.tex → doc/latex/oberdiek/test/soulutf8-test3.tex
test/soulutf8-test4.tex → doc/latex/oberdiek/test/soulutf8-test4.tex
test/soulutf8-test5.tex → doc/latex/oberdiek/test/soulutf8-test5.tex
soulutf8.dtx          → source/latex/oberdiek/soulutf8.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

#### 4.4 Refresh file name databases

If your `TeX` distribution (`teTeX`, `mikTeX`, ...) relies on file name databases, you must refresh these. For example, `teTeX` users run `texhash` or `mktexlsr`.

#### 4.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk soulutf8.pdf unpack_files output .
```

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain-`TeX`:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{soulutf8.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdfLATEX`:

```
pdflatex soulutf8.dtx
makeindex -s gind.ist soulutf8.idx
pdflatex soulutf8.dtx
makeindex -s gind.ist soulutf8.idx
pdflatex soulutf8.dtx
```

## 5 References

- [1] Melchior Franz: *The soul package*; 2003/11/17;  
[CTAN:macros/latex/contrib/soul/](http://CTAN:macros/latex/contrib/soul/).
- [2] Dominique P. G. Unruh: *ucs.sty – Unicode Support*; 2004/10/17;  
[CTAN:macros/latex/contrib/unicode/](http://CTAN:macros/latex/contrib/unicode/).
- [3] Frank Mittelbach, Chris Rowley: *Providing some UTF-8 support via inputenc*; 2006/03/30;  
[CTAN:macros/latex/base/utf8inc.dtx](http://CTAN:macros/latex/base/utf8inc.dtx).

## 6 History

[2007/09/09 v1.0]

- First version.

## 7 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

| Symbols                      |   |
|------------------------------|---|
| \\" .....                    | 1034, 1038, 1058  |
| \# .....                     | 637, 699  |
| \% .....                     | 702   |
| \@ .....                     | 638, 695  |
| \@PackageError .....         | 129   |
| \@PackageInfo .....          | 853, 858, 864, 871  |
| \@PackageWarningNoLine ..... | 166   |
| \@ehc .....                  | 731   |
| \@empty .....                | 859, 865, 872   |
| \@firstofone .....           | 646, 649  |
| \@gobble .....               | 485, 643, 651   |
| \@ifDefined .....            | 727, 736, 743, 744  |
| \@ifdefinable .....          | 735   |
| \@ifundefined .....          | 728   |
| \@latex@error .....          | 729   |
| \@ne .....                   | 196, 198, 200,<br>202, 281, 283, 285, 287, 891, 1011  |
| \@nil .....                  | 385, 388, 410, 414  |
| \@onelvel@sanitize .....     | 134, 362, 436, 452  |
| \@undefined .....            | 110   |
| \[ .....                     | 700   |
| \\" .....                    | 223, 308, 696, 989, 1050  |
| \{ .....                     | 635, 697, 935   |
| \} .....                     | 636, 698, 934   |
| \] .....                     | 701   |
| \~ .....                     | 1007  |
| \_ .....                     | 703, 776  |
| A                            |   |
| \abc .....                   | 996, 1061, 1067   |
| \abcx .....                  | 1060, 1063, 1064  |
| \active .....                | 103   |
| \advance .....               | 196, 198, 200, 202,<br>281, 283, 285, 287, 676, 684, 1011   |
| B                            |   |
| \afterassignment .....       | 159   |
| \an .....                    | 774   |
| \AtBeginDocument .....       | 769   |
| C                            |   |
| \c .....                     | 1000, 1058  |
| \catcode .....               | 3, 4, 5, 6, 7, 18,<br>19, 20, 34, 35, 36, 37, 38, 39, 40,<br>41, 42, 43, 44, 62, 63, 66, 67, 68,<br>69, 73, 74, 75, 76, 80, 82, 150,<br>151, 153, 154, 635, 636, 637,<br>638, 673, 682, 695, 696, 697,<br>698, 699, 700, 701, 702, 703, 704 |
| \cdot .....                  | 798   |
| \char .....                  | 776   |
| \chardef .....               | 392, 419, 423, 427, 429   |
| \clearpage .....             | 986   |
| \copy .....                  | 925, 963, 974   |
| \count@ .....                | 640,<br>669, 673, 675, 676, 680, 682,<br>683, 684, 1004, 1006, 1007, 1011   |
| \countdef .....              | 640   |
| \csname .....                | 8, 21, 45,<br>58, 65, 111, 134, 361, 362, 639,  |

|                             |  |
|-----------------------------|--|
| \input .....                | 122, 125, 133, 688                                       |
| \iterate .....              | 656, 658, 660  |
| <b>K</b>                    |  |
| \kern .....                 | 798  |
| <b>L</b>                    |  |
| \lccode .....               | 1007   |
| \leavevmode .....           | 214, 299   |
| \lefthyphenmin .....        | 788  |
| \linebreak .....            | 249,<br>251, 334, 336, 776, 778, 988, 1051               |
| \llap .....                 | 934  |
| \LoadCommand .....          | 688, 705   |
| \LogTests .....             | 847  |
| \loop .....                 | 654, 670, 681, 1005                                      |
| \lowercase .....            | 1008   |
| <b>M</b>                    |  |
| \makeatletter .....         | 726, 773, 984  |
| \makeatother .....          | 750, 1027  |
| \maxdimen .....             | 889, 890   |
| \mbox .....                 | 236, 321, 963, 974, 993, 1046, 1057                      |
| \meaning .....              | 137, 383, 407  |
| \MessageBreak .....         | 167, 168, 169  |
| <b>N</b>                    |  |
| \NeedsTeXFormat .....       | 715  |
| \newcommand .....           | 113, 118, 727, 734,<br>742, 838, 851, 915, 922, 960, 985 |
| \newsavebox .....           | 848, 849, 850  |
| \next .....                 | 660, 662, 664  |
| \nobreak .....              | 226, 231, 311, 316, 440                                  |
| \nobreakspace .....         | 764  |
| \noindent .....             | 924, 962, 973  |
| \null .....                 | 211, 217,<br>225, 230, 296, 302, 310, 315, 439           |
| <b>O</b>                    |  |
| \origshow .....             | 767, 770   |
| <b>P</b>                    |  |
| \PackageError .....         | 115, 120, 129  |
| \PackageInfo .....          | 26   |
| \par .....                  | 213, 214,<br>298, 299, 923, 958, 961, 972, 982           |
| \PassOptionsToPackage ..... | 143  |
| \phantom .....              | 936, 942, 951, 956, 970, 979                             |
| \ProcessOptions .....       | 144  |
| \protect .....              | 540, 552, 565, 577, 590, 602                             |
| \ProvidesPackage .....      | 59   |
| <b>Q</b>                    |  |
| \qqquad .....               | 937, 943, 953  |
| <b>R</b>                    |  |
| \raisebox .....             | 933  |
| \RangeCatcodeInvalid .....  | 679, 691, 692, 693, 694                                  |
| \repeat .....               | 654, 666, 677, 685, 1012                                 |
| \RequirePackage .....       | 145, 146, 147  |
| \RestoreCatcodes .....      | 668, 671, 672, 706                                       |
| \RestoreOrg .....           | 742, 866, 873,<br>874, 875, 876, 877, 878, 879, 880      |

\righthyphenmin ..... 789  
 \rlap ..... 935, 941, 950, 955, 969, 978  
**S**  
 \SavedUnexpanded ..... 713, 761  
 \SaveOrg ..... 734, 751, 752,  
     753, 754, 755, 756, 757, 758, 759  
 \section ..... 1015  
 \setbox ..... 860, 867, 881, 916  
 \SetTestVBox ..... 862, 869, 883, 915  
 \show ..... 767, 770  
 \showbox ..... 897, 898, 907, 908  
 \showboxbreadth ..... 890  
 \showboxdepth ..... 889  
 \slash ..... 232, 317, 1049  
 \small ..... 928, 968, 977  
 \SOUL@ ..... 783, 808, 836  
 \SOUL@@ ..... 178, 191, 192,  
     193, 194, 195, 197, 199, 201,  
     208, 213, 215, 223, 228, 232,  
     236, 238, 240, 246, 249, 252,  
     254, 263, 276, 277, 278, 279,  
     280, 282, 284, 286, 293, 298,  
     300, 308, 313, 317, 321, 323,  
     325, 331, 334, 337, 339, 383, 407  
 \SOUL@addfouroctets ..... 354, 473  
 \SOUL@addgroup ..... 253, 338, 538  
 \SOUL@addmath ..... 255, 340, 563  
 \SOUL@addprotect 237, 239, 322, 324, 588  
 \SOUL@addthreeoctets ..... 352, 450  
 \SOUL@addtoken .....  
     444, 445, 466, 467, 474, 475, 613  
 \SOUL@addtwooctets ..... 350, 434  
 \SOUL@analyzeutfviii ..... 342, 379  
 \SOUL@analyzeutfviiix ..... 344, 403  
 \SOUL@apo ..... 186,  
     200, 271, 285, 505, 511, 513, 519  
 \SOUL@AtEnd ..... 78, 79, 632  
 \SOUL@charhash ..... 375, 408, 413  
 \SOUL@charkern ..... 805  
 \SOUL@charthree ..... 377, 422  
 \SOUL@chartwo ..... 376, 426  
 \SOUL@checkutfviii ..... 382, 387  
 \SOUL@checkutfviiix ..... 406, 412  
 \SOUL@cmd ..... 158, 163, 165, 174  
 \SOUL@cmdcheck ..... 159, 162  
 \SOUL@comma ..... 184,  
     198, 269, 283, 488, 494, 496, 502  
 \SOUL@defsanitizedstring 360, 364,  
     365, 366, 367, 368, 369, 370, 371  
 \SOUL@dotoken ..... 257, 347  
 \SOUL@doword .....  
     210, 216, 224, 229, 233, 242,  
     247, 250, 295, 301, 309, 314,  
     318, 327, 332, 335, 438, 454, 460  
 \SOUL@empty ..... 378, 418  
 \SOUL@error ..... 125  
 \SOUL@eval ..... 176  
 \SOUL@eventuallyexhyphen .....  
     211, 217, 225, 230, 234, 296,  
     302, 310, 315, 319, 439, 455, 461  
 \SOUL@everyexhyphen ... 779, 801, 824  
 \SOUL@everyhyphen .... 778, 793, 821  
     \SOUL@everylowerthan ..... 782, 833  
     \SOUL@everyspace .....  
         220, 226, 231, 251, 305,  
         311, 316, 336, 440, 776, 791, 815  
     \SOUL@evensyllable .... 780, 792, 827  
     \SOUL@everytoken ..... 781, 830  
     \SOUL@exhyphen .... 235, 320, 456, 462  
     \SOUL@flushapo .....  
         187, 193, 206, 272, 278, 291, 504  
     \SOUL@flushcomma .....  
         185, 192, 205, 270, 277, 290, 487  
     \SOUL@flushgrave .....  
         189, 194, 207, 274, 279, 292, 521  
     \SOUL@flushminus .....  
         183, 191, 204, 268, 276, 289  
     \SOUL@grave ..... 188,  
         202, 273, 287, 522, 528, 530, 536  
     \SOUL@hyphkern ..... 795, 802  
     \SOUL@ignorespacesfalse ... 180, 265  
     \SOUL@ignorespacestrue .... 227, 312  
     \SOUL@minus ..... 182, 196, 267, 281  
     \SOUL@n 177, 209, 214, 222, 237, 239,  
         241, 253, 255, 257, 260, 262,  
         294, 299, 307, 322, 324, 326,  
         338, 340, 347, 350, 352, 354, 358  
     \SOUL@next .....  
         441, 443, 448, 457, 463, 465, 471  
     \SOUL@octets .....  
         343, 346, 392, 419, 423, 427, 429  
     \SOUL@orgDeclareOption .... 114, 119  
     \SOUL@orgDeclareRobustCommand ..  
         112, 117  
     \SOUL@orgnewcommand ..... 113, 118  
     \SOUL@orgPackageError ..... 115, 120  
     \SOUL@orgSOUL@error ..... 126, 130  
     \SOUL@postamble ..... 777, 818  
     \SOUL@preamble ..... 775, 787, 811  
     \SOUL@ redefine .... 156, 176, 477,  
         487, 504, 521, 538, 563, 588, 613  
     \SOUL@remainingtoken ..... 482, 484  
     \SOUL@restorelatexcmds .... 116, 123  
     \SOUL@scan .....  
         177, 214, 222, 244, 262, 299,  
         307, 329, 441, 457, 463, 549,  
         561, 574, 586, 599, 611, 621, 630  
     \SOUL@sethyphenchar ..... 796  
     \SOUL@setkern ..... 795, 802, 805  
     \SOUL@setup ..... 786  
     \SOUL@spaceskip ..... 243, 328  
     \SOUL@spc ..... 178, 215, 263, 300  
     \SOUL@splittoken ..... 477  
     \SOUL@stop ..... 208, 293, 477, 484  
     \SOUL@stringcsnameu ..... 409, 414  
     \SOUL@stringemdash ..... 373, 459  
     \SOUL@stringendash ..... 372, 453  
     \SOUL@stringfour ..... 397  
     \SOUL@stringmacrocolon .... 408, 413  
     \SOUL@stringnobreakspace ... 374, 437  
     \SOUL@stringoctets ..... 384, 388  
     \SOUL@stringthree ..... 395  
     \SOUL@stringtwo ..... 393  
     \SOUL@stringundeferr ..... 409, 414

\SOuL@stringUTFviii ..... 384, 388    \texttt ..... 776, 997, 1054  
\SOUL@syllable ..... 792    \the ..... 66, 67,  
\SOUL@temp ..... 160, 163, 165, 167, 170, 391, 393, 395, 397, 417, 418, 421, 422, 425, 426, 435, 436, 437, 451, 452, 453, 459  
\SOUL@token ..... 478, 481, 781  
\SOUL@word ..... 479, 485, 490, 492, 498, 500, 507, 509, 515, 517, 524, 526, 532, 534, 542, 543, 554, 555, 567, 568, 579, 580, 592, 593, 604, 605, 615, 616, 624, 625  
\SOULH ..... 812  
\soulH ..... 810  
\soulHadd ..... 813, 816, 819, 822, 825, 828, 831, 834, 838  
\soulHstring ..... 840, 841, 859, 861, 865, 868, 872, 882  
\soulomit ..... 240, 241, 325, 326, 990, 1053  
\space ..... 791, 935, 963, 974  
\spaceskip ..... 243, 328  
\ss ..... 1034, 1037  
\strip@prefix ..... 137, 140  
\subsection ..... 852  
\sy ..... 785

**T**

\Text ..... 690, 708, 984, 1029, 1030, 1031, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1067  
\TestDriver ..... 851, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025  
\testdriver ..... 854, 860, 867, 881, 919  
\TestInfo ..... 885, 886, 887, 922  
\TestInfoVBox ..... 888, 960  
\teststringA ..... 855, 860, 862  
\teststringB ..... 856, 867, 869, 881, 883  
\textbackslash ..... 988, 989, 991, 994, 996, 998, 1001  
\textbraceleft ..... 991, 994, 998, 1001  
\textbraceright ..... 991, 994, 998, 1001  
\texteuro ..... 1036

**U**

\UNDEFINED ..... 714, 1060  
\unexpanded ..... 713, 714, 761  
\unskip ..... 226, 311  
\usepackage ..... 717, 718, 719, 720, 722, 723, 724, 725, 760, 763, 768, 845

**V**

\texttt ..... 1041  
\ vbox ..... 916  
\ vrule ..... 963, 974

**W**

\wd ..... 894, 895, 902, 903, 929, 930, 935, 941, 950  
\write ..... 23, 47

**X**

\x ..... 8, 10, 12, 22, 26, 28, 46, 51, 58, 64, 72, 380, 390, 404, 416, 490, 492, 498, 500, 507, 509, 515, 517, 524, 526, 532, 534, 541, 547, 553, 560, 566, 572, 578, 585, 591, 597, 603, 610, 614, 620, 623, 629, 1014, 1017

**Z**

\z@ ..... 400, 419, 494, 502, 511, 519, 528, 536, 788, 789