

The **ONEDOWN** package

www.ctan.org/pkg/onedown

Jacob Wiersma
jack46@online.de

v1.3 from 2019/02/21

Dealer: S ♠ A 3 2
Vul: N–S ♥ Q J 10
♦ K Q J 10 9
♣ Q J

♠ 8 7 6 5	♦ 7 3 2	♣ 1 0 9 8 7	♠ 9 4	♦ 6 5 4	♣ 6 5 4 3
♥ A K			♥ 5 4 3 2		
			♦ 6 5 4		
			♣ 6 5 4 3		
			♠ K Q J 10		
			♥ 9 8 7 6		
			♦ A 8		
			♣ A K 2		

South West North East
1NT^a p 4NT^b p
6NT X All pass

^a 15–17

^b quantitative

Nº	Lead	2nd	3rd	4th	N S	E W
1	W: ♥K	10	2	6	0	1
2	W: ♥A	J	3	7	0	2

Abstract

This package implements commands and environments to typeset various bridge diagrams, with or without a `bidding` sequence. It offers following features:

- It is possible to use an own font and/or a font-size with which the diagrams will be typeset independently from the main font used in the document. This also allows an easy production of overhead slides and for digital projection. Different fonts can be used for e.g. the bidding diagram, its header, the compass, the hands etc. Most diagrams can be centered both horizontally and vertically.
- A special feature is the automated check on consistency of suits and hands. If a hand holds more than 13 cards an error is printed, if there are less than 13 cards a warning. If a suit over the 4 hands has more than 13 cards or if a card appears more than once an error like **Error: Card ♠ 8 occurs 2 times** is printed. These warnings and error messages are controlled by the `err` and `warn` options, e.g. when loading the package.
- The output of the implemented bridge terms like **Double** (which you get by calling the command `\double`) are multilingual and get translated automatically. When the language `german` is active the command `\double` would produce **Kontra**. Also the basic symbols like A(ce), K(ing), Q(ueen) and J(ack) are multilingual. So **♦ AKQJ** would automatically become **♦AKDB** in a German text.
- It is possible to add annotations to a card diagram, like the board number, the dealer or the vulnerability etc. on several positions in the diagram (if a board number is given, the dealer and vulnerability are computed automatically). One can also add explanations to the bidding diagram, as well as the real world names of the bidders.
- There are two specials: a command to typeset a quiz with answers, and an environment to typeset the sequence of playing tricks, where also the total number of tricks won by each side is calculated and displayed.

Contents

1 Preface	5
2 Introduction	5
3 Usage	7
3.1 Initialization	7
3.1.1 Requirements	7
3.1.2 Loading the package	7
3.1.3 Options	8
3.1.4 Active Characters: a Warning	9
4 User Commands	10
4.1 Overview	10
4.1.1 The Compass	10
4.1.2 Hooks	11
4.2 Basic Symbols	11
4.2.1 Header of the Bidding Table	13
4.3 The Card Diagrams	14
4.3.1 The hands of the players	14
4.3.2 The single hand	14
4.3.3 Only one suit	15
4.3.4 Showing Card Diagrams	16
4.3.5 Showing Card Diagrams with Bidding	17
4.3.6 Diagram Conditions	17
4.3.7 Sizing and Fonts	19
4.4 Misc	20
4.4.1 Honor Cards	21
4.4.2 Variants of Basic Symbols	22
4.4.3 Conditions in Diagrams	23
4.4.4 Annotations in Bidding Diagrams	24
4.4.5 Specials	25
4.4.6 Re-Initialization	26
4.5 Environments	27
5 Final Remarks	30
5.1 Known Bugs	30
5.2 ToDo	31
5.3 Acknowledgements	31

6 Implementation	31
6.1 Prelimaries	31
6.1.1 Packages we depend upon	31
6.1.2 Options	32
6.1.3 Misc	32
6.1.4 Variables	34
6.1.5 Booleans, Saveboxes, Lengths, Counters and Registers	35
6.1.6 Fonts	37
6.2 Bridge Basic Terms	39
6.2.1 Suit Symbols	39
6.2.2 Names of Directions and Axes	47
6.2.3 Non-Bid Calls	51
6.2.4 Bidding Diagrams	53
6.2.5 Diagram Hands	55
6.2.6 A Single Hand	57
6.2.7 Suits	59
6.2.8 Card Diagrams	63
6.2.9 The Compass	70
6.2.10 Diagram Conditions	75
6.3 The Bidding Environments	82
6.3.1 Special Columntypes	82
6.3.2 The Hidden Implementation	83
6.4 The User Environments	87
6.4.1 Bidding	87
6.4.2 Play	89
6.5 Card Diagrams with Bidding	93
6.6 The Expert Quiz	94
6.7 Resetting the Game	95
6.8 Error Handling	98
6.8.1 Consistency Checks	98
6.8.2 Controlling Messages	100
6.9 Misc Bridge Terms	101
6.9.1 Honour Cards	101
6.9.2 Vulnerability	103
6.9.3 Diagram Annotations	104
6.9.4 Point Units	107
6.9.5 Forcings	109
6.10 Initialization	111
7 References	112

8 Change History	112
9 Index	117
10 List of User Commands	124

1 Preface

I am neither a good bridge player nor a good package writer. But I like to read about bridge and when I write about bridge (sometimes a funny short story, sometimes some training exercises for beginners) I do feel the need for an appropriate tool to support that. Surprisingly enough, there exists no comprehensive package on CTAN for typesetting bridge diagrams. For all those people who feel more or less the same as I do, there is this package called **ONEDOWN**. As some say: *one down is good bridge*¹, I hope that **ONEDOWN** is a good bridge package.

You can generate this documentation by running

```
pdflatex --shell-escape onedown.dtx
makeindex -s gind.ist onedown.idx
makeindex -s gglo.ist -o onedown.gls onedown.glo
pdflatex --shell-escape onedown.dtx
pdflatex --shell-escape onedown.dtx
```

Use:

pdflatex --shell-escape '\AtBeginDocument{\NoColortrue}\input{onedown.dtx}', as last run to get a pdf for printing on a monochrome printer. The **--shell-escape** flag is necessary to generate the list of user commands. If you think this is too dangerous, then run pdflatex without this flag and you will get the documentation without the list of user command (of about 1 page). In any case you'll find a multi-page reference overview of all commands in `onedown-ref.pdf`.

2 Introduction

There must be a lot of bridge players who also use LATEX to typeset their documents. And it is almost incredible that on CTAN there exist no modern package with a decent documentation that supports this.

¹please, don't discuss the truth-value of this statement with me

In 1990 Kees van der Laan [1] published an article in TUGBoat² in which he describes how well the TeX-machinery is able to produce beautiful bridge diagrams. Based on this article and examples, Johannes Braams put these commands together in a style file³ and added more. Some time later René Steiner and Thomas Hof produced the `bridge-i` and the `kibitzer`⁴ style files, in which they made a lot of enhancements. Also others made some efforts in this direction.⁵

Around 2005 I used these style files for some tiny projects. The quality of the output was splendid. Putting the text and diagrams together was not always easy and the documentation was poor. In 2015, after a long pause, I had to produce bridge texts again. I enhanced some of the existing stuff and made ad hoc changes in the code, which led to smaller and greater catastrophes. Summer 2016 I decided to write a new package, based on the work of the previously mentioned persons. I called it **ONEDOWN**. The central goal was to offer a user friendly package with detailed documentation. For example you don't need to say `\setlength{\handskip}{5mm}` or `\def\handskip{5mm}` but rather call the command `\handskip{1em}`. Not only the call is somewhat friendlier, more important, setting the width in terms of the font used, it will automatically adapt its size accordingly to font and font-size changes. **ONEDOWN** features:

- Sizing of diagrams relative to font and font-size.
- The font-sizes of the diagrams and text are independent.
- Automated translation of all important bridge terms.
- Diagrams can optionally contain information about the dealer, who is vulnerable etc.

The **ONEDOWN** package is designed to be used for typesetting texts that have to do with the game of bridge. It provides not only simple commands like `\sp` which produces the spade symbol ♠. Also complete card diagrams with the hands of the **North**, **East**, etc. player

²<http://tug.org/TUGboat/Articles/tb11-2/tb28laan.pdf>

³`bridge.sty`, last version v1.7c, 1994/12/20

⁴both v1.0, 1995/04/06

⁵Antony Lee released his package `bridge` in 2012 and Gordon Bower his package `grbbbridge` in 2013. Both are very interesting but offer only limited features and are not on CTAN at the time of writing. See <http://www.bridgebase.com/forums/topic/51967-latex-package-for-typesetting-bridge-related-stuff/>

can be defined in several ways. One can select which hands are to be shown. Bidding diagrams can be shown stand-alone or in connection with one or more hands. In `bidding` diagrams annotations are possible.

3 Usage

3.1 Initialization

3.1.1 Requirements

The package **ONEDOWN** depends on several other packages, such as `ifthen`, `translations` or `xspace`. All these packages get loaded automatically if not already used in your document. For a complete overview of all required packages, refer to page 31. All the packages are loaded without any option, so the risk of an option clash should be low: Just load your package with options *before* **ONEDOWN**.

Furthermore, for the several languages that **ONEDOWN** supports, there are the dictionary files with translations of the specific bridge terms. These dictionaries follow the naming convention: `ODw-<language>.trs1` and are included in the bundle. The name of the `<language>` is generally the same as the name that you use as option for `babel`. There is one exception: the Norwegian language uses `norsk` for `babel` and `norwegian` for `translations`. But all the same, the `norwegian` dictionary is automatically loaded when `norsk` is used.

Should you make a dictionary for a language that is not provided yet, or have corrections for an existing one, please send it to the maintainer, so it can be added to the bundle.

3.1.2 Loading the package

Simply say `\usepackage{onedown}` in the preamble of your document if you want to load **ONEDOWN** with its default settings.

Warning: **ONEDOWN** loads all necessary `ODw`-dictionaries automatically at the begin of the document. In order to know which languages must be loaded, these must be specified *before* package `onedown` is loaded. In general this means that if you use `babel` (or `Polyglossia`) you must load it before package **ONEDOWN**. If for some reason you cannot or do not want to do that, you can load any `ODw`-dictionary if you put the command: `\LoadDictionaryFor{{<language>}}{ODw}` in your preamble, provided

that the dictionary is in the TeX-path. For a discussion about the caveats of using e.g. babel, refer to section 3.1.4.

3.1.3 Options

To change the behaviour of **ONEDOWN** one can load the package with certain options: `\usepackage[options]{onedown}`. Of course this 'option loading' takes place in the preamble. But it is also possible to set (or change) options within the document by calling the macro `\setdefaults`. This macro uses the same `<key>=<val>` syntax as is used for the options and offers some more keys that cannot be used when loading the package. Refer to page 26 for details.

As said before, the package loads its options using the `<key>=<val>` syntax. These options deal with:

`colors colors=0|1|2|4A|4B`

The color in which the card symbols will be printed. The color options are **0** (black only), **1** (black and white) **2** (black and red), **4A** (green, orange, red and blue), **4B** (black, orange, red and green). We also defined some synonyms, as shown in the table below.

Thus loading the package with `\usepackage[colors=X]{onedown}` will print

x=0: ♣, ♦, ♥ and ♠ (synonyms: `mono`, `black`)
x=1: ♣, ♦, ♥ and ♠ (synonyms: `b+w`)
x=2: ♣, ♦, ♥ and ♠ (synonyms: `b+r`)
x=4A: ♣, ♦, ♥ and ♠ (synonyms: `4a`, `fourA`)
x=4B: ♣, ♦, ♥ and ♠ (synonyms: `4b`, `fourB`)

The default is `colors=2` for printing in black and red.

`err, warn err=on|off warn=on|off`

These options regulate which messages are to be output. These messages have to do with the consistency of cards in a suit, in a hand or combined hands. It is an error when a hand has more than 13 cards, or when the same card occurs twice or more in a hand or a deal. With the option `err=on` (which is the default) these error messages appear as output. With `err=off` you can suppress that. On the other hand when a suit has less than 13 cards, this must not necessarily be wrong. Maybe only some

cards are to be shown, e.g. in an example concerning a finesse. Or when only e.g. E-W hands are concerned, not all cards of the deck will be specified. These situations will be caught by setting `warn=on`. To suppress these spurious warnings use `warn=off`, which is the default. Synonyms for `on` are `1` and `true`. Synonyms for `off` are `0` and `false`. This also applies for other keys that do not control a package option.

3.1.4 Active Characters: a Warning

ONEDOWN uses the `tranlation` package to automatically translate oft appearing bridge terms like e.g. `declarer`. It does so by looking up these terms in the special `odw`-dictionary for the active language. The current **ONEDOWN** version supports English, German, Dutch, French, most Scandinavian languages and Turkish. Some dictionaries may not be complete or may contain errors, please send corrections/additions to the maintainer.

Warning for people using active characters.

Some language packages fiddle around making characters active. This can have unexpected influence on **ONEDOWN**. The `=` sign is used when loading the package `onedown` to specify options. It appears also in calls like `\setdefaults{warn=on}`. We also use the following characters as tokens for optional arguments with the meaning as shown in this list:

- * to center diagrams or print a long or capitalized text
- ! special action like short names of vertical layout
- to hide what would normally been shown
- + to show what would normally be hidden

To give you an idea what e.g. babel can cause we cite from *The Turkish style for babel*:

Turkish typographic rules specify that a little 'white space' should be added before the characters `:`, `!` and `=`. In order to insert this white space automatically these characters are made `\active`, so they have to be treated in a special way.

So babel-Turkish makes the equal sign and exclamation mark active. This leads to errors when you call e.g. `\setdefaults{warn=on}` or `\hand!`.

If you do not need any character to be active, then load this language with `\usepackage[turkish,shorthands=]{babel}`. If you do need the shorthand then you must disable it every time you have to use e.g. the = character as a normal character by:

```
\shorthandoff{=}%
  \MakeSshand{warn=on}
\shorthandon{=}%
  \RestoreSshand{=}
```

4 User Commands

4.1 Overview

In the next sections we give a short description of all the user commands and environments that are defined in **ONEDOWN**. The commands marked with **ML** are multilingual. I.e. the text they typeset gets translated automatically into the active language.

In order to make sure that the example diagrams do not disturb the page layout of this document too much, we scaled them down to `footnotesize`. Sometimes the output of a command is shown as an example. This output is framed in this document like `this`, just to recognize it easily as an output example. In an accompanying file⁶ with examples one can find in more detail how these commands are used and what they produce.

We have loaded the package **ONEDOWN** with the default option for colors, giving us black and **red**. Furthermore, when we describe macros, we use a colored frame that also shows the output of the command. Some commands have optional tokens that produce an output that differs from the naked version. These optional tokens appear in a different background color like ***!**. If an output of a macro is shown, then the output of tokenized calls is shown in parenthesis to demonstrate the difference.

4.1.1 The Compass

The compass  is not available as a user command itself, but it

is used in all user commands that draw a card diagram. It has some special features.

⁶onedown-examples.pdf

- It can mark the dealer (**North**) 
- It can write the vulnerable side (**North–South**) in red 
- it can put something (a board number) in the middle 

The machinery is intelligent enough to calculate the dealer and vulnerability from the board number. When only `b`lack or `b+w` is selected as option for colors, then the vulnerable side is written in italics rather colorized. Because underlining the **South**-hand would interfere with the compass frame, we overline it. With the command `\setdefaults` one can customize the look of the compass. In particular, if you want to print the actual board number, specified by calling `\boardnr{Nr}`, you can achieve that by calling `\setdefaults{compmid=\boardtext}`. In the accompanying file with examples you'll find more examples about `\setdefaults`.

4.1.2 Hooks

We use kind of hooks to

1. change the font or the font-size. These are discussed in chapter *Sizing and Fonts* on page 19.
2. add commentary information to card diagrams. These are discussed in chapter *Conditions in Diagrams* on page 23
3. There is one other hook to enable the user to add something to the compass. This is done by calling `\setdefaults{compmid=<Text>}`.

4.2 Basic Symbols

In this section we show the predefined commands that produce terms that occur often in bridge text. On page 21 an easy way is shown to redefine them as to use a different variant of the term in question.

The next 5 macros are shorthands for the suit symbols and **NT**:

\c1	\c1	♣
\di	\di	♦
\he	\he	♥
\sp	\sp	♠
\nt	ML \nt	NT

The next 4 macros typeset the non-bid calls

\pass	ML \pass	Pass
\allpass	ML \allpass	All pass
\double	ML \double	Double
\redouble	ML \redouble	ReDouble

The next 6 macros typeset the directions that identify dealer (or player) and the axis that is vulnerable.

\north	ML \north	North
\east	ML \east	East
\south	ML \south	South
\west	ML \west	West
\northsouth	ML \northsouth	North–South
\eastwest	ML \eastwest	East–West

The next 4 macros typeset the *unit* of the points when valuing a bridge hand. If one or more of these items do not appear in your bridge world, don't argue them, Just don't use them!

\HCP	<code>ML \HCP</code>	HCP
\HLP	<code>ML \HLP</code>	HLP
\LP	<code>ML \LP</code>	LP
\DP	<code>ML \DP</code>	DP
\TP	<code>ML \TP</code>	TP

The next 5 commands produce the abbreviations for several forcing expressions.

\GF	<code>ML \GF</code>	GF
\SF	<code>ML \SF</code>	SF
\NMF	<code>ML \NMF</code>	NMF
\TSF	<code>ML \TSF</code>	3rd SF
\FSF	<code>ML \FSF</code>	4th SF

4.2.1 Header of the Bidding Table

\namesNS	<code>\namesNS{\langle N-name \rangle}{\langle S-name \rangle}</code>
	Defines the real world names for the North and the South player. If they are defined, they appear in the N - and the S -column of the bidding diagram.
\namesEW	<code>\namesEW{\langle E-name \rangle}{\langle W-name \rangle}</code>

Same as \namesNS but now for the **East** and the **West** player.

4.3 The Card Diagrams

4.3.1 The hands of the players

Before a card diagram can be shown, one must specify the cards that each player holds. With the various *<player>*hand-commands one can do this. The suits they define are only shown when a show-command is issued after they have been defined. The show-commands are discussed on page 16.

```
\northhand \northhand[<v-offset>]{<Sp>}{<He>}{<Di>}{<Cl>}
```

```
\easthand \easthand[<h-offset>]{<Sp>}{<He>}{<Di>}{<Cl>}
```

```
\southhand \southhand[<v-offset>]{<Sp>}{<He>}{<Di>}{<Cl>}
```

```
\westhand \westhand[<h-offset>]{<Sp>}{<He>}{<Di>}{<Cl>}
```

The command \northhand defines the cards (all 4 suits) for the **N**-player. \easthand, \southhand and \westhand do that for the **E**-, **S**- or **W**-player. These commands have 4 mandatory arguments in which the cards of the 4 suits are specified. In all suit commands where card ranks are issued, one must use **T** to denote the value **10**. On output, some kerning takes care that the output looks like **10** and not like a **1** followed by a **0**. So \suit{AKJT8} produces **AKJ108**. It is also possible to use a small 'x' as symbol for a spot card: \suit{AKxxx} produces **AKxxx**.

These commands also have an optional argument, an offset which by default is 0pt. This offset is meant to finetune the layout of the hands in the card diagrams. They change the distance between a hand and the compass. \northhand and \southhand have a *vertical* offset, whereas \easthand and \westhand have a *horizontal* one. A positive value moves away from the compass.

4.3.2 The single hand

```
\hand *!- [<pos>]{<Sp>}{<He>}{<Di>}{<Cl>}
```

This macro typesets the cards of one single hand, either vertically or horizontally. There are 4 mandatory arguments defining the 4 suits. With 2 optional tokens '*' resp. '!' one can typeset the hand with some special features:

- `\hand*` typesets a hand horizontally, centered
- `\hand!` typesets a hand vertically, left aligned
- `\hand*!` typesets a hand vertically, centered

For vertical hands the optional argument `pos` (default= `c`) controls the horizontal alignment. Without a token, the hand is typeset horizontally, left aligned: The call `\hand{AK2}{T85}{AQT6}{A42}` typesets the hand horizontally like:

`♦ A K 2 ♥ 10 8 5 ♦ A Q 10 6 ♣ A 4 2 ,`

whereas the `\hand!` version produces

`♦ A K 2
♥ 10 8 5
♦ A Q 10 6
♣ A 4 2 .`

The third optional token, a '-' suppresses all output and saves the stuff for later use. This is used e.g. in `\expertquiz`.

4.3.3 Only one suit

`\onesuitAll *! {<N>} {<S>} {<E>} {<W>}`

Typesets the cards of 1 suit for all players. This command has 4 mandatory arguments defining the cards of the 4 players. There are 2 optional tokens. With `\onesuitAll*` the output is centered, with `\onesuitAll!` the cards are placed around a `NESW` compass. Without the '!' -token a small box (`□`) is used instead. Thus the macro call

`\onesuitAll{AQ6}{J3}{T54}{K2}` produces `A Q 6
K 2 □ 10 5 4 .
J 3`

Please note the order of the players in the arguments: the first 2 denote the **North** and **South** hand. The last 2 denote the **East** and **West** hand. We choose it this way so you can easily cut and paste one pair from the `\onesuitAll`, or extend `\onesuitNS` to showing all hands.

`\onesuitNS *! {<N>} {<S>}`

```
\onesuitEW \onesuitEW *! {<E>}-{<W>}
```

```
\onesuitNE \onesuitNE *! {<N>}-{<E>}
```

```
\onesuitNW \onesuitNW *! {<N>}-{<W>}
```

These commands are similar to `\onesuitAll` but have only 2 mandatory arguments.

The command `\onesuitNS{AQ3}{JT9}` typesets

A Q 3
□
J 10 9

and `\onesuitEW{8764}{K2}` will produce **K 2 □ 8 7 6 4**. Please note that at the latter the cards for the **East** hand appear in the first argument.

Finally `\onesuitNE{AQ3}{8764}` produces

A Q 3
□ 8 7 6 4

`\onesuitNW{AQ3}{K2}`

A Q 3
K 2 □

```
\suit \suit[<suit symbol>]{<cards>}
```

This command has 1 optional argument denoting a suit symbol and 1 mandatory argument, defining the cards of the suit. `\suit{AQJ7}` by default produces **A Q J 7**. When the German language is active it would produce **A D B 7**. Using the optional argument like in `\suit[\text{\textcolor{red}{D}}]{AQJ7}` will produce: **♦ A Q J 7**.

4.3.4 Showing Card Diagrams

```
\showAll \showAll **+ [<pos>]
```

```
\showNS \showNS **+ [<pos>] (<N/S>)
```

```
\showEW \showEW **+ [<pos>] (<E/W>)
```

```
\showNE \showNE **+ [<pos>]
```

```
\showNW \showNW **+ [<pos>]
```

All `show`-commands have two optional tokens, a '*' which centers the output and a '+' which also displays a `bidding` diagram next to the card diagram. This `bidding` diagram must have been defined before, see page 28. They also have one optional argument that defines the aligning. Its default is `c`. `\showAll` typesets a card diagram with the `NESW` compass with `N` in top and the hands of the 4 players surrounding it. These hands must have been defined before by calling `\northhand` etc. Hands that are not defined are left empty. Optionally some conditions (like the dealer or who is vulnerable etc.) can be added to the diagram by using the commands described in section *Diagram Conditions*. Please note that when the `North` or `South` hand contains a long suit that extends beyond the `NESW` compass, this might collide with these extra texts. You can correct that with the optional offset parameter of the condition commands (see page 17).

The other commands are similar to `\showAll` but typeset only the hands of the players that are represented in the name of the command: `N-S`, `E-W`, `N-E` and `N-W`.

The commands `\showNS` and `\showEW` have an extra optional argument with which selectively only one of the two hands can be displayed. E.g. `\showNS(S)` will display only the `South`-hand.

4.3.5 Showing Card Diagrams with Bidding

4.3.6 Diagram Conditions

```
\headlinetext \headlinetext{<text>}
```

```
\footlinetext \footlinetext{<text>}
```

These commands have 1 mandatory argument: the text that defines the annotation that is to be added to a card diagram. The text can be on more than one line, just separate them with a `\par` or `\newline`⁷. `\headlinetext` places the annotation above the diagram, `\footlinetext` below it.

```
\leftupper \leftupper[<h-offset>]{<line1>}{<line2>}{<line3>}
```

```
\leftlower \leftlower[<h-offset>]{<line1>}{<line2>}{<line3>}
```

⁷Using '`\``' instead produces a misleading error: ! Missing } inserted...

```
\rightupper[<h-offset>]{<line1>}{<line2>}{<line3>}
```

```
\rightlower[<h-offset>]{<line1>}{<line2>}{<line3>}
```

These commands have 1 optional argument (default 0pt) with which you can add some extra horizontal space if hand and legend collide, and 3 mandatory arguments: the lines of text that are added as conditions to the card diagram. Both `\leftupper` (`\rightupper`) place their text in the left- (right-) upper corner of the diagram. The top line will be aligned with the (inner) top of the diagram. `\leftlower` (`\rightlower`) are similar, but place their text at the lower corner of the diagram. The last line is aligned with the (inner) bottom of the diagram. For an empty line you must issue an empty argument. With a positive offset, `\leftupper` and `\leftlower` shift to the left whereas `\rightupper` and `\rightlower` shift to the right. I.e. they shift away from their neighbouring hand.

```
\dealer[<text>]
```

```
\vulner[<text>]
```

Both commands have 1 optional argument. If present it sets (and prints) the internal corresponding variable to this value, otherwise it only outputs the value of this internal variable.

```
\dealertext[<text>]
```

```
\vulnertext[<text>]
```

These commands have also 1 optional argument. If present e.g. `\dealertext[\North*]` this text is output in the form **Dealer: North**. If the German language is active then the call `\dealertext[\South*]` produces the text **Teiler: Süd**. Calling `\dealertext` without an argument outputs the predefined text, which can be set with `\dealer`.

Example: `\dealer[Jacob]\dealertext` produces **Dealer: Jacob**.

```
\boardnr{<Nr>}
```

The macro `\boardnr` has 1 mandatory argument. If it is a number, it is considered to be the board number. The dealer and which side is vulnerable is then calculated from it and stored in the appropriate variables. If it is not a positive integer, it is considered user-defined

text and will be stored and used *as is*.

```
\boardtext
```

```
ML \boardtext *
```

The macro `\boardtext` has 1 token and no arguments. `\boardtext` retrieves only the board number (stored by calling `\boardnr`). `\boardtext*` outputs the board number with some additional (multilingual) text. `\boardnr{23}\boardtext` produces **23** whereas `\boardtext*` would produce **Board: 23**. Note that `\boardnr` can have a non-integer argument. `\boardnr{Fun}\boardtext` produces **Fun** and with `\boardtext*` it would produce **Board: Fun**.

4.3.7 Sizing and Fonts

```
\handskip
```

```
\handskip{<length description>}
```

This command has 1 mandatory argument: a **text** describing a length. `\handskip` enlarges the distance (default `1em`) between the right-most hand and the bidding diagram. A negative value diminishes the distance.

```
\bidderfont
```

```
\bidderfont{<font description>}
```

```
\compassfont
```

```
\compassfont{<font description>}
```

```
\gamefont
```

```
\gamefont{<font description>}
```

```
\legendfont
```

```
\legendfont{<font description>}
```

```
\namefont
```

```
\namefont{<font description>}
```

```
\otherfont
```

```
\otherfont{<font description>}
```

These commands all have 1 mandatory argument: a **description** of the font to be used. In the list below the command names are typeset in their default font.

- **bidderfont**: Used for the player-names in the bidding diagram. The default is `\mdseries\sffamily`.

- **compassfont**: Used for the directions and the "midvalue" in the compass. The default is `\mdseries\sffamily`.
- **gamefont**: Used for card diagrams, hands and suits. The default is `\bfseries\sffamily`.
- **legendfont**: Used for the conditions in card diagrams. The default is `\mdseries\rmfamily`.
- **namefont**: Used for the real world names in bidding diagrams. The default is `\mdseries\slshape`.
- **otherfont**: Used for the other bridge expressions, also outside diagrams. The default is `\bfseries\sffamily`.

If a new font is defined, all relevant dimensions of the card diagrams (including the `NESW` compass, the `bidding` diagram etc.) will be recalculated. Some examples for setting the gamefont to a new value are:

- `\gamefont{\sffamily\bfseries\HUGE}` to get *HUGE* diagrams. Refer to the documentation of package `moresize` for details.
- `\legendfont{\smaller}` to diminish the text in the card diagram conditions a little. Refer to the documentation of package `relsize` for details.
- `\gamefont{\sffamily\scalefont{3}}`⁸ to typeset real big diagrams for overhead sheets

4.4 Misc

Many of the text producing macros have in common that they can produce 4 different versions of the text they represent. Normally, without any token, they produce the lowercase text. With the token `*` they produce the capitalised text. With the token `!` they produce some abbreviation of the text (if available). Finally with both tokens `*!` they produce the capitalised abbreviation of the text. What exactly is produced, is shown in the macro descriptions. In some cases it seems rather strange to have the code for an abbreviated form, i.e. `\Lead[*!]`, because it produces only the variants `lead` and `Lead`. But remember that we also support automatic translations into other languages and that in another language an abbreviation might be feasible: With the german language active `\Lead*` and `\Lead*!` produce **Ausspiel** and **Aussp.** respectively.

⁸needs package `scalefnt`

At the other hand it seems peculiar to let `\Ace!` produce `[a]` for an Ace. But we do not foresee which modern novelist might want to produce this. That's why they are defined, but 'normal' writers probably will never used it.

The short versions are primarily meant to be used within diagrams, although it is possible to get the long forms there too. Refer to page 26 for details. We show the output of such a macro `\Macro` (note the capital M!) in the form:

<code>\Macro *!</code>	<code>\Macro (\Macro*, \Macro!, \Macro*!)</code>
------------------------	--

In addition to each macro `\Macro` with its 4 variants, we also create a macro `\macro` which is defined to output the most used variant of `\Macro`:

<code>\macro</code>	most used variant of <code>\Macro</code>
---------------------	--

It is very easy to redefine `\macro`. As an example we take the macro `\ace`. Its definition is:

```
\def\ace{\Ace*!}
```

so calling `\ace` will produce `[A]`. If somewhere in your document you redefine `\ace` to be

```
\def\ace{\Ace*}
```

then `\ace` will produce `[Ace]` rather than `[A]`.

4.4.1 Honor Cards

<code>\Ace</code>	<code>ML \Ace *!</code>	<code>ace (Ace, a, A)</code>
<code>\ace</code>	<code>ML \ace</code>	<code>A</code>
<code>\King</code>	<code>ML \King *!</code>	<code>king (King, k, K)</code>
<code>\king</code>	<code>ML \king</code>	<code>K</code>
<code>\Queen</code>	<code>ML \Queen *!</code>	<code>queen (Queen, q, Q)</code>
<code>\queen</code>	<code>ML \queen</code>	<code>Q</code>

\Jack	ML \Jack *!	jack (Jack, j, J)
\jack	ML \jack	J

These commands produce the language dependent names for the honor cards. To be used primarily when adding a lead to a card diagram.

4.4.2 Variants of Basic Symbols

In section 4.2 we already described the macros for the main variant. Here we introduce the macros that handle 4 variants with a combination of the tokens * and !.

We start with the variants for \NT

\nt	ML \nt *!	no trump (No Trump, nt, NT)
-----	------------------	-----------------------------

Next we show the 4 macros for the non-bid calls:

\Pass	ML \Pass *!	pass (Pass, p, P)
\Allpass	ML \Allpass *!	all pass (All pass, ap, AP)
\Double	ML \Double *!	double (Double, X, Dbl)
\Redouble	ML \Redouble *!	redouble (ReDouble, XX, ReDbl)

Next come the 6 macros for the symbolic names of players and axes.

\North	ML \North *!	north (North, n, N)
\East	ML \East *!	east (East, e, E)
\South	ML \South *!	south (South, s, S)
\West	ML \West *!	west (West, w, W)

\NorthSouth	ML \NorthSouth *!	north–south (North–South, n–s, N–S)
-------------	--------------------------	-------------------------------------

\EastWest	ML \EastWest *!	east–west (East–West, e–w, E–W)
-----------	------------------------	---------------------------------

The 4 commands that typeset the *point-unit*

\hpts	ML \hpts *!	high card points (High Card Points, hcp, HCP)
-------	--------------------	---

\tpts	ML \tpts *!	total points (Total Points, tp, TP)
-------	--------------------	-------------------------------------

\lpts	ML \lpts *!	length points (Length Points, lp, LP)
-------	--------------------	---------------------------------------

\dpts	ML \dpts *!	distribution points (Distribution Points, dp, DP)
-------	--------------------	---

The forcing terms

\gforce	ML \gforce *!	game forcing (Game Forcing, gf, GF)
---------	----------------------	-------------------------------------

\sforce	ML \sforce *!	semi forcing (Semi Forcing, sf, SF)
---------	----------------------	-------------------------------------

\nmforce	ML \nmforce *!	new minor forcing (New Minor Forcing, nmf, NMF)
----------	-----------------------	---

\tsforce	ML \tsforce *!	third suit forcing (Third Suit Forcing, 3rd sf, 3rd SF)
----------	-----------------------	---

\fsforce	ML \fsforce *!	fourth suit forcing (Fourth Suit Forcing, 4th sf, 4th SF)
----------	-----------------------	---

4.4.3 Conditions in Diagrams

These commands produce the language dependent expressions for **All**, **None**, **by**, **Board** etc. To be used primarily in card diagrams.

\All	ML \All *!	all (All, all, All)
------	-------------------	---------------------

\all	<code>ML \all</code>	All
\None	<code>ML \None *!</code>	none (None, none, None)
\none	<code>ML \none</code>	None
\by	<code>ML \by</code>	by
\Board	<code>ML \Board *!</code>	board (Board, brd, Brd)
\board	<code>ML \board</code>	Board
\Contract	<code>ML \Contract *!</code>	contract (Contract, contr, Contr)
\contract	<code>ML \contract</code>	Contract
\Declarer	<code>ML \Declarer *!</code>	declarer (Declarer, decl, Decl)
\declarer	<code>ML \declarer</code>	Declarer
\Deal	<code>ML \Deal *!</code>	deal (Deal, deal, Deal)
\deal	<code>ML \deal</code>	Deal
\Lead	<code>ML \Lead *!</code>	lead (Lead, lead, Lead)
\lead	<code>ML \lead</code>	Lead

4.4.4 Annotations in Bidding Diagrams

\alert	<code>\alert</code>	*
--------	---------------------	---

```
\announce
```

A

These macros have no argument. With `\alert` one can mark a call that must be alerted with an asterisk (*) e.g. a weak 2NT opening with `2\NT\alert`. It produces `2NT*`. With `\announce` one can mark a bid with an 'A' (A) where an announcement is obligatory, e.g `2\He\announce` produces `2♥A`.

```
\markit
```

```
\explainit{\textit{explanation}}
```

These commands are to be used to mark a call in the bidding diagram and explain it with a kind of footnote-like mechanism, directly below the bidding diagram. Both `\markit` and `\explainit` step a counter for associating the explanation with the mark. `\markit` has no arguments; `\explainit` has one mandatory argument: the text to be displayed as explanation. `\explainit` should be called in the description part of bidding diagrams (or `expertquiz`). The text of the explanation is then typeset under the bidding diagram and has the same width. You can use newline (\\\ or `\newline`) in your text to force a new line in the explanation⁹.

4.4.5 Specials

```
\expertquiz *! [<comment>]{<award>}
```

This command displays a hand, a bidding sequence and some additional stuff. It is designed after the *Expert Quiz* column in the *Bridge Magazin* of the DBV¹⁰, the German Bridge Union.

It has 2 optional tokens: a '*' for centering and a '!' which 1) forces the bidding diagram to appear on a new line, and 2) shifts the hand a bit to the right. Next there is one optional argument with which some commentary information can be added. And finally there is 1 mandatory argument that describes the awards for certain solutions. Both the hand and the bidding must be defined before calling `\expertquiz`.

⁹Using `\par` produces the error: **Runaway argument?...**

¹⁰Deutsche Bridge Verband

One can do that by calling e.g. `\hand-` which suppresses the output of the hand.

4.4.6 Re-Initialization

```
\newgame \newgame
```

This command resets most bridge diagram data and can be used to start a new series of bridge diagrams. It is however not necessary to use `\newgame` if one enters new cards for the **North** etc. hands. The list below shows which items are reset by calling `\newgame`

- resets `\boardnr{0}`.
- resets `headlinetext` and `footlinetext`.
- resets `LeftUpperText`, `LeftLowerText`, `RightUpperText` and `RightLowerText`.
- resets `northhand`, `easthand`, `southhand` and `westhand`.
- resets `namesNS` and `namesEW`.
- resets the checks for Spades, Hearts, Diamonds and Clubs.

```
\setdefaults *\{<key1=val1>,<key2=val2>,...}
```

key	font
bidder	<code>bidderfont</code>
compass	<code>compassfont</code>
game	<code>gamefont</code>
legend	<code>legendfont</code>
name	<code>namefont</code>
other	<code>otherfont</code>

key	value
colors	<code>0 1 2 4A 4B</code>
warn	<code>off on</code>
err	<code>off on</code>

key	value
compline	<code><factor></code>
compshow	<code>off on</code>
compsize	<code><factor></code>
compturn	<code>off on</code>

key	value
bidders	<code>off on</code>
bidfirst	<code>N E S W</code>
bidline	<code>off on</code>
bidlong	<code>off on</code>

The macro `\setdefaults` uses a $\langle key \rangle = \langle val \rangle$ mechanism. The tables above show which keys are available. The underlined key values are defaults. The available keys with respect to fonts are: `bidder`,

`compass`, `game`, `legend`, `name` and `other`. In upper the table to the left the association between key and font is shown. A call e.g. `\setdefaults{name=\bfseries\scriptsize}` will set the default for the namefont to the value specified. The starred form `\setdefaults*` will also call `\resetfonts`, which effectuates any change in a new default font immediately.

In the lower table to the left you'll find the three keys that are also possible as package options. They have been described already in section 3.1.3.

The keys with respect to the compass are: `compline`, `compshow`, `compsize` and `compturn`. They are shown in the upper table to the right. With the first key one can set the linethickness of the compass frame, the default is `0.1em`. The second key controls whether the compass is shown or not. The third key controls the size of the compass, which per default is `2.5em`. With the fourth key one can rotate the letters for the **E-W** direction over 90° . The multiplication-`<factor>`, which defaults to the value `1`, can have any non-negative real value.

The keys with respect to the `bidding` diagram are: `bidders`, `bidfirst`, `bidline` and `bidlong`. They are shown in the lower table to the right. With the first key one can suppress the bidders in the bidding header. With the second key one can set which bidder appears in the first column of the diagram. The default is `w`. The third key controls whether an `\hline` is printed below the header. The fourth key switches between the long or short form of the non-bid calls, like `Pass` or `P`.

For the key-value `on` we have the synonyms `true` and `1`, for the key-value `off` we have the synonyms `false` and `0`.

`\resetfonts`

`\resetfonts`

When calling this macro, all fonts are set back to their default value. This is the value that was explicitly set by a previous call of `\setdefaults`, or to the intrinsic default value if `\setdefaults` has not been called before.

4.5 Environments

In the first place we must warn the user for a peculiarity of the package `collcell`, which is used to do some special processing in these 3 environments: *The last row must either end with a newline (\\\) or with an empty cell.*

The advantage of the `\collcell` processing is that within the `\bidding` and `\play` diagrams we can use shorthands for the suit symbols: rather than writing `3\Sp` in a bidding diagram we can also write `3S` to obtain `3 ♠`. In the `\play` diagram we could write `\HA` instead of `\He\,\Ace` and get `♥ A` as output. In `\bidding` diagrams some non-bid calls may appear in short or in long form, controlled by calling `\setdefaults{bidlong=on}`, which switches to the lang form, or `\setdefaults{bidlong=off}` which switches to the short form. These non-bid calls are coded as follows: A small `p` yields short form `p` or long form `Pass`. A capital `P` yields short form `AP` or long form `All pass`. A capital `x` yields short form `X` and long form `Double`. A capital `R` yields short form `XX` and long form `ReDouble`.¹¹

```
bidding  ML \begin{bidding} *!- [<pos>] (<description>) ... \end{bidding}
```

This environment has 3 tokens. The '*' centers the `\bidding` diagram. The '!' outputs the short form: e.g. `N` rather than the long form `North` in the table heading. The '-' completely suppresses the output. The data is stored in a savebox and can be used in other macros, e.g. in all `\showXX` macros. Next come 2 optional parameters. The first one controls the alignment (default `c`) and the second one adds the list of annotations below the `\bidding` diagram. With `\setdefaults` one can fine tune the look of the `\bidding` diagram. Refer to page 26 for details. For example

```
\begin{bidding}(\explainit{WeakTwo}\explainit{preemptive})
  2H\markit & p & 3H\markit & p \\
\end{bidding}
\quad
\setdefaults{bidlong=off}
\begin{bidding}!
  2H & p & 3H & p\\
\end{bidding}\\
```

produces

West	North	East	South	W	N	E	S
<code>2♥^a</code>	<code>Pass</code>	<code>3♥^b</code>	<code>Pass</code>	<code>2♥</code>	<code>p</code>	<code>3♥</code>	<code>p</code>

^a WeakTwo
^b preemptive

In addition to the shorthands we mentioned before, one can also use macros in the bidding and play diagrams. As long as these macros

¹¹due to the fact that `x` denotes a spotcard, we had to implement it this way

appear as 1 single token in the diagram, no special care has to be taken. But if a macro appears as multiple tokens, e.g. like the call `\Pass*`, which consists of the 3 tokens `\Pass`, `*` and `!`, then it **must** be enclosed in braces `{...}` to make it act as 1 token. Without the braces `\Pass*` will produce `pass*!`, with them `{\Pass*!}` will produce `P`. Note that although `\pass` expands to `\Pass*`, it wil produce the correct `Pass`.

```
biddingpair ML \begin{biddingpair} *!- [<pos>] (<descr>) ... \end{biddingpair}
```

This environment is essentially the same as the `bidding` environment, but here the `bidding` diagram has only two columns rather than four.

```
play ML \begin{play} * {<Lead>} [<Trump>] ... \end{play}
```

This environment has 1 token, a '`*`', which controls the centering of the table; 1 mandatory argument, denoting the opening lead and 1 optional argument which specifies the trump suit, with default: **NT**. It typesets a diagram with the sequence of playing tricks, by producing a table with 8 columns: the running number; the player who had had the lead; the 4 cards played in this trick and finally the 2 columns that show how many tricks **N-S** and **E-W** have won so far. The user has to specify only the columns 3-6, i.e. the cards that were played. Columns 1-2 and 7-8 are constructed by **OneDown**. Just as in `bidding` diagrams, also here one can denote the suit with `s`, `h`, `d`, or `c`. The winning card is automatically detected, taking into account if a suit contract or **NT** is played. The winning tricks counters are then updated automatically. Concerning consistency it is just as with hands and deals: If a card occurs more than one time, an error is raised and for missing cards a warning is issued.

```
\begin{play}{W} \\
D3 & 2 & Q & K \\
HA & 5 & 4 & J \\
C3 & 5 & K & A \\
\end{play}
```

Nº	Lead	2nd	3rd	4th		
					S	W
1	W: ♦3	2	Q	K	1	0
2	S: ♥A	5	4	J	2	0
3	S: ♣3	5	K	A	2	1

```
\begin{play}*[W] \\
D3 & 2 & Q & K \\
H4 & 5 & 4 & J \\
C3 & 5 & K & A \\
\end{play}
```

produces the same diagram, but this time horizontally centered.

Nº	Lead	2nd	3rd	4th	N S	E W
1	W: ♦3	2	Q	K	1	0
2	S: ♥A	5	4	J	2	0
3	S: ♣3	5	K	A	2	1

5 Final Remarks

5.1 Known Bugs

- Some dictionaries have questionable translations.
- The boxes in `\northhand` and `\southhand` lead to problems with shifting the **West** hand. See file `Legends` in the example bundle.

5.2 ToDo

- Check if `\def\xspace{}` is also needed in bidding...?
- Make a template for showing 16 hands on 1 DIN A4 (3x5+1 or 4x4 landscape) e.g as handout for the hands on slides.
- Read source files in PBN format. Example: <http://new.bridgekosice.sk/bridzove-diagramy-vykrelene-pomocou-tex/>

5.3 Acknowledgements

This package is based on (ideas from) the style files:

- `bridge-i` v1.0 (1995/04/16) by René Steiner and Thomas Hof.
- `kibitzer` v1.0 (1995/04/16) by René Steiner and Thomas Hof.
- `bridge` v0.1 (2012/03/18) by Antony Lee.
- `grbbridge` v2.2 (2013/12/24) by Gordon Bower.

The style file `bridge-i` is based on the style file `bridge` v1.7c (1994/12/20) by J.L. Braams, which on itself was based on an article by Kees van der Laan in TUGboat (Vol 11 (1990), No 2: p265ff).

Last but not least I want to thank all those wonderful people down there in the Internet who spent their time in answering silly questions and solving difficult problems. If I had imagined the difficulties I would encounter, then I would not have started this work. And without the help of all these, to me unknown, people, this package would not exist.

6 Implementation

6.1 Prelimaries

6.1.1 Packages we depend upon

```
1 \RequirePackage{%
2   xcolor,%
3   textcomp,%
4   moresize,%
5   relsize,%
6   makecmds,%
7   expl3,%
8   xpars,%
9   xspace,%
10  calc,%} colorizing symbols \Sp etc.
        for the numbersign in environment play.
        add \HUGE and \ssmall to font-sizes
        relative font-sizes. (e.g. \smaller)
        needed for provideenvironment
        needed for LaTeX3 packages (xpars)
        optional params and starred commands
        handling of spacing behind a command
        makes calculations and lengths easier
```

```

11  ifthen,%           easy booleans, tests and loops
12  adjustbox,%        stacked boxes in L-/R-Lower captions
13  translations,%    auto-translate terms (e.g. East->Ost)
14  array,%            actions for tabular column cells
15  colllcell,%       macro calls for tabular column cells
16  pgfopts,%          for keyval opts, loads also pgfkeys
17  environ,%          for handling bidding environments
18  xstring,%         for easy string processing.
19  tracklang,%       for iterating over loaded languages
20  pict2e,%          for drawing the compass
21 }

```

Add exceptions for xspace

```

22 \xspaceaddexceptions{%
23   = \markit \, , \suit \GetTranslation
24   2 3 4 5 6 7 8 9 T J Q K A
25 }

```

Load the fallback dictionary. This is the default one and equals the English dictionary. All other dictionaries are loaded on the fly, when needed, provided they are in the `TEX-path`.

```
26 \LoadDictionaryFor{fallback}{ODw}
```

6.1.2 Options

We use the `pgf <key>=<val>` system for our options: `colors`, `warn` and `err`.

```

27 \pgfkeys{/ODw/.is family}
28 \def\ODw@set#1{\pgfkeys{/ODw,#1}}
29 \ODw@set{colors/.is choice,}
30 \ODw@set{warn/.is choice,}
31 \ODw@set{err/.is choice,}

```

The details for option `colors` are on page 39ff and those for option `warn` and `err` on page 100.

6.1.3 Misc

\, \,

\thinspace \thinspace

We redefine `\thinspace` (originally $\frac{1}{6}\text{em}$) to a smaller amount. That makes denominations like 3\thinspace sp ($3\spadesuit$) look better. The code is from:
<https://tex.stackexchange.com/questions/181003/multiply-fine->

tuning-with-a-thinspace

This code however doesn't work when coded within an own package, unless we use `\AtBeginDocument`.

```
32 \AtBeginDocument{%
33   \renewcommand{\,}[1][1]{%
34     \ifmmode\mskip#1\thinmuskip%
35     \else\thinspace[#1]\fi%
36   }%
37   \renewcommand{\thinspace}[1][1]{%
38     \kern#1\dimexpr0.16667em\relax%
39   }%
40 }% AtBeginDocument
```

`\ODw@gsetlength` \ODw@gsetlength{<\len-name>}{<\len-value>}

We need to store the length of certain objects that are within a group (the group is needed to keep the font-size changes local). Therefore we define macro `\ODw@gsetlength` that works globally. The code is based upon a solution on LaTeX StackExchange:

(<https://tex.stackexchange.com/questions/406015/defining-macro-gsetlength-as-global-setlength-reliable>)

```
41 \gdef\ODw@gsetlength#1#2{%
42   \begingroup
43   \setlength\skip@{#2}% local assign to scratch reg.
44   \global#1=\skip@% global assignment to #1;
45   \endgroup% restore \skip@ by endgroup.
46 }% ODw@gsetlength
```

`\ODw@append` \ODw@append{<tokens>}

In the environment `play` we need to calculate the winning tricks for **N-S** and **E-W**¹². We store this information as a string in `\ODw@Scratch` and use `\ODw@append` to accumulate them.

```
47 \gdef\ODw@append#1{%
48   \bgroup%
49   \edef\tmp{\the\ODw@Scratch #1}%
50   \global\ODw@Scratch=\expandafter{\tmp}%
51   \egroup%
52 }% ODw@append
```

¹²For details see page 90

6.1.4 Variables

In this package we do use font relative sizing. That means that widths and skips are defined in terms of `\em`, `\ex` and `\baselineskip`. On the other hand there are e.g. the real world names of the bidders, that must be recorded. Some of these the user should be able to control. Rather than forcing the user to do that directly with `\def` or `\renewcommand` we store all this information in internal variables, by defining a constant command. These variables can be set by calling a user command, that is associated with the variable. E.g. the variable `\ODw@Skipwidth` gets set by the command `\handskip`. The variables we use are:

<code>\ODw@BidderFont</code>	Controlled by <code>\bidderfont</code> : the font used for the players (<code>bidding</code>).
<code>\ODw@CompassFont</code>	Controlled by <code>\compassfont</code> : the font used for the compass.
<code>\ODw@GameFont</code>	Controlled by <code>\gamefont</code> : the font used for all card diagrams
<code>\ODw@LegendFont</code>	Controlled by <code>\legendfont</code> : the font used for the annotations.
<code>\ODw@NameFont</code>	Controlled by <code>\namefont</code> : the font used for the real world names.
<code>\ODw@OtherFont</code>	Controlled by <code>\otherfont</code> : the font used for other bridge expressions, also outside diagrams.
<code>\ODw@BidderDefault</code>	These contain the default values for the fonts
<code>\ODw@CompassDefault</code>	
<code>\ODw@GameDefault</code>	
<code>\ODw@LegendDefault</code>	
<code>\ODw@NameDefault</code>	
<code>\ODw@OtherDefault</code>	
<code>\ODw@North@Name</code>	Controlled by <code>\namesNS</code> : hold the real world names of the North and the South player.
<code>\ODw@South@Name</code>	
<code>\ODw@East@Name</code>	Controlled by <code>\namesEW</code> : hold the real world names of the East and the West player. These names are typeset using the font specified with <code>\namefont</code> .
<code>\ODw@West@Name</code>	
<code>\ODw@BoardText</code>	Controlled by <code>\boardtext</code> : holds the board number and extra text.
<code>\ODw@HeaderText</code>	Controlled by <code>\headlinetext</code> : holds header information for card diagrams.
<code>\ODw@FooterText</code>	Controlled by <code>\footlinetext</code> : holds footer information for card diagrams.
<code>\ODw@Last</code>	Used in command <code>\ODw@Tricks</code> : to store the player that had the lead ¹³ .
<code>\ODw@Skipwidth</code>	Controlled by <code>\handskip</code> : holds the distance between hand and bidding diagram.

¹³see page 89

```

53 \def\ODw@CompSize{1}% factor to enlarge the compass
54 \def\ODw@CompLine{}% thickness of compass frame
55 \def\ODw@Skipwidth{1em}%

```

6.1.5 Booleans, Saveboxes, Lengths, Counters and Registers

6.1.5.1 Booleans

\ifODw@description	\ifODw@description is used in the bidding environments and the command \expertquiz to test if there is an annotation that should be written.
\ifODw@short	\ifODw@short is used in the bidding environments and the command \expertquiz to denote if a short form of the diagram header is to be used.
\ifODw@monochrome	\ifODw@monochrome flags the case that the user specified colors=0 or colors=1, i.e. just black and white. In this situation we will not print the vulnerable side in red, but use italics instead.
\ifOdW@CardSkip	\ifOdW@CardSkip determines whether we need some extra space between card ranks (i.e. in suit descriptions) or not (i.e. in bidding or play diagrams).
\ifOdW@Bidders	\ifODw@Bidders suppresses the bidders in the bidding header.
\ifOdW@BidLine	\ifODw@BidLine draw a \hline below the bidding header.
\ifOdW@LongCalls	\ifODw@LongCalls determines whether to use the short (like N) or the long form (like North) for calls in the bidding diagram.
\ifOdW@CompShow	With \ifODw@CompShow one can suppress drawing a compass within card diagramms completely.
\ifOdW@CompTurn	With \ifODw@CompTurn one rotates letters E and W in the compass 90°.

```

56 \newif\ifODw@description% must typeset an annotation
57 \newif\ifODw@short%      short form in bidding header
58 \newif\ifODw@monochrome% no colors wanted
59 \newif\ifOdW@CardSkip%    skip between ranks needed

```

The next booleans are directly controlled by \setdefaults.

```

60 \newif\ifODw@Bidders%    suppress bidders in bidding header
61 \newif\ifODw@BidLine%     draw \hline below bidding header
62 \newif\ifODw@LongCalls%   switch between long/short calls
63 \newif\ifODw@CompShow%    show compass or not
64 \newif\ifODw@CompTurn%   turn E-W letters 90°

```

\ODw@EmptyHeader
\ODw@EmptyFooter Since there seems to be a problem in using \ifthenelse¹⁴ in particular places, these booleans are set by calling ODw@TestIfEmpty (which uses

¹⁴ifthenelse bites multicolumn!

an ordinary `\ifthenelse`) *outside* the dangerous places, and then use e.g. `\ifODw@EmptyHeader` as a test whether the header is empty or not.

```
65 \newboolean{ODw@EmptyHeader} = 'header is empty'
66 \newboolean{ODw@EmptyFooter} = 'footer is empty'
```

6.1.5.2 Saveboxes

- `\ODw@Diagram@Box` `\ODw@Diagram@Box` is to store the actual card diagram (the compass with the hands) in order to calculate its width.
- `\ODw@BidBox` `\ODw@BidBox` stores a bidding diagram.
- `\ODw@Hand@Box` `\ODw@Hand@Box` stores a hand with the 4 suits.
 - 67 `\newsavebox\ODw@Diagram@Box`
 - 68 `\newsavebox\ODw@Hand@Box`
 - 69 `\newsavebox\ODw@BidBox`

6.1.5.3 Lengths

- `\ODw@Bid@Width` Is used to store the actual width of the bidding diagram.
- `\ODw@Card@Skip` Defines space between adjacent cards in suits.
- `\ODw@Diagram@Width` Defines the width of compass plus (**E-W**) hands.
- `\ODw@Skip@Width` Defines the distance between the card diagram and the bidding diagram.
- `\ODw@Tmp@Len`
- `\ODw@Tmp@Width` Auxiliary lengths, used in several calculations.
 - 70 `\newlength\ODw@Compasssize%` the size of the compass.
 - 71 `\newlength\ODw@Diagram@Width`
 - 72 `\newlength\ODw@Card@Skip`
 - 73 `\setlength\ODw@Card@Skip{.15em} %` space between cards
 - 74 `\newlength\ODw@Bid@Width`
 - 75 `\newlength\ODw@Skip@Width`
 - 76 `\setlength\ODw@Skip@Width{\ODw@Skipwidth}`
 - 77 `\newlength\ODw@Tmp@Len%` temp var for computations
 - 78 `\newlength\ODw@Tmp@Width%` temp var for computations

6.1.5.4 Counters

- `ODw@Nr` Counts lines (in play diagrams) and explanations (in bidding diagrams).
 - 79 `\newcounter{ODw@Nr}`
- `ODw@Cnt` Auxiliary counter, used in several calculations.
 - 80 `\newcounter{ODw@Cnt}`

<code>\ODw@PlayerNr</code>	Set to the player that won the trick in environment <code>play</code> . 81 <code>\newcounter{\ODw@PlayerNr}</code>
<code>\ODw@NSCnt</code>	Holds the number of N-S tricks in environment <code>play</code> . 82 <code>\newcounter{\ODw@NSCnt}</code>
<code>\ODw@EWCnt</code>	Holds the number of E-W tricks in environment <code>play</code> . 83 <code>\newcounter{\ODw@EWCnt}</code>

6.1.5.5 Registers

<code>\ODw@Scratch</code>	Temporary store for winning tricks in environment <code>play</code> . 84 <code>\newtoks{\ODw@Scratch}</code>
---------------------------	---

6.1.6 Fonts

6.1.6.1 Text Fonts

Here we merely define the commands to set the default fonts. At the end of this .sty file they are set to their value. Refer to section 6.10 for details.

<code>\bidderfont</code> <code>\ODw@BidderFont</code>	The font used to indicate the symbolic player (N, E, S, W) in bidding diagrams. The default is <code>\mdseries\sffamily</code> . 85 <code>\newcommand\biddingfont[1]{\gdef\ODw@BidderFont{#1}}</code>
<code>\compassfont</code> <code>\ODw@CompassFont</code>	The font used to indicate the directions (N, E, S, W) in the compass. The default is <code>\mdseries\sffamily</code> . 86 <code>\newcommand\compassfont[1]{\gdef\ODw@CompassFont{#1}}</code>
<code>\namefont</code> <code>\ODw@NameFont</code>	The font used for the real world names of the players in bidding diagrams. The default is <code>\mdseries\slshape</code> . 87 <code>\newcommand\namefont[1]{\gdef\ODw@NameFont{#1}}</code>
<code>\legendfont</code> <code>\ODw@LegendFont</code>	The font used for the conditions in card diagrams. The default is <code>\mdseries\rmfamily</code> . 88 <code>\newcommand\legendfont[1]{\gdef\ODw@LegendFont{#1}}</code>
<code>\otherfont</code> <code>\ODw@OtherFont</code>	The font used for the other bridge expressions like <code>\north</code> , <code>\pass</code> or <code>\double</code> . The default is <code>\bfseries\sffamily</code> . 89 <code>\newcommand\otherfont[1]{\gdef\ODw@OtherFont{#1}}</code>
<code>\gamefont</code>	The font for the hands and calls. It sets the general font-size/widths for the game. The default is <code>\bfseries\sffamily</code> .

- \ODw@GameFont We use widths that are dynamically adjusted at font changes and store the 'value' as text in \ODw@GameFont.
- \ODw@GameSize \ODw@GameSize recalculates these sizes and is called in all show- and bid-diagrams.

```

90 \newcommand\gamefont[1]{%
91   \gdef\ODw@GameFont{\#1}%
92   \gdef\ODw@GameSize{\% recalculate dimens for the new font
93     \ODw@GameFont\%
94     \setlength\ODw@Skip@Width{\ODw@Skipwidth}\%
95   }%
96 }% gamefont

```

6.1.6.2 Symbol Font

We need special symbols to get solid colored \heartsuit and \spadesuit , rather than \heartsuit and \diamond . We use those from `stix`. As the shape of the 'normal' black suits differ from the red ones we also take the black suits from the font `stix`. First we define the symbols and font. As we do not want to load the complete package, we only use the relevant piece of code found in `txfont.sty`:

```

97 \fontencoding{T1}\fontfamily{stix}
98 \fontseries{m}\fontshape{n}\selectfont
99 %
100 % Code stolen from txfonts.sty.
101 % It works smoothly: thank you guys!
102 %
103 \DeclareSymbolFont{symbols}{OMS}{txsy}{m}{n}
104 \SetSymbolFont{symbols}{bold}{OMS}{txsy}{bx}{n}
105 \DeclareFontSubstitution{OMS}{txsy}{m}{n}
106 \DeclareSymbolFont{symbolsC}{U}{txsyc}{m}{n}
107 \SetSymbolFont{symbolsC}{bold}{U}{txsyc}{bx}{n}
108 \DeclareFontSubstitution{U}{txsyc}{m}{n}

\ODw@spadesuit
109 \DeclareMathSymbol{\ODw@spadesuit}{\mathord}{symbols}{127}

\ODw@varheart
110 \DeclareMathSymbol{\ODw@varheart}{\mathord}{symbolsC}{114}

\ODw@vardiamond
111 \DeclareMathSymbol{\ODw@vardiamond}{\mathord}{symbolsC}{113}

```

```
\ODw@clubsuit
112 \DeclareMathSymbol{\ODw@clubsuit}{\mathord}{symbols}{124}
```

6.2 Bridge Basic Terms

6.2.1 Suit Symbols

First we supply shorthands for the ‘five’ suits (\clubsuit , \diamondsuit , \heartsuit , \spadesuit and **NT**) that are used in the game of bridge. We define the international version with the English shortcuts. We use the `xcolor` package to colorize the suit symbols. The color can be set as an $\langle key \rangle = \langle val \rangle$ option when loading the package. The option `colors=0` means mono-color (black only), synonyms of key 0 are `mono` and `black`. `colors=1` means black and white, a synonym is `b+w`. `colors=2` means bi-color (black and red), with synonym `b+r`. `colors=4A` gives qua-color (green, orange, red and blue); synonyms are `fourA` and `4a`. Finally `colors=4B` defines the second qua-color (black, orange, red and green) with synonyms `fourB` and `4b`.

We precede all the suit symbols with a ‘very-thin-space’ ($\text{ }, [0.3]$) which is 0.3 the size of a normal `\thinspace`.

In order to test which suit (`\c1, ...`) was encountered in `\ODw@translate`¹⁵ we *must* define the suits with a `renewrobustcommand`. So we must `\def` them first.

```
113 % \def them first and then use renewrobustcmd!
114 \def\C1{}\def\Di{}\def\He{}\def\Sp{}%
115 \ODw@set{%
116   colors/0/.code={%
117     \ODw@monochrometrue%
118     \renewrobustcmd\C1{\textcolor{black}{}}%
119     {\text{ }, [0.3]\ensuremath{\ODw@clubsuit}\text{xspace}}%
120     \renewrobustcmd\Di{\textcolor{black}{}}%
121     {\text{ }, [0.3]\ensuremath{\ODw@vardiamond}\text{xspace}}%
122     \renewrobustcmd\He{\textcolor{black}{}}%
123     {\text{ }, [0.3]\ensuremath{\ODw@varheart}\text{xspace}}%
124     \renewrobustcmd\Sp{\textcolor{black}{}}%
125     {\text{ }, [0.3]\ensuremath{\ODw@spadesuit}\text{xspace}}%
126   }%
127 }
128 \ODw@set{colors/mono/.code={\pgfkeys{/ODw/colors=0}}}
129 \ODw@set{colors/black/.code={\pgfkeys{/ODw/colors=0}}}
130 %
```

¹⁵ see page 45

```

131 \ODw@set{%
132   colors/1/.code={%
133     \ODw@monochrometrue%
134     \renewrobustcmd\Cl{\textcolor{black}}%
135     {\\",[0.3]\ensuremath{\ODw@clubsuit}\}\xspace}%
136     \renewrobustcmd\Di{\\",[0.3]\ensuremath{\diamondsuit}\}\xspace}%
137     \renewrobustcmd\He{\\",[0.3]\ensuremath{\heartsuit}\}\xspace}%
138     \renewrobustcmd\Sp{\textcolor{black}}%
139     {\\",[0.3]\ensuremath{\ODw@spadesuit}\}\xspace}%
140   }%
141 }
142 \ODw@set{colors/b+w/.code={\pgfkeys{/ODw/colors=1}}}
143 %
144 \ODw@set{%
145   colors/2/.code={%
146     \ODw@monochromefalse%
147     \renewrobustcmd\Cl{\textcolor{black}}%
148     {\\",[0.3]\ensuremath{\ODw@clubsuit}\}\xspace}%
149     \renewrobustcmd\Di{\textcolor{red}}%
150     {\\",[0.3]\ensuremath{\ODw@vardiamond}\}\xspace}%
151     \renewrobustcmd\He{\textcolor{red}}%
152     {\\",[0.3]\ensuremath{\ODw@varheart}\}\xspace}%
153     \renewrobustcmd\Sp{\textcolor{black}}%
154     {\\",[0.3]\ensuremath{\ODw@spadesuit}\}\xspace}%
155   }%
156 }
157 \ODw@set{colors/b+r/.code={\pgfkeys{/ODw/colors=2}}}
158 %
159 \ODw@set{%
160   colors/4A/.code={%
161     \ODw@monochromefalse%
162     \renewrobustcmd\Cl{\textcolor{green}}%
163     {\\",[0.3]\ensuremath{\ODw@clubsuit}\}\xspace}%
164     \renewrobustcmd\Di{\textcolor{orange}}%
165     {\\",[0.3]\ensuremath{\ODw@vardiamond}\}\xspace}%
166     \renewrobustcmd\He{\textcolor{red}}%
167     {\\",[0.3]\ensuremath{\ODw@varheart}\}\xspace}%
168     \renewrobustcmd\Sp{\textcolor{blue}}%
169     {\\",[0.3]\ensuremath{\ODw@spadesuit}\}\xspace}%
170   }%
171 }
172 \ODw@set{colors/fourA/.code={\pgfkeys{/ODw/colors=4A}}}
173 \ODw@set{colors/4a/.code={\pgfkeys{/ODw/colors=4A}}}

```

```

174 %
175 \ODw@set{%
176   colors/4B/.code={%
177     \ODw@monochromefalse%
178     \renewrobustcmd\Cl{\textcolor{black}%
179       {\\", [0.3]\ensuremath{\ODw@clubsuit}}\xspace}%
180     \renewrobustcmd\Di{\textcolor{orange}%
181       {\\", [0.3]\ensuremath{\ODw@vardiamond}}\xspace}%
182     \renewrobustcmd\He{\textcolor{red}%
183       {\\", [0.3]\ensuremath{\ODw@varheart}}\xspace}%
184     \renewrobustcmd\Sp{\textcolor{green}%
185       {\\", [0.3]\ensuremath{\ODw@spadesuit}}\xspace}%
186     }%
187   }
188 \ODw@set{colors/fourB/.code={\pgfkeys{/ODw/colors=4B}}}
189 \ODw@set{colors/4b/.code={\pgfkeys{/ODw/colors=4B}}}

```

- \nt Because some languages use a different symbol for **NT (No Trump)**
- \nt we must look it up in the dictionary to find e.g. **SA (Sans Atout)** for German.

```

190 \NewDocumentCommand\nt{s t!}{%
191   \bgroup%
192   \ODw@OtherFont%
193   \IfBooleanTF#1{%
194     \IfBooleanTF#2
195       {\\", [0.3]\GetTranslation{NT-(ODw)}}%
196       {\GetTranslation{No Trump-(ODw)}}%
197     }{%
198     \IfBooleanTF#2
199       {\\", [0.3]\GetTranslation{nt-(ODw)}}%
200       {\GetTranslation{no trump-(ODw)}}%
201     }%
202   \egroup%
203   \xspace%
204 }% nt

```

Define a practical shorthand to produce **NT** without the need to add a token.

```
205 \def\NT{\nt*!}
```

\ODw@SetRank

\ODw@SetRank{\(card rank)}

\ODw@SetRank stores the rank of the card played in \ODw@Rank. This is

essentially the intrinsic rank of the card (2 for a 2 , 14 for an Ace), but there are special cases:

- Spot cards (denoted with x) always get rank 0
- Discards always get rank 0
- Trump cards get 15 (15 to ensure that a spot trump card defeats an Ace) added to the intrinsic rank, to make sure that:
 - A trump card will defeat all other cards
 - The highest trump card will win the trick

We first define three variables, one to store the suit of the actual card, the second one to store which suit was led and the last variable to store which suit is the trump suit, all initialized with the '**NT**-suit'.

```

206 \gdef\ODw@SuitPlayed{N}
207 \gdef\ODw@SuitLead{N}
208 \gdef\ODw@TrumpSuit{N}
209 \newcounter{ODw@Rank}

210 \def\ODw@SetRank#1{%
211   \ifthenelse{\equal{\ODw@SuitPlayed}{\ODw@SuitLead}}{%
212     % if a suit is followed, store the intrinsic rank
213     {\setcounter{ODw@Rank}{#1}}%
214     {% else, if a suit is not followed then ...
215       % (at NoTrump, the trumpsuit is coded 'N' and will
216       % never match a real suit (coded C, D, H and S))
217       % thus avoiding that trump cards are detected
218       \ifthenelse{\equal{\ODw@SuitPlayed}{\ODw@TrumpSuit}}{%
219         % if it is a trump card, increase the rank
220         {\setcounter{ODw@Rank}{#1}}%
221         \addtocounter{ODw@Rank}{15}}%
222         % if it is a discard, set the rank to 0 to make
223         % sure it will never win
224         {\setcounter{ODw@Rank}{0}}%
225       }%
226       % If the card was of another suit,
227       % then ODw@SuitPlayed was changed.
228       % If we encounter 'unsuited' cards,
229       % then we must reestablish the
230       % original ODw@SuitPlayed.
231       \global\edef\ODw@SuitPlayed{\ODw@SuitLead}% org. suit
232   }% ODw@SetRank

```

\ODw@Xfer \ODw@Xfer{*(tokens)*}

This macro gets called by `\ODw@Tfer` which is automatically called in the environments `play`, `bidding` and `biddingpair` by means of `columntype P` and `columntype B` to convert at one hand the shorthand suit code in suit symbols and at the other hand to translate card honors into the active language. It also converts the card value `T` into 10 and a hyphen into an en-dash. It calls `\ODw@translate` to do the work.

The following code was contributed on StackExchange by egreg, see https://tex.stackexchange.com/questions/417731/problem-with-xstring-ifeqcase-case-falls-thru/417788?noredirect=1#comment1045001_417788

```

233 \ExplSyntaxOn
234 % NB: now all spaces are ignored, use '~~' if needed.
235 \NewDocumentCommand{\ODw@Xfer}{m}{
236   \bgroup
237   % we do not want spaces here
238   \def\xspace{}
239   \tl_map_function:nN {#1} \ODw@translate:n
240   \egroup
241 }% \ODw@Xfer

```

`\ODw@translate` `\ODw@translate{(tokens)}`

`\ODw@translate` processes a (relatively short) string of tokens that determine an entry in `bidding` or `play` diagrams, and also in all situations where suits are defined. It gets called by `\ODw@Xfer`.

It expects bridge stuff describing strings like `AKT54` to produce the suit **A K 10 5 2**, `2H\alert` to produce the call `2\heartsuit*` in the `bidding` diagram, or `DA` to produce `\diamond A` as entry in the `play` diagram to show that the ace of diamonds was played. Please note that constructs like `\textit{DA}` or `\frame{2H}` are not allowed and will produce rather misleading errors like:

`! Argument of \ODw@translate:n has an extra }`. or
`! Missing number, treated as zero.`

Even clever people who use `\frame{2H}` will get disappointed, because they'll get `2H` rather than the wanted `2\heartsuit`. But the very clever people can reach their goal by using `\frame{2\heartsuit}` or `\textit{\Di A}`.

```

242 \cs_new_protected:Nn \ODw@translate:n
243 {
244   \setcounter{ODw@Rank}{0}
245   \str_case:nnTF {#1}

```

```

246 { % Store the suit of the card played
247   % needed to determine the winner
248   % and for checking for multiple cards
249   {C}\gdef\ODw@SuitPlayed{C}
250   {D}\gdef\ODw@SuitPlayed{D}
251   {H}\gdef\ODw@SuitPlayed{H}
252   {S}\gdef\ODw@SuitPlayed{S}
253   {N}\gdef\ODw@SuitPlayed{N}
254 % Translate a hyphen into an en-dash
255 {-}{--}
256 %
257 % 1: translate the honour cards,
258 % 2: store the played cards for checking
259 % 3: and set their rank. This must be done last, because
260 % \ODw@SetRank resets \ODw@SuitPlayed to \ODw@SuitLead
261 % Honour Cards
262 %      1           2
263 {A}\Ace*!\ODw@AppendCard{\ODw@SuitPlayed}{A}
264   \ODw@SetRank{14}%
265 {K}\King*!\ODw@AppendCard{\ODw@SuitPlayed}{K}
266   \ODw@SetRank{13}%
267 {Q}\Queen*!\ODw@AppendCard{\ODw@SuitPlayed}{Q}
268   \ODw@SetRank{12}%
269 {J}\Jack*!\ODw@AppendCard{\ODw@SuitPlayed}{J}
270   \ODw@SetRank{11}%
271 {T}\kern-0.1em1\kern-0.1em0% massage 1 and 0 a bit
272   \ODw@AppendCard{\ODw@SuitPlayed}{T}\ODw@SetRank{10}%
273 % Numeral Cards
274 {9}\ODw@AppendCard{\ODw@SuitPlayed}{9}\ODw@SetRank{9}%
275 {8}\ODw@AppendCard{\ODw@SuitPlayed}{8}\ODw@SetRank{8}%
276 {7}\ODw@AppendCard{\ODw@SuitPlayed}{7}\ODw@SetRank{7}%
277 {6}\ODw@AppendCard{\ODw@SuitPlayed}{6}\ODw@SetRank{6}%
278 {5}\ODw@AppendCard{\ODw@SuitPlayed}{5}\ODw@SetRank{5}%
279 {4}\ODw@AppendCard{\ODw@SuitPlayed}{4}\ODw@SetRank{4}%
280 {3}\ODw@AppendCard{\ODw@SuitPlayed}{3}\ODw@SetRank{3}%
281 {2}\ODw@AppendCard{\ODw@SuitPlayed}{2}\ODw@SetRank{2}%
282 % A spot card has rank 0
283 {x}{x\ODw@SetRank{0}}
284 %
285 % Non cards (bidding only)
286 {1}{1}% this enables e.g. 1\He in biddings
287 {p}{\ifODw@LongCalls\Pass*\else\Pass!\fi}
288 {P}{\ifODw@LongCalls\Allpass*\else\Allpass*\!\fi}

```

```

289      {X}{\ifODw@LongCalls\Double*\else\Double!\fi}
290      {R}{\ifODw@LongCalls\Redouble*\else\Redouble!\fi}
291  }% case
292  {%
293    if matched (case T(rue))
294    \ifOdW@CardSkip\hspace{\ODw@Card@Skip}\fi
295  % suit of 1st card (\ODw@SuitLead) is \ODw@SuitPlayed
296    \if\theODw@PlayerNr1
297    \global\edef\ODw@SuitLead{\ODw@SuitPlayed}
298  \fi
299 }

```

We offer the possibility that one can use also \He in bidding and play diagrams rather than just the abbreviation h. Therefore we must test which suit was given and set \ODw@SuitPlayed accordingly. To make this test work, we had to redefine the suit macros with an \renewrobustcmd. Here we also issue \expandafter{#1} rather than just #1. Otherwise, among others, the coloring of the suit symbol would extend behind it. Curiously enough the phenomena does not occur anymore. I leave the expandafter in, until this is cleared.

```

299  {% if not matched (case F(alse))
300    \ifx#1\Cl\gdef\ODw@SuitPlayed{C}\fi
301    \ifx#1\Di\gdef\ODw@SuitPlayed{D}\fi
302    \ifx#1\He\gdef\ODw@SuitPlayed{H}\fi
303    \ifx#1\Sp\gdef\ODw@SuitPlayed{S}\fi
304    \expandafter{#1}% enables e.g. 1\He
305  % suit of 1st card (\ODw@SuitLead) is \ODw@SuitPlayed
306    \if\theODw@PlayerNr1
307    \global\edef\ODw@SuitLead{\ODw@SuitPlayed}
308  \fi
309 }
310 }% \ODw@translate
311 \ExplSyntaxOff

```

\ODw@AppendCard

\ODw@AppendCard{<suit>}{{<card>}}

In order to do a simple consistency check in play diagrams, we need to store the cards that were played. We do that for each suit in the variable \ODw@<suit>. This macro is called in \ODw@translate, i.e. for all situations where cards are to be manipulated. But the result of \ODw@AppendCard is used only within play diagrams. The macro \ODw@appendcard appends 1 character to a string.

312 %

```

313 \newcommand{\ODw@appendcard}[2]{\xdef#1{#1#2}}
314
315 \newcommand\ODw@AppendCard[2]{%
316   \IfEqCase{#1}{%
317     {C}{\ODw@appendcard{\ODw@Clubs}{#2}}%
318     {D}{\ODw@appendcard{\ODw@Diamonds}{#2}}%
319     {H}{\ODw@appendcard{\ODw@Hearts}{#2}}%
320     {S}{\ODw@appendcard{\ODw@Spades}{#2}}%
321   }%
322 }% \ODw@AppendCard

```

\ODw@PTfer

`\ODw@PTfer{<tokens>}`

This macro is called within `play` diagrams where we can write `HA` and get `♥A`. Also all relevant symbols get translated into the active language. We use the counter `ODw@PlayerNr` to determine the column in the `play` diagrams with the winning card, and from this we can compute which player won the trick. `\ODw@PTfer` is essentially called for each entry in all columns of the `play` diagram through the column definition:

```

\newcolumntype{P}{>{\collectcell\ODw@PTfer}c<{\endcollectcell}}

```

We first define two counters, both initially set to zero.

```

323 \newcounter{ODw@Highest}%      the highest rank until now
324 \setcounter{ODw@Highest}{0}
325 \newcounter{ODw@WinningNr}%    player with the highest rank
326 \setcounter{ODw@WinningNr}{0}
327
328 \def\ODw@PTfer#1{%
329   \stepcounter{ODw@PlayerNr}%
330   \ODw@Xfer{#1}% ODw@Rank = the rank for this card
331   \ifthenelse{\value{ODw@Rank} > \value{ODw@Highest}}{%
332     {% This rank is higher than previous highest one
333       \setcounter{ODw@WinningNr}{\theODw@PlayerNr}%
334       \setcounter{ODw@Highest}{\theODw@Rank}%
335     }%
336   }%
337   \ifthenelse{\value{ODw@PlayerNr} = 4}{%
338     {% last player: Process the winning trick:
339       \stepcounter{ODw@Nr}% Start new row with new player
340       \ODw@AccTricks%      Accumulate tricks for N-S/E-W
341     }%
342   }%
343 }

```

```
\ODw@FTfer {<tokens>}
```

`\ODw@FTfer` is called for the first column of the `play` diagram TableII. In `\ODw@Tricks` it just resets `ODw@PlayerNr` and `\ODw@Last` and writes the player who leads. Finally it processes the entry of the first column by calling `\ODw@PTfer`. `\ODw@FTfer` is essentially called for the entries in the first column of TableII in the `play` diagram through the column definition:

```
\newcolumntype{F}{>{\collectcell\ODw@FTfer}c<{\endcollectcell}}  
344 \def\ODw@FTfer#1{  
345   \ODw@Tricks%  
346   \ODw@PTfer{#1}%  
347 }% ODw@FTfer
```

```
\ODw@BTfer {<tokens>}
```

This macro is called within `bidding` diagrams and enables us to type `1C\announce` and get `1♣A`. The symbols get translated into the active language. `\ODw@BTfer` is essentially called for each entry in the `bidding` diagrams through:

```
\newcolumntype{B}{>{\collectcell\ODw@BTfer}c<{\endcollectcell}}
```

As there is no special processing for the bidding entries, we call `\ODw@Xfer` right away to do the job.

```
348 \def\ODw@BTfer#1{  
349   \ODw@Xfer{#1}%  
350 }
```

6.2.2 Names of Directions and Axes

```
\North { ! }
```

```
\north
```

```
351 \NewDocumentCommand\North{s t!}{%  
352   \bgroup%  
353   \ODw@OtherFont%  
354   \IfBooleanTF#1{  
355     \IfBooleanTF#2{\ODw@N*}{\ODw@North*}%  
356   }{  
357     \IfBooleanTF#2{\ODw@N}{\ODw@North}%  
358   }% TF#1
```

```
359 \egroup%
360 \xspace%
361 }% North
362 %
363 \def\north{\North*}
```

\East ***!**

\east

```
364 \NewDocumentCommand\East{s t!}{%
365 \bgroup%
366 \ODw@OtherFont%
367 \IfBooleanTF#1{%
368 \IfBooleanTF#2{\ODw@E*}{\ODw@East*}%
369 }{%
370 \IfBooleanTF#2{\ODw@E}{\ODw@East}%
371 }% TF#1
372 \egroup%
373 \xspace%
374 }% East
375 %
376 \def\east{\East*}
```

\South ***!**

\south

```
377 \NewDocumentCommand\South{s t!}{%
378 \bgroup%
379 \ODw@OtherFont%
380 \IfBooleanTF#1{%
381 \IfBooleanTF#2{\ODw@S*}{\ODw@South*}%
382 }{%
383 \IfBooleanTF#2{\ODw@S}{\ODw@South}%
384 }% TF#1
385 \egroup%
386 \xspace%
387 }% South
388 %
389 \def\south{\South*}
```

```
\West \West *
```

```
\west \west
```

```
390 \NewDocumentCommand\West{s t!}{%
391   \bgroup%
392   \ODw@OtherFont%
393   \IfBooleanTF#1{%
394     \IfBooleanTF#2{\ODw@W*}{\ODw@West*}%
395   }{%
396     \IfBooleanTF#2{\ODw@W}{\ODw@West}%
397   }% TF#1
398   \egroup%
399   \xspace%
400 }% West
401 %
402 \def\west{\West*}
```

```
\NorthSouth \NorthSouth *
```

```
\northsouth \northsouth
```

```
403 \NewDocumentCommand\NorthSouth{s t!}{%
404   \bgroup%
405   \ODw@OtherFont%
406   \IfBooleanTF#1{%
407     \IfBooleanTF#2{\North*!--\South*!}{\North*--\South*}%
408   }{%
409     \IfBooleanTF#2{\North!--\South!}{\North--\South}%
410   }%
411   \egroup%
412   \xspace%
413 }% NorthSouth
414 %
415 \def\northsouth{\NorthSouth*}
```

```
\EastWest \EastWest *
```

```
\eastwest \eastwest
```

```
416 \NewDocumentCommand\EastWest{s t!}{%
417   \bgroup%
```

```

418      \ODw@OtherFont%
419      \IfBooleanTF#1{%
420          \IfBooleanTF{#2}{\East*!--\West*!}{\East*--\West*}%
421      }{%
422          \IfBooleanTF{#2}{\East!--\West!}{\East--\West}%
423      }%
424      \egroup%
425      \xspace%
426 }% EastWest
427 %
428 \def\eastwest{\EastWest*}

```

Next we define macros that translate the short form of the directions into the active language.

```

\ODw@N
\ODw@E 429 \def\ODw@N{%
\ODw@S 430   \c@ifstar{\GetTranslation{N-(ODw)}}{%
\ODw@W 431       {\GetTranslation{n-(ODw)}}%
432   }%
433 \def\ODw@E{%
434   \c@ifstar{\GetTranslation{E-(ODw)}}{%
435       {\GetTranslation{e-(ODw)}}%
436   }%
437 \def\ODw@S{%
438   \c@ifstar{\GetTranslation{S-(ODw)}}{%
439       {\GetTranslation{s-(ODw)}}%
440   }%
441 \def\ODw@W{%
442   \c@ifstar{\GetTranslation{W-(ODw)}}{%
443       {\GetTranslation{w-(ODw)}}%
444   }%

```



```

\ODw@NS
\ODw@EW 445 \def\ODw@NS{\ODw@N--\ODw@S}
446 \def\ODw@EW{\ODw@E--\ODw@W}

```



```

\ODw@North
\ODw@East 447 \def\ODw@North{%
\ODw@South 448   \c@ifstar{\GetTranslation{North-(ODw)}}{%
\ODw@West 449       {\GetTranslation{north-(ODw)}}%
450   }%
451 \def\ODw@East{%
452   \c@ifstar{\GetTranslation{East-(ODw)}}{%

```

```

453           {\GetTranslation{east-(ODw)}}%
454 }
455 \def\ODw@South{%
456   \@ifstar{\GetTranslation{South-(ODw)}}{%
457     {\GetTranslation{south-(ODw)}}%
458   }%
459 \def\ODw@West{%
460   \@ifstar{\GetTranslation{West-(ODw)}}{%
461     {\GetTranslation{west-(ODw)}}%
462   }%

```

6.2.3 Non-Bid Calls

\Pass \Pass *

\pass \pass

```

463 \NewDocumentCommand\Pass{s t!}{%
464   \bgroup%
465   \ODw@OtherFont%
466   \IfBooleanTF{#1}{%
467     \IfBooleanTF{#2}{%
468       {\GetTranslation{Pass!-(ODw)}}%
469       {\GetTranslation{Pass-(ODw)}}%
470     }{%
471       \IfBooleanTF{#2}{%
472         {\GetTranslation{pass!-(ODw)}}%
473         {\GetTranslation{pass-(ODw)}}%
474       }% TF#1
475       \egroup%
476       \xspace%
477 }% Pass
478 %
479 \def\pass{\Pass*}

```

\Allpass \Allpass *

\allpass \allpass

```

480 \NewDocumentCommand\Allpass{s t!}{%
481   \bgroup%
482   \ODw@OtherFont%

```

```

483 \IfBooleanTF{#1}{%
484   \IfBooleanTF{#2}{%
485     {\GetTranslation{AP-(ODw)}}%
486     {\GetTranslation{All pass-(ODw)}}}%
487 }{%
488   \IfBooleanTF{#2}{%
489     {\GetTranslation{ap-(ODw)}}}%
490     {\GetTranslation{all pass-(ODw)}}}%
491 }% TF#1
492 \egroup%
493 \xspace%
494 }% Allpass
495 %
496 \def\allpass{\Allpass*}

```

\Double \Double *!

\double \double

```

497 \NewDocumentCommand\Double{s t!}{%
498   \bgroup%
499   \ODw@OtherFont%
500   \IfBooleanTF{#1}{%
501     \IfBooleanTF{#2}{%
502       {\GetTranslation{Dbl-(ODw)}}}%
503       {\GetTranslation{Double-(ODw)}}}%
504 }{%
505   \IfBooleanTF{#2}{%
506     {X}%
507     {\GetTranslation{double-(ODw)}}}%
508   }% TF#1
509   \egroup%
510   \xspace%
511 }% Double
512 %
513 \def\double{\Double*}

```

\Redouble \Redouble *!

\redouble \redouble

```
514 \NewDocumentCommand\Redouble{s t!}{%
```

```

515 \bgroup%
516   \ODw@OtherFont%
517   \IfBooleanTF{#1}{%
518     \IfBooleanTF{#2}{%
519       {\GetTranslation{ReDbl-(\ODw)}}}%
520       {\GetTranslation{ReDouble-(\ODw)}}}%
521   }{%
522     \IfBooleanTF{#2}{%
523       {\mbox{X}\kern-0.1em X}}{%
524       {\GetTranslation{redouble-(\ODw)}}}%
525   }% TF#1
526 \egroup%
527 \xspace%
528 }% Redouble
529 %
530 \def\redouble{\Redouble*}

```

6.2.4 Bidding Diagrams

\ODw@FirstBidCol {<N|S|E|W>}

\ODw@FirstBidCol determines which player starts in the first bidding column. We also take care that the real world name of the players are kept associated with the columns. For \ODw@BidderX (X=I,II,III,IV) we define two macros: \ODw@BidderX and \ODw@BidderX* in one. When these macros are called in the bidding diagram, the starred version writes the short notation whereas the unstarred one writes the long version.

```

531 \newcommand\ODw@FirstBidCol[1]{%
532   \IfEqCase{#1}{%
533     {N}{%
534       \def\ODw@BidderI{\@ifstar{\ODw@North*}{\ODw@N*}}%
535       \def\ODw@BidderII{\@ifstar{\ODw@East*}{\ODw@E*}}%
536       \def\ODw@BidderIII{\@ifstar{\ODw@South*}{\ODw@S*}}%
537       \def\ODw@BidderIV{\@ifstar{\ODw@West*}{\ODw@W*}}%
538       \def\ODw@NameI{\ODw@North@Name}%
539       \def\ODw@NameII{\ODw@East@Name}%
540       \def\ODw@NameIII{\ODw@South@Name}%
541       \def\ODw@NameIV{\ODw@West@Name}%
542     }%
543     {E}{%
544       \def\ODw@BidderI{\@ifstar{\ODw@East*}{\ODw@E*}}%

```

```

545 \def\ODw@BidderIII{\@ifstar{\ODw@South*}{\ODw@S*}}%
546 \def\ODw@BidderIII{\@ifstar{\ODw@West*}{\ODw@W*}}%
547 \def\ODw@BidderIV{\@ifstar{\ODw@North*}{\ODw@N*}}%
548 \def\ODw@NameI{\ODw@East@Name}%
549 \def\ODw@NameII{\ODw@South@Name}%
550 \def\ODw@NameIII{\ODw@West@Name}%
551 \def\ODw@NameIV{\ODw@North@Name}%
552 }%
553 {S}{%
554 \def\ODw@BidderI{\@ifstar{\ODw@South*}{\ODw@S*}}%
555 \def\ODw@BidderII{\@ifstar{\ODw@West*}{\ODw@W*}}%
556 \def\ODw@BidderIII{\@ifstar{\ODw@North*}{\ODw@N*}}%
557 \def\ODw@BidderIV{\@ifstar{\ODw@East*}{\ODw@E*}}%
558 \def\ODw@NameI{\ODw@South@Name}%
559 \def\ODw@NameII{\ODw@West@Name}%
560 \def\ODw@NameIII{\ODw@North@Name}%
561 \def\ODw@NameIV{\ODw@East@Name}%
562 }%
563 {W}{%
564 \def\ODw@BidderI{\@ifstar{\ODw@West*}{\ODw@W*}}%
565 \def\ODw@BidderII{\@ifstar{\ODw@North*}{\ODw@N*}}%
566 \def\ODw@BidderIII{\@ifstar{\ODw@East*}{\ODw@E*}}%
567 \def\ODw@BidderIV{\@ifstar{\ODw@South*}{\ODw@S*}}%
568 \def\ODw@NameI{\ODw@West@Name}%
569 \def\ODw@NameII{\ODw@North@Name}%
570 \def\ODw@NameIII{\ODw@East@Name}%
571 \def\ODw@NameIV{\ODw@South@Name}%
572 }%
573 }% IfEqCase
574 }% ODw@FirstBidCol

```

Next we define the real world names for the **N–S** and the **E–W** bidders. We use `\ODw@All@Names` as variable to test if we have names for bidders at all: If it is empty, then no names were defined.

<code>\namesNS</code>	<code>\namesNS{<N-name>}{<S-name>}</code>
-----------------------	---

```

575 \newcommand\namesNS[2]{%
576   \gdef\ODw@North@Name{\#1}%
577   \gdef\ODw@South@Name{\#2}%
578   \gdef\ODw@All@Names{\#1\#2\ODw@East@Name\ODw@West@Name}%
579 }% namesNS

```

<code>\namesEW</code>	<code>\namesEW{<E-name>}{<W-name>}</code>
-----------------------	---

```

580 \newcommand\namesEW[2]{%
581   \gdef\ODw@East@Name{\#1}%
582   \gdef\ODw@West@Name{\#2}%
583   \gdef\ODw@All@Names{\#1\#2\ODw@North@Name\ODw@South@Name}%
584 }% namesEW

```

6.2.5 Diagram Hands

Here we implement commands that store the cards that each player holds. E.g. `\northhand` defines the complete hand, i.e. all 4 suits for the **North**-player. They have an optional parameter (an offset, default `0pt`) to finetune the distance to the compass. In `\ODw@Nhand` and `\ODw@Shand` we use a makebox to prevent that its width goes beyond the `NESW` compass (but this can interfere with the Right-U/L-Legend). Within these macros, we check the consistency of the cards in the hand and also store card-information to check a complete deal later.

```

\northhand [⟨v-offset⟩] {⟨Sp⟩}{⟨He⟩}{⟨Di⟩}{⟨Cl⟩}

\northhand[v-offset]{Sp}{He}{Di}{Cl}
      1   2   3   4   5

585 \newcommand\northhand[5][0pt]{%
586 % check that north has 13 cards
587 \ODw@ChkNrOfCards{#2#3#4#5}{\north}%
588 \gdef\ODw@NSpades{#2}% Save norths cards
589 \gdef\ODw@NHearts{#3}% of all suits
590 \gdef\ODw@NDiamonds{#4}% for later
591 \gdef\ODw@NCards{#5}% checking

```

`\ODw@Nhand` We fit the **North** hand in a box to avoid that a very long suit shifts the **East** hand to the right

```

592 \gdef\ODw@Nhand{%
593   \makebox[\ODw@Compasssize + 2ex][l]{%
594     \ODw@hand{t}{#2}{#3}{#4}{#5}%
595   }%
596   \vspace{#1}%
597 }% 

598 }% northhand

```

```

\easthand [⟨h-offset⟩] {⟨Sp⟩}{⟨He⟩}{⟨Di⟩}{⟨Cl⟩}

\easthand[h-offset]{Sp}{He}{Di}{Cl}
      1   2   3   4   5

```

```

599 \newcommand\easthand[5][0pt]{%
600 % check that east has 13 cards
601 \ODw@ChkNrOfCards{#2#3#4#5}{\east}%
602 \gdef\ODw@ESpades{#2}%
603 \gdef\ODw@EHearts{#3}%
604 \gdef\ODw@EDiamonds{#4}%
605 \gdef\ODw@EClubs{#5}%
606 \gdef\ODw@Ehand{%
607 \hspace{#1}%
608 \ODw@hand{c}{#2}{#3}{#4}{#5}%
609 }%
610 }% easthand

\southhand \southhand[<v-offset>]{<Sp>}{<He>}{<Di>}{<Cl>}%
\southhand[v-offset]{Sp}{He}{Di}{Cl}
1 2 3 4 5
611 \newcommand\southhand[5][0pt]{%
612 % check that south has 13 cards
613 \ODw@ChkNrOfCards{#2#3#4#5}{\south}%
614 \gdef\ODw@SSpades{#2}%
615 \gdef\ODw@SHearts{#3}%
616 \gdef\ODw@SDiamonds{#4}%
617 \gdef\ODw@SClubs{#5}%

```

\ODw@Shand We fit the **South** hand in a box to avoid that a very long suit shifts the **East** hand to the right

```

618 \gdef\ODw@Shand{%
619 \parbox[b]{\ODw@Compasssize + 2ex}{%
620 \vspace*{#1}\par%
621 \makebox[0pt][1]{%
622 \ODw@hand{b}{#2}{#3}{#4}{#5}%
623 }%
624 }%
625 }%
626 }% southhand

```

\westhand \westhand[<h-offset>]{<Sp>}{<He>}{<Di>}{<Cl>}%
\westhand[h-offset]{Sp}{He}{Di}{Cl}
1 2 3 4 5

```

627 \newcommand\westhand[5][0pt]{%
628 % check that west has 13 cards
629 \ODw@ChkNrOfCards{#2#3#4#5}{\west}%
630 \gdef\ODw@WSpades{#2}%
631 \gdef\ODw@WHearts{#3}%
632 \gdef\ODw@WDiamonds{#4}%
633 \gdef\ODw@WClubs{#5}%

```

\ODw@Whand

```

634 \gdef\ODw@Whand{%
635 \ODw@hand{c}{#2}{#3}{#4}{#5}%
636 \hspace*{#1}%
637 }%

```

638 }% westhand

6.2.6 A Single Hand

Sometimes we want to show only (the cards of) one single hand.

\hand

\hand *!- [<pos>] {<Sp>} {<He>} {<Di>} {<Cl>}

```

639 \NewDocumentCommand\hand{s t! t- 0{c}mmmm}{%
\hand* ! -[pos]{Sp}{He}{Di}{Cl}
1 2 3 4 5 6 7 8

```

This macro has 3 optional tokens that act as follows:

Naked mode: Displays the hand horizontally, left aligned.

* mode: Displays the hand horizontally, centered.

! mode: Displays the hand vertically, left aligned.

*! mode: Displays the hand vertically, centered.

- mode: Output is suppressed, it is stored in a savebox for later use.

The 4th argument is the aligning (used only in case of a vertical hand): default **c**. The rest of the arguments denote the cards of the suits.

We first check that this hand has 13 cards. Then we check for each suit that there are no multiples. Finally we store the hand in \ODw@Hand@Box. If output is not suppressed, we write the hand with \usebox\ODw@Hand@Box.

```

640 \ODw@ChkNrOfCards{#5#6#7#8}{Hand}%
641 \ODw@ChkSameCards{#5}{\Sp}%
642 \ODw@ChkSameCards{#6}{\He}%
643 \ODw@ChkSameCards{#7}{\Di}%
644 \ODw@ChkSameCards{#8}{\Cl}%

```

```

645 \global\sbox{\ODw@Hand@Box}{%
646   \bgroup%
647   \ODw@GameSize%
648   \IfBooleanTF{#2}{%
649     {\ODw@vhand[#4]{#5}{#6}{#7}{#8}}%
650     {\ODw@hhand[#5]{#6}{#7}{#8}}%
651   \egroup%
652 }% sbox
653 \IfBooleanTF{#3}{%
654   \IfBooleanTF{#1}{%
655     {\centering \usebox{\ODw@Hand@Box}\par}}%
656     {\usebox{\ODw@Hand@Box}}%
657 }%
658 }% hand

```

\ODw@hhand [⟨Sp⟩]{⟨He⟩}{⟨Di⟩}{⟨Cl⟩}

Displays a hand horizontally (e.g. ♠ xxxx ♥ xxx ♦ xxx ♣ xxx). We use a tabular with 4 columns in 1 row to print the 4 suits.

```

659 \newcommand\ODw@hhand[4]{%
660   \bgroup%
661   \def\xspace{}% undo xspace locally
662   % it screws the distance between suit and cards
663   \setlength\tabcolsep{1\ODw@Card@Skip}%
664   \begin{tabular}{llll}
665   % we can't use \suit here: it would cause double checks!
666   \Sp\hspace{0.3em}\ODw@Cards{#1} &%
667   \He\hspace{0.3em}\ODw@Cards{#2} &%
668   \Di\hspace{0.3em}\ODw@Cards{#3} &%
669   \Cl\hspace{0.3em}\ODw@Cards{#4} \\
670   \end{tabular}%
671   \egroup%
672 }% ODw@hhand

```

\ODw@vhand [⟨pos⟩]{⟨Sp⟩}{⟨He⟩}{⟨Di⟩}{⟨Cl⟩}

♠ xxxx

Display a hand vertically (e.g. ♥xxx♦xxx♣xxx). We call \ODw@hand to do the job.

```

673 \newcommand\ODw@vhand[5][c]{%
674   \ODw@hand{#1}{#2}{#3}{#4}{#5}%
675 }% ODw@vhand

```

```
\ODw@hand [⟨pos⟩]{⟨Sp⟩}{⟨He⟩}{⟨Di⟩}{⟨Cl⟩}
```

We put a hand and some spacing in a `tabular` by reading the cards for each suit, making the lines more tense with the `\[-0.5ex]`. Empty hands are discarded completely.

```
676 \newcommand\ODw@hand[5]{%
  \ODw@hand{pos}{spades}{hearts}{diamonds}{clubs}
  \begin{array}{ccccc}
    1 & 2 & 3 & 4 & 5
  \end{array}
```

First we test if the hand is completely empty; only if not, we output something.

```
677 \ifthenelse{\equal{#2#3#4#5}{}}{}{%
  \setlength\tabcolsep{\ODw@Card@Skip}%
  679 %JW \ODw@GameSize% XYX JW 30.04.2018
  680 \begin{tabular}[#1]{lll}%
  681 % we can't use \suit here: it would cause double checks!
  682   \Sp & \ODw@Cards{#2}\[-0.5ex] \\
  683   \He & \ODw@Cards{#3}\[-0.5ex] \\
  684   \Di & \ODw@Cards{#4}\[-0.5ex] \\
  685   \Cl & \ODw@Cards{#5}\[-0.5ex] \\
  686 \end{tabular}%
  687 }% ifthenelse
  688 }% ODw@hand
```

6.2.7 Suits

In some cases, we need only a collection of cards, without a suit symbol.

```
\onesuitAll *! {⟨N⟩}{⟨S⟩}{⟨E⟩}{⟨W⟩}
```

Display the cards of one suit in a **NS–EW** diagram, with the **N**-, **E**-, **S**- and **W**-hand.

```
689 \NewDocumentCommand\onesuitAll{s t! mmmmm}{%
  \onesuitAll* !{N-hand}{S-hand}{E-hand}{W-hand}
  \begin{array}{cccccc}
    1 & 2 & 3 & 4 & 5 & 6
  \end{array}
```

Naked version: Use a \square

* version: Display the diagram centered

! version: use the NESW compass

First we test that we have no multiple cards in the suit. Then we use a `tabular` to place the cards around a compass or around a box.

```
690 \ODw@ChkSameCards{#3#4#5#6}{}
```

```

691  \IfBooleanTF#1{\begin{center}}{}%
692  \bgroup%
693  \ODw@GameSize%
694  \setlength\tabcolsep{0em}%
695 \begin{tabular}{@{}r@{ }c@{ }l@{ }%}
696 \% \begin{tabular}{@{}rcl@{}}
697     & \ODw@Cards{#3} \IfBooleanTF#2{\\"[-0.2em]}{\\"}%
698 \ODw@Cards{#6} & \IfBooleanTF#2{\ODw@Compass}{\ODw@Box}%
699     & \ODw@Cards{#5} \IfBooleanTF#2{\\"[-0.2em]}{\\"}%
700             & \ODw@Cards{#4} \\
701     \end{tabular}%
702 \egroup%
703 \IfBooleanTF#1{\end{center}}{}%
704 }% onesuitAll

```

\onesuitNS ***!** {*N*} {*S*}

Display a suit as NS-diagram. Similar to \onesuitAll but with only N- and S-hand.

```

705 \NewDocumentCommand\onesuitNS{s t! mm}{%
onesuitNS* !{N-hand}{S-hand}
    1 2   3       4
Naked version: Use a \fbox{ }
* version: Display the diagram centered
! version: use the NESW compass
706 \ODw@ChkSameCards{#3#4}{}%
707 \IfBooleanTF#1{\begin{center}}{}%
708 \bgroup%
709  \ODw@GameSize%
710  \begin{tabular}{@{}c@{ }c@{ }%}
711      \ODw@Cards{#3}\IfBooleanTF#2{\\"[-0.2em]}{\\"}%
712          \IfBooleanTF#2{\ODw@Compass}{\ODw@Box}%
713      \ODw@Cards{#4}%
714  \end{tabular}%
715 \egroup%
716 \IfBooleanTF#1{\end{center}}{}%
717 }% onesuitNS

```

\onesuitEW ***!** {*E*} {*W*}

Display a suit as EW diagram. Similar to \onesuitAll but with only E- and W-hand.

```
718 \NewDocumentCommand\onesuitEW{s t! mm}{%
```

```

onesuitEW* !{E-hand}{W-hand}
    1 2      3      4
Naked version: Use a □
* version: Display the diagram centered
! version: use the NESW compass
719  \ODw@ChkSameCards{#3#4}{ }%
720  \IfBooleanTF#1{\begin{center}}{}%
721  \bgroup%
722  \ODw@GameSize%
723  \begin{tabular}{@{}r@{ }c@{ }l@{ } }%
724      \ODw@Cards{#4} &%
725      \IfBooleanTF#2{\ODw@Compass}{\ODw@Box} &%
726          \ODw@Cards{#3} \\
727  \end{tabular}%
728  \egroup%
729  \IfBooleanTF#1{\end{center}}{}%
730 }% onesuitEW

```

```
\onesuitNE *! {⟨N⟩}{⟨E⟩}
```

Display a suit as NE diagram. Similar to `\onesuitA11` but with only N- and E-hand.

```

731 \NewDocumentCommand\onesuitNE{s t! mm}{%
onesuitNE* !{N-hand}{E-hand}
    1 2      3      4
Naked version: Use a □
* version: Display the diagram centered
! version: use the NESW compass
732  \ODw@ChkSameCards{#3#4}{ }%
733  \IfBooleanTF#1{\begin{center}}{}%
734  \bgroup%
735  \ODw@GameSize%
736  \begin{tabular}{[b] c@{ }l@{ } }%
737      \ODw@Cards{#3} \\
738      \IfBooleanTF#2{\ODw@Compass}{\ODw@Box} &%
739          \ODw@Cards{#4} \\
740  \end{tabular}%
741  \egroup%
742  \IfBooleanTF#1{\end{center}}{}%
743 }% onesuitEW

```

```
\onesuitNW *! {⟨N⟩}{⟨W⟩}
```

Display a suit as NW diagram. Similar to \onesuitAll but with only N- and W-hand.

```

744 \NewDocumentCommand\onesuitNW{s t! mm}{%
  onesuitNW* !{N-hand}{W-hand}
    1 2   3       4
  Naked version: Use a □
  * version: Display the diagram centered
  ! version: use the NESW compass

745   \ODw@ChkSameCards{#3#4}{}%
746   \IfBooleanTF#1{\begin{center}}{}%
747   \bgroup%
748     \ODw@GameSize%
749     \begin{tabular}[b]{r@{\ }c}%
750       & \ODw@Cards{#3} \\%
751       \ODw@Cards{#4} & \IfBooleanTF#2{\ODw@Compass}{\ODw@Box} \\%
752     \end{tabular}%
753   \egroup%
754   \IfBooleanTF#1{\end{center}}{}%
755 }% onesuitEW

```

\suit [⟨suit symbol⟩] {⟨cards⟩}

Command for displaying the cards of a suit. With the optional argument one can add a suit symbol to the suit.

```

756 \newcommand\suit[2][]{%
  \suit[suit]{cards}
    1       2
  757   \ODw@ChkNrOfCards{#2}{suit}%
  758   \ODw@ChkSameCards{#2}{#1}%
  759   \bgroup% keep font change local
  760 %JW
  761   \ODw@GameSize%
  762   #1\ODw@Cards{#2}%
  763   \egroup%
  764   \xspace%
  765 }% suit

```

\ODw@Cards {⟨cards⟩}

This macro gets called by \suit and all commands that process hands. It processes the ranks of the cards. Between ranks some space is type-

set. Care is taken that `t` becomes **10** and honor cards are translated into the active language.

```
766 \newcommand{\ODw@Cards}[1]{%
```

We enable the cardskip and call `\ODw@Xfer` to do the job

```
767 \ODw@CardSkiptrue%
768 \ODw@Xfer{#1}%
769 }% ODw@Cards
```

6.2.8 Card Diagrams

Next we define several diagrams with hands around the compass. `\ODw@GameSize` sets the size of the compass, the directions and the hands, according to the actual font or font-size. `\ODw@LeftUpperText` etc. displays extra text, that appear in the left upper, etc. corner of the diagram. If `\headlinetext` (`\footlinetext`) is the empty string, we set boolean `ODw@EmptyHeader` (`ODw@EmptyFooter`) to true¹⁶. This value is used in `\ODw@ProcessHeader` to conditionally span the 3 columns with the headline- (footline)text. We first store the diagram in a box, so we can calculate its width and use that as a size to limit the header/footer texts.

```
\showAll *+ [<pos>]
```

Define the diagram, showing the cards for **All** hands.

```
770 \NewDocumentCommand\showAll{s t+ O{c}}{%
  showAll* + [pos]
    1 2 3
  Display the NS--EW diagram, defined by \northhand, etc
  * Version: Display the diagram centered
  + Version: Also display a bidding diagram
  pos: aligning, default= c
```

First, for all suits we store all cards of all sides together. Next we check the consistency of all complete suits. The individual suits of each player have already been checked as we defined the hands. Finally we print the hands around the compass using a `tabular`, taking care of the additions above, below and in the corners of the diagram. Before we write the diagram, we store it in an sbox to calculate its width, so we can use that in other places.

¹⁶see page 35, last paragraph why this is necessary

```

771 \gdef\ODw@Spades{%
772   \ODw@NSpades\ODw@ESpades\ODw@SSpades\ODw@WSpades%
773 }%
774 \gdef\ODw@Hearts{%
775   \ODw@NHearts\ODw@EHearts\ODw@SHearts\ODw@WHearts%
776 }%
777 \gdef\ODw@Diamonds{%
778   \ODw@NDiamonds\ODw@EDiamonds\ODw@SDiamonds\ODw@WDiamonds%
779 }%
780 \gdef\ODw@Clubs{%
781   \ODw@NClubs\ODw@EClubs\ODw@SClubs\ODw@WClubs%
782 }%
783 % check for multiple and nr. of cards
784 \ODw@ChkNrOfCards{\ODw@Spades}{\Sp}%
785 \ODw@ChkSameCards{\ODw@Spades}{\Sp}%
786 \ODw@ChkNrOfCards{\ODw@Hearts}{\He}%
787 \ODw@ChkSameCards{\ODw@Hearts}{\He}%
788 \ODw@ChkNrOfCards{\ODw@Diamonds}{\Di}%
789 \ODw@ChkSameCards{\ODw@Diamonds}{\Di}%
790 \ODw@ChkNrOfCards{\ODw@Clubs}{\Cl}%
791 \ODw@ChkSameCards{\ODw@Clubs}{\Cl}%
792 \IfBooleanTF#1{\begin{center}}{}%
793 \bgroup%
794   \setlength\tabcolsep{0em}%
795   \ODw@GameSize%
796   \ODw@TestIfEmpty{\ODw@HeaderText}{\ODw@EmptyHeader}%
797   \ODw@TestIfEmpty{\ODw@FooterText}{\ODw@EmptyFooter}%
798 % sbox1 necessary to calc. |Compasssize| for |Nhand|
799   \sbox1{\ODw@Compass}%
800   \sbox0{%
801 \begin{tabular}[#3]{@{}r@{}c@{}l@{}}%
802   \ODw@LeftUpperText & \ODw@Nhand & \ODw@RightUpperText\\
803   \ODw@Whand & \usebox{1} & \ODw@Ehand\\
804   \ODw@LeftLowerText & \ODw@Shand & \ODw@RightLowerText\\
805 \end{tabular}%
806 }% sbox
807 \ODw@gsetlength{\ODw@Diagram@Width}{\wd0}%
808 \begin{tabular}[#3]{@{}r@{}c@{}l@{}}%
809   \ODw@ProcessHeader{3}% span 3 columns
810   \ODw@LeftUpperText & \ODw@Nhand & \ODw@RightUpperText\\
811   \ODw@Whand & \usebox{1} & \ODw@Ehand\\
812   \ODw@LeftLowerText & \ODw@Shand & \ODw@RightLowerText\\
813   \ODw@ProcessFooter{3}% span 3 columns

```

```

814      \end{tabular}%
815      \IfBooleanTF#2{%
816 % needed for \ODw@CondNewLine
817      \setlength{\ODw@Bid@Width}{\wd\ODw@BidBox}%
818      \ODw@CondNewLine%
819      \usebox{\ODw@BidBox}%
820  }{}%
821  \egroup%
822 \IfBooleanTF#1{\end{center}}{}%
823 }% showAll

```

```
\showNS *+ [<pos>] (<N/S>)
```

Define the diagram, showing the cards for the **N–S** hands.

```

824 \NewDocumentCommand\showNS{s t+ O{c} d()}{%
showNS* +[pos] (N/S)
  1 2 3     4
Display the NS diagram, defined by \northhand, etc
* Version: Display the diagram centered
+ Version: Also display a bidding diagram
pos: aligning, default c
N/S: only N-hand (or S-hand) is to be displayed

```

Description: similar to \showAll

```

825 % For all suits store all cards of north and south together
826 \gdef\ODw@Spades{\ODw@NSpades\ODw@SSpades}%
827 \gdef\ODw@Hearts{\ODw@NHearts\ODw@SHearts}%
828 \gdef\ODw@Diamonds{\ODw@NDiamonds\ODw@SDiamonds}%
829 \gdef\ODw@Clubs{\ODw@NClubs\ODw@SClubs}%
830 \ODw@ChkSameCards{\ODw@Spades}{\Sp}%
831 \ODw@ChkSameCards{\ODw@Hearts}{\He}%
832 \ODw@ChkSameCards{\ODw@Diamonds}{\Di}%
833 \ODw@ChkSameCards{\ODw@Clubs}{\Cl}%
834 \IfBooleanTF#1{\begin{center}}{}%
835 \bgroup%
836   \setlength\tabcollsep{0em}%
837   \ODw@GameSize%
838   \ODw@TestIfEmpty{\ODw@HeaderText}{\ODw@EmptyHeader}%
839   \ODw@TestIfEmpty{\ODw@FooterText}{\ODw@EmptyFooter}%

```

Here we store the width of the diagram **without** the header and footer.
So we can limit their width to the diagramwidth.

```

840 % sbox1 necessary to calc. |Compasssize| for |Nhand|
841   \sbox1{\ODw@Compass}%
842   \sbox0{%
843     \begin{tabular}[@{}r@{}c@{}l@{}]{}
844 % Display the N-hand only with token 'N', or no token at all
845     & \IfNoValueTF{#4}{\ODw@Nhand}{\ifthenelse{\equal{#4}{N}}{\ODw@Nhand}{}}
846     & \usebox{1} & \\
847 % Display the S-hand only with token 'S', or no token at all
848     & \IfNoValueTF{#4}{\ODw@Shand}{\ifthenelse{\equal{#4}{S}}{\ODw@Shand}{}}
849   \end{tabular}%
850   }% sbox0
851   \ODw@gsetlength{\ODw@Diagram@Width{\wd0}}%
852   \begin{tabular}[@{}r@{}c@{}l@{}]{}
853     \ODw@ProcessHeader{3}% span 3 columns
854 % Display the N-hand only with token 'N', or no token at all
855     & \IfNoValueTF{#4}{\ODw@Nhand}{\ifthenelse{\equal{#4}{N}}{\ODw@Nhand}{}}
856     & \usebox{1} & \\
857 % Display the S-hand only with token 'S', or no token at all
858     & \IfNoValueTF{#4}{\ODw@Shand}{\ifthenelse{\equal{#4}{S}}{\ODw@Shand}{}}
859   \ODw@ProcessFooter{3}% span 3 columns
860 \end{tabular}%
861 \IfBooleanTF#2{%
862 % necessary for \ODw@CondNewLine
863   \setlength{\ODw@Bid@Width}{\wd{\ODw@BidBox}}%
864   \ODw@CondNewLine%
865   \usebox{\ODw@BidBox}%
866 }%
867 \egroup%
868 \IfBooleanTF#1{\end{center}}{}%
869 }% showNS

```

\showEW *+ [<pos>] (<E/W>)

Define the diagram, showing the cards for the **E-W** hands.

```

870 \NewDocumentCommand\showEW{s t+ O{c} d()}{%
showEW* + [pos] (E/W)
  1 2 3 4
Display the EW diagram, defined by \easthand, etc
* Version: Display the diagram centered
+ Version: Also display a bidding diagram
pos: aligning, default c
E/W: only E-hand (or W-hand) is to be displayed

```

Description: similar to \showAll

```
871 % For all suits put all cards of east and west together
872 \gdef\ODw@Spades{\ODw@ESpades\ODw@WSpades}%
873 \gdef\ODw@Hearts{\ODw@EHearts\ODw@WHearts}%
874 \gdef\ODw@Diamonds{\ODw@EDiamonds\ODw@WDiamonds}%
875 \gdef\ODw@Clubs{\ODw@EClubs\ODw@WClubs}%
876 \ODw@ChkSameCards{\ODw@Spades}{\Sp}%
877 \ODw@ChkSameCards{\ODw@Hearts}{\He}%
878 \ODw@ChkSameCards{\ODw@Diamonds}{\Di}%
879 \ODw@ChkSameCards{\ODw@Clubs}{\Cl}%
880 \IfBooleanTF#1{\begin{center}}{}%
881 \bgroup%
882 \setlength\tabcolsep{0em}%
883 \ODw@GameSize%
884 \ODw@TestIfEmpty{\ODw@HeaderText}{\ODw@EmptyHeader}%
885 \ODw@TestIfEmpty{\ODw@FooterText}{\ODw@EmptyFooter}%
886 \sbox0{%
887 \begin{tabular} [#3]{@{}r@{}c@{}l@{}}%
888 % Display the W-hand only with token 'W', or no token at all
889 \IfNoValueTF{#4}{\ODw@Whand}{\ifthenelse{\equal{#4}{W}}{\ODw@Whand}{}}
890 & \ODw@Compass &
891 % Display the E-hand only with token 'E', or no token at all
892 \IfNoValueTF{#4}{\ODw@Ehand}{\ifthenelse{\equal{#4}{E}}{\ODw@Ehand}{}}
893 \end{tabular}%
894 }% sbox
895 \ODw@gsetlength{\ODw@Diagram@Width}{\wd0}%
896 \begin{tabular} [#3]{@{}r@{}c@{}l@{}}%
897 \ODw@ProcessHeader{3}% span 3 columns
898 & & \\
899 % Display the W-hand only with token 'W', or no token at all
900 \IfNoValueTF{#4}{\ODw@Whand}{\ifthenelse{\equal{#4}{W}}{\ODw@Whand}{}}
901 & \ODw@Compass &
902 % Display the E-hand only with token 'E', or no token at all
903 \IfNoValueTF{#4}{\ODw@Ehand}{\ifthenelse{\equal{#4}{E}}{\ODw@Ehand}{}}
904 \ODw@ProcessFooter{3}% span 3 columns
905 \end{tabular}%
906 \IfBooleanTF#2{%
907 % necessary for \ODw@CondNewLine
908 \setlength{\ODw@Bid@Width}{\wd\ODw@BidBox}%
909 \ODw@CondNewLine%
910 \usebox{\ODw@BidBox}%
911 }{}%
912 \egroup%
```

```

913   \IfBooleanTF#1{\end{center}}{}%
914 }% showEW
\showNE *+ [<pos>]

```

Define the diagram, showing the cards for the **N–E** hands.

```

915 \NewDocumentCommand\showNE{s t+ O{c}}{%
  showNE* +[pos]
    1 2 3
  Display the NE diagram, defined by \northhand, etc
  * Version: Display the diagram centered
  + Version: Also display a bidding diagram
  pos: aligning, default c
  Description: similar to \showAll
  916 % For all suits put all cards of north and east together
  917 \gdef\ODw@Spades{\ODw@NSpades\ODw@ESpades}%
  918 \gdef\ODw@Hearts{\ODw@NHearts\ODw@EHearts}%
  919 \gdef\ODw@Diamonds{\ODw@NDiamonds\ODw@EDiamonds}%
  920 \gdef\ODw@Clubs{\ODw@NClubs\ODw@EClubs}%
  921 \ODw@ChkSameCards{\ODw@Spades}{\Sp}%
  922 \ODw@ChkSameCards{\ODw@Hearts}{\He}%
  923 \ODw@ChkSameCards{\ODw@Diamonds}{\Di}%
  924 \ODw@ChkSameCards{\ODw@Clubs}{\Cl}%
  925 \IfBooleanTF#1{\begin{center}}{}%
  \bgroup%
    \setlength\tabcolsep{0em}%
    \ODw@GameSize%
    \ODw@TestIfEmpty{\ODw@HeaderText}{\ODw@EmptyHeader}%
    \ODw@TestIfEmpty{\ODw@FooterText}{\ODw@EmptyFooter}%
  % sbox1 necessary to calc. |Compasssize| for |Nhand|
  932 \sbox1{\ODw@Compass}%
  933 \sbox0{%
    \begin{tabular}[#3]{@{}c@{}l@{}}
      \ODw@Nhand & \ODw@RightUpperText\\
      \usebox{1} & \ODw@Ehand\\
    \end{tabular}%
  }% sbox
  939 \ODw@gsetlength{\ODw@Diagram@Width}{\wd0}%
  940 \begin{tabular}[#3]{@{}c@{}l@{}}
    \ODw@ProcessHeader{2}% span 2 columns
    \ODw@Nhand & \ODw@RightUpperText\\
    \usebox{1} & \ODw@Ehand\\
    \ODw@ProcessFooter{2}% span 2 columns
  
```

```

945      \end{tabular}%
946      \IfBooleanTF#2{%
947 % necessary for \ODw@CondNewLine
948      \setlength{\ODw@Bid@Width}{\wd\ODw@BidBox}%
949      \ODw@CondNewLine%
950      \usebox{\ODw@BidBox}%
951      }{}%
952      \egroup%
953      \IfBooleanTF#1{\end{center}}{}%
954 }% showNE

```

\showNW *+ [<pos>]

Define the diagram, showing the cards for the **N-W** hands.

```

955 \NewDocumentCommand\showNW{s t+ O{c}}{%
showNW* +[pos]
    1 2 3
Display the NW diagram, defined by \northhand, etc
* Version: Display the diagram centered
+ Version: Also display a bidding diagram
pos: aligning, default c
Description: similar to \showAll
956 % For all suits put all cards of north and west together
957 \gdef\ODw@Spades{\ODw@NSpades\ODw@WSpades}%
958 \gdef\ODw@Hearts{\ODw@NHearts\ODw@WHearts}%
959 \gdef\ODw@Diamonds{\ODw@NDiamonds\ODw@WDiamonds}%
960 \gdef\ODw@Clubs{\ODw@NClubs\ODw@WCards}%
961 \ODw@ChkSameCards{\ODw@Spades}{\Sp}%
962 \ODw@ChkSameCards{\ODw@Hearts}{\He}%
963 \ODw@ChkSameCards{\ODw@Diamonds}{\Di}%
964 \ODw@ChkSameCards{\ODw@Clubs}{\Cl}%
965 \IfBooleanTF#1{\begin{center}}{}%
966 \bgroup%
967     \setlength\tabcolsep{0em}%
968     \ODw@GameSize%
969     \ODw@TestIfEmpty{\ODw@HeaderText}{\ODw@EmptyHeader}%
970     \ODw@TestIfEmpty{\ODw@FooterText}{\ODw@EmptyFooter}%
971 % sbox1 necessary to calc. |Compasssize| for |Nhand|
972     \sbox1{\ODw@Compass}%
973     \sbox0{%
974         \begin{tabular} [#3]{@{}c@{}l@{}}%
975             \ODw@LeftUpperText & \ODw@Nhand\\
976             \ODw@Whand & \usebox{1}\\

```

```

977      \end{tabular}%
978  }% sbox
979  \ODw@gsetlength{\ODw@Diagram@Width}{\wd0}%
980  \begin{tabular}[#3]{@{}r@{}c@{}}
981      \ODw@ProcessHeader{2}% span 2 columns
982      \ODw@LeftUpperText & \ODw@Nhand \\
983      \ODw@Whand & \usebox{1} \\
984      \ODw@ProcessFooter{2}% span 2 columns
985  \end{tabular}%
986  \IfBooleanTF#2{%
987  % necessary for \ODw@CondNewLine
988  \setlength{\ODw@Bid@Width}{\wd\ODw@BidBox}%
989  \ODw@CondNewLine%
990  \usebox{\ODw@BidBox}%
991  }%
992  \egroup%
993  \IfBooleanTF#1{\end{center}}{}%
994 }% showNW

```

6.2.9 The Compass

When displaying the compass, the square with **N-S** and **E-W** axes, we try to achieve several things:

1. Making the size font-size dependent
2. Put both **N** and **S** horizontally centered
3. Put both **E** and **W** vertically centered
4. Print the vulnerable side in red if in colored mode
5. Underline the dealer (we *overline* **S** for better clarity)

We use the mapping as shown in the tables below. The **U** stands for undefined. This reflects the situation where neither `\vulner` nor `\dealer` have been called, and also there is no board number known.

Player	
N	0
E	1
S	2
W	3

Vuln	
none	0
all	1
N-S	2
E-W	3
U	-1

Dealer	
N	0
E	1
S	2
W	3
U	-1

\ODw@Compass

\ODw@Compass

```

995 \newcommand{\ODw@Compass}{%
The codes for dealership (\ODw@D) and vulnerability (\ODw@V) are used
in \ODw@Print. We initialize them with the value -1 to denote the
undefined state. \c@ODw acts as a local temp variable in oder to make a
smooth comparison.
996 \begingroup
997 \def\ODw@V{-1}\def\ODw@D{-1}%
998 %
999 % Set the code for vulnerability
1000 %
1001 \def\c@ODw{\none}\ifx\ODw@Vuln\c@ODw\def\ODw@V{0}\fi%
1002 \def\c@ODw{\none*}\ifx\ODw@Vuln\c@ODw\def\ODw@V{0}\fi%
1003 \def\c@ODw{\none!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{0}\fi%
1004 \def\c@ODw{\none*!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{0}\fi%
1005 \def\c@ODw{\all}\ifx\ODw@Vuln\c@ODw\def\ODw@V{1}\fi%
1006 \def\c@ODw{\all*}\ifx\ODw@Vuln\c@ODw\def\ODw@V{1}\fi%
1007 \def\c@ODw{\all!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{1}\fi%
1008 \def\c@ODw{\all*!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{1}\fi%
1009 \def\c@ODw{\NorthSouth}\ifx\ODw@Vuln\c@ODw\def\ODw@V{2}\fi%
1010 \def\c@ODw{\NorthSouth*}\ifx\ODw@Vuln\c@ODw\def\ODw@V{2}\fi%
1011 \def\c@ODw{\NorthSouth!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{2}\fi%
1012 \def\c@ODw{\NorthSouth*!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{2}\fi%
1013 \def\c@ODw{\EastWest}\ifx\ODw@Vuln\c@ODw\def\ODw@V{3}\fi%
1014 \def\c@ODw{\EastWest*}\ifx\ODw@Vuln\c@ODw\def\ODw@V{3}\fi%
1015 \def\c@ODw{\EastWest!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{3}\fi%
1016 \def\c@ODw{\EastWest*!}\ifx\ODw@Vuln\c@ODw\def\ODw@V{3}\fi%
1017 %
1018 % Set the code for dealership
1019 %
1020 \def\c@ODw{\North}\ifx\ODw@Dealer\c@ODw\def\ODw@D{0}\fi%
1021 \def\c@ODw{\North*}\ifx\ODw@Dealer\c@ODw\def\ODw@D{0}\fi%
1022 \def\c@ODw{\North!}\ifx\ODw@Dealer\c@ODw\def\ODw@D{0}\fi%
1023 \def\c@ODw{\North*!}\ifx\ODw@Dealer\c@ODw\def\ODw@D{0}\fi%
1024 \def\c@ODw{\East}\ifx\ODw@Dealer\c@ODw\def\ODw@D{1}\fi%
1025 \def\c@ODw{\East*}\ifx\ODw@Dealer\c@ODw\def\ODw@D{1}\fi%
1026 \def\c@ODw{\East!}\ifx\ODw@Dealer\c@ODw\def\ODw@D{1}\fi%
1027 \def\c@ODw{\East*!}\ifx\ODw@Dealer\c@ODw\def\ODw@D{1}\fi%
1028 \def\c@ODw{\South}\ifx\ODw@Dealer\c@ODw\def\ODw@D{2}\fi%
1029 \def\c@ODw{\South*}\ifx\ODw@Dealer\c@ODw\def\ODw@D{2}\fi%
1030 \def\c@ODw{\South!}\ifx\ODw@Dealer\c@ODw\def\ODw@D{2}\fi%
1031 \def\c@ODw{\South*!}\ifx\ODw@Dealer\c@ODw\def\ODw@D{2}\fi%
1032 \def\c@ODw{\West}\ifx\ODw@Dealer\c@ODw\def\ODw@D{3}\fi%
1033 \def\c@ODw{\West*}\ifx\ODw@Dealer\c@ODw\def\ODw@D{3}\fi%

```

```

1034 \def\@ODw{\West!}\ifx\ODw@Dealer\@ODw\def\ODw@D{3}\fi%
1035 \def\@ODw{\West*!}\ifx\ODw@Dealer\@ODw\def\ODw@D{3}\fi%
1036 %

```

We use a `picture` environment and set its size to $2.5\text{em} \times 2.5\text{em}$ by setting the `\PicSize` to 500 and the `unitlength` to 0.005em . Doing this enables us to avoid floating point arithmetic in the calculations of positions. Both `\PicSize` and `\MidSize` are local to `\ODw@Compass` and skipped from indexing. The same goes for `\Hoffset` and `\Voffset`.

```

1037 \ODw@CompassDefault% use the compass font
1038 \def\PicSize{500}%
1039 \def\MidSize{250}%
1040 % Multiply unitlength=0.005em with CompSize (default= 1)
1041 \setlength\unitlength{0.005em * \real{\ODw@CompSize}}%
1042 \ODw@gsetlength\ODw@Compasssize{\unitlength * \PicSize + 2ex}%
1043 \def\Hoffset{30}% distance between W (E) and frame
1044 \def\Voffset{30}% distance between N (S) and frame
1045 \setlength\ODw@Tmp@Width{0.1em * \real{\ODw@CompLine}}%
1046 \linethickness{\ODw@Tmp@Width}%
1047 % leave 1ex space on all sides
1048 \parbox[c]{\ODw@Compasssize}{\ODw@Compasssize}{%
1049   \centering%
1050   \begin{picture}(\PicSize,\PicSize)%
1051     \ifODw@CompShow%
1052       % the frame
1053       \moveto(0,0)
1054       \if\ODw@CompLine0% must do it this way, because
1055       \else% linethickness zero does not suppress the line
1056         \lineto(0,\PicSize)\lineto(\PicSize,\PicSize)
1057         \lineto(\PicSize,0)\closepath\strokepath
1058     \fi%
1059     % the cardinal points
1060     \put(\MidSize,\the\numexpr\PicSize - \Voffset){%
1061       \makebox[0pt]{\raisebox{-\height}{\ODw@Print{0}}}}% N
1062     \put(\MidSize,\Voffset){\makebox[0pt]{\ODw@Print{2}}}% S
1063     \put(\Hoffset,\MidSize){%
1064       \makebox[0pt][l]{%
1065         \ifODw@CompTurn%
1066           \raisebox{-0.5\height}{%
1067             \rotatebox[origin=t]{90}{\ODw@Print{3}}}}%
1068         }%
1069       \else%
1070         \raisebox{-0.5\height}{\ODw@Print{3}}%
1071       \fi%

```

```

1072      }% makebox
1073      }% W
1074      \put(\the\numexpr \PicSize - \Hoffset,\MidSize)%
1075      {\makebox[0pt][r]{%
1076          \raisebox{-0.5\height}{%
1077              \ifODw@CompTurn%
1078                  \rotatebox{origin=c}{90}{\ODw@Print{1}}%
1079              \else%
1080                  \ODw@Print{1}%
1081              \fi%
1082          }%
1083          }% makebox
1084      }% E
1085      % the center
1086      \put(\MidSize,\MidSize){\makebox(0,0){\ODw@mid}}
1087      \fi%
1088  \end{picture}%
1089  }% parbox
1090 \endgroup
1091 }% ODw@Compass

```

\ODw@Print {*player-code*}

\ODw@Print prints N, E, S and W in the compass. The side that is vulnerable is printed in red (or italics if we are monochrome), otherwise in black. The dealer is under- or overlined.

The `\ifcase` distinguishes between the players. Then dealership and vulnerability are tested. \ODw@PrintColor is called to actually print the player.

```

1092 \newcommand\ODw@Print[1]{%
\ODw@Print{player-code}
    1 (player-code=0-3)
1093 \bgroup
1094   \smaller\smaller%
1095   \ifcase#1% #1=0: print N
1096     \ifboolexpr{ test {\ifnumcomp{\ODw@D}{=}{0}} }%
1097       {\% dealer = N
1098         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1099                     test {\ifnumcomp{\ODw@V}{=}{2}} }%
1100           {\ODw@PrintColor{\underline{\ODw@N*}}}% Vul
1101           {\underline{\ODw@N*}}% not Vul
1102     }% dealer <> N
1103     \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%

```

```

1104             test {\ifnumcomp{\ODw@V}{=}{2}} }%
1105             {\ODw@PrintColor{\ODw@N*}}% Vul
1106             {\ODw@N*}}% not Vul
1107         }%
1108     \or% #1=1: print E
1109     \ifboolexpr{ test {\ifnumcomp{\ODw@D}{=}{1}}}%
1110     {% dealer E
1111         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1112                     test {\ifnumcomp{\ODw@V}{=}{3}} }%
1113                     {\ODw@PrintColor{\underline{\ODw@E*}}}}% Vul
1114                     {\underline{\ODw@E*}}}}% not Vul
1115     }{% dealer <> E
1116         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1117                     test {\ifnumcomp{\ODw@V}{=}{3}} }%
1118                     {\ODw@PrintColor{\ODw@E*}}}}% Vul
1119                     {\ODw@E*}}}}% not Vul
1120     }%
1121 \or% #1=2: print S
1122 \ifboolexpr{ test {\ifnumcomp{\ODw@D}{=}{2}}}%
1123     {% dealer S
1124         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1125                     test {\ifnumcomp{\ODw@V}{=}{2}} }%
1126                     {\ODw@PrintColor{%
1127                         \ensuremath{\overline{\mbox{\ODw@S*}}}}}}% Vul
1128                         {\ensuremath{\overline{\mbox{\ODw@S*}}}}}}}}% not Vul
1129     }{% dealer <> S
1130         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1131                     test {\ifnumcomp{\ODw@V}{=}{2}} }%
1132                     {\ODw@PrintColor{\ODw@S*}}}}% Vul
1133                     {\ODw@S*}}}}% not Vul
1134     }%
1135 \or% #1=3: print W
1136 \ifboolexpr{ test {\ifnumcomp{\ODw@D}{=}{3}}}%
1137     {% dealer W
1138         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1139                     test {\ifnumcomp{\ODw@V}{=}{3}} }%
1140                     {\ODw@PrintColor{\underline{\ODw@W*}}}}% Vul
1141                     {\underline{\ODw@W*}}}}% not Vul
1142     }{% dealer <> W
1143         \ifboolexpr{ test {\ifnumcomp{\ODw@V}{=}{1}} or%
1144                     test {\ifnumcomp{\ODw@V}{=}{3}} }%
1145                     {\ODw@PrintColor{\ODw@W*}}}}% Vul

```

```

1147      {\ODw@W*}%
1148      }%
1149      \fi% (ifcase#1)
1150 \egroup%
1151 }% ODw@Print

```

\ODw@PrintColor \ODw@PrintColor{N|E|S|W}

\ODw@PrintColor checks if we are in monochrome mode. If that is the case we print N, E, S or W in italics, otherwise in color.

```

1152 \newcommand{\ODw@PrintColor}[1]{%
1153   \ifODw@monochrome\textit{\#1}\else\textcolor{red}{\#1}\fi%
1154 }% ODw@PrintColor

```

\ODw@mid Hook to write something in the middle of the compass. We write what is stored in \ODw@CompMid a bit smaller than the N-S and E-W letters. \ODw@mid writes the contents of \ODw@CompMid in the middle of the compass. As there is only very limited room, this text should be very short. It is primarily meant to write just a board number in the compass.

\ODw@CompMid

```

1155 \def{\ODw@CompMid}{}
1156 \def{\ODw@mid}{\smaller\smaller\smaller{\ODw@CompMid}}

```

\ODw@Box Displays a □

```

1157 \newcommand{\ODw@Box}{%
1158   \bgroup
1159   \setlength{\fboxsep}{0pt}%
1160   \setlength{\fboxrule}{0.1em}%
1161   \fbox{\rule{0mm}{0.7em}\rule{0.7em}{0mm}}%
1162   \egroup
1163 }% ODw@Box

```

6.2.10 Diagram Conditions

Here we implement several macros that add some board information to the card diagram. \ODw@BoardText serves as a variable to store the user-defined or (by means of the board number) auto-generated text, concerning the board. The macro \boardnr has 1 mandatory argument. If it is a number, it is considered to be the board number. The dealer and which side is vulnerable is then calculated from it and stored by calling \dealer resp. \vulner. If it is not a positive integer, it is

considered user-defined text which is stored 'as is' in `\ODw@BoardText`. The contents can be retrieved by the user by calling `\boardtext` to actually print the board information.

```
\ODw@BoardText
1164 \def\ODw@BoardText{}
```

`\boardtext*`

`\boardtext` has only 1 token and no arguments. The unstarred form outputs only the text stored in `\ODw@BoardText`, this is normally a board number. `\boardtext*` outputs something like 'Board: 23'.

```
1165 \NewDocumentCommand\boardtext{s}{%
1166   \IfBooleanTF{#1}{\GetTranslation{Board-(\ODw)}:\,,\ODw@BoardText}{%
1167     {\ODw@BoardText}}%
1168 }% boardtext
```

`\boardnr{Nr}`

`\boardnr{Nr}` sets the dealership and vulnerability according to `Nr`. As the system repeats itself after the 16th board, we canonize `Nr` to the range of 1–16. We also set `\ODw@BoardText` accordingly. For the association between boardnumber and dealer/vuln, see file *Compass* of the `oneweek-example` collection.

```
1169 \newcommand{\boardnr}[1]{%
1170   \IfInteger{#1}{%
1171     \gdef\ODw@BoardText{%
1172       \bgroup%
1173         \ODw@OtherFont%
1174       \GetTranslation{Board-(\ODw)} #1%
1175       #1%
1176       \egroup%
1177     }%
1178     \setcounter{\ODw@Cnt}{#1}%
1179     \whiledo{\the\ODw@Cnt > 16}{%
1180       \addtocounter{\ODw@Cnt}{-16}%
1181     }% whiledo, now 1 <= Cnt <= 16
1182     \IfEqCase{\the\ODw@Cnt}{%
1183       {0}{\gdef\ODw@BoardText{} \vulner[-1]\dealer[-1]}%
1184       {1}{\vulner[\none]\dealer[\North*!]}%
1185       {2}{\vulner[\NorthSouth*!]\dealer[\East*!]}%
1186       {3}{\vulner[\EastWest*!]\dealer[\South*!]}%
1187     }%
1188   }%
```

```

1188 {4}{\vulner[\all]\dealer[\West*!]}
1189 {5}{\vulner[\NorthSouth*!]\dealer[\North*!]}
1190 {6}{\vulner[\EastWest*!]\dealer[\East*!]}
1191 {7}{\vulner[\all]\dealer[\South*!]}
1192 {8}{\vulner[\none]\dealer[\West*!]}
1193 {9}{\vulner[\EastWest*!]\dealer[\North*!]}
1194 {10}{\vulner[\all]\dealer[\East*!]}
1195 {11}{\vulner[\none]\dealer[\South*!]}
1196 {12}{\vulner[\NorthSouth*!]\dealer[\West*!]}
1197 {13}{\vulner[\all]\dealer[\North*!]}
1198 {14}{\vulner[\none]\dealer[\East*!]}
1199 {15}{\vulner[\NorthSouth*!]\dealer[\South*!]}
1200 {16}{\vulner[\EastWest*!]\dealer[\West*!]}
1201 }% IfEqCase
1202 }{\gdef\ODw@BoardText{#1}}% otherwise take #1
1203 }% boardnr

```

The next macros are used to add some game information above resp. below the card diagram. `\ODw@HeaderText` and `\ODw@FooterText` are used as variables to store the user-defined text.

```
\headlinetext {\headlinetext{text}}
```

```
\ODw@HeaderText
```

```

1204 \newcommand\headlinetext[1]{\gdef\ODw@HeaderText{#1}}
1205 \headlinetext{}

```

```
\footlinetext {\footlinetext{text}}
```

```
\ODw@FooterText
```

```

1206 \newcommand\footlinetext[1]{\gdef\ODw@FooterText{#1}}
1207 \footlinetext{}

```

The next macros are used to add some game information in the corners of the card diagram. We use a `tabular` with 1 column and 3 lines to do so.

We redefine the (originally empty) `Left[Upper/Lower]-` and `Right[Upper/Lower]Text`, and set it to the wanted value. The first (optional) parameter defines some horizontal extra space if the hand and a condition text collide. The commands have 3 mandatory arguments, each for 1 of the 3 condition lines, which may be empty.

```
\leftupper [(<h-offset>)]{<line1>}{{<line2>}}{<line3>}
```

```

\ODw@LeftUpperText
1208 \def\ODw@LeftUpperText{}
1209 \newcommand\leftupper[4] [0pt]{%
1210   \gdef\ODw@LeftUpperText{%
1211     \hspace{-#1}%
1212     \begin{tabular}[t]{l}#2\#3\#4\\end{tabular}
1213   }%
1214 }% leftupper

```

\leftlower [*(h-offset)*] {*(line1)*} {*(line2)*} {*(line3)*}

```

\ODw@LeftLowerText
1215 \def\ODw@LeftLowerText{}
1216 \newcommand\leftlower[4] [0pt]{%
1217   \gdef\ODw@LeftLowerText{%
1218     \hspace{-#1}%
1219     \begin{tabular}[b]{l}#2\#3\#4\\end{tabular}
1220   }%
1221 }% leftlower

```

\rightupper [*(h-offset)*] {*(line1)*} {*(line2)*} {*(line3)*}

```

\ODw@RightUpperText
1222 \def\ODw@RightUpperText{}
1223 \newcommand\rightupper[4] [0pt]{%
1224   \gdef\ODw@RightUpperText{%
1225     \hspace{#1}%
1226     \begin{tabular}[t]{l}#2\#3\#4\\end{tabular}
1227   }%
1228 }% rightupper

```

\rightlower [*(h-offset)*] {*(line1)*} {*(line2)*} {*(line3)*}

```

\ODw@RightLowerText
1229 \def\ODw@RightLowerText{}
1230 \newcommand\rightlower[4] [0pt]{%
1231   \gdef\ODw@RightLowerText{%
1232     \hspace{#1}%
1233     \begin{tabular}[b]{l}#2\#3\#4\\end{tabular}
1234   }%
1235 }% rightlower

```

```
\ODw@ProcessHeader
```

```
\ODw@ProcessHeader{<N>}
```

`\ODw@ProcessHeader[N]` puts `HeaderText` in a multicolumn which spans `N` columns.

```
1236 \newcommand{\ODw@ProcessHeader}[1]{%
```

Programmers note:

`\ODw@TestIfEmpty` cannot be called in here. The `\ifthenelse` called within the tabular environment leads to the error:

```
| ! Misplaced \omit. \multispan ->\omit \@multispan
```

So the test of the emptiness of `Header-` and `FooterText` is done out of the tabular. Why is (La)TeX always causing unexpected problems?:-(We set the headline/footline text to the width of the diagram with a solution found at:

<https://tex.stackexchange.com/questions/125005/how-to-create-a-table-where-one-cell-spans-all-the-columns-and-the-text-wraps-pr>

```
1237 \ifODw@EmptyHeader% Must be this way (StackExchange)
1238 \else%           |\ifthenelse| bites |\multicolumn|!
1239   \multicolumn{#1}{%
1240     p{\dimexpr\ODw@Diagram@Width-%
1241       2\tabcolsep-2\arrayrulewidth}%
1242     }{{\ODw@LegendFont\ODw@HeaderText}}\\
1243 \fi%
1244 }% ODw@ProcessHeader
```

```
\ODw@TestIfEmpty
```

```
\ODw@TestIfEmpty{<Str>}{<Bool>}
```

Tests the emptiness of a string.

```
1245 \newcommand{\ODw@TestIfEmpty}[2]{%
\ODw@TestIfEmpty{Str}{Bool}
  sets boolean Bool to true if string Str is empty
1246  \ifthenelse{\equal{#1}{}}{%
1247    \setboolean{#2}{true}%
1248    \setboolean{#2}{false}%
1249  }%
1250 }% ODw@TestIfEmpty
```

```
\ODw@ProcessFooter
```

```
\ODw@ProcessFooter{<N>}
```

`\ODw@ProcessFooter[N]` puts `FooterText` in a multicolumn which spans `N` columns.

```

1251 \newcommand{\ODw@ProcessFooter}[1]{%
1252   \ifODw@EmptyFooter% Must be this way (StackExchange)
1253   \else%           |\ifthenelse| bites |\multicolumn|!
1254     \multicolumn{#1}{%
1255       p{\dimexpr\ODw@Diagram@Width%
1256         -2\tabcolsep-2\arrayrulewidth}%
1257     }{\ODw@LegendFont\ODw@FooterText}\%
1258   \fi%
1259 }% ODw@ProcessFooter

```

\handskip \handskip{<length>}

\handskip adds *length* to SkipWidth, i.e. the distance between the card diagram (with or without the east hand) and the bidding diagram.

```

1260 \newcommand\handskip[1]{%
1261   \def\ODw@Skipwidth{1em + #1}% recalculate the new Skipwidth
1262   \setlength\ODw@Skip@Width{\ODw@Skipwidth}%
1263 }% handskip

```

\ODw@DealerText Typesets the string *Dealer*.

```

1264 \def\ODw@DealerText{%
1265   \bgroup%
1266     \ODw@OtherFont\GetTranslation{Dealer-(ODw)}%
1267   \egroup%
1268 }% ODw@DealerText

```

\ODw@VulnerText

\ODw@VulnerText *!

vulnerable (Vulnerable, vul, Vul)

Typesets the string *vulnerable* or *Vul*.

```

1269 \NewDocumentCommand\ODw@VulnerText{s t!}{%
1270   \bgroup%
1271     \ODw@OtherFont%
1272     \IfBooleanTF#1{%
1273       \IfBooleanTF#2{\GetTranslation{Vul-(ODw)}}{%
1274         {\GetTranslation{Vulnerable-(ODw)}}}%
1275     }{%
1276       \IfBooleanTF#2{\GetTranslation{vul-(ODw)}}{%
1277         {\GetTranslation{vulnerable-(ODw)}}}%
1278     }%
1279   \egroup%
1280   \xspace%
1281 }% ODw@VulnerText

```

```

\ODw@AwardText Typesets the text to be put as 'title' in the award part of a expert
quiz.
1282 \def\ODw@AwardText{\textsf{\GetTranslation{Award-(\ODw)}}}

\dealer \boxed{\text{\dealer[dealer]}}
```

If #1 = empty then set \ODw@Dealer to #1 else output \ODw@Dealer

```

1283 \newcommand\dealer[1][]{%
1284   \ifthenelse{\equal{#1}{}}{%
1285     {\ODw@Dealer}%
1286     {\gdef\ODw@Dealer{#1}}%
1287 }% dealer
```

\ODw@Dealer set **North** as default

```

1288 \def\ODw@Dealer{\North*}
```

```

\vulner \boxed{\text{\vulner[vulner]}}
```

If #1 = empty then set \ODw@Vulner to #1 else output \ODw@Vulner

```

1289 \newcommand\vulner[1][]{%
1290   \ifthenelse{\equal{#1}{}}{%
1291     {\ODw@Vulner}%
1292     {\gdef\ODw@Vulner{#1}}%
1293 }% vulner
```

\ODw@Vulner set **north-south** as default

```

1294 \def\ODw@Vulner{\NorthSouth}
```

```

\dealertext
```

```

1295 \newcommand\dealertext[1][\ODw@Dealer]{\ODw@DealerText:\,#1}
```

```

\vulnertext
```

```

1296 \newcommand\vulnertext[1][\ODw@Vulner]{%
1297   \ifODw@LongCalls%
1298     \ODw@VulnerText*%
1299   \else%
1300     \ODw@VulnerText*!%
1301   \fi%
1302   :\,#1%
1303 }
```

```

\alert
```

```

1304 \newcommand{\alert}[{}]\ensuremath{^{\textbf{\textit{~\textasteriskcentered}}}}
```

```

\announce
1305 \newcommand{\announce}{{}\ensuremath{^{\textbf{\smaller A}}}}
```

\markit \markit

```

1306 \newcommand\markit{%
Sets markers a, b etc. To be used only in bidding diagrams.
```

```

1307 \stepcounter{ODw@Nr}%
1308 \footnotemark[\theODw@Nr]%
1309 }% markit
```

\explainit \explainit{*text*}

```

1310 \newcommand\explainit[1]{%
Explains the marked items. To be used only in bidding diagrams. The
counter ODw@Nr associates the marker with the explanation.
```

```

1311 \stepcounter{ODw@Nr}%
1312 \ensuremath{^{\textrm{\smaller\alpha\odw@nr}}},#1%
1313 }% explainit
```

6.3 The Bidding Environments

6.3.1 Special Columntypes

\newcolumntype In order to automatically apply a macro call on all cell contents of a column (translate/convert; step a counter) in `bidding` and `play` diagrams, we define `newcolumntypes`, made possible by loading package `collectcell`. We define next columntypes:

- B: Transfers suits and cards (`bidding` and `play`)
- F: sets First column in `play` diagrams
- P: Transfers suits and cards, accumulates won tricks (`play`)

```

1314 \newcolumntype{B}{% for Biddings
1315 >{\collectcell\ODw@BTfer}c<{\endcollectcell}}
1316 \newcolumntype{F}{% for First column in |play| diagrams
1317 >{\collectcell\ODw@FTfer}c<{\endcollectcell}}
1318 \newcolumntype{P}{% for |Play| diagrams (2nd--4th column)
1319 >{\collectcell\ODw@PTfer}c<{\endcollectcell}}
```

6.3.2 The Hidden Implementation

As explained before, in the bidding diagrams we convert `s` to the spade symbol ♠, etc. We do need packages `array` and `collectcell` for this and define the columntype `B`. In order to avoid these conversions in the top row, where names are displayed, we use the `\cci`-trick to suppress expansion of the cell macro. Curiously the command `\cci` (from `collcell`, v0.5, 2011/02/27) sometimes produces unwanted characters. The reason is unknown to me. We use a space (" ") as first character in `\cci` to avoid this.

We store the bidding diagram without the explanations in a box, so we can calculate the width of the bidding diagram and make our explanation part exactly as wide. In the first row we write the bidders: `North` etc. (or `N`, if it has to be short). In the second row we write the real world names of the bidders, if given. If any description is given, we make a multicolumn over the 4 rows with the previously stored width to write the explanations. We also use this width to calculate whether the bidding diagram will fit on the actual line. If not, we put it on a new line.

```
\ODw@Bidding [⟨pos⟩] (⟨description⟩) ... \endODw@Bidding
```

```

1320 \NewEnviron{ODw@Bidding}[2][t]{%
1321   \def\xspace{}%
1322   \setlength{\tabcolsep}{0.2em}%
1323   \sbox{0}{%
1324     \begin{tabular}[]{BBBB}% 1st column
1325       \ifODw@Bidders%
1326         \cci{ % there MUST be a ' ' (space)
1327           \ODw@BidderFont%
1328           \ifODw@short\ODw@BidderI%
1329             \else\ODw@BidderI*%
1330             \fi%
1331         } &%               2nd column
1332         \cci{ % there MUST be a ' ' (space)
1333           \ODw@BidderFont%
1334           \ifODw@short\ODw@BidderII%
1335             \else\ODw@BidderII*%
1336             \fi%
1337         } &%               3rd column
1338         \cci{ % there MUST be a ' ' (space)
1339           \ODw@BidderFont%
1340           \ifODw@short\ODw@BidderIII%

```

```

1341           \else\ODw@BidderIII*%
1342           \fi%
1343       } &%                                4th column
1344       \cci{ % there MUST be a ' ' (space)
1345           \ODw@BidderFont%
1346           \ifODw@short\ODw@BidderIV%
1347           \else\ODw@BidderIV*%
1348           \fi%
1349   } \\% end of 1st row
1350   \if\ODw@All@Names\empty%
1351   \else% 2nd row
1352       \cci{ \ODw@NameFont\ODw@NameI} &% please
1353       \cci{ \ODw@NameFont\ODw@NameII} &% mind
1354       \cci{ \ODw@NameFont\ODw@NameIII} &% the
1355       \cci{ \ODw@NameFont\ODw@NameIV} \\% spaces!
1356       \fi%
1357       \ifODw@BidLine\hline\fi%
1358       \fi%
1359   \BODY%
1360 %%%%%%
1361   \end{tabular}%
1362 }% sbox0
1363 \setcounter{ODw@Nr}{0}%
1364 \setlength{\ODw@Bid@Width}{\wd0}%
1365 \global\sbox\ODw@BidBox{%
1366     \begin{tabular} [#1]{BBBB} 1st column
1367     \ifODw@Bidders%
1368         \cci{ % there MUST be a ' ' (space)
1369             \ODw@BidderFont%
1370             \ifODw@short\ODw@BidderI%
1371             \else\ODw@BidderI*%
1372             \fi%
1373     } &%                                2nd column
1374     \cci{ % there MUST be a ' ' (space)
1375         \ODw@BidderFont%
1376         \ifODw@short\ODw@BidderII%
1377         \else\ODw@BidderII*%
1378         \fi%
1379     } &%                                3rd column
1380     \cci{ % there MUST be a ' ' (space)
1381         \ODw@BidderFont%
1382         \ifODw@short\ODw@BidderIII%
1383         \else\ODw@BidderIII*%

```

```

1384          \fi%
1385      } &%                                4th column
1386      \cci{ % there MUST be a ' ' (space)
1387          \ODw@BidderFont%
1388          \ifODw@short\ODw@BidderIV%
1389          \else\ODw@BidderIV*%
1390          \fi%
1391      } \\% end of 1st row
1392      \if\ODw@All@Names\empty%
1393      \else% 2nd row
1394          \cci{ \ODw@NameFont\ODw@NameI} &% please
1395          \cci{ \ODw@NameFont\ODw@NameII} &% mind
1396          \cci{ \ODw@NameFont\ODw@NameIII} &% the
1397          \cci{ \ODw@NameFont\ODw@NameIV} \\% spaces!
1398          \fi%
1399      \ifODw@BidLine\hline\fi%
1400      \fi
1401      \BODY%
1402 %%%% Until here the same code as in the sbox!
1403      \ifODw@description%
1404          % Add the description, if not empty
1405          \hline%
1406          \multicolumn{4}{% span explanations over 4 cols...
1407              p{\dimexpr\ODw@Bid@Width-2\tabcolsep}%
1408          }% ...with the right width
1409          \setcounter{\ODw@Nr}{0}%
1410          \raggedright%
1411          \smaller\smaller#2%
1412      }\\%
1413      \fi%
1414      \end{tabular}%
1415  }% sbox \ODw@BidBox
1416 }% \ODw@Bidding

```

ODw@Biddingpair \ODw@Biddingpair[*pos*] (*description*)... \endODw@Biddingpair

Description: Similar to \ODw@Bidding

```

1417 \NewEnviron{\ODw@Biddingpair}[2][t]{%
1418     \def\xspace{}%
1419     \setlength{\tabcolsep}{0.2em}%
1420     \sbox{0}{%
1421         \begin{tabular}{#1}{BB}%
1422             1st column
1423             \ifODw@Bidders%
1424                 \cci{ % there MUST be a ' ' (space)

```

```

1424      \ODw@BidderFont%
1425      \ifODw@short\ODw@BidderI%
1426          \else\ODw@BidderI*%
1427          \fi%
1428      } &% 2nd column
1429      \ccii{ % there MUST be a ' ' (space)
1430          \ODw@BidderFont%
1431          \ifODw@short\ODw@BidderIII%
1432          \else\ODw@BidderIII*%
1433          \fi%
1434      } \\% end of 1st row
1435      \if\ODw@All@Names\empty%
1436          \else% 2nd row
1437              \ccii{ \ODw@NameFont\ODw@NameI} &% please mind
1438              \ccii{ \ODw@NameFont\ODw@NameIII} \\% the spaces!
1439          \fi%
1440          \ifODw@BidLine\hline\fi%
1441          \fi%
1442          \BODY%
1443 %%%%%%%
1444      \end{tabular}%
1445  }% sbox0
1446  \setcounter{\ODw@Nr}{0}%
1447  \setlength{\ODw@Bid@Width}{\wd0}%
1448  \global\sbox{\ODw@BidBox}%
1449  \begin{tabular}[#1]{BB}% 1st column
1450  \ifODw@Bidders%
1451      \ccii{ % there MUST be a ' ' (space)
1452          \ODw@BidderFont%
1453          \ifODw@short\ODw@BidderI%
1454          \else\ODw@BidderI*%
1455          \fi%
1456      } &% 2nd column
1457      \ccii{ % there MUST be a ' ' (space)
1458          \ODw@BidderFont%
1459          \ifODw@short\ODw@BidderIII%
1460          \else\ODw@BidderIII*%
1461          \fi%
1462      } \\% end of 1st row
1463      \if\ODw@All@Names\empty%
1464          \else% 2nd row
1465              \ccii{ \ODw@NameFont\ODw@NameI} &% please mind
1466              \ccii{ \ODw@NameFont\ODw@NameIII} \\% the spaces!

```

```

1467      \fi%
1468      \ifODw@BidLine\hline\fi%
1469      \fi%
1470      \BODY%
1471      %% Until here the same code as in the sbox!
1472      \ifODw@description%
1473      % Add the description, if not empty
1474          \hline%
1475          \multicolumn{2}{%
1476              p{\dimexpr\ODw@Bid@Width-2\tabcolsep}%
1477          }{%
1478              \setcounter{\ODw@Nr}{0}%
1479              \raggedright%
1480              \smaller\smaller#2%
1481          }\%
1482      \fi%
1483      \end{tabular}%
1484  }% sbox \ODw@BidBox
1485 }% \ODw@Biddingpair

```

6.4 The User Environments

6.4.1 Bidding

The `bidding` environments have 2 optional arguments: an alignment [*pos*] and an annotation (<*description*>). There are also 3 tokens: the * centers the `bidding` diagram, the + forces the short notation, i.e. **N** rather than **North** and the - suppresses all output.

`\ODw@GameSize` takes care of the font dependent sizing of the diagram. We locally redefine `\thefootnote` and reset the (general) counter `\ODw@Nr`, which is stepped in `\markit` and `\explainit` to make the annotations correspond. In the end code we define a multicolumn over all 4 (2) columns and write the annotation given in argument #2. With `p{... \ODw@Bid@Width ...}` care is taken to limit this text to the width of the diagram.

```
bidding \begin{bidding} *!- [<pos>] (<description>) ... \end{bidding}
```

```

1486 \NewDocumentEnvironment{bidding}{s t! t- 0{c}d()}{%
\begin{bidding}* ! -[pos](description)
    1 2 3 4      5

```

The 1st token (*) centers the environment; the 2nd token (!) switches

to the short notation in the table header; the 3rd token (-) suppresses the output. Argument 4 regulates the alignment of the table (default is **c** and the 5th argument contains the annotations of the bidding.

```

1487  \ODw@GameSize%
1488  \renewcommand{\thefootnote}{\alph{footnote}}%
1489  \setcounter{ODw@Nr}{0}%
1490  \IfBooleanTF{#1}{\center}{\center} "*" detected
1491  \IfBooleanTF{#2}{\ODw@shorttrue}{\ODw@shortfalse} "+" detected
1492  \IfValueTF{#5}{\ODw@descriptiontrue}{\ODw@descriptionfalse}%
1493  \ODw@Bidding[#4]{#5}%
1494 }{%
1495  \endODw@Bidding%
1496  \IfBooleanTF{#3}{%
1497    {\rule{0pt}{0pt}}%
1498  %           +---without this, pdflatex aborts compilation!
1499  {\usebox{\ODw@BidBox}}% "-" detected
1500  \IfBooleanTF{#1}{\endcenter}{\endcenter}%
1501 }% bidding

```

biddingpair \begin{biddingpair} *!- [<pos>] (<description>) ... \end{biddingpair}

```

1502 \NewDocumentEnvironment{biddingpair}{s t! t- 0{c}d()}{%
\begin{biddingpair}* ! -[pos] (description)
  1 2 3 4      5

```

The same as with environment **bidding**, only with 2 columns instead of 4.

```

1503  \def\xspace{}%
1504  \ODw@GameSize%
1505  \renewcommand{\thefootnote}{\alph{footnote}}%
1506  \setcounter{ODw@Nr}{0}%
1507  \IfBooleanTF{#1}{\center}{\center} "*" detected
1508  \IfBooleanTF{#2}{\ODw@shorttrue}{\ODw@shortfalse} "+" detected
1509  \IfValueTF{#5}{\ODw@descriptiontrue}{\ODw@descriptionfalse}%
1510  \ODw@Biddingpair[#4]{#5}%
1511 }{%
1512  \endODw@Biddingpair%
1513  \IfBooleanTF{#3}{%
1514    {\rule{0pt}{0pt}}%
1515  %           +---without this, pdflatex aborts compilation!
1516  {\usebox{\ODw@BidBox}}% "-" detected
1517  \IfBooleanTF{#1}{\endcenter}{\endcenter}%
1518 }% biddingpair

```

6.4.2 Play

Environment `play` displays the sequence of playing tricks. It uses 2 newcolumntypes:

`F` to increment and display the current row.

`P` to translate an convert suits/ranks.

\ODw@AccTricks \ODw@AccTricks calculates and shows the accumulated tricks in `play` that N-S and E-W has won. The winning card is detected automatically and `\ODw@LastTrick` is called to process the winning trick for whichever side won it (N-S or E-W) by stepping the counter for the winning side. The counter `ODw@Player` denotes the player who won the trick. From the player who leads and the position that wins we calculate the winning player and step the counter for his side.

```
1519 \def\ODw@AccTricks{%
1520   \ODw@LastTrick{\ODw@Last}{\theODw@WinningNr}%
1521   \ODw@append{\theODw@NSCnt,\theODw@EWCnt,}%
1522   \setcounter{ODw@Highest}{0}%
1523 }% ODw@AccTricks
```

\ODw@Tricks \ODw@Tricks

\ODw@Last This macro is automatically called in TableII for column 1. This column displays the player who had the lead. It essentially 1) resets the `ODw@PlayerNr` which will be stepped for each next column in search for the winning card 2) remembers in `\ODw@Last` who had the lead. From these two values we can later calculate who won this trick. The stepping of `ODw@PlayerNr` occurs in `\ODw@Tfer`.

```
1524 \def\ODw@Tricks{%
1525   \setcounter{ODw@PlayerNr}{0}%
1526   \gdef\ODw@Last{\ODw@NextLead}%
1527   \expandafter\GetTranslation%
1528   \expandafter{\ODw@NextLead-(ODw)}:\,%
1529 % write a colon and a thin space in the table,
1530 % as separator between lead player and lead card.
1531 }% ODw@Tricks
```

\ODw@LastTrick \ODw@LastTrick{*Player*}{*Pos*}

This macro is called by `\ODw@AccTricks`. It computes who won the last trick and steps the corresponding counter.

```
1532 \newcommand\ODw@LastTrick[2]{%
```

```
\ODw@LastTrick{Player}{Pos}
    1      2--- Seat Nr that won the trick
    +----- Player (N,E,S,W) who has led
```

Consider the following table, where the seats are in horizontal direction, starting with the player who leads in seat 1. Vertically, in the first column, we have an initial value, stored in `ODw@Cnt` which is associated with the leading player.

	1	2	3	4
0	W ¹	N ²	E ³	S ⁴
1	N ²	E ³	S ⁴	W ⁵
2	E ³	S ⁴	W ⁵	N ⁶
3	S ⁴	W ⁵	N ⁶	E ⁷

If we add this initial value to the *seat* where the trick is won, then the result gives us the *player* who won the trick. Suppose that e.g. `s` had the lead, so `ODw@Cnt = 3`. Suppose also that seat number 3 wins the trick. The sum equals 6 and this is the seat of `n`. For clarity these sums are displayed in the table as superscripts to the players

First we set the counter `ODw@Cnt` to the player who has the lead and add the seat number (#2) to it. We then store who has the next lead in `\ODw@NextLead` and increment the counter of the winning side.

```
1533 \IfEqCase{#1}{%
1534   {W}{\setcounter{ODw@Cnt}{0}}%
1535   {N}{\setcounter{ODw@Cnt}{1}}%
1536   {E}{\setcounter{ODw@Cnt}{2}}%
1537   {S}{\setcounter{ODw@Cnt}{3}}%
1538 }% IfEqCase
1539 \addtocounter{ODw@Cnt}{#2}%
1540 \IfEqCase{\theODw@Cnt}{%
1541   {1}{\gdef\ODw@NextLead{W}\stepcounter{ODw@EWCnt}}%
1542   {2}{\gdef\ODw@NextLead{N}\stepcounter{ODw@NSCnt}}%
1543   {3}{\gdef\ODw@NextLead{E}\stepcounter{ODw@EWCnt}}%
1544   {4}{\gdef\ODw@NextLead{S}\stepcounter{ODw@NSCnt}}%
1545   {5}{\gdef\ODw@NextLead{W}\stepcounter{ODw@EWCnt}}%
1546   {6}{\gdef\ODw@NextLead{N}\stepcounter{ODw@NSCnt}}%
1547   {7}{\gdef\ODw@NextLead{E}\stepcounter{ODw@EWCnt}}%
1548 }% IfEqCase
1549 }% ODw@LastTrick
```

play \begin{play}*{<Lead>} [<Trump>] ... \end{play}

Finally we define environment `play`. It consists primarily of these 3 tables, the middle one with the special newcolumntype **P**. We reset the counter for the running line (=trick) `ODw@Nr` and the winning trick counters for N-S and E-W: `ODw@NSCnt` and `ODw@EWCnt`. As usual `\ODw@GameSize` takes care for the correct sizing. The first row (the title row) is displayed using the `\cci` method. The 3th table gets a stacked N/S and E/W title.

```

1550 \NewDocumentEnvironment{play}{s m0{N}}{%
1551 % #1 --> s center
1552 % #2 --> m lead
1553 % #3 --> O trumpsuit (default NoTrump)
1554   \def\ODw@TrumpSuit{\#3}
1555   \gdef\ODw@NextLead{\#2}%
1556   \setcounter{ODw@Nr}{0}%
1557   \setcounter{ODw@NSCnt}{0}%
1558   \setcounter{ODw@EWCnt}{0}%
1559   \ODw@GameSize%
1560   \ODw@Scratch{}% make empty
1561   \let\ODw@Clubs\empty%
1562   \let\ODw@Diamonds\empty%
1563   \let\ODw@Hearts\empty%
1564   \let\ODw@Spades\empty%
1565 %
1566 % We need some data which is calculated in TableII
1567 % to create TableI and TableIII. So we put TableII in a
1568 % box and display it later at due time
1569 %
1570 \def\ODw@EXtra{0.9em}% white space in title
1571 %
1572 \provideenvironment{TableII}{%
1573   \begin{tabular}[b]{FPPP}%
1574     \multicolumn{1}{c}{\GetTranslation{Lead!-(ODw)}} &%
1575     \cci{\GetTranslation{2nd-(ODw)}} &%
1576     \cci{\GetTranslation{3rd-(ODw)}} &%
1577     \cci{\GetTranslation{4th-(ODw)}} \\[0.3em]\hline%
1578     \multicolumn{4}{c}{}\\[-\ODw@EXtra]%
1579 }{%
1580   \end{tabular}%
1581 }% TableII
1582 %
1583   \begin{lrbox}{0}% save TableII for later
1584     \begin{TableII}%
1585   }%

```

```

1586      \end{TableII}
1587  \end{lrbox}%
1588 % Check consistency of the played cards
1589 \ODw@ChkSameCards{\ODw@Spades}{\Sp}%
1590 \ODw@ChkSameCards{\ODw@Hearts}{\He}%
1591 \ODw@ChkSameCards{\ODw@Diamonds}{\Di}%
1592 \ODw@ChkSameCards{\ODw@Clubs}{\Cl}%
1593 %
1594 \setcounter{ODw@Cnt}{0}%
1595 \IfBooleanTF#1{\begin{center}}{}%
1596 %

```

We need TableI to show the running trick number. When constructing Table II, the total number of tricks that were actually displayed is available in counter `ODw@Nr`. So we just need to loop `\theODw@Nr` times and write the local counter value `\theODw@Cnt`. To avoid *the extra line problem* we use the solution from:

<https://tex.stackexchange.com/questions/50296/problem-with-using-loop-inside-the-tabular-environment/142562#142562>

```

1597 %
1598 \begin{tabular}[b]{r}%
1599   \cc{\GetTranslation{Nr-(ODw)}}\\[0.3em]
1600   \hline\\[-\ODw@Extra]%
1601   \setcounter{ODw@Cnt}{1}%
1602   \whiledo{\theODw@Cnt<\theODw@Nr}{%
1603     \theODw@Cnt\\
1604     \stepcounter{ODw@Cnt}%
1605   }%
1606   \theODw@Cnt\\% MUST be outside the loop
1607 % (the extra line problem) !
1608 \end{tabular}%
1609 %
1610 % TableII showing the cards played in the tricks
1611 %
1612 \usebox{0}%
1613 %

```

We use TableIII to show the winning trick counts. These are already stored in a CSV-list `\ODw@Scratch`, implemented as a token register. To process this list we use `\docs vlist` and must only define our `\do`. As this table has 2 columns, we check with `ODw@Nr` that after an item is read, we put an & and after the next item a `\`.

```

1614 %
1615 \setcounter{ODw@Nr}{0}%

```

```

1616 \renewcommand*\do}[1]{%
1617   \ifnumequal{\value{ODw@Nr}}{2}{\\\setcounter{ODw@Nr}{0}}{}%
1618   \stepcounter{ODw@Nr}%
1619   ##1
1620   \ifnumequal{\value{ODw@Nr}}{2}{}{&}%
1621 }%
1622 \begin{tabular}[b]{|cc}| TableIII
1623   \multicolumn{1}{|c}|%
1624     \cc{\scriptsize\shortstack[c]{\North*!\South*!}} &%
1625   \multicolumn{1}{c}|%
1626     \cc{\scriptsize\shortstack[c]{\East*!\West*!}}%
1627 }\\hline\\[-\ODw@EXtra]%
1628 \expandafter\docslist\expandafter{\the\ODw@Scratch}%
1629 \end{tabular}%
1630 \IfBooleanTF#1{\end{center}}{}%
1631 %
1632 }% play

```

6.5 Card Diagrams with Bidding

\ODw@CondNewLine

\ODw@CondNewLine[*offset*]

```

1633 \NewDocumentCommand\ODw@CondNewLine{0{0em}}{%
\ODw@CondNewLine forces a newline if the bidding diagram does not fit
on the line, taking into account the width of the card diagram and the
width of the bidding diagram. Otherwise the bidding diagram appears
to the right of the card diagram at distance \ODw@Skip@Width. We call
the global macro \ODw@Diagram@Width that contains the width of the
card diagram. The optional parameter of \ODw@CondNewLine is used to
add some extra offset if needed.

```

```

1634 {\ODw@GameFont% needed to relate skips to the font-size
1635 % :\the\ODw@Skip@Width: JW XXX
1636 \setlength{\ODw@Tmp@Len}{\ODw@Bid@Width}%
1637 \addtolength{\ODw@Tmp@Len}{\ODw@Diagram@Width}%
1638 \addtolength{\ODw@Tmp@Len}{#1}%
1639 \addtolength{\ODw@Tmp@Len}{\ODw@Skip@Width}%
1640 \ifthenelse{\lengthtest{\ODw@Tmp@Len > \textwidth}}{%
1641   \\[1em]}{%
1642   \hspace{\ODw@Skip@Width}%
1643 }%
1644 }%
1645 }% \ODw@CondNewLine

```

6.6 The Expert Quiz

```
\expertquiz *! [<comment>]{<award>}
```

The macro `\expertquiz` displays a hand, a bidding diagram and the award for the answers. Optionally a description can be added. The hand and the bidding have to be defined before. This is done to avoid having 4 more arguments, needed for specifying the hand. The token '*' centers the whole and the token '!' forces that the bidding diagram appears on a new line and that the hand shifts a bit to the right. The last parameter defines the award. In order to limit the width of the award we use the known widths of the bidding diagram and the hand and set the parbox accordingly to display the award.

```
1646 \NewDocumentCommand\expertquiz{st! O{}m}{%
1647 %           12 3 4
\expertquiz* ! [comment] {award}
      1 2     3     4

1648   \noindent%
1649   \IfBooleanTF{#1}{\begin{center}}%      "*" detected
1650     {\par\vspace{0.5\baselineskip}}%
1651   \bgroup% keep font changes local (e.g. "\smaller").
1652     \ODw@LegendFont%
1653     \ifx#3\empty\else#3\par\fi%
1654   \egroup%
1655   \IfBooleanTF{#2}{\hspace*{2em}}{}% "!" detected
1656   \usebox{\ODw@Hand@Box}%    display the saved hand
1657   \IfBooleanTF{#2}{}{\quad}%      no "!" detected
1658   \setlength{\ODw@Tmp@Width}{\wd{\ODw@BidBox} + 1em}%
1659   \IfBooleanTF{#2}{%
1660     {}%
1661     {\addtolength{\ODw@Tmp@Width}{\wd{\ODw@Hand@Box}}}%
1662     \usebox{\ODw@BidBox}%    display the saved bidding
1663     \par\vspace{0.3em}\noindent%
1664     \% keep legendfont and "smaller" local
1665     \ODw@LegendFont%
1666     \smaller%
1667     \IfBooleanTF{#1}{\bgroup\centering}{%
1668       \parbox[t]{\ODw@Tmp@Width}{%
1669         \textbf{\ODw@AwardText: }%
1670         \raggedright#4%
1671       }%
1672     }%
1673   }%
```

```

1671      }% parbox
1672      \IfBooleanTF#1{\egroup}{}
1673      }%
1674 % \fi%
1675      \IfBooleanTF#1{\end{center}}{%
1676 }% expertquiz

```

6.7 Resetting the Game

We use `pgfkeys` with its $\langle key \rangle = \langle val \rangle$ system to specify the fonts and other things that we want to have as defaults, rather than the initial **ONEDOWN** values. Therefore we first define the keys and the store for it.

```

1677 \pgfkeys{%
1678   /ODw/.is family, /ODw,
1679 % fonts
1680   bidder/.store in = \ODw@BidderDefault,
1681   compass/.store in = \ODw@CompassDefault,
1682   game/.store in = \ODw@GameDefault,
1683   legend/.store in = \ODw@LegendDefault,
1684   name/.store in = \ODw@NameDefault,
1685   other/.store in = \ODw@OtherDefault,
1686 % compass
1687   compline/.store in = \ODw@CompLine,
1688   compmid/.store in = \ODw@CompMid,
1689   compsize/.store in = \ODw@CompSize,
1690 }
1691 % compass
1692 \ODw@set{compshow/.is choice}
1693 \ODw@set{compshow/off/.code={\ODw@CompShowfalse}}
1694 \ODw@set{compshow/on/.code={\ODw@CompShowtrue}}
1695 \ODw@set{compturn/.is choice}
1696 \ODw@set{compturn/off/.code={\ODw@CompTurnfalse}}
1697 \ODw@set{compturn/on/.code={\ODw@CompTurntrue}}
1698 % bidding
1699 \ODw@set{bidders/.is choice}
1700 \ODw@set{bidders/off/.code={\ODw@Biddersfalse}}
1701 \ODw@set{bidders/on/.code={\ODw@Bidderstrue}}
1702 \ODw@set{bidfirst/.is choice}
1703 \ODw@set{bidfirst/N/.code=\ODw@FirstBidCol{N}}
1704 \ODw@set{bidfirst/E/.code=\ODw@FirstBidCol{E}}
1705 \ODw@set{bidfirst/S/.code=\ODw@FirstBidCol{S}}

```

```

1706  \ODw@set{bidfirst/W/.code=\ODw@FirstBidCol{W}}
1707  \ODw@set{bidline/.is choice}
1708  \ODw@set{bidline/off/.code={\ODw@BidLinefalse}}
1709  \ODw@set{bidline/on/.code={\ODw@BidLinetrue}}
1710  \ODw@set{bidlong/.is choice}
1711  \ODw@set{bidlong/off/.code={\ODw@LongCallsfalse}}
1712  \ODw@set{bidlong/on/.code={\ODw@LongCallstrue}}
1713 % synonyms
1714  \ODw@set{compshow/1/.code={\pgfkeys{/ODw/compshow=on}}}
1715  \ODw@set{compshow/true/.code={\pgfkeys{/ODw/compshow=on}}}
1716  \ODw@set{compturn/1/.code={\pgfkeys{/ODw/compturn=on}}}
1717  \ODw@set{compturn/true/.code={\pgfkeys{/ODw/compturn=on}}}
1718  \ODw@set{bidline/1/.code={\pgfkeys{/ODw/bidline=on}}}
1719  \ODw@set{bidders/true/.code={\pgfkeys{/ODw/bidders=on}}}
1720  \ODw@set{bidders/1/.code={\pgfkeys{/ODw/bidders=on}}}
1721  \ODw@set{bidline/true/.code={\pgfkeys{/ODw/bidline=on}}}
1722  \ODw@set{bidlong/1/.code={\pgfkeys{/ODw/bidlong=on}}}
1723  \ODw@set{bidlong/true/.code={\pgfkeys{/ODw/bidlong=on}}}
1724 %
1725  \ODw@set{compshow/0/.code={\pgfkeys{/ODw/compshow=off}}}
1726  \ODw@set{compshow/false/.code={\pgfkeys{/ODw/compshow=off}}}
1727  \ODw@set{compturn/0/.code={\pgfkeys{/ODw/compturn=off}}}
1728  \ODw@set{compturn/false/.code={\pgfkeys{/ODw/compturn=off}}}
1729  \ODw@set{bidders/0/.code={\pgfkeys{/ODw/bidders=off}}}
1730  \ODw@set{bidders/false/.code={\pgfkeys{/ODw/bidders=off}}}
1731  \ODw@set{bidline/0/.code={\pgfkeys{/ODw/bidline=off}}}
1732  \ODw@set{bidline/false/.code={\pgfkeys{/ODw/bidline=off}}}
1733  \ODw@set{bidlong/0/.code={\pgfkeys{/ODw/bidlong=off}}}
1734  \ODw@set{bidlong/false/.code={\pgfkeys{/ODw/bidlong=off}}}

```

\resetfonts

```

1735 \newcommand\resetfonts{%
1736   \bidderfont{\ODw@BidderDefault}%
1737   \compassfont{\ODw@CompassDefault}%
1738   \gamefont{\ODw@GameDefault}%
1739   \legendfont{\ODw@LegendDefault}%
1740   \namefont{\ODw@NameDefault}%
1741   \otherfont{\ODw@OtherDefault}%
1742 }% resetfonts

```

\setdefaults

```
\setdefaults * {<key1=val1>,<key2=val2>,...}
```

The available keys are those defined in \pgfkeys some lines up from

here. For the fonts they are: `bidder`, `compass`, `game`, `legend`, `name` and `other`. They store the new default value in the corresponding variable. In order to make the new default active, we must use `\setdefaults*` which will also call `\resetfonts`.

The keys for the compass are: `compline`, `compmid`, `compshow`, `compszize` and `compturn`. They control the thickness of the frame, the mid-text, the visibility of the compass, its size and the angle of the compass E–W letters.

For the bidding diagram we have: `bidders`, `bidfirst`, `bidline` and `bidlong`. They control if bidders are to be displayed at all, which bidder appears in the first column, draw a `\hline` below the header and showing long calls.

Furthermore defined elsewhere are the keys to control errors `err` and warnings `warn`, as well as the key to control the color e.g. of the symbols `colors`. Refer to section 3.1.3

```
1743 \NewDocumentCommand\setdefaults{s m}{%
1744   \pgfkeys{/ODw, #2}%
1745   \IfBooleanTF{#1}{\resetfonts}{}%
1746 }% setdefaults
1747 %
```

\newgame \newgame

`\newgame` resets and clears the stored game information to be ready for a new game. We do not reset the option for warn- and err-messages, nor any selected font. Setting `\boardnr{0}` executes also:

\OPw@BoardText{}\\vulner[-1]\\dealer[-1]}.

```
1748 \newcommand{\newgame}{%
1749   \boardnr{0}%
1750   \headlinetext{}%
1751   \footlinetext{}%
1752 % clear the left/right upper/lower stuff
1753   \gdef\ODw@LeftUpperText{}%
1754   \gdef\ODw@LeftLowerText{}%
1755   \gdef\ODw@RightUpperText{}%
1756   \gdef\ODw@RightLowerText{}%
1757 % clear the hands
1758   \gdef\ODw@Nhand{\ODw@hand{t}{}{}{}{}{}{}{}%}
1759   \gdef\ODw@Ehand{\ODw@hand{c}{}{}{}{}{}{}{}%}
1760   \gdef\ODw@Shand{\ODw@hand{b}{}{}{}{}{}{}{}%}
1761   \gdef\ODw@Whand{\ODw@hand{c}{}{}{}{}{}{}{}%}
1762 %
```

```

1763 % set default for real bidders names: no names
1764 % we print only the symbolic names North, East, etc.
1765 %
1766   \namesNS{}{}\namesEW{}{}%
1767 %
1768 % reset consistency check stuff
1769 %
1770 \gdef\ODw@Spades{}%
1771 \gdef\ODw@Hearts{}%
1772 \gdef\ODw@Diamonds{}%
1773 \gdef\ODw@Clubs{}%
1774 %
1775 \gdef\ODw@NSpades{} \gdef\ODw@ESpades{}%
1776 \gdef\ODw@SSpades{} \gdef\ODw@WSpades{}%
1777 \gdef\ODw@NHearts{} \gdef\ODw@EHearts{}%
1778 \gdef\ODw@SHearts{} \gdef\ODw@WHearts{}%
1779 \gdef\ODw@NDiamonds{} \gdef\ODw@EDiamonds{}%
1780 \gdef\ODw@SDiamonds{} \gdef\ODw@WDiamonds{}%
1781 \gdef\ODw@NClubs{} \gdef\ODw@EClubs{}%
1782 \gdef\ODw@SClubs{} \gdef\ODw@WClubs{}%
1783 %
1784 }% newgame

```

6.8 Error Handling

6.8.1 Consistency Checks

We perform different checks on consistency of the cards entered:

1. Check that a hand not has more than 13 cards (E)
2. Check that a hand doesn't contain multiple cards (E)
3. Check that a deal doesn't contain multiple cards (E)
4. Check that a hand has less than 13 cards (W)
5. check that a suit of a deal has more than 13 cards (E)
6. check that a suit of a deal has less than 13 cards (W)
7. In play diagrams: check that a card is played only once (E)

The checks marked with (E) raise an error, those marked with (W) raise a warning. They can be controlled with the package options `err` and `warn`.

```
\ODw@ChkNrOfCards
```

```
\ODw@ChkNrOfCards{<cards>}{<hand>}
```

```
1785 \newcommand\ODw@ChkNrOfCards[2]{%
```

```

\ODw@ChkNrOfCards{cards}{hand}
      1      2
#1 = a string with all cards of all suits of the hand denoted by #2
step 1: remove all "-" (that denotes an empty suit)
step 2: warn if StrLen < 13 ; Err if StrLen > 13

1786  \StrDel{#1}{-}[\ODw@CardStr]%
      remove voids
1787  \StrLen{\ODw@CardStr}[\ODw@CardLen]%
1788  \ifthenelse{\ODw@CardLen > 13}{%
1789    \ODw@Error{#2 has \ODw@CardLen{} cards}%
1790  }{%
1791  \ifthenelse{\ODw@CardLen < 13}{%
1792    \ODw@Warning{#2 has \ODw@CardLen{} cards}%
1793  }{%
1794  }%
1795 }% ODw@ChkNrOfCards

```

\ODw@PrErr \ODw@PrErr{<rank>}{<count>}{<suit>}

```

1796 \newcommand\ODw@PrErr[3]{%
\ODw@PrErr{rank}{count}{suit}
      1      2      3

```

This macro only outputs the warning/error if the card specified by rank (#1) and suit (#3) does not occur (denoted by #2) exactly 1×. An exception for spotcards must not be made, because in \ODw@ChkSameCards they are not taken into account. (In fact they are already filtered out by ODw@translate).

```

1797 \bgroup%
1798   \if#1T\def\ODw@T{10}\else\def\ODw@T{#1}\fi%
1799   \ifthenelse{#2 > 1}{%
1800     \ODw@Error{Card #3\,,\ODw@T{} occurs #2 times}%
1801   }{%
1802     \ifthenelse{#2 = 0}{%
1803       \ODw@Warning{Card #3\,,\ODw@T{} fails}%
1804     }%
1805   \egroup%
1806 }% ODw@PrErr

```

\ODw@ChkSameCards \ODw@ChkSameCards{<cards>}{<suit>}

```

1807 \newcommand\ODw@ChkSameCards[2]{%
#1 = a string with all cards of 1 suit (denoted by #2) of all hands
step 1: remove all "-"

```

```

step 2: we count the frequency of all ranks 2--9,T,J,Q,K,A (\ODw@CCnt)
step 3: Warn if Freq(card) = 0 ; Err if Freq(card) > 1 (\ODw@PrErr)

```

```

1808 \StrDel{#1}{-}[\ODw@CardStr]%
1809 \StrCount{\ODw@CardStr}{2}[\ODw@CCnt]\ODw@PrErr{2}{\ODw@CCnt}{#2}%
1810 \StrCount{\ODw@CardStr}{3}[\ODw@CCnt]\ODw@PrErr{3}{\ODw@CCnt}{#2}%
1811 \StrCount{\ODw@CardStr}{4}[\ODw@CCnt]\ODw@PrErr{4}{\ODw@CCnt}{#2}%
1812 \StrCount{\ODw@CardStr}{5}[\ODw@CCnt]\ODw@PrErr{5}{\ODw@CCnt}{#2}%
1813 \StrCount{\ODw@CardStr}{6}[\ODw@CCnt]\ODw@PrErr{6}{\ODw@CCnt}{#2}%
1814 \StrCount{\ODw@CardStr}{7}[\ODw@CCnt]\ODw@PrErr{7}{\ODw@CCnt}{#2}%
1815 \StrCount{\ODw@CardStr}{8}[\ODw@CCnt]\ODw@PrErr{8}{\ODw@CCnt}{#2}%
1816 \StrCount{\ODw@CardStr}{9}[\ODw@CCnt]\ODw@PrErr{9}{\ODw@CCnt}{#2}%
1817 \StrCount{\ODw@CardStr}{T}[\ODw@CCnt]\ODw@PrErr{T}{\ODw@CCnt}{#2}%
1818 \StrCount{\ODw@CardStr}{J}[\ODw@CCnt]\ODw@PrErr{J}{\ODw@CCnt}{#2}%
1819 \StrCount{\ODw@CardStr}{Q}[\ODw@CCnt]\ODw@PrErr{Q}{\ODw@CCnt}{#2}%
1820 \StrCount{\ODw@CardStr}{K}[\ODw@CCnt]\ODw@PrErr{K}{\ODw@CCnt}{#2}%
1821 \StrCount{\ODw@CardStr}{A}[\ODw@CCnt]\ODw@PrErr{A}{\ODw@CCnt}{#2}%
1822 }% \ODw@ChkSameCards

```

6.8.2 Controlling Messages

```

1823 \newbool{\ODw@Warnings}
1824 \newbool{\ODw@Errors}
1825 %
1826 \ODw@set{warn/off/.code={%
1827   \global\setbool{\ODw@Warnings}{false}}}
1828 \ODw@set{warn/on/.code={%
1829   \global\setbool{\ODw@Warnings}{true}}}
1830 \ODw@set{err/off/.code={%
1831   \global\setbool{\ODw@Errors}{false}}}
1832 \ODw@set{err/on/.code={%
1833   \global\setbool{\ODw@Errors}{true}}}
1834 \ODw@set{warn=off}
1835 \ODw@set{err=on}
1836
1837 \ProcessPgfOptions{/ODw}

\ODw@Error
1838 \newcommand{\ODw@Error}[1]{%
1839   \ifbool{\ODw@Errors}{%
1840     \par\textrmcolor{red}{Error: #1}\par}{%
1841 }% \ODw@Error

```

```
\ODw@Warning
1842 \newcommand{\ODw@Warning}[1]{%
1843   \ifboolem{\ODw@Warnings}{%
1844     \par\textrmcolor{blue}{Warning: #1}\par}{}%
1845 }% \ODw@Warning
```

6.9 Misc Bridge Terms

6.9.1 Honour Cards

These macros retrieve the translations of the 4 alternative forms of the honour cards from the `ODw`-dictionary of the active language.

```
\Ace
\ace 1846 \NewDocumentCommand{\Ace}{s t!}{%
1847   \bgroup%
1848 %JW   \ODw@GameFont%
1849   \IfBooleanTF{#1}{%
1850     \IfBooleanTF{#2}{%
1851       {\GetTranslation{A-(ODw)}}%
1852       {\GetTranslation{Ace-(ODw)}}%
1853     }%
1854     \IfBooleanTF{#2}{%
1855       {\GetTranslation{a-(ODw)}}%
1856       {\GetTranslation{ace-(ODw)}}%
1857     }%
1858   \egroup%
1859   \xspace%
1860 }% Ace
1861 %
1862 \def\ace{\Ace*!}
```

```
\King
\king 1863 \NewDocumentCommand{\King}{s t!}{%
1864   \bgroup%
1865 %JW   \ODw@GameFont%
1866   \IfBooleanTF{#1}{%
1867     \IfBooleanTF{#2}{%
1868       {\GetTranslation{K-(ODw)}}%
1869       {\GetTranslation{King-(ODw)}}%
1870     }%
1871     \IfBooleanTF{#2}{%
1872       {\GetTranslation{k-(ODw)}}%
```

```

1873      {\GetTranslation{king-(ODw)}}%
1874      }%
1875  \egroup%
1876  \xspace%
1877 }% King
1878 %
1879 \def\king{\King*!}

\Queen
1880 \NewDocumentCommand{\Queen}{s t!}{%
1881  \bgroup%
1882 %JW  \ODw@GameFont%
1883  \IfBooleanTF{#1}{%
1884    \IfBooleanTF{#2}{%
1885      {\GetTranslation{Q-(ODw)}}%
1886      {\GetTranslation{Queen-(ODw)}}%
1887 }{%
1888    \IfBooleanTF{#2}{%
1889      {\GetTranslation{q-(ODw)}}%
1890      {\GetTranslation{queen-(ODw)}}%
1891 }%
1892  \egroup%
1893  \xspace%
1894 }% Queen
1895 %
1896 \def\queen{\Queen*!}

\Jack
1897 \NewDocumentCommand{\Jack}{s t!}{%
1898  \bgroup%
1899 %JW  \ODw@GameFont%
1900  \IfBooleanTF{#1}{%
1901    \IfBooleanTF{#2}{%
1902      {\GetTranslation{J-(ODw)}}%
1903      {\GetTranslation{Jack-(ODw)}}%
1904 }{%
1905    \IfBooleanTF{#2}{%
1906      {\GetTranslation{j-(ODw)}}%
1907      {\GetTranslation{jack-(ODw)}}%
1908 }%
1909  \egroup%
1910  \xspace%
1911 }% Jack
1912 %

```

```
1913 \def\jack{\Jack*!}
```

6.9.2 Vulnerability

These macros retrieve the translations of the 4 alternative forms of the commands `\All` and `\None` from the `ODw`-dictionary of the active language. As there is no short form for them in the English language, we just code these entries in the `ODw`-dictionaries with an exclamation mark `'!`.

```
\All
1914 \NewDocumentCommand{\All}{s t!}{%
1915   \bgroup%
1916     \ODw@OtherFont%
1917     \IfBooleanTF{#1}{%
1918       \IfBooleanTF{#2}{%
1919         {\GetTranslation{All!-(ODw)}}%
1920         {\GetTranslation{All-(ODw)}}%
1921       }{%
1922         \IfBooleanTF{#2}{%
1923           {\GetTranslation{all!-(ODw)}}%
1924           {\GetTranslation{all-(ODw)}}%
1925         }{%
1926           \egroup%
1927           \xspace%
1928         }%
1929 %
1930 \def\all{\All*}

\None
1931 \NewDocumentCommand{\None}{s t!}{%
1932   \bgroup%
1933     \ODw@OtherFont%
1934     \IfBooleanTF{#1}{%
1935       \IfBooleanTF{#2}{%
1936         {\GetTranslation{None!-(ODw)}}%
1937         {\GetTranslation{None-(ODw)}}%
1938       }{%
1939         \IfBooleanTF{#2}{%
1940           {\GetTranslation{none!-(ODw)}}%
1941           {\GetTranslation{none-(ODw)}}%
1942         }{%
1943           \egroup%
```

```

1944 \xspace%
1945 }% None
1946 %
1947 \def\none{\None*}
1948 %

```

6.9.3 Diagram Annotations

These macros retrieve the translations of the 4 alternative forms of the commands \Contract, \Lead, \Declarer, \Board and \Deal from the ODw-dictionary of the active language.

```

\Contract
\contract 1949 \NewDocumentCommand{\Contract}{s t!}{%
  1950   \bgroup%
  1951     \ODw@OtherFont%
  1952     \IfBooleanTF{#1}{%
  1953       \IfBooleanTF{#2}{%
  1954         {\GetTranslation{Contr-(ODw)}}%
  1955         {\GetTranslation{Contract-(ODw)}}%
  1956     }{%
  1957       \IfBooleanTF{#2}{%
  1958         {\GetTranslation{contr-(ODw)}}%
  1959         {\GetTranslation{contract-(ODw)}}%
  1960     }%
  1961   \egroup%
  1962   \xspace%
  1963 }% Contract
  1964 %
  1965 \def\contract{\Contract*}
  1966 %

```

```

\Lead
\lead 1967 \NewDocumentCommand{\Lead}{s t!}{%
  1968   \bgroup%
  1969     \ODw@OtherFont%
  1970     \IfBooleanTF{#1}{%
  1971       \IfBooleanTF{#2}{%
  1972         {\GetTranslation{Lead!-(ODw)}}%
  1973         {\GetTranslation{Lead-(ODw)}}%
  1974     }{%
  1975       \IfBooleanTF{#2}{%
  1976         {\GetTranslation{lead!-(ODw)}}%

```

```

1977      {\GetTranslation{lead-(ODw)}}%
1978      }% #1
1979  \egroup%
1980  \xspace%
1981 }% Lead
1982 %
1983 \def\lead{\Lead*}
1984 %

\Declarer
\declarer 1985 \NewDocumentCommand{\Declarer}{s t!}{%
1986  \bgroup%
1987  \ODw@OtherFont%
1988  \IfBooleanTF{#1}{%
1989    \IfBooleanTF{#2}{%
1990      {\GetTranslation{Decl-(ODw)}}%
1991      {\GetTranslation{Declarer-(ODw)}}%
1992    }{%
1993      \IfBooleanTF{#2}{%
1994        {\GetTranslation{decl-(ODw)}}%
1995        {\GetTranslation{declarer-(ODw)}}%
1996      }%
1997    \egroup%
1998    \xspace%
1999 }% Declarer
2000 %
2001 \def\declarer{\Declarer*}
2002 %

\by
2003 \newcommand\by{%
2004  \bgroup%
2005  \ODw@OtherFont%
2006  \GetTranslation{by-(ODw)}%
2007  \egroup%
2008  \xspace%
2009 }% by

\Board
\board 2010 \NewDocumentCommand{\Board}{s t!}{%
2011  \bgroup%
2012  \ODw@OtherFont%
2013  \IfBooleanTF{#1}{%
2014    \IfBooleanTF{#2}{%

```

```

2015      {\GetTranslation{Brd-(ODw)}}%
2016      {\GetTranslation{Board-(ODw)}}%
2017 }{%
2018     \IfBooleanTF{#2}{%
2019         {\GetTranslation{brd-(ODw)}}%
2020         {\GetTranslation{board-(ODw)}}%
2021     }{%
2022     \egroup%
2023     \xspace%
2024 }% Board
2025 %
2026 \def\board{\Board*}
2027 %

\Deal
\deal 2028 \NewDocumentCommand{\Deal}{s t!}{%
2029   \bgroup%
2030   \ODw@OtherFont%
2031   \IfBooleanTF{#1}{%
2032     \IfBooleanTF{#2}{%
2033       {\GetTranslation{Deal!-(ODw)}}%
2034       {\GetTranslation{Deal-(ODw)}}%
2035     }{%
2036       \IfBooleanTF{#2}{%
2037         {\GetTranslation{deal!-(ODw)}}%
2038         {\GetTranslation{deal-(ODw)}}%
2039     }{%
2040     \egroup%
2041     \xspace%
2042 }% Deal
2043 %
2044 \def\deal{\Deal*}
2045 %

\doubled The commands \doubled and \redoubled do not have a short form.
2046 \NewDocumentCommand{\doubled}{s}{%
2047   \bgroup%
2048   \ODw@OtherFont%
2049   \IfBooleanTF{#1}{%
2050     \GetTranslation{Doubled-(ODw)}}{%
2051     \GetTranslation{doubled-(ODw)}}%
2052   }{%
2053   \egroup%
2054   \xspace%

```

```

2055 }% doubled

\redoubled
2056 \NewDocumentCommand{\redoubled}{s}{%
2057   \bgroup%
2058   \ODw@OtherFont%
2059   \IfBooleanTF{#1}{%
2060     \GetTranslation{Redoubled-(ODw)}}{%
2061     \GetTranslation{redoubled-(ODw)}}%
2062   }%
2063   \egroup%
2064   \xspace%
2065 }% redoubled

```

6.9.4 Point Units

These macros retrieve the translations of the commands `\hpts`, `\lpts`, `\dpts` and `\tpts` from the `ODw`-dictionary of the active language.

```

\hpts
\HCP 2066 \NewDocumentCommand{\hpts}{s t!}{%
2067   \bgroup%
2068   \ODw@OtherFont%
2069   \IfBooleanTF{#1}{%
2070     \IfBooleanTF{#2}{%
2071       {\GetTranslation{HCP-(ODw)}}%
2072       {\GetTranslation{High Card Points-(ODw)}}%
2073     }{%
2074       \IfBooleanTF{#2}{%
2075         {\GetTranslation{hcp-(ODw)}}%
2076         {\GetTranslation{high card points-(ODw)}}%
2077       }%
2078     }%
2079     \egroup%
2080   }% High Card Points
2081 %
2082 \def\HCP{\,\hpts*!}

```

```

\lpts
\LP 2083 \NewDocumentCommand{\lpts}{s t!}{%
\HLP 2084   \bgroup%
2085   \ODw@OtherFont%
2086   \IfBooleanTF{#1}{%
2087     \IfBooleanTF{#2}{%

```

```

2088      {\GetTranslation{LP-(ODw)}}%
2089      {\GetTranslation{Length Points-(ODw)}}%
2090  }{%
2091      \IfBooleanTF{#2}{%
2092          {\GetTranslation{lp-(ODw)}}%
2093          {\GetTranslation{length points-(ODw)}}%
2094      }%
2095      \egroup%
2096      \xspace%
2097 }% Length Points
2098 %
2099 \def\LP{\,,\lpts*!}
2100 \def\HLP{\,,\bgroup\ODw@OtherFont\GetTranslation{HLP-(ODw)}\egroup\xspace}

\dpts
2101 \NewDocumentCommand{\dpts}{s t!}{%
2102   \bgroup%
2103   \ODw@OtherFont%
2104   \IfBooleanTF{#1}{%
2105       \IfBooleanTF{#2}{%
2106           {\GetTranslation{DP-(ODw)}}%
2107           {\GetTranslation{Distribution Points-(ODw)}}%
2108       }{%
2109           \IfBooleanTF{#2}{%
2110               {\GetTranslation{dp-(ODw)}}%
2111               {\GetTranslation{distribution points-(ODw)}}%
2112           }%
2113           \egroup%
2114           \xspace%
2115 }% Distribution Points
2116 %
2117 \def\DP{\,,\dpts*!}

\tpts
2118 \NewDocumentCommand{\tpts}{s t!}{%
2119   \bgroup%
2120   \ODw@OtherFont%
2121   \IfBooleanTF{#1}{%
2122       \IfBooleanTF{#2}{%
2123           {\GetTranslation{TP-(ODw)}}%
2124           {\GetTranslation{Total Points-(ODw)}}%
2125       }{%
2126           \IfBooleanTF{#2}{%
2127               {\GetTranslation{tp-(ODw)}}%

```

```

2128      {\GetTranslation{total points-(ODw)}}%
2129  }%
2130 \egroup%
2131 \xspace%
2132 }% Total Points
2133 %
2134 \def\TP{\!,\tpts*!}

```

6.9.5 Forcings

These macros retrieve the translations of the commands `\gforce`, `\sforce`, `\nmforce`, `\tsforce` and `\fsforce` from the `ODw`-dictionary of the active language.

```

\gforce
\GF 2135 \NewDocumentCommand{\gforce}{s t!} {%
2136   \bgroup%
2137   \ODw@OtherFont%
2138   \IfBooleanTF{#1}{%
2139     \IfBooleanTF{#2}{%
2140       {\GetTranslation{GF-(ODw)}}%
2141       {\GetTranslation{Game Forcing-(ODw)}}%
2142     }{%
2143       \IfBooleanTF{#2}{%
2144         {\GetTranslation{gf-(ODw)}}%
2145         {\GetTranslation{game forcing-(ODw)}}%
2146       }%
2147     \egroup%
2148     \xspace%
2149   }% Game Forcing
2150 %
2151 \def\GF{\gforce*!}

\sforce
\SF 2152 \NewDocumentCommand{\sforce}{s t!} {%
2153   \bgroup%
2154   \ODw@OtherFont%
2155   \IfBooleanTF{#1}{%
2156     \IfBooleanTF{#2}{%
2157       {\GetTranslation{SF-(ODw)}}%
2158       {\GetTranslation{Semi Forcing-(ODw)}}%
2159     }{%
2160       \IfBooleanTF{#2}{%

```

```

2161      {\GetTranslation{sf-(ODw)}}%
2162      {\GetTranslation{semi forcing-(ODw)}}%
2163  }%
2164  \egroup%
2165  \xspace%
2166 }% Semi Forcing
2167 %
2168 \def\SF{\sforce*!}

\nmforce
\NMF 2169 \NewDocumentCommand{\nmforce}{s t!}{%
2170  \bgroup%
2171  \ODw@OtherFont%
2172  \IfBooleanTF{#1}{%
2173    \IfBooleanTF{#2}{%
2174      {\GetTranslation{NMF-(ODw)}}%
2175      {\GetTranslation{New Minor Forcing-(ODw)}}%
2176    }{%
2177      \IfBooleanTF{#2}{%
2178        {\GetTranslation{nmf-(ODw)}}%
2179        {\GetTranslation{new minor forcing-(ODw)}}%
2180      }{%
2181      \egroup%
2182      \xspace%
2183 }% New Minor Forcing
2184 %
2185 \def\NMF{\nmforce*!}

\tsforce
\TSF 2186 \NewDocumentCommand{\tsforce}{s t!}{%
2187  \bgroup%
2188  \ODw@OtherFont%
2189  \IfBooleanTF{#1}{%
2190    \IfBooleanTF{#2}{%
2191      {\GetTranslation{TSF-(ODw)}}%
2192      {\GetTranslation{Third Suit Forcing-(ODw)}}%
2193    }{%
2194      \IfBooleanTF{#2}{%
2195        {\GetTranslation{tsf-(ODw)}}%
2196        {\GetTranslation{third suit forcing-(ODw)}}%
2197      }{%
2198      \egroup%
2199      \xspace%
2200 }% Third Suit Forcing

```

```

2201 %
2202 \def\TSF{\tsforce*!}

\fsforce
\FSF 2203 \NewDocumentCommand{\fsforce}{s t!}{%
2204   \bgroup%
2205   \ODw@OtherFont%
2206   \IfBooleanTF{#1}{%
2207     \IfBooleanTF{#2}{%
2208       {\GetTranslation{FSF-(ODw)}}%
2209       {\GetTranslation{Fourth Suit Forcing-(ODw)}}%
2210     }{%
2211       \IfBooleanTF{#2}{%
2212         {\GetTranslation{fsf-(ODw)}}%
2213         {\GetTranslation{fourth suit forcing-(ODw)}}%
2214       }%
2215     \egroup%
2216     \xspace%
2217 }% Fourth Suit Forcing
2218 %
2219 \def\FSF{\fsforce*!}

```

6.10 Initialization

It's time to prepare everything. We clear the game and set the defaults.

```
2220 \newgame
```

Set the default fonts

```

2221 \setdefaults{bidder=\mdseries\sffamily}
2222 \setdefaults{compass=\mdseries\sffamily}
2223 \setdefaults{game=\bfseries\sffamily}
2224 \setdefaults{legend=\mdseries\rmfamily}
2225 \setdefaults{name=\mdseries\slshape}
2226 \setdefaults*{other=\bfseries\sffamily}

```

Set default coloring to black and red

```
2227 \setdefaults{colors=b+r}
```

Set the compass

```
2228 \setdefaults{compshow=on,compturn=off}
```

set the start column for bidding (West is recommended) and the long form.

```
2229 \setdefaults{bidfirst=W,bidders=on,bidlong=on}
```

Now we load the dictionaries for the languages that are to be used in the document. We use `tracklang` to iterate over all the document languages and load the corresponding `ODw`-dictionaries. Due to an inconsistency between `babel` and `translations` with respect to the Norwegian language (`babel` calls this language *norsk* whereas `translations` insist on using *norwegian*, we redefine `\thislang` to the latter if it happens to be *norsk*.

```

2230 \AtBeginDocument{%
2231 \ForEachTrackedLanguage{\thislang}{%
2232   \ifthenelse{\equal{\thislang}{norsk}}{%
2233     \def\thislang{norwegian}{}{%
2234   \IfFileExists{ODw-\thislang.trsl}{%
2235     {%
2236       \LoadDictionaryFor{\thislang}{ODw}{%
2237         \PackageInfo{ODw}{%
2238           Translation dictionary ODw-\thislang.trsl loaded}%
2239         }%
2240     }{%
2241       \PackageWarning{ODw}{%
2242         Translation dictionary ODw-\thislang.trsl not found}%
2243       }%
2244     }%
2245   }% ForEach
2246 }% AtBeginDocument
That's it folks, happy TEXing!
2247 \endinput% onedown.sty

```

7 References

- [1] Kees van der Laan: *Typsetting Bridge via TEX*, TUGboat Vol. 11, No. 2 (1990), p265ff
- [2] Richard Pavlicek: *Bridge Writing Style Guide*, <http://www.rpbridge.net/7z69.htm>

8 Change History

v0.1

General:

- Reorganized the bsr
versioning. bsr will

contain only onedown, the former bidnplay stuff is archived. The ToDo and Known-Bugs lists are cleaned.

- We are version 0.1 now, trying to keep the bzr version number equal to the changes minor number.

v0.2

General:

- We finally have a List of User Commands.
 - In the compass we can print vulner in red and mark the dealer. We have a hook \CompassMid to write something in the middle of the compass.
 - Added several macros to auto-translate common stuff like 'lead' etc.
 - Added the danish language.
 - Corrected a bug in \dealer and \vulner.
 - Removed pgf-key 'lang': we now load the needed languages on the fly.
 - Finally we revised the documentation.

v0.3

play:

- In order to avoid empty columns in environment `playtricks` we reorganized it. Rather than just 1 table we use 3 tables. The middle one typesets the relevant tricks, stored in an `lrbox`, while generating on the fly.

a string with the winning tricks. Finally we put the running trick-number in TableI, we 'use' TableII and contruct TableIII from the string with the winning tricks. 90

v0.4

General:

- Major change in playtricks: the winner is now determined by the cards played, and code is added to check consistency.
 - Dirty coded macros like \ODw@symbol and \ODw@(@)Card(s) are replaced by neat expl3 code.
 - We load necessary dictionaries automatically on the fly and enhanced the colors options.
 - Corrected some minor bugs and reorganized the documentation.
 - One can now also generate the documentation without the list of user commands

v0.5

General:

- Associated the names and bidders in a fixed way.
 - Added checks to onesuitNS/EW.
 - Made ODw@OtherFont local where necessary.
 - Redefined columntypes.
 - Made 'T' a code for '10'.
 - Adapted the translate macro to enable both 1H

	and 1\He etc.	
- Enhanced the documentation.	1	
v0.6		
General:		
- Made all internal names hidden by adding 'ODw@' to it.		into 'play'.
- Changed \ODw@AccTricksN in \ODw@AccTricks.		- Can now disable all colors in the manual for monochrome printing.
- Some minor adaptions of the documentation	1	- Changed signature of \expertquiz and \boardtext. 1
v0.6a		
General:		
- In order to test which suit (\c1,...) was encountered in \ODw@translate (see page 45) we must define the suits as a <i>renewrobustcommand</i> . So we \define them first. The idea was given on LaTeX StackExchange by egreg, see https://tex.stackexchange.com/questions/420257/test-which-macro-is-called-in-tabular/420258#420258 39	v0.7a	
v0.7		
General:		
- Final(?) edits of the documentation: Consequent use of 'card diagram', 'bidding' diagram and 'play diagram'.		- Major change: Removed all \bidXX and \bidXXpair commands.
- Corrected some minor bugs.		- The biddings can now be shown with \showXX+ (with token '+').
- Changed the name of the 'playtricks' environment	39	- The macros \hand- and the bidding environments suppress their output with token '-' 1
v0.8		
General:		
- Added package verbatimbox to adjust verbatim font easily.		v0.8
- Added \setdefaults with keys for fonts, compass and bidding diagrams.		
- Made \FirstBidCol internally hidden.		
- Removed \longcalls, \CompassMid, added \compassfont.		
- Changed the order of the hands in \onesuitAll.		
- Renewed the implementation of the compass and added extra features. 1		
v0.9		
General:		
- Adapted \ODwset and \setdefaults.		

- Separated key *messages* into keys *warn* and *err*.
- Adapted \ODw@Compass.
- Removed legends from \showNS.
- Added \sbox1 to all \showXX macros with a N-hand.
- Changed ODw@[No]Warnings and ODw@[No]Errors.
- Corrected some minor bugs and adapted the documentation accordingly. 1

v1.0

General:

- Adapted the urls, the directories and some filenames to conform to the CTAN-standard and made the bundle ready for upload.
- Corrected a small bug in \ODw@Compass that was introduced in v0.9.
- Made all relevant text-writing macros in 4 versions with/without tokens '*' and '!'.
- Corrected a sizing/font bug.
- Added 4 variants of many other text-writing macros, onesuit-NE/NW/.
- Adapted \handskip.
- Added code to work-around a **babel-translations** inconsistency w.r.t. norsk/norwegian. 1

v1.1

General:

- Corrected onedown-ref.tex
- . Added the missing rows in lines 419-422.
- . and the explanatory text on line 457.
- Changed in all ODw*.trsl files: The translation of 'pass' into 'p' and 'Pass' into 'P'.
- Corrected some typos in ShowAll.tex:
 - . \contract* into \contract,
 - . \declarer* into \declarer and
 - . \lead* into \lead.
- Removed some illegal chars from changes entries. 1

v1.2a

General:

- Enhanced the documentation (both onedown.dtx and onedown-ref.tex: The command tokens are no longer shown as '[*!]', but as '*!' with a different background color.
- Added a thinspace ('\,') before all points counts (HCP, LP, DP and TP)
- Improved \alert by using \textasteriskcentered rather than just a '*'.
- The changes history has a better layout now
- \showNS and \showEW now can selectively display only the N- or S-hand, resp the E- or W-hand. . . 1

v1.2b	changed 'JW \ODw@GameSize' into '\ODw@GameSize' 1
General:	
- Corrected a bug: Added \ODw@monochromefalse in all initializations of multi colors in \ODw@set	
- Made all relevant setdefaults settings (like bidfirst) non-global	
- Made all \ODw@BidderX and \ODw@NameX non-global	
- Removed '\global' from \ODw@CompShow (false and true), \ODw@CompTurn, \ODw@Bidders, \ODw@BidLine and \ODw@LongCalls	
- In command \suit	
v1.3	
General:	
- Added \HLP	
- Changed/Added in all relevant ODw-lang.trsl:	
- FP into F and fp into f (entry HCP/hcp)	
- Figuren-Punkte into Figurenpunkte and figuren-punkte into figurenpunkte	
- FL into L and fl into l	
- \NewDictTranslation {HLP-(ODw)}{FL} (e.g. for german) 1	

9 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\,	<u>32</u>
	A
\Ace	<u>263</u> , <u>1846</u>
\ace	<u>1846</u>
\alert	<u>1304</u>
\All	<u>1914</u>
\all	<u>1005</u> , <u>1006</u> , <u>1007</u> , <u>1008</u> , <u>1188</u> , <u>1191</u> , <u>1194</u> , <u>1197</u> , <u>1914</u>
\Allpass	<u>288</u> , <u>480</u>
\allpass	<u>480</u>
\announce	<u>1305</u>
	B
\bidderfont	<u>85</u> , <u>1736</u>
bidding (environment) .	<u>28</u> , <u>1486</u>
biddingpair (environment)	<u>29</u> , <u>1502</u>
\Board	<u>2010</u>
\board	<u>2010</u>
\boardnr	<u>1169</u> , <u>1749</u>
\boardtext	<u>1165</u>
\by	<u>2003</u>
	C
\Cl	<u>114</u> , <u>118</u> , <u>134</u> , <u>147</u> , <u>162</u> , <u>178</u> , <u>249</u> , <u>300</u> , <u>644</u> , <u>669</u> , <u>685</u> , <u>790</u> , <u>791</u> , <u>833</u> , <u>879</u> , <u>924</u> , <u>964</u> , <u>1592</u>
\compassfont	<u>86</u> , <u>1737</u>
\Contract	<u>1949</u>
\contract	<u>1949</u>
	D
\Deal	<u>2028</u>
\deal	<u>2028</u>
	E
\East	<u>364</u> , <u>420</u> , <u>422</u> , <u>1024</u> , <u>1025</u> , <u>1026</u> , <u>1027</u> , <u>1186</u> , <u>1190</u> , <u>1194</u> , <u>1198</u> , <u>1626</u>
\east	<u>364</u> , <u>601</u>
\easthand	<u>599</u>
\EastWest	<u>416</u> , <u>1013</u> , <u>1014</u> , <u>1015</u> , <u>1016</u> , <u>1187</u> , <u>1190</u> , <u>1193</u> , <u>1200</u>
\eastwest	<u>416</u>
\endODw@Bidding	<u>1495</u>
\endODw@Biddingpair	<u>1512</u>
environments:	
bidding	<u>28</u> , <u>1486</u>
biddingpair	<u>29</u> , <u>1502</u>
ODw@Bidding	<u>1320</u>
ODw@Biddingpair	<u>1417</u>
play	<u>29</u> , <u>1550</u>
\expertquiz	<u>1646</u>

\explainit	1310	J
F		
\footlinetext	1206, 1751	\Jack 269, 1897
\FSF	2203	\jack 1897
\fsforce	2203	K
G		\King 265, 1863
\gamefont	90, 1738	\king 1863
\GF	2135	L
\gforce	2135	\Lead 1967
H		\lead 1967
\hand	639	\leftlower 1215
\handskip	1260	\leftupper 1208
\HCP	2066	\legendfont 88, 1739
\He	114, 122, 137, 151, 166, 182, 251, 286, 302, 304, 642, 667, 683, 786, 787, 831, 877, 922, 962, 1590	\LP 2083
\headlinetext	1204, 1750	\lpts 2083
\height	1061, 1066, 1070, 1076	M
\HLP	2083	\markit 23, 1306
\hpts	2066	N
I		\namefont 87, 1740
\IfNoValueTF	845, 848, 855, 858, 889, 892, 900, 903	\namesEW 580, 1766
\ifODw@Bidders	. . . 60, 1325, 1367, 1422, 1450	\namesNS 575, 1766
\ifODw@BidLine	. . . 61, 1357, 1399, 1440, 1468	\newcolumntype 1314
\ifOdW@CardSkip	59, 293	\newgame 1748, 2220
\ifODw@CompShow	63, 1051	\NMF 2169
\ifODw@CompTurn	. 64, 1065, 1077	\nmforce 2169
\ifODw@description	56, 1403, 1472	\None 1931
\ifODw@EmptyFooter	. . . 1252	\none 1001, 1002, 1003, 1004, 1185, 1192, 1195, 1198, 1931
\ifODw@EmptyHeader	. . . 1237	\North 351, 407, 409, 1020, 1021, 1022, 1023, 1185, 1189, 1193, 1197, 1288, 1624
\ifODw@LongCalls	. . . 62, 287, 288, 289, 290, 1297	\north 351, 587
\ifODw@monochrome	. . . 58, 1153	\northhand 585
\ifODw@short	. . . 57, 1328, 1334, 1340, 1346, 1370, 1376, 1382, 1388, 1425, 1431, 1453, 1459	\NorthSouth 403, 1009, 1010, 1011, 1012, 1186, 1189, 1196, 1199, 1294
O		\northsouth 403
\NT 190, 253	\nt 190
\ODw@AccTricks 340, 1519	

\ODw@All@Names	578,	583, 1350, 1392, 1435, 1463	\ODw@Box	698, 712, 725, 738, 751, <u>1157</u>	
\ODw@append	<u>47</u> ,	1521	\ODw@BTfer	<u>348</u> , 1315	
\ODw@AppendCard	263,	265, 267, 269, 272, 274, 275, 276, 277, 278, 279, 280, 281, <u>312</u>	\ODw@Card@Skip	72, 73, 293, 663, 678	
\ODw@appendcard	313, 317, 318, 319, 320	\ODw@CardLen	1787, 1788, 1789, 1791, 1792	
\ODw@AwardText	<u>1282</u> ,	1669	\ODw@Cards	666, 667, 668, 669, 682, 683, 684, 685, 697, 698, 699, 700, 711, 713, 724, 726, 737, 739, 750, 751, 762, <u>766</u>	
\ODw@Bid@Width	74,	817, 863, 908, 948, 988, 1364, 1407, 1447, 1476, 1636	\OdW@CardSkiptrue	<u>767</u>	
\ODw@BidBox	69,	817, 819, 863, 865, 908, 910, 948, 950, 988, 990, 1365, 1448, 1499, 1516, 1658, 1662	\ODw@CardStr	1786, 1787, 1808, 1809, 1810, 1811, 1812, 1813, 1814, 1815, 1816, 1817, 1818, 1819, 1820, 1821	
\ODw@BidderDefault . . .	<u>1680</u> ,	1736	\ODw@CCnt	1809, 1810, 1811, 1812, 1813, 1814, 1815, 1816, 1817, 1818, 1819, 1820, 1821	
\ODw@BidderFont	<u>85</u> , 1327, 1333, 1339, 1345, 1369, 1375, 1381, 1387, 1424, 1430, 1452, 1458	\ODw@ChkNrOfCards 587, 601, 613, 629, 640, <u>757</u> , 784, 786, 788, 790, <u>1785</u>	
\ODw@BidderI	534,	544, 554, 564, 1328, 1329, 1370, 1371, 1425, 1426, 1453, 1454	\ODw@ChkSameCards 641, 642, 643, 644, 690, 706, 719, 732, 745, 758, 785, 787, 789, 791, 830, 831, 832, 833, 876, 877, 878, 879, 921, 922, 923, 924, 961, 962, 963, 964, 1589, 1590, 1591, 1592, <u>1807</u>	
\ODw@BidderII	535,	545, 555, 565, 1334, 1335, 1376, 1377	\ODw@Clubs 317, 780, 790, 791, 829, 833, 875, 879, 920, 924, 960, 964, 1561, 1592, 1773	
\ODw@BidderIII	536,	546, 556, 566, 1340, 1341, 1382, 1383, 1431, 1432, 1459, 1460	\ODw@clubsuit <u>112</u> , 119, 135, 148, 163, <u>179</u>	
\ODw@BidderIV	537,	547, 557, 567, 1346, 1347, 1388, 1389	\ODw@Compass	698,	
\ODw@Biddersfalse	1700			712, 725, 738, 751, 799, 841, 890, 901, 932, 972, <u>995</u>	
\ODw@Bidderstrue	1701			\ODw@CompassDefault	1037, 1681, 1737
\ODw@Bidding	1493			\ODw@CompassFont	<u>86</u>
ODw@Bidding (environment) .	<u>1320</u>				
\ODw@Biddingpair	1510				
ODw@Biddingpair (environment)	<u>1417</u>			
\ODw@BidLinefalse	1708				
\ODw@BidLinetrue	1709				
\ODw@BoardText	<u>1164</u> ,				
	1166, 1167, 1171, 1184, 1202				

\ODw@Compasssize
 70, 593, 619, 1042, 1048
 \ODw@CompLine 54, 1045, 1054, 1687
 \ODw@CompMid 1155, 1688
 \ODw@CompShowfalse 1693
 \ODw@CompShowtrue 1694
 \ODw@CompSize 53, 1041, 1689
 \ODw@CompTurnfalse 1696
 \ODw@CompTurntrue 1697
 \ODw@CondNewLine
 816, 818, 862, 864, 907,
 909, 947, 949, 987, 989, 1633
 \ODw@D 997, 1020, 1021, 1022,
 1023, 1024, 1025, 1026,
 1027, 1028, 1029, 1030,
 1031, 1032, 1033, 1034,
 1035, 1096, 1109, 1122, 1137
 \ODw@Dealer 1020, 1021, 1022,
 1023, 1024, 1025, 1026,
 1027, 1028, 1029, 1030,
 1031, 1032, 1033, 1034,
 1035, 1285, 1286, 1288, 1295
 \ODw@DealerText 1264, 1295
 \ODw@descriptionfalse 1492, 1509
 \ODw@descriptiontrue 1492, 1509
 \ODw@Diagram@Box 67
 \ODw@Diagram@Width
 71, 807, 851, 895,
 939, 979, 1240, 1255, 1637
 \ODw@Diamonds
 318, 777, 788, 789, 828,
 832, 874, 878, 919, 923,
 959, 963, 1562, 1591, 1772
 \ODw@E 368, 370,
 429, 446, 535, 544, 557,
 566, 1113, 1114, 1118, 1119
 \ODw@East 368,
 370, 447, 535, 544, 557, 566
 \ODw@East@Name
 539, 548, 561, 570, 578, 581
 \ODw@EClubs 605, 781, 875, 920, 1781
 \ODw@EDiamonds
 604, 778, 874, 919, 1779
 \ODw@Ehand 606, 803,
 811, 892, 903, 936, 943, 1759
 \ODw@EHearts
 603, 775, 873, 918, 1777
 \ODw@EmptyFooter 65
 \ODw@EmptyHeader 65
 \ODw@Error 1789, 1800, 1838
 \ODw@ESpades
 602, 772, 872, 917, 1775
 \ODw@EW 445
 \ODw@EXtra 1570, 1578, 1600, 1627
 \ODw@FirstBidCol
 531, 1703, 1704, 1705, 1706
 \ODw@FooterText 797,
 839, 885, 930, 970, 1206, 1257
 \ODw@FTfer 344, 1317
 \ODw@GameDefault 1682, 1738
 \ODw@GameFont 90,
 1634, 1848, 1865, 1882, 1899
 \ODw@GameSize 90, 647,
 679, 693, 709, 722, 735,
 748, 761, 795, 837, 883,
 928, 968, 1487, 1504, 1559
 \ODw@gsetlength 41,
 807, 851, 895, 939, 979, 1042
 \ODw@hand
 594, 608, 622, 635, 674,
 676, 1758, 1759, 1760, 1761
 \ODw@Hand@Box
 68, 645, 655, 656, 1656, 1661
 \ODw@HeaderText 796,
 838, 884, 929, 969, 1204, 1242
 \ODw@Hearts
 319, 774, 786, 787, 827,
 831, 873, 877, 918, 922,
 958, 962, 1563, 1590, 1771
 \ODw@hhand 650, 659
 \ODw@Last 1520, 1524
 \ODw@LastTrick 1520, 1532
 \ODw@LeftLowerText
 804, 812, 1215, 1754
 \ODw@LeftUpperText
 802, 810, 975, 982, 1208, 1753

\ODw@LegendDefault . . .	1683, 1739	\ODw@OtherFont
\ODw@LegendFont 89, 192, 353, 366,
. . . 88, 1242, 1257, 1652, 1665		379, 392, 405, 418, 465,
\ODw@LongCallsfalse	1711	482, 499, 516, 1173, 1266,
\ODw@LongCallstrue	1712	1271, 1916, 1933, 1951,
\ODw@mid	1086, 1155	1969, 1987, 2005, 2012,
\ODw@monochromefalse	146, 161, 177	2030, 2048, 2058, 2068,
\ODw@monochrometrue	117, 133	2085, 2100, 2103, 2120,
\ODw@N	355, 357,	2137, 2154, 2171, 2188, 2205
429, 445, 534, 547, 556,		\ODw@PrErr
565, 1100, 1101, 1105, 1106		1796, 1809, 1810, 1811, 1812,
\ODw@NameDefault	1684, 1740	1813, 1814, 1815, 1816,
\ODw@NameFont		1817, 1818, 1819, 1820, 1821
. . . 87, 1352, 1353, 1354,		\ODw@Print
1355, 1394, 1395, 1396,		1061, 1062, 1067, 1070, 1078, 1080, 1092
1397, 1437, 1438, 1465, 1466		\ODw@PrintColor
\ODw@NameI	538, 548, 558,	1100, 1105, 1113, 1118,
568, 1352, 1394, 1437, 1465		1126, 1133, 1141, 1146, 1152
\ODw@NameII	539, 549, 559, 569, 1353, 1395	\ODw@ProcessFooter
\ODw@NameIII	540, 550, 560,	813, 859, 904, 944, 984, 1251
570, 1354, 1396, 1438, 1466		\ODw@ProcessHeader
\ODw@NameIV	541, 551, 561, 571, 1355, 1397	809, 853, 897, 941, 981, 1236
\ODw@NCclubs	591, 781, 829, 920, 960, 1781	\ODw@PTfer
\ODw@NDiamonds	590, 778, 828, 919, 959, 1779	323, 346, 1319
\ODw@NextLead	1526,	\ODw@RightLowerText
1528, 1541, 1542, 1543,		804, 812, 1229, 1756
1544, 1545, 1546, 1547, 1555		\ODw@RightUpperText
\ODw@Nhand	592, 802, 810, 845,	802, 810, 935, 942, 1222, 1755
855, 935, 942, 975, 982, 1758		\ODw@S
\ODw@NHearts	589, 775, 827, 918, 958, 1777	381, 383,
\ODw@North	355,	429, 445, 536, 545, 554,
357, 447, 534, 547, 556, 565		567, 1127, 1129, 1133, 1134
\ODw@North@Name		\ODw@SClubs
. . . 538, 551, 560, 569, 576, 583		617, 781, 829, 1782
\ODw@NS	445	\ODw@Scratch
\ODw@NSspades		49, 50, 84, 1560, 1628
588, 772, 826, 917, 957, 1775		\ODw@SDiamonds
\ODw@OtherDefault	1685, 1741	616, 778, 828, 1780
\ODw@set		\ODw@set
28, 29,		28, 29,
30, 31, 115, 128, 129, 131,		30, 31,
142, 144, 157, 159, 172,		115, 128, 129, 131,
173, 175, 188, 189, 1692,		142, 144, 157, 159, 172,
1693, 1694, 1695, 1696,		173, 175, 188, 189, 1692,
1697, 1699, 1700, 1701,		1693, 1694, 1695, 1696,
1702, 1703, 1704, 1705,		1697, 1699, 1700, 1701,
1706, 1707, 1708, 1709,		1702, 1703, 1704, 1705,
1710, 1711, 1712, 1714,		1706, 1707, 1708, 1709,
1715, 1716, 1717, 1718,		1710, 1711, 1712, 1714,

1719, 1720, 1721, 1722, \ODw@Tmp@Width 78,
 1723, 1725, 1726, 1727, 1045, 1046, 1658, 1661, 1668
 1728, 1729, 1730, 1731, \ODw@translate 239, 242
 1732, 1733, 1734, 1826, \ODw@Tricks 345, 1524
 1828, 1830, 1832, 1834, 1835 \ODw@TrumpSuit 208, 218, 1554
\ODw@SetRank \ODw@V 997, 1001, 1002, 1003,
. 206, 260, 264, 266, 268, 1004, 1005, 1006, 1007,
270, 272, 274, 275, 276, 1008, 1009, 1010, 1011,
277, 278, 279, 280, 281, 283 1012, 1013, 1014, 1015,
\ODw@Shand 1016, 1098, 1099, 1103,
. 618, 804, 812, 848, 858, 1760 1104, 1111, 1112, 1116,
\ODw@SHearts 1117, 1124, 1125, 1131,
\ODw@shorttrue 1132, 1139, 1140, 1144, 1145
\ODw@Skip@Width \ODw@vardiamond
. 75, 111, 121, 150, 165, 181
76, 94, 1262, 1635, 1639, 1642 \ODw@varheart
\ODw@Skipwidth 110, 123, 152, 167, 183
. 55, 76, 94, 1261, 1262 \ODw@vhand 649, 673
\ODw@South \ODw@Vulner 1001, 1002, 1003,
. 381, 1004, 1005, 1006, 1007,
383, 447, 536, 545, 554, 567 1008, 1009, 1010, 1011,
\ODw@South@Name 1012, 1013, 1014, 1015,
. 540, 549, 558, 571, 577, 583 1016, 1291, 1292, 1294, 1296
\ODw@Spades \ODw@VulnerText 1269, 1298, 1300
. 320, 771, 784, 785, 826,
830, 872, 876, 917, 921, 429, 446, 537, 546, 555,
957, 961, 1564, 1589, 1770 564, 1141, 1142, 1146, 1147
\ODw@spadesuit \ODw@Warning 1792, 1803, 1842
. 109, 125, 139, 154, 169, 185 \ODw@WClubs 633, 781, 875, 960, 1782
\ODw@SSpades \ODw@WDiamonds
. 614, 772, 826, 1776 632, 778, 874, 959, 1780
\ODw@SuitLead \ODw@West 394,
. 207, 211, 231, 260, 296, 307 396, 447, 537, 546, 555, 564
\ODw@SuitPlayed \ODw@West@Name
206, 211, 218, 541, 550, 559, 568, 578, 582
. 231, 249, 250, 251, 252, \ODw@Whand 634, 803,
253, 260, 263, 265, 267, 811, 889, 900, 976, 983, 1761
269, 272, 274, 275, 276, \ODw@WHearts
277, 278, 279, 280, 281, 631, 775, 873, 958, 1778
296, 300, 301, 302, 303, 307 \ODw@WSpades
\ODw@T 630, 772, 872, 957, 1776
\ODw@TestIfEmpty \ODw@Xfer 233, 330, 349, 768
. 796, 797, 838, 839, 884,
885, 929, 930, 969, 970, 1245 \onesuitAll 689
\ODw@Tmp@Len 1636, 1637, 1638, 1639, 1640

\onesuitEW	<u>718</u>	\southhand	<u>611</u>
\onesuitNE	<u>731</u>	\Sp	<u>2</u> , <u>114</u> , <u>124</u> ,
\onesuitNS	<u>705</u>		<u>138</u> , <u>153</u> , <u>168</u> , <u>184</u> , <u>252</u> ,
\onesuitNW	<u>744</u>		<u>303</u> , <u>641</u> , <u>666</u> , <u>682</u> , <u>784</u> ,
\otherfont	<u>89</u> , <u>1741</u>		<u>785</u> , <u>830</u> , <u>876</u> , <u>921</u> , <u>961</u> , <u>1589</u>
P		T	
\Pass	<u>287</u> , <u>463</u>	\textasteriskcentered	<u>1304</u>
\pass	<u>463</u>	\theODw@Cnt	<u>1179</u> ,
play (environment) . . .	<u>29</u> , <u>1550</u>		<u>1182</u> , <u>1540</u> , <u>1602</u> , <u>1603</u> , <u>1606</u>
Q		\theODw@EWCnt	<u>1521</u>
\Queen	<u>267</u> , <u>1880</u>	\theODw@Nr	<u>1308</u> , <u>1602</u>
\queen	<u>1880</u>	\theODw@NSCnt	<u>1521</u>
R		\theODw@PlayerNr . . .	<u>295</u> , <u>306</u> , <u>333</u>
\Redouble	<u>290</u> , <u>514</u>	\theODw@Rank	<u>334</u>
\redouble	<u>514</u>	\theODw@WinningNr	<u>1520</u>
\redoubled	<u>2056</u>	\thinspace	<u>32</u>
\resetfonts	<u>1735</u> , <u>1745</u>	\TP	<u>2118</u>
\rightlower	<u>1229</u>	\tpts	<u>2118</u>
\rightupper	<u>1222</u>	\TSF	<u>2186</u>
S		\tsforce	<u>2186</u>
\setdefaults	<u>1743</u> ,	V	
	<u>2221</u> , <u>2222</u> , <u>2223</u> , <u>2224</u> ,	\vulner	<u>1184</u> ,
	<u>2225</u> , <u>2226</u> , <u>2227</u> , <u>2228</u> , <u>2229</u>		<u>1185</u> , <u>1186</u> , <u>1187</u> , <u>1188</u> ,
\SF	<u>2152</u>		<u>1189</u> , <u>1190</u> , <u>1191</u> , <u>1192</u> ,
\sforce	<u>2152</u>		<u>1193</u> , <u>1194</u> , <u>1195</u> , <u>1196</u> ,
\showAll	<u>770</u>		<u>1197</u> , <u>1198</u> , <u>1199</u> , <u>1200</u> , <u>1289</u>
\showEW	<u>870</u>	\vulnertext	<u>1296</u>
\showNE	<u>915</u>	W	
\showNS	<u>824</u>	\West	<u>390</u> , <u>420</u> , <u>422</u> ,
\showNW	<u>955</u>		<u>1032</u> , <u>1033</u> , <u>1034</u> , <u>1035</u> ,
\South	<u>377</u> , <u>407</u> , <u>409</u> ,		<u>1188</u> , <u>1192</u> , <u>1196</u> , <u>1200</u> , <u>1626</u>
	<u>1028</u> , <u>1029</u> , <u>1030</u> , <u>1031</u> ,	\west	<u>390</u> , <u>629</u>
	<u>1187</u> , <u>1191</u> , <u>1195</u> , <u>1199</u> , <u>1624</u>	\westhand	<u>627</u>
\south	<u>377</u> , <u>613</u>		

10 List of User Commands

\ace, 21	\FSF, 13	\onesuitAll, 15
\Ace, 21	\fsforce, 23	\onesuitEW, 15
\alert, 24	\gamefont, 19	\onesuitNE, 16
\All, 23	\GF, 13	\onesuitNS, 15
\all, 24	\gforce, 23	\onesuitNW, 16
\allpass, 12	\hand, 14	\otherfont, 19
\Allpass, 22	\handskip, 19	\pass, 12
\announce, 25	\HCP, 13	\Pass, 22
\bidderfont, 19	\headlinetext, 17	play (env), 29
bidding (env), 28	\He, 12	\queen, 21
biddingpair (env), 29	\HLP, 13	\Queen, 21
\board, 24	\hpts, 23	\redouble, 12
\Board, 24	\jack, 22	\Redouble, 22
\boardnr, 18	\Jack, 22	\resetfonts, 27
\boardtext, 19	\king, 21	\rightlower, 18
\by, 24	\King, 21	\rightupper, 17
\Cl, 12	\lead, 24	\setdefaults, 26
\compassfont, 19	\Lead, 24	\SF, 13
\contract, 24	\leftlower, 17	\sforce, 23
\Contract, 24	\leftupper, 17	\showAll, 16
\deal, 24	\legendfont, 19	\showEW, 16
\Deal, 24	\LP, 13	\showNE, 16
\dealer, 18	\lpts, 23	\showNS, 16
\dealertext, 18	\markit, 25	\showNW, 16
\declarer, 24	\namefont, 19	\south, 12
\Declarer, 24	\namesEW, 13	\South, 22
\Di, 12	\namesNS, 13	\southhand, 14
\double, 12	\newgame, 26	\Sp, 12
\Double, 22	\NMF, 13	\suit, 16
\DP, 13	\nmforce, 23	\TP, 13
\dpts, 23	\none, 24	\tpts, 23
\east, 12	\None, 24	\TSF, 13
\East, 22	\north, 12	\tsforce, 23
\easthand, 14	\North, 22	\vulner, 18
\eastwest, 12	\northhand, 14	\vulnertext, 18
\EastWest, 23	\northsouth, 12	\west, 12
\expertquiz, 25	\NorthSouth, 23	\West, 22
\explainit, 25	\NT, 12	\westhand, 14
\footlinetext, 17	\nt, 22	