

# Sectioning commands with critical notes in parallel columns

April 9, 2016

This file provides examples of using sectioning commands with `reledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add  $\LaTeX$  marks for headers.

We use the `\reledxxx` commands, each of them in their own `\pstart...\pend` group.

Page clearings are manually added before chapter with `\beforeeledchapter`.

# Contents

<b>1</b>	<b>Right chapter</b>	<b>3</b>
1.1	Right section . . . . .	3
1.1.1	Right subsection . . . . .	3
1.2	Right section . . . . .	4
<b>2</b>	<b>Right chapter</b>	<b>5</b>
2.1	Right section . . . . .	5
2.1.1	Right subsection . . . . .	5
2.2	Right section . . . . .	6

<b>Chapter 1</b>		<b>Chapter 1</b>	
1	<b>Left chapter</b>	<b>Right chapter</b>	1R
2	I use git to manage some pack-	I use git to manage some pack-	2R
3	ages. I would like to add a pre-commit	ages. I would like to add a pre-commit	3R
4	hook, to check if I have forgotten For	hook, to check if I have forgotten For	4R
5	now, I have a minimal pre-commit,	now, I have a minimal pre-commit,	5R
6	which tests only the blank spaces at	which tests only the blank spaces at	6R
7	ends of lines, but not the forgotten..	ends of lines, but not the forgotten..	7R
8	<b>1.1 Left section</b>	<b>1.1 Right section</b>	8R
9	<b>1.1.1 Left subsection</b>	<b>1.1.1 Right subsection</b>	9R
10	<b>Left subsubsection</b>	<b>Right subsubsection</b>	10R
11	I use git to manage some pack-	I use git to manage some pack-	11R
12	ages. I would like to add a pre-commit	ages. I would like to add a pre-commit	12R
13	hook, to check if I have forgotten For	hook, to check if I have forgotten For	13R
14	now, I have a minimal pre-commit,	now, I have a minimal pre-commit,	14R
15	which tests only the blank spaces at	which tests only the blank spaces at	15R
<hr/>			
1	chapter ] chapitre		
1R	chapter ] chapitre		
9	subsection ] sous-section		
9R	subsection ] sous-section		
10	subsubsection ] sous-sous-section		
10R	subsubsection ] sous-sous-section		

16 ends of lines, but not the forgotten.

ends of lines, but not the forgotten. 16R

## 17 1.2 Left section

18 I use git to manage some pack-  
19 ages. I would like to add a pre-commit  
20 hook, to check if I have forgotten For  
21 now, I have a minimal pre-commit,  
22 which tests only the blank spaces at  
23 ends of lines, but not the forgotten.

## 1.2 Right section 17R

I use git to manage some pack- 18R  
ages. I would like to add a pre-commit 19R  
hook, to check if I have forgotten For 20R  
now, I have a minimal pre-commit, 21R  
which tests only the blank spaces at 22R  
ends of lines, but not the forgotten. 23R

## Chapter 2

### 1 Left chapter

2 I use git to manage some pack-  
3 ages. I would like to add a pre-commit  
4 hook, to check if I have forgotten For  
5 now, I have a minimal pre-commit,  
6 which tests only the blank spaces at  
7 ends of lines, but not the forgotten..

#### 8 2.1 Left section

##### 9 2.1.1 Left subsection

##### 10 Left subsubsection

11 I use git to manage some pack-  
12 ages. I would like to add a pre-commit  
13 hook, to check if I have forgotten For  
14 now, I have a minimal pre-commit,  
15 which tests only the blank spaces at

---

1 chapter ] chapitre  
1R chapter ] chapitre  
9 subsection ] sous-section  
9R subsection ] sous-section  
10 subsubsection ] sous-sous-section  
10R subsubsection ] sous-sous-section

## Chapter 2

### Right chapter 1R

I use git to manage some pack- 2R  
ages. I would like to add a pre-commit 3R  
hook, to check if I have forgotten For 4R  
now, I have a minimal pre-commit, 5R  
which tests only the blank spaces at 6R  
ends of lines, but not the forgotten.. 7R

#### 2.1 Right section 8R

##### 2.1.1 Right subsection 9R

##### Right subsubsection 10R

I use git to manage some pack- 11R  
ages. I would like to add a pre-commit 12R  
hook, to check if I have forgotten For 13R  
now, I have a minimal pre-commit, 14R  
which tests only the blank spaces at 15R

16 ends of lines, but not the forgotten.

ends of lines, but not the forgotten. 16R

## 17 2.2 Left section

18 I use git to manage some pack-  
19 ages. I would like to add a pre-commit  
20 hook, to check if I have forgotten For  
21 now, I have a minimal pre-commit,  
22 which tests only the blank spaces at  
23 ends of lines, but not the forgotten.

## 2.2 Right section 17R

I use git to manage some pack- 18R  
ages. I would like to add a pre-commit 19R  
hook, to check if I have forgotten For 20R  
now, I have a minimal pre-commit, 21R  
which tests only the blank spaces at 22R  
ends of lines, but not the forgotten. 23R