Sectioning commands with critical notes in parallel colums

This file provides examples of using sectioning commands with reledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use ℓL to say we want the right titles be added to the table of contents, and not the left titles. We also use ℓR to use the right side to add ETEX marks for headers.

We use the \releaxx commands, each of them in their own \pstart...\pend group. Page clearings are manually added before chapter with \beforeeledchapter.

Contents

1	Rigł	nt chapter	5
	1.1	Right section	5
		1.1.1 Right subsection	5
	1.2	Right section	5
2	Right chapter		
	2.1	Right section	7
		2.1.1 Right subsection	7
	2.2	Right section	7

CONTENTS

4

Chapter 1

Chapter 1

Left chapter

Right chapter _{IR}

I use git to manage some packages.
I would like to add a pre-commit hook,
to check if I have forgotten For now,
I have a minimal pre-commit, which
tests only the blank spaces at ends of
lines, but not the forgotten..

I use git to manage some packages. ²R I would like to add a pre-commit hook, ³R to check if I have forgotten For now, ⁴R I have a minimal pre-commit, which ⁵R tests only the blank spaces at ends of ⁶R lines, but not the forgotten.. ⁷R

1.1 Left section

1.1.1 Left subsection

Left subsubsection

I use git to manage some packages.
I would like to add a pre-commit hook,
to check if I have forgotten For now,
I have a minimal pre-commit, which
tests only the blank spaces at ends of
lines, but not the forgotten.

1.2 Left section

1.1 Right section

1.1.1 Right subsection

Right subsubsection

10R

I use git to manage some packages. ¹¹R I would like to add a pre-commit hook, ¹²R to check if I have forgotten For now, ¹³R I have a minimal pre-commit, which ¹⁴R tests only the blank spaces at ends of ¹⁵R lines, but not the forgotten. ¹⁶R

1.2 Right section

¹ chapter] chapitre

¹ chapter] chapitre

⁹ subsection] sous-section

⁹ subsection] sous-section10 subsubsection] sous-sous-section

to subsubsection] sous-sous-section

¹⁰ subsubsection] sous-sous-section

- I use git to manage some packages. 18
- I would like to add a pre-commit hook, 19
- to check if I have forgotten For now, 20
- I have a minimal pre-commit, which 21
- tests only the blank spaces at ends of 22
- lines, but not the forgotten. 23

I use git to manage some packages. 18R I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

19R 20R 21R 22R 23R

Chapter 2

Chapter 2

Left chapter

Right chapter ...

I use git to manage some packages. 2 I would like to add a pre-commit hook, 3 to check if I have forgotten For now, 4 I have a minimal pre-commit, which 5 tests only the blank spaces at ends of 6 lines, but not the forgotten.. 7

I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten ..

Left section 2.1

2.1.1 Left subsection

Left subsubsection

I use git to manage some packages. 11 I would like to add a pre-commit hook, 12 to check if I have forgotten For now, 13 I have a minimal pre-commit, which 14 tests only the blank spaces at ends of 15 lines, but not the forgotten. 16

Left section 2.2

I use git to manage some packages.

Right section 2.1

Right subsection 2.1.1

Right subsubsection

10R

2R

3R

4R

5R

6R

7R

I use git to manage some packages. 11R I would like to add a pre-commit hook, 12R to check if I have forgotten For now, 13R I have a minimal pre-commit, which 14R tests only the blank spaces at ends of 15R lines, but not the forgotten. 16R

Right section 2.2

¹ chapter] chapitre

¹ chapter] chapitre

⁹ subsection] sous-section

⁹ subsection] sous-section 10 subsubsection] sous-sous-section

¹⁰ subsubsection] sous-sous-section

- I use git to manage some packages. 18
- I would like to add a pre-commit hook, 19
- to check if I have forgotten For now, 20
- I have a minimal pre-commit, which 21
- tests only the blank spaces at ends of 22
- lines, but not the forgotten. 23

I use git to manage some packages. 18R I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

19R 20R 21R 22R 23R