# Sectioning commands with critical notes in parallel colums

September 26, 2016

This file provides examples of using sectioning commands with reledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use  $\eledsectnotoc{L}$  to say we want the right titles be added to the table of contents, and not the left titles. We also use  $\eledsectmark{R}$  to use the right side to add  $\ensuremath{\texttt{ETEX}}$  marks for headers.

We use the  $\reledxxx$  commands, each of them in their own  $\pstart...\pend$  group.

Page clearings are manually added before chapter with \beforeeledchapter.

## Contents

1	Rigł	it chapter	3
	1.1	Right section	3
		1.1.1 Right subsection	
	1.2	Right section	4
2	Rigł	it chapter	5
	2.1	Right section	5
		2.1.1 Right subsection	5
	2.2	Right section	6

# Chapter 1 Left chapter Right chapter

I use git to manage some packages. I would like to add a pre-commit
hook, to check if I have forgotten For
now, I have a minimal pre-commit,
which tests only the blank spaces at
ends of lines, but not the forgotten..

8 1.1 Left section

#### 9 1.1.1 Left subsection

#### 10 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit
hook, to check if I have forgotten For

9 subsection] sous-section

10 subsubsection ] sous-sous-section

I use git to manage some pack- 2R ages. I would like to add a pre-commit 3R hook, to check if I have forgotten For 4R now, I have a minimal pre-commit, 5R which tests only the blank spaces at 6R ends of lines, but not the forgotten.. 7R

#### **1.1 Right section BR**

- **1.1.1 Right subsection 9R**
- **Right subsubsection**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For

10R

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter ] chapitre

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection ] sous-sous-section

14 now, I have a minimal pre-commit,

15 which tests only the blank spaces at

<sup>16</sup> ends of lines, but not the forgotten.

### 17 **1.2 Left section**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten. now, I have a minimal pre-commit, 14R which tests only the blank spaces at 15R ends of lines, but not the forgotten. 16R

#### 1.2 **Right section**

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R

17R

### Chapter 2 Chapter 2 Left chapter **Right chapter** 1R

2 I use git to manage some packages. I would like to add a pre-commit 3 hook, to check if I have forgotten For 4 now, I have a minimal pre-commit, 5 which tests only the blank spaces at 6

- ends of lines, but not the forgotten.. 7
- Left section 2.1 8

#### Left subsection 2.1.1 9

#### Left subsubsection 10

I use git to manage some pack-11 ages. I would like to add a pre-commit 12 hook, to check if I have forgotten For 13

9 subsection] sous-section

10 subsubsection] sous-sous-section

## **Right section** 2.1

I use git to manage some pack-

ages. I would like to add a pre-commit 3R

hook, to check if I have forgotten For

now, I have a minimal pre-commit,

which tests only the blank spaces at

ends of lines, but not the forgotten..

- **Right subsection** 2.1.1 9R
- **Right subsubsection**

10R

2R

4R

5R

6R

7R

8R

I use git to manage some pack-11R ages. I would like to add a pre-commit 12R hook, to check if I have forgotten For 13R

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter ] chapitre

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection ] sous-sous-section

14 now, I have a minimal pre-commit,

<sup>15</sup> which tests only the blank spaces at

<sup>16</sup> ends of lines, but not the forgotten.

#### 17 2.2 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten. now, I have a minimal pre-commit, 14R which tests only the blank spaces at 15R ends of lines, but not the forgotten. 16R

#### 2.2 **Right section**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten. 23R

17R