# Sectioning commands with critical notes in parallel colums

April 28, 2017

This file provides examples of using sectioning commands with reledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use  $\ensuremath{\texttt{left}}$  to say we want the right titles be added to the table of contents, and not the left titles. We also use  $\ensuremath{\texttt{left}}$  to use the right side to add  $\ensuremath{\texttt{LFX}}$  marks for headers.

We use the  $\reledxxx$  commands, each of them in their own  $\protect\$ 

Page clearings are manually added before chapter with \beforeeledchapter.

# **Contents**

1	Right chapter								
	1.1	Right section	:						
		1.1.1 Right subsection							
	1.2	Right section	4						
2	Right chapter								
_	_	•							
	2.1	Right section	ļ						
		2.1.1 Right subsection							
	2.2	Right section	(						

# Chapter 1

# **Left chapter**

# I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

ends of lines, but not the forgotten..

#### 8 1.1 Left section

#### 9 1.1.1 Left subsection

#### 10 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

11

12

13

14

15

# Chapter 1

# Right chapter

I use git to manage some packages. I would like to add a pre-commit 3R hook, to check if I have forgotten For 4R now, I have a minimal pre-commit, 5R which tests only the blank spaces at 6R ends of lines, but not the forgotten. 7R

1R

8R

9R

10R

#### 1.1 Right section

#### 1.1.1 Right subsection

#### Right subsubsection

I use git to manage some packages. I would like to add a pre-commit
hook, to check if I have forgotten For
now, I have a minimal pre-commit,
which tests only the blank spaces at
11R
12R
13R

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter] chapitre

<sup>9</sup> subsection] sous-section

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection ] sous-sous-section

<sup>10</sup> subsubsection] sous-sous-section

16R

17R

6	ends	of	lines.	but	not	the	forgotten

ends of lines, but not the forgotten.

# 1.2 Right section

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R

#### 1.2 Left section

18

19

20

21

22

23

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

# Chapter 2

# Left chapter

I use git to manage some packages. I would like to add a pre-commit
hook, to check if I have forgotten For
now, I have a minimal pre-commit,
which tests only the blank spaces at
ends of lines, but not the forgotten..

#### 8 2.1 Left section

#### 9 2.1.1 Left subsection

#### 10 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at

11

12

13

14

15

# Chapter 2

# Right chapter

I use git to manage some packages. I would like to add a pre-commit 3R hook, to check if I have forgotten For 4R now, I have a minimal pre-commit, 5R which tests only the blank spaces at 6R ends of lines, but not the forgotten. 7R

1R

8R

9R

10R

#### 2.1 Right section

#### 2.1.1 Right subsection

#### Right subsubsection

I use git to manage some packages. I would like to add a pre-commit
hook, to check if I have forgotten For
now, I have a minimal pre-commit,
which tests only the blank spaces at
11R
12R
13R

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter] chapitre

<sup>9</sup> subsection] sous-section

<sup>9</sup> subsection] sous-section

<sup>10</sup> subsubsection ] sous-sous-section

<sup>10</sup> subsubsection] sous-sous-section

16R

17R

6 ends of lines, but not the forgotten.

ends of lines, but not the forgotten.

### 2.2 Left section

18

19

20

21

22

23

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 2.2 Right section

I use git to manage some packages. I would like to add a pre-commit 19R hook, to check if I have forgotten For 20R now, I have a minimal pre-commit, 21R which tests only the blank spaces at 22R ends of lines, but not the forgotten. 23R