Sectioning commands with critical notes in parallel pages

December 13, 2015

This file provides examples for using the sectioning command with reledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in parallel pages. Following the standard behavior of reledpar, only the left titles are put to the table of contents.

We use the \reledxxx commands, each of them in their own $\protect\$

Page breaks are manually added before chapter with \beforeeledchapter.

Contents

1	Prea	amble	5
2	Left	chapter	6
	2.1	Left section	6
		2.1.1 Left subsection	6
	2.2	Left section	6
	2.3	Left section	8
		2.3.1 Left subsection	8
	2.4	Left section	8
3	Left	chapter	10
	3.1	Left section	10
		3.1.1 Left subsection	10
	3.2	Left section	10
	3.3	Left section	12
		3.3.1 Left subsection	12
	3.4	Left section	12

4 CONTENTS

Preamble

A chapter outside any parallel typesetting environment.

Left chapter

- I use git to manage some packages. I would like to add a pre-commit hook,
- 3 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- 4 only the blank spaces at ends of lines, but not the forgotten.

5 2.1 Left section

6 2.1.1 Left subsection

7 Left subsubsection

- I use git to manage some packages. I would like to add a pre-commit hook,
- 9 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- only the blank spaces at ends of lines, but not the forgotten.

11 2.2 Left section

- I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests
 - 1 chapter] chapitre
 - 6 subsection] sous-section
 - 7 subsubsection] sous-sous-section

Right chapter

1R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

3R 4R

Right section 2.1

5R

Right subsection 2.1.1

6R

Right subsubsection

7R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

2.2 Right section

11R

I use git to manage some packages. I would like to add a pre-commit hook, 12R to check if I have forgotten For now, I have a minimal pre-commit, which tests

¹R chapter] chapitre

⁶R subsection] sous-section

⁷R subsubsection] sous-sous-section

only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

8 2.3 Left section

9 2.3.1 Left subsection

20 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

24 2.4 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

¹⁹ subsection] sous-section

²⁰ subsubsection] sous-sous-section

2.4. LEFT SECTION

only the blank spaces at ends of lines, but not the forgotten. I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.		
2.3 Right section	18I	
2.3.1 Right subsection	19I	
Right subsubsection		
I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.	21l 22l 23l	
2.4 Right section	241	
I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.	25I 26I 27I	

27R

¹⁹R subsection] sous-section

²⁰R subsubsection] sous-sous-section

Left chapter

- I use git to manage some packages. I would like to add a pre-commit hook,
- 3 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- 4 only the blank spaces at ends of lines, but not the forgotten.

5 3.1 Left section

6 3.1.1 Left subsection

7 Left subsubsection

- I use git to manage some packages. I would like to add a pre-commit hook,
- 9 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- only the blank spaces at ends of lines, but not the forgotten.

11 3.2 Left section

- I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests
 - 1 chapter] chapitre
 - 6 subsection] sous-section
 - 7 subsubsection] sous-sous-section

Right chapter

1R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

4R

3R

Right section 3.1

5R

Right subsection 3.1.1

6R

Right subsubsection

7R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

3.2 Right section

11R

I use git to manage some packages. I would like to add a pre-commit hook, 12R to check if I have forgotten For now, I have a minimal pre-commit, which tests

¹R chapter] chapitre

⁶R subsection] sous-section

⁷R subsubsection] sous-sous-section

only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

18 3.3 Left section

19 3.3.1 Left subsection

20 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

24 3.4 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

¹⁹ subsection] sous-section

²⁰ subsubsection] sous-sous-section

3.4. LEFT SECTION 13

only the blank spaces at ends of lines, but not the forgotten.		
I use git to manage some packages. I would like to add a pre-commit hook,	15F	
to check if I have forgotten For now, I have a minimal pre-commit, which tests		
only the blank spaces at ends of lines, but not the forgotten.		
3.3 Right section	18F	
3.3.1 Right subsection	19F	
Right subsubsection		
I use git to manage some packages. I would like to add a pre-commit hook,	21F	
to check if I have forgotten For now, I have a minimal pre-commit, which tests		
only the blank spaces at ends of lines, but not the forgotten.		
3.4 Right section	24F	
I use git to manage some packages. I would like to add a pre-commit hook,	25R	
to check if I have forgotten For now, I have a minimal pre-commit, which tests		
only the blank spaces at ends of lines, but not the forgotten.		

27R

²⁰R subsubsection] sous-sous-section