Sectioning commands with critical notes in parallel pages

October 4, 2016

This file provides examples for using the sectioning command with reledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in parallel pages. Following the standard behavior of reledpar, only the left titles are put to the table of contents.

We use the \reledxxx commands, each of them in their own $\pstart...\pend$ group.

Page breaks are manually added before chapter with \beforeeledchapter.

Contents

1	Prea	amble	5				
2	Left	chapter	6				
	2.1	Left section	6				
		2.1.1 Left subsection	6				
	2.2	Left section	6				
	2.3	Left section	8				
		2.3.1 Left subsection	8				
	2.4	Left section	8				
3	Left chapter 10						
	3.1	Left section	10				
		3.1.1 Left subsection	10				
	3.2	Left section	10				
	3.3	Left section	12				
		3.3.1 Left subsection	12				
	3.4	Left section	12				

CONTENTS

4

Preamble

A chapter outside any parallel typesetting environment.

Left chapter

² I use git to manage some packages. I would like to add a pre-commit hook,

³ to check if I have forgotten For now, I have a minimal pre-commit, which tests

4 only the blank spaces at ends of lines, but not the forgotten.

5 2.1 Left section

6 2.1.1 Left subsection

7 Left subsubsection

8 I use git to manage some packages. I would like to add a pre-commit hook,

9 to check if I have forgotten For now, I have a minimal pre-commit, which tests
10 only the blank spaces at ends of lines, but not the forgotten.

11 2.2 Left section

¹ chapter] chapitre

⁶ subsection] sous-section

⁷ subsubsection] sous-sous-section

Right chapter

I use git to manage some packages. I would like to add a pre-commit hook, 2R to check if I have forgotten For now, I have a minimal pre-commit, which tests 3R only the blank spaces at ends of lines, but not the forgotten. 4R

2.1 Right section

2.1.1 Right subsection

Right s	ubsubs	ection
----------------	--------	--------

I use git to manage some packages. I would like to add a pre-commit hook, 8R to check if I have forgotten For now, I have a minimal pre-commit, which tests 9R only the blank spaces at ends of lines, but not the forgotten. 10R

2.2 Right section

11R

6R

5R

¹ chapter] chapitre

⁶ subsection] sous-section

⁷ subsubsection] sous-sous-section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

18 2.3 Left section

19 2.3.1 Left subsection

20 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

24 **2.4** Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

¹⁹ subsection] sous-section

²⁰ subsubsection] sous-sous-section

I use git to manage some packages. I would like to add a pre-commit hook, 12R to check if I have forgotten For now, I have a minimal pre-commit, which tests 13R only the blank spaces at ends of lines, but not the forgotten. 14R

I use git to manage some packages. I would like to add a pre-commit hook, 15R to check if I have forgotten For now, I have a minimal pre-commit, which tests 16R only the blank spaces at ends of lines, but not the forgotten. 17R

2.3 Right section

2.3.1 Right subsection

Right subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, 21R to check if I have forgotten For now, I have a minimal pre-commit, which tests 22R only the blank spaces at ends of lines, but not the forgotten. 23R

2.4 **Right section**

I use git to manage some packages. I would like to add a pre-commit hook, ^{25R} to check if I have forgotten For now, I have a minimal pre-commit, which tests ^{26R} only the blank spaces at ends of lines, but not the forgotten. ^{27R}

18R

19R

20R

¹⁹ subsection] sous-section

²⁰ subsubsection] sous-sous-section

Left chapter

² I use git to manage some packages. I would like to add a pre-commit hook,

³ to check if I have forgotten For now, I have a minimal pre-commit, which tests

4 only the blank spaces at ends of lines, but not the forgotten.

5 3.1 Left section

6 3.1.1 Left subsection

7 Left subsubsection

8 I use git to manage some packages. I would like to add a pre-commit hook,

to check if I have forgotten For now, I have a minimal pre-commit, which tests
only the blank spaces at ends of lines, but not the forgotten.

11 3.2 Left section

¹ chapter] chapitre

⁶ subsection] sous-section

⁷ subsubsection] sous-sous-section

Right chapter

I use git to manage some packages. I would like to add a pre-commit hook, 2R to check if I have forgotten For now, I have a minimal pre-commit, which tests 3R only the blank spaces at ends of lines, but not the forgotten. 4R

3.1 Right section

3.1.1 Right subsection

Right subsubsection	subsubs	ection
----------------------------	---------	--------

I use git to manage some packages. I would like to add a pre-commit hook, 8R to check if I have forgotten For now, I have a minimal pre-commit, which tests 9R only the blank spaces at ends of lines, but not the forgotten. 10R

3.2 Right section

11R

1R

5R

6R

¹ chapter] chapitre

 $^{6 \ \} subsection \] \ \ sous-section$

⁷ subsubsection] sous-sous-section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

18 3.3 Left section

19 3.3.1 Left subsection

20 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

24 **3.4** Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

¹⁹ subsection] sous-section

²⁰ subsubsection] sous-sous-section

I use git to manage some packages. I would like to add a pre-commit hook, 12R to check if I have forgotten For now, I have a minimal pre-commit, which tests 13R only the blank spaces at ends of lines, but not the forgotten. 14R

I use git to manage some packages. I would like to add a pre-commit hook, 15R to check if I have forgotten For now, I have a minimal pre-commit, which tests 16R only the blank spaces at ends of lines, but not the forgotten. 17R

3.3 Right section

3.3.1 Right subsection

Right subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, 21R to check if I have forgotten For now, I have a minimal pre-commit, which tests 22R only the blank spaces at ends of lines, but not the forgotten. 23R

3.4 **Right section**

I use git to manage some packages. I would like to add a pre-commit hook, ^{25R} to check if I have forgotten For now, I have a minimal pre-commit, which tests ^{26R} only the blank spaces at ends of lines, but not the forgotten. ^{27R}

18R

19R

20R

¹⁹ subsection] sous-section

²⁰ subsubsection] sous-sous-section