

Flower formulas for different plant families, mostly from Middle Russia

Family	Formula
Acoraceae	$*P_6A_6G_{(3)}$
Actinidiaceae	$*K_5C_5A_\infty G_{(\infty)}$
Adoxaceae (<i>Adoxa</i>)	$*[K_2C_4A_{4\times 2}] \vee [K_3C_5A_{5\times 2}]G_{-(2)}$
Adoxaceae (<i>Sambucus</i>)	$*K_{(5)}C_{(5)}A_5G_{-(2)}$
Aizoaceae (<i>Mollugo</i>)	$*P_{(5)}A_5G_{(3)}$
Alismataceae	$*K_3C_3A_{6\vee\infty}G_{\infty}$
Amaranthaceae	$*P_{3-5}A_{3-5}G_{(2)}$
Amaryllidaceae	$*P_{3+3}A_{3+3}G_{(\bar{3})}$
Anacardiaceae	$*K_5C_5A_{10-5}G_{(1-3)}$
Apocynaceae	$*K_{(5)}C_{(5)}A_5G_2$
Araceae (<i>Calla</i>)	$*A_6G_{(3)}$
Araliaceae	$*K_5C_5A_5G_{(\bar{1}-\bar{5})}$
Aristolochiaceae	$\uparrow P_1(A_6G_{(\bar{3})})$
Asaraceae	$*P_{(3)}A_{12}G_{(\bar{3})}$
Asparagaceae	$*P_{4\vee(6)}A_{3+3}G_{(3)}$
Balsaminaceae	$\uparrow K_{1,2}C_{1,2,2}A_{(5)}G_{(5)}$
Begoniaceae	$P_{2-6}G_{(\bar{3})} \vee P_{2\vee[2+2]}A_\infty$
Berberidaceae	$*K_{3+3}C_{3+3}A_{3+3}G_1$
Betulaceae	$P_{0\vee 2\vee(4)}A_{4-12} \vee P_{0\vee(\infty)}G_{(\bar{2})}$
Boraginaceae	$* \vee \uparrow K_{(5)}C_{(5)}A_5G_{(2\times 2)}$
Bromeliaceae	$*K_3C_3A_{3+3}G_{\bar{3}}$
Butomaceae	$*K_3C_3A_9G_6$
Cactaceae	$*K_\infty C_\infty A_\infty G_{(3)}$
Callitrichaceae	$A_1 \vee G_{(2\times 2)}$

Family	Formula
Campanulaceae (most)	$*K_{(5)}C_{(5)}A_5G_{(\bar{2}\vee\bar{3}\vee\bar{5})}$
Campanulaceae (<i>Lobelia</i>)	$\uparrow K_{(5)}C_{(2,3)}A_{(5)}G_{(\bar{3})}$
Cannaceae	$K_3C_3S_{2\frac{1}{2}}A_{\frac{1}{2}}G_{(\bar{3})}$
Caprifoliaceae	$* \vee \uparrow K_{(5)}C_{(5)}A_{5\vee 4}G_{(\bar{2})}$
Caprifoliaceae (<i>Linnaea</i>)	$\uparrow K_{(5)}C_5A_{2,[3\vee 2]}G_{(\bar{2})}$
Caryophyllaceae	$*K_{5\vee(5)}C_{5\vee 0}A_{5\vee 10}G_{(\bar{3}\vee\bar{5})}$
Celastraceae	$*K_{(4)}C_4A_4G_{(2)}$
Ceratophyllaceae	$*P_{12}A_\infty \vee *P_{8-12}G_1$
Chenopodiaceae	$*P_{3-5}A_{1-5}G_{(2)}$
Cistaceae	$*K_{2+3}C_5A_\infty G_{(\bar{3})}$
Commelinaceae	$K_3C_{1,2}A_3G_{(\bar{3})}$
Compositae	$* \vee \uparrow K_{0\vee 5}C_{(5\vee 3)}A_{(5)}G_{(\bar{2})}$
Convolvulaceae	$*K_{(5\vee 4)}C_{(5\vee 4)}A_{5\vee 4}G_{(2)}$
Cornaceae	$*K_{(4)}C_4A_4G_{(\bar{2})}$
Crassulaceae	$*K_{(5-20)}C_{5-20}A_{10-40}G_{5-20}$
Cruciferae	$*K_4C_4A_{2+4}G_{(2)}$
Cucurbitaceae	$*K_{(5)}C_{(5)}A_{(5)} \vee *K_{(5)}C_{(5)}G_{(\bar{3}-\bar{5})}$
Cyperaceae	$\uparrow \vee *P_{0-6}A_{3\vee 2}G_{(\bar{3}\vee 2)}$
Dipsacaceae	$\uparrow E_{(4\vee 8)}K_{(5\vee 3)\vee 0}C_{(4\vee 5)}A_4G_{(\bar{2})}$
Droseraceae	$*K_5C_5A_5G_{(\bar{3})}$
Elaeagnaceae	$*P_{(2-4)}A_4G_{(\bar{2})}$
Elatinaceae	$*K_{2-4}C_{2-4}A_{3-8}G_{(2-4)}$
Empetraceae	$*K_3C_3A_3G_{(\bar{3})}$
Ericaceae	$*K_{(4\vee 5)}C_{[(4\vee 5)]\vee 5}A_{4\vee 5+4\vee 5}G_{(\bar{4}\vee\bar{5})} \vee G_{(\bar{4})}$
Ericaceae (Pyroloideae)	$*K_{(5)}C_5A_{10}G_{(\bar{5})}$
Ericaceae (<i>Oxycoccus</i>)	$*K_4C_{(4)}A_{4+4}G_{(\bar{4})}$
Ericaceae (<i>Monotropa</i>)	$*K_{4\vee 5}C_{4\vee 5}A_{4\vee 5+4\vee 5}G_{(\bar{4}\vee\bar{5})}$
Ericaceae (<i>Vaccinium</i>)	$*K_{(5)}C_{(5)}A_5G_{(\bar{4})}$
Euphorbiaceae	$A_1 \vee G_{(\bar{3})}$
Fagaceae	$*P_{(5-9)}A_{5-10} \vee *P_\infty G_{(\bar{2})}$
Gentianaceae	$*K_{(5\vee[4-7])}C_{(5\vee[4-7])}A_{4-7}G_{(2)}$
Geraniaceae	$*K_5C_5A_{[5+5]\vee(5)}G_{(\bar{5})}$

Family	Formula
Gramineae	$\uparrow P_{2 \vee 3} A_{[3-1] \vee 6} G_{(2)}$
Haloragaceae	$*K_4 C_4 A_{4+4} \vee *K_4 C_4 G_{\bar{4}}$
Hippuridaceae	$\uparrow(A_1 G_{\bar{1}})$
Hydrangeaceae (<i>Philadelphus</i>)	$*K_{4 \vee 5} C_{4 \vee 5} A_{\infty} G_{(\bar{4})}$
Hydrocharitaceae (<i>Hydrocharis</i>)	$*P_{3+3} A_{3+3+3} \vee *P_{3+3} G_{\bar{6}}$
Hydrocharitaceae (<i>Stratiotes</i>)	$*K_3 C_3 A_{\infty} G_{\bar{6}}$
Hydrocharitaceae (<i>Elodea</i>)	$*K_{(3)} C_3 S_{1-3} G_{\bar{3}}$
Hydrophyllaceae (<i>Phacelia</i>)	$*K_{(5)} C_{(5)} A_5 G_{(2)}$
Hypericaceae	$*K_5 C_5 A_{3 \times \infty} G_{(3)}$
Iridaceae	$* \vee \uparrow P_{(3+3)} A_3 G_{(\bar{3})}$
Juglandaceae	$P_{3-6} A_{3-40} \vee P_4 G_{(\bar{1})}$
Juncaceae	$*P_{3+3} A_{[3+3] \vee 3} G_{(3)}$
Labiatae	$\uparrow K_{(5)} C_{(2,3)} A_{[2,2] \vee 2} G_{(2 \times 2)}$
Lauraceae	$*P_{3+3} A_{3+3+3} G_{\underline{1}}$
Leguminosae	$\uparrow K_{(5 \vee 3)} C_{[1,2,(2)] \vee (1,2,2)} A_{[1,(4+5)] \vee (10)} G_{\underline{1}}$
Lemnaceae	$A_1 \vee G_{\underline{1}}$
Lentibulariaceae (<i>Pinguicula</i>)	$\uparrow K_{(2)} C_{(2)} A_2 G_{\underline{1}}$
Lentibulariaceae (<i>Lentibularia</i>)	$\uparrow K_{(2)} C_{(2)} A_2 G_{(2)}$
Liliaceae	$*P_{3+3} A_{3+3} G_{(3)}$
Linaceae	$*K_{4 \vee 5} C_{4 \vee 5} A_{4 \vee 5} G_{(\underline{4 \vee 5})}$
Lythraceae (<i>Peplis</i>)	$*K_{(6+6)} C_{0 \vee 6} A_6 G_{(2)}$
Lythraceae (<i>Lythrum</i>)	$*K_{(6+6)} C_6 A_{[6+6] \vee 6} G_{(2)}$
Magnoliaceae	$*P_{3+3+3+3} A_{\infty} G_{\infty}$
Malvaceae	$*H_{0 \vee 3-8 \vee (3-8)} K_5 C_5 A_{(\infty)} G_{(\infty) \vee \infty}$
Melanthiaceae (<i>Veratrum</i>)	$*P_{3+3} A_{3+3} G_{\underline{3}}$
Menyanthaceae (<i>Nymphoides</i>)	$*K_{(5)} C_{(5)} A_5 G_{(2)}$
Menyanthaceae (<i>Manyanthes</i>)	$*K_{(5)} C_{(5)} A_5 G_{(2)}$
Moraceae	$P_4 A_4 \vee P_4 G_{(2)}$
Musaceae	$\uparrow P_{5,1} A_{5,1} \vee G_{\bar{3}}$
Myrtaceae	$*K_{4-5} C_{4-5} A_{\infty} G_{\bar{2}}$
Najadaceae	$P_1 A_1 \vee G_{\underline{1}}$
Nitrariaceae	$*K_5 C_5 A_{5+5} G_{(3)}$

Family	Formula
Nyctaginaceae	$P_5 A_{1-\infty} G_1$
Nymphaeaceae	$*K_{4-6} C_\infty A_\infty G_{(\infty)} \vee G_{-(\infty)-}$
Oleaceae	$*K_{(4)} C_{(4)} A_2 G_{(2)}$
Oleaceae (<i>Fraxinus</i>)	$K_{0 \vee 4} A_2 G_{(2)}$
Onagraceae	$*K_{2 \vee 4} C_{2 \vee 4} A_{2 \vee [4+4]} G_{(\overline{2-5})}$
Onagraceae (<i>Chamaenerion</i>)	$\uparrow K_4 C_{1,3} A_{4+4} G_{(\bar{2})}$
Orchidaceae	$\uparrow P_{3 \vee [(2),1]+2,1} (A_{1 \vee 2} G_{(\bar{3})})$
Oxalidaceae	$*K_5 C_5 A_{(5+5)} G_{(\underline{5})}$
Paeoniaceae	$K_5 C_5 A_\infty G_{(\underline{2-4})}$
Palmae	$*P_{3+3} A_{3+3} \vee G_3$
Papaveraceae (Fumarioideae)	$\uparrow K_2 C_{(1,3)} A_{2 \times 3} G_{(2)}$
Papaveraceae (Papaveroideae)	$*K_2 C_4 A_\infty G_{(\underline{2})}$
Parnassiaceae	$*K_{(5)} C_5 S_5 A_5 G_{(\underline{3})}$
Plantaginaceae	$*K_{4 \vee 3} C_{(4)} A_4 G_{(\underline{2})}$
Plumbaginaceae	$*K_{(5)} C_{(5)} A_5 G_1$
Polemoniaceae	$*K_{(5)} C_{(5)} A_5 G_{(\underline{3})}$
Polygalaceae	$\uparrow K_{2,3} C_{([1,2] \vee [1,4])} A_{(8)} G_{(\underline{2})}$
Polygalaceae	$\uparrow K_{2,3} C_{[1,2] \vee [1,4]} A_{(8)} G_{(\underline{2})}$
Polygonaceae	$P_{(4 \vee 5) \vee 3-6} A_{5-9} G_{(\underline{3})}$
Portulacaceae (<i>Montia</i>)	$*K_{(2)} C_{(5)} A_3 G_{(\underline{3})}$
Potamogetonaceae	$*P_4 A_4 G_{\underline{4}}$
Primulaceae	$*K_{(5 \vee 4 \vee 7)} C_{(5 \vee 4 \vee 7)} A_{5 \vee 4 \vee 7} G_{(\underline{5 \vee 4 \vee 7})}$
Primulaceae (<i>Trientalis</i>)	$*K_7 C_7 A_7 G_{(\underline{7})}$
Primulaceae (<i>Hottonia</i>)	$*K_5 C_{(5)} A_5 G_{(\underline{5})}$
Ranunculaceae	$* \vee \uparrow [K_{3-15} C_{2-25}] \vee [P_{5-6}] A_{5-\infty} G_{1-\infty}$
Ranunculaceae (<i>Batrachium</i>)	$*K_5 C_5 A_\infty G_{\infty}$
Ranunculaceae (<i>Atragene</i>)	$*K_4 C_4 A_\infty G_{\infty}$
Resedaceae	$\uparrow K_{4-6} C_{4-6} A_{10-\infty} G_{(\underline{3})}$
Rhamnaceae	$*K_{(4 \vee 5)} C_{4 \vee 5} A_{4 \vee 5} G_{(2)}$
Rosaceae	$*K_{(5)} C_5 A_\infty G_1 \vee G_{(\overline{2-5})}$
Rosaceae (Rosoideae)	$*H_{(5 \vee 4 \vee 0)} K_{(5 \vee 4)} C_{5 \vee 4 \vee 0 \vee 6} A_{4-\infty} G_{1-\infty}$
Rosaceae (<i>Alchemilla, Sanguisorba</i>)	$*H_{0 \vee 4} K_4 A_4 G_1$

Family	Formula
Rubiaceae	$*K_{0\vee(4\vee 5)}C_{(4\vee 3\vee 5)}A_{4\vee 3\vee 5}G_{(\bar{2})}$
Rutaceae	$*K_{4-5}C_{4-5}A_{[4-5]\vee[8-10]}G_{(\underline{4-5})}$
Salicaceae	$A_{3-20}\vee G_{(2)}$
Santalaceae (<i>Viscum</i>)	$*P_{2+2}A_{2+2}\vee *P_{2+2}G_{(\bar{2})}$
Santalaceae (<i>Thesium</i>)	$*P_{(5\vee 4)}A_{5\vee 4}G_{(\bar{2})}$
Sapindaceae	$*\vee \uparrow K_5C_5A_{5-12}G_{(2)}$
Sapindaceae (<i>Acer negundo</i>)	$*P_{(5)}A_{4-6}\vee *P_5G_{(2)}$
Saxifragaceae (<i>Saxifraga</i>)	$*K_5C_5A_{10}G_{(2)}$
Saxifragaceae (<i>Chrysosplenium</i>)	$*P_{(4\vee 5)}A_8G_{(\bar{2})}$
Saxifragaceae (<i>Ribes</i> s.l.)	$*K_{(5\vee 4)}C_{5\vee 4}A_{5\vee 4}G_{(\bar{2})}$
Scheuchzeriaceae (<i>Triglochin</i>)	$*P_3A_3P_3A_3G_{(\underline{3})}$
Scheuchzeriaceae (<i>Scheuchzeria</i>)	$*P_{3+3}A_{3+3}G_{\underline{3}}$
Scrophulariaceae	$\uparrow \vee *K_{(4\vee 5)}C_{([2,3]\vee 4\vee 5)}A_{[2,2]\vee 2\vee 5}G_{(2)}$
Scrophulariaceae (<i>Veronica</i>)	$\uparrow K_{(4)}C_{(4)}A_2G_{(2)}$
Scrophulariaceae (<i>Limosella</i>)	$*K_{(5)}C_{(5)}A_{4\vee 2}G_{(2)}$
Solanaceae	$*K_{(5)}C_{(5)}A_5G_{(2)}$
Tamaricaceae	$*K_5C_5A_5Ge(1)$
Theaceae	$*K_5C_5A_\infty G_{(\underline{3})}$
Thymelaeaceae (<i>Daphne</i>)	$*P_{(4)}A_8G_{(2)}$
Tiliaceae	$*K_5C_5A_\infty G_{(\underline{3})}$
Trapaceae	$*K_4C_4A_4G_{(\bar{2})}$
Trilliaceae (<i>Paris</i>)	$*P_{4+4}A_4G_{(\underline{4})}$
Tropaeolaceae	$\uparrow K_{1,4}C_{2,3}A_8G_{(\underline{3})}$
Typhaceae	$P_{0\vee 3-6}A_{3\vee (3)}\vee P_{0\vee 3-6}G_{\underline{1}}$
Typhaceae (<i>Sparganium</i>)	$*P_{3-6}A_3\vee *P_{3-6}G_{\underline{1}}$
Ulmaceae	$*P_{(4-6)}A_{4-6}G_{\underline{1}}$
Umbelliferae	$*\vee \uparrow K_5C_5A_5G_{(\bar{2})}$
Urticaceae	$*P_{4\vee 5}A_{4\vee 5}\vee *P_{4\vee 0}G_{\underline{1}}$
Valerianaceae	$\nabla K_0C_{(5-3)}A_3G_{(\bar{2})}$
Violaceae	$\uparrow K_5C_{[1,4]\vee 0}A_{2,3}G_{(\underline{3})}$
Vitaceae	$*K_5C_{(5)}A_5G_{(2)}$
Zannichelliaceae	$\uparrow P_1A_1G_{3-5}$

Family	Formula
Zygophyllaceae	$*K_5C_5A_{5+5}G_{(5)}$