



UNIVERSITEIT•STELLENBOSCH•UNIVERSITY
jou kennisvennoot • your knowledge partner

The **usthesis** Class and Style*

Danie Els[†]

e-mail: dnjels@sun.ac.za

Department of Mechanical and Mechatronic Engineering
University of Stellenbosch
Private Bag X1, Matieland 7602 , South Africa.

2012/02/22

Abstract

The **usthesis** class/style files are provided to typeset reports, theses and dissertations that conform to the requirements of the Engineering Faculty of the University of Stellenbosch, South Africa.

The class file **usthesis.cls** is based on the standard L^AT_EX **book** class, while **usthesis.sty** is a style file to be loaded on top of the very powerful **memoir** class. Both options give identical output, but the benefit of the using **memoir** is that it has many additional command and environments for formatting and processing of a document.

Usthesis primarily concerned with the formatting of the front matter such as the title page, abstract, etc. It also works together with the **babel** package to provide language language options to typeset documents in Afrikaans or in English.

*This class has version number v4.3, last revised 2012/02/22.

[†]Any help with proofreading this document will be appreciated.

Contents

1 User Interface	4
1.1 <i>usthesis</i> class and style files	4
1.1.1 Loading the <i>usthesis</i> packages	4
1.1.2 The <i>usthesis</i> options:	4
1.1.3 L ^A T _E X class options:	6
1.1.4 Global package options:	6
1.2 Required Packages	7
1.2.1 Language setup	7
1.2.2 Input font encoding	8
1.2.3 Output font encoding	8
1.2.4 Font selection	9
1.2.5 Mathematics	9
1.2.6 Graphics and Color	10
1.2.7 Line spacing	10
1.2.8 Paragraph indent and spacing	10
1.3 Useful packages	11
1.3.1 SI units and numbers	11
1.3.2 Tables and arrays	11
1.3.3 Hyper links	12
2 Front matter	13
2.1 Title page	13
2.2 Watermark	16
2.3 Copyright Information	19
2.4 Declaration page	19
2.5 Abstract	19
2.6 Acknowledgements, Dedications, etc.	19
3 Back Matter	20
3.1 Bibliography>List of References	20
4 Implementation: <i>usthesis</i>	21
4.1 Identification	21
4.2 External packages	21
4.3 Options	22
4.3.1 Language options	22
4.3.2 Thesis type options	24
4.3.3 Page layout options	26
4.3.4 Process package options	26
4.4 Temporaries	26
4.5 Page layout	27
4.5.1 A5 type block area	27
4.5.2 Golden section type block area	28
4.5.3 Wide type block area	29
4.6 Utility commands	29
4.7 Front pages	30
4.7.1 Title page	30
4.7.2 Copyright page	34

4.7.3	Declaration page	35
4.7.4	Abstract page	36
4.7.5	Table of contents	36
4.7.6	List of figures	37
4.7.7	List of tables	37
4.8	Back matter	38
4.8.1	Bibliography	38
4.8.2	Index	39
4.9	Page markup	39
4.9.1	Headers and footers	39
4.9.2	Chapter and section headings	42
4.9.3	FLOATS AND FLOAT PAGES	43
4.9.4	Captions	43

1 User Interface

1.1 **usthesis** class and style files

Two style files are provided to typeset theses of the University of Stellenbosch. The class file **usthesis.cls** is based on the standard L^AT_EX book class, while **usthesis.sty** is a style file to be loaded on top of the very powerful **memoir** class. Both options give identical output, but the benefit of the using **memoir** is that it has many additional command and environments for formatting and processing of a document.

1.1.1 Loading the **usthesis** packages

- (a) The **usthesis.cls** class is loaded in the document preamble with

```
\documentclass[12pt,oneside,openany,a4paper, %... Layout
               afrikaans,english,           %... Global lang drivers
               masters-t, goldenblock       %... Thesis options
               ]{usthesis}
```

- (b) or **usthesis.sty** with the **memoir** class

```
\documentclass[12pt,oneside,openany,a4paper, %... Layout
               afrikaans,english,           %... Global lang drivers
               ]{memoir}
\usepackage[masters-t, goldenblock]{usthesis} %... Thesis options
```

1.1.2 The **usthesis** options:

Document type options: This options for the **usthesis** class/style are for specific formatting of the title and abstract pages of the different document types.

report: Final year project reports, etc.

masters-a: An assignment masters degree.

masters-t: A thesis masters degree.

PhD: A PhD dissertation handed in for examination.

PhDfinal: A PhD dissertation handed in for publication after acceptance.

Type block sizes: The ISO A4 paper size (297,3 mm × 210,2 mm) is not ideally suited for typesetting off books. The *A5 type block* (fig 1) and the *golden ratio type block* (fig 2) are layouts designed by the great typographer Jan Tschichold which adheres to the classic typographic principals.¹ A 12 pt font size is recommended for most fonts. The following options are provided as part of the **usthesis** class/style options:

a5block: ISO A4 paper with A5 type block

goldenblock: ISO A4 paper with golden ratio type block,

wideblock: Type block with 25 mm borders

stdblock: Standard L^AT_EX type block [default].

¹The Tschichold designs have a 3:5 ratio between the inner and outer margins. The **usthesis** package employs a symmetric layout since v3.0.

The user can set up custom page layouts if needed. The setup depends on the class file used. The following example is for a page with 30 mm margins all around.

(a) `memoir.cls` with `usthesis.sty`

```
\documentclass[a4paper,<options>]{memoir}
\usepackage[<options>]{usthesis}
\setlrmarginsandblock{30mm}{30mm}{*} % Left/Right margins
\setulmarginsandblock{30mm}{30mm}{*} % Upper/Lower margins
\checkandfixthelayout \setlength{\headwidth}{\textwidth}
```

(b) `usthesis.cls`

```
\documentclass[a4paper,<options>]{usthesis}
\usepackage[hmargin={30mm,30mm},vmargin={30mm,30mm}]{geometry}
```




Figure 1: ISO A4 paper with A5 type block (`A5block`)




Figure 2: ISO A4 paper with golden ratio type block (`goldenblock`)

Table 1: Page layout parameters

	A5 type block (a5block)	Golden section type block (goldenblock)
Page width	$W = 210,2 \text{ mm}$	$W = 210,2 \text{ mm}$
Page height	$H = \sqrt{2} W = 297,3 \text{ mm}$	$H = \sqrt{2} W = 297,3 \text{ mm}$
Block width	$w = H/2 = 148,7 \text{ mm}$	$w = 2W/3 = 140,1 \text{ mm}$
Block height	$h = W = 210,2 \text{ mm}$	$h = H - W/3 = 227,2 \text{ mm}$
Side margin	$s = (W - w)/2 = 30,8 \text{ mm}$	$s = W/6 = 35,0 \text{ mm}$
Top margin	$t = 3(H - h)/8 = 32,7 \text{ mm}$	$t = 3W/24 = 26,3 \text{ mm}$
Foot margin	$f = 5(H - h)/8 = 54,4 \text{ mm}$	$f = 5W/24 = 43,8 \text{ mm}$

1.1.3 L^AT_EX class options:

The gray boxes are the L^AT_EX default options, while boxed options are the preferred options of `usthesis` package.

`10pt`, `11pt`, `12pt`: Sets the size of the main font in the document. The preferred font size depends very much on the font type. For Computer Modern (the default L^AT_EX font) is 11 or 12 points the most legible option on an A4 paper size.

`a4paper`, `a5paper`, `b5paper`, `letterpaper`, `executivepaper`, `legalpaper`: Defines the paper size. In South Africa is the ISO A4 paper size the standard.

`fleqn`: Typesets displayed formulae left-aligned instead of centred. This option is a matter of personal taste.

`leqno`: Places the numbering of formulae on the left hand side instead of the right. This is the traditional layout of the American Mathematical Society, but is not used for Engineering theses.

`onecolumn`, `twocolumn`: Instructs L^AT_EX to typeset the document in one column or two columns. The University of Stellenbosch Engineering theses are traditionally single column documents.

`twoside`, `oneside`: Specifies whether double or single sided output should be generated. Note that this option concerns the style of the document only. The option `twoside` does not tell the printer you use that it should actually make a two-sided printout. If a printer with double sided printing capability is available, then this option can be used.

`openright`, `openany`: Makes chapters begin either only on right hand pages or on the next page available. Selection of `openright` depends on the selection of the `twoside` option.

1.1.4 Global package options:

Global options for packages and drivers can be loaded together with the class options. The most important options are the display drivers for `color`, `graphicx` and `hyperref` as well as the language options for `babel`, `variorref`, etc.

The display drivers are normally loaded by the L^AT_EX config system defaults.

The global language options for babel can be set with:

```
\documentclass[<options>, afrikaans, english]{usthesis}
\usepackage{babel}
\usepackage{varioref}
```

1.2 Required Packages

1.2.1 Language setup

L^AT_EX provides for a variety of languages. It sets up hyphenation patterns and defines language specific output such as chapter names, etc. The default language is American style English, while the South African English is the United Kingdom style. Language options must be loaded with the `babel` package. The last language declared is the default document language.

```
\usepackage[afrikaans, english]{babel} % English default
```

```
\usepackage[english, afrikaans]{babel} % Afrikaans default
```

or preferably with global options

```
\documentclass[<options>, afrikaans, english]{usthesis}
\usepackage{babel}
```

Languages can be made active with the `\selectlanguage{<lang-name>}` command from `babel`. In the `usthesis` class, a command

```
\AorE{<Afr-teks>}{<Eng-text>}
```

is provided that types one of the two arguments, depending on whether `afrikaans` is the active language or not. Environments for changing the language options locally are also provided in `usthesis` (if languages are installed with `babel`).

<code>\begin{Afr}</code>	<code>\begin{Eng}</code>
<code>Afr-teks ...</code>	<code>Eng-text ...</code>
<code>\end{Afr}</code>	<code>\end{Eng}</code>

With the `afrikaans` option of `babel` the character " is made active (see table 2). One of the reasons for this is that in the Afrikaans language a word with a dieresis can be hyphenated just before the letter with the umlaut, but the dieresis has to disappear if the word is broken between the previous letter and the accented letter, for example 'ge  erd' becomes 'ge-eerd'. It is extremely important that the commands "a, "e, ..., are used in Afrikaans documents, and not \"e, etc., and neither the direct input of    with Alt+137 (if latin1 input encoding is selected).

The `afrikaans` option sometimes has problems with the hyphenation of the very long words. The simplest way to correct a wrongly hyphenated word is to include the discretionary hyphen command \- in the word: e.g.: kom\-\buis\-\kas. Words that are incorrectly hyphenated and appear frequently within the document can be put into a list of exceptions in the preamble of the document:

```
\hyphenation{Kom-buis-kas ...}
```

Table 2: Definitions from `babel` loaded with the `afrikaans` option.

<code>"e</code>	The character é, which hyphenates as -e. Implemented for the letters ä, é, ï, ö and ü.
<code>"l</code>	Disable ligatures (ff, fi, ffl, ffi, etc.) at this position but allow a hyphen, e.g.: The word ‘stofffilter’ looks better as ‘stofffilter’. It is then hyphenated as ‘stof-filter’
<code>"-</code>	An explicit hyphen sign, allowing hyphenation in the rest of the word.
<code>"~</code>	To produce a hyphen character without the following discretionary break after it, e.g.: ‘x-straal’.
<code>""</code>	To produce an invisible breakpoint.
<code>"`</code>	Lowered double left quotes, e.g.: „lowered” versus “normal”.
<code>"'</code>	Normal double right quotes.
<code>"/</code>	Enable hyphenation in two words, written together but separated by a slash, for example ‘uitdrukking/opmerking’.
<code>\-</code>	A redefinition of the standard discretionary hyphen, \-. The new version indicates an extra hyphenation position, while allowing other hyphenation positions to be generated automatically.

It is also important to note that words that contain "e, etc. must be hyphenated by hand when they are near linebreaks, for example: koëffisiëntematriks

```
ko"ef\fisi"en\te\mat\riks
```

1.2.2 Input font encoding

In Afrikaans there are many words containing characters such as é, ô, à, ï, etc. These characters can be included directly in the input text file, except ä, é, ï, ö and ü, which need to be inserted as "ä, ..., for proper hyphenation (see previous section). As an example by typing Alt+136, you obtain é. If the Western European input encoding (latin1) is loaded, L^AT_EX will recognize these characters.

```
\usepackage[latin1]{inputenc}
```

1.2.3 Output font encoding

The classic T_EX Computer Modern fonts contain only 126 characters (7-bit) per font set (OT1 encoding). It does not contain glyphs for characters such as é. These characters are formed by two characters that are overprinted (^+e). The result is that Afrikaans words such as “koëffisiëntematriks,” are not hyphenated automatically. The solution is to use the T1 encoding scheme with 256 character (8-bit) font sets. Postscript Type 1 and TrueType fonts can be configured, with the aid of T_EX’s virtual font mechanism, to be available for L^AT_EX. Font handling can be switched to T1 encoding (if you have the Postscript fonts).

```
\usepackage[T1]{fontenc}
```

1.2.4 Font selection

To obtain a PDF e-document of your thesis you need to use Postscript fonts (and T1 encoding for Afrikaans). There are many free Postscript text fonts available in the \TeX distributions, but Postscript fonts with a full set of mathematical symbols are very scarce. The freely available ones are:

Computer Modern: Newer \LaTeX installations contain this classic \TeX font in Type 1 format. This fontset is loaded by default if T1 encoding is specified without any other font loaded. Alternatively use the `\modern` package. This document is set in Computer Modern.

Palatino: This beautiful font can be loaded with the `mathpazo` package. Palatino is one of the standard Postscript fonts on every Postscript printer. Make sure that the `fpl` fonts are loaded. They provide true small caps and old style figures for the Palatino fonts.

Times Roman: This font is loaded with the `mathptmx` package. It contains no bold math characters or true small caps. Please do not use this font for theses, because it was designed for narrow newspaper columns, resulting in very narrow characters. It is just not appropriate for single column theses.

Utopia: This font is loaded with the `fourier` package. It contains no true small caps. This font is very good on low resolution output devices.

CMbright: This is a sans serif font and is part of the CM-super font set. It can be loaded with the `cmbright` package. You need the `hfbrightfonts` installed for the math symbols. A document with a sans serif font, such as CMbright, must be set ragged right. Use the `\RaggedRight` command of the `ragged2e` package.

Euler: This is a math font only and can be used with fonts such as Charter that do not have math characters. It is loaded with the `eulervm` package.

An example of a typical setup for an Afrikaans report with mathematics is:

```
\documentclass[report, %.. Document type
               12pt, oneside, openany, a4paper, a5block, %.. Layout
               english, afrikaans, %.. Global lang drivers
               ]{usthesis} %.. Global lang drivers

\usepackage{babel} %.. Language setup
\usepackage[latin1]{inputenc} %.. Recognizes é, ë, etc
\usepackage{amsmath} %.. Advanced maths (before fonts)
\usepackage[T1]{fontenc} %.. Type 1 fonts for proper hyphenation
\usepackage{textcomp} %.. Additional text characters
\usepackage{fourier} %.. Utopia (if you want a different font)
\usepackage{bm} %.. Bold math characters (after fonts)
```

1.2.5 Mathematics

Normal \LaTeX contains many math typesetting commands and environments, but for serious mathematical typesetting you need to load the American Mathematical Society (AMS) math packages. The AMS packages also include additional math symbols, but load them only if really necessary, because they are very big.

```
\usepackage[(options)]{amsmath}
\usepackage{amssymb} % only if necessary
```

Bold math symbols can be obtained with the AMS command `\boldsymbol` or with the more advanced `\bm` command from the `bm` package.

1.2.6 Graphics and Color

The `graphicx` package is needed by the `usthesis` package to format the title page and must be loaded in the document preamble. The `color` package is optional, but very useful.

```
\usepackage[⟨options⟩]{graphicx}
\usepackage[⟨options⟩]{color}
```

If you need display drivers (such as `dvips`, `pdftex`, etc.) different from the default options, is it important that they are passed on to all the packages as a global option. With the MiK^TE_X this is achieved with the standard configuration file.

1.2.7 Line spacing

The guidelines for University of Stellenbosch theses dictates that either single, one-halve or double line spacing be used. Line spacing can be obtained with the `setspace` packages (build into the `memoir` package). With this package, footnotes and captions are still single spaced, while no additional vertical spacing is added around display math or in lists.

- (a) One and a half lines spacing for `memoir.cls` with `usthesis.sty`

```
\documentclass[⟨options⟩]{memoir}
\usepackage[⟨options⟩]{usthesis}
\OnehalfSpacing % or \DoubleSpacing .... Line spacing
:
\begin{document}
\frontmatter
\begin{SingleSpace}
\TitlePage%..... Single spaced title page
\end{SingleSpace}
:
```

- (b) One and a half lines spacing for `usthesis.cls`

```
\documentclass[⟨options⟩]{usthesis}
\usepackage[onehalfspacing]{setspace}%. Line spacing
:
\begin{document}
\frontmatter
\begin{singlenspace}
\TitlePage%..... Single spaced title page
\end{singlenspace}
:
```

1.2.8 Paragraph indent and spacing

The conventional way of typesetting running text has no separation between paragraphs, and the first line of each paragraph in a block of text indented.

It is sometimes required that paragraphs are separated with a blank line and without any first line indent. This can be obtained with the `parskip` package (build into the `memoir` package).

- (a) Paragraph spacing for `memoir.cls` with `usthesis.sty`

```
\documentclass[<options>]{memoir}
\usepackage[<options>]{usthesis}
\nonzeroparskip%..... Space between paragraphs
\setlength{\parindent}{0pt}... Zero paragraph indents
```

- (b) Paragraph spacing for `usthesis.cls`

```
\documentclass[<options>]{usthesis}
\usepackage{parskip}%..... Paragraph spacing + zero indent
```

Please note that this is not recommended for theses containing large amounts of mathematics, because it is difficult, if not impossible, to see where a new paragraph starts between equations.

1.3 Useful packages

The following are a number of packages that are very useful when writing a thesis.

1.3.1 SI units and numbers

- `siunitx`: This package is essential for the typesetting of SI units and numbers.
- `SIstyle`: Older package for the typesetting of SI units and numbers. It has an option for South African requirements. Read the documentation for the proper typesetting of units and numbers.
- `numprint`: This packages typeset numbers and decimal columns in tables.

1.3.2 Tables and arrays

- `array`: An extended implementation of the `array` and `tabular` environments which implements options to format columns.
- `longtable`: Gives non-floating multi-page tables. It includes continuation headers.
- `dcolumn`: The package provides a system for defining columns of entries in an array or a table which are to be aligned on a “decimal point”.
- `xcolumn`: It modifies the width of certain columns to obtain a table with required width.
- `booktabs`: The package provides some additional commands to enhance the quality of tables in L^AT_EX. Guidelines are given as to what constitutes a good table. The documentation gives a very good discussion on the design of publication quality tables.

1.3.3 Hyper links

hyperref: It extends the functionality of all the L^AT_EX cross-referencing commands (including the table of contents, bibliographies etc.) to produce hypertext links; it also provides new commands to allow the user to write ad hoc hypertext links, including those to external documents and URLs. A typical setup for hyper links (at the end of the preamble) is:

```
\iftrue
  \usepackage[<options>]{hyperref}... Hyperlinks & backreferences
  %\usepackage{memhfixc} ..... Memoir fix (hyperref>6.75g autoloads it)
\else
  \usepackage{nohyperref}..... Disable hyperlinks
  \usepackage{url}
\fi
\hypersetup{<options>}
```

url A form of \verb that allows line breaks at certain characters or combinations of characters, accepts reconfiguration, and can usually be used in the argument to another command. It is intended for email addresses, hypertext links, directories/patterns, etc., which normally have no spaces. It is implemented by **hyperref**.

2 Front matter

2.1 Title page

The title page is inserted on the first page of a document with the command

```
\TitlePage
```

Depending on the selected options, the following commands are used to set the contents of the title page:

Faculty

```
\faculty
```

The faculty must be included in Afrikaans and English for Masters and PhD documents.

```
\faculty{\AorE{Fakulteit Ingenieurswese}%
          {Faculty of Engineering}}
```

Address

```
\address
```

The address must be included in Afrikaans and English for Masters and PhD documents.

```
\address{\AorE{
        Departement Siviele Ingenieurswese, \\
        Universiteit van Stellenbosch, \\
        Privaatsak X1, 7602 Matieland, Suid Afrika.
    }{
        Department of Civil Engineering, \\
        University of Stellenbosch, \\
        Private Bag X1, 7602 Matieland, South Africa.
    }}
```

Author

```
\author{<short name>}{<full names>}
```

Provides the author name not only for the title page, but for various other places in the document.

```
\author{J.\ Smith}{John Smith}
```

Date

```
\date{<month>}{<year>}
```

The date when the document is handed in. The arguments must be numerical, e.g.:

```
\date{10}{2003}
```

→

October 2003

Degree/Subject

```
\degree{<abbr>}{<full name>} or \subject{<abbr>}{<full name>}
```

The degree or subject names. Please refer to the yearbook for the *correct* names.
The degree names must be available in Afrikaans and English.

```
\degree{\AorE{MScIng (Meg)}  
{MScEng (Mech)}}  
\AorE{Magister in die Natuurwetenskappe in Meganiese Ingenieurswese}  
{Master of Science in Mechanical Engineering}}
```

or

```
\subject{MP 487}{Meganiese Projek 487}
```

Description

```
\ReportDescriptor  
\ThesisDescriptor
```

Set the description for reports.

```
\ReportDescriptor{Finale Verslag}
```

There is a similar command for theses and dissertations, \ThesisDescriptor, but its contents is predefined. For a master thesis it can be customized as

```
\ThesisDescriptor{Thesis presented in partial fulfilment of the  
requirements for the degree of\par  
    \vspace{1em}  
{\bfseries Master of Science in Mechanical Engineering\par}  
    \vspace{1em}  
    at the University of Stellenbosch}
```

If needed the thesis type can be changed with the (predefined) command \ThesisType.

Supervisor/Studyleader/Promotor

```
\studyleader  
\supervisor  
\promotor
```

The \studyleader, \supervisor and \promoter commands are synonyms and the output depends on the thesis type. The commands also have a starred (*) form that stack the names of multiple supervisors. The \and has an optional argument, e.g.: \and[1ex], for spacing in a stacked environment.

<pre>\supervisor{Dr.\ D.N.J.\ Els}</pre>	→	Supervisor: Dr. D.N.J. Els
--	---	----------------------------

or

<pre>\supervisor{Dr.\ D.\ Els \and Mnr.\ J.\ Smith}</pre>	→	Supervisors: Dr. D. Els Mnr. J. Smith
---	---	---

or

```
\supervisor*{Dr.\ D.\ Els
            \and[0ex]
            Mn.\ J.\ Smith}
```



Supervisors:
Dr. D. Els
Mn. J. Smith

or for PhD and PhDFinal options

```
\promotor{%
    Prof A.H.\ Basson\ [.5ex]
    Mechanical Engineering\ \
    University of Stellenbosch\ \
\and
    Prof P.A.\ Vermeer\ [.5ex]
    Institut f\"ur Geotechnic\ \
    Universit\"at Stuttgart}
```



Promotors:
Prof A.H. Basson
Mechanical Engineering
University of Stellenbosch

Prof P.A. Vermeer
Institut für Geotechnic
Universität Stuttgart

or

```
\promotor[c]{%
    Prof A.H.\ Basson\ [.5ex]
    Mechanical Engineering\ \
    University of Stellenbosch\ \
\and
    Prof P.A.\ Vermeer\ [.5ex]
    Institut f\"ur Geotechnic\ \
    Universit\"at Stuttgart}
```



Promotors:
Prof A.H. Basson
Mechanical Engineering
University of Stellenbosch

Prof P.A. Vermeer
Institut für Geotechnic
Universität Stuttgart

Note that some supervisors may prefers the term “study leader”. This can be incorporated by adding the following to the preamble of your document:

```
\renewcommand\StudyLeaderAFR{Studieleier:}
\renewcommand\StudyLeadersAFR{Studieleiers:}
\renewcommand\StudyLeaderENG{Study leader:}
\renewcommand\StudyLeadersENG{Study leaders:}
```

Title

The title of the document is inserted on the front page as well as on the abstract pages of Masters or PhD theses.

```
\title{<title text>}
```

For a normal report, a simple title is sufficient, e.g.:

```
\title{Forced granular flow}
```

For a Masters or PhD thesis, the title must make provisions for both languages.

For an English document:

```
\title{\AorE{ Geforseerde Partikelvloei\ [1ex]
            \normalfont\small\itshape(''Forced Granular flow'')}
            {Forced granular flow}}
```

and for an Afrikaans document

```
\title{\AorE{Geforseerde Partikelvloei}
      {Forced granular flow\\[1ex]
       \normalfont\small\itshape("Geforseerde Partikelvloei")}}
```





The user can create his or her own title page (see figure 7), for example:

```
\thispagestyle{empty}
\vfill
{\LARGE\noindent Seakeeping control of HYSUCATs \par}
\vspace{2em}
{\large\indent by \par}
\vspace{2em}
{\Large\noindent Giovanni Sergio Milandri \par}%
\vfill\noindent
\begin{minipage}{.9\textwidth}
\large\sloshape\raggedright
Thesis presented in partial fulfilment of the requirements
for the degree of Master of Science in Mechanical Engineering
in the Faculty of Engineering at Stellenbosch University
\end{minipage}
\vfill
{\normalfont\noindent
Department of Mechanical Engineering\\ University of Stellenbosch\\
Private Bag X1, 7602 Matieland, South Africa \par}
\vfill
{\normalsize\noindent Supervisors:\\[1.5ex]
\begin{tabular}{@{}l@{\quad}l@{}}
Prof J.L.\ van Niekerk & Dr G.\ Migeotte \\[.5ex]
Dept of Mechanical Engineering & Unistel Technologies (Pty) Ltd\\
University of Stellenbosch & University of Stellenbosch
\end{tabular}\par}
\vspace{2em}
{\large\noindent April 2006\par}
\clearpage
```

2.2 Watermark

A watermark can be added to the first page of the document with the aid of the `eso-pic` package.

```
\documentclass[<options>]{usthesis}
:
\usepackage{eso-pic}
\newcommand*{\WaterMark}[2][0.2\paperwidth]{%
\AddToShipoutPicture*{\AtTextCenter{%
\parbox[c]{#1}{\makebox[0pt][c]{\includegraphics[width=#1]{#2}}}}}}
:
\begin{document}
\frontmatter
\WaterMark{UScrest-WM}
\TitlePage
:
\end{document}
```

Figure 3: Title page with `PhD` option for examinationFigure 4: Title page with `PhDfinal` option for final hand in after examinationFigure 5: Title page with `masters-a` option for a masters assignment projectFigure 6: Title page with `master-t` option for a masters thesis




Figure 7: Custom title page for masters thesis



Figure 8: Title page with **report** option for lecturing notes

Figure 9: Title page with **report** option for final year mechanical project

2.3 Copyright Information

The copyright information in a thesis or dissertation is compulsory from 2007. It is added to the bottom of the declaration page. The default copyright holder is the University of Stellenbosch.

The default copyright holder can be changed with:

```
\SetCopyrightHolder{<new copyright holder>}
```

The copyright output can be switched off with

```
\SetCopyrightOff
```

Note that the `\CopyrightPage` command is not used any more. It is still included for backward comparability purposes, does nothing.

2.4 Declaration page

Every thesis and dissertation *must* include a declaration page.

```
\DeclarationSign
\DeclarationDate
\DeclarationPage
```

The `\DeclarationPage` command set the required text in the default language and output the copyright statement.

A signature and the signed date can be added with

```
\DeclarationSign{\includegraphics[width=2cm]{<signature file>}}% Optional
\DeclarationDate{<date>}
\DeclarationPage
```

2.5 Abstract

An `abstract` environment is provided that prints a page containing all the thesis information. The layout of an abstract for a report differs from that of a thesis or a dissertation. It is also important to note that theses and dissertations require an English and an Afrikaans abstract.

<code>abstract</code>	<code>\begin{abstract}</code>	<code>\begin{abstract} [<language>]</code>
	Text in default language ...	Text in <code><language></code> ...
	<code>\end{abstract}</code>	<code>\end{abstract}</code>

If the traditional abstract page is preferred, then use a normal chapter

```
\chapter{Abstract}
This thesis ...
```

2.6 Acknowledgements, Dedications, etc.

Acknowledgements, etc. can be included in the front matter of a document after a `\chapter` command, e.g.:

```
\chapter{Acknowledgements}
I would like to express my sincere gratitude ...
```

3 Back Matter

3.1 Bibliography>List of References

The USbib package formats bibliographies for theses and dissertations of the University of Stellenbosch. It is language sensitive and provides the correct output for both Afrikaans and English theses.

Bibliography: The list of all the citations in numerical order of citation, e.g.:

1. Rhodes, M. *Introduction to Particle Technology*. Wiley, New York (1998).
2. Cleary, P.W. The filling of dragline buckets. *Mathematical Engineering in Industry*, vol. 7, no. 1 (1998), pp. 1–24.

List of References: For author-year citations, all the citations sorted in alphabetic order, e.g.:

- Cleary, P.W. (1998). The filling of dragline buckets. *Mathematical Engineering in Industry*, vol. 7, no. 1, pp. 1–24.
 Rhodes, M. (1998). *Introduction to Particle Technology*. Wiley, New York.

The default name in the USthesis package is “Bibliography”. To change this to “List of References” (for a thesis), we have to overrule the babel setup. Make the following declarations

```
\documentclass[12pt,oneside,openany,a4paper,%... Layout
               afrikaans,english,%..... Global language drivers
               ]{memoir}
\usepackage[masters-t,a5block]{usthesis}%..... Document type
\usepackage{babel}%..... Language setup
:
\usepackage{usbib}%
\begin{bibliographystyle}{usmeg-a}%..... Author-year style
\addto{\captionsafrikaans}{\renewcommand{\bibname}{Lys van Verwysings}}
\addto{\captionsenglish}{\renewcommand{\bibname}{List of References}}
```

References to the pages or sections of citations, can be included with the backref package. The backref package loaded as part of hyperref or on its own.:

```
\iftrue
\usepackage[backref=page]{hyperref}%
\else
\usepackage[pageref]{backref}%
\fi
\renewcommand*{\backrefalt}[4]{%
\ifcase #1 (Not cited.)%
\or
(Cited on page \#2.)%
\else
(Cited on pages \#2.)%
\fi}
```

An example is:

- Rhodes, M. (1998). *Introduction to Particle Technology*. Wiley, New York. (Cited on pages 13 and 15.)

4 Implementation: **usthesis**

The following modules are used in the implementation to direct `docstrip` in generating the external files:

```
cls   produce the document class usthesis.cls based on book.
mem   produce the document style usthesis.sty for use with memoir.
```

4.1 Identification

```
1 <*cls | mem>
2 \NeedsTeXFormat{LaTeX2e} [1999/12/01]
3 <*cls>
4 \def\US@basetype{book}
5 \ProvidesClass{usthesis}[\USfiledate\space
6                               \USfileversion\space
7                               Stellenbosch Thesis class (DNJ ELS)]
8 </cls>
9 <*mem>
10 \ProvidesPackage{usthesis}[\USfiledate\space
11                               \USfileversion\space
12                               Stellenbosch Thesis class for use with Memoir (DNJ ELS)]
13 \@ifclassloaded{memoir}%
14   {\PackageInfo{usthesis}{Stellenbosch thesis style for MEMOIR class}{}%
15   {\PackageError{usthesis}{You must use the Memoir class}{}}
16 </mem>
```

4.2 External packages

We need the `calc` and `ifpdf` packages. `Ifpdf` is all ready declared by `memoir`.

```
17 \RequirePackage{calc}
18 <*cls>
19 \RequirePackage{ifpdf}
20 </cls>
```

`\phantomsection` A command needed, if the `hyperref` package is used, for putting before certain `\addcontentsline` commands.

```
21 \providecommand{\phantomsection}{}%
```

We need the `graphicx` package and it must be loaded by the user in the document preamble.

```
22 \AtBeginDocument{%
23   \@ifpackageloaded{graphicx}{}{%
24   <cls>      \ClassError{usthesis}{You must load the graphicx package}{}%
25   <mem>      \PackageError{usthesis}{You must load the graphicx package}{}%
26   }%
27 }
```

4.3 Options

4.3.1 Language options

Utility commands:

Utility commands and environments to make local language changes.

- \US@AFRstr String in the right catcode for tests against \languagename.
28 \edef\US@AFRstr{\string afrikaans}
- \AorE Command \AorE{\(Afr)}{\(Eng)} to type text depending on the active language.
29 \newcommand{\AorE}[2]{%
30 \ifx\US@AFRstr\languagename #1\else #2\fi}
- \Afr Makes an Afrikaans environment inside an English document.
31 \newenvironment{Afr}{%
32 \ifx\languagename\US@AFRstr\relax\else
33 \selectlanguage{afrikaans}%
34 \fi}%
35 }
- \US@ENGstr Make provisions for all the different types of English. The command is reset within the options.
36 \newcommand*\US@ENGstr{}
37 \let\US@ENGstr=\relax
- \Eng Makes an English environment inside an Afrikaans document.
38 \newenvironment{Eng}{%
39 \ifx\relax\US@ENGstr\relax\else
40 \ifx\languagename\US@ENGstr\relax\else
41 \edef\US@tempa{\noexpand\selectlanguage{\US@ENGstr}}%
42 \US@tempa
43 \fi
44 \fi}%
45 }

Marker commands:

Commands of which the contents are defined later.

- 46 \newcommand\DegreeName{%
 47 <cls> \ClassWarning{usthesis}{No degree or subject supplied}%
 48 <mem> \PackageWarning{usthesis}{No degree or subject supplied}%
 49 \textfb{[No degree!]}}
- 50 \newcommand\DegreeNameLong{%
 51 <cls> \ClassWarning{usthesis}{No degree or subject supplied}%
 52 <mem> \PackageWarning{usthesis}{No degree or subject supplied}%
 53 \textfb{[No degree!]}}

Language commands:

Declare all the language specific text in separate macros, enabling language changes with the `babel` package commands.

Predefine the language commands to prevent accidental overwrite when loaded from external files.

```

54 \newcommand*\USName{}
55 \newcommand*\AuthByTxt{}
56 \newcommand*\StudyLeaderType{}
57 \newcommand*\StudyLeadersType{}
58 \newcommand*\PromotorType{}
59 \newcommand*\PromotorsType{}
60 \newcommand*\TypeReport{}
61 \newcommand*\TypeAssignment{}
62 \newcommand*\TypeThesis{}
63 \newcommand*\TypePhD{}
64 \newcommand*\CopyrightHolder{}
65 \newcommand*\CopyrightTxt{}
66 \newcommand*\CopyrightAnot{}
67 \newcommand*\Signat{}
68 \newcommand*\Datetxt{}
69 \newcommand*\MasterDescript{}
70 \newcommand*\PhDDescript{}
71 \newcommand*\PhDFinalDescript{}
72 \newcommand*\ThesisDeclare{}
73 \newcommand*\MonthName{}
74 \newcommand*\DeclarationName{}
75 \newcommand*\AbstractName{}

```

Input all the language setting form external files

```

76 \InputIfFileExists{usthesis.afr}
77 ⟨mem⟩   { \PackageInfo{usthesis}{Input file 'usthesis.afr' loaded} }
78 ⟨mem⟩   { \PackageError{usthesis}{No file 'usthesis.afr'}{} }
79 ⟨cls⟩   { \ClassInfo{usthesis}{Input file 'usthesis.afr' loaded} }
80 ⟨cls⟩   { \ClassError{usthesis}{No file 'usthesis.afr'}{} }

81 \InputIfFileExists{usthesis.eng}
82 ⟨mem⟩   { \PackageInfo{usthesis}{Input file 'usthesis.eng' loaded} }
83 ⟨mem⟩   { \PackageError{usthesis}{No file 'usthesis.eng'}{} }
84 ⟨cls⟩   { \ClassInfo{usthesis}{Input file 'usthesis.eng' loaded} }
85 ⟨cls⟩   { \ClassError{usthesis}{No file 'usthesis.eng'}{} }

```

Set English as default if no language option is selected.

```

86 \USextrasenglish
87 \UScaptionsenglish

```

Set language options

\US@addto A redefinition of the `babel \addto` command (taken from `variorref`).

```

88 \def\US@addto#1#2{%
89   #2%
90   \temptokena{#2}%
91   \ifx#1\relax
92     \let#1\empty

```

```

93   \fi
94   \ifx#1\undefined
95     \edef#1{\the\@temptokena}%
96   \else
97     \toks@\expandafter{#1}%
98     \edef#1{\the\toks@\the\@temptokena}%
99   \fi
100  \@temptokena{}\toks@\@temptokena}

```

\US@addlangextras Add the language definitions to \extras(*lang*) and \captions(*lang*) at the beginning of the document after babel.
\US@addlangcaptions

```

101 \newcommand\US@addlangextras[2]{%
102   \AtBeginDocument{%
103     \expandafter\US@addto\csname extras#1\endcsname #2}%
104 \newcommand\US@addlangcaptions[2]{%
105   \AtBeginDocument{%
106     \expandafter\US@addto\csname captions#1\endcsname #2}%

```

Set all the different English language options.

```

107 \DeclareOption{english}{%
108   \edef\US@ENGstr{\string english}%
109   \US@addlangextras{english}{\US@extrasenglish}%
110   \US@addlangcaptions{english}{\US@captionsenglish}%
111 \DeclareOption{UKenglish}{%
112   \edef\US@ENGstr{\string UKenglish}%
113   \US@addlangextras{UKenglish}{\US@extrasenglish}%
114   \US@addlangcaptions{UKenglish}{\US@captionsenglish}%
115 \DeclareOption{USenglish}{%
116   \edef\US@ENGstr{\string USenglish}%
117   \US@addlangextras{USenglish}{\US@extrasenglish}%
118   \US@addlangcaptions{USenglish}{\US@captionsenglish}%
119 \DeclareOption{british}{%
120   \edef\US@ENGstr{\string british}%
121   \US@addlangextras{british}{\US@extrasenglish}%
122   \US@addlangcaptions{british}{\US@captionsenglish}%

```

Set Afrikaans language option.

```

123 \DeclareOption{afrikaans}{%
124   \US@addlangextras{afrikaans}{\US@extrasafrikaans}%
125   \US@addlangcaptions{afrikaans}{\US@captionsafrikaans}%

```

4.3.2 Thesis type options

\if@Report Flag for report option.

```

126 \newif\if@Report
127 \if@Reporttrue

```

\if@Masters Flag for master-a and master-t options.

```

128 \newif\if@Masters
129 \if@Mastersfalse

```

\if@PhD Flag for PhD and PhDfinal options.

```

130 \newif\if@PhD
131 \if@PhDfalse

```

```

\if@Final Flag for PhDfinal option.
132 \newif\if@Final
133 \if@Finalfalse

\ThesisType Global headings that are set according to the thesis type options.
\PromotorText 134 \newcommand{\ThesisType}{}
\PromotorsText 135 \newcommand{\PromotorText}{}
136 \newcommand{\PromotorsText}{}

    report: For normal reports an assignments.
137 \DeclareOption{report}{%
138     \renewcommand{\ThesisType}{\TypeReport}%
139     \renewcommand{\PromotorText}{\StudyLeaderType}%
140     \renewcommand{\PromotorsText}{\StudyLeadersType}%
141     \@Reporttrue
142     \@Mastersfalse
143     \@PhDfalse}

    masters-a: Masters with and assignment.
144 \DeclareOption{masters-a}{%
145     \renewcommand{\ThesisType}{\TypeAssignment}%
146     \renewcommand{\PromotorText}{\StudyLeaderType}%
147     \renewcommand{\PromotorsText}{\StudyLeadersType}%
148     \@Reportfalse
149     \@Masterstrue
150     \@PhDfalse}

    masters-t: Masters with a thesis.
151 \DeclareOption{masters-t}{%
152     \renewcommand{\ThesisType}{\TypeThesis}%
153     \renewcommand{\PromotorText}{\StudyLeaderType}%
154     \renewcommand{\PromotorsText}{\StudyLeadersType}%
155     \@Reportfalse
156     \@Masterstrue
157     \@PhDfalse}

    PhD: PhD dissertation handed in for examination.
158 \DeclareOption{PhD}{%
159     \renewcommand{\ThesisType}{\TypePhD}%
160     \renewcommand{\PromotorText}{\PromotorType}%
161     \renewcommand{\PromotorsText}{\PromotorsType}%
162     \@Reportfalse
163     \@Mastersfalse
164     \@PhDtrue
165     \@Finalfalse}

    PhDfinal: Excepted PhD dissertation handed in for publication.
166 \DeclareOption{PhDfinal}{%
167     \renewcommand{\ThesisType}{\TypePhD}%
168     \renewcommand{\PromotorText}{\PromotorType}%
169     \renewcommand{\PromotorsText}{\PromotorsType}%
170     \@Reportfalse
171     \@Mastersfalse
172     \@PhDtrue
173     \@Finaltrue}

```

4.3.3 Page layout options

Intercept 2-column requests.

```
174 <*cls>
175 \DeclareOption{twocolumn}{}
176 </cls>
```

\if@ABlock Flags for a5block, goldenblock and wideblock options.

```
177 \newif\if@ABlock
178 \newif\if@GBlock
179 \newif\if@WBlock
180 \G@Blockfalse
181 \G@GBlockfalse
182 \G@WBlockfalse
```

a5block: An A5 type block area.

```
183 \DeclareOption{a5block}{%
184 <cls> \PassOptionsToClass{a4paper}{\US@basetype}%
185   \G@Blocktrue
186   \G@GBlockfalse
187   \G@WBlockfalse}
```

goldenblock: A golden section type block area.

```
188 \DeclareOption{goldenblock}{%
189 <cls> \PassOptionsToClass{a4paper}{\US@basetype}%
190   \G@Blocktrue
191   \G@ABlockfalse
192   \G@WBlockfalse}
```

wideblock: A type block with 25 mm margins.

```
193 \DeclareOption{wideblock}{%
194 <cls> \PassOptionsToClass{a4paper}{\US@basetype}%
195   \G@Blockfalse
196   \G@ABlockfalse
197   \G@WBlocktrue}
```

stdblock: Standard L^AT_EX type block area.

```
198 \DeclareOption{stdblock}{%
199   \G@Blockfalse
200   \G@ABlockfalse
201   \G@WBlockfalse}
```

4.3.4 Process package options

```
202 <cls> \DeclareOption*{\PassOptionsToClass{\CurrentOption}{\US@basetype}}
203 \ExecuteOptions{report}
204 \ProcessOptions*\relax
205 <cls> \LoadClass[oneside,openany]{\US@basetype}
```

4.4 Temporaries

```
206 \newlength{\US@tdima}
207 \newlength{\US@tdimb}
208 \newsavebox{\US@tboxa}
209 \newcounter{\US@tcnta}
210 \newcounter{\US@tcntb}
```

4.5 Page layout

\FixVertParams Reset all the vertical parameters for a page layout. Note that memoir has its own setup.

```
211 <*cls>
212 \newcommand\FixVertParams[1]{%
213   \normalsize
214   \setlength{\US@tdima}{\textheight-\topskip}%
215   \setcounter{US@tcnta}{\US@tdima}
216   \setcounter{US@tcntb}{\baselineskip}
217   \setcounter{US@tcnta}{\value{US@tcnta}/\value{US@tcntb}}%
218   \setlength{\textheight}{\baselineskip*\value{US@tcnta}+\topskip}%
219   \setlength{\US@tdima}{\paperheight-\textheight}%
220   \setlength{\topmargin}{#1\US@tdima-\headheight-\headsep-1in}%
221   \settopoint{\topmargin}
222 </cls>
```

\FixHorizParams Reset all the horizontal parameters for a page layout. Note that memoir has its own setup.

```
223 <*cls>
224 \newcommand\FixHorizParams[1]{%
225   \settopoint{\textwidth}
226   \setlength{\US@tdima}{\paperwidth-\textwidth}%
227   \if@twoside
228     \setlength{\oddsidemargin}{#1\US@tdima-1in}%
229   \else
230     \setlength{\oddsidemargin}{.5\US@tdima-1in}%
231   \fi
232   \settopoint{\oddsidemargin}
233   \setlength{\evensidemargin}{\US@tdima-\oddsidemargin-2in}%
234   \settopoint{\evensidemargin}
235   \setlength{\marginparwidth}{\evensidemargin+1in-\marginparsep-1cm}%
236   \settopoint{\marginparwidth}
237 </cls>
```

4.5.1 A5 type block area

```
238 <*cls>
239 \if@ABlock
240   \setlength{\paperheight}{297.3mm}
241   \setlength{\paperwidth}{210.2mm} % A4 paper
242   \setlength{\textwidth}{.5\paperheight}
243   \setlength{\textheight}{\paperwidth}
244   \setlength{\marginparsep}{7\p@}
245   \setlength{\marginparpush}{7\p@}
246   \FixVertParams{0.375}
247   \% \FixHorizParams{0.375}
248   \% \FixHorizParams{0.5} % Changed in v3.0
249   \ifpdf
250     \setlength{\pdfpagewidth}{\paperwidth}
251     \setlength{\pdfpageheight}{\paperheight}
252   \fi
253 \fi
254 </cls>
```

```

255 <*mem>
256 \if@ABlock
257   \setstocksize{297.3mm}{210.2mm} % A4 paper
258   \settrimmedsize{\stockheight}{\stockwidth}{*}
259   \settypeblocksize{\paperwidth}
260   {.5\paperheight}{*} % A5 text block
261   \setulmargins{*}{*}{1.666667} % 5:3
262   \if@twoside
263     \%setlrmargins{*}{*}{1.666667} % 5:3
264     \setlrmargins{*}{*}{1.000000} % 1:1 Changed in v3.0
265   \else
266     \setlrmargins{*}{*}{1.000000} % 1:1
267   \fi
268   \checkandfixthelayout
269   \setlength{\headwidth}{\textwidth}
270 \fi
271 </mem>

```

4.5.2 Golden section type block area

```

272 <*cls>
273 \if@GBlock
274   \setlength\paperheight {297.3mm}
275   \setlength\paperwidth {210.2mm} % A4 paper
276   \setlength\textheight {0.747547\paperheight}
277   \setlength\textwidth {0.666667\paperwidth}
278   \setlength\marginparsep {7\p0}
279   \setlength\marginparpush{7\p0}
280   \FixVertParams{0.375}
281   \%FixHorizParams{0.375}
282   \FixHorizParams{0.5} % Changed in v3.0
283   \ifpdf
284     \setlength\pdffagewidth{\paperwidth}
285     \setlength\pdfpageheight{\paperheight}
286   \fi
287 \fi
288 </cls>

289 <*mem>
290 \if@GBlock
291   \setstocksize{297.3mm}{210.2mm}
292   \settrimmedsize{\stockheight}{\stockwidth}{*}
293   \settypeblocksize{0.747547\paperheight}
294   {0.666667\paperwidth}{*} % Golden ratio block
295   \setulmargins{*}{*}{1.666667} % 5:3
296   \if@twoside
297     \%setlrmargins{*}{*}{1.666667} % 5:3
298     \setlrmargins{*}{*}{1.000000} % 1:1 Changed in v3.0
299   \else
300     \setlrmargins{*}{*}{1.000000} % 1:1
301   \fi
302   \checkandfixthelayout
303   \setlength{\headwidth}{\textwidth}
304 \fi
305 </mem>

```

4.5.3 Wide type block area

```

306 <*cls>
307 \if@WBlock
308   \setlength\paperheight {297.3mm}
309   \setlength\paperwidth {210.2mm} % A4 paper
310   \setlength\textheight {\paperheight-50mm}
311   \setlength\textwidth {\paperwidth-50mm}
312   \setlength\marginparsep {7\p0}
313   \setlength\marginparpush{7\p0}
314   \FixVertParams{0.5}
315   \FixHorizParams{0.5}
316   \ifpdf
317     \setlength\pdfpagewidth{\paperwidth}
318     \setlength\pdfpageheight{\paperheight}
319   \fi
320 \fi
321 </cls>

322 <*mem>
323 \if@WBlock
324   \setstocksize{297.3mm}{210.2mm}
325   \settrimmedsize{\stockheight}{\stockwidth}{*}
326   \setlrmarginsandblock{25mm}{25mm}{*}
327   \setulmarginsandblock{25mm}{25mm}{*}
328   \checkandfixthelayout
329   \setlength{\headwidth}{\textwidth}
330 \fi
331 </mem>
```

4.6 Utility commands

\US@ifempt Test for a empty argument (Wilson, Arseneau in ifmtarg)

```

332 \begingroup
333   \catcode`\Q=3
334   \long\gdef\US@ifempt#1{\US@xifempt#1QQ\@secondoftwo\@firstoftwo\@nil}
335   \long\gdef\US@xifempt#1#2#3#4#5\@nil{#4}
336 \endgroup
```

US@adjustwidth Adjust the width of a paragraph. It differs from the `memoir` environment `AdjustWidth` in that all top and bottom spaces are removed.

```

337 \newenvironment{US@adjustwidth}[2]{%
338   \begin{list}{}{%
339     \setlength{\topsep}{0pt}%
340     \setlength{\partopsep}{0pt}%
341     \setlength{\leftmargin}{#1}%
342     \setlength{\rightmargin}{#2}%
343     \setlength{\listparindent}{\parindent}%
344     \setlength{\itemindent}{\parindent}%
345     \setlength{\parsep}{\parskip}%
346   }%
347   \item[]\end{list}}
```

SetMargins Adjust the margins of a paragraph. The parameter #1 and #2 are the left and right margins of the paragraph.

```

348 \newenvironment{SetMargins}[2]%
349   {\setlength{\US@tdima}{-1in-\hoffset-\oddsidemargin}%
350    \setlength{\US@tdimb}{-\US@tdima}%
351    \addtolength{\US@tdima}{#1}%
352    \addtolength{\US@tdimb}{-\paperwidth+\textwidth+#2}%
353    \begin{US@adjustwidth}{\US@tdima}{\US@tdimb}%
354  }%
355  {\end{US@adjustwidth}}

```

4.7 Front pages

4.7.1 Title page

`US@titlepage` Make a single column empty page with predefined margins

```

\begin{US@titlepage}{(top)}{(bottom)}{(left)}{(right)}
  <title page>
\end{US@titlepage}

```

```

356 \newenvironment{US@titlepage}[4]
357   {\cleardoublepage
358    \if@twocolumn
359      \@restonecoltrue\onecolumn
360    \else
361      \@restonecolfalse\newpage
362    \fi
363    \thispagestyle{empty}%
364    \setcounter{page}\@ne

```

Set the top margin by moving the starting point up.

```

365   \setlength{\US@tdima}{1in+\voffset+\topmargin+\headheight+\headsep+\topskip}%
366   \setlength{\US@tdimb}{#1 -\US@tdima}%
367   \vspace*{\US@tdimb}%

```

Set the bottom margin by enlarging the page

```

368   \addtolength{\US@tdima}{\textheight-\paperheight-\topskip}%
369   \addtolength{\US@tdima}{#2}%
370   \enlargethispage{-\US@tdima}%

```

Set the left and right margins by putting the contents in a list environment with widened margins.

```

371   \setlength{\US@tdima}{-1in-\hoffset-\oddsidemargin}%
372   \setlength{\US@tdimb}{-\US@tdima}%
373   \addtolength{\US@tdima}{#3}%
374   \addtolength{\US@tdimb}{-\paperwidth+\textwidth+#4}%
375   \begin{US@adjustwidth}{\US@tdima}{\US@tdimb}%
376  }%
377  {\end{US@adjustwidth}%
378  \if@restonecol\twocolumn \else \newpage \fi
379  \if@twoside\else
380    \setcounter{page}\@ne
381  \fi}

```

Undefine the standard title page.

```

382 \let\maketitle\relax

```

The title page

\TitlePage The \TitlePage command set the full front page for the US theses and reports. All margins, spacing and font sizes must be set inside this command.

```

383 \newcommand{\TitlePage}{%
384   \begingroup
385     \let\footnote\relax
386     \begin{US@titlepage}{2cm}{2.5cm}{2.5cm}{2.5cm}%
387       \centering
388       \if@Report
389         \includegraphics[width=100mm]{USlogo-top}\par
390       \else
391         \% \includegraphics[width=88mm]{UScrest-top}\par
392       \fi
393       \vfill
394       {\LARGE \@title \par}
395       \vspace{2em}
396       \if@Authorpresent
397         {\large \AuthByTxt\par}
398         \vspace{2em}
399         {\Large
400           \lineskip .75em\relax%
401           \begin{tabular}[t]{c}%
402             \US@authorlong
403           \end{tabular}\par}%
404         \vfill
405       \fi
406       \if@Report\if@Subjectpresent
407         {\large\DegreeNameLong\par}
408         \vfill
409       \fi\fi
410       {\large\slshape
411         \begin{US@adjustwidth}{1.5cm}{1.5cm}
412           \centering\US@ThesisDescript
413         \end{US@adjustwidth}\par}
414       \vfill
415       {\US@address\par}
416       \vfill
417       {\normalsize \US@promotorset \par}
418       \vfill
419       {\large \US@date\par}%
420     \end{US@titlepage}%
421   \endgroup
422   \global\let\TitlePage\relax
423   \setcounter{footnote}{0}%
424   \global\let\thanks\relax
425   \global\let\@thanks\empty
426 %   \global\let\and\relax
427 }
```

Author block

```

428 \newif\if@Authorpresent
429 \if@Authorpresentfalse
```

```

430 \renewcommand\author[2]{%
431   \@Authorpresenttrue%
432   \gdef\US@author{#1}%
433   \gdef\US@authorlong{#2}%
434 \newcommand\US@author{%
435   \ClassWarning{usthesis}{No author supplied}%
436   \PackageWarning{usthesis}{No author supplied}%
437 }
438 \newcommand\US@authorlong{%
439   \ClassWarning{usthesis}{No author supplied}%
440   \PackageWarning{usthesis}{No author supplied}%
441 }

```

Thesis or report description

```
442 \newcommand{\US@ThesisDescriptor}{}%
```

```
\ThesisDescriptor
```

```

443 \newcommand\ThesisDescriptor[1]{%
444   \long\gdef\US@ThesisDescriptor{#1}%
445 \let\ReportDescriptor=\ThesisDescriptor
446 \if@Masters
447   \ThesisDescriptor{\MasterDescriptor}
448 \fi
449 \if@PhD
450   \if@Final
451     \ThesisDescriptor{\PhDFinalDescriptor}
452   \else
453     \ThesisDescriptor{\PhDDescriptor}%
454   \fi
455 \fi

```

Degree or subject

```
\if@Subjectpresent
```

```
456 \newif\if@Subjectpresent
457 \if@Subjectpresentfalse
```

See beginning of class for \DegreeName and \DegreeNameLong.

```

458 \newcommand\degree[2]{%
459   \@Subjectpresenttrue%
460   \gdef\DegreeName{#1}%
461   \gdef\DegreeNameLong{#2}%
462 \let\subject=\degree

```

Address and faculty

```
\address
```

```
463 \newcommand\address[1]{\gdef\US@address{#1}%
464 \let\adress\address % backward compatibility :-)
```

```

465 \newcommand{\US@address}{%
466 <cls>   \ClassWarning{usthesis}{No institutional address supplied}%
467 <mem>    \PackageWarning{usthesis}{No institutional address supplied}%

\faculty
468 \newcommand{\faculty}[1]{\gdef\USfaculty{#1}%
469 \newcommand{\USfaculty}{%
470 <cls>   \ClassWarning{usthesis}{No faculty name supplied}%
471 <mem>    \PackageWarning{usthesis}{No faculty name supplied}%
472     \textbf{[No faculty name supplied!]}}}

```

Promotor or study leader

```
\if@Promotorpresent
```

```

473 \newif\if@Promotorpresent
474 \c@Promotorpresentfalse
475 \newif\ifUS@multprm\US@multprmfalse
476 \newif\ifUS@prmstacked\US@prmstackedfalse
477 \newcommand{\US@promotor}{}
478 \newcommand*\US@prmalign[1]
479 \newcommand*\US@prmnewline{~}

```

```
\promotor
```

```

480 \newcommand{\promotor}{%
481     \@ifstar{\US@prmstackedtrue\@promotor}{%
482         \US@prmstackedfalse\@promotor}%
483 \newcommand{\@promotor}[2][1]{%
484     \US@ifempt{#2}{}{\@Promotorpresenttrue}%
485     \renewcommand*\US@prmalign{#1}%
486     \renewcommand\US@promotor{#2}%
487 \newcommand{\US@promotorset}{%
488     \if@Promotorpresent
489         \edef\US@beginTab{%
490             \noexpand\begin{tabular}[t]{@{} \US@prmalign @{}}%
491         \edef\US@endTab{%
492             \noexpand\end{tabular}}%
493         \sbox{\US@tboxa}{%
494             \let\and\US@prm@and%
495             \US@beginTab%
496             \US@promotor%
497             \US@endTab}%
498         \ifUS@prmstacked
499             \makebox[\wd\US@tboxa]{\US@prmalign}%
500             \ifUS@multprm\PromotorText\else\PromotorText\fi\relax%
501             \usebox{\US@tboxa}%
502         \else
503             \ifUS@multprm\PromotorText\else\PromotorText\fi
504             \US@prmnewline%
505             \usebox{\US@tboxa}%
506         \fi
507     \fi
508 }

```

```

509 \newcommand*{\US@prm@and}[1][2ex]{%
510     \gdef\US@prmnewline{\\"{#1}}%
511     \global\US@multprmtrue%
512     \ifUS@prmstacked
513         \\{#1}%
514     \else
515         \US@endTab
516         \hskip 1em \oplus.17fil\relax
517         \US@beginTab
518     \fi
519     \ignorespaces}
520 \let\studyleader\promotor
521 \let\supervisor\promotor

```

Date

```

522 \newcount\US@month
523 \newcount\US@year
524 \US@month=0
525 \US@year=\number\year
526 \def\US@date{\MonthName{\US@month}\ \number\US@year}
527 \newcommand{\setdate}[2]{%
528     \US@ifempt{#1}{\US@month=0}{\US@month=#1}%
529     \US@year=#2
530     \gdef\US@date{\MonthName{\US@month}\ \number\US@year}}

```

4.7.2 Copyright page

From 2007 the copyright declaration must be at the bottom of the declaration page.

\CopyrightPage

```

531 \newcommand\CopyrightPage[1][\CopyrightHolder]{%
532     \%clearpage
533     \%thispagestyle{empty}
534     \%mbox{}\par\vfill
535     \%begin{center}
536         \%CopyrightTxt\ \copyright\ \number\US@year\ #1\%
537         \%CopyrightAnot
538     \%end{center}
539     \%vfill\mbox{}\par
540     \%clearpage
541 }

```

\SetCopyrightHolder Macro to change the default copyright holder.

```

542 \newcommand\SetCopyrightHolder[1]{%
543     \renewcommand\CopyrightHolder{#1}}

```

\SetCopyrightOff Switch copyright output off.

```

544 \newif\ifUS@Copyright
545 \US@Copyrighttrue
546 \newcommand\SetCopyrightOff{%
547     \US@Copyrightfalse}

```

4.7.3 Declaration page

```
\DeclarationSign  Optional commands to insert a signature and a signed date on declaration page.
\DeclarationDate 548 \let\US@DeclSign\@empty
549 \let\US@DeclDate\@empty
550 \newcommand{\DeclarationSign}[1]{\renewcommand\US@DeclSign{#1}}
551 \newcommand{\DeclarationDate}[1]{\renewcommand\US@DeclDate{#1}}
552 \newcommand\US@putdeclsing{%
553     \ifx\US@DeclSign\@empty\relax\else
554         \vspace{0.5cm}
555         \noindent
556         \begin{minipage}{.5\textwidth}
557             \noindent
558             \phantom{\Signat:}\hfill\US@DeclSign\hfill\mbox{}\\[-.5\baselineskip]
559             \Signat:\dotfill\mbox{}\\
560             \phantom{\Signat:}\hfill\makebox[0pt][c]{\US@author}\hfill\mbox{}
561         \end{minipage}
562         \par
563     \fi}
564 \newcommand\US@putdecdate{%
565     \vspace{1cm}
566     \noindent
567     \begin{minipage}{.5\textwidth}
568         \noindent
569         \ifx\US@DeclDate\@empty\relax\else
570             \phantom{\Signat:}\hfill\makebox[0pt][c]{\US@DeclDate}\hfill\mbox{}\\[-.5\baselineskip]
571         \fi
572         \Datetxt:~\dotfill\mbox{}\par
573     \end{minipage}
574     \par}
\DeclarationPage Set up the declaration page. The \ThesisDeclare[<declaration>] command has an optional argument to set a different declaration.
575 \newcommand{\DeclarationPage}[1][\ThesisDeclare]{%
576     \if@twocolumn
577         \restonecoltrue\onecolumn
578     \else
579         \restonecolfalse
580     \fi
581     \par
582     \thispagestyle{plain}%
583     \chapter*{\DeclarationName}%
584     \declaremark
585     \phantomsection
586     \addcontentsline{toc}{chapter}{\DeclarationName}%
587     #1\par
588     \US@putdeclsing
589     \US@putdecdate
590     \ifUS@Copyright
591         \mbox{}\par
592         \vfill
593         \vfill
594         \noindent\CopyrightTxt\ \copyright\ \number\US@year\ \CopyrightHolder\\
```

```

595      \noindent\CopyrightAnot
596      \vfill
597      \mbox{}\par
598  \fi
599  \if@restonecol\twocolumn\fi}

```

4.7.4 Abstract page

`abstract` Provides the environment

```

\begin{abstract}[(lang)]
  abstract text
\end{abstract}

```

to typeset the abstract. A different language can be selected with the optional argument to the environment.

```

600 <cls> \newenvironment{abstract}[1][\language]{%
601   \mem{renewenvironment}{abstract}[1][\language]{%
602     {\edef{\@tempa{\expandafter\string #1}}{%
603       \ifx{\@tempa\language}\relax\else
604         \edef{\@tempa{\noexpand\selectlanguage{\#1}}{\@tempa}%
605       \fi
606     \if@twocolumn
607       \restonecoltrue\onecolumn
608     \else
609       \restonecolfalse
610     \fi
611     \par
612     \chapter*{\AbstractName}%
613     \abstractmark
614     \phantomsection
615     \addcontentsline{toc}{chapter}{\AbstractName}%
616     \if@Report\else
617       \begin{center}
618         {\large\bfseries \title \par}
619         \medskip
620         {\lineskip .75em\relax%
621           \begin{tabular}[t]{c@{}c@{}}
622             \US@author
623           \end{tabular}\par}
624         \smallskip
625         {\small\itshape\US@address\par}
626         \smallskip
627         {\ThesisType: \DegreeName\par}
628         \smallskip
629         {\US@date\par}
630       \end{center}
631     \fi
632     \if@restonecol\twocolumn\fi%
633   }{}}}

```

4.7.5 Table of contents

634 <*cls>

```

635 \renewcommand\tableofcontents{%
636   \if@twocolumn
637     \@restonecoltrue\onecolumn
638   \else
639     \@restonecolfalse
640   \fi
641   \chapter*{\contentsname}%
642   \tocmark
643   \phantomsection
644   \addcontentsline{toc}{chapter}{\contentsname}%
645   \starttoc{toc}%
646   \if@restonecol\twocolumn\fi}
647 
```

4.7.6 List of figures

```

648 (*cls)
649 \renewcommand\listoffigures{%
650   \if@twocolumn
651     \@restonecoltrue\onecolumn
652   \else
653     \@restonecolfalse
654   \fi
655   \chapter*{\listfigurename}%
656   \lofmark
657   \phantomsection
658   \addcontentsline{toc}{chapter}{\listfigurename}%
659   \starttoc{lof}%
660   \if@restonecol\twocolumn\fi
661 }
662 \renewcommand*\l@figure{\@dottedtocline{1}{0em}{3em}}
663 
```

4.7.7 List of tables

```

664 (*cls)
665 \renewcommand\listoftables{%
666   \if@twocolumn
667     \@restonecoltrue\onecolumn
668   \else
669     \@restonecolfalse
670   \fi
671   \chapter*{\listtablename}%
672   \lotmark
673   \phantomsection
674   \addcontentsline{toc}{chapter}{\listtablename}%
675   \starttoc{lot}%
676   \if@restonecol\twocolumn\fi}
677 \let\l@table\l@figure
678 
```

4.8 Back matter

4.8.1 Bibliography

\bibsection natbib uses the `\bibsection` command. We change the `thebibliography` to use it also.

```
679 <*cls>
680 \providecommand\bibsection{}%
681 \AtBeginDocument{%
682     \renewcommand{\bibsection}{%
683         \chapter*{\bibname}%
684         \bibmark
685         \phantomsection
686         \addcontentsline{toc}{chapter}{\bibname}%
687     }%
688 </cls>
```

thebibliography The environment is a mixture of code from `book.cls` and `natbib`

```
689 <*cls>
690 \renewenvironment{thebibliography}[1]{%
691     \bibsection
692     \parindent \z@
693     \bibpreamble
694     \bibfont
695     \list{\@biblabel{\@arabic\c@enumiv}}%
696         {\settowidth\labelwidth{\@biblabel{\#1}}%
697         \leftmargin\labelwidth
698         \advance\leftmargin\labelsep
699         \openbib@code
700         \usecounter{enumiv}%
701         \let\p@enumiv\empty
702         \renewcommand\theenumiv{\@arabic\c@enumiv}%
703     \loose
704     \clubpenalty4000
705     \clubpenalty \clubpenalty
706     \widowpenalty4000%
707     \sfcode'`.\@m}
708     {\def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
709     \endlist
710     \vskip-\lastskip}
711 </cls>
```

\bibfont Command to change font sizes.

\bibpreamble The user can add stuff before the bibliography.

```
712 <*cls>
713 \let\bibfont\relax
714 \let\bibpreamble\relax
715 </cls>
```

\setbiblabel A user command to change the bib label format .

```
716 <*cls>
717 \newcommand*{\setbiblabel}[1]{%
718     \renewcommand*{\@biblabel}[1]{#1}}
```

```

719 \setbiblabel{[#1]\hfill}
720 </cls>

```

4.8.2 Index

```

theindex
721 <*cls>
722 \renewenvironment{theindex}
723   {\if@twocolumn
724     \@restonecolfalse
725   \else
726     \@restonecoltrue
727   \fi
728   \columnseprule \z@
729   \columnsep .35\p@
730   \twocolumn[\makeschapterhead{\indexname}]%
731   \indexmark
732   \phantomsection
733   \addcontentsline{toc}{chapter}{\indexname}
734   \thispagestyle{plain}
735   \parindent\z@
736   \parskip\z@ \relax .3\p@\relax
737   \let\item\@idxitem
738   {\if@restonecol
739     \onecolumn
740   \else
741     \clearpage
742   \fi}
743 </cls>

```

4.9 Page markup

4.9.1 Headers and footers

\US@headfnt Font for running headers.

\US@numfnt Font for running header numbers.

```

744 \newcommand*{\US@headfnt}[1]{\slshape\small#1}
745 \newcommand*{\US@numfnt}[1]{\normalsize\bfseries#1}

```

Define the *usthesis* page style. The setup for headers and footers differs between the normal book class and *memoir*, therefor we split them up.

Headers for normal book class

```

746 <*cls>
747 \if@twoside
748   \def\ps@usthesis{%
749     \def\@evenhead{\US@numfnt{\thepage}\hfil\US@headfnt{\leftmark}}%
750     \def\@oddhead{\US@headfnt{\rightmark}\hfil\US@numfnt{\thepage}}%
751     \let\@oddfoot\@empty
752     \let\@evenfoot\@empty
753     \let\@mkboth\markboth
754     \def\chaptermark##1{%
755       \markboth{\MakeUppercase{}}
```

```

756      \ifnum \c@secnumdepth >\m@ne
757          \if@mainmatter
758              \o@chapapp\ \thechapter. \ %
759          \fi
760      \fi
761      ##1}}}{}}%
762 \def\sectionmark##1{%
763     \markright{\MakeUppercase{%
764         \ifnum \c@secnumdepth > \z@
765             \thesection. \ %
766         \fi
767     }}}}%
768 \def\declaremark{\markboth{\MakeUppercase{\DeclarationName}}}{}}%
769 \def\abstractmark{\markboth{\MakeUppercase{\AbstractName}}}{}}%
770 \def\tocmark{\markboth{\MakeUppercase{\contentsname}}}{}}%
771 \def\lofmark{\markboth{\MakeUppercase{\listfigurename}}}{}}%
772 \def\lotmark{\markboth{\MakeUppercase{\listtablename}}}{}}%
773 \def\bibmark{\markboth{\MakeUppercase{\bibname}}}{}}%
774 \def\indexmark{\markboth{\MakeUppercase{\indexname}}}{}}%
775 }
776 \else
777     \def\ps@usthesis{%
778         \def\@oddhead{\US@headfnt{\rightmark}\hfil\US@numfnt{\thepage}}{}}%
779         \let\@oddfoot\@empty
780         \let\@mkboth\markboth
781         \def\chaptermark##1{%
782             \markright{\MakeUppercase{%
783                 \ifnum \c@secnumdepth >\m@ne
784                     \if@mainmatter
785                         \o@chapapp\ \thechapter. \ %
786                     \fi
787                 \fi
788             }}}}}}%
789 \def\declaremark{\markright{\MakeUppercase{\DeclarationName}}}{}}%
790 \def\abstractmark{\markright{\MakeUppercase{\AbstractName}}}{}}%
791 \def\tocmark{\markright{\MakeUppercase{\contentsname}}}{}}%
792 \def\lofmark{\markright{\MakeUppercase{\listfigurename}}}{}}%
793 \def\lotmark{\markright{\MakeUppercase{\listtablename}}}{}}%
794 \def\bibmark{\markright{\MakeUppercase{\bibname}}}{}}%
795 \def\indexmark{\markright{\MakeUppercase{\indexname}}}{}}%
796 }
797 \fi

```

Redefine the plain page style.

```

798 \def\ps@plain{%
799     \let\@mkboth\gobbletwo
800     \let\@oddhead\@empty
801     \let\@evenhead\@empty
802     \def\@oddfoot{\reset@font\hfil\US@numfnt{\thepage}\hfil}{}}%
803     \let\@evenfoot\@oddfoot
804 }
805 </cls>

```

Headers for use with memoir class

```

806 (*mem)
807 \makepagestyle{usthesis}

808 \setlength{\headwidth}{\textwidth}
809 \makerunningwidth{usthesis}{\headwidth}
810 \makeheadposition{usthesis}{flushright}{flushleft}{flushleft}

811 \if@twoside
812     \makepsmarks{usthesis}{%
813         \let\@mkboth\markboth
814         \def\chaptermark##1{%
815             \markboth{\MakeUppercase{%
816                 \ifnum \c@secnumdepth > \m@ne
817                     \if@mainmatter
818                         \ochapapp\ \thechapter. \ %
819                     \fi
820                 \fi
821             }##1}}{%
822             \def\sectionmark##1{%
823                 \markright{\MakeUppercase{%
824                     \ifnum \c@secnumdepth > \z@
825                         \thesection. \ %
826                     \fi
827                 }##1}}{%
828                 \def\declaremark{\markboth{\MakeUppercase{\DeclarationName}}{}{%
829                     \def\abstractmark{\markboth{\MakeUppercase{\AbstractName}}{}{%
830                         \def\tocmark{\markboth{\MakeUppercase{\contentsname}}{}{%
831                             \def\lofmark{\markboth{\MakeUppercase{\listfigurename}}{}{%
832                                 \def\lotmark{\markboth{\MakeUppercase{\listtablename}}{}{%
833                                     \def\bibmark{\markboth{\MakeUppercase{\bibname}}{}{%
834                                         \def\indexmark{\markboth{\MakeUppercase{\indexname}}{}{%
835                                         }{%
836                                         \makeevenhead{usthesis}{\US@numfnt{\thepage}}{}{\US@headfnt{\leftmark}}{%
837                                         \makeoddhead{usthesis}{\US@headfnt{\rightmark}}{}{\US@numfnt{\thepage}}{%
838 \else
839     \makepsmarks{usthesis}{%
840         \let\@mkboth\markboth
841         \def\chaptermark##1{%
842             \markright{\MakeUppercase{%
843                 \ifnum \c@secnumdepth > \m@ne
844                     \if@mainmatter
845                         \ochapapp\ \thechapter. \ %
846                     \fi
847                 \fi
848             }##1}}{%
849                 \def\declaremark{\markright{\MakeUppercase{\DeclarationName}}{}{%
850                     \def\abstractmark{\markright{\MakeUppercase{\AbstractName}}{}{%
851                         \def\tocmark{\markright{\MakeUppercase{\contentsname}}{}{%
852                             \def\lofmark{\markright{\MakeUppercase{\listfigurename}}{}{%
853                                 \def\lotmark{\markright{\MakeUppercase{\listtablename}}{}{%
854                                     \def\bibmark{\markright{\MakeUppercase{\bibname}}{}{%
855                                         \def\indexmark{\markright{\MakeUppercase{\indexname}}{}{%
856                                         }{%
857                                         \makeoddhead{usthesis}{\US@headfnt{\rightmark}}{}{\US@numfnt{\thepage}}{%
858 \fi

```

```

    Change the plain page style
859 \setlength{\headwidth}{\textwidth}
860 \makerunningwidth{plain}{\headwidth}
861 \makeevenfoot{plain}{}{\US@numfnt{\thepage}}{}
862 \makeoddfoot{plain}{}{\US@numfnt{\thepage}}{}
863 </mem>

```

The default page style.
864 \pagestyle{usthesis}

4.9.2 Chapter and section headings

```

865 \newcommand{\US@headfamily}{\normalfont\rmfamily}
866 <*cls>
867 \def\section{%
868   \@startsection{section}{1}%
869   {\z@}%
870   {-3.5ex plus -1ex minus -.2ex}%
871   {2.3ex plus .2ex}%
872   {\US@headfamily\Large\bfseries\raggedright}}
873 </cls>
874 <*mem>
875 \setsecheadstyle{\US@headfamily\Large\bfseries\raggedright}
876 </mem>

877 <*cls>
878 \def\subsection{%
879   \@startsection{subsection}{2}%
880   {\z@}%
881   {-3.25ex plus -1ex minus -.2ex}%
882   {1.5ex plus .2ex}%
883   {\US@headfamily\large\bfseries\raggedright}%
884 </cls>
885 <*mem>
886 \setsubsecheadstyle{\US@headfamily\large\bfseries\raggedright}
887 </mem>

888 <*cls>
889 \def\subsubsection{%
890   \@startsection{subsubsection}{3}%
891   {\z@}%
892   {-3.25ex plus -1ex minus -.2ex}%
893   {1.5ex plus .2ex}%
894   {\US@headfamily\normalsize\bfseries\raggedright}}
895 </cls>
896 <*mem>
897 \setsubsubsecheadstyle{\US@headfamily\normalsize\bfseries\raggedright}
898 </mem>

899 <*cls>
900 \def\paragraph{%
901   \@startsection{paragraph}{4}%
902   {\z@}%
903   {3.25ex plus 1ex minus .2ex}%
904   {-1em}%
905   {\US@headfamily\normalsize\bfseries}}
906 </cls>

```

```

907 <*mem>
908 \setparaheadstyle{\US@headfamily\normalsize\bfseries}
909 </mem>
910 <*cls>
911 \def\subparagraph{%
912     \@startsection{subparagraph}{5}%
913         {\parindent}%
914         {3.25ex plus 1ex minus .2ex}%
915         {-1em}%
916         {\US@headfamily\normalsize\bfseries}}
917 </cls>
918 <*mem>
919 \setsubparaheadstyle{\US@headfamily\normalsize\bfseries}
920 </mem>

```

4.9.3 Floats and float pages

```

921 \setcounter{topnumber}{3}
922 \setcounter{bottomnumber}{2}
923 \setcounter{totalnumber}{4}
924 \setcounter{dbltopnumber}{3}
925 \renewcommand{\topfraction}{.85}
926 \renewcommand{\bottomfraction}{.7}
927 \renewcommand{\textfraction}{.1}
928 \renewcommand{\floatpagefraction}{.7}
929 \renewcommand{\dbltopfraction}{.85}
930 \renewcommand{\dblfloatpagefraction}{.7}
931 \setlength{\floatsep}{15pt plus 12pt}
932 \setlength{\textfloatsep}{\floatsep}
933 \setlength{\intextsep}{\floatsep}
934 \setlength{\dblfloatsep}{15pt plus 12pt}
935 \setlength{\dbltextfloatsep}{15pt plus 12pt}
936 \setlength{\@fptop}{0pt plus1fil}
937 \setlength{\@fpbot}{0pt plus1fil}
938 \setlength{\@fpsep}{8pt plus1fil}
939 \setlength{\@dblfpptop}{0pt plus1fil}
940 \setlength{\@dblfpbot}{0pt plus1fil}
941 \setlength{\@dblfpsep}{8pt plus1fil}

```

4.9.4 Captions

Figures and tables use the same caption command in the standard `book.cls`. This causes problems with spacing, because figure captions are normally below the figure while table captions are above the table. Make the spacing equal.

Set parameters for `usthesis.cls`.

```

942 <*cls>
943 \setlength{\abovecaptionskip}{0.5\baselineskip}
944 \setlength{\belowcaptionskip}{0.5\baselineskip}

```

`\@makecaption` Redefine the caption output.

```

945 \long\def\@makecaption#1#2{%
946   \vskip\abovecaptionskip
947   \sbox{\@tempboxa{\small{\bfseries #1:} #2}}%

```

```

948 \ifdim \wd\@tempboxa >\hsize
949   \unhbox\@tempboxa\par
950 \else
951   \global \ominipagetrue
952   \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
953 \fi
954 \vskip\belowcaptionskip
955 \end{cls}

```

Set parameter for memoir.

```

956 \mem
957 \captiondelim{: }
958 \captionnamefont{\small\bfseries}
959 \captiontitlefont{\small}
960 \captionstyle{}
961 \end{mem}

```

```
962 \end{cls | mem}
```

The end of this package.

Change History

v0.1	General: Initial version	1	metric layout	27
v1.1	General: Major code update	1	Documentation update	1
v1.1a	General: Documentation update . . .	1	\CopyrightPage: Remove copyright page	34
v1.1b	General: Documentation update . . .	1	\DeclarationPage: Add copyright to Declaration page	35
v2.0	General: Documentation update . . .	1	\SetCopyrightHolder: Add	34
	General: Documentation update . . .	1	\SetCopyrightOff: Add	34
v2.1	General: Documentation update . . .	1	v4.0	
	Page layout	1	General: Documentation update . . .	1
			Fix ifpdf error	1
			Move language settings to external files	1
			\if@Promotorpresent: Test if promotor is defined	33
			\if@Subjectpresent: Fix subject field in report option	32
v2.2a	General: Bug in PhD description . . .	32	v4.1	
	Documentation update	1	\DeclarationPage: Add signature and sign date macros	35
	\promotor: Change for promotor/-		v4.2	
	colortbl bug	33	\faculty: Add faculty	33
	\ThesisDescript: Move layout to title page	32	v4.3	
	\TitlePage: Change thesis description	31	\faculty: bugfix for faculty	33
v3.0	General: Change twosided to sym-			

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\@ABlockfalse	\@settopoint ... 221, 225, 232, 234, 236 . 180, 191, 196, 200
\@ABlocktrue	185 \@thanks 425
\@Authorpresentfalse	429 \@title 394, 618
\@Authorpresenttrue	431 \□ ... 526, 530, 536, 594, 758, 765,
\@Finalfalse	133, 165 785, 818, 825, 845
\@Finaltrue	173
\@GBlockfalse 181, 186, 195, 199
\@GBlocktrue	190 \abovecaptionskip
\@Mastersfalse 129, 142, 163, 171
\@Masterstrue	149, 156 abstract (environment)
\@PhDfalse	131, 143, 150, 157
\@PhDtrue	164, 172 \abstractmark
\@Promotorpresentfalse	474 . 75, 612, 615, 769, 790, 829, 850
\@Promotorpresenttrue	484 \address
\@Reportfalse 148, 155, 162, 170
\@Reporttrue	127, 141 Afr (environment) ... 31
\@Subjectpresentfalse	457 \and
\@Subjectpresenttrue	459 \AorE
\@WBlockfalse 182, 187, 192, 201
\@WBlocktrue	197 \bibfont
\@biblabel	695, 696, 718 694, <u>712</u>
\@dblfpbot	940 \bibmark
\@dblfpsep	941 684, 773, 794, 833, 854
\@dblftop	939 \bibname
\@evenfoot	752, 803 683, 686, 773, 794, 833, 854
\@evenhead	749, 801 \bibpreamble
\@fpbot	937 693, <u>712</u>
\@fpsep	938 \bibsection
\@ftop	936 679, 691
\@makecaption	945 \bottomfraction
\@makeschapterhead	730 C
\@oddfoot	751, 779, 802, 803 \captiondelim
\@oddhead	750, 778, 800 957
\@promotor	481–483 \captionnamefont
	958
	\captionstyle
	960
	\captiontitlefont
	959
	\chapter
	583, 612, 641, 655, 671, 683
	\chaptermark
	. 754, 781, 814, 841
	\checkandfixthelayout
	268, 302, 328
	\ClassInfo
	79, 84
	\contentsname
	. 641, 644, 770, 791, 830, 851
	\CopyrightAnot
	. 66, 537, 595
	\CopyrightHolder
	. 64, 531, 543, 594
	\CopyrightPage
	<u>531</u>
	\CopyrightTxt
	. 65, 536, 594
	D
	\Datetxt
	68, 572
	\dblfloatpagefraction
	. 930
	\dblfloatsep
	934
	\dbltextfloatsep
	935
	\dbltopfraction
	929
	\DeclarationDate
	<u>548</u>
	\DeclarationName
	. 74, 583, 586, 768, 789, 828, 849
	\DeclarationPage
	<u>575</u>
	\DeclarationSign
	<u>548</u>
	\declaremark
	. 584, 768, 789, 828, 849
	\degree
	458, 462
	\DegreeName
	46, 460, 627
	\DegreeNameLong
	. 50, 407, 461
	E
	Eng (environment) ... 38
	\enlargethispage .. 370
	environments:
	abstract
	<u>600</u>
	Afr
	<u>31</u>
	Eng
	<u>38</u>
	SetMargins
	<u>348</u>
	thebibliography
	<u>689</u>
	theindex
	<u>721</u>
	US@adjustwidth
	<u>337</u>
	US@titlepage
	<u>356</u>

<pre>\evensidemargin 233–235 F \faculty 468 \FixHorizParams 223, 247, 248, 281, 282, 315 \FixVertParams 211, 246, 280, 314 \floatautocolumnfraction . 928 \floatsep 931–933 I \if@ABlock 177, 239, 256 \if@Authorpresent 396, 428 \if@Final 132, 450 \if@GBlock 177, 273, 290 \if@mainmatter 757, 784, 817, 844 \if@Masters 128, 446 \if@PhD 130, 449 \if@Promotorpresent 473, 488 \if@Report 126, 388, 406, 616 \if@restonecol 378, 599, 632, 646, 660, 676, 738 \if@Subjectpresent 406, 456 \if@WBlock 177, 307, 323 \ifpdf 249, 283, 316 \ifUS@Copyright 544, 590 \ifUS@multprm 475, 500, 503 \ifUS@prmstacked 476, 498, 512 \indexmark 731, 774, 795, 834, 855 \indexname 730, 733, 774, 795, 834, 855 \InputIfFileExists 76, 81 L \l@figure 662, 677 \l@table 677 \langugename 30, 32, 40, 600, 601, 603 \listfigurename 655, 658, 771, 792, 831, 852 \listoffigures 649 </pre>	<pre>\listoftables 665 \lofmark 656, 771, 792, 831, 852 \lotmark 672, 772, 793, 832, 853 M \makeevenfoot 861 \makeevenhead 836 \makeheadposition 810 \makeoddfoot 862 \makeoddhead 837, 857 \makepagestyle 807 \makesmarks 812, 839 \makerunningwidth 809, 860 \maketitle 382 \marginparpush 245, 279, 313 \marginparsep 235, 244, 278, 312 \marginparwidth 235, 236 \MasterDescriptor 69, 447 \MonthName 73, 526, 530 N \newcounter 209, 210 P \pagestyle 864 \pdfpageheight 251, 285, 318 \pdfpagewidth 250, 284, 317 \phantomsection 21, 585, 614, 643, 657, 673, 685, 732 \PhDDescriptor 70, 453 \PhDFinalDescriptor 71, 451 \ProcessOptions 204 \promotor 480, 520, 521 \PromotorsText 134, 140, 147, 154, 161, 169, 500, 503 \PromotorsType 59, 161, 169 \PromotorText 134, 139, 146, 153, 160, 168, 500, 503 \PromotorType 58, 160, 168 \ps@plain 798 \ps@usthesis 748, 777 </pre>	Q \Q 333 R S \sectionmark 762, 822 \selectlanguage 33, 41, 604 \setbiblabel 716 \SetCopyrightHolder 542 \SetCopyrightOff 544 \setdate 527 \setlength 214, 218–220, 226, 228, 230, 233, 235, 240– 245, 250, 251, 269, 274–279, 284, 285, 303, 308–313, 317, 318, 329, 339– 345, 349, 350, 365, 366, 371, 372, 808, 859, 931–941, 943, 944 \setlrmargins 263, 264, 266, 297, 298, 300 \setlrmarginsandblock 326 SetMargins (environment) 348 \setparaheadstyle 908 \setsecheadstyle 875 \setstocksize 257, 291, 324 \setsubparaheadstyle 919 \setsubsecheadstyle 886 \setsubsubsecheadstyle 897 \settrimmedsize 258, 292, 325 \settypeblocksize 259, 293 \setulmargins 261, 295 \setulmarginsandblock 327 \Signat 67, 558–560, 570 \stockheight 258, 292, 325 \stockwidth 258, 292, 325
---	--	---

\studyleader 520
 \StudyLeadersType 57, 140, 147, 154
 \StudyLeaderType 56, 139, 146, 153
 \subject 462
 \supervisor 521

T

\tableofcontents 635
 \textbf 472
 \textfb 49, 53
 \textfloatsep 932
 \textfraction 927
 \thanks 424
 thebibliography (environment) 689
 theindex (environment) 721
 \ThesisDeclare 72, 575
 \ThesisDescript 443, 445, 447, 451, 453
 \ThesisType 134, 138, 145, 152, 159, 167, 627
 \TitlePage 383
 \topfraction 925
 \TypeAssignment 61, 145
 \TypePhD 63, 159, 167
 \TypeReport 60, 138
 \TypeThesis 62, 152

U

\US@addlangcaptions 101, 110, 114, 118, 122, 125
 \US@addlangextras 101, 109, 113, 117, 121, 124
 \US@address 415, 463, 465, 625
 \US@addto 88, 103, 106
 \US@adjustwidth (environment) 337

\US@AFRstr 28, 30, 32
 \US@author 432, 434, 560, 622
 \US@authorlong 402, 433, 438
 \US@basetype 4, 184, 189, 194, 202, 205
 \US@beginTab 489, 495, 517
 \US@Copyrightfalse 547
 \US@Copyrighttrue 545
 \US@date 419, 526, 530, 629
 \US@DeclDate 549, 551, 569, 570
 \US@DeclSign 548, 550, 553, 558
 \US@endTab 491, 497, 515
 \US@ENGstr 36, 39–41, 108, 112, 116, 120
 \US@headfamily 865, 872, 875, 883, 886, 894, 897, 905, 908, 916, 919
 \US@headfnt 744, 749, 750, 778, 836, 837, 857
 \US@ifempt 332, 484, 528
 \US@month 522, 524, 526, 528, 530
 \US@multprmfalse 475
 \US@multprmtrue 511
 \US@numfnt 744, 749, 750, 778, 802, 836, 837, 857, 861, 862
 \US@prm@and 494, 509
 \US@prmalign 478, 485, 490, 499
 \US@prmnewline 479, 504, 510

\US@prmstackedfalse 476, 482

\US@prmstackedtrue 481
 \US@promotor 477, 486, 496
 \US@promotorset 417, 487
 \US@putdecldate 564, 589
 \US@putdeclsign 552, 588
 \US@tboxa 208, 493, 499, 501, 505
 \US@tdima 206, 214, 215, 219, 220, 226, 228, 230, 233, 349–351, 353, 365, 366, 368–373, 375
 \US@tdimb 207, 350, 352, 353, 366, 367, 372, 374, 375
 \US@tempa 41, 42
 \US@ThesisDescript 412, 442, 444
 US@titlepage (environment) 356
 \US@xifempt 334, 335
 \US@year 523, 525, 526, 529, 530, 536, 594
 \UScaptionsafrikaans 125
 \UScaptionsenglish 87, 110, 114, 118, 122
 \USextrasafrikaans 124
 \USextrasenglish 86, 109, 113, 117, 121
 \USfaculty 468, 469
 \USfiledate 5, 10
 \USfileversion 6, 11
 \USName 54

V

\value 217, 218

Y

\year 525