

User's Guide to *suftesi*^{*}

A document class for typesetting theses, books and articles

Ivan Valbusa
ivan dot valbusa at univr dot it

2012/09/23

Abstract

The *suftesi* class provides a set of page layouts, title styles and heading styles to typeset theses, books and articles. It is based on the standard book class and inspired by the works of Bringhurst (1996), Tschichold (1975) and Morison (1936). See the template file `tesi.tex` in the `example` folder.

Contents

1 Class features	3
1.1 Layout	3
1.2 Font	4
1.2.1 Using different fonts	4
1.2.2 Greek alphabet	4
1.3 Frontispiece	4
2 Options	2
2.1 Page Styles	2
2.2 Titles	2
2.3 Headings	3
2.4 Footnotes, lists, quotations	4
2.5 Fonts	4
2.6 Other options	8
2.7 Pre-defined styles	8
3 New commands	8
3.1 Obsolete options	10
References	42
A The Code	42
A.1 Document structure	43
A.2 Page layout	43
A.3 Sections style	44
A.4 Sections font	46
A.5 The number style for part, chapter and section	46

*This document corresponds to *suftesi* v0.9b dated 2012/09/23

A.5.1	Part number style	46
A.5.2	Chapter number style	47
A.5.3	Section number style	47
A.6	Headers	48
A.6.1	Header style	48
A.6.2	Header font	48
A.7	Text elements	49
A.7.1	Lists	49
A.7.2	Block quotations	49
A.7.3	Footnotes	50
A.7.4	Captions	50
A.7.5	Marginal notes	50
A.7.6	Table of contents	50
A.8	Fonts	51
A.8.1	Roman fonts	51
A.8.2	Greek fonts	51
A.9	Other options	51
A.9.1	\parindent selection	51
A.9.2	Part page	51
A.9.3	Crop marks	52
A.9.4	Titlepage	52
A.9.5	Bozza	52
A.9.6	Pre-defined styles	52
A.10	Basic packages	54
A.11	Greek fonts	55
A.12	Page layout	55
A.13	Section titles	56
A.14	Title page	62
A.15	Frontispiece	64
A.16	Appendix	65
A.17	Headings	66
A.18	Text elements	68
A.18.1	Block Quotations	68
A.18.2	Marginal notes	69
A.18.3	Abstract	70
A.18.4	Colophon	70
A.19	TOC, LOF, LOT	71
A.19.1	The <code>tocpageleft</code> table of contents	72
A.19.2	The default table of contents	74
A.20	New commands	77
A.21	Backward compatibility	78
A.22	Final settings	79

Note on copyright

Copyright © 2009-2010 Ivan Valbusa. This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c.¹

¹<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>.

		Options				
		(mm) standard	periodical	compact	supercompact	(pt) elements
Text width		110	110	110	100	251
Text height		220	165	165	150	502
Page width		210	170	160	140	374
Page height		297	240	240	210	648
Proportions						
Margins	top/bottom inner/outer	1/2 1/2	2/3 2/3	2/3 2/3	2/3 2/3	1/2 2/5
Text block		1/2	2/3	2/3	2/3	1/2
Page		1/ $\sqrt{2}$	2/3	2/3	2/3	1/ $\sqrt{3}$

Table 1: The layouts of `suftesi`

In addition to the terms of this license the author requires an attribution notice like the following one:

This work has been typeset with L^AT_EX, using the `suftesi` class by Ivan Valbusa.²

The most important feature of this class is the set of styles it provides. For this reason:

DO NOT MODIFY THE STYLES OF THIS CLASS
IF YOU DO NOT LIKE THESE STYLES, USE ANOTHER CLASS.

If you use `suftesi` in a document typeset with another class (for example `book`), remember to clean up the preamble from all the layout redefinitions.

Loaded packages

The class loads the following packages: `beramono`, `caption`, `color`, `enumitem`, `emptypage`, `fancyhdr`, `fontenc`, `geometry`, `ifluatex`, `ifxetex`, `iwona`, `mathpazo`, `microtype`, `multicol`, `titlesec`, `titletoc`.

1 Class features

1.1 Layout

The standard document classes allow you to typeset beautiful documents but their layout is quite far from the stylistic requests of some humanists (mainly Italian). The styles provided by `suftesi` are very simple and sober and also have the aim of finding an aesthetic harmony in its formal simplicity. They are largely inspired by some interesting readings, particularly Bringhurst (1996), Tschichold (1975) and Morison (1936). Table 1 summarizes the main features of the styles provided by `suftesi`.

²You can use the `\colophon`, `\bookcolophon` or `\artcolophon` commands explained in section 3.

1.2 Font

The default font for body text is Palatino designed by Hermann Zapf. Using \LaTeX , the \TeX default font is loaded and the font options are turned off. The sans serif font is Iwona designed by Janusz M. Nowacki. This choice has been inspired by *L'arte di scrivere con \TeX* (Pantieri and Gordini 2011).

1.2.1 Using different fonts

If you prefer to use other fonts (such as those provided by `fourier` or `libertine` packages), remember to load the `defaultfont=cmodern` class option which turns off the default font settings. Moreover pay particular attention in choosing the Greek font.

1.2.2 Greek alphabet

The default font for the Greek text is Artemisia by the Greek Font Society which is particularly suitable for Palatino:

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωρίζουμε ότι υπαρχει το ολοκληρωμα.

With the `porson` option you can use the Porson font by the Greek Font Society:

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωρίζουμε ότι υπαρχει το ολοκληρωμα.

The `defaultgreek` option allows you to use the standard CB Greek font:³

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωρίζουμε ότι υπαρχει το ολοκληρωμα.

1.3 Frontispiece

The class has an original frontispiece now directly available loading the `frontespizio` package (Gregorio 2009)⁴ with the `suftesi` option (see the `tesi.tex` template file in the `example` folder):

```
\usepackage[suftesi]{frontespizio}
```

³This option is also activated by the `defaultfont` option (see section 2).

⁴Version 1.4 or later.



University of St. Anford
Department of Typography

Ph.D. degree in T_EX and L^AT_EX

How to prepare a formal frontispiece

Theory and practice

Candidate:
Enrico Gregorio

Thesis advisor:
Prof. R. J. Drofnats

Research supervisors:
J. H. Quick
B. L. User

Thesis submitted in 2010

2 Options

In addition to the options defined by the book document class, `suftesi` accepts the following new options.

2.1 Page Styles

`documentstructure=book, article` default: book

`book` For typesetting texts with chapters

`article` This option is particularly suitable to typeset articles or short theses (that is without chapter division).

`pagelayout=default, periodical, compact, supercompact, elements` default: default

`standard` Prints an A4 typeblock (see 1 for details).

`periodical` Prints a typeblock of 17cm × 24cm on an A4 paper, showing the crop marks (see table 1 for details). This style is especially meant for theses. The `crop=false` option disables the crop marks.

`compact` The same as `periodical` but with a typeblock of 16cm × 24cm (see table 1 for details).

`supercompact` The same as `compact` but with a typeblock of 14cm × 21cm (see table 1 for details).

`elements` Prints a typeblock with the layout of *The Elements of Typographic Style* by Robert Bringhurst (see table 1 for details)..

`crop=true, false` default: true

`true` Prints the output on a A4 paper, showing the crop marks.

`false` Prints a PDF with page dimensions according to the `pagelayout` option.

2.2 Titles

`<level>font=roman, italic, smallcaps` default: roman

`roman` Prints the `<level>` title in roman

`italic` Prints the `<level>` title in *italic*

`smallcaps` Prints the `<level>` title in SMALL CAPS

Where `<level>` can be `part, chap, sec, subsec, subsubsec`.

`<level>style=left, center, right, parleft, parcenter, parright` default: left

`left` Aligns the `<level>` title on the left

`center` Centers the `<level>` title

`right` Aligns the `<level>` title on the right

Where `<level>` can be `part, chap, sec subsec, subsubsec`.

parleft As `left` but with the title below the number
parcenter As `center` but with the title below the number
parright As `right` but with the title below the number
elements Print a chapter number in the style of the *Elements of Typographic Style* by Robert Bringhurst.

Where `<level>` can be `part`, `chap`, `sec`.

`<level>numstyle=arabic, roman, Roman, dotarabic, dotroman,` default: `Roman/arabic/arabic`
`dotRoman`

arabic Arabic `<level>` number
roman Small caps lowercase roman `<level>` number
Roman Uppercase roman `<level>` number
dotarabic As `arabic` but followed by a dot
dotroman As `roman` but followed by a dot
dotRoman As `Roman` but followed by a dot

Where `<level>` can be `part`, `chap`, `sec`.

`tocstyle=standard, dotted, ragged, pageleft` default: `standard`

standard Prints a standard table of contents with page numbers on the right margin
dotted As the previous one but with dotted lines.
ragged Aligns the table of contents on the left as suggested by Bringhurst (1996).
pageleft Prints a table of contents with page numbers on the left margin.

2.3 Headings

`headerstyle=inner, center, plain, authortitleinner,` default: `inner`
`authortitlecenter`

inner Prints the chapter title and the string “Chapter *n*” in the inner side respectively of even and odd headers, and the page number in the outer side.
center Centers the header and footer and puts the page number in the center of the footer
plain Prints no headers and puts the page number in the center of the footer.
authortitleinner Prints the author’s name on the even pages and the title on the odd ones. In order to use this option the `\title` and `\author` commands are required
authortitlecenter As the previous one but with centered headers and footers.
elements Prints the chapter title and the section title in the margin respectively of even pages and odd pages. The page number is put in the outer side of the footer. This is the style loaded by the option `style=elements`.

`headerfont=roman, italic, smallcaps` default: `roman`

roman Prints the headers in `roman`
italic Prints the headers in `italic`
smallcaps Prints the headers in `SMALL CAPS`

2.4 Footnotes, lists, quotations

`quotestyle=center, right` default: center

- `center` Indents the block quotations on both the left and right margins
- `right` Indents the block quotations only on the left margin

`quotesize=footnotesize, small` default: footnotesize

- `footnotesize` Prints the block quotations in \footnotesize size
- `small` Prints the block quotations in \small size

`footnotestyle=bulged, hung, dotted, superscript` default: bulged

- `bulged` The footnote number protrudes beyond the left margin.
- `hung` Indents the footnote text, so it will ‘hang’ under the first line of the text.
- `dotted` The footnote number is aligned to the left margin and followed by a dot.
- `superscript` Prints a superscript footnote number aligned to the left margin

`fewfootnotes=true, false` default: false

Uses symbols instead of numbers to mark footnotes It is active only if your document has three footnotes per page maximum. The symbol sequence is: *, **, ***. With more footnotes you should not need this option.

`liststyle=bulged, aligned, indented` default: bulged

- `bulged` The item number or symbol protrudes beyond the left margin.
- `aligned` Aligns the lists to the left margin
- `indented` Prints standard indented lists

`captionstyle=standard, elements` default: standard

- `standard` Prints a standard caption in small size.
- `elements` As the previous one but in sanserif font.

2.5 Fonts

`defaultfont=palatino, lmodern, cmodern` default: palatino

- `palatino` Loads the Palatino font.
- `cmodern` Loads the L^AT_EX standard Computer Modern.

`greekfont=artemisia, porson, cbgreek, cbgreeklmr` default: artemisia

- `artemisia` Loads the Artemisia font.
- `porson` Loads the Porson font.
- `cbgreek` Loads the standard CB Greek font.

2.6 Other options

<code>marginpar=true, false</code>	default: true
true	Prints the marginal notes.
false	Hide the marginal notes.
<code>partpage=true, false</code>	default: false
This option is active only with <code>documentstructure=article</code> .	
true	Prints the part title in a separate page as in <code>documentstructure=book</code>
false	Prints the part title as in <code>article</code> class.
<code>parindent=compact, wide</code>	default: compact
compact	Sets <code>\parindent</code> to 1 em.
wide	Sets <code>\parindent</code> to 1.5 em.
<code>bozza</code>	Prints “Version of <i><date></i> ” in the footer.

2.7 Pre-defined styles

You can get up to 120 variants combining these styles with `dottedchap` and `romanchapnum` options.

<code>style=roman(1-6), italic(1-12), smallcaps(1-6), elements, sufelements</code>	default: roman1
roman(1-6)	The titles of chapters and headers are printed in roman. The number of the chapter is on the same line in styles 1-3 and above the title in styles 4-6. The title can be printed on the left (styles 1 and 4), in the center (styles 2 and 5) or on the right (styles 3 and 6) (see pages 11-).
italic(1-12)	The titles of chapters and headers are in <i>italic</i> . The section title is in <i>italic</i> in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the number as above (see pages 11-).
smallcaps(1-12)	The titles of chapters and headers are in SMALL CAPS. The title of the section is in <i>italic</i> in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the chapter as above (see pages 11-).
elements	Reproduces the style of Bringhurst (1996)
sufelements	Loads <code>headerstyle=smallcaps, chapfont=smallcaps, secfont=smallcaps subsecfont=italic</code> and <code>chaptstyle=elements</code> options.

3 New commands

The class defines the following new commands.

`\title[<short title for headers>]{<complete title for titlepage>}`

This command is for use with option `authortitle` if the title is too long or has some breaks.

`\colophon[⟨OS⟩]{⟨name and surname⟩}{⟨additional info⟩}`

This command is provided only for Italian documents. It prints a page with a copyright notice and the colophon in the bottom. For different languages use the `\bookcolophon` instead (see below).

If you don't like the copyright notice, leave the second argument of the command empty:

```
\colophon[⟨OS⟩]{}{⟨additional info⟩}
```

With the `article` option, you can use the `\artcolophon` command (see below) or the `\thanks` command:

```
\author{⟨Name Surname⟩}
\thanks{This work has been typeset with \LaTeX,
using the \textsf{suftesi} class by Ivan Valbusa.}
```

`\bookcolophon[⟨copyright notice⟩]{⟨attribution notice and other informations⟩}`

This command is similar to `\colophon` but it is completely customizable. The first argument prints its content (usually the copyright notice) in the center of the page. The second argument prints its content at the bottom. For example:

```
\bookcolophon{Copyright © 2007 by Ivan Valbusa}{
  This work has been typeset with \LaTeX, using the \textsf{suftesi} class by
  Ivan Valbusa\index{Valbusa, Ivan}. The normal font is Palatino by
  Hermann Zapf. The sans serif font is Iwona by Janusz M. Nowacki.}
```

`\artcolophon[⟨copyright notice, attribution and other informations⟩]`

This command only has one argument. It simply prints its content at the bottom of the page. Here is an example:

```
\artcolophon{
  This work is licensed under the Creative Commons
  Attribution-NonCommercial-NoDerivs 3.0 Unported License. To view a copy
  of this license, visit

  \begin{center}
  \texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/}
  \end{center}

  or send a letter to Creative Commons, 444 Castro Street, Suite 900,
  Mountain View, California, 94041, USA.\\\[1ex]

  Typeset with \LaTeX, using the \textsf{suftesi} class by Ivan Valbusa.}
```

`\finalcolophon[⟨colophon content⟩]`

The same as `\artcolophon`, but centering its content at the top of the page. It is aimed at typesetting a classical *colophon* at the end of the work.

`\chapterintro`

Prints an unnumbered introduction at the beginning of the chapter, with the correct hyperlink. In order to use this command the `hyperref` package must be loaded.

`\chapterintroname{<name>}` (default=Introduzione)

Changes in `<name>` the title printed by the `\chapterintro` command.

`\appendicesname{<name>}` (default=Appendici)

Changes in `<name>` the title printed by the `\appendix` command.

`\headbreak`

A manual break which is active for the table of contents but not in the text or in the headers.

`\xheadbreak`

A manual break which is active in the text and in the headers but not in the table of contents.

`\chapnumfont{<name>}`

Sets the font of the chapter number of `style=elements` and `style=sufelements` styles. The default is “`pplj`” (L^AT_EX) or “`Junicode`” (X^AL^ET_EX).

```
\chapnumfont{pplj}
\chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
```

`\toclabelspace{<level>}{<label-width>}`

Sets the width of `\thecontentslabel`. The default values are:

```
\toclabelwidth{part}{1em}
\toclabelwidth{chapter}{1em}
\toclabelwidth{section}{1.5em}
\toclabelwidth{subsection}{2em}
\toclabelwidth{subsubsection}{2.5em}
\toclabelwidth{paragraph}{3em}
\toclabelwidth{subparagraph}{3.5em}
```

`\xfootnote{<symbol>}{<footnote text>}`

A command to print a footnote with a discretionary symbols instead of numbers to mark footnotes. It does not increment the footnote counter.

```
\xfootnote{\dagger}{The text of the footnote.}
```

3.1 Obsolete options

<code>defaultparindent</code>	→ <code>parindent=compact.</code>	<code>alignlist</code>	→ <code>liststyle=aligned</code>
<code>ralignquotation</code>	→ <code>quotestyle=right</code>	<code>artemisia</code>	→ <code>greekfont=artemisia.</code>
<code>smallquotation</code>	→ <code>quotesize=small</code>	<code>porson</code>	→ <code>greekfont=porson.</code>
<code>standardfootnote</code>	→ <code>footnotes=superscript</code>	<code>defaultgreek</code>	→ <code>greekfont=cbgreek.</code>
<code>dottedfootnote</code>	→ <code>footnotes=dot</code>	<code>defaultfont</code>	→ <code>defaultfont=cm.</code>
<code>indentlist</code>	→ <code>liststyle=indented</code>	<code>centerpart</code>	→ <code>partstyle=center.</code>
		<code>centerchap</code>	→ <code>chapstyle=center.</code>
		<code>centersec</code>	→ <code>secstyle=center.</code>
		<code>rightpart</code>	→ <code>partstyle=right.</code>

<code>rightchap</code>	→ <code>chapstyle=right.</code>	<code>authortitle</code>	→ <code>headerstyle</code>
<code>rightsec</code>	→ <code>seccstyle=right.</code>	<code>periodical</code>	→ <code>pagestyle=periodical</code>
<code>numparpart</code>	→ <code>partnumposition=above.</code>	<code>compact</code>	→ <code>pagestyle=compact</code>
<code>numparchap</code>	→ <code>chapnumposition=above.</code>	<code>supercompact</code>	→ <code>pagestyle=supercompact</code>
<code>numparsec</code>	→ <code>secnumposition=above.</code>	<code>dottedtoc</code>	→ <code>tocstyle=dotted</code>
<code>smallcapspart</code>	→ <code>partstyle=smallcaps.</code>	<code>raggedtoc</code>	→ <code>tocstyle=ragged</code>
<code>smallcapschap</code>	→ <code>chapstyle=smallcaps.</code>	<code>tocpageleft</code>	→ <code>tocstyle=pageleft</code>
<code>smallcapssec</code>	→ <code>subsecstyle=smallcaps.</code>	<code>dottedpart</code>	→ <code>partnumstyle=dotarabic</code>
<code>italicpart</code>	→ <code>partstyle=italic.</code>	<code>elements</code>	→ <code>documentstructure=elements</code>
<code>italicchap</code>	→ <code>chapsecstyle=italic.</code>	<code>nomarginpar</code>	→ <code>marginpar=false.</code>
<code>italicsec</code>	→ <code>seccstyle=italic.</code>	<code>nocrop</code>	→ <code>crop=false</code>
<code>italicsubsec</code>	→ <code>subsecstyle=italic.</code>	<code>rmstyle(1-6)</code>	An old name for <code>style=roman(1-6)</code>
<code>romanchapnum</code>	→ <code>chapnumstyle=roman.</code>	<code>itstyle(1-12)</code>	An old name for <code>style=italic(1-6)</code>
<code>dottedchap</code>	→ <code>chapnumstyle.</code>	<code>scstyle(1-12)</code>	An old name for <code>style=smallcaps(1-6)</code>
<code>italicheader</code>	→ <code>headerfont=italic.</code>	<code>sufelements</code>	An old name for <code>style=sufelements</code>
<code>smallcapsheader</code>	→ <code>headerfont=smallcaps.</code>		
<code>centerheader</code>	→ <code>headerstyle=center</code>		
<code>sufplain</code>	→ <code>headerstyle=plain</code>		

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman1

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman2

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman3

Titolo del capitolo

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman4

Titolo del capitolo

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman5

Titolo del capitolo

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-roman6

1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdierit sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic1

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic2

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic3

Titolo del capitolo

1 Dolor sit amet

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic4

*Titolo del capitolo*1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic5

*Titolo del capitolo*1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic6

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic7

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic8

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic9

Titolo del capitolo

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic10

Titolo del capitolo

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic11

Titolo del capitolo

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-italic12

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps1

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps2

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps3

TITOLO DEL CAPITOLO

I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps4

TITOLO DEL CAPITOLO

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps5

TITOLO DEL CAPITOLO

1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps6

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps7

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdier sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps8

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps9

TITOLO DEL CAPITOLO

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps10

TITOLO DEL CAPITOLO

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps11

TITOLO DEL CAPITOLO

I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

style-smallcaps12

References

This bibliography has been typeset with the biblatex-philosophy styles, created by the same author of this class.

- Bringhurst, Robert (1996), *The Elements of Typographic Style*, 2nd ed., Hurtley & Marks Publisher, Vancouver.
- Gregorio, Enrico (2009), *Il pacchetto frontespizio*, version 1.1, <http://www.guit.sssup.it/phpbb/index.php>.
- Miede, André (2011), *A Classic Thesis style*, <http://www.ctan.org/tex-archive/macros/latex/contrib/classicthesis/ClassicThesis.pdf>.
- Morison, Stanley (1936), *First Principles of Typography*, Cambridge University Press, Cambridge; trans. *I principi fondamentali della tipografia*, Fabrizio Serra editore, Pisa-Roma 2008.
- Pantieri, Lorenzo and Tommaso Gordini (2011), *L'arte di scrivere con L^AT_EX. Un'introduzione a L^AT_EX2_E*, with a forew. by Enrico Gregorio, new edition, http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf.
- Tschichold, Jan (1975), *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*, Birkhäuser Verlag, Basel; trans. *La forma del libro*, Sylvestre Bonnard, Milano 2003.

A The Code

```
<*class>
1 \RequirePackage{xkeyval}
2 \newif\ifsufthesi@cmfont
3 \newif\ifsufthesi@porson
4 \newif\ifsufthesi@centerheader
5 \newif\ifsufthesi@sufplain
6 \newif\ifsufthesi@bozza
7 \newif\ifsufthesi@article
8 \newif\ifsufthesi@authortitle
9 \newif\ifsufthesi@periodical
10 \newif\ifsufthesi@compact
11 \newif\ifsufthesi@supercompact
12 \newif\ifsufthesi@sufelements
13 \newif\ifsufthesi@nocrop
14 \newif\ifsufthesi@dottedtoc
15 \newif\ifsufthesi@raggedtoc
16 \newif\ifsufthesi@pagelefttoc
17 \newif\ifsufthesi@fewfootnotes
18 \newif\ifsufthesi@partpage
19 \newif\ifsufthesi@numparpart
20 \newif\ifsufthesi@numparchap
21 \newif\ifsufthesi@numparsec
22 \newif\ifsufthesi@numparsubsec
23 \newif\ifsufthesi@numparsubsubsec
24 \newif\ifsufthesi@smallcapspart
25 \newif\ifsufthesi@smallcapschap
26 \newif\ifsufthesi@smallcapssec
27 \newif\ifsufthesi@elementschap
28 \newif\ifsufthesi@elementsheader
```

```

29 \newif\ifsuftesi@elementsstructure
30 \newif\ifsuftesi@elementspagelayout

Execute options:
31 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
32 \ProcessOptions
33 \relax

suftesi is based on the standard book class!
34 \LoadClass{book}

```

A.1 Document structure

```

35 \define@choicekey{}{documentstructure}[\val\nr]
36     {book,article}[book]{%
37 \ifcase\nr\relax
38 \or
39 \suftesi@articletrue
40 \atitlepagefalse
41 \fi}

```

A.2 Page layout

```

42 \RequirePackage{geometry}
43   \geometry{heightrounded}
44 \define@choicekey{}{pagelayout}[\val\nr]
45     {standard,periodical,compact,supercompact,elements}[standard]{%
46 \ifcase\nr\relax
47   \ DeclareRobustCommand{\SUF@chaptersize}{\Large}
48 \geometry{%
49   a4paper,
50   includeheadfoot=true,
51   textwidth=      110mm,
52   textheight=     220mm,
53   marginratio=    1:2,
54   marginparwidth= 30mm,
55   marginparsep=   12pt}
56 \or
57 \suftesi@periodicaltrue
58   \ DeclareRobustCommand{\SUF@chaptersize}{\large}
59   \geometry{%
60   includeheadfoot=false,
61   textheight=     165mm,
62   textwidth=      110mm,
63   paperwidth=     170mm,
64   paperheight=    240mm,
65   marginratio=    2:3,
66   marginparwidth= 26mm,
67   marginparsep=   10pt}
68 \or
69 \suftesi@compacttrue
70   \ DeclareRobustCommand{\SUF@chaptersize}{\large}
71   \geometry{%
72   includeheadfoot=false,
73   textheight=     165mm,

```

```

74     textwidth=      110mm,
75     paperwidth=    160mm,
76     paperheight=   240mm,
77     marginratio=   2:3,
78     marginparwidth= 22mm,
79     marginparsep=  9pt}
80 \or
81 \suftesi@supercompacttrue
82 \DeclareRobustCommand{\SUF@chaptersize}{\large}
83 \geometry{
84   includeheadfoot=false,
85   textheight=      150mm,
86   textwidth=       100mm,
87   paperwidth=     140mm,
88   paperheight=   210mm,
89   marginratio=   2:3,
90   marginparwidth= 18mm,
91   marginparsep=  8pt}
92 \or
93 \suftesi@elementspagelayouttrue
94 \geometry{%
95   includeheadfoot=false,
96   textwidth=      251pt,
97   textheight=     502pt,
98   paperwidth=    374pt,
99   paperheight=   648pt,
100  vmarginratio= 1:2,
101  marginparwidth= 60pt,
102  marginparsep= 18pt,
103  outer=        90pt}
104 \fi}

```

A.3 Sections style

\SUF@lr@PARTSwitch
\SUF@lr@CHAPSwitch
\SUF@lr@SECSwitch
\SUF@lr@SUBSECSwitch
\SUF@lr@SUBSUBSECSwitch

These macros control the position of titles and numbers of parts, chapters, sections, subsections and subsubsection.

```

105 \define@choicekey{}{partstyle}[\val\nr]{%
106   left,center,right,parleft,parcenter,parright}[left]{%
107 \ifcase\nr\relax
108   \def\SUF@lr@PARTSwitch{\filright}
109 \or
110   \def\SUF@lr@PARTSwitch{\filcenter}
111 \or
112   \def\SUF@lr@PARTSwitch{\filleft}
113 \or%numpar
114   \def\SUF@lr@PARTSwitch{\filright}
115   \suftesi@numparparttrue
116 \or
117   \def\SUF@lr@PARTSwitch{\filcenter}
118   \suftesi@numparparttrue
119 \or
120   \def\SUF@lr@PARTSwitch{\filleft}
121   \suftesi@numparparttrue
122 \fi}

```

```

123 \define@choicekey{}{chapstyle}[\val\nr]{%
124     left,center,right,parleft,parcenter,parright,elements}[left]{%
125 \ifcase\nr\relax
126   \def\SUF@lr@CHAPSwitch{\filright}
127 \or
128   \def\SUF@lr@CHAPSwitch{\filcenter}
129 \or
130   \def\SUF@lr@CHAPSwitch{\filleft}
131 \or%numparchap
132   \def\SUF@lr@CHAPSwitch{\filright}
133   \suftesi@numparchaptrue
134 \or
135   \def\SUF@lr@CHAPSwitch{\filcenter}
136   \suftesi@numparchaptrue
137 \or
138   \def\SUF@lr@CHAPSwitch{\filleft}
139   \suftesi@numparchaptrue
140 \or
141   \suftesi@elementschaptrue
142 \fi}
143 \define@choicekey{}{secstyle}[\val\nr]{%
144     left,center,right,parleft,parcenter,parright}[left]{%
145 \ifcase\nr\relax
146   \def\SUF@lr@SECSwitch{\filright}
147 \or
148   \def\SUF@lr@SECSwitch{\filcenter}
149 \or
150   \def\SUF@lr@SECSwitch{\filleft}
151 \or%numparsec
152   \def\SUF@lr@SECSwitch{\filright}
153   \suftesi@numparsectrue
154 \or
155   \def\SUF@lr@SECSwitch{\filcenter}
156   \suftesi@numparsectrue
157 \or
158   \def\SUF@lr@SECSwitch{\filleft}
159   \suftesi@numparsectrue
160 \fi}
161 \define@choicekey{}{subsecstyle}[\val\nr]{left,center,right}[left]{%
162 \ifcase\nr\relax
163   \def\SUF@lr@SUBSECSwitch{\filright}
164 \or
165   \def\SUF@lr@SUBSECSwitch{\filcenter}
166 \or
167   \def\SUF@lr@SUBSECSwitch{\filleft}
168 \fi}
169 \define@choicekey{}{subsubsecstyle}[\val\nr]{left,center,right}[left]{%
170 \ifcase\nr\relax
171   \def\SUF@lr@SUBSUBSECSwitch{\filright}
172 \or
173   \def\SUF@lr@SUBSUBSECSwitch{\filcenter}
174 \or
175   \def\SUF@lr@SUBSUBSECSwitch{\filleft}
176 \fi}

```

A.4 Sections font

These macros control the style of part, chapter, section, subsection and subsubsection levels.

```
\SUF@PART@StyleSwitch
\SUF@CHAP@StyleSwitch
\SUF@SEC@StyleSwitch
\SUF@SUBSEC@StyleSwitch
\SUF@SUBSUBSEC@StyleSwitch

177 \define@choicekey{}{partfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
178 \ifcase\nr\relax
179 \def\SUF@PART@StyleSwitch{\relax}
180 \or
181 \def\SUF@PART@StyleSwitch{\itshape}
182 \or
183 \def\SUF@PART@StyleSwitch{\expandafter\SUF@titlesmallcaps}
184 \fi}
185 \define@choicekey{}{chapfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
186 \ifcase\nr\relax
187 \def\SUF@CHAP@StyleSwitch{\relax}
188 \or
189 \def\SUF@CHAP@StyleSwitch{\itshape}
190 \or
191 \def\SUF@CHAP@StyleSwitch{\expandafter\SUF@titlesmallcaps}
192 \fi}
193 \define@choicekey{}{secfont}[\val\nr]{roman,italic,smallcaps}[italic]{%
194 \ifcase\nr\relax
195 \def\SUF@SEC@StyleSwitch{\relax}
196 \or
197 \def\SUF@SEC@StyleSwitch{\itshape}
198 \or
199 \def\SUF@SEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
200 \fi}
201 \define@choicekey{}{subsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
202 \ifcase\nr\relax
203 \def\SUF@SUBSEC@StyleSwitch{\relax}
204 \or
205 \def\SUF@SUBSEC@StyleSwitch{\itshape}
206 \or
207 \def\SUF@SUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
208 \fi}
209 \define@choicekey{}{subsubsecfont}[\val\nr]{roman,italic,smallcaps}[roman]{%
210 \ifcase\nr\relax
211 \def\SUF@SUBSUBSEC@StyleSwitch{\relax}
212 \or
213 \def\SUF@SUBSUBSEC@StyleSwitch{\itshape}
214 \or
215 \def\SUF@SUBSUBSEC@StyleSwitch{\expandafter\SUF@titlesmallcaps}
216 \fi}
```

A.5 The number style for part, chapter and section

A.5.1 Part number style

```
217 \define@choicekey{}{partnumstyle}[\val\nr]
218   {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
219 \ifcase\nr\relax
220 \def\SUF@thepart{\arabic{part}}
221 \def\SUF@dotpart{}}
```

```

222 \or
223   \def\SUF@thepart{\textsc{\roman{part}}}
224   \def\SUF@dotpart{}
225 \or
226   \def\SUF@thepart{\Roman{part}}
227   \def\SUF@dotpart{}
228 \or
229   \def\SUF@thepart{\arabic{part}}
230   \def\SUF@dotpart{.}
231 \or
232   \def\SUF@thepart{\textsc{\roman{part}}}
233   \def\SUF@dotpart{.}
234 \or
235   \def\SUF@thepart{\Roman{part}}
236   \def\SUF@dotpart{.}
237 \fi}

```

A.5.2 Chapter number style

```

238 \define@choicekey{}{chapnumstyle}[\val\nr]{arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arab
239 \ifcase\nr\relax
240   \def\SUF@thechapter{\arabic{chapter}}
241   \def\SUF@dotchap{}
242 \or
243   \def\SUF@thechapter{\textsc{\roman{chapter}}}
244   \def\SUF@dotchap{}
245 \or
246   \def\SUF@thechapter{\Roman{chapter}}
247   \def\SUF@dotchap{}
248 \or
249   \def\SUF@thechapter{\arabic{chapter}}
250   \def\SUF@dotchap{.}
251 \or
252   \def\SUF@thechapter{\textsc{\roman{chapter}}}
253   \def\SUF@dotchap{.}
254 \or
255   \def\SUF@thechapter{\Roman{chapter}}
256   \def\SUF@dotchap{.}
257 \fi}

```

A.5.3 Section number style

```

258 \define@choicekey{}{secnumstyle}[\val\nr]
259   {arabic,roman,Roman,dotarabic,dotroman,dotRoman}[arabic]{%
260 \ifsufthesi@article
261 \ifcase\nr\relax
262   \def\SUF@thesection{\arabic{section}}
263   \def\SUF@dotsec{}
264 \or
265   \def\SUF@thesection{\textsc{\roman{section}}}
266   \def\SUF@dotsec{}
267 \or
268   \def\SUF@thesection{\Roman{section}}
269   \def\SUF@dotsec{}
270 \or
271   \def\SUF@thesection{\arabic{section}}

```

```

272 \def\SUF@dotsec{.}
273 \or
274 \def\SUF@thesection{\textsc{\romannumeral section}}
275 \def\SUF@dotsec{.}
276 \or
277 \def\SUF@thesection{\Roman{section}}
278 \def\SUF@dotsec{.}
279 \fi
280 \else
281 \def\SUF@thesection{\arabic{section}}
282 \def\SUF@dotsec{}
283 \fi}

```

A.6 Headers

A.6.1 Header style

```

284 \define@choicekey{}{headerstyle}[\val\nr]
285   {inner,center,plain,authortitleinner,
286    authortitlecenter,elements}[inner]{%
287 \ifcase\nr\relax
288   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
289   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
290 \or
291   \suftesi@centerheadertrue
292   \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
293   \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
294 \or
295   \suftesi@sufplaintrue
296 \or
297   \suftesi@authortitletrue
298   \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
299   \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
300 \or
301   \suftesi@authortitletrue
302   \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
303   \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
304   \suftesi@centerheadertrue
305 \or
306   \suftesi@elementsheadertrue
307 \fi}

```

A.6.2 Header font

```

308 \define@choicekey{}{headerfont}[\val\nr]
309   {roman,italic,smallcaps}[roman]{%
310 \ifcase\nr\relax
311   \def\SUF@Rheadstyle{}
312   \def\SUF@Lheadstyle{}
313   \def\SUF@thepage{\thepage}
314 \or
315   \def\SUF@Rheadstyle{\itshape}
316   \def\SUF@Lheadstyle{\itshape}
317   \def\SUF@thepage{\thepage}
318 \or
319   \def\SUF@Rheadstyle{\SUF@headingsmallcaps}

```

```

320 \def\SUF@Lheadstyle{\SUF@headingssmallcaps}
321 \def\SUF@thepage{\SUF@headingssmallcaps{\thepage}}
322 \fi}

```

A.7 Text elements

A.7.1 Lists

```

323 \RequirePackage[inline]{enumitem}
324 \renewcommand\labelitemi{\color{sufgray}\textbullet}
325 \setlist[itemsep=.5ex,parsep=0pt]
326 \setlist[description]{font=\normalfont\itshape}
327 \define@choicekey{}{liststyle}[\val\nr]
328   {bulged,aligned,indented}[bulged]{%
329 \ifcase\nr\relax
330   \setlist[enumerate,1]{leftmargin=0pt,label=\arabic*.}
331   \setlist[enumerate,2]{leftmargin= 1.3\parindent,label=\alph*.}
332   \setlist[enumerate,3]{leftmargin= 1.3\parindent,label=\roman*.}
333 \setlist[itemize,1]{leftmargin=0pt}
334 \setlist[itemize,2]{leftmargin=1.3\parindent}
335 \setlist[itemize,3]{leftmargin=1.3\parindent}
336 \or
337   \setlist[enumerate,1]{leftmargin=1\parindent,label=\arabic*.}
338   \setlist[enumerate,2]{leftmargin= 1.5\parindent,label=\alph*.}
339   \setlist[enumerate,3]{leftmargin= 1.5\parindent,label=\roman*.}
340 \setlist[itemize,1]{leftmargin=1\parindent}
341 \setlist[itemize,2]{leftmargin=1.5\parindent}
342 \setlist[itemize,3]{leftmargin=1.5\parindent}
343 \or
344   \setlist[enumerate,1]{leftmargin=2\parindent,label=\arabic*.}
345   \setlist[enumerate,2]{leftmargin= 2.5\parindent,label=\alph*.}
346   \setlist[enumerate,3]{leftmargin= 2.5\parindent,label=\roman*.}
347 \setlist[itemize,1]{leftmargin=2\parindent}
348 \setlist[itemize,2]{leftmargin=2.5\parindent}
349 \setlist[itemize,3]{leftmargin=2.5\parindent}
350 \fi}

```

A.7.2 Block quotations

Quotation style

```

351 \define@choicekey{}{quotestyle}[\val\nr]
352   {center,right}[center]{%
353 \ifcase\nr\relax
354 \def\SUF@quote@style{\rightmargin=\parindent}
355 \or
356 \def\SUF@quote@style{}
357 \fi}

```

Quotation size

```

358 \define@choicekey{}{quotesize}[\val\nr]
359   {footnotesize,small}[footnotesize]{%
360 \ifcase\nr\relax
361 \def\SUF@quotation@size{\footnotesize}
362 \or
363 \def\SUF@quotation@size{\small}

```

```
364 \fi}
```

A.7.3 Footnotes

```
365 \define@choicekey{}{footnotestyle}[\val\nr]
366   {bulged,hung,dotted,superscript}[bulged]{%
367 \ifcase\nr\relax
368   \renewcommand\makefntext{%
369     \hskip-2.5em\makebox[2em][r]{\@thefnmark}\hskip.5em}
370 \or
371   \renewcommand\makefntext{%
372     \leftskip=1em\hskip-1.5em%
373     \makebox[1em][r]{\@thefnmark}\hskip.5em}
374 \or
375   \renewcommand\makefntext{%
376     \@thefnmark.\hskip.5em}
377 \or
378   \renewcommand\makefntext{%
379     \textsuperscript{\@thefnmark}\hskip.3em}
380 \fi}
381 \define@choicekey{}{fewfootnotes}[\val\nr]
382   {true,false}[true]{%
383 \ifcase\nr\relax
384   \sufesi@fewfootnotestrue
385 \or
386   \relax
387 \fi}
```

A.7.4 Captions

```
388 \RequirePackage{caption}
389 \define@choicekey{}{captionstyle}[\val\nr]
390   {standard,elements}[standard]{%
391 \ifcase\nr\relax
392   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
393 \or
394   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
395   \captionsetup{font+=sf}
396 \fi
397 }
```

A.7.5 Marginal notes

```
398 \define@choicekey{}{marginpar}[\val\nr]
399   {true,false}[true]{%
400 \ifcase\nr\relax
401   \relax
402 \or
403   \renewcommand\marginpar[2][]{}
404 \fi}
```

A.7.6 Table of contents

```
\SUF@titlerule
\SUF@chaptitlerule 405 \define@choicekey{}{tocstyle}[\val\nr]{%
406   standard,dotted,ragged,leftpage}[standard]{%
```

```

407 \ifcase\nr\relax
408   \def\SUF@titlerule{\titlerule{}}
409   \def\SUF@chaptitlerule{\titlerule{}}
410 \or
411 \suftesi@dottedtotrue
412   \def\SUF@titlerule{\titlerule{\footnotesize .\ }{}}
413   \def\SUF@chaptitlerule{\titlerule{}}
414 \or
415 \suftesi@raggedtotrue
416   \def\SUF@titlerule{\hspace{1em}{}}
417   \def\SUF@chaptitlerule{\hspace{1em}{}}
418 \or
419 \suftesi@pagelefttotrue
420 \fi}

```

A.8 Fonts

A.8.1 Roman fonts

```

421 \define@choicekey{}{defaultfont}[\val\nr]{%
422   palatino,standard}[palatino]{%
423 \ifcase\nr\relax
424 \or
425   \suftesi@cmfonttrue
426   \setkeys{suftesi.cls}{greekfont=cbgreek}
427 \fi}

```

A.8.2 Greek fonts

```

428 \define@choicekey{}{greekfont}[\val\nr]{%
429   artemisia,porson,cbgreek}[artemisia]{%
430 \ifcase\nr\relax
431   \def\SUF@greekfamily{artemisiaeuler}
432 \or
433   \def\SUF@greekfamily{porson}
434 \or
435   \def\SUF@greekfamily{lmr}
436 \fi}

```

A.9 Other options

A.9.1 \parindent selection

```

437 \define@choicekey{}{parindent}[\val\nr]
438   {compact,wide}[compact]{%
439 \ifcase\nr\relax
440   \setlength\parindent{1em}
441 \or
442   \setlength\parindent{1.5em}
443 \fi}

```

A.9.2 Part page

```

444 \define@choicekey{}{partpage}[\val\nr]{true,false}[true]{%
445 \ifcase\nr\relax
446   \suftesi@partpagetrue
447 \or

```

```
448 \relax
449 \fi}
```

A.9.3 Crop marks

```
450 \define@choicekey{}{crop}[\val\nr]
451   {true,false}[true]{%
452 \ifcase\nr\relax
453 \or
454   \suftesi@nocroptrue
455 \fi}
```

A.9.4 Titlepage

```
456 \define@choicekey{}{titlepage}[\val\nr]
457   {true,false}[true]{%
458 \ifcase\nr\relax
459   \@titlepagetrue
460 \or
461   \@titlepagetrue
462 \fi}
```

A.9.5 Bozza

```
463 \define@choicekey{}{bozza}[\val\nr]
464   {true,false}[true]{%
465 \ifcase\nr\relax
466   \suftesi@bozzatrue
467 \or
468 \fi}
```

A.9.6 Pre-defined styles

```
469 \define@choicekey{}{style}[\val\nr]
470   {roman1,roman2,roman3,roman4,roman5,roman6,
471   italic1,italic2,italic3,italic4,italic5,italic6,
472   italic7,italic8,italic9,italic10,italic11,italic12,
473   smallcaps1,smallcaps2,smallcaps3,smallcaps4,smallcaps5,smallcaps6,
474   smallcaps7,smallcaps8,smallcaps9,smallcaps10,smallcaps11,smallcaps12,
475   elements,sufelements}
476   [roman1]{%
477 \ifcase\nr\relax
```

The 'roman' styles:

```
478   \setkeys{}{chapstyle=left}
479 \or
480   \setkeys{}{chapstyle=center}
481 \or
482   \setkeys{}{chapstyle=right}
483 \or
484   \setkeys{}{chapstyle=parleft}
485 \or
486   \setkeys{}{chapstyle=parcenter}
487 \or
488   \setkeys{}{chapstyle=parright}
489 \or
```

The 'italic' styles:

```
490   \setkeys{}{chapstyle=left, chapfont=italic}
```

```

491 \or
492   \setkeys{}{chapstyle=center, chapfont=italic}
493 \or
494   \setkeys{}{chapstyle=right, chapfont=italic}
495 \or
496   \setkeys{}{chapstyle=parleft, chapfont=italic}
497 \or
498   \setkeys{}{chapstyle=parcenter, chapfont=italic}
499 \or
500   \setkeys{}{chapstyle=parright, chapfont=italic}
501 \or
502   \setkeys{}{chapstyle=left, chapfont=italic, secfont=smallcaps}
503 \or
504   \setkeys{}{chapstyle=center, chapfont=italic, secfont=smallcaps}
505 \or
506   \setkeys{}{chapstyle=right, chapfont=italic, secfont=smallcaps}
507 \or
508   \setkeys{}{chapstyle=parleft, chapfont=italic, secfont=smallcaps}
509 \or
510   \setkeys{}{chapstyle=parcenter, chapfont=italic, secfont=smallcaps}
511 \or
512   \setkeys{}{chapstyle=parright, chapfont=italic, secfont=smallcaps}
513 \or

```

The 'smallcaps' styles:

```

514   \setkeys{}{chapstyle=left, chapfont=smallcaps}
515 \or
516   \setkeys{}{chapstyle=center, chapfont=smallcaps}
517 \or
518   \setkeys{}{chapstyle=right, chapfont=smallcaps}
519 \or
520   \setkeys{}{chapstyle=parleft, chapfont=smallcaps}
521 \or
522   \setkeys{}{chapstyle=parcenter, chapfont=smallcaps}
523 \or
524   \setkeys{}{chapstyle=parright, chapfont=smallcaps}
525 \or
526   \setkeys{}{chapstyle=left, chapfont=smallcaps, secfont=smallcaps}
527 \or
528   \setkeys{}{chapstyle=center, chapfont=smallcaps, secfont=smallcaps}
529 \or
530   \setkeys{}{chapstyle=right, chapfont=smallcaps, secfont=smallcaps}
531 \or
532   \setkeys{}{chapstyle=parleft, chapfont=smallcaps, secfont=smallcaps}
533 \or
534   \setkeys{}{chapstyle=parcenter, chapfont=smallcaps, secfont=smallcaps}
535 \or
536   \setkeys{}{chapstyle=parright, chapfont=smallcaps, secfont=smallcaps}
537 \or

```

The 'elements' style:

```

538   \setkeys{}{
539     pagelayout=elements,
540     headerstyle=elements,
541     chapstyle=elements,

```

```

542     secfont=smallcaps,
543     subsecfont=italic,
544     captionstyle=elements}
545 \disable@keys{}
546   {pagelayout,headerstyle,chapstyle,secfont,subsecfont,captionstyle}
547 \or

```

The 'sufelements' style:

```

548 \setkeys{}{
549   chapstyle=elements,
550   headerfont=smallcaps,
551   secfont=smallcaps,
552   subsecfont=italic}
553 \disable@keys{}
554   {headerstyle,chapstyle,secfont,subsecfont}
555 \fi}

```

Execute and process options:

```

556 \ExecuteOptionsX<>{
557   marginpar=true,
558   captionstyle=standard,
559   parindent=compact,
560   tocstyle=standard,
561   greekfont=artemisia,
562   pagelayout=standard,
563   headerstyle=inner,
564   liststyle=bulged,
565   footnotestyle=bulged,
566   quotesize=footnotesize,
567   quotestyle=center,
568   partstyle=left,
569   chapstyle=left,
570   secstyle=left,
571   subsecstyle=left,
572   subsubsecstyle=left,
573   partfont=roman,
574   chapfont=roman,
575   secfont=italic,
576   subsecfont=roman,
577   subsubsecfont=roman,
578   headerfont=roman,
579   secnumstyle=arabic,
580   partnumstyle=Roman,
581   chapnumstyle=arabic}
582 \ProcessOptionsX<>\relax

```

A.10 Basic packages

```

583 \RequirePackage{color}
584   \definecolor{sufred}{rgb}{0.5,0,0}
585   \definecolor{sufgray}{rgb}{0.5,0.5,0.5}
586 \RequirePackage{multicol}
587 \RequirePackage{emptypage}
588 \RequirePackage{textcase}
589 \RequirePackage{ifxetex,ifluatex}

```

A.11 Greek fonts

Thanks to Enrico Gregorio for these macros:

```
590 \ifxetex
591   \relax
592   \else
593 \RequirePackage{microtype}
594 \RequirePackage[LGR,T1]{fontenc}
595 \AtBeginDocument{\fontencoding{T1}\selectfont}
596 \ifsuftesi@cmfont
597   \relax
598   \else
599     \RequirePackage[osf,sc]{mathpazo}
600     \RequirePackage[scaled=0.8]{beramono}
601     \renewcommand{\sfdefault}{iwona}
602 \fi
```

Scale the Porson font:

```
603 \ifsuftesi@porson
604 \sbox{z@{\fontsize{10}{10}\normalfont A}}
605 \sbox{tw@{\font\temp=gporsonrg6a at 10pt \temp A}}
606 \dimen@=
607 \dimexpr(0.001\dimexpr\numexpr(\dimexpr(1000\ht{z@})/\ht{tw@})\p@)
608 \edef\art@scale{\strip@pt\dimen@}
609 \DeclareFontFamily{LGR}{porson}{}{}
610 \DeclareFontShape{LGR}{porson}{m}{n}{ {<->} s * [\art@scale] gporsonrg6a}{}{}
611 \DeclareFontShape{LGR}{porson}{m}{it}{ {<->} ssub * porson/m/n}{}{}
612 \DeclareFontShape{LGR}{porson}{b}{n}{ {<->} ssub * porson/m/n}{}{}
613 \DeclareFontShape{LGR}{porson}{b}{it}{ {<->} ssub * porson/m/n}{}{}
614 \DeclareFontShape{LGR}{porson}{m}{sl}{ {<->} ssub * porson/m/n}{}{}
615 \DeclareFontShape{LGR}{porson}{b}{sl}{ {<->} ssub * porson/m/n}{}{}
616 \DeclareFontShape{LGR}{porson}{m}{sc}{ {<->} ssub * porson/m/n}{}{}
617 \DeclareFontShape{LGR}{porson}{bx}{n}{ {<->} ssub * porson/m/n}{}{}
618 \DeclareFontShape{LGR}{porson}{bx}{it}{ {<->} ssub * porson/m/n}{}{}
619 \DeclareFontShape{LGR}{porson}{bx}{sl}{ {<->} ssub * porson/m/n}{}{}
620 \fi
621 \AtBeginDocument{
622   \ DeclareRobustCommand{\greektext}{%
623     \fontencoding{LGR}\fontfamily{\SUF@greekfamily}\selectfont
624     \def\encodingdefault{LGR}}}
625 \fi
```

A.12 Page layout

```
626 \ifsuftesi@nocrop
627   \relax
628   \else
629   \RequirePackage[a4,cam,center]{crop}
630 \fi
```

A trick to produce one-side documents:

```
631 \if@twoside
632   \relax
633   \else
634   \geometry{hmarginratio=1:1}
```

```
635 \fi
```

A.13 Section titles

```
636 \RequirePackage{titlessec}
637     \newlength{\sectionsep}
638     \setlength{\sectionsep}{\dimexpr(\baselineskip) plus 1pt minus 1pt}

\SUF@titlesmallcaps
\SUF@headingsmallcaps
\SUF@chapnumfont
639 \ifxetex
640     \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
641         \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
642     \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
643         \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
644     \newcommand{\chapnumfont}[1]{%
645         \def\SUF@chapnumfont{#1}}
646         \chapnumfont{\fontspec[Numbers=OldStyle]{Junicode}}
647 \else
648     \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
649         \scshape\MakeTextLowercase{\textls[110]{#1}}}
650     \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
651         \scshape\MakeTextLowercase{\textls[110]{#1}}}
652     \newcommand{\chapnumfont}[1]{%
653         \def\SUF@chapnumfont{\fontfamily{#1}}}
654         \chapnumfont{pplj}
655 \fi
```

The elements style

```
656 \define@key[SUF]{elements}{chapsize}[90]{%
657     \def\cmdSUF@elements@chapsize{\fontsize{#1}{#1}\selectfont}}
658 \define@key[SUF]{elements}{chapposition}[-83]{%
659     \def\cmdSUF@elements@chapposition{#1}}
```

The chapter for elements style:

```
660 \def\SUF@elements@CHAPTER{%
661     \titleformat{\chapter}[block]
662         {\Large}%
663         {\begin{picture}(0,0)
664             \setlength{\unitlength}{1pt}
665             \SUF@chapnumfont%
666             \cmdSUF@elements@chapsize
667             \put(0,\cmdSUF@elements@chapposition){%
668                 \hspace{\dimexpr(\textwidth+0.9\marginparsep)}%
669                 \textcolor{sufgray}{\SUF@thechapter}}%
670         \end{picture}}%
671         {0pt}
672         {\SUF@titlesmallcaps}
673         [\vspace{-6pt}\rule{\textwidth}{.1pt}]
674 }
```

The sections for elements style:

```
675 \def\SUF@elements@SECTIONS{
676 \titleformat{\section}[block]
677     {\extramarks{}{}\filright}
678     {\textnormal\thesection}
679     {1em}
680     {\SUF@titlesmallcaps}
```

```

681 \titlespacing*{\section}{0em}{1em}{1em}[0em]
682 \titleformat{\subsection}[block]
683   {\filright\normalsize\itshape}
684   {\textnormal\thesubsection}
685   {1em}
686   {}
687   \titlespacing*{\subsection}{0em}{\baselineskip}{\baselineskip}[0em]
688 \titleformat{\subsubsection}[block]
689   {\filright\normalsize}
690   {\textnormal\thesubsubsection}
691   {1em}
692   {}
693   \titlespacing*{\subsubsection}{0em}{\baselineskip}{\baselineskip}[0em]
694 }

\chapter Default styles:
695 \def\SUF@default@CHAPTER{
696 \ifsufthesi@numparchap
697   \titleformat{\chapter}[display]
698     {\SUF@chaptersize\SUF@lr@CHAPSwitch}
699     {\SUF@thechapter\SUF@dotchap}
700     {2ex}
701     {\SUF@CHAP@StyleSwitch}
702   \else
703     \titleformat{\chapter}[hang]
704       {\SUF@chaptersize\SUF@lr@CHAPSwitch}
705       {\SUF@thechapter\SUF@dotchap}
706       {3em}
707       {\SUF@CHAP@StyleSwitch}
708   \fi
709 \ifsufthesi@numparchap
710   \def\SUF@ADJnumparchap{-2.5\baselineskip}
711   \else
712   \def\SUF@ADJnumparchap{0pt}
713 \fi}

\section
714 \def\SUF@default@SECTIONS{
715 \ifsufthesi@numparsec
716   \titleformat{\section}[display]
717     {\SUF@lr@SECSwitch}
718     {\SUF@thesection\SUF@dotsec}
719     {0ex}
720     {\SUF@SEC@StyleSwitch}
721   \titlespacing*{\section}{0em}{\sectionsep}{\sectionsep}[0em]
722 \else
723   \titleformat{\section}[hang]
724     {\SUF@lr@SECSwitch}
725     {\SUF@thesection\SUF@dotsec}
726     {1em}
727     {\SUF@SEC@StyleSwitch}
728   \titlespacing*{\section}{0ex}{\sectionsep}{\sectionsep}[0ex]
729 \fi

\subsection

```

```

730 \ifsuftesi@numparsubsec
731 \titleformat{\subsection}[display]
732   {\SUF@lr@SUBSECSwitch}
733   {\textnormal\thesubsection}
734   {0ex}
735   {\SUF@SUBSEC@StyleSwitch}
736 \titlespacing*\{subsection\}{0em}{\sectionsep}{\sectionsep}[0em]
737 \else
738 \titleformat{\subsection}[hang]
739   {\SUF@lr@SUBSECSwitch}
740   {\textnormal\thesubsection}
741   {1em}
742   {\SUF@SUBSEC@StyleSwitch}
743 \titlespacing*\{subsection\}{\parindent}{\sectionsep}{\sectionsep}[0ex]
744 \fi

\subsubsection
745 \ifsuftesi@numparsubsubsec
746 \titleformat{\subsubsection}[display]
747   {\SUF@lr@SUBSUBSECSwitch}
748   {\textnormal\thesubsubsection}
749   {0ex}
750   {\SUF@SUBSUBSEC@StyleSwitch}
751 \titlespacing*\{subsubsection\}{0em}{\sectionsep}{\sectionsep}[0em]
752 \else
753 \titleformat{\subsubsection}[hang]
754   {\SUF@lr@SUBSUBSECSwitch}
755   {\textnormal\thesubsubsection}
756   {1em}
757   {\SUF@SUBSUBSEC@StyleSwitch}
758 \titlespacing*\{subsubsection\}{\parindent}{\sectionsep}{\sectionsep}[0ex]
759 \fi
760 }

761 \ifsuftesi@elementschap
762 \RequirePackage{extramarks}
763 \SUF@elements@CHAPTER
764 \SUF@elements@SECTIONS
765 \ifsuftesi@periodical
766 \titlespacing*\{chapter\}{0em}{-\baselineskip}{10pt}[0pt]
767   \setkeys[SUF]{elements}{chapsize=80, chaproposition=-83}
768 \else
769 \ifsuftesi@compact
770 \titlespacing*\{chapter\}{0em}{-1\baselineskip}{10pt}[0pt]
771   \setkeys[SUF]{elements}{chapsize=75, chaproposition=-83}
772 \else
773 \ifsuftesi@supercompact
774 \titlespacing*\{chapter\}{0em}{-1\baselineskip}{10pt}[0pt]
775   \setkeys[SUF]{elements}{chapsize=70, chaproposition=-73}
776 \else
777 \ifsuftesi@elementspagelayout
778 \titlespacing*\{chapter\}{0em}{-\baselineskip}{10pt}[0pt]
779   \setkeys[SUF]{elements}{chapsize=60, chaproposition=-73}
780 \else
781 \titlespacing*\{chapter\}{0em}{-\baselineskip}{10pt}[0pt]
782   \setkeys[SUF]{elements}{chapsize=90, chaproposition=-83}

```

```

783      \fi
784      \fi
785      \fi
786 \fi
787 \else
788   \SUF@default@CHAPTER
789   \SUF@default@SECTIONS
790 \ifsuftesi@periodical
791   \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
792   \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
793   \else
794     \ifsuftesi@compact
795       \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
796       \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
797       \else
798         \ifsuftesi@supercompact
799           \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
800           \titlespacing*{name=\chapter, numberless}{0em}{0pt}{18ex}
801           \else
802             \titlespacing*{\chapter}{0em}{%
803               \dimexpr(6ex+\SUF@ADJnumparchap)}{18ex}
804             \titlespacing*{name=\chapter, numberless}{0em}{6ex}{18ex}
805           \else
806             \fi
807           \fi
808 \fi

```

Redefinitions for ‘article’ mode

```

809 \ifsuftesi@article
810 \def\chapter#1{\ClassError{suftesi}
811   {\noexpand\chapter level is not defined
812    using 'documentstructure=article'}
813   {\noexpand\chapter level is not defined
814    using 'documentstructure=article'}}
815 \setcounter{tocdepth}{3}
816   \setcounter{secnumdepth}{3}
817   \renewcommand\thesection{%
818     \arabic{c}@\arabic{section}}
819   \renewcommand\thesubsection{%
820     \thesection.\arabic{c}@subsection}
821   \renewcommand\thesubsubsection{%
822     \thesubsection.\arabic{c}@subsubsection}
823   \renewcommand\theparagraph{%
824     \thesubsubsection.\arabic{c}@paragraph}
825   \renewcommand\thesubparagraph{%
826     \theparagraph.\arabic{c}@subparagraph}

```

The `partpage` options allows you to print a standard part page in article mode.

```

827 \ifsuftesi@partpage
828   \relax
829   \else

```

In article mode the `\part` command is similar to a `\section` but with more vertical space before and after.

```

830 \titleclass{\part}{straight}
831 \titlespacing*{\part}{0ex}{2\sectionsep}{2\sectionsep}[0ex]
832 \fi
833 \ifsuftesi@numparpart
834 \titleformat{\part}[display]
835 {\SUF@chaptersize\SUF@lr@PARTSwitch}
836 {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
837 {2ex}
838 {\SUF@PART@StyleSwitch}
839 \else
840 \titleformat{\part}[hang]
841 {\SUF@chaptersize\SUF@lr@PARTSwitch}
842 {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
843 {1em}
844 {\SUF@PART@StyleSwitch}
845 \fi
846 \else

```

The default ‘book’ mode

```

847 \ifsuftesi@numparpart
848 \titleformat{\part}[display]
849 {\SUF@chaptersize\SUF@lr@PARTSwitch}
850 {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
851 {2ex}
852 {\SUF@PART@StyleSwitch}
853 \else
854 \titleformat{\part}[hang]
855 {\SUF@chaptersize\SUF@lr@PARTSwitch}
856 {\SUF@PART@StyleSwitch\partname\hskip.5em\SUF@thepart\SUF@dotpart}
857 {1em}
858 {\SUF@PART@StyleSwitch}
859 \fi
860 \fi
861

\paragraph
862 \titleformat{\paragraph}[runin]
863 {}
864 {\theparagraph}
865 {.5em}
866 {\itshape}
867 [{.}\hspace*{1em}]
868 \titlespacing*{\paragraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

\subparagraph
869 \titleformat{\subparagraph}[runin]
870 {}
871 {\thesubparagraph}
872 {.5em}
873 {}
874 [{.}\hspace*{1em}]
875 \titlespacing*{\subparagraph}{\parindent}{.5\sectionsep}{.5\sectionsep}

```

The biblatex package uses the book class definitions of bibliography and list of short-hands, so we must redefine them according to the styles of suftesi, which does not

use uppercase letters in the headings.

```
876 \ifsuftesi@article
877 \AtBeginDocument{%
878 \@ifpackagelloaded{biblatex}{%
879   \defbibheading{bibliography}[\refname]{%
880     \section*{\#1}%
881     \markboth{\#1}{\#1}%
882   }%
883   \defbibheading{shorthands}[\losname]{%
884     \section*{\#1}%
885     \markboth{\#1}{\#1}%
886   }%
887   \defbibheading{bibintoc}[\refname]{%
888     \section*{\#1}%
889     \addcontentsline{toc}{section}{\#1}%
890     \markboth{\#1}{\#1}%
891   }%
892   \defbibheading{losintoc}[\losname]{%
893     \section*{\#1}%
894     \addcontentsline{toc}{section}{\#1}%
895     \markboth{\#1}{\#1}%
896   }%
897   \defbibheading{bibnumbered}[\refname]{%
898     \section{\#1}%
899     \if@twoside\markright{\#1}\fi%
900   }%
901   \defbibheading{losnumbered}[\losname]{%
902     \section{\#1}%
903     \if@twoside\markright{\#1}\fi%
904   }%
905   \defbibheading{subbibliography}[\refname]{%
906     \subsection*{\#1}%
907   }%
908 \else
909 \AtBeginDocument{%
910 \ifpackagelloaded{biblatex}{%
911   \defbibheading{bibliography}[\bibname]{%
912     \chapter*{\#1}%
913     \markboth{\#1}{\#1}%
914   }%
915   \defbibheading{shorthands}[\losname]{%
916     \chapter*{\#1}%
917   }%
918   \defbibheading{bibintoc}[\bibname]{%
919     \addcontentsline{toc}{chapter}{\#1}%
920     \markboth{\#1}{\#1}%
921   }%
922   \defbibheading{losintoc}[\losname]{%
923     \addcontentsline{toc}{chapter}{\#1}%
924     \markboth{\#1}{\#1}%
925   }%
926   \defbibheading{bibnumbered}[\bibname]{%
927     \chapter{\#1}%
928     \if@twoside\markright{\#1}\fi%
929   }%
```

```

929     \chapter{#1}%
930     \if@twoside\markright{#1}\fi%
931     \defbibheading{subbibliography}[\refname]{%
932       \section*{#1}%
933       \if@twoside\markright{#1}\fi%
934     \defbibheading{subbibintoc}[\refname]{%
935       \section*{#1}%
936       \addcontentsline{toc}{section}{#1}%
937       \if@twoside\markright{#1}\fi%
938     \defbibheading{subbibnumbered}[\refname]{%
939       \section{#1}%
940       \relax}%
941 }%
942 \fi

```

A.14 Title page

\title The new \title command has an optional argument which can be used in the headers.

```

943 \renewcommand*\title[2][]{\gdef\@headtitle{#1}\gdef\@title{#2}}
944   \edef\title{\noexpand\@dblarg
945   \expandafter\noexpand\csname\string\title\endcsname}
946   \def\@headtitle{--missing title--%
947     \protect\ClassWarningNoLine{suftesi}{%
948       No \string\title\space given \MessageBreak%
949       See the class documentation for explanation}}
950   \def\@title{--missing title--%
951     \protect\ClassWarningNoLine{suftesi}{%
952       No \string\title\space given\MessageBreak%
953       See the class documentation for explanation}}
954   \def\@author{--missing author--%
955     \protect\ClassWarningNoLine{suftesi}{%
956       No \string\author\space given\MessageBreak%
957       See the class documentation for explanation}}

```

\standardtitle Reproduces the standard \maketitle style:

```

958 \let\standardtitle\maketitle

```

\maketitle For titlepage (default) option:

```

959 \if@titlepage% titlepage
960   \renewcommand\maketitle{\begin{titlepage}%
961   \let\footnotesize\small
962   \let\footnoterule\relax
963   \let\footnote\thanks
964   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
965   \null\vfsl
966   \vskip 60\p@
967   \begin{center}%
968     {\SUF@chaptersize\color{sufred}\sffamily}%
969     \ifsuftesi@smallcapschap%
970       \SUF@titlesmallcaps{\@title}%
971     \else
972       \ifsuftesi@article%
973         \ifsuftesi@smallcapssec%
974           \SUF@titlesmallcaps{\@title}%

```

```

975      \else
976          \@title
977      \fi
978      \else
979          \@title
980      \fi
981  \fi\par}%
982  \vskip 3em%
983  {\small\lineskip .75em%
984  \begin{tabular}[t]{c}%
985      \author
986  \end{tabular}\par}%
987  \vskip 1.5em%
988  {\small\@date\par}%
989 \end{center}\par
990 \@thanks
991 \vfil\null
992 \end{titlepage}%
993 \setcounter{footnote}{0}%
994 \global\let\thanks\relax
995 \global\let\maketitle\relax
996 \global\let\@thanks\empty
997 \global\let\@date\empty
998 \global\let\date\relax
999 \global\let\and\relax
1000 }
1001 \else
    For notitlepage option:
1002 \renewcommand\maketitle{\par
1003   \begingroup
1004     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1005     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1006     \long\def\@makefntext##1{\par\indent 1em\noindent
1007       \hb@xt@1.8em{%
1008         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1009     \if@twocolumn
1010       \ifnum \col@number=\@ne
1011         \@maketitle
1012       \else
1013         \twocolumn[\@maketitle]%
1014       \fi
1015     \else
1016       \newpage
1017       \global\@topnum\z@ % Prevents figures from going at top of page.
1018       \@maketitle
1019     \fi
1020     \thispagestyle{plain}\@thanks
1021   \endgroup
1022   \setcounter{footnote}{0}%
1023   \global\let\thanks\relax
1024   \global\let\maketitle\relax
1025   \global\let\@maketitle\relax
1026   \global\let\@thanks\empty
1027   \global\let\@date\empty

```

```

1028 \global\let\date\relax
1029 \global\let\and\relax}
1030   \def\@maketitle{%
1031   \newpage
1032   \null
1033   \vskip 2em%
1034   \begin{center}%
1035   \let \footnote \thanks
1036   {\SUF@chaptersize\color{sufred}\sffamily%
1037   \ifsuftesi@smallcapschap%
1038   \SUF@titlesmallcaps{\@title}%
1039   \else
1040   \ifsuftesi@article%
1041   \ifsuftesi@smallcapssec%
1042   \SUF@titlesmallcaps{\@title}%
1043   \else
1044   \@title
1045   \fi
1046   \else
1047   \@title
1048   \fi
1049 \fi\par}%
1050   \vskip 1.5em%
1051   {\small\lineskip .5em%
1052   \begin{tabular}[t]{c}%
1053   \author\par
1054   \end{tabular}\par}%
1055   \vskip 1em%
1056   {\small\@date\par}%
1057 \end{center}%
1058 \par
1059 \vskip 1.5em}
1060 \fi

```

A.15 Frontispiece

```

1061 \AtBeginDocument{%
1062 \ifpackagewith{frontespizio}{suftesi}
1063   \ifsuftesi@periodical
1064     \Margini {5.5cm}{7cm}{4.5cm}{0cm}
1065   \else
1066   \ifsuftesi@compact
1067     \Margini {4.5cm}{7cm}{4.5cm}{0cm}
1068   \else
1069     \ifsuftesi@supercompact
1070     \Margini {4.5cm}{10cm}{6cm}{1cm}
1071   \else
1072   \fi
1073 \fi
1074 \fi}
1075 {\@ifpackageloaded{frontespizio}
1076   \ifsuftesi@periodical
1077     \Margini {1cm}{7cm}{5cm}{1cm}
1078   \else

```

```

1079      \ifsuftesi@compact
1080          \Margini {1cm}{7cm}{6cm}{1cm}
1081      \else
1082          \ifsuftesi@supercompact
1083              \Margini {1cm}{10cm}{8cm}{1cm}
1084          \else
1085              \fi
1086      \fi
1087 \fi}
1088 {\relax}}}

theindex
1089 \renewenvironment{theindex}
1090     {\if@twocolumn
1091         \restonecolfalse
1092     \else
1093         \restonecoltrue
1094     \fi
1095     \ifsuftesi@article
1096         \twocolumn[\section*{\indexname}]%
1097     \else
1098         \twocolumn[\@makeschapterhead{\indexname}]%
1099     \fi
1100     \mkboth{\indexname}{\indexname}%
1101     \thispagestyle{plain}%
1102     \raggedright%
1103     \parindent\z@
1104     \parskip\z@\@plus .3\p@\relax
1105     \columnseprule \z@
1106     \columnsep 35\p@
1107     \let\item\idxitem
1108     {\if@restonecol\onecolumn\else\clearpage\fi}}

```

A.16 Appendix

```

\appendicesname
\appendixpage 1109 \newcommand{\appendicesname}[1]{\def\SUF@appendices{#1}}
1110     \appendicesname{Appendix}
1111     \newcommand{\appendixpage}{\SUF@appendixpage}
1112 \def\SUF@appendixpage{%
1113     \mainmattertrue
1114     \titlecontents{part}
1115     [0em]
1116     {\addvspace{3ex}}
1117     {}
1118     {}
1119     {}
1120     [\addvspace{1ex}]
1121 \let\contentspage\relax
1122     \cleardoublepage
1123     \thispagestyle{empty}
1124     \addcontentsline{toc}{part}{\SUF@appendices}
1125 \begingroup
1126     \centering

```

```

1127          \null\vfil
1128          {\LARGE\SUF@appendices\par}
1129          \vfil
1130      \endgroup
1131      \cleardoublepage
1132 \titlecontents{part}
1133      [0em]
1134      [\addvspace{3ex}\partname~]
1135      {\makebox[\SUF@label@part][1]{\thecontentslabel}\hspace*{1em}}
1136      {}
1137      {}
1138      [\addvspace{1ex}]
1139 }

\appendix
1140 \ifsuftesi@sufelements
1141 \renewcommand\appendix{\par
1142     \setcounter{chapter}{0}%
1143     \setcounter{section}{0}%
1144     \gdef\@chapapp{\appendixname}%
1145     \gdef\thechapter{\@Alph\c@chapter}
1146     \titleformat{\chapter}[block]
1147     {\vskip-22pt}%
1148     {\small\SUF@titlesmallcaps{\appendixname}\~\Alph{chapter}:\hskip.5em}
1149     {0pt}
1150     {\small\SUF@titlesmallcaps}
1151     [\rule{\textwidth}{.4pt}]
1152     \titlespacing{\chapter}{0em}{-16pt}{10pt}[0em]}
1153 \else
1154     \ifsuftesi@article
1155         \renewcommand\appendix{\par
1156             \setcounter{section}{0}%
1157             \setcounter{subsection}{0}%
1158             \gdef\SUF@thesection{\@Alph\c@section}}
1159     \else
1160         \renewcommand\appendix{\par
1161             \setcounter{chapter}{0}%
1162             \setcounter{section}{0}%
1163             \gdef\@chapapp{\appendixname}%
1164             \gdef\thechapter{\@Alph\c@chapter}}
1165     \fi
1166 \fi

```

A.17 Headings

```

1167 \RequirePackage{fancyhdr}
1168 \pagestyle{fancy}
1169 \renewcommand{\headrulewidth}{0pt}
1170 \renewcommand{\footnoterule}{}
1171 \def\SUF@versionstring{\texttt{Version of \today}}

```

The elements headers

```

1172 \ifsuftesi@elementsheader%
1173     \renewcommand{\chaptermark}[1]{\markboth{\#1}{\#1}}
1174     \renewcommand{\sectionmark}[1]{\markright{\#1}}

```

```

1175 \fancypagestyle{elements}{%
1176   \setlength{\unitlength}{1pt}
1177   \fancyhf{}
1178   \fancyfoot[LE,RO]{\thepage}
1179   \fancyhead[RO]{%
1180     \begin{picture}(0,0)
1181       \put(0,-104){%
1182         \hspace*{\marginparsep}
1183         \parbox[t]{\marginparwidth}{\itshape\raggedright\leftmark}}%
1184     \end{picture}}
1185   \fancyhead[LE]{%
1186     \begin{picture}(0,0)
1187       \put(0,-104){%
1188         \hspace*{-\dimexpr(\marginparwidth+\marginparsep)}
1189         \parbox[t]{\marginparwidth}{\itshape\raggedleft\rightmark}}%
1190     \end{picture}}%
1191   }%
1192 \else

```

The default headers

```

1193 \renewcommand{\chaptermark}[1]{%
1194   \markboth{\chapertitlename\ \SUF@thechapter}{#1}}
1195 \ifsuftesi@article
1196   \renewcommand{\sectionmark}[1]{\markright{\SUF@thesection.\ #1}}
1197   \else
1198   \renewcommand{\sectionmark}[1]{}
1199 \fi
1200 \fi

```

The plain style

```
1201 \fancypagestyle{plain}{\fancyhf{}}
```

The sufplain style

```

1202 \fancypagestyle{sufplain}{%
1203   \fancyhf{}%
1204   \fancyfoot[RE,LO]{%
1205     \ifsuftesi@bozza\footnotesize\SUF@versionstring\else\fi}
1206   \fancyfoot[C]{\footnotesize\SUF@thepage}}

```

The centerheader style

```

1207 \fancypagestyle{centerheader}{%
1208   \fancyhf{}%
1209   \fancyfoot[RE,LO]{%
1210     \ifsuftesi@bozza\footnotesize\SUF@versionstring\else\fi}
1211   \fancyhead[CO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1212   \fancyhead[CE]{\footnotesize\xheadbreakfalse%
1213     \SUF@LR@MarkSwitch}
1214   \fancyfoot[C]{\footnotesize\SUF@thepage}}%
1215 }

```

The sufdefault style

```
1216 \fancypagestyle{sufdefault}{%
1217   \fancyhf{}%
1218   \fancyfoot[RE,LO]{%
1219     \ifsuftesi@bozza\footnotesize\SUF@versionstring\else\fi}
1220   \fancyhead[LE,RO]{\footnotesize\SUF@thepage}
1221   \fancyhead[LO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1222   \fancyhead[RE]{\footnotesize\xheadbreakfalse%
1223     \SUF@LR@MarkSwitch}
1224   }%
1225 %
1226 \ifsuftesi@article
1227 \ifsuftesi@authortitle
1228 \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1229 \else
1230 \def\SUF@LR@MarkSwitch{\SUF@rightmark}
1231 \fi
1232 \else
1233   \def\SUF@LR@MarkSwitch{\SUF@leftmark}
1234 \fi
1235 \def\SUF@leftrightmark{%
1236   \if@mainmatter\leftmark\else\rightmark\fi}
```

Setting the default page style:

```
1237 \pagestyle{sufdefault}
1238 \ifsuftesi@centerheader\pagestyle{centerheader}\else\fi
1239 \ifsuftesi@sufplain\pagestyle{sufplain}\else\fi
1240 \ifsuftesi@elementsheader\pagestyle{elements}\else\fi
```

A.18 Text elements

A.18.1 Block Quotations

quotation New quotation and quote environments according to a popular Italian style. The font size is the same of the footnotes and the margins are set to \parindent.

quote

verse

```
1241 \renewenvironment{quotation}
1242   {\list{}{\listparindent\parindent%
1243     \itemindent \listparindent
1244     \leftmargin \parindent
1245     \SUF@quote@style
1246     \parsep \z@ \plus\p@}%
1247     \item\relax%
1248     \SUF@quotation@size%
1249     \noindent\ignorespaces}
1250   {\endlist}
1251 \renewenvironment{quote}
1252   {\list{}{\leftmargin \parindent
1253     \SUF@quote@style}%
1254     \item\relax%
1255     \SUF@quotation@size}\ignorespaces?
1256   {\endlist}
1257 \renewenvironment{verse}
1258   {\let\\@centercr
1259     \list{}{\itemsep \z@%
```

```

1260           \itemindent -1.5em%
1261           \listparindent\itemindent
1262           \rightmargin \leftmargin
1263           \advance\leftmargin 1.5em}%
1264           \item\relax
1265           \SUF@quotation@size}
1266 {\endlist}

```

The `fewfootnotes` option Enable only with three footnotes per page maximum.

```

1267 \let\oldfootnote\footnote
1268 \ifsoftes@fewfootnotes
1269 \def\fnsymbol#1{\ensuremath{\ifcase#1
1270   \or * \or ** \or *** \ClassError{softes}{%
1271     {Too many footnotes}\MessageBreak
1272     Use class option 'fewfootnote=false'}%
1273     {Too many footnotes}\MessageBreak
1274     Use class option 'fewfootnote=false'}%
1275   \else\ctrerr{fi}}}
1276 \renewcommand{\footnote}[1]{%
1277   \begingroup
1278     \addtoreset{footnote}{page}
1279     \renewcommand{\thefootnote}{\fnsymbol{footnote}}\oldfootnote{#1}
1280   \endgroup
1281 \else\fi
\xfootnote Prints a footnote with discretionary symbol give in the first argument.
1282 \newcommand{\xfootnote}[2]{%
1283   \begingroup
1284     \addtocounter{footnote}{-1}
1285     \addtoreset{footnote}{page}
1286     \renewcommand{\thefootnote}{\ensuremath{\oldfootnote{#1}}}\oldfootnote{#2}
1287   \endgroup

```

A.18.2 Marginal notes

`\marginpar` The `\marginpar` command is redefined according to the look of *Classic Thesis* by André Miede (2011). Thanks to Lorenzo Pantieri and Enrico Gregorio.

```

1288 \def\SUF@mpsetup{%
In the Elements (i.e. with elements option) the marginal notes are printed in roman,
but I prefer italic shape for the other options:

```

```

1289   \ifsoftes@elementsheader\relax
1290     \else\itshape\fi
1291   \footnotesize%
1292   \parindent=0pt \lineskip=0pt \lineskiplimit=0pt %
1293   \tolerance=2000 \hyphenpenalty=300 \exhyphenpenalty=300%
1294   \doublehyphendemerits=100000%
1295   \finalhyphendemerits=\doublehyphendemerits}
1296 \let\oldmarginpar\marginpar
1297 \renewcommand{\marginpar}[1]{\oldmarginpar%
1298 [\SUF@mpsetup\raggedleft\hspace{0pt}{#1}]%
1299 {\SUF@mpsetup\raggedright\hspace{0pt}{#1}}}

```

A.18.3 Abstract

This is the macro that defines the `abstract` environment in `article` class. In `suftesi` it simply prints the abstract name in roman font:

```
1300 \if@titlepage
1301   \newenvironment{abstract}{%
1302     \titlepage
1303     \null\vfil
1304     \begin{parpenalty}\@lowpenalty
1305     \begin{center}%
1306       \abstractname
1307       \end{parpenalty}\@M
1308     \end{center}}%
1309   {\par\vfil\null\endtitlepage}
1310 \else
1311   \newenvironment{abstract}{%
1312     \if@twocolumn
1313       \section*\{\abstractname\}%
1314     \else
1315       \small
1316       \begin{center}%
1317         {\abstractname\vspace{-.5em}\vspace{\z@}}%
1318       \end{center}%
1319       \quotation
1320     \fi}
1321   {\if@twocolumn\else\endquotation\fi}
1322 \fi
1323 \newcommand{\abstractname}{Abstract}
```

A.18.4 Colophon

`\colophon` Some useful commands to print a colophon or a copyright notice.

```
1324 \newcommand{\colophon}[3][]{%
1325   \thispagestyle{empty}
1326   \null
1327   \vfill
1328   \def\next{\#2}
1329   \ifx\next\empty\else
1330     \noindent Copyright \copyright{} \the\year~#2\\[1ex]
1331     Tutti i diritti riservati
1332   \fi
1333   \vfill
1334   {\small\noindent Questo lavoro \`e stato composto con \TeX{}%}
1335   \def\next{\#1}
1336   \ifx\next\empty\else su #1
1337   \fi usando la classe \textsf{suftesi} di
1338   Ivan Valbusa\index{Valbusa, Ivan}. #3\par}
1339   \cleardoublepage

\bookcolophon
1340 \newcommand{\bookcolophon}[2]{%
1341   \thispagestyle{empty}
1342   \null
1343   \vfill
```

```

1344           \noindent #1
1345   \vfill
1346 {\small\noindent #2\par}
1347   \cleardoublepage

\artcolophon
1348 \newcommand{\artcolophon}[1]{%
1349 \thispagestyle{empty}
1350 \null
1351 \vfill
1352 {\small\noindent #1\par}

\finalcolophon
1353 \newcommand{\finalcolophon}[1]{%
1354 \thispagestyle{empty}
1355 \null\vspace*{\stretch{1}}
1356 \begin{center}
1357 \begin{minipage}{.5\textwidth}
1358 \centering\small #1
1359 \end{minipage}
1360 \end{center}
1361 \vspace*{\stretch{6}}}

```

A.19 TOC, LOF, LOT

1362 \RequirePackage{titletoc}

- \SUF@label@chapter All the lengths depend on \SUF@label@chapter so we define this first.
 - 1363 \newlength\SUF@label@chapter
 - 1364 \setlength\SUF@label@chapter{.5em}
- \toclabelwidth \toclabelwidth is provided to adjust the label width:
 - 1365 \newcommand*{\toclabelwidth}[1]{\setlength\SUF@label@chapter{#1}}
- \SUF@tochang This macro controls the space between page number and chapter label using the *tocpageleft* option:
 - 1366 \newlength{\SUF@tochang}
 - 1367 \setlength{\SUF@tochang}{3em}
 - 1368 \AtBeginDocument{
 - 1369 \newlength\SUF@label@part
 - 1370 \newlength\SUF@label@section
 - 1371 \newlength\SUF@label@subsection
 - 1372 \newlength\SUF@label@subsubsection
 - 1373 \newlength\SUF@label@paragraph
 - 1374 \newlength\SUF@label@ subparagraph
 - 1375 \newlength\SUF@label@figure
 - 1376 \newlength\SUF@label@table
 - 1377 \setlength\SUF@label@part
 - 1378 {\'SUF@label@chapter}
 - 1379 \setlength\SUF@label@section
 - 1380 {\dimexpr(\SUF@label@chapter+.5em)}
 - 1381 \setlength\SUF@label@subsection
 - 1382 {\dimexpr(\SUF@label@section+.5em)}
 - 1383 \setlength\SUF@label@subsubsection
 - 1384 {\dimexpr(\SUF@label@subsection+.5em)}
 - 1385 \setlength\SUF@label@paragraph

```

1386      {\dimexpr(\SUF@label@subsubsection+.5em)}
1387 \setlength{\SUF@label@subparagraph}
1388      {\dimexpr(\SUF@label@paragraph+.5em)}
1389 \setlength{\SUF@label@figure}
1390      {\SUF@label@section}
1391 \setlength{\SUF@label@table}
1392      {\SUF@label@section}
1393 }

Part in article mode
1394 \titlecontents{part}
1395 [0em]
1396 {\addvspace{3ex}\partname\hspace*{.5em}}
1397 {\makebox[\SUF@label@part][1]{\thecontentslabel}\hspace*{1em}}
1398 {}
1399 {}
1400 [\addvspace{1ex}]

A.19.1 The tocpageleft table of contents

1401 \ifsoftesi@pagelefttoc

\contentsmargin First we reset the right margin to zero:
1402 \contentsmargin{0pt}

\SUF@tochang@{level}
\SUF@addto@tochang@{level} 1403 \AtBeginDocument{
1404 \newlength{\SUF@tochang@chap}
1405 \newlength{\SUF@tochang@sec}
1406 \newlength{\SUF@tochang@subsec}
1407 \newlength{\SUF@tochang@subsubsec}
1408 \newlength{\SUF@tochang@par}
1409 \newlength{\SUF@tochang@subpar}
1410 \newlength{\SUF@tochang@fig}
1411 \newlength{\SUF@tochang@tab}
1412 \newlength{\SUF@addto@tochang@chap}
1413 \newlength{\SUF@addto@tochang@sec}
1414 \newlength{\SUF@addto@tochang@subsec}
1415 \newlength{\SUF@addto@tochang@subsubsec}
1416 \newlength{\SUF@addto@tochang@par}
1417 \newlength{\SUF@addto@tochang@subpar}
1418 \newlength{\SUF@addto@tochang@fig}
1419 \newlength{\SUF@addto@tochang@tab}
1420 \setlength{\SUF@tochang@chap}
1421      {\dimexpr(1em+\SUF@tochang+\SUF@label@chapter+1em)}
1422 \setlength{\SUF@tochang@sec}
1423      {\dimexpr(\SUF@tochang@chap+\SUF@label@section+1em)}
1424 \setlength{\SUF@tochang@subsec}
1425      {\dimexpr(\SUF@tochang@sec+\SUF@label@subsection+1em)}
1426 \setlength{\SUF@tochang@subsubsec}
1427      {\dimexpr(\SUF@tochang@subsec+\SUF@label@subsubsection+1em)}
1428 \setlength{\SUF@tochang@par}
1429      {\dimexpr(\SUF@tochang@subsubsec+\SUF@label@paragraph+1em)}
1430 \setlength{\SUF@tochang@subpar}
1431      {\dimexpr(\SUF@tochang@par+\SUF@label@subparagraph+1em)}
1432 \setlength{\SUF@tochang@fig}
1433      {\SUF@tochang@chap}

```

```

1434 \setlength{\SUF@tochang@tab}
1435   {\\SUF@tochang@chap}
1436 \setlength{\SUF@addto@tochang@chap}
1437   {\\SUF@tochang}
1438 \setlength{\SUF@addto@tochang@sec}
1439   {\dimexpr(\SUF@addto@tochang@chap+\SUF@label@section+.5em)}
1440 \setlength{\SUF@addto@tochang@subsec}
1441   {\dimexpr(\SUF@addto@tochang@sec+\SUF@label@subsection+.5em)}
1442 \setlength{\SUF@addto@tochang@subsubsec}
1443   {\dimexpr(\SUF@addto@tochang@subsec+\SUF@label@subsubsection+.5em)}
1444 \setlength{\SUF@addto@tochang@par}
1445   {\dimexpr(\SUF@addto@tochang@subsubsec+\SUF@label@paragraph+.5em)}
1446 \setlength{\SUF@addto@tochang@subpar}
1447   {\dimexpr(\SUF@addto@tochang@par+\SUF@label@subparagraph+.5em)}
1448 \setlength{\SUF@addto@tochang@fig}
1449   {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1450 \setlength{\SUF@addto@tochang@tab}
1451   {\dimexpr(\SUF@addto@tochang@chap-\SUF@label@section+\SUF@label@chapter)}
1452 }

```

TOC entries

```

1453 \titlecontents{chapter}
1454   [\\SUF@tochang@chap]
1455   {\\addvspace{2ex}}
1456   {\\hskip-\\SUF@tochang@chap%
1457     \\makebox[1em][l]{\\thecontentspage}%
1458     \\hskip\\SUF@addto@tochang@chap%
1459       \\makebox[\\SUF@label@chapter][l]{\\thecontentslabel}%
1460         \\hspace*{1em}%
1461   {\\hskip-\\SUF@tochang@chap%
1462     \\makebox[1em][l]{\\thecontentspage}%
1463     \\hskip\\SUF@addto@tochang@chap}
1464   {}%
1465   [\\addvspace{1ex}]
1466 \titlecontents{section}
1467   [\\SUF@tochang@sec]
1468   {}%
1469   {\\hskip-\\SUF@tochang@sec%
1470     \\makebox[1em][l]{\\thecontentspage}\\hskip\\SUF@addto@tochang@sec%
1471     \\makebox[\\SUF@label@section][l]{\\thecontentslabel}\\hspace*{1em}%
1472   {\\hskip-\\SUF@tochang@sec%
1473     \\makebox[1em][l]{\\thecontentspage}\\hskip\\SUF@addto@tochang@sec%
1474     \\makebox[\\SUF@label@section][l]{\\thecontentslabel}\\hspace*{1em}%
1475   {}%
1476 \titlecontents{subsection}
1477   [\\SUF@tochang@subsec]
1478   {}%
1479   {\\hskip-\\SUF@tochang@subsec%
1480     \\makebox[1em][l]{\\thecontentspage}\\hskip\\SUF@addto@tochang@subsec%
1481     \\makebox[\\SUF@label@subsection][l]{\\thecontentslabel}\\hspace*{1em}%
1482   {\\hskip-\\SUF@tochang@subsec%
1483     \\makebox[1em][l]{\\thecontentspage}\\hskip\\SUF@addto@tochang@subsec%
1484     \\makebox[\\SUF@label@subsection][l]{\\thecontentslabel}\\hspace*{1em}%
1485   {}%
1486 \titlecontents{subsubsection}

```

```

1487 [\SUF@tochang@subsubsec]
1488 {}
1489 {\hskip-\SUF@tochang@subsubsec%
1490   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1491   \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}}
1492 {\hskip-\SUF@tochang@subsubsec%
1493   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1494   \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}}
1495 {}
1496 \titlecontents{paragraph}
1497 [\SUF@tochang@par]
1498 {}
1499 {\hskip-\SUF@tochang@par%
1500   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1501   \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}}
1502 {\hskip-\SUF@tochang@par%
1503   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1504   \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}}
1505 {}
1506 \titlecontents{subparagraph}
1507 [\SUF@tochang@subpar]
1508 {}
1509 {\hskip-\SUF@tochang@subpar%
1510   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1511   \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}}
1512 {\hskip-\SUF@tochang@subpar%
1513   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1514   \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}}
1515 {}
1516 \titlecontents{figure}
1517 [\SUF@tochang@fig]
1518 {}
1519 {\hskip-\SUF@tochang@fig%
1520   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@fig%
1521   \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}}
1522 {}
1523 {}
1524 \titlecontents{table}
1525 [\SUF@tochang@tab]
1526 {}
1527 {\hskip-\SUF@tochang@tab%
1528   \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@tab%
1529   \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}}
1530 {}
1531 {}
1532 \else

```

A.19.2 The default table of contents

```

1533 \AtBeginDocument{
1534 \newlength\SUF@tocindent@chap
1535 \newlength\SUF@tocindent@sec
1536 \newlength\SUF@tocindent@subsec
1537 \newlength\SUF@tocindent@subsubsec

```

```

1538 \newlength{\SUF@tocindent@par}
1539 \newlength{\SUF@tocindent@subpar}
1540 \newlength{\SUF@tocindent@fig}
1541 \newlength{\SUF@tocindent@tab}
1542 \setlength{\SUF@tocindent@chap}
1543   {\dimexpr(\SUF@label@chapter+1em)}
1544 \setlength{\SUF@tocindent@sec}
1545   {\dimexpr(\SUF@tocindent@chap+\SUF@label@section+1em)}
1546 \setlength{\SUF@tocindent@subsec}
1547   {\dimexpr(\SUF@tocindent@sec+\SUF@label@subsection+1em)}
1548 \setlength{\SUF@tocindent@subsubsec}
1549   {\dimexpr(\SUF@tocindent@subsec+\SUF@label@subsubsection+1em)}
1550 \setlength{\SUF@tocindent@par}
1551   {\dimexpr(\SUF@tocindent@subsubsec+\SUF@label@paragraph+1em)}
1552 \setlength{\SUF@tocindent@subpar}
1553   {\dimexpr(\SUF@tocindent@par+\SUF@label@subparagraph+1em)}
1554 \setlength{\SUF@tocindent@fig}
1555   {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1556 \setlength{\SUF@tocindent@tab}
1557   {\dimexpr(\SUF@tocindent@chap+\SUF@label@section-\SUF@label@chapter)}
1558 }

```

TOC entries

```

1559 \titlecontents{chapter}
1560   [\SUF@tocindent@chap]
1561   {\addvspace{2ex}}
1562   {\hspace{-\SUF@tocindent@chap}%
1563     \makebox[\SUF@label@chapter][1]{\thecontentslabel}%
1564     \hspace*{1em}%
1565   {\hspace{-\SUF@tocindent@chap}%
1566     {\SUF@chaptitlerule\contentspage}%
1567     \addvspace{1ex}}%
1568 \titlecontents{section}
1569   [\SUF@tocindent@sec]
1570   {}%
1571   {\hspace{-\dimexpr(\SUF@label@section+1em)}%
1572     \makebox[\SUF@label@section][1]{\thecontentslabel}\hspace*{1em}%
1573   {\hspace{-\dimexpr(\SUF@label@section+1em)}%
1574     \makebox[\SUF@label@section][1]{\thecontentslabel}\hspace*{1em}%
1575   {\ifsuftesi@article\SUF@chaptitlerule\%
1576     \else\SUF@titlerule\fi\contentspage}%
1577 \titlecontents{subsection}
1578   [\SUF@tocindent@subsec]
1579   {}%
1580   {\hspace{-\dimexpr(\SUF@label@subsection+1em)}%
1581     \makebox[\SUF@label@subsection][1]{\thecontentslabel}\hspace*{1em}%
1582   {\hspace{-\dimexpr(\SUF@label@subsection+1em)}%
1583     \makebox[\SUF@label@subsection][1]{\thecontentslabel}\hspace*{1em}%
1584   {\SUF@titlerule\contentspage}%
1585 \titlecontents{subsubsection}
1586   [\SUF@tocindent@subsubsec]
1587   {}%
1588   {\hspace{-\dimexpr(\SUF@label@subsubsection+1em)}%
1589     \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}%

```

```

1590  {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1591   \makebox[\SUF@label@subsubsection][1]{\thecontentslabel}\hspace*{1em}}%
1592 {\SUF@titlerule\contentspage}%
1593 \titlecontents{paragraph}%
1594 [\SUF@tocindent@par]%
1595 {}%
1596 {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1597 \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}}%
1598 {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1599 \makebox[\SUF@label@paragraph][1]{\thecontentslabel}\hspace*{1em}}%
1600 {\SUF@titlerule\contentspage}%
1601 \titlecontents{subparagraph}%
1602 [\SUF@tocindent@subpar]%
1603 {}%
1604 {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1605 \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}}%
1606 {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1607 \makebox[\SUF@label@subparagraph][1]{\thecontentslabel}\hspace*{1em}}%
1608 {\SUF@titlerule\contentspage}%
1609 \titlecontents{figure}%
1610 [\SUF@tocindent@fig]%
1611 {}%
1612 {\hskip-\SUF@tocindent@fig%%
1613 \makebox[\SUF@label@figure][1]{\thecontentslabel}\hspace*{1em}}%
1614 {}%
1615 {\SUF@titlerule\contentspage}%
1616 \titlecontents{table}%
1617 [\SUF@tocindent@tab]%
1618 {}%
1619 {\hskip-\SUF@tocindent@tab%%
1620 \makebox[\SUF@label@table][1]{\thecontentslabel}\hspace*{1em}}%
1621 {}%
1622 {\SUF@titlerule\contentspage}%
1623 \fi
\tableofcontents With article option the toc, lof and lot are printed as sections.
\listoffigures 1624 \ifsoftesi@article
\listoftables 1625 \renewcommand\tableofcontents{%
1626   \vspace{2ex}%
1627   \section*{\contentsname}%
1628   \mkboth{\contentsname}{\contentsname}%
1629   \thispagestyle{empty}%
1630   \starttoc{toc}%
1631   \vspace{2ex}%
1632 }
1633 \renewcommand\listoffigures{%
1634   \section*{\listfigurename}%
1635   \mkboth{\listfigurename}{\listfigurename}%
1636   \thispagestyle{empty}%
1637   \starttoc{lof}%
1638   \vspace{2ex}%
1639 }
1640 \renewcommand\listoftables{%
1641   \section*{\listtablename}%
1642   \mkboth{\listtablename}{\listtablename}%

```

```

1643      \thispagestyle{empty}
1644      \@starttoc{lot}%
1645      \vspace{2ex}%
1646  }
1647 \else
The default toc, lof and lot are treated as chapters.
1648 \renewcommand\tableofcontents{%
1649     \if@twocolumn
1650         \@restonecoltrue\onecolumn
1651     \else
1652         \@restonecolfalse
1653     \fi
1654     \chapter*{\contentsname}%
1655     \mkboth{%
1656         \contentsname}%
1657         {\contentsname}}%
1658     \thispagestyle{empty}%
1659     \@starttoc{toc}%
1660     \if@restonecol\twocolumn\fi
1661 }
1662 \renewcommand\listoffigures{%
1663     \if@twocolumn
1664         \@restonecoltrue\onecolumn
1665     \else
1666         \@restonecolfalse
1667     \fi
1668     \chapter*{\listfigurename}%
1669     \mkboth{\listfigurename}{%
1670         \listfigurename}}%
1671     \thispagestyle{empty}%
1672     \@starttoc{lof}%
1673     \if@restonecol\twocolumn\fi
1674 }
1675 \renewcommand\listoftables{%
1676     \if@twocolumn
1677         \@restonecoltrue\onecolumn
1678     \else
1679         \@restonecolfalse
1680     \fi
1681     \chapter*{\listtablename}%
1682     \mkboth{%
1683         \listtablename}%
1684         {\listtablename}}%
1685     \thispagestyle{empty}%
1686     \@starttoc{lot}%
1687     \if@restonecol\twocolumn\fi
1688 }
1689 \fi

```

A.20 New commands

\chapterintro A command to typeset an unnumbered section:
1690 \def\chapterintro{

```

1691  \@ifstar{\@tempswafalse\@chapterintro}{\@tempswatrue\@chapterintro}}
1692 \def\@chapterintro{\phantomsection
1693   \if@tempswa\section*\{\SUF@fchapterintroname\}\fi
1694   \addcontentsline{toc}{section}{\SUF@fchapterintroname}
1695 \newcommand{\chapterintroname}[1]{\def\SUF@fchapterintroname{#1}}
1696 \chapterintroname{Introduzione}

\headbreak Active in the table of contents but not in the text.
1697 \newif\ifheadbreak\headbreakfalse
1698 \ DeclareRobustCommand{\headbreak}
1699   {\ifheadbreak\else\fi}

\xheadbreak Active in the text but not in the table of contents.
1700 \newif\ifxheadbreak\xheadbreaktrue
1701 \ DeclareRobustCommand{\xheadbreak}
1702   {\ifxheadbreak\else\fi}

\tableofcontents
1703 \let\origtableofcontents\tableofcontents
1704 \renewcommand{\tableofcontents}{%
1705   \begingroup\headbreaktrue\xheadbreakfalse%
1706   \origtableofcontents\endgroup}

Renew \frontmatter to have arabic page numbering:
1707 \renewcommand\frontmatter{\cleardoublepage\@mainmatterfalse}
1708 \renewcommand\mainmatter{\cleardoublepage\@mainmattertrue}

```

A.21 Backward compatibility

bibliografia An environment to manually typeset the bibliography. (Use `biblatex` instead!)

```

1709 \newenvironment{bibliografia}{%
1710   \ifsuftesi@article
1711     \section*{\refname}
1712     \addcontentsline{toc}{section}{\refname}
1713   \else
1714     \chapter{\libname}%
1715   \fi
1716     \normalfont \list{}{%
1717       \setlength{\itemindent}{-\parindent}
1718       \setlength{\leftmargin}{\parindent}
1719       \setlength{\labelwidth}{\leftmargin}
1720       \setlength{\parsep}{\parskip}
1721       \let\makelabel\relax
1722     \endlist}

```

sigle An environment to manually typeset the list of shorthands. (Use `biblatex` instead!)

```

1723 \newcommand{\losname}{Sigle}
1724 \newcommand{\itlabel}[1]{\itshape\hbox to 6em{#1}}
1725 \newenvironment{sigle}{%
1726   \chapter{\losname}
1727   \normalfont \list{}{%
1728     \setlength{\labelsep}{0.5em}
1729     \setlength{\itemindent}{0pt}
1730     \setlength{\leftmargin}{6em}
1731     \setlength{\labelwidth}{\leftmargin}

```

```

1732      \setlength{\listparindent}{\parindent}
1733      \setlength{\parsep}{\parskip}
1734      \let\makelabel\itlabel}}
1735  {\endlist}

\hemph In a previous version the \hemph command was provided to fix a bug in the hyphenation of some italian expressions like “dell’encyclopaedia”. The bug has been fixed by Claudio Beccari so the \hemph command is provided only for backward compatibility:
1736 \let\hemph\emph

```

A.22 Final settings

The first line of all sections is indented by default using X_ET_EX with italian as main language. Anyway this is incongruous with the T_EX default.

```
1737 \ifxetex\let@afterindenttrue\@afterindentfalse\else\fi
```

Just one touch of french typography:

```

1738 \frenchspacing
</class>
```

Change History

v0.5	General: First public release. The frontispiece of <i>suftesi</i> is now included in the package <i>frontespizio</i> . New option <i>fullplain</i> Changed option <i>sctitles</i> 1	General: Maintenance release, no changes 1	footmisc packages are no longer loaded 1
	New command <i>chapnumfont</i> 10		
	New option <i>compact</i> 11		
	New option <i>elements</i> 11		
	New option <i>nocrop</i> 11		
	New option <i>nomarginpar</i> 11		
	New option <i>sufelements</i> 11		
	New option <i>supercompact</i> 11		
v0.6	General: English documentation. Renamed options <i>plain</i> and <i>fullplain</i> to <i>centerheadings</i> and <i>sufplain</i> 1	General: Maintenance release, no changes 1	General: Maintenance release, no changes. Provided a thesis template 1
	New command \artcolophon ... 9		
	New command \bookcolophon ... 9		
	New option <i>authortitle</i> 11		
v0.6a	General: Maintenance release, no changes 1		
v0.6b	General: Improved full compatibility with X _E T _E X. varioref and		
		v0.6c	General: Added macro for using <i>frontespizio</i> package with <i>compact</i> and <i>supercompact</i> options. 1
			New option <i>periodical</i> 11
		v0.7	Renewed \title command 8
		v0.8	
		v0.9	General: Improved compatibility with <i>mathspec</i> 1
			New option <i>dottedtoc</i> 11
			New option <i>raggedtoc</i> 11
		v0.9a	General: Added inline option to <i>enumitem</i> package. Deleted <i>centertitle</i> option. Deleted <i>sctitles</i> option. Changed code for toc, lot and lof elements. 1
			New command \toclabelspace . 10
			New option <i>alignlist</i> 10

New option centerchap	10	New option smallcapspart	11
New option centerpart	10	New option smallcapssec	11
New option centersec	10	New option smallquotation	10
New option defaultparindent ..	10	New option standardfootnote ..	10
New option dottedchap	11	New option tocpageleft	11
New option dottedfootnote	10	v0.9b	
New option dottedpart	11	General: Changed standardfootnote option and renamed to footnotestyle	4
New option indentlist	10	New command \xfootnote	10
New option italicchap	11	New option fewfootnotes	4
New option italiccheader	11	New option greekfont	4
New option italicpart	11	New option pagestyle	2
New option italicsec	11	New option parindent	8
New option italicsubsec	11	New option partpage	8
New option itstyle(1-12)	11	New option quotationfont	4
New option numparchap	11	New option quotestyle	4
New option numparpart	11	New option tocstyle	3
New option numparsec	11	Restored 11pt and 12pt option to default	1
New option ralignquotation ...	10	The epigraph package is no longer loaded	1
New option rightchap	10	The mparhack package is no longer loaded. It is not compatible with crop	1
New option rightpart	10		
New option rightsec	11		
New option rmstyle(1-6)	11		
New option romanchap	11		
New option scstyle(1-12)	11		
New option smallcapschap	11		
New option smallcapsheader ..	11		

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols			
\@Alph ..	1145, 1158, 1164	\@headtitle	\@plus
\@M	1307	\@idxitem	1107
\@addtoreset .	1278, 1285	\@ifpackageloaded ..	\@restonecolfalse ..
\@afterindentfalse	1737	1091, 1652, 1666, 1679
\@afterindenttrue .	1737	\@ifpackagewith ...	\@restonecoltrue ..
\@arabic	818, 820, 822, 824, 826	\@ifstar	1093, 1650, 1664, 1677
\@author	299,	\@lowpenalty	1644, 1659, 1672, 1686
	303, 954, 985, 1053	\@mainmatterfalse ..	\@tempswafalse ..
\@beginparpenalty .	1304	\@mainmattertrue ..	1691
\@centercr	1258	\@tempswatrue ..
\@chapapp	1144, 1163	\@makefnmark	1691
\@chapterintro ..	1691, 1692	\@makefntext ...	\@textsuperscript ..
\@ctrerr	1275	368,	1005, 1008
\@date	988, 997, 1027, 1056	371, 375, 378, 1006	\@thanks ..
\@dblarg	944	\@makeschapterhead	990, 996, 1020, 1026
\@endparpenalty ..	1307	1098	\@thefnmark ..
\@fnsymbol ..	964, 1004, 1269	\@maketitle	369, 373,
		1011,	376, 379, 1005, 1008
		1013, 1018, 1025, 1030	\@title
			943, 950,
		1100, 1628, 1635,	970, 974, 976, 979,
		1642, 1655, 1669, 1682	1038, 1042, 1044, 1047
			\@titlepagefalse ..
			40
			\@titlepagetrue ..
			459, 461
			\@topnum
			1017

_ 412, 1194, 1196
A
 \abstractname 1306, 1313, 1317, 1323
 \addfontfeature 641, 643
 \Alph 1148
 \alph 331, 338, 345
 \and 999, 1029
 \appendicesname 1109, 1110
 \appendix 1141, 1155, 1160
 \appendixname 1144, 1148, 1163
 \appendixpage 1111
 \arabic 220, 229, 240, 249, 262, 271, 281, 330, 337, 344
 \art@scale 608, 610
 \artcolophon 1348
 \AtBeginDocument 595, 621, 877, 909, 1061, 1368, 1403, 1533
 \author 956
B
 \baselineskip 638, 687, 693, 710, 766, 770, 774, 778, 781
 bibliografia (environment) 1709
 \bibname 911, 917, 925, 1714
 \bookcolophon 1340
C
 \c@chapter ... 1145, 1164
 \c@footnote ... 964, 1004
 \c@paragraph 824
 \c@section 818, 1158
 \c@subparagraph 826
 \c@subsection 820
 \c@subsubsection 822
 \captionsetup 392, 394, 395
 \chapnumfont 644, 646, 652, 654
 \chapter 661, 697, 703, 766, 770, 774, 778, 781, 791, 792, 795, 796, 799, 800, 802, 804, 810, 811, 813, 912, 915, 918, 922, 926, 929, 1146, 1152, 1654, 1668, 1681, 1714, 1726
 \chapterintro 1690
 \chapterintroname 1695, 1696
 \chaptermark . 1173, 1193
 \chaptertitlename . 1194
 \ClassError ... 810, 1270
 \ClassWarningNoLine 947, 951, 955
 \cleardoublepage ... 1122, 1131, 1339, 1347, 1707, 1708
 \clearpage 1108
 \cmdSUF@elements@chapposition 659, 667
 \cmdSUF@elements@chapsize 657, 666
 \arabic 1010
 \col@number 1324
 \colophon 1106
 \columnsep 1105
 \columnseprule 1402
 \contentsmargin ... 1627, 1628, 1654, 1656, 1657
 \contentsname ... 1627, 1628, 1566, 1576, 1584, 1592, 1600, 1608, 1615, 1622
 \contentspage 1121, 1566, 1584, 1592, 1600, 1608, 1615, 1622
 \copyright 1330
 \csname 945
D
 \date 998, 1028
 \DeclareFontFamily .. 609
 \DeclareFontShape .. 610–619
 \DeclareRobustCommand 47, 58, 70, 82, 622, 640, 642, 648, 650, 1698, 1701
 \defbibheading . 879, 882, 885, 889, 893, 896, 899, 901, 904, 911, 914, 917, 921, 925, 928, 931, 934, 938
 \define@choicekey .. . 35, 44, 105, 123, 143, 161, 169, 177, 185, 193, 201, 209, 217, 238, 258, 284, 308, 327, 351, 358, 365, 381, 389, 398, 405, 421, 428, 437, 444, 450, 456, 463, 469
 \definecolor ... 584, 585
E
 \dimen@ 606, 608
 \disable@keys .. 545, 553
 \doublehyphendemerits 1294, 1295
F
 \emph 1736
 \encodingdefault ... 624
 \endcsname 945
 \endlist 1250, 1256, 1266, 1722, 1735
 \endquotation 1321
 \ensuremath .. 1269, 1286
 environments:
 bibliografia ... 1709
 sigle 1723
 theindex 1089
 \ExecuteOptionsX ... 556
 \exhyphenpenalty .. 1293
 \extramarks 677
G
 \fancyfoot 1178, 1204, 1206, 1209, 1214, 1218
 \fancyhead 1179, 1185, 1211, 1212, 1220–1222
 \fancyhf 1177, 1201, 1203, 1208, 1217
 \fancypagestyle 1175, 1201, 1202, 1207, 1216
 \finalcolophon 1353
 \finalhyphendemerits 1295
 \fnsymbol 1279
 \font 605
 \fontencoding ... 595, 623
 \fontfamily 623, 653
 \fontspec 646
 \footnote 963, 1035, 1267, 1276
 \footnoterule . 962, 1170
 \footnotesize .. 361, 412, 961, 1205, 1206, 1210–1212, 1214, 1219–1222, 1291
 \frenchspacing 1738
 \frontmatter 1707
H
 \gdef 943, 1144, 1145, 1158, 1163, 1164
 \global 994– 999, 1017, 1023–1029
 \greektext 622

Gregorio, Enrico 69 \ifsuftesi@numparsec 21, 715 \lineskip 983, 1051, 1292
H 1292 \lineskiplimit 1292
\hb@xt@ 1007 \ifsuftesi@numparsubsec 22, 730 \list 1242,
\headbreak 1698 \ifsuftesi@numparsubsubsec\listfigurename 1252, 1259, 1716, 1727
\headbreakfalse 1697 23, 745 1634, 1635, 1668–1670
\headbreaktrue 1705 \ifsuftesi@pagelefttoc \listoffigures 1633, 1662
\headrulewidth 1169 16, 1401 \listoftables 1640, 1675
\hemph 1736 \ifsuftesi@partpage \listparindent
\hss 1008 18, 827 1242, 1243, 1261, 1732
\ht 607 \ifsuftesi@periodical \listtablename 1641,
\hyphenpenalty 1293 9, 765, 790, 1063, 1076 1642, 1681, 1683, 1684
\ifsuftesi@porson 3, 603 \LoadClass 34
I 1642
\if@mainmatter 1236 \ifsuftesi@raggedtoc 15 \losname
\if@restonecol 25, 969, 1037 882, 889, 896, 914,
1108, 1660, 1673, 1687 \ifsuftesi@smallcapschap 921, 928, 1723, 1726
\if@tempswa 1693 \ifsuftesi@smallcapspart
\if@titlepage 959, 1300 \ifsuftesi@smallcapssec
\if@twocolumn 26, 973, 1041 \mainmatter 1708
1009, 1090, 1312, \ifsuftesi@sufelements
1321, 1649, 1663, 1676 12, 1140 \makelabel 1721, 1734
\ifheadbreak 1697, 1699 \ifsuftesi@sufplain
\ifsuftesi@article 7, 5, 1239 \MakeTextLowercase
260, 809, 876, \ifsuftesi@supercompact 641, 643, 649, 651
972, 1040, 1095, 11, \maketitle 958,
1154, 1195, 1226, 12, 1140 960, 995, 1002, 1024
1575, 1624, 1710 \ifxetex 590, 639, 1737 \Margini 1064, 1067,
\ifsuftesi@authortitle 8, 1227 \ifxheadbreak 1700, 1702 1070, 1077, 1080, 1083
\ifsuftesi@bozza 12, 1140 \ignorespaces 1249, 1255
.. 6, 1205, 1210, 1219 \index 1338 \marginpar 403, 1296, 1297
\ifsuftesi@centerheader 4, 1238 \indexname 1096, 1098, 1100 \marginparsep
..... 4, 1238 \item 1107, 1247, 1254, 1264 668, 1182, 1188
\ifsuftesi@cmfont 2, 596 \itemindent 1243, \marginparwidth
\ifsuftesi@compact 1243, 1183, 1188, 1189
..... 10, \itemsep 1259 \markboth 881, 884,
769, 794, 1066, 1079 \itlabel 1724, 1734 888, 892, 913, 916,
\ifsuftesi@dottedtoc 14 \itshape 181, 189, 920, 924, 1173, 1194
\ifsuftesi@elementschap 181, 189, \markright
..... 27, 761 \itshape 197, 205, 213, 315, 895, 898, 927, 930,
\ifsuftesi@elementsheader 316, 326, 683, 866, 933, 937, 1174, 1196
..... 28, 1172, 1240, 1289 \labelitemi 324 Miede, André 69
\ifsuftesi@elementspagelay \labelitemi 324 \newlength 637, 1363,
..... 30, 777 \labelsep 1728 1366, 1369–1376,
\ifsuftesi@elementsstructur \labelwidth 1719, 1731 1404–1419, 1534–1541
..... 29 \LARGE 1128 \noindent
\ifsuftesi@fewfootnotes \Large 47, 662 1006, 1249, 1330,
..... 17, 1268 \LaTeX 1334 1334, 1344, 1346, 1352
\ifsuftesi@nocrop 13, 626 \leftmargin 1244, Nowacki, Janusz M. 2
\ifsuftesi@numparchap 20, 696, 709 1252, 1262, 1263, \nr 35, 37, 44, 46, 105,
\ifsuftesi@numparpart 19, 833, 847 1718, 1719, 1730, 1731 107, 123, 125, 143,
..... 372 145, 161, 162, 169,
..... 372 170, 177, 178, 185,
..... 372 186, 193, 194, 201,
..... 372 202, 209, 210, 217,
..... 372 219, 238, 239, 258,

261, 284, 287, 308,	\roman 223, 232, 243, 252,	\SUF@addto@tochang@par
310, 327, 329, 351,	265, 274, 332, 339, 346 1416,
353, 358, 360, 365,	\rule 673, 1151	1444, 1447, 1500, 1503
367, 381, 383, 389,		\SUF@addto@tochang@sec
391, 398, 400, 405,	S 1413,
407, 421, 423, 428,	\sbox 604, 605	1438, 1441, 1470, 1473
430, 437, 439, 444,	\section 676, 681, 716,	\SUF@addto@tochang@subpar
445, 450, 452, 456,	721, 723, 728, 880,	1417, 1446, 1510, 1513
458, 463, 465, 469, 477	883, 886, 890, 894,	\SUF@addto@tochang@subsec
\numexpr 607	897, 932, 935, 939, 1414,
	1096, 1313, 1627,	1440, 1443, 1480, 1483
O	1634, 1641, 1693, 1711	\SUF@addto@tochang@subsubsec
\oldfootnote	\sectionmark 1415,
... 1267, 1279, 1286	... 1174, 1196, 1198	1442, 1445, 1490, 1493
\oldmarginpar 1296, 1297	\sectionsep . 637, 638,	\SUF@addto@tochang@tab
\onecolumn	721, 728, 736, 743,	... 1419, 1450, 1528
1108, 1650, 1664, 1677	751, 758, 831, 868, 875	\SUF@ADJnumparchap .
\origtableofcontents	\setlength 710,
..... 1703, 1706	440, 442, 638, 664,	712, 791, 795, 799, 803
	1176, 1364, 1365,	\SUF@appendices ...
P	1367, 1377, 1379,	... 1109, 1124, 1128
\p@ 607, 966, 1104, 1106, 1246	1381, 1383, 1385,	\SUF@appendixpage ..
\pagestyle 1168, 1237–1240	1387, 1389, 1391, 1111, 1112
Pantieri, Lorenzo	1420, 1422, 1424,	\SUF@CHAP@StyleSwitch
69	1426, 1428, 1430,	187, 189, 191, 701, 707
\paragraph	1432, 1434, 1436,	\SUF@chapnumfont ...
862, 868	1438, 1440, 1442, 645, 653, 665
\parsep .. 1246, 1720, 1733	1444, 1446, 1448,	\SUF@chaptersize ...
\parskip .. 1104, 1720, 1733	1450, 1542, 1544,	... 47, 58, 70, 82,
\part	1546, 1548, 1550,	698, 704, 835, 841,
830,	1552, 1554, 1556,	849, 855, 968, 1036
831, 834, 840, 848, 854	1717–1720, 1728–1733	\SUF@chaptitlerule .
\partname ... 836, 842,	\setlist 325, 326, 330– 409,
850, 856, 1134, 1396	335, 337–342, 344–349	413, 417, 1566, 1575
\PassOptionsToClass . 31	\sfdefault	\SUF@default@CHAPTER
\phantomsection ... 1692	601 695, 788
\ProcessOptionsX ... 582	sigle (environment) . 1723	\SUF@default@SECTIONS
\protect ... 947, 951, 955	\small .. 363, 961, 983, 714, 789
\put 667, 1181, 1187	988, 1051, 1056,	\SUF@dotchap
	1148, 1150, 1315,	... 241, 244, 247,
Q	1334, 1346, 1352, 1358	250, 253, 256, 699, 705
\quotation 1319	\standardtitle 958	\SUF@dotpart ... 221,
	\strip@pt 608	224, 227, 230, 233,
R	\subparagraph .. 869, 875	236, 836, 842, 850, 856
\raggedleft .. 1189, 1298	\subsection	\SUF@dotsec
\raggedright	682, 687, 731, 736,	263, 266, 269, 272,
... 1102, 1183, 1299	738, 743, 900, 902, 905	275, 278, 282, 718, 725
\refname 879, 885, 893,	\subsubsection .. 688,	\SUF@elements@CHAPTER
899, 901, 904, 931,	693, 746, 751, 753, 758 660, 763
934, 938, 1711, 1712	\SUF@addto@tochang@chap	\SUF@elements@SECTIONS
\renewenvironment ..	1412, 1436, 1439, 675, 764
1089, 1241, 1251, 1257	1449, 1451, 1458, 1463	\SUF@fchapterintroname
\rightmargin .. 354, 1262	\SUF@addto@tochang@fig 1693–1695
\rightmark 1418, 1448, 1520	
. 288, 292, 1189, 1236		
\rlap 1005		
\Roman		
226,		
235, 246, 255, 268, 277		

\SUF@greekfamily ...	\SUF@lr@SECSwitch ..	\SUF@tochang@chap ..
... 431, 433, 435, 623	... 146, 148, 150, 1404,
\SUF@headingsmallcaps	152, 155, 158, 717, 724	1420, 1423, 1433,
... 319–321, 642, 650	\SUF@lr@SUBSECSwitch	1435, 1454, 1456, 1461
\SUF@label@chapter .	163, 165, 167, 732, 739	\SUF@tochang@fig ...
.... 1363–1365,	\SUF@lr@SUBSUBSECSwitch	1410, 1432, 1517, 1519
1378, 1380, 1421,	171, 173, 175, 747, 754	\SUF@tochang@par ...
1449, 1451, 1459,	\SUF@mpsetup 1408, 1428,
1543, 1555, 1557, 1563	... 1288, 1298, 1299	1431, 1497, 1499, 1502
\SUF@label@figure ..	\SUF@PART@StyleSwitch	\SUF@tochang@sec ...
... 1375, 1389, 1613 179, 181, 1405, 1422,
\SUF@label@paragraph	183, 836, 838, 842,	1425, 1467, 1469, 1472
1373, 1385, 1388,	844, 850, 852, 856, 858	\SUF@tochang@subpar
1429, 1445, 1501,	\SUF@quotation@size 1409,
1504, 1551, 1596–1599 361,	1430, 1507, 1509, 1512
\SUF@label@part	363, 1248, 1255, 1265	\SUF@tochang@subsec
1135, 1369, 1377, 1397	\SUF@quote@style 1406, 1424,
\SUF@label@section .	. 354, 356, 1245, 1253	1427, 1477, 1479, 1482
1370, 1379, 1382,	\SUF@Rheadstyle	\SUF@tochang@subsubsec
1390, 1392, 1423, 288, 292, 1407, 1426,
1439, 1449, 1451,	298, 302, 311, 315, 319	1429, 1487, 1489, 1492
1471, 1474, 1545,	\SUF@rightmark	\SUF@tochang@tab ...
1555, 1557, 1571–1574	... 288, 292, 298,	1411, 1434, 1525, 1527
\SUF@label@subparagraph	302, 1211, 1221, 1230	\SUF@tocindent@chap
.... 1374, 1387,	\SUF@SEC@StyleSwitch 1534,
1431, 1447, 1511,	195, 197, 199, 720, 727	1542, 1545, 1555,
1514, 1553, 1604–1607	\SUF@SUBSEC@StyleSwitch	1557, 1560, 1562, 1565
\SUF@label@subsection	203, 205, 207, 735, 742	\SUF@tocindent@fig .
1371, 1381, 1384,	\SUF@SUBSUBSEC@StyleSwitch	1540, 1554, 1610, 1612
1425, 1441, 1481,	211, 213, 215, 750, 757	\SUF@tocindent@par .
1484, 1547, 1580–1583	\SUF@thechapter	1538, 1550, 1553, 1594
\SUF@label@subsubsection 240, 243,	\SUF@tocindent@sec .
1372, 1383, 1386,	246, 249, 252, 255,	1535, 1544, 1547, 1569
1427, 1443, 1491,	669, 699, 705, 1194	\SUF@tocindent@subpar
1494, 1549, 1588–1591	\SUF@thepage 313, 317,	... 1539, 1552, 1602
\SUF@label@table 1376,	321, 1206, 1214, 1220	\SUF@tocindent@subsec
1391, 1521, 1529, 1620	\SUF@theprt ... 220,	1536, 1546, 1549, 1578
\SUF@leftmark 289, 293,	223, 226, 229, 232,	\SUF@tocindent@subsubsec
299, 303, 1228, 1233	235, 836, 842, 850, 856	1537, 1548, 1551, 1586
\SUF@leftrightmark .	\SUF@thesection	\SUF@tocindent@tab .
.... 289, 293, 1235	... 262, 265, 268,	1541, 1556, 1617, 1619
\SUF@Lheadstyle	271, 274, 277, 281,	\SUF@versionstring .
.... 289, 293,	718, 725, 1158, 1196	1171, 1205, 1210, 1219
299, 303, 312, 316, 320	\SUF@titlerule	\suftesi@articletrue 39
\SUF@lr@CHAPSwitch 408, 412, 416,	\suftesi@authortitletrue
... 126, 128, 130,	1576, 1584, 1592, 297, 301
132, 135, 138, 698, 704	1600, 1608, 1615, 1622	\suftesi@bozzattrue . 466
\SUF@LR@MarkSwitch .	\SUF@titlesmallcaps	\suftesi@centerheadertrue
.... 1213,	... 183, 191, 199, 291, 304
1223, 1228, 1230, 1233	207, 215, 640, 648,	\suftesi@cmfonttrue 425
\SUF@lr@PARTSwitch .	672, 680, 970, 974,	\suftesi@compacttrue 69
.... 108,	1038, 1042, 1148, 1150	\suftesi@dottedtocttrue
110, 112, 114, 117,	\SUF@tochang 411
120, 835, 841, 849, 855	1366, 1367, 1421, 1437	

```

\suftesi@elementschaptrue \thanks 963, 994, 1023, 1035
..... 141 \thechapter .. 1145, 1164
\suftesi@elementsheadertrue \thecontentslabel ..
..... 306 1135, 1397, 1459,
\suftesi@elementspagelayouttrue 1471, 1474, 1481,
..... 93 1484, 1491, 1494,
\suftesi@fewfootnotestrue 1501, 1504, 1511,
..... 384 1514, 1521, 1529,
\suftesi@nocroptrue 1563, 1572, 1574,
\suftesi@numparchaptrue 1581, 1583, 1589,
..... 133, 136, 139 1591, 1597, 1599,
\suftesi@numparparttrue 1605, 1607, 1613, 1620
..... 115, 118, 121 \thecontentspage 1457,
\suftesi@numparsecttrue 1462, 1470, 1473,
..... 153, 156, 159 1480, 1483, 1490,
\suftesi@pagelefttoctrue 1493, 1500, 1503,
..... 419 1510, 1513, 1520, 1528
\suftesi@partpagetrue \thefootnote ..
..... 446 964, 1004, 1279, 1286
\suftesi@periodicaltrue \theindex (environment)
..... 57 ..... 1089
\suftesi@raggedtoctrue \thepage 313, 317, 321, 1178
..... 415 \theparagraph 823, 826, 864
\suftesi@sufplaintrue \thesection . 678, 817, 820
..... 295 \thesubparagraph 825, 871
\suftesi@supercompacttrue \thesubsection ..
..... 81 684, 733, 740, 819, 822
\textbf{T} \thesubsubsection ..
..... 690, 748, 755, 821, 824
\tableofcontents ... \title .. 943–945, 948, 952
..... 1625, 1648, 1703, 1704 \titleclass ..
\temp ..... 605 \titlecontents ..
\textbullet ..... 324 1114, 1132, 1394,
\textcolor ..... 669 1453, 1466, 1476,
\textls ..... 649, 651 1486, 1496, 1506,
\textnormal . 678, 684, 1516, 1524, 1559,
..... 690, 733, 740, 748, 755 1568, 1577, 1585,
\textsc ..... 223, 1593, 1601, 1609, 1616
..... 232, 243, 252, 265, 274 \titleformat ..
\textsf ..... 1337 ... 661, 676, 682,
\textsuperscript ... 379 688, 697, 703, 716,
\texttt ..... 1171 723, 731, 738, 746,

```

U

```

\unitlength ... 664, 1176

```

V

```

\val .. 35, 44, 105, 123,
143, 161, 169, 177,
185, 193, 201, 209,
217, 238, 258, 284,
308, 327, 351, 358,
365, 381, 389, 398,
405, 421, 428, 437,
444, 450, 456, 463, 469

```

X

```

\xfootnote ..... 1282
\xheadbreak ..... 1701
\xheadbreakfalse 1211,
1212, 1221, 1222, 1705
\xheadbreaktrue ... 1700

```

Y

```

\year ..... 1330

```

Z

```

Zapf, Hermann ..... 2

```