

User's Guide to `suftesi`*

A document class for typesetting theses, books and articles

Ivan Valbusa
`ivan dot valbusa at univr dot it`

2012/08/31

Abstract

The `suftesi` class provides a set of page layouts, title styles and heading styles to typeset theses, books and articles. It is based on the standard `book` class and inspired by the works of Bringhurst (1996), Tschichold (1975) and Morison (1936). See the template file `tesi.tex` in the `example` folder.

Contents

1	Class features	3
1.1	Layout	3
1.2	Font	3
1.2.1	Using different fonts	3
1.2.2	Greek alphabet	3
1.3	Frontispiece	4
2	Options	4
2.1	Page layouts	4
2.2	Table of contents	4
2.3	Footnotes, lists, quotations	2
2.4	Titles	2
2.5	Headings	2
2.6	Fonts	6
2.7	Pre-defined styles	6
3	New commands	7
	References	39
A	The Code	39
A.1	Basic packages	46
A.2	Greek fonts	46
A.3	Page layout	47
A.4	Section titles	48
A.4.1	<code>biblatex</code> settings	55

*This document corresponds to `suftesi` v0.9a dated 2012/08/31

A.5	Title page	56
A.6	The frontispiece	59
A.7	Appendix	59
A.8	Headings	61
A.9	Text elements	63
A.9.1	Captions	63
A.9.2	Epigraphs	63
A.9.3	Lists	63
A.9.4	Block Quotations	64
A.9.5	Notes	65
A.9.6	Abstract	66
A.9.7	Colophon	66
A.10	TOC, LOF, LOT	67
A.10.1	The <code>dottedtoc</code> and <code>raggedtoc</code> options	67
A.10.2	The <code>tocpageleft</code> table of contents	68
A.10.3	The default table of contents	71
A.11	New commands	74
A.12	Backward compatibility	75
A.13	Final settings	75
A.14	The bibliography file	75

Note on copyright

Copyright © 2009-2010 Ivan Valbusa. This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c.¹

In addition to the terms of this license the author requires an attribution notice like the following one:

*This work has been typeset with L^AT_EX, using the `suftesi` class by Ivan Valbusa.*²

The most important feature of this class is the set of styles it provides. For this reason:

**DO NOT MODIFY THE STYLES OF THIS CLASS
IF YOU DO NOT LIKE THESE STYLES, USE ANOTHER CLASS.**

If you use `suftesi` in a document typeset with another class (for example `book`), remember to clean up the preamble from all the layout redefinitions.

Loaded packages

The class loads the following packages: `beramono`, `calc`, `caption`, `color`, `enumitem`, `emptypage`, `epigraph`, `fancyhdr`, `fontenc`, `geometry`, `ifluatex`, `ifxetex`, `iwona`, `mathpazo`, `microtype`, `mparhack`, `multicol`, `textcase`, `titlesec`, `titletoc`.

¹<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>.

²You can use the `\colophon`, `\bookcolophon` or `\artcolophon` commands explained in section 3.

1 Class features

1.1 Layout

The standard document classes allow you to typeset beautiful documents but their layout is quite far from the stylistic requests of some humanists (mainly Italian). The styles provided by **suftesi** are very simple and sober and also have the aim of finding an aesthetic harmony in its formal simplicity. They are largely inspired by some interesting readings, particularly Bringhurst (1996), Tschichold (1975) and Morison (1936). Table 1 summarizes the main features of the styles provided by **suftesi**.

Table 1: The layouts of **suftesi**

	Option (pt)					
	(default)	11pt	compact	supercompact	elements	periodical
Text width	312	324	312	284	251	312
Text height	624	648	470	430	502	470
Marginal notes width	82	82	65	50	60	70
Margins	Proportions					
top/bottom	1/2	1/2	2/3	2/3	2/5	2/3
inner/outer	1/2	1/2	2/3	2/3	1/2	2/3
Text block	1/2	1/2	2/3	2/3	1/2	2/3
Page	$1/\sqrt{2}$	$1/\sqrt{2}$	2/3	2/3	$1/\sqrt{3}$	$1/\sqrt{2}$

1.2 Font

The default font for body text is Palatino designed by Hermann Zapf. Using \LaTeX , the \LaTeX default font is loaded and the font options are turned off. The sans serif font is Iwona designed by Janusz M. Nowacki. This choice has been inspired by *L'arte di scrivere con \text{\LaTeX}* (Pantieri and Gordini 2011).

1.2.1 Using different fonts

If you prefer to use other fonts (such as those provided by **fourier**, **lmodern** or **libertine** packages), remember to load the **defaultfont** class option which turns off the **suftesi** font settings. Moreover pay particular attention in choosing the Greek font.

1.2.2 Greek alphabet

The default font for the Greek text is Artemisia by the Greek Font Society which is particularly suitable for Palatino:

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει
να σκεφτούμε μια συναρτηση της οποιας γνωριζουμε οτι υπαρχει το
ολοκληρωμα.

With the **porson** option you can use the Porson font by the Greek Font Society:

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωριζουμε οτι υπαρχει το ολοκληρωμα.

The `defaultgreek` option allows you to use the standard CB Greek font:³

Alla Natura che ogni cosa dona e ogni cosa riprende... Πρέπει να σκεφτούμε μια συναρτηση της οποιας γνωριζουμε οτι υπαρχει το ολοκληρωμα.

1.3 Frontispiece

The class has an original frontispiece now directly available loading the `frontespizio` package (Gregorio 2009)⁴ with the `suftesi` option (see the `tesi.tex` template file in the `example` folder):

```
\usepackage[suftesi]{frontespizio}
```

2 Options

In addition to the options defined by the `book` document class, `suftesi` accepts the following new options.

2.1 Page layouts

<code>periodical</code>	Prints a typeblock of 17cm × 24cm on an A4 paper, showing the crop marks (see table 1 for details). This style is especially meant for theses. The <code>nocrop</code> option disables the crop marks.
<code>compact</code>	The same as <code>periodical</code> but with a typeblock of 16cm × 24cm (see table 1 for details).
<code>supercompact</code>	The same as <code>compact</code> but with a typeblock of 14cm × 21cm (see table 1 for details).
<code>elements</code>	Reproduces the layout of <i>The Elements of Typographyc Style</i> by Robert Bringhurst (see table 1 for details).

2.2 Table of contents

<code>dottedtoc</code>	Prints a table of contents with dotted lines.
<code>raggedtoc</code>	Aligns the table of contents on the left as suggested by Bringhurst (1996).
<code>tocpageleft</code>	Prints the page numbers on the left margin.

³This option is also activated by the `defaultfont` option (see section 2).

⁴Version 1.4 or later.



University of St. Anford
Department of Typography

Ph.D. degree in T_EX and L^AT_EX

How to prepare a formal frontispiece

Theory and practice

Candidate:
Enrico Gregorio

Thesis advisor:
Prof. R. J. Drofnats

Research supervisors:
J. H. Quick
B. L. User

Thesis submitted in 2010

2.3 Footnotes, lists, quotations

<code>standardfootnote</code>	Prints a standard superscript footnote
<code>dottedfootnote</code>	Prints a footnote number followed by a dot
<code>indentlist</code>	Prints standard indented lists
<code>alignlist</code>	Aligns the lists to the left margin
<code>ralignquotation</code>	Prints the block quotations indented only on the left margin
<code>smallquotation</code>	Prints the block quotations in <code>\small</code> size
<code>defaultparindent</code>	Set <code>\parindent</code> to the standard value of 1.5em.

2.4 Titles

In the following options `<level>` stands for `part`, `chap`, `sec`, `subsec`, `subsubsec`

<code>centerpart</code>	Centers the title of the part
<code>centerchap</code>	Centers the title of the chapter
<code>centersec</code>	Centers the title of the section
<code>rightpart</code>	Prints the title of the part on the right
<code>rightchap</code>	Prints the title of the chapter on the right
<code>rightsec</code>	Prints the title of the section on the right
<code>numparpart</code>	Prints the part number below the part title
<code>numparchap</code>	Prints the chapter number below the chapter title
<code>numparsec</code>	Prints the section number below the section title
<code>smallcapspart</code>	Prints the part title in small caps
<code>smallcapschap</code>	Prints the chapter title in small caps
<code>smallcapssec</code>	Prints the section title in small caps
<code>italicpart</code>	Prints the part title in italic
<code>italicchap</code>	Prints the chapter title in italic
<code>italicsec</code>	Prints the section title in italic
<code>italicsubsec</code>	Prints the subsection title in italic
<code>romanchap</code>	Prints the number of the chapter in roman numbers
<code>dottedpart</code>	Prints a dot after the number of the part
<code>dottedchap</code>	Prints a dot after the number of the chapter

2.5 Headings

<code>italicheader</code>	Prints the header of both even and odd pages in italic
<code>smallcapsheader</code>	Prints the header of both even and odd pages in small caps
<code>centerheader</code>	Centers the header and footer
<code>sufplain / plain</code>	Prints no header and puts the page number in the center of the footer
<code>authortitle</code>	Changes the content of the headers. It prints the author's name on the even pages and the title on the odd ones. This option can be combined with the other options

seen above. In order to use this option the `\title` and `\author` commands are required

article Similar to default page style but with section title on both even and odd pages. It is particularly suitable to typeset articles or short theses (that is without chapter division) in a two side document

bozza Prints the following note in the footer:

Version of *\date*

sufelements Loads the `smallcapsheader`, `smallcapschap`, `smallcapssec` options and prints the chapter number in the style of the `elements` option.

2.6 Fonts

artemisia Loads the Artemisia font (default).

porson Loads the Porson font.

defaultgreek Loads the standard CB Greek font.

defaultfont Loads the L^AT_EX standard font and set the `\baselineskip` to the standard default.

Other options

nocrop Prints a PDF with page dimensions according to the `periodical`, `compact`, `supercompact` and `elements` options.

nomarginpar Disables the `\marginpar` command. This option is useful for the three “compact” layouts.

11pt Sets the font size at 11pt and resizes the text block dimensions.

12pt Sets the font size at 12pt and resizes the text block dimensions.

2.7 Pre-defined styles

rmstyle(1-6) The titles of chapters and headers are printed in roman. The number of the chapter is on the same line in styles 1-3 and above the title in styles 4-6. The title can be printed on the left (styles 1 and 4), in the center (styles 2 and 5) or on the right (styles 3 and 6) (see pages 8-).

itstyle(1-12) The titles of chapters and headers are in *italic*. The section title is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the number as above (see pages 8-).

scstyle(1-12) The titles of chapters and headers are in SMALL CAPS. The title of the section is in *italic* in styles 1-6 and in SMALL CAPS in styles 7-12. There are three position for the title and two positions for the chapter as above (see pages 8-).

You can get up to 120 variants combining these styles with `dottedchap` and `romanchap` options.

3 New commands

The class defines the following new commands.

`\title[<short title for headers> <complete title for titlepage>]`

This command is for use with option `authortitle` if the title is too long or has some breaks.

`\colophon[<OS> <name and surname> <additional info>]`

This command is provided only for Italian documents. It prints a page with a copyright notice and the colophon in the bottom. For different languages use the `\bookcolophon` instead (see below).

If you don't like the copyright notice, leave the second argument of the command empty:

`\colophon[<OS> <additional info>]`

With the `article` option, you can use the `\artcolophon` command (see below) or the `\thanks` command:

```
\author{<Name Surname>}
\thanks{This work has been typeset with  $\LaTeX$ ,
using the \textsf{suftesi} class by Ivan Valbusa.}
```

`\bookcolophon{<copyright notice> <attribution notice and other informations>}`

This command is similar to `\colophon` but it is completely customizable. The first argument prints its content (usually the copyright notice) in the center of the page. The second argument prints its content at the bottom. For example:

```
\bookcolophon{Copyright © 2007 by Ivan Valbusa}{This work has been
typeset with \LaTeX, using the \sty{suftesi} class by Ivan
Valbusa\index{Valbusa, Ivan}. The normal font is Palatino by Hermann
Zapf. The sans serif font is Iwona by Janusz M.~Nowacki.}
```

`\artcolophon{<copyright notice, attribution and other informations>}`

This command only has one argument. It simply prints its content at the bottom of the page. Here is an example:

```
\artcolophon{This work is licensed under the Creative Commons
Attribution-NonCommercial-NoDerivs 3.0 Unported License. To view
a copy of this license, visit
\begin{center}
\texttt{http://creativecommons.org/licenses/by-nc-nd/3.0/}
\end{center}
or send a letter to Creative Commons, 444 Castro Street, Suite 900,
Mountain View, California, 94041, USA.\\[1ex]}
```

Typeset with `\LaTeX`, using the `\sty{suftesi}` class by Ivan Valbusa.

`\finalcolophon{<colophon content>}`

The same as `\artcolophon`, but centering its content at the top of the page. It is aimed at typesetting a classical *colophon* at the end of the work.

`\chapterintro`

Prints an unnumbered introduction at the beginning of the chapter, with the correct hyperlink. In order to use this command the `hyperref` package must be loaded.

`\chapterintraname{<name>}` (default=Introduzione)

Changes in `<name>` the title printed by the `\chapterintro` command.

`\appendicesname{<name>}` (default=Appendici)

Changes in `<name>` the title printed by the `\appendix` command.

`\headbreak`

A manual break which is active for the table of contents but not in the text or in the headers.

`\xheadbreak`

A manual break which is active in the text and in the headers but not in the table of contents.

`\chapnumfont{<name>}`

Sets the font for the number of the chapter (only with the `sufelements` option). The default is “pplj” (L^AT_EX) or “Palatino” (X_ƎL^AT_EX).

`\toclabelspace{<level>}{<label-width>}`

Sets the width of `\thecontentslabel`. The default values are:

```
\toclabelwidth{part}{1em}
\toclabelwidth{chapter}{1em}
\toclabelwidth{section}{1.5em}
\toclabelwidth{subsection}{2em}
\toclabelwidth{subsubsection}{2.5em}
\toclabelwidth{paragraph}{3em}
\toclabelwidth{subparagraph}{3.5em}
```

I Titolo del capitolo

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

1.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Titolo del capitolo

I.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Titolo del capitolo

1.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Titolo del capitolo

1.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I *Titolo del capitolo*

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

1.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

*Titolo del capitolo*I.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.1.1 *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

*Titolo del capitolo**1.1 Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

*Titolo del capitolo**1.1 Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I *Titolo del capitolo*

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Titolo del capitolo

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Titolo del capitolo

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Titolo del capitolo

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I TITOLO DEL CAPITOLO

I.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

1.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

1.1 *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1.1 Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

I.I *Dolor sit amet*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I Peniteitiagite

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I TITOLO DEL CAPITOLO

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I TITOLO DEL CAPITOLO

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

TITOLO DEL CAPITOLO

I.I DOLOR SIT AMET

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

I.I.I *Peniteitiagite*

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

References

This bibliography has been typeset with the biblatex-philosophy styles, created by the same author of this class.

- Bringhurst, Robert (1996), *The Elements of Typographic Style*, 2nd ed., Hurtley & Marks Publisher, Vancouver.
- Gregorio, Enrico (2009), *Il pacchetto frontespizio*, version 1.1, <http://www.guit.sssup.it/phpbb/index.php>.
- Miede, André (2011), *A Classic Thesis style*, <http://www.ctan.org/tex-archive/macros/latex/contrib/classicthesis/ClassicThesis.pdf>.
- Morison, Stanley (1936), *First Principles of Typography*, Cambridge University Press, Cambridge; trans. *I principi fondamentali della tipografia*, Fabrizio Serra editore, Pisa-Roma 2008.
- Pantieri, Lorenzo and Tommaso Gordini (2011), *L'arte di scrivere con L^AT_EX. Un'introduzione a L^AT_EX 2_ε*, with a forew. by Enrico Gregorio, new edition, http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf.
- Tschichold, Jan (1975), *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*, Birkhäuser Verlag, Basel; trans. *La forma del libro*, Sylvestre Bonnard, Milano 2003.

A The Code

```
<*class>
1 \newif\ifsuftesi@artemisias
2 \newif\ifsuftesi@porson
3 \newif\ifsuftesi@defaultgreek
4 \newif\ifsuftesi@defaultfont
5 \newif\ifsuftesi@centerheader
6 \newif\ifsuftesi@sufplain
7 \newif\ifsuftesi@bozza
8 \newif\ifsuftesi@article
9 \newif\ifsuftesi@authortitle
10 \newif\ifsuftesi@periodical
11 \newif\ifsuftesi@compact
12 \newif\ifsuftesi@supercompact
13 \newif\ifsuftesi@elements
14 \newif\ifsuftesi@sufelements
15 \newif\ifsuftesi@nocrop
16 \newif\ifsuftesi@nomarginpar
17 \newif\ifsuftesi@dottedtoc
18 \newif\ifsuftesi@raggedtoc
19 \newif\ifsuftesi@tocpageleft
20 \newif\ifsuftesi@defaultparindent
21 \newif\ifsuftesi@standardfootnote
22 \newif\ifsuftesi@dottedfootnote
23 \newif\ifsuftesi@alignlist
24 \newif\ifsuftesi@indentlist
25 \newif\ifsuftesi@ralignquotation
26 \newif\ifsuftesi@smallquotation
27 \newif\ifsuftesi@romanchap
28 \newif\ifsuftesi@centerpart
```



```

29 \newif\ifsuftesi@centerchap
30 \newif\ifsuftesi@centersec
31 \newif\ifsuftesi@centersubsec
32 \newif\ifsuftesi@rightpart
33 \newif\ifsuftesi@rightchap
34 \newif\ifsuftesi@rightsec
35 \newif\ifsuftesi@rightsubsec
36 \newif\ifsuftesi@centersubsubsec
37 \newif\ifsuftesi@rightsubsubsec
38 \newif\ifsuftesi@numparpart
39 \newif\ifsuftesi@numparchap
40 \newif\ifsuftesi@numparsec
41 \newif\ifsuftesi@numparsubsec
42 \newif\ifsuftesi@numparsubsubsec
43 \newif\ifsuftesi@dottedpart
44 \newif\ifsuftesi@dottedchap
45 \newif\ifsuftesi@italicpart
46 \newif\ifsuftesi@italicchap
47 \newif\ifsuftesi@italicsec
48 \newif\ifsuftesi@italicsubsec
49 \newif\ifsuftesi@italicsubsubsec
50 \newif\ifsuftesi@smallcapspart
51 \newif\ifsuftesi@smallcapschap
52 \newif\ifsuftesi@smallcapssec
53 \newif\ifsuftesi@smallcapssubsec
54 \newif\ifsuftesi@smallcapssubsubsec
55 \newif\ifsuftesi@italicLhead
56 \newif\ifsuftesi@italicRhead
57 \newif\ifsuftesi@italicheader
58 \newif\ifsuftesi@smallcapsRhead
59 \newif\ifsuftesi@smallcapsLhead
60 \newif\ifsuftesi@smallcapsheader
61 \DeclareOption{defaultfont}{
62   \suftesi@defaultfonttrue
63   \suftesi@defaultgreektrue}
64 \DeclareOption{artemisias}{
65   \suftesi@artemisiatrue
66   \suftesi@porsonfalse
67   \suftesi@defaultgreekfalse}
68 \DeclareOption{porson}{
69   \suftesi@porsontrue
70   \suftesi@artemisiafalse
71   \suftesi@defaultgreekfalse}
72 \DeclareOption{defaultgreek}{
73   \suftesi@defaultgreektrue
74   \suftesi@artemisiafalse
75   \suftesi@porsonfalse}
76 \DeclareOption{centerheader}{
77   \suftesi@centerheadertrue}
78 \DeclareOption{sufplain}{
79   \suftesi@sufplaintrue}
80 \DeclareOption{bozza}{
81   \suftesi@bozzatrue}
82 \DeclareOption{periodical}{

```

```

83     \suftesi@periodicaltrue
84     \suftesi@compacttrue}
85 \DeclareOption{compact}{
86     \suftesi@compacttrue}
87 \DeclareOption{supercompact}{
88     \suftesi@supercompacttrue}
89 \DeclareOption{elements}{
90     \suftesi@elementstrue
91     \suftesi@suelementstrue
92     \suftesi@articlefalse
93     \suftesi@smallcapschaptrue
94     \suftesi@smallcapssectrue
95     \suftesi@raggedtoctrue
96     }
97 \DeclareOption{suelements}{
98     \suftesi@suelementstrue
99     \suftesi@smallcapschaptrue
100    \suftesi@smallcapssectrue
101    \suftesi@compactfalse
102    \suftesi@supercompactfalse}
103 \DeclareOption{nocrop}{
104     \suftesi@nocroptrue}
105 \DeclareOption{nomarginpar}{
106     \suftesi@nomarginpartrue}
107 \DeclareOption{article}{
108     \suftesi@articletrue}
109 \DeclareOption{authortitle}{
110     \suftesi@authortitletrue}
111 \DeclareOption{dottedtoc}{
112     \suftesi@dottedtoctrue}
113 \DeclareOption{raggedtoc}{
114     \suftesi@raggedtoctrue}
115 \DeclareOption{tocpageleft}{
116     \suftesi@tocpagelefttrue}
117 \DeclareOption{defaultparindent}{
118     \suftesi@defaultparindenttrue}
119 \DeclareOption{standardfootnote}{
120     \suftesi@standardfootnotetrue}
121 \DeclareOption{dottedfootnote}{
122     \suftesi@dottedfootnotetrue}
123 \DeclareOption{alignlist}{
124     \suftesi@alignlisttrue}
125 \DeclareOption{indentlist}{
126     \suftesi@indentlisttrue}
127 \DeclareOption{ralignquotation}{
128     \suftesi@ralignquotationtrue}
129 \DeclareOption{smallquotation}{
130     \suftesi@smallquotationtrue}
131 \DeclareOption{centerpart}{
132     \suftesi@centerparttrue}
133 \DeclareOption{centerchap}{
134     \suftesi@centerchaptrue}
135 \DeclareOption{centersec}{
136     \suftesi@centersectrue}

```

```

137 \DeclareOption{rightpart}{
138     \suftesi@rightparttrue}
139 \DeclareOption{rightchap}{
140     \suftesi@rightchaptrue}
141 \DeclareOption{rightsec}{
142     \suftesi@rightsectrue}
143 \DeclareOption{numparpart}{
144     \suftesi@numparparttrue}
145 \DeclareOption{numparchap}{
146     \suftesi@numparchaptrue}
147 \DeclareOption{numparsec}{
148     \suftesi@numparsectrue}
149 \DeclareOption{smallcapspart}{
150     \suftesi@smallcapsparttrue}
151 \DeclareOption{smallcapschap}{
152     \suftesi@smallcapschaptrue}
153 \DeclareOption{smallcapssec}{
154     \suftesi@smallcapssectrue}
155 \DeclareOption{italicpart}{
156     \suftesi@italicparttrue}
157 \DeclareOption{italicchap}{
158     \suftesi@italicchaptrue}
159 \DeclareOption{italicsec}{
160     \suftesi@italicsectrue}
161 \DeclareOption{italicsubsec}{
162     \suftesi@italicsubsectrue}
163 \DeclareOption{romanchap}{
164     \suftesi@romanchaptrue}
165 \DeclareOption{dottedpart}{
166     \suftesi@dottedparttrue}
167 \DeclareOption{dottedchap}{
168     \suftesi@dottedchaptrue}
169 \DeclareOption{italicheader}{
170     \suftesi@italicLheadtrue
171     \suftesi@italicRheadtrue}
172 \DeclareOption{smallcapsheader}{
173     \suftesi@smallcapsLheadtrue
174     \suftesi@smallcapsRheadtrue}
175 \DeclareOption{rmstyle1}{
176     \suftesi@italicsectrue}
177 \DeclareOption{rmstyle2}{
178     \suftesi@italicsectrue
179     \suftesi@centerchaptrue}
180 \DeclareOption{rmstyle3}{
181     \suftesi@italicsectrue
182     \suftesi@rightchaptrue}
183 \DeclareOption{rmstyle4}{
184     \suftesi@italicsectrue
185     \suftesi@numparchaptrue}
186 \DeclareOption{rmstyle5}{
187     \suftesi@italicsectrue
188     \suftesi@centerchaptrue
189     \suftesi@numparchaptrue}
190 \DeclareOption{rmstyle6}{

```

```

191 \suftesi@italicsectrue
192 \suftesi@rightchaptrue
193 \suftesi@numparchaptrue}
194 \DeclareOption{itstyle1}{
195 \suftesi@italicchaptrue
196 \suftesi@italicsectrue
197 \suftesi@italicLheadtrue
198 \suftesi@italicRheadtrue}
199 \DeclareOption{itstyle2}{
200 \suftesi@italicchaptrue
201 \suftesi@italicsectrue
202 \suftesi@centerchaptrue
203 \suftesi@italicLheadtrue
204 \suftesi@italicRheadtrue}
205 \DeclareOption{itstyle3}{
206 \suftesi@italicchaptrue
207 \suftesi@italicsectrue
208 \suftesi@rightchaptrue
209 \suftesi@italicLheadtrue
210 \suftesi@italicRheadtrue}
211 \DeclareOption{itstyle4}{
212 \suftesi@italicchaptrue
213 \suftesi@italicsectrue
214 \suftesi@numparchaptrue
215 \suftesi@italicLheadtrue
216 \suftesi@italicRheadtrue}
217 \DeclareOption{itstyle5}{
218 \suftesi@italicchaptrue
219 \suftesi@italicsectrue
220 \suftesi@centerchaptrue
221 \suftesi@numparchaptrue
222 \suftesi@italicLheadtrue
223 \suftesi@italicRheadtrue}
224 \DeclareOption{itstyle6}{
225 \suftesi@italicchaptrue
226 \suftesi@italicsectrue
227 \suftesi@rightchaptrue
228 \suftesi@numparchaptrue
229 \suftesi@italicLheadtrue
230 \suftesi@italicRheadtrue}
231 \DeclareOption{itstyle7}{
232 \suftesi@italicchaptrue
233 \suftesi@smallcapssectrue
234 \suftesi@italicsubsectrue
235 \suftesi@italicLheadtrue
236 \suftesi@italicRheadtrue}
237 \DeclareOption{itstyle8}{
238 \suftesi@italicchaptrue
239 \suftesi@centerchaptrue
240 \suftesi@italicsubsectrue
241 \suftesi@smallcapssectrue
242 \suftesi@italicLheadtrue
243 \suftesi@italicRheadtrue}
244 \DeclareOption{itstyle9}{

```

```

245 \suftesi@italicchaptrue
246 \suftesi@rightchaptrue
247 \suftesi@italicsubsectrue
248 \suftesi@smallcapssectrue
249 \suftesi@italicLheadtrue
250 \suftesi@italicRheadtrue}
251 \DeclareOption{itstyle10}{
252 \suftesi@italicchaptrue
253 \suftesi@numparchaptrue
254 \suftesi@italicsubsectrue
255 \suftesi@smallcapssectrue
256 \suftesi@italicLheadtrue
257 \suftesi@italicRheadtrue}
258 \DeclareOption{itstyle11}{
259 \suftesi@italicchaptrue
260 \suftesi@centerchaptrue
261 \suftesi@italicsubsectrue
262 \suftesi@numparchaptrue
263 \suftesi@smallcapssectrue
264 \suftesi@italicLheadtrue
265 \suftesi@italicRheadtrue}
266 \DeclareOption{itstyle12}{
267 \suftesi@italicchaptrue
268 \suftesi@rightchaptrue
269 \suftesi@italicsubsectrue
270 \suftesi@numparchaptrue
271 \suftesi@smallcapssectrue
272 \suftesi@italicLheadtrue
273 \suftesi@italicRheadtrue}
274 \DeclareOption{scstyle1}{
275 \suftesi@smallcapschaptrue
276 \suftesi@italicsectrue
277 \suftesi@smallcapsLheadtrue
278 \suftesi@smallcapsRheadtrue}
279 \DeclareOption{scstyle2}{
280 \suftesi@smallcapschaptrue
281 \suftesi@italicsectrue
282 \suftesi@centerchaptrue
283 \suftesi@smallcapsLheadtrue
284 \suftesi@smallcapsRheadtrue}
285 \DeclareOption{scstyle3}{
286 \suftesi@smallcapschaptrue
287 \suftesi@italicsectrue
288 \suftesi@rightchaptrue
289 \suftesi@smallcapsLheadtrue
290 \suftesi@smallcapsRheadtrue}
291 \DeclareOption{scstyle4}{
292 \suftesi@smallcapschaptrue
293 \suftesi@italicsectrue
294 \suftesi@numparchaptrue
295 \suftesi@smallcapsLheadtrue
296 \suftesi@smallcapsRheadtrue}
297 \DeclareOption{scstyle5}{
298 \suftesi@smallcapschaptrue

```

```

299 \suftesi@italicsectrue
300 \suftesi@centerchaptrue
301 \suftesi@numparchaptrue
302 \suftesi@smallcapsLheadtrue
303 \suftesi@smallcapsRheadtrue}
304 \DeclareOption{scstyle6}{
305 \suftesi@smallcapschaptrue
306 \suftesi@italicsectrue
307 \suftesi@rightchaptrue
308 \suftesi@numparchaptrue
309 \suftesi@smallcapsLheadtrue
310 \suftesi@smallcapsRheadtrue}
311 \DeclareOption{scstyle7}{
312 \suftesi@smallcapschaptrue
313 \suftesi@smallcapssectrue
314 \suftesi@italicsubsectrue
315 \suftesi@smallcapsLheadtrue
316 \suftesi@smallcapsRheadtrue}
317 \DeclareOption{scstyle8}{
318 \suftesi@smallcapschaptrue
319 \suftesi@centerchaptrue
320 \suftesi@italicsubsectrue
321 \suftesi@smallcapssectrue
322 \suftesi@smallcapsLheadtrue
323 \suftesi@smallcapsRheadtrue}
324 \DeclareOption{scstyle9}{
325 \suftesi@smallcapschaptrue
326 \suftesi@rightchaptrue
327 \suftesi@italicsubsectrue
328 \suftesi@smallcapssectrue
329 \suftesi@smallcapsLheadtrue
330 \suftesi@smallcapsRheadtrue}
331 \DeclareOption{scstyle10}{
332 \suftesi@smallcapschaptrue
333 \suftesi@numparchaptrue
334 \suftesi@italicsubsectrue
335 \suftesi@smallcapssectrue
336 \suftesi@smallcapsLheadtrue
337 \suftesi@smallcapsRheadtrue}
338 \DeclareOption{scstyle11}{
339 \suftesi@smallcapschaptrue
340 \suftesi@centerchaptrue
341 \suftesi@italicsubsectrue
342 \suftesi@numparchaptrue
343 \suftesi@smallcapssectrue
344 \suftesi@smallcapsLheadtrue
345 \suftesi@smallcapsRheadtrue}
346 \DeclareOption{scstyle12}{
347 \suftesi@smallcapschaptrue
348 \suftesi@rightchaptrue
349 \suftesi@italicsubsectrue
350 \suftesi@numparchaptrue
351 \suftesi@smallcapssectrue
352 \suftesi@smallcapsLheadtrue

```

```

353 \suftesi@smallcapsRheadtrue}
Execute options:
354 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
355 \ExecuteOptions{artemisia,rmstyle1}
356 \ProcessOptions
357 \relax
suftesi is based on the standard book class!
358 \LoadClass{book}

```

A.1 Basic packages

```

359 \RequirePackage{color}
360 \definecolor{sufred}{rgb}{0.5,0,0}
361 \definecolor{sufgray}{rgb}{0.5,0.5,0.5}
362 \RequirePackage{ifxetex,ifluatex}
363 \ifxetex
364 \relax
365 \else
366 \RequirePackage{microtype}
367 \fi
368 \RequirePackage{textcase}
369 \RequirePackage{multicol}
370 \RequirePackage{emptypage}
371 \RequirePackage{mparhack}

```

A.2 Greek fonts

Thanks to Enrico Gregorio for these macros:

```

372 \ifxetex
373 \relax
374 \else
375 \RequirePackage[LGR,T1]{fontenc}
376 \AtBeginDocument{\fontencoding{T1}\selectfont}
377 \ifsuftesi@defaultfont
378 \relax
379 \else
380 \RequirePackage[osf,sc]{mathpazo}
381 \RequirePackage[scaled=0.8]{beramono}
382 \linespread{1.05}
383 \renewcommand{\sfdefault}{iwona}
384 \fi
385 \ifsuftesi@artemisia
386 \def\SUF@greekfamily{artemisiaeuler}
387 \fi
388 \ifsuftesi@defaultgreek
389 \def\SUF@greekfamily{cmr}
390 \fi
391 \ifsuftesi@porson
392 \sbox\z@{\fontsize{10}{10}\normalfont A}
393 \sbox\tw@{\font\temp=gporsonrg6a at 10pt \temp A}
394 \dimen@=
395 \dimexpr(0.001\dimexpr\numexpr(\dimexpr(1000\ht\z@)/\ht\tw@)\p@)
396 \edef\art@scale{\strip@pt\dimen@}

```

```

397 \DeclareFontFamily{LGR}{porson}{}
398 \DeclareFontShape{LGR}{porson}{m}{n} {<-> s * [\art@scale] gporsonrg6a}{}
399 \DeclareFontShape{LGR}{porson}{m}{it} {<-> ssub * porson/m/n}{}
400 \DeclareFontShape{LGR}{porson}{b}{n} {<-> ssub * porson/m/n}{}
401 \DeclareFontShape{LGR}{porson}{b}{it} {<-> ssub * porson/m/n}{}
402 \DeclareFontShape{LGR}{porson}{m}{sl} {<-> ssub * porson/m/n}{}
403 \DeclareFontShape{LGR}{porson}{b}{sl} {<-> ssub * porson/m/n}{}
404 \DeclareFontShape{LGR}{porson}{m}{sc} {<-> ssub * porson/m/n}{}
405 \DeclareFontShape{LGR}{porson}{bx}{n} {<-> ssub * porson/m/n}{}
406 \DeclareFontShape{LGR}{porson}{bx}{it}{<-> ssub * porson/m/n}{}
407 \DeclareFontShape{LGR}{porson}{bx}{sl}{<-> ssub * porson/m/n}{}
408 \def\SUF@greekfamily{porson}
409 \fi
410 \AtBeginDocument{
411 \DeclareRobustCommand{\greektext}{%
412 \fontencoding{LGR}\fontfamily{\SUF@greekfamily}\selectfont
413 \def\encodingdefault{LGR}}
414 \fi

```

A.3 Page layout

```

415 \RequirePackage{geometry}
416 \ifsuftesi@defaultparindent
417 \relax
418 \else
419 \parindent1em
420 \fi
421 \geometry{heightrounded}
422 \ifsuftesi@nocrop
423 \relax
424 \else
425 \RequirePackage[a4, cam, center]{crop}
426 \fi
427 \ifsuftesi@periodical
428 \geometry{
429 textheight= 165mm,
430 textwidth= 110mm,
431 paperwidth= 170mm,
432 paperheight= 240mm,
433 marginratio= 2:3,
434 marginparwidth= 75pt,
435 marginparsep= 10pt}
436 \else
437 \ifsuftesi@compact
438 \geometry{
439 textheight= 165mm,
440 textwidth= 110mm,
441 paperwidth= 160mm,
442 paperheight= 240mm,
443 marginratio= 2:3,
444 marginparwidth= 65pt,
445 marginparsep= 10pt}
446 \else
447 \ifsuftesi@supercompact

```



```

448 \geometry{
449     textheight=    150mm,
450     textwidth=     100mm,
451     paperwidth=    140mm,
452     paperheight=   210mm,
453     marginratio=   2:3,
454     marginparwidth= 50pt,
455     marginparsep=  9pt}
456 \else
457 \ifsuftesi@elements
458 \geometry{%
459     textwidth=      251pt,
460     textheight=     502pt,
461     paperwidth=     374pt,
462     paperheight=    648pt,
463     marginparwidth= 60pt,
464     marginparsep=   18pt,
465     outer=          90pt,
466     top=             64pt}
467 \else
468 \ifcase\@ptsize\relax
469 \geometry{%
470     textwidth=      312pt,
471     textheight=     624pt}\or
472 \geometry{%
473     textwidth=      324pt,
474     textheight=     648pt}\or
475 \geometry{%
476     textwidth=      324pt,
477     textheight=     648pt}
478 \fi
479 \geometry{%
480     a4paper,
481     includehead,
482     heightrounded,
483     marginparwidth= 82pt,
484     marginparsep=   12pt,
485     hmarginratio=   1:2,
486     vmarginratio=   1:2}
487 \fi
488 \fi
489 \fi
490 \fi

```

A trick to produce one-side documents:

```

491 \if@twoside
492 \relax
493 \else
494 \geometry{hmarginratio=1:1}
495 \fi

```

A.4 Section titles

```

496 \RequirePackage{titlesec}
497 \newlength{\sectionsep}
498 \setlength{\sectionsep}{\dimexpr(\baselineskip) plus 1pt minus 1pt}

```

```

499 \ifsufteri@periodical
500   \DeclareRobustCommand{\SUF@chaptersize}{\large}
501   \else
502     \ifsufteri@compact
503       \DeclareRobustCommand{\SUF@chaptersize}{\large}
504       \else
505         \ifsufteri@supercompact
506           \DeclareRobustCommand{\SUF@chaptersize}{\large}
507           \else
508             \DeclareRobustCommand{\SUF@chaptersize}{\Large}
509         \fi
510     \fi
511 \fi

\SUF@titlesmallcaps
512 \ifxetex
513   \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
514     \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
515   \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
516     \addfontfeature{LetterSpace=6}\scshape\MakeTextLowercase{#1}}
517   \newcommand{\chapnumfont}[1]{%
518     \def\SUF@chapnumfont{\fontspec[Numbers=OldStyle]{#1}}}
519   \chapnumfont{Palatino}
520 \else
521   \DeclareRobustCommand{\SUF@titlesmallcaps}[1]{%
522     \scshape\MakeTextLowercase{\textls[110]{#1}}}%
523   \DeclareRobustCommand{\SUF@headingsmallcaps}[1]{%
524     \scshape\MakeTextLowercase{\textls[110]{#1}}}%
525   \newcommand{\chapnumfont}[1]{%
526     \def\SUF@chapnumfont{\fontfamily{#1}}}
527   \chapnumfont{pplj}
528 \fi

\SUF@thechapter
529 \ifsufteri@romanchap
530   \def\SUF@thechapter{\Roman{chapter}}
531   \else
532     \def\SUF@thechapter{\arabic{chapter}}
533 \fi

\SUF@lr@PARTSwitch \SUF@lr@CHAPSwitch \SUF@lr@SECswitch
These macros control the position of the titles and numbers of parts, chapters,
sections, subsections and subsubsection. There are three positions: left, center and
right.
\SUF@lr@SUBSECSwitch
534 \ifsufteri@centerpart
\SUF@lr@SUBSUBSECSwitch 535   \def\SUF@lr@PARTSwitch{\filcenter}
536   \else
537     \ifsufteri@rightpart
538       \def\SUF@lr@PARTSwitch{\filleft}
539       \else
540         \def\SUF@lr@PARTSwitch{\filright}
541       \fi
542   \fi
543 \ifsufteri@centerchap
544   \def\SUF@lr@CHAPSwitch{\filcenter}
545   \else
546     \ifsufteri@rightchap

```

```

547     \def\SUF@lr@CHAPSwitch{\filleft}
548     \else
549     \def\SUF@lr@CHAPSwitch{\filright}
550 \fi
551 \fi
552 \ifsuftesi@centersec
553     \def\SUF@lr@SECswitch{\filcenter}
554     \else
555         \ifsuftesi@rightsec
556             \def\SUF@lr@SECswitch{\filleft}
557         \else
558             \def\SUF@lr@SECswitch{\filright}
559         \fi
560 \fi
561 \ifsuftesi@centersubsec
562     \def\SUF@lr@SUBSECswitch{\filcenter}
563     \else
564         \ifsuftesi@rightsubsec
565             \def\SUF@lr@SUBSECswitch{\filleft}
566         \else
567             \def\SUF@lr@SUBSECswitch{\filright}
568         \fi
569 \fi
570 \ifsuftesi@centersubsubsec
571     \def\SUF@lr@SUBSUBSECswitch{\filcenter}
572     \else
573         \ifsuftesi@rightsubsubsec
574             \def\SUF@lr@SUBSUBSECswitch{\filleft}
575         \else
576             \def\SUF@lr@SUBSUBSECswitch{\filright}
577         \fi
578 \fi
\SUF@dotchap
579 \ifsuftesi@dottedchap
580     \def\SUF@dotchap{.}
581     \else
582     \def\SUF@dotchap{}
583 \fi
584 \ifsuftesi@dottedpart
585     \def\SUF@dotpart{.}
586     \else
587     \def\SUF@dotpart{}
588 \fi

The elements style
589 \def\SUF@chapnumpos{-73}
590 \ifsuftesi@sufelements
591     \titleformat{\chapter}[block]
592         {}%
593         {\begin{picture}(0,0)
594             \setlength{\unitlength}{1pt}
595             \SUF@chapnumfont%
596             \ifsuftesi@elements
597                 \ifsuftesi@periodical

```

```

598         \fontsize{80}{80}\selectfont%
599         \def\SUF@chapnumpos{-83}
600     \else
601     \ifsuftesi@compact
602     \fontsize{80}{80}\selectfont%
603     \def\SUF@chapnumpos{-83}
604     \else
605     \ifsuftesi@supercompact
606     \fontsize{64}{64}\selectfont%
607     \def\SUF@chapnumpos{-73}
608     \else
609     \fontsize{64}{64}\selectfont%
610     \def\SUF@chapnumpos{-73}
611     \fi\fi\fi
612 \else
613     \fontsize{95}{95}\selectfont%
614     \def\SUF@chapnumpos{-83}
615 \fi
616 \put(0,\SUF@chapnumpos){%
617     \hskip\dimexpr(\textwidth+\marginparsep)%
618     \textcolor{sufgray}{\SUF@thechapter}}%
619 \end{picture}}%
620 {0pt}
621 {\Large\SUF@titlesmallcaps}
622 [\rule{\textwidth}{.1pt}]
623 \titlespacing*{\chapter}{0em}{-16pt}{10pt}[0em]
624 \titleformat{\section}[block]
625 {\filright}
626 {\textnormal\thesection}
627 {1em}
628 {\SUF@titlesmallcaps}
629 \titlespacing*{\section}{0em}{1em}{1em}[0em]
630 \titleformat{\subsection}[block]
631 {\filright\normalsize\itshape}
632 {\textnormal\thesubsection}
633 {1em}
634 {}
635 \titlespacing*{\subsection}{0em}{\baselineskip}{\baselineskip}[0em]
636 \titleformat{\subsubsection}[block]
637 {\filright\normalsize}
638 {\textnormal\thesubsubsection}
639 {1em}
640 {}
641 \titlespacing*{\subsubsection}{0em}{\baselineskip}{\baselineskip}[0em]
642 \else

```

\SUF@PART@StyleSwitch **The default styles**

```

\SUF@CHAP@StyleSwitch 643 \def\SUF@PART@StyleSwitch{%
\SUF@SEC@StyleSwitch 644     \ifsuftesi@smallcapspart
\SUF@SUBSEC@StyleSwitch 645     \expandafter\SUF@titlesmallcaps
\SUF@SUBSUBSEC@StyleSwitch 646     \else
647     \ifsuftesi@italicpart
648     \itshape

```

```

649     \else
650     \fi
651 \fi}
652 \def\SUF@CHAP@StyleSwitch{%
653     \ifsuftesi@smallcapschap
654     \expandafter\SUF@titlesmallcaps
655     \else
656     \ifsuftesi@italicchap
657     \itshape
658     \else
659     \fi
660 \fi}
661 \def\SUF@SEC@StyleSwitch{%
662     \ifsuftesi@smallcapssec
663     \expandafter\SUF@titlesmallcaps
664     \else
665     \ifsuftesi@italicsec
666     \itshape
667     \else
668     \fi
669 \fi}
670 \def\SUF@SUBSEC@StyleSwitch{%
671     \ifsuftesi@smallcapssubsec
672     \expandafter
673     \SUF@titlesmallcaps
674     \else
675     \ifsuftesi@italicsubsec
676     \itshape
677     \else
678     \fi
679 \fi
680 }
681 \def\SUF@SUBSUBSEC@StyleSwitch{%
682     \ifsuftesi@smallcapssubsubsec
683     \expandafter
684     \SUF@titlesmallcaps
685     \else
686     \ifsuftesi@italicsubsubsec
687     \itshape
688     \else
689     \fi
690 \fi}

```

Redefinitions for ‘article’ mode

```

691 \ifsuftesi@article
692 \def\chapter#1{\ClassError{suftesi}
693     {\noexpand\chapter level is not defined using ‘article’ option}
694     {\noexpand\chapter level is not defined using ‘article’ option}}
695 \setcounter{tocdepth}{3}
696 \setcounter{secnumdepth}{3}
697 \renewcommand\thesection{%
698     \@arabic\c@section}
699 \renewcommand\thesubsection{%

```

```

700         \thesection.\@arabic\c@subsection}
701 \renewcommand\thesubsubsection{%
702     \thesubsection.\@arabic\c@subsubsection}
703 \renewcommand\theparagraph{%
704     \thesubsubsection.\@arabic\c@paragraph}
705 \renewcommand\thesubparagraph{%
706     \theparagraph.\@arabic\c@subparagraph}
707 \titleclass{\part}{straight}
708 \titlespacing*{\part}{0ex}{2\sectionsep}{2\sectionsep}[0ex]
709 \else
710 \fi

```

The default ‘book’ mode

\part

```

711 \ifsufteresi@numparpart
712 \titleformat{\part}[display]
713     {\SUF@chaptersize\SUF@lr@PARTSwitch}
714     {\SUF@PART@StyleSwitch\partname\hskip1em\thepart\SUF@dotpart}
715     {2ex}
716     {\SUF@PART@StyleSwitch}
717 \else
718 \titleformat{\part}[hang]
719     {\SUF@chaptersize\SUF@lr@PARTSwitch}
720     {\SUF@PART@StyleSwitch\partname\hskip1em\thepart\SUF@dotpart}
721     {3em}
722     {\SUF@PART@StyleSwitch}
723 \fi

```

\chapter

```

724 \ifsufteresi@numparchap
725 \titleformat{\chapter}[display]
726     {\SUF@chaptersize\SUF@lr@CHAPSwitch}
727     {\SUF@thechapter\SUF@dotchap}
728     {2ex}
729     {\SUF@CHAP@StyleSwitch}
730 \else
731 \titleformat{\chapter}[hang]
732     {\SUF@chaptersize\SUF@lr@CHAPSwitch}
733     {\SUF@thechapter\SUF@dotchap}
734     {3em}
735     {\SUF@CHAP@StyleSwitch}
736 \fi
737 \ifsufteresi@numparchap
738 \def\SUF@ADJnumparchap{-2.5\baselineskip}
739 \else
740 \def\SUF@ADJnumparchap{0pt}
741 \fi
742 \ifsufteresi@periodical
743 \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
744 \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
745 \else
746 \ifsufteresi@compact
747 \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}

```

```

748     \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
749     \else
750         \ifsuftesi@supercompact
751             \titlespacing*{\chapter}{0em}{\SUF@ADJnumparchap}{18ex}
752             \titlespacing*{name=\chapter,numberless}{0em}{0pt}{18ex}
753         \else
754             \titlespacing*{\chapter}{0em}{%
755                 \dimexpr(6ex+\SUF@ADJnumparchap)}{18ex}
756             \titlespacing*{name=\chapter,numberless}{0em}{6ex}{18ex}
757     \fi
758 \fi
759 \fi

\section
760 \ifsuftesi@numparsec
761 \titleformat{\section}[display]
762     {\SUF@l@r@SECswitch}
763     {\thesection}
764     {0ex}
765     {\SUF@SEC@StyleSwitch}
766 \titlespacing*{\section}{0em}{\sectionsep}{\sectionsep}[0em]
767 \else
768 \titleformat{\section}[hang]
769     {\SUF@l@r@SECswitch}
770     {\thesection}
771     {1em}
772     {\SUF@SEC@StyleSwitch}
773 \titlespacing*{\section}{0ex}{\sectionsep}{\sectionsep}[0ex]
774 \fi

\subsection
775 \ifsuftesi@numparsubsec
776 \titleformat{\subsection}[display]
777     {\SUF@l@r@SUBSECswitch}
778     {\textnormal\thesubsection}
779     {0ex}
780     {\SUF@SUBSEC@StyleSwitch}
781 \titlespacing*{\subsection}{0em}{\sectionsep}{\sectionsep}[0em]
782 \else
783 \titleformat{\subsection}[hang]
784     {\SUF@l@r@SUBSECswitch}
785     {\textnormal\thesubsection}
786     {1em}
787     {\SUF@SUBSEC@StyleSwitch}
788 \titlespacing*{\subsection}{\parindent}{\sectionsep}{\sectionsep}[0ex]
789 \fi

\subsubsection
790 \ifsuftesi@numparsubsubsec
791 \titleformat{\subsubsection}[display]
792     {\SUF@l@r@SUBSUBSECswitch}
793     {\textnormal\thesubsubsection}
794     {0ex}
795     {\SUF@SUBSUBSEC@StyleSwitch}
796 \titlespacing*{\subsubsection}{0em}{\sectionsep}{\sectionsep}[0em]

```

```

797 \else
798 \titleformat{\subsubsection}[hang]
799   {\SUF@lr@SUBSUBSECswitch}
800   {\textnormal\thesubsubsection}
801   {1em}
802   {\SUF@SUBSUBSEC@StyleSwitch}
803 \titlespacing*\subsubsection{\parindent}{\sectionsep}{\sectionsep}[0ex]
804 \fi
805 \fi

\paragraph
806 \titleformat{\paragraph}[runin]
807   {}
808   {\theparagraph}
809   {.5em}
810   {\itshape}
811   [{.}\hspace*{1em}]
812 \titlespacing*\paragraph{\parindent}{.5\sectionsep}{.5\sectionsep}

\subparagraph
813 \titleformat{\subparagraph}[runin]
814   {}
815   {\thesubparagraph}
816   {.5em}
817   {}
818   [{.}\hspace*{1em}]
819 \titlespacing*\subparagraph{\parindent}{.5\sectionsep}{.5\sectionsep}

```

A.4.1 biblatex settings

The `biblatex` package uses the `book` class definitions of bibliography and list of shorthands, so we must redefine them according to the styles of `suftesi`, which does not use uppercase letters in the headings.

```

820 \ifsuftesi@article
821 \AtBeginDocument{%
822 \@ifpackageloaded{biblatex}{%
823   \defbibheading{bibliography}[\refname]{%
824     \section*{#1}%
825     \markboth{#1}{#1}}
826   \defbibheading{shorthands}[\losname]{%
827     \section*{#1}%
828     \markboth{#1}{#1}}
829   \defbibheading{bibintoc}[\refname]{%
830     \section*{#1}%
831     \addcontentsline{toc}{section}{#1}%
832     \markboth{#1}{#1}}
833   \defbibheading{losintoc}[\losname]{%
834     \section*{#1}%
835     \addcontentsline{toc}{section}{#1}%
836     \markboth{#1}{#1}}
837   \defbibheading{bibnumbered}[\refname]{%
838     \section*{#1}%
839     \if@twoside\markright{#1}\fi
840   \defbibheading{losnumbered}[\losname]{%

```



```

841 \section{#1}%
842 \if@twoside\markright{#1}\fi}
843 \defbibheading{subbibliography}[\refname]{%
844 \subsection*{#1}}
845 \defbibheading{subbibintoc}[\refname]{%
846 \subsection*{#1}%
847 \addcontentsline{toc}{subsection}{#1}}
848 \defbibheading{subbibnumbered}[\refname]{%
849 \subsection{#1}}}%
850 {\relax}%
851 }%
852 \else
853 \AtBeginDocument{%
854 \@ifpackageloaded{biblatex}{%
855 \defbibheading{bibliography}[\bibname]{%
856 \chapter*{#1}%
857 \markboth{#1}{#1}}
858 \defbibheading{shorthands}[\losname]{%
859 \chapter*{#1}%
860 \markboth{#1}{#1}}
861 \defbibheading{bibintoc}[\bibname]{%
862 \chapter*{#1}%
863 \addcontentsline{toc}{chapter}{#1}%
864 \markboth{#1}{#1}}
865 \defbibheading{losintoc}[\losname]{%
866 \chapter*{#1}%
867 \addcontentsline{toc}{chapter}{#1}%
868 \markboth{#1}{#1}}
869 \defbibheading{bibnumbered}[\bibname]{%
870 \chapter{#1}%
871 \if@twoside\markright{#1}\fi}
872 \defbibheading{losnumbered}[\losname]{%
873 \chapter{#1}%
874 \if@twoside\markright{#1}\fi}
875 \defbibheading{subbibliography}[\refname]{%
876 \section*{#1}%
877 \if@twoside\markright{#1}\fi}
878 \defbibheading{subbibintoc}[\refname]{%
879 \section*{#1}%
880 \addcontentsline{toc}{section}{#1}%
881 \if@twoside\markright{#1}\fi}
882 \defbibheading{subbibnumbered}[\refname]{%
883 \section{#1}}}%
884 {\relax}%
885 }%
886 \fi

```

A.5 Title page

`\title` The new `\title` command has an optional argument which can be used in the headers.

```

887 \renewcommand*{\title}[2] []{\gdef\@headtitle{#1}\gdef\@title{#2}}
888 \edef\title{\noexpand\@dblarg
889 \expandafter\noexpand\csname\string\title\endcsname}

```

```

890 \def\@headtitle{--missing title--%
891 \protect\ClassWarningNoLine{suftesi}{%
892 No \string\title\space given \MessageBreak%
893 See the class documentation for explanation}}
894 \def\@title{--missing title--%
895 \protect\ClassWarningNoLine{suftesi}{%
896 No \string\title\space given\MessageBreak%
897 See the class documentation for explanation}}
898 \def\@author{--missing author--%
899 \protect\ClassWarningNoLine{suftesi}{%
900 No \string\author\space given\MessageBreak%
901 See the class documentation for explanation}}

\standardtitle Reproduces the standard \maketitle style:
902 \let\standardtitle\maketitle

\maketitle For titlepage (default) option:
903 \if@titlepage% titlepage
904 \renewcommand\maketitle{\begin{titlepage}%
905 \let\footnotesize\small
906 \let\footnoterule\relax
907 \let \footnote \thanks
908 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
909 \null\vfil
910 \vskip 60\p@
911 \begin{center}%
912 {\SUF@chaptersize\color{sufred}\sffamily%
913 \ifsuftesi@smallcapschap%
914 \SUF@titlesmallcaps{\@title}
915 \else
916 \ifsuftesi@article
917 \ifsuftesi@smallcapssec
918 \SUF@titlesmallcaps{\@title}
919 \else
920 \@title
921 \fi
922 \else
923 \@title
924 \fi
925 \fi\par}%
926 \vskip 3em%
927 {\small\lineskip .75em%
928 \begin{tabular}[t]{c}%
929 \@author
930 \end{tabular}\par}%
931 \vskip 1.5em%
932 {\small\@date\par}%
933 \end{center}\par
934 \@thanks
935 \vfil\null
936 \end{titlepage}%
937 \setcounter{footnote}{0}%
938 \global\let\thanks\relax
939 \global\let\maketitle\relax
940 \global\let\@thanks\@empty

```

```

941     \global\let\@date\@empty
942     \global\let\date\relax
943     \global\let\and\relax
944 }
945 \else
\maketitle For notitlepage option:
946 \renewcommand\maketitle{\par
947     \begin{group}
948         \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
949         \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
950         \long\def\@makefntext##1{\parindent 1em\noindent
951             \hb@xt@1.8em{%
952                 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
953         \if@twocolumn
954             \ifnum \col@number=\@ne
955                 \@maketitle
956             \else
957                 \twocolumn[\@maketitle]%
958             \fi
959         \else
960             \newpage
961             \global\@topnum\z@ % Prevents figures from going at top of page.
962             \@maketitle
963             \fi
964             \thispagestyle{plain}\@thanks
965         \end{group}
966         \setcounter{footnote}{0}%
967         \global\let\thanks\relax
968         \global\let\maketitle\relax
969         \global\let\@maketitle\relax
970         \global\let\@thanks\@empty
971         \global\let\@date\@empty
972         \global\let\date\relax
973         \global\let\and\relax}
974     \def\@maketitle{%
975     \newpage
976     \null
977     \vskip 2em%
978     \begin{center}%
979     \let \footnote \thanks
980         {\SUF@chaptersize\color{sufred}\sffamily%
981         \ifsuftesi@smallcapschap%
982             \SUF@titlesmallcaps{\@title}
983         \else
984             \ifsuftesi@article
985             \ifsuftesi@smallcapssec
986                 \SUF@titlesmallcaps{\@title}
987             \else
988                 \@title
989             \fi
990         \else
991             \@title
992         \fi
993     \fi\par}%

```

```

994     \vskip 1.5em%
995     {\small\lineskip .5em%
996     \begin{tabular}[t]{c}%
997     \@author\par
998     \end{tabular}\par}%
999     \vskip 1em%
1000     {\small\@date\par}%
1001 \end{center}%
1002 \par
1003 \vskip 1.5em}
1004 \fi

```

A.6 The frontispiece

```

1005 \AtBeginDocument{%
1006 \ifpackageloaded{frontespizio}{%
1007     \ifsuftesi@periodical
1008         \Margini {5.5cm}{7cm}{4.5cm}{1cm}
1009     \else
1010     \ifsuftesi@compact
1011         \Margini{1cm}{7cm}{6cm}{1cm}%
1012         \Rientro{1cm}%
1013     \else
1014     \ifsuftesi@supercompact
1015         \Margini{1cm}{10cm}{8cm}{1cm}%
1016         \Rientro{1cm}%
1017     \else
1018     \fi
1019 \fi
1020 \fi
1021 }%
1022 {\relax}}

```

theindex

```

1023 \renewenvironment{theindex}
1024     {\if@twocolumn
1025     \@restonecolfalse
1026     \else
1027     \@restonecoltrue
1028     \fi
1029     \twocolumn[\@makeschapterhead{\indexname}]}%
1030     \@mkboth{\indexname}{\indexname}%
1031     \thispagestyle{plain}%
1032     \raggedright\small%
1033     \parindent\z@
1034     \parskip\z@ \@plus .3\p@\relax
1035     \columnseprule \z@
1036     \columnsep 35\p@
1037     \let\item\@idxitem}
1038     {\if@restonecol\onecolumn\else\clearpage\fi}

```

A.7 Appendix

```

\appendicesname
\appendixpage

```

```

1039 \newcommand{\appendicesname}[1]{\def\SUF@appendices{#1}}
1040   \appendicesname{Appendici}
1041   \newcommand{\appendixpage}{\SUF@appendixpage}
1042 \def\SUF@appendixpage{%
1043   \@mainmattertrue
1044   \titlecontents{part}
1045     [0em]
1046     {\addvspace{3ex}}
1047     {}
1048     {}
1049     {}
1050     [\addvspace{1ex}]
1051 \let\contentspage\relax
1052   \cleardoublepage
1053   \thispagestyle{empty}
1054   \addcontentsline{toc}{part}{\SUF@appendices}
1055   \begingroup
1056     \centering
1057     \null\vfil
1058     {\LARGE\SUF@appendices\par}
1059     \vfil
1060   \endgroup
1061   \cleardoublepage
1062 \titlecontents{part}
1063   [0em]
1064   {\addvspace{3ex}\partname~}
1065   {\makebox[\SUF@label@part][l]{\thecontentslabel}\hspace*{1em}}
1066   {}
1067   {}
1068   [\addvspace{1ex}]
1069 }

```

\appendix

```

1070 \ifsuftesi@sufelements
1071 \renewcommand\appendix{\par
1072   \setcounter{chapter}{0}%
1073   \setcounter{section}{0}%
1074   \gdef\@chapapp{\appendixname}%
1075   \gdef\thechapter{\@Alph{c}{chapter}}
1076   \titleformat{chapter}[block]
1077     {\vskip-22pt}%
1078     {\small\SUF@titlesmallcaps{\appendixname}~\Alph{chapter}:\hskip.5em}
1079     {0pt}
1080     {\small\SUF@titlesmallcaps}
1081     [\rule{\textwidth}{.4pt}]
1082     \titlespacing*{chapter}{0em}{-16pt}{10pt}[0em]}
1083 \else
1084   \ifsuftesi@article
1085     \renewcommand\appendix{\par
1086       \setcounter{section}{0}%
1087       \setcounter{subsection}{0}%
1088       \gdef\thesection{\@Alph{c}{section}}
1089     \else
1090       \renewcommand\appendix{\par
1091         \setcounter{chapter}{0}%

```

```

1092         \setcounter{section}{0}%
1093         \gdef\@chapapp{\appendixname}%
1094         \gdef\thechapter{\@Alph\c@chapter}}
1095     \fi
1096 \fi

```

A.8 Headings

```

1097 \RequirePackage{fancyhdr}
1098     \pagestyle{fancy}
1099     \renewcommand{\headrulewidth}{0pt}
1100     \renewcommand{\footnoterule}{}
1101 \def\SUF@versionstring{\texttt{Version of \today}}

```

The elements headers

```

1102 \ifsuftesi@elements%
1103     \renewcommand{\chaptermark}[1]{\markboth{#1}{#1}}
1104     \renewcommand{\sectionmark}[1]{\markright{#1}}
1105     \fancypagestyle{elements}{%
1106         \setlength{\unitlength}{1pt}
1107         \fancyhf{}
1108         \fancyfoot[LE,R0]{\thepage}
1109         \fancyhead[R0]{%
1110             \begin{picture}(0,0)
1111                 \put(0,-104){%
1112                     \hskip\marginparsep
1113                     \parbox[t]{\marginparwidth}{\itshape\raggedright\leftmark}}%
1114             \end{picture}}
1115         \fancyhead[LE]{%
1116             \begin{picture}(0,0)
1117                 \put(0,-104){%
1118                     \hskip-\dimexpr(\marginparwidth+\marginparsep)
1119                     \parbox[t]{\marginparwidth}{\itshape\raggedleft\rightmark}}%
1120             \end{picture}}%
1121     }%
1122 \else

```

The default headers

```

1123 \renewcommand{\chaptermark}[1]{%
1124     \markboth{\chaptertitlename \SUF@thechapter}{#1}}
1125 \ifsuftesi@article
1126     \renewcommand{\sectionmark}[1]{\markright{\thesection.\ #1}}
1127     \else
1128     \renewcommand{\sectionmark}[1]{}
1129 \fi
1130 \fi

```

The plain style

```

1131 \fancypagestyle{plain}{\pagestyle{sufplain}}

```

The sufplain style

```

1132 \fancypagestyle{sufplain}{%

```

```

1133 \fancyhf{}%
1134 \fancyfoot[RE,LO]{%
1135     \ifsufteresi@bozza\footnotesize\SUF@versionstring\else\fi}
1136 \fancyfoot[C]{\footnotesize\SUF@thepage}}

```

The centerheader style

```

1137 \def\SUF@LR@MarkSwitch{%
1138     \ifsufteresi@article
1139         \ifsufteresi@authortitle
1140             \SUF@leftmark
1141         \else
1142             \SUF@rightmark
1143         \fi
1144     \else
1145         \SUF@leftmark
1146     \fi}
1147 \fancypagestyle{centerheader}{%
1148     \fancyhf{}%
1149     \fancyfoot[RE,LO]{%
1150         \ifsufteresi@bozza\footnotesize\SUF@versionstring\else\fi}
1151     \fancyhead[CO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1152     \fancyhead[CE]{\footnotesize\xheadbreakfalse%
1153         \SUF@LR@MarkSwitch}
1154     \fancyfoot[C]{\footnotesize\SUF@thepage}%
1155 }%

```

The sufdefault style

```

1156 \fancypagestyle{sufdefault}{%
1157     \fancyhf{}%
1158     \fancyfoot[RE,LO]{%
1159         \ifsufteresi@bozza\footnotesize\SUF@versionstring\else\fi}
1160     \fancyhead[LE,RO]{\footnotesize\SUF@thepage}
1161     \fancyhead[LO]{\footnotesize\xheadbreakfalse\SUF@rightmark}
1162     \fancyhead[RE]{\footnotesize\xheadbreakfalse%
1163         \SUF@LR@MarkSwitch}
1164     }%
1165 \ifsufteresi@italicRhead
1166     \def\SUF@Rheadstyle{\itshape}
1167 \else
1168     \ifsufteresi@smallcapsRhead
1169     \def\SUF@Rheadstyle{\SUF@headingsmallcaps}
1170 \else
1171     \def\SUF@Rheadstyle{}
1172 \fi
1173 \fi
1174 \ifsufteresi@italicLhead
1175     \def\SUF@Lheadstyle{\itshape}
1176 \else
1177     \ifsufteresi@smallcapsLhead
1178     \def\SUF@Lheadstyle{\SUF@headingsmallcaps}
1179 \else
1180     \def\SUF@Lheadstyle{}
1181 \fi

```

```

1182 \fi
1183   \ifsuftesi@authortitle
1184     \def\SUF@rightmark{\SUF@Rheadstyle{\@headtitle}}
1185     \def\SUF@leftmark{\SUF@Lheadstyle{\@author}}
1186     \else
1187       \def\SUF@rightmark{\SUF@Rheadstyle{\rightmark}}
1188       \def\SUF@leftmark{\SUF@Lheadstyle{\SUF@leftrightmark}}
1189   \fi
1190 \ifsuftesi@smallcapsheader
1191   \def\SUF@thepage{\SUF@headingsmallcaps{\thepage}}
1192   \else
1193   \def\SUF@thepage{\thepage}
1194 \fi
1195 \def\SUF@leftrightmark{%
1196   \if@mainmatter\leftmark\else\rightmark\fi}

Setting the default page style:

1197 \pagestyle{sufdefault}
1198   \ifsuftesi@centerheader\pagestyle{centerheader}\else\fi
1199   \ifsuftesi@sufplain\pagestyle{sufplain}\else\fi
1200   \ifsuftesi@elements\pagestyle{elements}\else\fi

```

A.9 Text elements

A.9.1 Captions

```

1201 \RequirePackage{caption}
1202 \ifsuftesi@elements
1203   \captionsetup{labelsep=period,font={small,sf},singlelinecheck=false}
1204 \else
1205   \captionsetup{labelsep=period,font=small,singlelinecheck=false}
1206 \fi

```

A.9.2 Epigraphs

```

1207 \RequirePackage{epigraph}
1208 \ifsuftesi@elements
1209   \relax
1210   \else
1211     \ifsuftesi@sufelements
1212       \relax
1213     \else
1214       \setlength{\beforeepigraphskip}{-3\baselineskip}
1215       \setlength{\afterepigraphskip}{2\baselineskip}
1216       \setlength{\epigraphrule}{0pt}
1217       \renewcommand{\textflush}{\flushleft}
1218       \renewcommand{\sourceflush}{\flushright}
1219       \renewcommand{\epigraphsize}{\footnotesize}
1220   \fi
1221 \fi

```

A.9.3 Lists

```

1222 \RequirePackage[inline]{enumitem}
1223   \setlist{labelsep=0.5\parindent,noitemsep,font=\normalfont}
1224   \setdescription{font=\normalfont\itshape,noitemsep}

```



```

1225 \ifsuftesi@alignlist
1226     \setenumerate[1]{leftmargin=1\parindent,label=\arabic*..}
1227     \setenumerate[2]{leftmargin= 1.5\parindent,label=\alph*..}
1228     \setenumerate[3]{leftmargin= 1.5\parindent,label=\roman*..}
1229     \setitemize[1]{leftmargin=1\parindent}
1230     \setitemize[2]{leftmargin=1.5\parindent}
1231     \setitemize[3]{leftmargin=1.5\parindent}
1232 \else
1233 \ifsuftesi@indentlist
1234     \setenumerate[1]{leftmargin=2\parindent,label=\arabic*..}
1235     \setenumerate[2]{leftmargin= 2.5\parindent,label=\alph*..}
1236     \setenumerate[3]{leftmargin= 2.5\parindent,label=\roman*..}
1237     \setitemize[1]{leftmargin=2\parindent}
1238     \setitemize[2]{leftmargin=2.5\parindent}
1239     \setitemize[3]{leftmargin=2.5\parindent}
1240 \else
1241     \setenumerate[1]{leftmargin=0pt,label=\arabic*..}
1242     \setenumerate[2]{leftmargin= 1.3\parindent,label=\alph*..}
1243     \setenumerate[3]{leftmargin= 1.3\parindent,label=\roman*..}
1244     \setitemize[1]{leftmargin=0pt}
1245     \setitemize[2]{leftmargin=1.3\parindent}
1246     \setitemize[3]{leftmargin=1.3\parindent}
1247 \fi
1248 \fi
1249 \renewcommand\labelitemii{\normalfont \textendash}

```

A.9.4 Block Quotations

quotation New quotation and quote environments according to a popular Italian style. The font size is the same of the footnotes and the margins are set to `\parindent`.

```

verse 1250 \renewenvironment{quotation}
          {\list{}{\listparindent\parindent%
1251              \itemindent    \listparindent
1252              \leftmargin    \parindent
1253              \ifsuftesi@ralignquotation
1254              \else
1255                  \rightmargin \parindent
1256              \fi
1257              \parsep          \z@ \@plus\p@}%
          \item\relax%
1258              \ifsuftesi@smallquotation
1259              \small
1260              \else
1261              \footnotesize
1262              \fi\noindent\ignorespaces}
          {\endlist}
1263
1264 \renewenvironment{quote}
1265 {\list{}{\leftmargin \parindent
1266             \ifsuftesi@ralignquotation\
1267             \else
1268                 \rightmargin \parindent
1269             \fi}%
          \item\relax%
1270             \ifsuftesi@smallquotation
1271             \small
1272

```

```

1275         \else
1276         \footnotesize
1277         \fi}%\ignorespaces?
1278     {\endlist}
1279 \renewenvironment{verse}
1280     {\let\\ \@centercr
1281     \list{}{\itemsep \z@
1282     \itemindent -1.5em%
1283     \listparindent\itemindent
1284     \rightmargin \leftmargin
1285     \advance\leftmargin 1.5em}%
1286     \item\relax
1287     \ifsuftesi@smallquotation
1288     \small
1289     \else
1290     \footnotesize
1291     \fi}
1292     {\endlist}

```

A.9.5 Notes

`\@makefntext`

```

1293 \ifsuftesi@standardfootnote
1294     \relax
1295     \else
1296     \ifsuftesi@dottedfootnote
1297     \renewcommand\@makefntext{\@thefnmark.\hskip.5em}
1298     \else

```

By default the footnotes are printed in the style of *The Elements of Typographic Styles* by R. Bringhurst:

```

1299     \renewcommand\@makefntext{%
1300     \hskip-2.5em\makebox[2em][r]{\@thefnmark}\hskip.5em}
1301     \fi
1302 \fi

```

`\marginpar` The `\marginpar` command is redefined according to the look of *Classic Thesis* by André Miede (2011):

```

1303 \def\SUF@mpsetup{%thanks to Lorenzo Pantieri and Enrico Gregorio
1304     \ifsuftesi@elements\relax
1305     \else\itshape\fi
1306     \footnotesize%
1307     \parindent=0pt \lineskip=0pt \lineskiplimit=0pt %
1308     \tolerance=2000 \hyphenpenalty=300 \exhyphenpenalty=300%
1309     \doublehyphendemerits=100000%
1310     \finalhyphendemerits=\doublehyphendemerits}
1311 \let\oldmarginpar\marginpar
1312 \renewcommand{\marginpar}[1]{\oldmarginpar%
1313     [\SUF@mpsetup\raggedleft\hspace{0pt}{#1}]%
1314     {\SUF@mpsetup\raggedright\hspace{0pt}{#1}}}
1315 \ifsuftesi@nomarginpar
1316     \renewcommand\marginpar[2][]{\fi}
1317     \else
1318     \fi

```

A.9.6 Abstract

This is the macro that defines the `abstract` environment in `article` class. In `suftesi` it simply prints the abstract name in roman font:

```

1319 \if@titlepage
1320   \newenvironment{abstract}{%
1321     \titlepage
1322     \null\vfil
1323     \@beginparpenalty\@lowpenalty
1324     \begin{center}%
1325       \abstractname
1326     \endparpenalty\@M
1327     \end{center}}%
1328   {\par\vfil\null\endtitlepage}
1329 \else
1330   \newenvironment{abstract}{%
1331     \if@twocolumn
1332       \section*{\abstractname}%
1333     \else
1334       \small
1335       \begin{center}%
1336         {\abstractname\vspace{-.5em}\vspace{\z@}}%
1337       \end{center}%
1338       \quotation
1339     \fi}
1340   {\if@twocolumn\else\endquotation\fi}
1341 \fi
1342 \newcommand\abstractname{Abstract}

```

A.9.7 Colophon

Some useful commands to print a colophon or a copyright notice.

```

1343 \edef\SUF@engine{%
1344   \ifxetex
1345     \noexpand\XeLaTeX
1346   \else
1347     \ifluatex
1348       Lua\noexpand\LaTeX
1349     \else
1350       \noexpand\LaTeX
1351     \fi
1352   \fi}

\colophon

1353 \newcommand{\colophon}[3] [] {%
1354   \thispagestyle{empty}
1355   \null
1356   \vfill
1357   \def\next{#2}
1358   \ifx\next\@empty\else
1359     \noindent Copyright \copyright{} \the\year~#2\\[1ex]
1360     Tutti i diritti riservato
1361   \fi
1362   \vfill

```

```

1363 {\small\noindent Questo lavoro è stato composto con \SUF@engine{}}%
1364 \def\next{#1}
1365 \ifx\next\@empty\else su #1
1366 \fi usando la classe \textsf{suftesi} di
1367 Ivan Valbusa\index{Valbusa, Ivan}. #3\par}
1368 \cleardoublepage}

\bookcolophon
1369 \newcommand{\bookcolophon}[2]{%
1370 \thispagestyle{empty}
1371 \null
1372 \vfill
1373 \noindent #1
1374 \vfill
1375 {\small\noindent #2\par}
1376 \cleardoublepage}

\artcolophon
1377 \newcommand{\artcolophon}[1]{%
1378 \thispagestyle{empty}
1379 \null
1380 \vfill
1381 {\small\noindent #1\par}}

\finalcolophon
1382 \newcommand{\finalcolophon}[1]{%
1383 \thispagestyle{empty}
1384 \null\vspace*{\stretch{1}}
1385 \begin{center}
1386 \begin{minipage}{.5\textwidth}
1387 \centering\small #1
1388 \end{minipage}
1389 \end{center}
1390 \vspace*{\stretch{6}}
1391 }

```

A.10 TOC, LOF, LOT

```
1392 \RequirePackage{titletoc}
```

A.10.1 The dottedtoc and raggedtoc options

```

\SUF@titlerule
\SUF@chaptitlerule 1393 \ifsuftesi@elements
1394 \def\SUF@tochapsize{}
1395 \else
1396 \def\SUF@tochapsize{\large}
1397 \fi
1398 \ifsuftesi@dottedtoc
1399 \def\SUF@titlerule{\titlerule*{\footnotesize .\ }}
1400 \def\SUF@chaptitlerule{\titlerule*{}}
1401 \else
1402 \ifsuftesi@raggedtoc
1403 \def\SUF@titlerule{\hspace{1.5em}}
1404 \def\SUF@chaptitlerule{\hspace{1.5em}}
1405 \else

```

```

1406      \def\SUF@titlerule{\titlerule*{}}
1407      \def\SUF@chaptitlerule{\titlerule*{}}
1408      \fi
1409 \fi

\SUF@label@chapter All the lengths depend on \SUF@label@chapter so we define this first.
1410 \newlength\SUF@label@chapter
1411 \setlength\SUF@label@chapter{.5em}

\toclabelwidth \toclabelwidth is provided to adjust the label width:
1412 \newcommand*{\toclabelwidth}[1]{\setlength\SUF@label@chapter{#1}}

\SUF@tochang This macro controls the space between page number and chapter label using the
tocpageleft option:
1413 \newlength{\SUF@tochang}
1414 \setlength{\SUF@tochang}{3em}
1415 \AtBeginDocument{
1416 \newlength\SUF@label@part
1417 \newlength\SUF@label@section
1418 \newlength\SUF@label@subsection
1419 \newlength\SUF@label@subsubsection
1420 \newlength\SUF@label@paragraph
1421 \newlength\SUF@label@subparagraph
1422 \newlength\SUF@label@figure
1423 \newlength\SUF@label@table
1424 \setlength\SUF@label@part
1425     {\SUF@label@chapter}
1426 \setlength\SUF@label@section
1427     {\dimexpr(\SUF@label@chapter+.5em)}
1428 \setlength\SUF@label@subsection
1429     {\dimexpr(\SUF@label@section+.5em)}
1430 \setlength\SUF@label@subsubsection
1431     {\dimexpr(\SUF@label@subsection+.5em)}
1432 \setlength\SUF@label@paragraph
1433     {\dimexpr(\SUF@label@subsubsection+.5em)}
1434 \setlength\SUF@label@subparagraph
1435     {\dimexpr(\SUF@label@paragraph+.5em)}
1436 \setlength\SUF@label@figure
1437     {\SUF@label@chapter}
1438 \setlength\SUF@label@table
1439     {\SUF@label@chapter}
1440 }

The part entry is the same in both default and topcpageleft style.
1441 \titlecontents{part}
1442     [0em]
1443     {\addvspace{3ex}\SUF@tocchapsize\partname~}
1444     {\makebox[\SUF@label@part][l]{\thecontentslabel}\hspace*{1em}}
1445     {}
1446     {}
1447     [\addvspace{1ex}]

```

A.10.2 The tocpageleft table of contents

```

1448 \ifsuftesi@tocpageleft

```

```

\contentsmargin First we reset the right margin to zero:
1449 \contentsmargin{0pt}

\SUF@tochang@<level>
\SUF@addto@tochang@<level> 1450 \AtBeginDocument{
1451 \newlength\SUF@tochang@chap
1452 \newlength\SUF@tochang@sec
1453 \newlength\SUF@tochang@subsec
1454 \newlength\SUF@tochang@subsubsec
1455 \newlength\SUF@tochang@par
1456 \newlength\SUF@tochang@subpar
1457 \newlength\SUF@tochang@fig
1458 \newlength\SUF@tochang@tab
1459 \newlength\SUF@addto@tochang@chap
1460 \newlength\SUF@addto@tochang@sec
1461 \newlength\SUF@addto@tochang@subsec
1462 \newlength\SUF@addto@tochang@subsubsec
1463 \newlength\SUF@addto@tochang@par
1464 \newlength\SUF@addto@tochang@subpar
1465 \newlength\SUF@addto@tochang@fig
1466 \newlength\SUF@addto@tochang@tab
1467 \setlength\SUF@tochang@chap
1468     {\dimexpr(1em+\SUF@tochang+\SUF@label@chapter+1em)}
1469 \setlength\SUF@tochang@sec
1470     {\dimexpr(\SUF@tochang@chap+\SUF@label@section+1em)}
1471 \setlength\SUF@tochang@subsec
1472     {\dimexpr(\SUF@tochang@sec+\SUF@label@subsection+1em)}
1473 \setlength\SUF@tochang@subsubsec
1474     {\dimexpr(\SUF@tochang@subsec+\SUF@label@subsubsection+1em)}
1475 \setlength\SUF@tochang@par
1476     {\dimexpr(\SUF@tochang@subsubsec+\SUF@label@paragraph+1em)}
1477 \setlength\SUF@tochang@subpar
1478     {\dimexpr(\SUF@tochang@par+\SUF@label@subparagraph+1em)}
1479 \setlength\SUF@tochang@fig
1480     {\SUF@tochang@chap}
1481 \setlength\SUF@tochang@tab
1482     {\SUF@tochang@chap}
1483 \setlength\SUF@addto@tochang@chap
1484     {\SUF@tochang}
1485 \setlength\SUF@addto@tochang@sec
1486     {\dimexpr(\SUF@addto@tochang@chap+\SUF@label@section+.5em)}
1487 \setlength\SUF@addto@tochang@subsec
1488     {\dimexpr(\SUF@addto@tochang@sec+\SUF@label@subsection+.5em)}
1489 \setlength\SUF@addto@tochang@subsubsec
1490     {\dimexpr(\SUF@addto@tochang@subsec+\SUF@label@subsubsection+.5em)}
1491 \setlength\SUF@addto@tochang@par
1492     {\dimexpr(\SUF@addto@tochang@subsubsec+\SUF@label@paragraph+.5em)}
1493 \setlength\SUF@addto@tochang@subpar
1494     {\dimexpr(\SUF@addto@tochang@par+\SUF@label@subparagraph+.5em)}
1495 \setlength\SUF@addto@tochang@fig
1496     {\SUF@addto@tochang@chap}
1497 \setlength\SUF@addto@tochang@tab
1498     {\SUF@addto@tochang@chap}
1499 }

```

TOC entries

```

1500 \titlecontents{chapter}
1501   [\SUF@tochang@chap]
1502   {\addvspace{2ex}}
1503   {\hskip-\SUF@tochang@chap%
1504     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@chap%
1505     \makebox[\SUF@label@chapter][l]{\thecontentslabel}\hspace*{1em}}
1506   {\hskip-\SUF@tochang@chap%
1507     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@chap%
1508   }
1509   [\addvspace{1ex}]
1510 \titlecontents{section}
1511   [\SUF@tochang@sec]
1512   {}
1513   {\hskip-\SUF@tochang@sec%
1514     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1515     \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1516   {\hskip-\SUF@tochang@sec%
1517     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@sec%
1518     \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1519   {}
1520 \titlecontents{subsection}
1521   [\SUF@tochang@subsec]
1522   {}
1523   {\hskip-\SUF@tochang@subsec%
1524     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1525     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1526   {\hskip-\SUF@tochang@subsec%
1527     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsec%
1528     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1529   {}
1530 \titlecontents{subsubsection}
1531   [\SUF@tochang@subsubsec]
1532   {}
1533   {\hskip-\SUF@tochang@subsubsec%
1534     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1535     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1536   {\hskip-\SUF@tochang@subsubsec%
1537     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subsubsec%
1538     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1539   {}
1540 \titlecontents{paragraph}
1541   [\SUF@tochang@par]
1542   {}
1543   {\hskip-\SUF@tochang@par%
1544     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1545     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1546   {\hskip-\SUF@tochang@par%
1547     \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@par%
1548     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1549   {}
1550 \titlecontents{subparagraph}
1551   [\SUF@tochang@subpar]
1552   {}

```

```

1553 {\hskip-\SUF@tochang@subpar%
1554 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1555 \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1556 {\hskip-\SUF@tochang@subpar%
1557 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@subpar%
1558 \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1559 {}
1560 \titlecontents{figure}
1561 [\SUF@tochang@fig]
1562 {}
1563 {\hskip-\SUF@tochang@fig%
1564 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@fig%
1565 \makebox[\SUF@label@figure][l]{\thecontentslabel}\hspace*{1em}}
1566 {}
1567 {}
1568 \titlecontents{table}
1569 [\SUF@tochang@tab]
1570 {}
1571 {\hskip-\SUF@tochang@tab%
1572 \makebox[1em][l]{\thecontentspage}\hskip\SUF@addto@tochang@tab%
1573 \makebox[\SUF@label@table][l]{\thecontentslabel}\hspace*{1em}}
1574 {}
1575 {}
1576 \else

```

A.10.3 The default table of contents

```

1577 \AtBeginDocument{
1578 \newlength\SUF@tocindent@chap
1579 \newlength\SUF@tocindent@sec
1580 \newlength\SUF@tocindent@subsec
1581 \newlength\SUF@tocindent@subsubsec
1582 \newlength\SUF@tocindent@par
1583 \newlength\SUF@tocindent@subpar
1584 \newlength\SUF@tocindent@fig
1585 \newlength\SUF@tocindent@tab
1586 \setlength\SUF@tocindent@chap
1587 {\dimexpr(\SUF@label@chapter+1em)}
1588 \setlength\SUF@tocindent@sec
1589 {\dimexpr(\SUF@tocindent@chap+\SUF@label@section+1em)}
1590 \setlength\SUF@tocindent@subsec
1591 {\dimexpr(\SUF@tocindent@sec+\SUF@label@subsection+1em)}
1592 \setlength\SUF@tocindent@subsubsec
1593 {\dimexpr(\SUF@tocindent@subsec+\SUF@label@subsubsection+1em)}
1594 \setlength\SUF@tocindent@par
1595 {\dimexpr(\SUF@tocindent@subsubsec+\SUF@label@paragraph+1em)}
1596 \setlength\SUF@tocindent@subpar
1597 {\dimexpr(\SUF@tocindent@par+\SUF@label@subparagraph+1em)}
1598 \setlength\SUF@tocindent@fig
1599 {\SUF@tocindent@chap}
1600 \setlength\SUF@tocindent@tab
1601 {\SUF@tocindent@chap}
1602 }

```

TOC entries


```

1603 \titlecontents{chapter}
1604   [\SUF@tocindent@chap]
1605   {\addvspace{2ex}}
1606   {\hskip-\SUF@tocindent@chap%
1607     \makebox[\SUF@label@chapter][l]{\thecontentslabel}\hspace*{1em}\SUF@tochapsize}
1608   {\hskip-\SUF@tocindent@chap\SUF@tochapsize}
1609   {\SUF@chaptitlerule\contentspage}
1610   [\addvspace{1ex}]
1611 \titlecontents{section}
1612   [\SUF@tocindent@sec]
1613   {}
1614   {\hskip-\dimexpr(\SUF@label@section+1em)%
1615     \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1616   {\hskip-\dimexpr(\SUF@label@section+1em)%
1617     \makebox[\SUF@label@section][l]{\thecontentslabel}\hspace*{1em}}
1618   {\ifsufts@article\SUF@chaptitlerule%
1619     \else\SUF@titlerule\fi\contentspage}
1620 \titlecontents{subsection}
1621   [\SUF@tocindent@subsec]
1622   {}
1623   {\hskip-\dimexpr(\SUF@label@subsection+1em)%
1624     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1625   {\hskip-\dimexpr(\SUF@label@subsection+1em)%
1626     \makebox[\SUF@label@subsection][l]{\thecontentslabel}\hspace*{1em}}
1627   {\SUF@titlerule\contentspage}
1628 \titlecontents{subsubsection}
1629   [\SUF@tocindent@subsubsec]
1630   {}
1631   {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1632     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1633   {\hskip-\dimexpr(\SUF@label@subsubsection+1em)%
1634     \makebox[\SUF@label@subsubsection][l]{\thecontentslabel}\hspace*{1em}}
1635   {\SUF@titlerule\contentspage}
1636 \titlecontents{paragraph}
1637   [\SUF@tocindent@par]
1638   {}
1639   {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1640     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1641   {\hskip-\dimexpr(\SUF@label@paragraph+1em)%
1642     \makebox[\SUF@label@paragraph][l]{\thecontentslabel}\hspace*{1em}}
1643   {\SUF@titlerule\contentspage}
1644 \titlecontents{subparagraph}
1645   [\SUF@tocindent@subpar]
1646   {}
1647   {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1648     \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1649   {\hskip-\dimexpr(\SUF@label@subparagraph+1em)%
1650     \makebox[\SUF@label@subparagraph][l]{\thecontentslabel}\hspace*{1em}}
1651   {\SUF@titlerule\contentspage}
1652 \titlecontents{figure}
1653   [\SUF@tocindent@fig]
1654   {}
1655   {\hskip-\dimexpr(\SUF@label@figure+1em)%
1656     \makebox[\SUF@label@figure][l]{\thecontentslabel}}

```

```

1657 {}
1658 {\SUF@titlerule\contentspage}
1659 \titlecontents{table}
1660 [\SUF@tocindent@tab]
1661 {}
1662 {\hskip-\dimexpr(\SUF@label@table+1em)%
1663   \makebox[\SUF@label@table][l]{\thecontentslabel}}
1664 {}
1665 {\SUF@titlerule\contentspage}
1666 \fi

```

`\tableofcontents` With article option the toc, lof and lot are printed as sections.

```

\listoffigures 1667 \ifsuftesi@article
\listoftables 1668 \renewcommand\tableofcontents{%
1669 \thispagestyle{empty}
1670   \section*{\contentsname
1671     \mkboth{\contentsname}{\contentsname}}%
1672   \@starttoc{toc}%
1673   \vspace{2ex}%
1674 }
1675 \renewcommand\listoffigures{%
1676   \section*{\listfigurename}%
1677   \mkboth{\listfigurename}{\listfigurename}%
1678   {\listfigurename}%
1679   \@starttoc{lof}%
1680   \vspace{2ex}%
1681 }
1682 \renewcommand\listoftables{%
1683   \section*{\listtablename}%
1684   \mkboth{%
1685     \listtablename}%
1686   {\listtablename}%
1687   \@starttoc{lot}%
1688   \vspace{2ex}%
1689 }
1690 \else

```

The default toc, lof and lot are treated as chapters.

```

1691 \renewcommand\tableofcontents{%
1692   \if@twocolumn
1693     \@restonecoltrue\onecolumn
1694   \else
1695     \@restonecolfalse
1696   \fi
1697   \chapter*{\contentsname
1698     \mkboth{%
1699       \contentsname}
1700     {\contentsname}}%
1701   \@starttoc{toc}%
1702   \if@restonecol\twocolumn\fi
1703 }
1704 \renewcommand\listoffigures{%
1705   \if@twocolumn
1706     \@restonecoltrue\onecolumn
1707   \else

```

```

1708     \@restonecolfalse
1709   \fi
1710   \chapter*{\listfigurename}%
1711     \@mkboth{\listfigurename}%
1712             {\listfigurename}%
1713   \@starttoc{lof}%
1714   \if@restonecol\twocolumn\fi
1715 }
1716 \renewcommand\listoftables{%
1717   \if@twocolumn
1718     \@restonecoltrue\onecolumn
1719   \else
1720     \@restonecolfalse
1721   \fi
1722   \chapter*{\listtablename}%
1723     \@mkboth{%
1724       \listtablename}%
1725       {\listtablename}%
1726   \@starttoc{lot}%
1727   \if@restonecol\twocolumn\fi
1728 }
1729 \fi

```

A.11 New commands

`\chapterintro` A command to typeset an unnumbered section:

```

1730 \def\chapterintro{
1731   \@ifstar{\@tempswafalse\@chapterintro}{\@tempswattrue\@chapterintro}}
1732 \def\@chapterintro{\phantomsection
1733   \if@tempswa\section*{\SUF@fchapterintroname}\fi
1734   \addcontentsline{toc}{section}{\SUF@fchapterintroname}}
1735 \newcommand{\chapterintroname}[1]{\def\SUF@fchapterintroname{#1}}
1736 \chapterintroname{Introduzione}

```

`\headbreak` Active in the table of contents but not in the text.

```

1737 \newif\ifheadbreak\headbreakfalse
1738 \DeclareRobustCommand{\headbreak}
1739   {\ifheadbreak\\else\fi}

```

`\xheadbreak` Active in the text but not in the table of contents.

```

1740 \newif\ifxheadbreak\xheadbreaktrue
1741 \DeclareRobustCommand{\xheadbreak}
1742   {\ifxheadbreak\\else\fi}

```

`\tableofcontents`

```

1743 \let\origtableofcontents\tableofcontents
1744 \renewcommand{\tableofcontents}{%
1745   \begingroup\headbreaktrue\xheadbreakfalse%
1746   \origtableofcontents\endgroup}

```

Renew `\frontmatter` to have arabic page numbering:

```

1747 \renewcommand\frontmatter{\cleardoublepage\@mainmatterfalse}
1748 \renewcommand\mainmatter{\cleardoublepage\@mainmattertrue}

```

A.12 Backward compatibility

bibliografia An environment to manually typeset the bibliography. (Use `biblatex` instead!)

```

1749 \newenvironment{bibliografia}{%
1750   \ifsuftesi@article
1751     \section*{\refname}
1752     \addcontentsline{toc}{section}{\refname}
1753   \else
1754     \chapter{\bibname}%
1755   \fi
1756   \normalfont \list{}{%
1757     \setlength{\itemindent}{-\parindent}
1758     \setlength{\leftmargin}{\parindent}
1759     \setlength{\labelwidth}{\leftmargin}
1760     \setlength{\parsep}{\parskip}
1761     \let\makelabel}}
1762 {\endlist}

```

sigle An environment to manually typeset the list of shorthands. (Use `biblatex` instead!)

```

1763 \newcommand{\losname}{Sigle}
1764 \newcommand{\itlabel}[1]{\itshape\hbox to 6em{#1}}
1765 \newenvironment{sigle}{%
1766   \chapter{\losname}
1767   \normalfont \list{}{%
1768     \setlength{\labelsep}{0.5em}
1769     \setlength{\itemindent}{0pt}
1770     \setlength{\leftmargin}{6em}
1771     \setlength{\labelwidth}{\leftmargin}
1772     \setlength{\listparindent}{\parindent}
1773     \setlength{\parsep}{\parskip}
1774     \let\makelabel\itlabel}}
1775 {\endlist}

```

\hemph In a previous version the `\hemph` command was provided to fix a bug in the hyphenation of some italian expressions like “dell’*encyclopaedia*”. The bug has been fixed by Claudio Beccari so the `\hemph` command is provided only for backward compatibility:

```

1776 \let\hemph\emph

```

A.13 Final settings

The first line of all sections is indented by default using $\mathrm{X}_{\mathrm{T}}\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$ with italian as main language. Anyway this is incongruous with the $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$ default.

```

1777 \ifxetex\let\@afterindenttrue\@afterindentfalse\else\fi

```

Just one touch of french typography:

```

1778 \frenchspacing

```

</class>

A.14 The bibliography file

```

@book{Morison:1111,
  Author = {Stanley Morison},

```

```

Booktitle = {First Principles of Typography},
Date = {1936},
Location = {Cambridge},
Origdate = {2008},
Origlocation = {Pisa-Roma},
Origpublisher = {Fabrizio Serra editore},
Origttitle = {I principi fondamentali della tipografia},
Publisher = {Cambridge University Press},
Title = {First Principles of Typography}}

@book{Eco:1980,
  Author = {Umberto Eco},
  Booktitle = {Il nome della rosa},
  Location = {Milano},
  Publisher = {Bompiani},
  Title = {Il nome della rosa},
  Year = {1980}}

@online{Gregorio:frontespizio,
  Author = {Enrico Gregorio},
  Note = {version 1.1},
  Title = {Il pacchetto \textsf{frontespizio}},
  Url = {http://www.guit.sssup.it/phpbb/index.php},
  Year = {2009}}

@article{Valbusa:2010,
  Author = {Ivan Valbusa},
  Journal = {ArsTeXnica},
  Month = {10},
  Number = {9},
  Title = {Creare stili bibliografici con \textsf{biblatex}:
    l'esperienza del pacchetto {biblatex-philosophy}},
  Year = {2010}}

@book{Bringhurst:1996,
  Author = {Robert Bringhurst},
  Booktitle = {The Elements of Typographic Style},
  Date = {1996},
  Edition = {2},
  Location = {Vancouver},
  Publisher = {Hurtley \& Marks Publisher},
  Title = {The Elements of Typographyc Style},
  Annote = {In questa voce sono state date le indicazioni complete
    dell'edizione originale, ed è stato indicato solo il luogo e la data della
    traduzione italiana}}

@book{Tschichold:1975,
  Author = {Jan Tschichold},
  Booktitle = {Ausgewählte Aufsätze über Fragen der Gestalt des
    Buches und der Typographie},
  Location = {Basel},
  Origdate = {2003},
  Origlocation = {Milano},
  Origpublisher = {Sylvestre Bonnard},

```

```

Origtitle = {La forma del libro},
Publisher = {Birkhäuser Verlag},
Title = {Ausgewählte Aufsätze über Fragen der Gestalt des Buches
und der Typographie},
Year = {1975}}

@online{Lehman:2010,
  Author = {Philipp Lehman},
  Note = {Versione 0.9a},
  Title = {The \textsf{biblatex} package},
  Url = {http://www.ctan.org/tex-archive/macros/latex/exptl/biblatex/},
  Year = {2010}}

@online{Miede:2011,
  Author = {André Miede},
  Title = {A Classic Thesis style},
  Url = {http://www.ctan.org/tex-archive/macros/
latex/contrib/classicthesis/ClassicThesis.pdf},
  Date = {2011}}

@book{Pantieri:2011,
  Author = {Lorenzo Pantieri and Tommaso Gordini},
  Booktitle = {L'arte di scrivere con LATEX},
  Date = {2011},
  Edition = {new edition},
  Foreword = {Enrico Gregorio},
  Hyphenation = {italian},
  Subtitle = {Un'in-troduzione a \LaTeXe},
  Title = {L'arte di scrivere con \LaTeX},
  Url = {http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf},
  Annote = {Questa guida è diventata il punto di riferimento degli utenti
italiani di \LaTeX\ ed è apprezzata per la chiarezza espositiva e la
completezza dei contenuti}}

@article{Pantieri:2009,
  Author = {Lorenzo Pantieri},
  Title = {L'arte di gestire la bibliografia con \pack{biblatex}},
  Url = {http://www.lorenzopantieri.net/LaTeX_files/Bibliografia.pdf},
  Year = {2009}}

@article{Mori:2008,
  Author = {Lapo F. Mori},
  Journal = {ArsTeXnica},
  Month = {10},
  Pages = {37-51},
  Title = {Gestire la bibliografia con {\LaTeX}},
  Volume = {6},
  Year = {2008}}

```

Change History

v0.5	General: First public release. The frontispiece of <code>suftesi</code> is now included in the package <code>frontespizio</code> . New command <code>\chapnumfont</code> . Added options <code>article</code> , <code>fullplain</code> , <code>elements</code> , <code>sufelements</code> , <code>supercompact</code> , <code>compact</code> , <code>nocrop</code> , <code>nomarginpar</code> . Changed option <code>Roma</code> 1	<code>frontespizio</code> package with <code>compact</code> and <code>supercompact</code> options. Added option <code>periodical</code> . Renewed <code>\title</code> command 1
		v0.9
		General: Added <code>dottedtoc</code> and <code>raggedtoc</code> options. Improved compatibility with <code>mathspec</code> . . 1
		v0.9a
v0.6	General: Added commands <code>\bookcolophon</code> , <code>\artcolophon</code> . Added option <code>authortitle</code> . Renamed options <code>plain</code> and <code>fullplain</code> to <code>centerheadings</code> and <code>sufplain</code> . New english documentation. 1	General: Added inline option to <code>enumitem</code> package. Deleted <code>centertitle</code> to <code>centerchap</code> . New command <code>\toclabelspace</code> . Renamed <code>sctitles</code> to <code>scstyle(1-12)</code> . Changed code for <code>toc</code> , <code>lot</code> and <code>lof</code> elements. Added options: <code>tocpageleft</code> , <code>defaultparindent</code> , <code>standardfootnote</code> , <code>dottedfootnote</code> , <code>alignlist</code> , <code>indentlist</code> , <code>ralignquotation</code> , <code>smallquotation</code> , <code>romanchap</code> , <code>centerpart</code> , <code>centerchap</code> , <code>centersec</code> , <code>rightpart</code> , <code>rightchap</code> , <code>rightsec</code> , <code>numparpart</code> , <code>numparchap</code> , <code>numparsec</code> , <code>smallcapspart</code> , <code>smallcapschap</code> , <code>smallcapssec</code> , <code>italicpart</code> , <code>italicchap</code> , <code>italicsec</code> , <code>italicsubsec</code> , <code>romanchap</code> , <code>dottedpart</code> , <code>dottedchap</code> , <code>italicheader</code> , <code>smallcapsheader</code> , <code>rmstyle(1-6)</code> , <code>itstyle(1-12)</code> , <code>scstyle(1-12)</code> 1
v0.6a	General: Maintenance release, no changes 1	
v0.6b	General: Improved full compatibility with \LaTeX . <code>varioref</code> and <code>footmisc</code> packages are no longer loaded 1	
v0.6c	General: Maintenance release, no changes 1	
v0.7	General: Maintenance release, no changes. Provided a thesis template 1	
v0.8	General: Added macro for using	

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	898, 929, 997, 1185	<code>\@fnsymbol</code> 908, 948
<code>\@Alph</code> . 1075, 1088, 1094	<code>\@beginparpenalty</code> . 1323	<code>\@headtitle</code> 887, 890, 1184
<code>\@M</code> 1326	<code>\@centercr</code> 1280	<code>\@idxitem</code> 1037
<code>\@afterindentfalse</code> 1777	<code>\@chapapp</code> . . 1074, 1093	<code>\@ifpackageloaded</code> . .
<code>\@afterindenttrue</code> . 1777	<code>\@chapterintro</code> 1731, 1732	. . . 822, 854, 1006
<code>\@arabic</code> 698,	<code>\@date</code> 932, 941, 971, 1000	<code>\@ifstar</code> 1731
700, 702, 704, 706	<code>\@dblarg</code> 888	<code>\@lowpenalty</code> 1323
<code>\@author</code>	<code>\@endparpenalty</code> . . 1326	<code>\@mainmatterfalse</code> . 1747

<code>\@mainmattertrue</code> 1043, 1748	<code>\appendicesname</code> 1039, 1040	<code>\ClassWarningNoLine</code> 891, 895, 899
<code>\@makefnmark</code> 949	<code>\appendix</code> 1071, 1085, 1090	<code>\cleardoublepage</code> 1052, 1061, 1368, 1376, 1747, 1748
<code>\@makefntext</code> 950, 1297, 1299	<code>\appendixname</code> 1074, 1078, 1093	<code>\clearpage</code> 1038
<code>\@makeschapterhead</code> 1029	<code>\appendixpage</code> 1041	<code>\col@number</code> 954
<code>\@maketitle</code> 955, 957, 962, 969, 974	<code>\arabic</code> 532, 1226, 1234, 1241	<code>\colophon</code> 1353
<code>\@mkboth</code> 1030, 1671, 1677, 1684, 1698, 1711, 1723	<code>\art@scale</code> 396, 398	<code>\columnsep</code> 1036
<code>\@plus</code> 1034, 1258	<code>\artcolophon</code> 1377	<code>\columnseprule</code> ... 1035
<code>\@ptsize</code> 468	<code>\AtBeginDocument</code> 376, 410, 821, 853, 1005, 1415, 1450, 1577	<code>\contentsmargin</code> .. 1449
<code>\@restonecolfalse</code> 1025, 1695, 1708, 1720	<code>\author</code> 900	<code>\contentsname</code> 1670, 1671, 1697, 1699, 1700
<code>\@restonecoltrue</code> 1027, 1693, 1706, 1718	B	<code>\contentspage</code> . 1051, 1609, 1619, 1627, 1635, 1643, 1651, 1658, 1665
<code>\@starttoc</code> 1672, 1679, 1687, 1701, 1713, 1726	<code>\baselineskip</code> 498, 635, 641, 738, 1214, 1215	<code>\copyright</code> 1359
<code>\@tempswafalse</code> ... 1731	<code>\beforeepigraphskip</code> 1214	<code>\csname</code> 889
<code>\@tempswatrue</code> 1731	bibliografia (environ- ment) <u>1749</u>	D
<code>\@textsuperscript</code> 949, 952	<code>\bibname</code> 855, 861, 869, 1754	<code>\date</code> 942, 972
<code>\@thanks</code> 934, 940, 964, 970	<code>\bookcolophon</code> 1369	<code>\DeclareFontFamily</code> . 397
<code>\@thefnmark</code> 949, 952, 1297, 1300	C	<code>\DeclareFontShape</code> 398–407
<code>\@title</code> 887, 894, 914, 918, 920, 923, 982, 986, 988, 991	<code>\c@chapter</code> .. 1075, 1094	<code>\DeclareRobustCommand</code> 411, 500, 503, 506, 508, 513, 515, 521, 523, 1738, 1741
<code>\@topnum</code> 961	<code>\c@footnote</code> ... 908, 948	<code>\defbibheading</code> 823, 826, 829, 833, 837, 840, 843, 845, 848, 855, 858, 861, 865, 869, 872, 875, 878, 882
\sqcup 1124, 1126, 1268, 1399	<code>\c@paragraph</code> 704	<code>\definecolor</code> .. 360, 361
A	<code>\c@section</code> ... 698, 1088	<code>\dimen@</code> 394, 396
<code>\abstractname</code> . 1325, 1332, 1336, 1342	<code>\c@subparagraph</code> ... 706	<code>\doublehyphendemerits</code> 1309, 1310
<code>\addcontentsline</code> .. . 831, 835, 847, 863, 867, 880, 1054, 1734, 1752	<code>\c@subsection</code> 700	E
<code>\addfontfeature</code> 514, 516	<code>\c@subsubsection</code> .. 702	<code>\emph</code> 1776
<code>\addvspace</code> 1046, 1050, 1064, 1068, 1443, 1447, 1502, 1509, 1605, 1610	<code>\captionsetup</code> 1203, 1205	<code>\encodingdefault</code> .. 413
<code>\afterepigraphskip</code> 1215	<code>\chapnumfont</code> 517, 519, 525, 527	<code>\endcsname</code> 889
<code>\Alph</code> 1078	<code>\chapter</code> 591, 623, 692– 694, 725, 731, 743, 744, 747, 748, 751, 752, 754, 756, 856, 859, 862, 866, 870, 873, 1076, 1082, 1697, 1710, 1722, 1754, 1766	<code>\endlist</code> 1265, 1278, 1292, 1762, 1775
<code>\alph</code> .. 1227, 1235, 1242	<code>\chapterintro</code> 1730	<code>\endquotation</code> 1340
<code>\and</code> 943, 973	<code>\chapterintroname</code> 1735, 1736	environments: bibliografia .. <u>1749</u> sigle <u>1763</u>
	<code>\chaptermark</code> 1103, 1123	
	<code>\chaptertitlename</code> . 1124	
	<code>\ClassError</code> 692	

theindex	1023	\headbreak	1738	\ifsufteresi@centerpart	
\epigraphrule	1216	\headbreakfalse . .	1737	28, 534
\epigraphsize	1219	\headbreaktrue . . .	1745	\ifsufteresi@centersec	
\exhyphenpenalty .	1308	\headrulewidth . . .	1099	30, 552
F		\hemph	1776	\ifsufteresi@centersubsec	
\fancyfoot	1108,	\hskip	617, 714,	31, 561
1134, 1136,		720, 1078, 1112,		\ifsufteresi@centersubsubsec	
1149, 1154, 1158		1118, 1297, 1300,		36, 570
\fancyhead	1109,	1503, 1504, 1506,		\ifsufteresi@compact .	
1115, 1151,		1507, 1513, 1514,		11, 437,
1152, 1160–1162		1516, 1517, 1523,		502, 601, 746, 1010	
\fancyhf	1107,	1524, 1526, 1527,		\ifsufteresi@defaultfont	
1133, 1148, 1157		1533, 1534, 1536,		4, 377
\fancypagestyle . . .		1537, 1543, 1544,		\ifsufteresi@defaultgreek	
. . . 1105, 1131,		1546, 1547, 1553,		3, 388
1132, 1147, 1156		1554, 1556, 1557,		\ifsufteresi@defaultparindent	
\filcenter	535,	1563, 1564, 1571,		20, 416
544, 553, 562, 571		1572, 1606, 1608,		\ifsufteresi@dottedchap	
\filleft	538,	1614, 1616, 1623,		44, 579
547, 556, 565, 574		1625, 1631, 1633,		\ifsufteresi@dottedfootnote	
\filright	540,	1639, 1641, 1647,		22, 1296
549, 558, 567,		1649, 1655, 1662		\ifsufteresi@dottedpart	
576, 625, 631, 637		\hss	952	43, 584
\finalcolophon . . .	1382	\ht	395	\ifsufteresi@dottedtoc	
\finalhyphendemerits		\hyphenpenalty . . .	1308	17, 1398
.....	1310	I			
\font	393	\if@mainmatter . . .	1196	\ifsufteresi@elements	
\fontencoding .	376, 412	\if@restonecol	1038,	. . . 13, 457, 596,	
\fontfamily . . .	412, 526	1702, 1714, 1727		1102, 1200, 1202,	
\fontspec	518	\if@tempwa	1733	1208, 1304, 1393	
\footnote	907, 979	\if@titlepage	903, 1319	\ifsufteresi@indentlist	
\footnoterule	906, 1100	\if@twocolumn . .	953,	24, 1233
\footnotesize		1024, 1331, 1340,		\ifsufteresi@italicchap	
. . . . 905, 1135,		1692, 1705, 1717		46, 656
1136, 1150–1152,		\ifheadbreak	1737, 1739	\ifsufteresi@italicheader	
1154, 1159–1162,		\ifluatex	1347	57
1219, 1263, 1276,		\ifsufteresi@alignlist		\ifsufteresi@italiclhead	
1290, 1306, 1399		23, 1225	55, 1174
\frenchspacing . . .	1778	\ifsufteresi@artemisla		\ifsufteresi@italicpart	
\frontmatter	1747	1, 385	45, 647
G		\ifsufteresi@article .		\ifsufteresi@italicRhead	
\gdef	887, 1074, 1075,	8, 691,	56, 1165
1088, 1093, 1094		820, 916, 984,		\ifsufteresi@italicsec	
\geometry		1084, 1125, 1138,		47, 665
. 421, 428, 438,		1618, 1667, 1750		\ifsufteresi@italicsubsec	
448, 458, 469,		\ifsufteresi@authortitle		48, 675
472, 475, 479, 494		9, 1139, 1183	\ifsufteresi@italicsubsubsec	
\global	938–	\ifsufteresi@bozza	49, 686
943, 961, 967–973		7, 1135, 1150, 1159		\ifsufteresi@nocrop	15, 422
\greektext	411	\ifsufteresi@centerchap		\ifsufteresi@nomarginpar	
H		29, 543	16, 1315
\hb@xt@	951	\ifsufteresi@centerheader		\ifsufteresi@numparchap	
		5, 1198	39, 724, 737
				\ifsufteresi@numparpart	
				38, 711

<code>\ifsufteresi@numparsec</code>	<code>\ifsufteresi@tocpageleft</code>	<code>\makelabel</code> .. 1761, 1774
..... 40, 760 19, 1448	<code>\MakeTextLowercase</code> .. 514, 516, 522, 524
<code>\ifsufteresi@numparsubsec</code>	<code>\ifxetex</code> 363,	<code>\maketitle</code> 902,
..... 41, 775	372, 512, 1344, 1777	904, 939, 946, 968
<code>\ifsufteresi@numparsubsubsec</code>	<code>\ifxheadbreak</code> 1740, 1742	<code>\Margini</code> 1008, 1011, 1015
..... 42, 790	<code>\ignorespaces</code> 1264, 1277	<code>\marginpar</code> 1311, 1312, 1316
<code>\ifsufteresi@periodical</code>	<code>\index</code> 1367	<code>\marginparsep</code> 617, 1112, 1118
..... 10, 427,	<code>\indexname</code> .. 1029, 1030	<code>\marginparwidth</code> 1113, 1118, 1119
499, 597, 742, 1007	<code>\item</code> 1037,	<code>\markboth</code> 825, 828, 832,
<code>\ifsufteresi@porson</code> 2, 391	1259, 1272, 1286	836, 857, 860,
<code>\ifsufteresi@raggedtoc</code>	<code>\itemindent</code> 64, 868, 1103, 1124	<code>\markright</code> 839,
..... 18, 1402	... 1252, 1282,	842, 871, 874,
<code>\ifsufteresi@ralignquotation</code>	1283, 1757, 1769	877, 881, 1104, 1126
... 25, 1254, 1268	<code>\itemsep</code> 1281	
<code>\ifsufteresi@rightchap</code>	<code>\itlabel</code> ... 1764, 1774	
..... 33, 546	<code>\itshape</code> .. 631, 648,	
<code>\ifsufteresi@rightpart</code>	657, 666, 676,	
..... 32, 537	687, 810, 1113,	
<code>\ifsufteresi@rightsec</code>	1119, 1166, 1175,	
..... 34, 555	1224, 1305, 1764	
<code>\ifsufteresi@rightsubsec</code>		N
..... 35, 564	L	<code>\newlength</code> 497,
<code>\ifsufteresi@rightsubsubsec</code>	<code>\labelitemii</code> 1249	1410, 1413, 1416–
..... 37, 573	<code>\labelsep</code> 1768	1423, 1451–
<code>\ifsufteresi@romanchap</code>	<code>\labelwidth</code> .. 1759, 1771	1466, 1578–1585
..... 27, 529	<code>\LARGE</code> 1058	<code>\noindent</code> 950,
<code>\ifsufteresi@smallcapschap</code>	<code>\Large</code> 508, 621	1264, 1359, 1363,
.. 51, 653, 913, 981	<code>\LaTeX</code> 1348, 1350	1373, 1375, 1381
<code>\ifsufteresi@smallcapsheader</code>	<code>\leftmargin</code> 395	Nowacki, Janusz M. .. 2
..... 60, 1190	... 1253, 1267,	<code>\numexpr</code> 395
<code>\ifsufteresi@smallcapsLhead</code>	1284, 1285, 1758,	
..... 59, 1177	1759, 1770, 1771	O
<code>\ifsufteresi@smallcapspart</code>	<code>\leftmark</code> .. 1113, 1196	<code>\oldmarginpar</code> 1311, 1312
..... 50, 644	<code>\lineskip</code> 927, 995, 1307	<code>\onecolumn</code> 1038,
<code>\ifsufteresi@smallcapsRhead</code>	<code>\lineskiplimit</code> ... 1307	1693, 1706, 1718
..... 58, 1168	<code>\linespread</code> 382	<code>\origtableofcontents</code>
<code>\ifsufteresi@smallcapssec</code>	<code>\list</code> ... 1251, 1267, 1743, 1746
.. 52, 662, 917, 985	1281, 1756, 1767	
<code>\ifsufteresi@smallcapssubsec</code>	<code>\listfigurename</code> 1676–	P
..... 53, 671	1678, 1710–1712	<code>\p@</code> 395, 910,
<code>\ifsufteresi@smallcapssubsubsec</code>	<code>\listoffigures</code> 1675, 1704	1034, 1036, 1258
..... 54, 682	<code>\offstoftables</code> 1682, 1716	<code>\pagestyle</code> 1098,
<code>\ifsufteresi@smallquotation</code>	<code>\listparindent</code> 1251,	1131, 1197–1200
26, 1260, 1273, 1287	1252, 1283, 1772	<code>\paragraph</code> 806, 812
<code>\ifsufteresi@standardfootnote</code>	<code>\listtablename</code> 1683,	<code>\parsep</code> 1258, 1760, 1773
..... 21, 1293	1685, 1686,	<code>\parskip</code> 1034, 1760, 1773
<code>\ifsufteresi@sufelements</code>	1722, 1724, 1725	<code>\part</code> .. 707, 708, 712, 718
14, 590, 1070, 1211	<code>\LoadClass</code> 358	<code>\partname</code> 714, 720, 1064, 1443
<code>\ifsufteresi@sufplain</code>	<code>\losname</code> 826,	<code>\PassOptionsToClass</code> 354
..... 6, 1199	833, 840, 858,	<code>\phantomsection</code> .. 1732
<code>\ifsufteresi@supercompact</code>	865, 872, 1763, 1766	<code>\protect</code> .. 891, 895, 899
..... 12, 447,	M	<code>\put</code> 616, 1111, 1117
505, 605, 750, 1014	<code>\mainmatter</code> 1748	

Q		
\quotation	1338	
R		
\raggedleft	1119, 1313	
\raggedright		
.. 1032, 1113, 1314		
\refname	823,	
829, 837, 843,		
845, 848, 875,		
878, 882, 1751, 1752		
\renewenvironment . .		
..... 1023,		
1250, 1266, 1279		
\Rientro	1012, 1016	
\rightmargin		
.. 1256, 1270, 1284		
\rightmark		
.. 1119, 1187, 1196		
\rlap	949	
\Roman	530	
\roman	1228, 1236, 1243	
\rule	622, 1081	
S		
\sbox	392, 393	
\section 624, 629, 761,		
766, 768, 773,		
824, 827, 830,		
834, 838, 841,		
876, 879, 883,		
1332, 1670, 1676,		
1683, 1733, 1751		
\sectionmark		
.. 1104, 1126, 1128		
\sectionsep	497,	
498, 708, 766,		
773, 781, 788,		
796, 803, 812, 819		
\setdescription	1224	
\setenumerate 1226–		
1228, 1234–		
1236, 1241–1243		
\setitemize	1229–	
1231, 1237–		
1239, 1244–1246		
\setlength	498, 594,	
1106, 1214–1216,		
1411, 1412, 1414,		
1424, 1426, 1428,		
1430, 1432, 1434,		
1436, 1438, 1467,		
1469, 1471, 1473,		
1475, 1477, 1479,		
1481, 1483, 1485,		
1487, 1489, 1491,		
1493, 1495, 1497,		
1586, 1588, 1590,		
1592, 1594, 1596,		
1598, 1600, 1757–		
1760, 1768–1773		
\setlist	1223	
\sfdefault	383	
sigle (environment) <u>1763</u>		
\small	905,	
927, 932, 995,		
1000, 1032, 1078,		
1080, 1261, 1274,		
1288, 1334, 1363,		
1375, 1381, 1387		
\sourceflush	1218	
\standardtitle	902	
\strip@pt	396	
\subparagraph	813, 819	
\subsection 630, 635,		
776, 781, 783,		
788, 844, 846, 849		
\subsubsection		
..... 636, 641,		
791, 796, 798, 803		
\SUF@addto@tochang@chap		
..... 1459,		
1483, 1486, 1496,		
1498, 1504, 1507		
\SUF@addto@tochang@fig		
.. 1465, 1495, 1564		
\SUF@addto@tochang@par		
... 1463, 1491,		
1494, 1544, 1547		
\SUF@addto@tochang@sec		
... 1460, 1485,		
1488, 1514, 1517		
\SUF@addto@tochang@subpar		
..... 1464,		
1493, 1554, 1557		
\SUF@addto@tochang@subsec		
... 1461, 1487,		
1490, 1524, 1527		
\SUF@addto@tochang@subsubsec		
... 1462, 1489,		
1492, 1534, 1537		
\SUF@addto@tochang@tab		
.. 1466, 1497, 1572		
\SUF@ADJnumparchap .		
..... 738, 740,		
743, 747, 751, 755		
\SUF@appendices		
.. 1039, 1054, 1058		
\SUF@appendixpage . .		
..... 1041, 1042		
\SUF@CHAP@StyleSwitch		
..... 652, 729, 735		
\SUF@chapnumfont . .		
..... 518, 526, 595		
\SUF@chapnumpos		
. 589, 599, 603,		
607, 610, 614, 616		
\SUF@chaptersize		
. 500, 503, 506,		
508, 713, 719,		
726, 732, 912, 980		
\SUF@chaptitlerule		
... 1400, 1404,		
1407, 1609, 1618		
\SUF@dotchap		
. 580, 582, 727, 733		
\SUF@dotpart		
. 585, 587, 714, 720		
\SUF@engine	1343, 1363	
\SUF@fchapterintroname		
..... 1733–1735		
\SUF@greekfamily		
. 386, 389, 408, 412		
\SUF@headingsmallcaps		
..... 515, 523,		
1169, 1178, 1191		
\SUF@label@chapter		
..... 1410–		
1412, 1425, 1427,		
1437, 1439, 1468,		
1505, 1587, 1607		
\SUF@label@figure		
... 1422, 1436,		
1565, 1655, 1656		
\SUF@label@paragraph		
..... 1420,		
1432, 1435, 1476,		
1492, 1545, 1548,		
1595, 1639–1642		
\SUF@label@part 1065,		
1416, 1424, 1444		
\SUF@label@section		
..... 1417,		
1426, 1429, 1470,		
1486, 1515, 1518,		
1589, 1614–1617		
\SUF@label@subparagraph		
..... 1421,		
1434, 1478, 1494,		
1555, 1558,		
1597, 1647–1650		

\SUF@label@subsection	\SUF@thechapter	\SUF@tocindent@fig
..... 1418, 530, 532,	.. 1584, 1598, 1653
1428, 1431, 1472,	618, 727, 733, 1124	\SUF@tocindent@par
1488, 1525, 1528,	\SUF@thepage 1582,
1591, 1623–1626	... 1136, 1154,	1594, 1597, 1637
\SUF@label@subsubsection	1160, 1191, 1193	\SUF@tocindent@sec
..... 1419,	\SUF@titlerule 1579,
1430, 1433, 1474,	1403, 1406, 1619,	1588, 1591, 1612
1490, 1535, 1538,	1627, 1635, 1643,	\SUF@tocindent@subpar
1593, 1631–1634	1651, 1658, 1665	.. 1583, 1596, 1645
\SUF@label@table	\SUF@titlesmallcaps	\SUF@tocindent@subsec
.. 513, 521, 1580,
... 1423, 1438,	621, 628, 645,	1590, 1593, 1621
1573, 1662, 1663	654, 663, 673,	\SUF@tocindent@subsubsec
\SUF@leftmark	684, 914, 918, 1581,
. 1140,	982, 986, 1078, 1080	1592, 1595, 1629
1145, 1185, 1188	\SUF@tocchapsize	\SUF@tocindent@tab
\SUF@leftrightmark	. 1443	.. 1585, 1600, 1660
..... 1188, 1195	\SUF@tochang	\SUF@versionstring
\SUF@Lheadstyle	.. 1413, 1101,
...	1414, 1468, 1484	1135, 1150, 1159
... 1175, 1178,	\SUF@tochang@chap	\suftesi@alignlisttrue
1180, 1185, 1188 124
\SUF@lr@CHAPSwitch	... 1451, 1467,	\suftesi@artemisialfalse
..... 544,	1470, 1480, 1482, 70, 74
547, 549, 726, 732	1501, 1503, 1506	\suftesi@artemisiatrue
\SUF@LR@MarkSwitch	\SUF@tochang@fig 65
.. 1137, 1153, 1163 1457,	\suftesi@articlefalse
\SUF@lr@PARTSwitch	1479, 1561, 1563 92
..... 535,	\SUF@tochang@par	\suftesi@articletrue
538, 540, 713, 719 108
\SUF@lr@SECSwitch 1455,	\suftesi@authortitletrue
...	1475, 1478, 110
..... 553,	1541, 1543, 1546	\suftesi@bozzatrue
556, 558, 762, 769	\SUF@tochang@sec	.. 81
\SUF@lr@SUBSECSwitch 1452,	\suftesi@centerchaptrue
..... 562,	1469, 1472, 134,
565, 567, 777, 784	1511, 1513, 1516	179, 188, 202,
\SUF@lr@SUBSUBSECSwitch	\SUF@tochang@subpar	220, 239, 260,
..... 571,	... 1456, 1477,	282, 300, 319, 340
574, 576, 792, 799	1551, 1553, 1556	\suftesi@centerheadertrue
\SUF@mpsetup	\SUF@tochang@subsec 77
.. 1303, 1313, 1314 1453,	\suftesi@centerparttrue
\SUF@PART@StyleSwitch	1471, 1474, 132
..... 643,	1521, 1523, 1526	\suftesi@centersectrue
714, 716, 720, 722	\SUF@tochang@subsubsec 136
\SUF@Rheadstyle 1454,	\suftesi@compactfalse
...	1473, 1476, 101
1171, 1184, 1187	1531, 1533, 1536	\suftesi@compacttrue
\SUF@rightmark	\SUF@tochang@tab 84, 86
... 1142, 1151, 1458,	\suftesi@defaultfonttrue
1161, 1184, 1187	1481, 1569, 1571 62
\SUF@SEC@StyleSwitch	\SUF@tochapsize	\suftesi@defaultgreekfalse
.... 661, 765, 772	1394, 1396, 1607, 1608 67, 71
\SUF@SUBSEC@StyleSwitch	\SUF@tocindent@chap	
.... 670, 780, 787	... 1578, 1586,	
\SUF@SUBSUBSEC@StyleSwitch	1589, 1599, 1601,	
.... 681, 795, 802	1604, 1606, 1608	

\suftesi@defaultgreektrue	\suftesi@numparparttrue	\suftesi@sufplaintrue
..... 63, 73 144 79
\suftesi@defaultparindenttrue	\suftesi@numparsecttrue	\suftesi@supercompactfalse
..... 118 148 102
\suftesi@dottedchaptrue	\suftesi@periodicaltrue	\suftesi@supercompacttrue
..... 168 83 88
\suftesi@dottedfootnotetrue	\suftesi@porsonfalse	\suftesi@tocpagelefttrue
..... 122 66, 75 116
\suftesi@dottedparttrue	\suftesi@porsontrue	
..... 166 69	
\suftesi@dottedtoctrue	\suftesi@raggedtoctrue	T
..... 112 95, 114	\tableofcontents ..
\suftesi@elementstrue	\suftesi@ralignquotationtrue 1668,
..... 90 128	1691, 1743, 1744
\suftesi@indentlisttrue	\suftesi@rightchaptrue	\temp 393
..... 126 140,	\textcolor 618
\suftesi@italicchaptrue	182, 192, 208,	\textendash 1249
. 158, 195, 200,	227, 246, 268,	\textflush 1217
206, 212, 218,	288, 307, 326, 348	\textls 522, 524
225, 232, 238,	\suftesi@rightparttrue	\textnormal
245, 252, 259, 267 138	. 626, 632, 638,
\suftesi@italicLheadtrue	\suftesi@rightsecttrue	778, 785, 793, 800
. 170, 197, 203, 142	\textsf 1366
209, 215, 222,	\suftesi@romanchaptrue	\texttt 1101
229, 235, 242, 164	\thanks 907, 938, 967, 979
249, 256, 264, 272	\suftesi@smallcapschaptrue	\thechapter . 1075, 1094
\suftesi@italicparttrue 93,	\thecontentslabel ..
..... 156	99, 152, 275, 280, 1065,
\suftesi@italicRheadtrue	286, 292, 298,	1444, 1505, 1515,
. 171, 198, 204,	305, 312, 318,	1518, 1525, 1528,
210, 216, 223,	325, 332, 339, 347	1535, 1538, 1545,
230, 236, 243,	\suftesi@smallcapsLheadtrue	1548, 1555, 1558,
250, 257, 265, 273	. 173, 277, 283,	1565, 1573, 1607,
\suftesi@italicsecttrue	289, 295, 302,	1615, 1617, 1624,
. 160, 176, 178,	309, 315, 322,	1626, 1632, 1634,
181, 184, 187,	329, 336, 344, 352	1640, 1642, 1648,
191, 196, 201,	\suftesi@smallcapsparttrue	1650, 1656, 1663
207, 213, 219, 150	\thecontentspage ..
226, 276, 281,	\suftesi@smallcapsRheadtrue	... 1504, 1507,
287, 293, 299, 306	. 174, 278, 284,	1514, 1517, 1524,
\suftesi@italicsubsecttrue	290, 296, 303,	1527, 1534, 1537,
. 162, 234, 240,	310, 316, 323,	1544, 1547, 1554,
247, 254, 261,	330, 337, 345, 353	1557, 1564, 1572
269, 314, 320,	\suftesi@smallcapssecttrue	\thefootnote .. 908, 948
327, 334, 341, 349 94, 100,	theindex (environ-
\suftesi@nocropttrue	154, 233, 241,	ment) 1023
104	248, 255, 263,	\thepage 1108, 1191, 1193
\suftesi@nomarginpartrue	271, 313, 321,	\theparagraph
..... 106	328, 335, 343, 351 703, 706, 808
\suftesi@numparchaptrue	\suftesi@smallquotationtrue	\thepart 714, 720
. 146, 185, 189, 130	\thesection
193, 214, 221,	\suftesi@standardfootnotetrue	. 626, 697, 700,
228, 253, 262, 120	763, 770, 1088, 1126
270, 294, 301,	\suftesi@sufelementstrue	\thesubparagraph 705, 815
308, 333, 342, 350 91, 98	

<code>\thesubsection</code> . 632,	798, 806, 813, 1076	V
699, 702, 778, 785	<code>\titlerule</code> 1399,	<code>\vfil</code> . 909, 935, 1057,
<code>\thesubsubsection</code> ..	1400, 1406, 1407	1059, 1322, 1328
..... 638,	<code>\titlespacing</code>	
701, 704, 793, 800	. 623, 629, 635,	X
<code>\title</code> 887–889, 892, 896	641, 708, 743,	<code>\XeLaTeX</code> 1345
<code>\titleclass</code> 707	744, 747, 748,	<code>\xheadbreak</code> 1741
<code>\titlecontents</code> 1044,	751, 752, 754,	<code>\xheadbreakfalse</code> ..
1062, 1441, 1500,	756, 766, 773,	... 1151, 1152,
1510, 1520, 1530,	781, 788, 796,	1161, 1162, 1745
1540, 1550, 1560,	803, 812, 819, 1082	<code>\xheadbreaktrue</code> .. 1740
1568, 1603, 1611,	<code>\toclabelwidth</code> ... 1412	
1620, 1628, 1636,	<code>\today</code> 1101	
1644, 1652, 1659	<code>\tolerance</code> 1308	Y
<code>\titleformat</code> ... 591,	<code>\tw@</code> 393, 395	<code>\year</code> 1359
624, 630, 636,	<code>\twocolumn</code> 957, 1029,	
712, 718, 725,	1702, 1714, 1727	Z
731, 761, 768,	U	
776, 783, 791,	<code>\unitlength</code> .. 594, 1106	Zapf, Hermann 2